



CONSENT MANAGEMENT

Decision taken by Member Secretary (DPCC) on 16.05.2012 in respect of 11 cases of Consent to Establish (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 16.04.2012 to 30.04.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/1371 16-04-2012	WAMIKA HOSPITALITY PVT. LTD. C-101, PH-II, MAYAPURI INDL. AREA	SOUTH WEST	Orange Establish	Banquet Hall. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- - Built Up Area ---- 948 (in sq. meter) - Water Consumption ---- 10000 liters/day - Ground Water ---- 10000 liters/day - Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 5000 liters/day		19-04-2012 (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: 2X200 and 380 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
2	DPCC/EC/2/1/2012/1391 17-04-2012	APPOLO TRAEXIM PRIVATE LIMITED / BULBUL BANQUET HALL A-4, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Establish	BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- 01-01-2004 - Built Up Area ---- 4362.23 (in sq. meter) - Water Consumption ---- 34000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 17000 liters/day (b) Trade Effluent ---- 3000 liters/day		08-05-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...2...125 KVA & 320 KVA	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
3	DPCC/EC/2/1/2012/1421 19-04-2012	ARCHANA ADVERTISING PVT. LTD. C-78, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	OFFSET PRINTING INCLUDING WASHING OF ROLLER AND PLATES Printing Press (With Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 344.45 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		08-05-2012 (1)ETP ---- Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1----Installed Unit has submitted an affidavit along with CTO application stating that M/s ARCHANA OFFSET was merge/ convert into the name of M/s ARCHANA ADVERTISING PVT LTD	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
4	DPCC/EC/2/1/2012/1427 20-04-2012	JUMBO INTERNATIONAL JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Establish	FOOD PROCESSING Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	- Date of commissioning of project ---- - Built Up Area ---- 1115 (in sq. meter) - Water Consumption ---- 124000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 6100 liters/day (b) Trade Effluent ---- 62500 liters/day		08-05-2012 (1)ETP ---- installed (2)ECS - N/A (3)D.G.Set Noise Report : 3 (4) Inspection details: on 01.09.10 & following were the observations: 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	16-05-2012 Status awaited from DDA. Recommended to put up file administratively.

2. Both the units are having common coal fired boiler and ETP.
3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation.
4. ETP was also found in operation.
5. The units are having two bore wells.
6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10.
7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection.
8. The issue of conformity of unit is to be discussed.

(5) Closure directions u/s 31(A) details :
in accordance not to operate its coal
fired boiler till 15.10.10 in view of CWG
10 and to convert it into oil fired boiler
by 15.10.10, failing which direction for
disconnection of electricity, water supply
will be issued. Letter issued to
unit on 29.09.10 to apply for CTE also
essentially supported by the proof of
conformity from DDA and also to remove
the non-functional boiler and letter
issued to DDA for conformity of the unit.

As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit.

As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11.

Unit has submitted a copy of letter along with CTE & CTO application from F.3 (288)66. MP dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan.

EARLIER CMC DECISION

09-11-2010
Directions for disconnection of
electricity / water supply be issued.

09-12-2010
Consent applications be refused.

13-01-2011
In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For deciding the consent to operate

								application, reminder be sent to DDA on the conformity.		
5	DPCC/EC/2/1/2012/1434 23-04-2012	DHARAMPAL SATYAPAL LTD C-46, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	MIXING OF PAN MASALA Pan Masala (Mixing Only)	• Date of commissioning of project ---- 01-01-1976 • Built Up Area ---- 2268.19 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish with the condition that unit shall will comply with the provisions of Plastic Waste Rules amended to date and shall not use plastic sachets / pouches / multilayered plastic for packaging of its products.	16-05-2012 Consent to Establish granted with the condition that unit shall comply with the provisions of Plastic Waste Rules amended to date and shall not use plastic sachets / pouches / multilayered plastic for packaging of its products.
6	DPCC/EC/2/1/2012/1436 23-04-2012	MAHAVIR PRASAD B-68/4, GATE-NO-4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 158.39 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS -stack attched with buffing m/c (b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: Was conducted on 13.03.2012. Observations: 1. Unit is engaged in mfg. of stainless steel utensils with buffing. 2. Ground Floor of the premises is being used cold re rolling of S.S. Sheets. 3. First Floor of the premises is being used for S.S. circle cutting. 4. Second Floor of the premises is being used for pressing of S.S. sheets with cutting, bending, spinning moulding. 5. Top floor of the premises is being used for buffing of S.S. Utensils. 6. ECS has been provided with buffing machines to channelise the emissions ground from buffing activity. ECS found in operations. However the contacted persons was advised to provide more sheets around the buff of the buffing machines. 7. As informed, the plot no. 68/4, has more other units. The approx area of 68/4 is 1200 sq yard. (5) SCN u/s 31(A) issued on 08.12.2011. (6) Closure directions u/s 31(A) issued on 15.11.2012. Revocation of closure direction u/s 31(A) issued on 02.04.2012.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
7	DPCC/EC/2/1/2012/1452 24-04-2012	DEEP INDIA ENTERPRISES PVT. LTD. T-5/1, PH-I, MANGOLPURI INDL. AREA	Mangolpuri Industrial Area	Orange Establish	SERVICING, PREPAIRING OF VARIOUS CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9000 liters/day		04-05-2012 (1)ETP ---- (Proposed) (2)ECS - N/A (3)D.G.Set: 1X125 KVA (Proposed) (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.

8	DPCC/EC/2/1/2012/1472	SHUBHAM FOOD INDUSTRIES B-58, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Establish	FOOD PROCESSING OF VARIOUS FOOD ITEMS Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: no (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
9	DPCC/EC/2/1/2012/1474	K.N.S POLYPLAST PVT LTD E-4, UDYOG NAGAR INDL. AREA	Udyog Nagar Industrial area	Orange Establish	MFG. OF PLASTIC PRODUCTS PLASTIC GRANULES AND ITS MOULDED. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- 01-04-2012 • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 500 liters/day		07-05-2012 (1)ETP ---- Proposed (Trade effluent 500 LPD) (2)ECS - channnelisation (Proposed) Re-processing of Plastic Scrap. (3)D.G.Set: 1 DG Set of 125 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
10	DPCC/EC/2/1/2012/1475	ACP GRANULES E-288, SEC-2, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MANUFACTURING OF LD GRANULES (SECOND) WITH WASHING OF SCRAPS Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 700 liters/day		07-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 26.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.
11	DPCC/EC/2/1/2012/1502	SHIVA INTERNATIONAL APPARELS A-37/2,MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	MFG OF READYMADE GARMENT WITH WASHING Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 503.4 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- No (b) Effluent analysis report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Establish.	16-05-2012 Consent to Establish granted.

								parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
--	--	--	--	--	--	--	--	--	--	--