



CONSENT MANAGEMENT

Decision taken by Member Secretary (DPCC) on 16.05.2012 in respect of 40 cases of Consent to Operate and Renewal of Consent to Operate (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 01.04.2012 to 30.04.2012 including 1 case of Jan 2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/464 04-01-2012	DTC BAWANA BAWANA DEPOT	NORTH WEST	Orange Renewal	REPAIR, MAINTENANCE AND OPERATIONAL OF CNG BUSES. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 16325 (in sq. meter) - Water Consumption ---- 9000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 6500 liters/day		10-05-2012 (1)ETP/Oil and Grease Trap-yes. (a) AR dated 30-12-2011 issued by DTU submitted. (b) Effluent analysis report dated 30-12-2011 issued by (DTU) DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes.5 number of parameters analyzed which are within limit prescribed limit. (2)ECS - NO. (3)The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 30-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (4) Inspection details:NO. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.	16-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
2	DPCC/EC/2/1/2012/1281 03-04-2012	SANJEEVANI GRAINS PVT. LTD. PLOT NO 517, SECTOR-C, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - Yes (a) AR dated 31.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO Earlier CMC Decision Decision on 14.02.2011 Issue consent to establish. Subsequently, Inspection be conduted.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate granted. Subsequently inspection be conducted.	16-05-2012 Consent to Operate granted. Subsequently inspection be conducted.
3	DPCC/EC/2/1/2012/1291	SPECULUM-FINISH 20, DSIDC COMPLEX,	Wazirpur Industrial Area	Orange Renewal	PLASTIC MOULDING AND ELECTROPLATING ON PLASTIC.			25-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.07.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 21-02-	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	16-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

							(2)ECS - N/A (b) Stack monitoring report dated 22-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
6	DPCC/EC/2/1/2012/1305 09-04-2012	BAWA MASALA CO PVT. LTD. G-20-21, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	GRINDING AND PACKING OF SPICES Spice Grinding	- Date of commissioning of project ---- - Built Up Area ---- 600 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day	27-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 26.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: 1 (a)Noise monitoring report of - 100- KVA dated - 28.09.2011- issued by - DPCC - submitted and noise levels are within limit / beyond limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Consent to Operate granted.
7	DPCC/EC/2/1/2012/1310 09-04-2012	CHEMI-KALEEN (INDIA) PVT. LTD. C-115, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURE OF TOOTHPASTE AND OTHER COSMETICS AND TOILETRIES Manufacturing Of Toothpowder, Toothpaste, Talcum Powder And Other Cosmetic Items Perfumes and Cosmetics (With Effluent Discharge)	- Date of commissioning of project ---- 01-01-1971 - Built Up Area ---- 3003.92 (in sq. meter) - Water Consumption ---- 550 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 30 liters/day	02-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 09.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack attached with Boiler (b) Stack monitoring report dated 10-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: NO	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	16-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details :No		
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
8	DPCC/EC/2/1/2012/1316 10-04-2012	PERFACT BEVERAGES PVT. LTD. A-268/1 PH-1 OKHLA INDL. AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER. Water Softening and Demineralised Plants	- Date of commissioning of project ---- - Built Up Area ----- 147 (in sq. meter) - Water Consumption ---- 6700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day	(1)ETP ---- ETP - Physiochemical (a) AR dated ...28.02.2012... issued by ..DELHI COLLEGE OF ENGINEERING.. submitted. (b) Effluent analysis report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 28.12.11, Consent to establish and letter were issued on 18.01.12 for submission of CTO application within 90 days. Unit has submitted its reply on 30.01.12 stating that they will apply CTO as soon as they get the adequacy report and test report. EARLIER CMC DECISION 28.12.11 (In CTE File) Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Inspection to be conducted.
9	DPCC/EC/2/1/2012/1323 11-04-2012	SONIA INDUSTRIES D-14/3, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Break lining Brake Lining without use of Asbestos	- Date of commissioning of project ---- - Built Up Area ----- 704 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone sapreater (a) AR dated23.02.12..... issued byDTU..... submitted. (b) Stack monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 2005 & following were observed: (A) Unit found in operation. (B) Dust collector have been provided with the grinding machines and found in opertion. (C) DG set installed with acoustic enclosure & adequate stack height.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate without use of asbestos.	16-05-2012 Renewal of Consent to Operate without use of asbestos granted.

								details :no		
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
13	DPCC/EC/2/1/2012/1363	SHAKTI STEEL A-111/1, III FLOOR), WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING OF STAINLESS STEEL UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 10-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Consent to Operate granted.
14	DPCC/EC/2/1/2012/1364	ANJALI STEEL INDUSTRIES B-68/4, GATE NO.-3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS WITH BUFFING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2009 issued by GGISU submitted. (b) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Consent to Operate granted.
15	DPCC/EC/2/1/2012/1366	ANKUR EXPORTS A-96/11, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	STAINLESS MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING). Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 21.06.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Consent to Operate granted.
16	DPCC/EC/2/1/2012/1367	ALKA AYURVEDIC PVT LTD	S.M.A Industrial Area	Orange Operate	MANUFACTURING OF AYURVEDIC MEDICINES.			27-04-2012 (1)ETP yes (a) AR dated 31.03.2012 issued by DTU	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to	16-05-2012 Consent to Operate and Authorization

04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.

Unit have one paint booth.

(a) Stack monitoring report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.

(4) Inspection details: conducted on 24.08.11 w.r.t a public complaint and following were observed:

(A). The unit was found in operation and engaged in the activity of Service Station & Show Room of Cars.

(B). Log book of hazardous waste maintained properly.

(C). ETP found operational. But sludge & waste oil are not stored in isolated area.

(D). No provisions of HWM Rules

(E). D.G set of 125 KVA found without proper stack height.

(F). Some waste water coming out of the unit which is untreated.

(5) SCN u/s 33(A) & 5 of EPA details :
issued on 03.10.11. SCN for revocation
of CTO was also issued on 03.10.11.

The unit has submitted its reply on 13.10.11 along with an affidavit in response to aforesaid show cause notice.

As approved, a letter was also issued on 12.12.11 for submission of Bank Guarantee of Rs. 50,000/- each under Water Act & HWM Rules. However, no reply has been received in response of the above said letter.

(6) Closure directions u/s 33(A) & 5 of EPA details : issued on 31.01.12.
Revocation of CTO was also issued on 31.01.12.

the unit has submitted its reply on 16.02.12 along with an affidavit regarding rectification of deficiencies and the bank guarantee of Rs. 50,000/- each under Water Act and HWM Rules valid for one year which was asked to submit vide this office letter dt. 12.12.11.

As approved, the original bank guarantee of Rs. 50,000/- each under Water Act & HWM Rules submitted by the unit were returned back vide this office letter dt. 06.03.12 and the unit were asked to submit bank guarantee of RS. One lakh each under Water Act & HWM Rules valid for one year.

The unit has submitted its reply on 07.03.12 along with the aforesaid B.G of Rs. One lakh each under Water Act & HWM Rules valid for one year.

As approved, temporary revocation of closure directions u/s 33 (A) & 5 of EPA were issued on 12.03.12 for submission of fresh adequacy report, to apply for

19	DPCC/EC/2/1/2012/1389	HARPREET MOTORS PVT. LTD 68/2, NAJAFGARH ROAD INDUSTRIAL AREA, MOTI NAGAR	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 720 (in sq. meter) • Water Consumption ---- 6500 liters/day • Ground Water ---- 6000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4800 liters/day		CTO & authorization under HWM Rules . 09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March 2009 issued by I.P. University submitted. (b) Effluent analysis report dated 13-04-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 320 KVA and 200 KVA. Noise monitoring report dated 09-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	16-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
20	DPCC/EC/2/1/2012/1396	DADU AGRO (INDIA) PVT LTD. PLOT NO. A-178, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER, SOFT DRINK AND SODA. Aerated Water and Fruit Beverage with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 11000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day		07-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 29.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. NOTE: the parameters i.e. BOD is exceeding the limits (2)ECS - No (b) Stack monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 23.11.2010 during the inhpection following were obseved: (a) unit has one oil fired boiler placed at top floor (b) no ETP provided to treat the trade effluent.	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	16-05-2012 File be put up administratively.

									demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : issued on 29.09.10 in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. The unit has submitted a letter on11.07.11 requested to use biocoal briquettes in the boiler to generate steam in place of diesel, as increase the price of diesel. It is submitted tha the conversion of coal fired boiler to diesel fired boiler was done in compliance of decision of DPCC board meeting held on 09.12.09 & also biocoal briquettes is not an approved fuel as per notification of DPCC. As approved, letter was issued to the unit on 27.07.11 to not use the biocoal briquettes as a fuel in boiler. The unit has submitted its reply on 04.08.11. Unit has submitted along with CTO application a copy of letter from F.3 (288)66. MP dated 11.09.1968 issued by D.D.A. certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan.			
--	--	--	--	--	--	--	--	--	---	--	--	--

25	DPCC/EC/2/1/2012/1426	JUMBO INTERNATIONAL	Okhla Industrial Estate	Orange Operate	FOOD PROCESSING	• Date of commissioning of project ---- • Built Up Area ---- 1115 (in sq. meter) • Water Consumption ---- 124000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation		08-05-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: on 01.09.10 & following were the observations: 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	16-05-2012 Status awaited from DDA. Recommended to put up file administratively.
	20-04-2012	JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE			Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	• (a) Domestic Effluent ---- 6100 liters/day • (b) Trade Effluent ---- 62500 liters/day				

[illegible]

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
29	DPCC/EC/2/1/2012/1439 23-04-2012	UNITED THREADS P. LTD D-1559 , DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DYING OF EMBROIDERY YARN Yarn and textile processing involving scouring, bleaching, dyeing, printing or any effluent/emission generating process. (upto 100 workers in all shifts, 1 acre of land, 100 Kld water) with Boiler	- Date of commissioning of project ---- - Built Up Area ----- 350 (in sq. meter) - Water Consumption ----- 6300 liters/day - Ground Water ----- 0 liters/day - Waste Water generation (a) Domestic Effluent ----- 100 liters/day (b) Trade Effluent ----- 0 liters/day	(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no 08-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March 2009 issued by GGSIU submitted. (b) Effluent analysis report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS -Stack attached with the bolier. (b) Stack monitoring report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	16-05-2012 Consent to Operate and Authorization under HWM Rules granted.
30	DPCC/EC/2/1/2012/1443 23-04-2012	NIRULAS CORNER HOUSE PVT. LTD BAWA POTTERIES COMPLEX, KISHAN GARH, VASANT KUNJ	SOUTH WEST	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- - Built Up Area ----- 6800 (in sq. meter) - Water Consumption ----- 2000 liters/day - Ground Water ----- 0 liters/day - Waste Water generation (a) Domestic Effluent ----- 500 liters/day (b) Trade Effluent ----- 1500 liters/day	04-05-2012 (1)ETP ---- Physico-chemical (a) AR dated 16.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (4) Inspection details:yes, conducted on 05.12.2011 (5) SCN u/s 3 (A) issued on 23.12.2011 (6) Closure directions u/s 33(A) issued on 23.02.2012 Raevocation of closure directions issued on 21.03.2012	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	16-05-2012 File be put up administratively.
31	DPCC/EC/2/1/2012/1445 23-04-2012	MOHINI KITCHEN WARE (P) LTD. PLOT NO 4, PHASE-II, BADLI	Badli Industrial Estate	Orange Operate	MFG. OF ALUMINUM UTENSIL (PRESSURE COOKERS). Buffing On Metal		07-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 30.03.2012 issued by GGSIU submitted. (b) Stack monitoring report dated 09-	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	16-05-2012 Consent to Operate granted.

