



CONSENT MANAGEMENT

Agenda No 1 - Annexure I - 45 cases of Consent to Operate and Consent to Operate(Renewal) under orange category w.e.f. 31.01.2012 to 01.01.2012 (in reverse chronology) excluding the cases of redevelopment areas recommended by Screening Committee as (2b category) on 03.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/454 02-01-2012	DELHI COLD STORAGE PVT. LTD. PLOT NO.15-16 NEW SABZI MANDY AZAD PUR	NORTH WEST	Orange Renewal	Cold Storage. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	- Date of commissioning of project ---- 01-01-1975 - Built Up Area ---- 1453 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		02-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
2	DPCC/EC/2/1/2012/458 03-01-2012	M.S. KOLD-HOLD INDUSTRIES PVT. LTD. C-34, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Cold Storage used for storage of frozen and fresh perishable commodities duly packed in carton boxes. Chilling Plants And Cold Storages (Integrated) (Excluding meat/ food processing) without any trade effluent	- Date of commissioning of project ---- 01-01-1994 - Built Up Area ---- 564.38 (in sq. meter) - Water Consumption ---- 15000 liters/day - Ground Water ---- 14000 liters/day - Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 26-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes .	03-05-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
3	DPCC/EC/2/1/2012/461 03-01-2012	A. C. FOOTWEAR H-11, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	mfg. of all kinds of footwear including leather footwear. Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 450 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		30-03-2012 (1)ETP ---- N/A (2)ECS - Nothing mentioned about installation of Channelization system . (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	03-05-2012 Consent to Operate granted.
4	DPCC/EC/2/1/2012/470 05-01-2012	TONI PLASTIC INDUSTRIES M-244, POCKET-M SEC-5, DSIDC	Bawana Industrial Area	Orange Renewal	Mfg. of Plastic Moulded Items. Plastic Processed Goods			28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA	03-05-2012 Renewal of Consent to Operate granted.

		INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA				• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Also applied for CTR on 16.01.2008 (pending)	
5	DPCC/EC/2/1/2012/474	ASHOKA INDUSTRIES A-61, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	S.S. Re Rolling (cold) without Pickling. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140, 125 KVA. Noise monitoring report dated 09-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	03-05-2012 Renewal of Consent to Operate granted.
6	DPCC/EC/2/1/2012/479	INDUCIA FOOD & BEVERAGES INTERNATIONAL PVT LTD C-148, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Cold Storage Room and Refrigeration. Without any trade effluent discharge. Chilling Plants And Cold Storages (Integrated) (Excluding meat/ food processing) without any trade effluent	• Date of commissioning of project ---- • Built Up Area ---- 250.83 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 03-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes . As decided by the CMC inits meeting held on 26.05.10, CTE issued on 30.06.10 EARLER CMC DECISION 26.05.10 (In CTE File) Issue consent to estblish.	03-05-2012 Consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
7	DPCC/EC/2/1/2012/481	SANJAY COLD STORAGE 35/12-C , LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Cold Storage. Chilling Plants And Cold Storages (Integrated) (Excluding meat/ food processing) without any trade effluent	• Date of commissioning of project ---- 01-01-1970 • Built Up Area ---- 379 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 2700 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 02-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	03-05-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
8	DPCC/EC/2/1/2012/483	BAJAJ MECHANICALS 57, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Area	Orange Renewal	manufacture of bicyle parts. Expanded Metal with Hot Process	• Date of commissioning of project ---- • Built Up Area ---- 567 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 31-12-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes .	03-05-2012 Renewal of Consent to Operate granted.

							(8) Unit has submitted a letter along with the receipt of consent to establish and consent to operate on 23.01.2012 for the present activity of the unit i.e. moulded items (mirror frames) and light engg. works. (9) Revocation of cloure direction was sent to the unit on 03.02.2012.	
25	DPCC/EC/2/1/2012/585 17-01-2012	J. K. ENTERPRISES PLOT NO.-23, (FIRST FLOOR) PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	NON STICK COATING ON IRON SOLE PLATES. Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	29-03-2012 (1) ECS - N/A (b) Stack analysis report dated 10.01.2012 issued by D.T.U submitted. (2) Inspection details: was conducted on 26.09.2011. observations 1. Unit found operational and enaged in the activity of non-stick coating on iron sole plate at first floor of the premises. 2. Unit having the booth (one) for coating on iron plate which is using PTFE paint, installed the hood, to control the emission generated, but suction was not proper. 3. HWM rules are not complied. (3) SCN u/s 5 of EPA details : was issued on 16.12.2011. (4) Closure directions u/s 31(A) details : was issued on 29.11.2011. (5) Reply has been received on 21.12.2011 stating that due to unavoidable circumstances you could not submit reply but emission control system has been rectified and making arrangement for complying of HWM Rules and also requesting to withdraw the directions. (6) A letter for submission of bank guarantee of Rs. One Lakh under Air Act was sent to the unit on 07.02.2012. (7) Bank guarantee of Rs. One Lakh has been received on 06.01.2012. (8) As per the decision taken up by Competent Authority a leter for submission of demand draft/ pay order of Rs. One Lakh as per order of Honble Court dated 09.01.2012 and Bank aguarntee of Rs. 50,000 under HWM Rules was sent to the unit on 07.02.2012. (9) Unit has submitted the requisite bank guarantee of Rs. 50,000 under HWM rules & demand draft/ Pay order of	03-05-2012 Consent to Operate and authorization under HWM Rules granted.

								Rs. One Lakh in this office on 08.02.2012. (10) Revocation of closure direction was sent to the unit on 08.02.2012.	
26	DPCC/EC/2/1/2012/594 18-01-2012	VIJAYA CABLES 91 PHASE II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 450 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
27	DPCC/EC/2/1/2012/597 18-01-2012	SHREE SATYA UDYOG A-42/2, PHASE-1, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	OFFSET PRINTING. Printing Press (Without Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 191 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted by SIT on 03.06.2009. During the inspection following wee observed: a) No acoustic enclosure and adequate stack height provided with D.G. Set of 62.5 KVA. b) Waste oil, waste chemical/solvents was not being stored in an isolated area. c) Hazardous waste guidelines are not being followed. (5)As per CMC decision dt 12.06.09 letter was issued to correct the defeceincies and submit an affidavitin this regard. unot submitted its reply on 15.09.09 and CTE was issued as per CMC decesion d t07.05.10. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	03-05-2012 Consent to Operate and authorization under HWM Rules granted.
28	DPCC/EC/2/1/2012/598 19-01-2012	CLASSIC POLYMERS 279, F.I.E., PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Manufacturing of Plastic Sheets and Cup Insole. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 230 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - NO (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5	03-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

								of EPA details :NO	
29	DPCC/EC/2/1/2012/601	HARYANA ICE FACTORY C-7/2, LAWRENCE ROAD INDUSTRIAL AREA 19-01-2012	Lawrence Road Industrial Area	Orange Renewal	MFG. OF ICE BRICKS. Manufacturing of Ice	• Date of commissioning of project ---- • Built Up Area ---- 372 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 250 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 02-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	03-05-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
30	DPCC/EC/2/1/2012/653	AKSHAY GERA E-654,DSIDC, NARELA INDUSTRIAL AREA 23-01-2012	Narela Industrial Area	Orange Renewal	MFG. OF PLASTIC DANA/TRIPAL. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		30-03-2012 (1) Inspection details: was conducted on 03.02.2011. Observations 1. Basement of the premises is being used by the unit, unit is engaged in mfg. of plastic products. 2. No channelization provided to channelize the emissions. 3. First floor of the premises is being used by the unit for official purpose. (2) SCN u/s 31(A) and for refusal of consent details : was sent to the unit on 26.08.2011. (3) Reply has been received on 12.10.2011 alongwith an affidavit requesting for two month time to install the proper channelization system to channelize the process emission on the machine. (6) Modified directions u/s 31(A) details : for submission of bank guarantee of Rs. 50,000/- user Air Act valid for one year and 60 days time to install proper channelization system to control the process emission was sent to the unit on 14.11.2011. (7) Reply has been received on 30.11.2011 stating that they have installed a well design ducting and channelization to channelize the process emission on the machines. (8) Unit has submitted the bank guarantee of Rs. 50,000/- under Air Act on 30.12.2011.	03-05-2012 File be put up administratively.
31	DPCC/EC/2/1/2012/654	VIJAY PLASTIC E-654,DSIDC, NARELA INDUSTRIAL AREA 23-01-2012	Narela Industrial Area	Orange Renewal	PLASTIC PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
32	DPCC/EC/2/1/2012/659	CHARU JAIN	Narela Industrial	Orange Operate	MANUFACTURING OF PLASTIC			29-03-2012 (1)ETP ---- N/A	03-05-2012

	23-01-2012	F-1717, DSIDC, NARELA INDUSTRIAL AREA	Area		PRODUCTS (HOUSE HOLD ITEMS). Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 15 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A...	Renewal of Consent to Operate granted without using plastic scrap as a raw material.
33	23-01-2012	DPCC/EC/2/1/2012/661 PYFLEX CABLE INDIA PLOT NO A-45, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	Manufacturing of Electric Wires and Cables. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 145 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
34	24-01-2012	DPCC/EC/2/1/2012/666 CHANDU LAL GAURI SHANKAR 42, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA G.T. KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	Iron wire Drawing. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 150 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Renewal of Consent to Operate granted without Pickling / Galvanizing
35	24-01-2012	DPCC/EC/2/1/2012/669 THREE-N-PRODUCTS PVT.LTD. 24-A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	BLENDING AND PACKAGING OF AYURVEDIC CREAM, SHAMPOO AND GEL Perfumes and Cosmetics	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day		30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No According to unit no hazardous waste is generated but as per new DPCC categorization, activity covered in HW Rules. So dummy data has been filled by IT cell in the column 23 of application,to enter the file.	03-05-2012 Put up adminstratively.
36	24-01-2012	DPCC/EC/2/1/2012/670 GOEL TRADING CO. PLOT NO 197, POCKET -E, SECTOR-2,	Bawana Industrial Area	Orange Operate	PLASTIC DANA AND PLASTIC PRODUCTS. Manufacturing of PVC Granules			28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	
41	DPCC/EC/2/1/2012/691 27-01-2012	G.R.VIRINDERA INDUSTRIES O - 37, SECTOR 3, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Products. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
42	DPCC/EC/2/1/2012/692 27-01-2012	F-10 CABLE INDUSTRIES PLOT NO 198 FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	MFG. OF P.V.C. WIRES AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		02-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A (4) Inspection details:N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
43	DPCC/EC/2/1/2012/701 30-01-2012	KOHLI ENTERPRISES PLOT NO.-89, POCKET-C, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC MOULDED ITEMS AND CROCKERY. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
44	DPCC/EC/2/1/2012/702 30-01-2012	SHOBITA ENTERPRISES P-43, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC MOULDED ITEMS AND CROCKERY. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
45	DPCC/EC/2/1/2012/714	MOHAN FOOTCARE PVT. LTD.	Mangolpuri Industrial Area	Orange Operate	Mfg. of PVC Compound and Footwears.			29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

	30-01-2012	T-2/209, PHASE-I, MANGOLPURI INDUSTRIAL AREA			Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day			
--	------------	--	--	--	---	--	--	--	--