



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 16 cases of Consent to Establish under orange category w.e.f. 16.03.12 to 15.04.12 excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 03.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1142 20-03-2012	ANJALI ENTERPRISES PLOT NO 421-A/4, GALI NO 6, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Establish	wire drawing with super enamelling Copper Wire Drawing With Super Enamelling (Dry Process)	- Date of commissioning of project ---- - Built Up Area ---- 66 (in sq. meter) - Water Consumption ---- 150 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - wet scrubber proposed (3)D.G.Set: ...N/A...	03-05-2012 Recommended for grant of Consent to Establish.
2	DPCC/EC/2/1/2012/1221 22-03-2012	MIDAS HEALTHCARE LTD A-5/2, JHILMIL INDUSTRIAL AREA,	Jhilmil Industrial Area	Orange Establish	manufacturing of food preparation in syrups, capsules and sachets Food And Fruit Processing Industry - Fruit and Vegetables Medicines / Pharmaceutical Formulation- Without Boiler	- Date of commissioning of project ---- - Built Up Area ---- 98.28 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 50 liters/day		30-04-2012 (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A...	03-05-2012 Recommended for grant of Consent to Establish.
3	DPCC/EC/2/1/2012/1183 23-03-2012	AGRO PURE CAPITAL FOODS PVT. LTD. D-1511, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	DALL MILL Dal Mills	- Date of commissioning of project ---- 01-01-1992 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 50 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...No... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	03-05-2012 Recommended for grant of Consent to Establish.
4	DPCC/EC/2/1/2012/1187 26-03-2012	S.A. FRESHNERS PVT. LTD. A-63 AND A-62/5, G.T. KARNAL ROAD INDL. AREA	G.T. Karnal Road Industrial Area	Orange Establish	MFG. OF PAN MASALA, GUTKA AND TOBACCO PRODUCTS. Gutka /Supari (Betelnut) Grinding			26-04-2012 (1)ETP ---- N/A (2)ECS - yes (b) Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	03-05-2012 Recommended for grant of Consent to Establish with the condition that unit shall not use plastic sachet / multilayered packaging containing plastic for packing of said products.

						Supari (Betelnut) and Pan Masala Grinding Tobacco Products without Raw Tobacco Processing • Date of commissioning of project ---- • Built Up Area ---- 674.72 (in sq. meter) • Water Consumption ---- 1550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day	Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:Conducted on 21.06.2011 at the same address but name is M/s Shanti Fragrence (P) Ltd , during the inspection following were observed: (a) Unit found operational. (b) Lot of fugitive emission observed generating from grinding of pan masala. No control measure taken to control fugitive emission. (c) Inadequate stack height observed in DG set and in oven. (5) SCN u/s 31(A) issued on 09.08.2011 to the M/s Shanti Fragrence (P) Ltd.
--	--	--	--	--	--	--	---

							(6) Closure directions u/s 31(A) issued on 07.10.2011 to the M/s Shanti Fragrance (P) Ltd. A letter issued to the unit on 07.10.2011 for the submission of full compliance. Unit submitted its reply along with photographs and bank guarantee under Air Act on 19.01.2012. Revocation of closure direction u/s 31(A) of the Air Act issued to the unit on 30.01.2012 with the condition of submit the test report of emission control system. Unit submitted its reply along with the test report of emission control system and Noise Monitoring report on 06.02.2012. Consent detail CTO issued valid upto 27.08.2006 in the name of M/s Shanti Fragrance (P) Ltd at the same address in the activity of mfg. of pan masala, zarda guttkha & sweet supari.	
5	DPCC/EC/2/1/2012/1202 27-03-2012	GOYAL FOODS PLOT NO 32 AND 33, PKT-A, SEC-2. DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Dall and Besan Mill. Dal Mills	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day	25-04-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...No... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	03-05-2012 Recommended for grant of Consent to Establish.
6	DPCC/EC/2/1/2012/1216 28-03-2012	BALA JEE METALTEK PVT. LTD. SHED NO. A-1, DSIIDC JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	mfg.of aluminium sheets and circles Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 151 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Pit furnace & wet scrubber are proposed to be installed.	03-05-2012 Recommended for grant of Consent to Establish by using Pit Furnace only.
7	DPCC/EC/2/1/2012/1229 29-03-2012	S.S. UDYOG PLOT NO 62, POCKET-P, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	25-04-2012 (1)ETP ---- N/A (2)ECS - No (3)D.G.Set: ...No... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA	03-05-2012 Recommended for grant of Consent to Establish.

								details : No	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	
8	DPCC/EC/2/1/2012/1230 29-03-2012	S.S. PULSES MANUFACTURING PVT. LTD. PLOT NO 2433, BLOCK-B, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	DALL MILL Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	03-05-2012 Recommended for grant of Consent to Establish.
9	DPCC/EC/2/1/2012/1257 30-03-2012	ROUTE O 4 RESTAURANT (A UNIT OF M/S TRINITY HOTELS AND RESORSTS PVT. LTD. K-2, MIDDLE CIRCLE, CONNAUGHT PLACE	NEW DELHI	Orange Establish	RESTAURANT AND BAR Restaurant/Eating House/Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 576 (in sq. meter) - Water Consumption ---- 2500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 200 liters/day		02-05-2012 (1)ETP- No. Trade effluent 2.KLD generated and discharge into sewer/drain. (2)ECS - Cyclone (Proposed) (3)D.G.Set: 100KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	03-05-2012 Recommended for grant of Consent to Establish.
10	DPCC/EC/2/1/2012/1260 30-03-2012	Y.C. KURELE/ BULBUL RESORT & HOTEL 59/18, MAIN ROHTAK ROAD MUNDKA	WEST	Orange Establish	PARTY LAWN FOR MARRIAGES, BANQUET AND MOTEL FACILITY Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- - Built Up Area ---- 10787.73 (in sq. meter) - Water Consumption ---- 57000 liters/day - Ground Water ---- 57000 liters/day - Waste Water generation (a) Domestic Effluent ---- 15000 liters/day (b) Trade Effluent ---- 35000 liters/day		02-05-2012 (1)ETP -- Oil and Grease Trap (a) AR dated 20.01.2012 issued by DTU submitted. (b) Effluent analysis report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit- Yes (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 320 KVA, 320 KVA and 35 KVA. Noise monitoring report dated 04-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 03.03.2011 an following were observed: 1.) STP found non-operational. same was found flooded with sewage in the basement/ underground. 2.) No solar energy utilisation facilities installed at site. 3.) No oil & grease trap provided prior to rain wataer harvesting pits. 4.) no hood duct provided with filters to chanelise smoke/ emission generated from the kitchen. only exhaust fan	03-05-2012 Expedite the inspection.

installed.

5.) Tandoor are fired in open area without channezation system.

(5) SCN u/s 31(A) and 33(A) issued on 18.05.2011.

(6) Closure directions u/s 31(A) and 33 (A) and refusal of consent issued on 27.06.2011. REminder letter issued to SDM, DJB & BSES on 05.08.2011.

EARLIER CMC daecision

12.06.2009

SIT-II to inspect & Report

16.04.2010

Call for personal hearing on 12.05.2010
at 5 PM

12.05.09

One representative of the unit appeared before the committee and handed over a letter informing that the concerned representative who is looking after the statutory requirements is on leave and requested to extend the date of hearing for the first week of June, 2010. It has decided that deficiencies noted during the SIT inspection be communicated to the unit for corrections and confirmation on an affidavit. Also ask the unit to apply for consent to operate at the time of commissioning of the project.

Decision on 05.08.2010

Issue SCN for refusal of consent.

Decision on 31.03.2011

Issue SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act in view of the findings of the inspection conducted.

Decision on 11.11.2011

Reply along with affidavit & photographs received for rectification of the measures from the unit. Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, closure directions are revoked with the directions to submit adequacy report of ETP from empanelled consultant of DPCC and to apply for consent to establish and consent to operate. Subsequently, inspection be conducted within 03 months.

Unit submitted the BG of Rs. one Lakh each under Air & Water Act on 13.12.2011.

Revocation of closure direction u/s 31 (A) and 33 (A) issued on 20.12.2011.

CTE application dated 11.12.2008 made

13-04-2012	C-4, GT KARNAL ROAD, S.M.A INDUSTRIAL AREA	Area		MEDICINES. Medicines / Pharmaceutical Formulation- With Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	(a) AR dated 31.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack monitoring report of hot air generated submitted on 13.02.2012 (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Recommended for grant of Consent to Establish.
------------	--	------	--	---	--	---	--