



CONSENT MANAGEMENT

Agenda No 3 - Annexure II - 26 cases of Consent to Operate and Consent to Operate(Renewal) under orange category w.e.f. 16.03.2012 to 31.03.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 03.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1109 16-03-2012	FUTRON PVT. LTD. C-38, DDA SHED, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	ELECTROPLATING Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 97.5 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 325 liters/day (b) Trade Effluent ---- 200 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedAugust, 2008..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which is beyond prescribed limit. (2)ECS - N/A (a) Stack monitoring report dated 15-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records could not be traced for the previous history.	03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.
2	DPCC/EC/2/1/2012/1113 16-03-2012	SALASAR JI ENTERPRISES A-102/5, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	POWDER COATING OF S.S. UTENSILS Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		26-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 14.02.2012 issued by DTU submitted. (b) Stack monitoring report dated 14-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection details:Conducted on 17.10.2011 during the inspection	03-05-2012 Recommended for grant of consent to operate.

								(4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
5	DPCC/EC/2/1/2012/1130 19-03-2012	VEZLAY FOOD PVT. LTD. 352, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Manufacturing of Food Items (soya bin Items) Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated07.12.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) Stack monitoring report dated 15-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC(O) in its meeting held on 16.03.11, CTE was issued on 05.04.11 vd CNO 27109. Inspection is yet to be conducted. EARLIER CMC DECISION 16.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted.	03-05-2012 Expedite the inspection.
6	DPCC/EC/2/1/2012/1140 20-03-2012	A&M DESIGN AND PRINT PRODUCTION 65, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Offset Printing with Trade Effluent. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 250 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated31-12-2011..... issued byDELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 31-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 13.06.06, SCN for refusal was	03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.

		WAZIRPUR INDUSTRIAL AREA			Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
9	DPCC/EC/2/1/2012/1157	COLOURMAN B-52 2ND FLOOR LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	DYEING AND WASHING OF JEANS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day		27-04-2012 (1)ETP ---- Physiochemical (a) AR dated 06.09.2011 issued by DTUsubmitted. (b) Effluent analysis report dated 16.03.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:conducetd on 11.12.2010 during the inspection following were observed: (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) No ETP installed waste water is being discharged directly into drain. (c) HWM Rules are not comply. (d) One cold fired boiler body lying dismantled. (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 12.01.2011 Unit submitted its reply along with an affidavit on 03.03.2011. Another inspection was conducted on 03.06.2011. (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) Deficiencies observed during last inspection was found as it is no rectification was done. (6) Closures directions u/s 31(A)/33(A)/5 of EPA issued on 22.06.2011. Unit submitted its representation on 30.06.2011. A letter was issued to the unit regarding submission of bank guarantee on 19.08.2011. Unit submitted its reply along with applications for CTE and CTO and authorization under HWM Rules on 23.03.2012 and requesting for revocation of closure directions.	03-05-2012 File be put up administratively.
10	DPCC/EC/2/1/2012/1159	S. NARAYAN &	Okhla	Orange	Printing.			30-04-2012	03-05-2012

	21-03-2012	SONS B-88, PHASE-II, OKHLA INDUSTRIAL AREA	Industrial Area	Renewal	Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	(1)ETP ---- ETP - Physiochemical (a) AR datedFebuary, 2012..... issued byJamia Milla Islamia..... submitted. (b) Effluent analysis report dated 22-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	Recommended for grant of renewal of consent and authorization under HWM Rules.
11	DPCC/EC/2/1/2012/1161 21-03-2012	SAMRAT OFFSET PVT. LTD. B-88, OKHLA INDUSTRIAL AREA, PH-II	Okhla Industrial Area	Orange Renewal	PRINTING Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1300 liters/day (b) Trade Effluent ---- 1700 liters/day	30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedFebruary, 2012..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 22-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. Unit has mentioned Trade effluent : 500 Lt/day in application form & 1700 Lt/day in affidavit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.
12	DPCC/EC/2/1/2012/1163 21-03-2012	A.P. INDIA D15/1, OKHLA INDUSTRIAL AREA, PHASE-1	Okhla Industrial Area	Orange Operate	PRINTING Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	26-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2012..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...125 KVA... (a)Noise monitoring report of - 125 - KVA dated - 20.09.11 submitted by the unit has been expired. Unit has mentioned 45 KVA DG set in its application form & affidavit but NMR	03-05-2012 Recommended for grant of consent to operate and authorization under HWM Rules.

[illegible]

2012 issued by DELHI COLLEGE OF
ENGINEERING submitted. Stack Test
Report within Limit - Yes

Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes

Stack monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes

(3) D.G. Set Noise Report : 2
(a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes
number of parameters analyzed which are within limit / beyond prescribed limit.

The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.

(4) Inspection details: Conducted on 21.06.2011 at the same address but name is M/s Shanti Fragrance (P) Ltd , during the inspection following were observed:

- (a) Unit found operational.
- (b) Lot of fugitive emission observed generating from grinding of pan masala. No control measure taken to control fugitive emission.
- (c) Inadequate stack height observed in DG set and in oven.

(5) SCN u/s 31(A) issued on 09.08.2011 to the M/s Shanti Fragrance (P) Ltd.

(6) Closure directions u/s 31(A) issued on 07.10.2011 to the M/s Shanti Fragrance (P) Ltd.
A letter issued to the unit on 07.10.2011 for the submission of full compliance.
Unit submitted its reply along with photographs and bank guarantee under Air Act on 19.01.2012.
Revocation of closure direction u/s 31(A) of the Air Act issued to the unit on

								30.01.2012 with the condition of submit the test report of emission control system. Unit submitted its reply along with the test report of emission control system and Noise Monitoring report on 06.02.2012. Consent detail CTO issued valid upto 27.08.2006 in the name of M/s Shanti Fragrence (P) Ltd at the same address in the activity of mfg. of pan masala, zarda guttkha & sweet supari.	
20	DPCC/EC/2/1/2012/1192 26-03-2012	PUSHPA INTERNATIONAL D-6/1, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Wrist Watch,Dials Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 166.66 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 500 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...August 2008..... issued by ...Guru Gobind Singh Indraprastha University..... submitted. (b) Effluent analysis report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (a) Stack monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	03-05-2012 Recommended for grant of renewal of consent and authorization under HWM Rules.
21	DPCC/EC/2/1/2012/1196 26-03-2012	HIMGIRI AUTOMOBILES PVT. LTD A-19, NEW JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Service Station (Washing and Repairing of Bikes) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 338.3 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29-02-2012..... issued by ...DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 15.12.11 & following were observed: (A). Unit operating without CTO w.e.f	03-05-2012 Recommended for inspection.

3.) No oil & grease trap provided prior to rain wataer harvesting pits.

4.) no hood duct provided with filters to chanelise smoke/ emission generated from the kitchen. only exhaust fan installed.

5.) Tandoor are fired in open area without channezation system.

(5) SCN u/s 31(A) and 33(A) issued on 18.05.2011.

(6) Closure directions u/s 31(A) and 33(A) and refusal of consent issued on 27.06.2011. REminder letter issued to SDM, DJB & BSES on 05.08.2011.

EArlier CMC daecision

12.06.2009

SIT-II to inspect & Report

16.04.2010

Call for personal hearing on 12.05.2010
at 5 PM

12.05.09

One representative of the unit appeared before the committee and handed over a letter informing that the concerned representative who is looking after the statutory requirements is on leave and requested to extend the date of hearing for the first week of June, 2010. It has decided that deficiencies noted during the SIT inspection be communicated to the unit for corrections and confirmation on an affidavit. Also ask the unit to apply for consent to operate at the time of commissioning of the project.

Decision on 05.08.2010

Issue SCN for refusal of consent.

Decision on 31.03.2011

Issue SCN u/s 31(A) of the Air Act and u/s 33(A) of the Water Act in view of the findings of the inspection conducted.

Decision on 11.11.2011

Reply along with affidavit & photographs received for rectification of the measures from the unit. Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, closure directions are revoked with the directions to submit adequacy report of ETP from empanelled consultant of DPCC and to apply for consent to establish and consent to operate. Subsequently, inspection be conducted within 03 months.

Unit submitted the BG of Rs. one Lakh each under Air & Water Act on 13.12.2011.

[illegible]