



CONSENT MANAGEMENT

Decisions taken in the meeting of the Committee headed by Chairman DPCC on 12.06.12 w.r.t. Agenda Item No. 2 - 17 cases of Consent to Operate and Renewal of Consent to Operate (Orange Category - 2d cases) w.e.f. 16.03.2012 to 30.04.2012 and w.e.f. 31.01.2012 to 18.11.2011 (in reverse chronology) excluding the cases of redevelopment areas.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2011/73 18-11-2011	BHARAT PETROLEUM CORPORATION LTD BRIJWASAN INSTALLATION, BIJWASAN	SOUTH WEST	Orange Renewal	STORAGE AND DISTRIBUTION OF PETROLEUM PRODUCTS. Petroleum Products (Storage and Packing Only)	• Date of commissioning of project ---- • Built Up Area ---- 48562.8 (in sq. meter) • Water Consumption ---- 1400 liters/day • Ground Water ---- 1400 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 6 (a) The unit has 3 D.G. Set(s) of 500 KVA, 250 KVA, 160 KVA (not in use) and 320 KVA. Noise monitoring report dated 10-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 3 D.G. Set(s) of 500 KVA, 250 KVA, and 320 KVA. Noise monitoring reports dated 18-11-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - no number of parameters analyzed which are beyond prescribed limit. The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 18-11-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are beyond prescribed limit. The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 18-11-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are beyond prescribed limit. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 18-11-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No number of parameters analyzed which are beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Renewal of consent to operate granted.

2	DPCC/EC/2/1/2011/188	BHARTI REALTY LTD PLOT NO. 1, VASANTKUNJ MALL, VASANT KUNJ	SOUTH WEST	Orange Operate	OFFICE COMPLEX/BUILDING (BHARTI CRESCENT). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-10-2007 • Built Up Area ---- 21223.95 (in sq. meter) • Water Consumption ---- 45000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25000 liters/day (b) Trade Effluent ---- 0 liters/day	21-05-2012 (1)STP of cap 25 kld. (a) Copy of AR dated 26.11.08 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No as TSS levels beyond limit of 30 mg/l. (c)Water requirment 45 kld. (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 4 D.G. Set(s) of 500 KVA. Noise monitoring report dated 30-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (4) Inspection details:16.07.10.Energy conservation details not submitted. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : (7) Date of start of construction Oct 2007. (8) ED and BG submitted due to violations. Matter of ED is subjudice in Honble SC of India. (9) SCN for refusal was issued to the unit on 15.03.12. Reply recieved but no ammendment in STP informed, nor fresh report of all parameters submitted. (10) BUA more than 20000 sqm. EC granted on 28.11.06. CTE also granted on 15.04.09. (11) Unit has sent a legal notice for return of ED/BG. However, BG of Rs 45,00,000 returned to the unit.	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Inspection be conducted and based on the findings of the inspection the file should be put for further necessary action.
3	DPCC/EC/2/1/2011/253	DELHI METRO RAIL CORPORATION LTD. (SULTANPUR METRO DEPOT) SULTANPUR	SOUTH	Orange Operate	MAINTENANCE OF TRAINS ENGAGED ON QUTB MINAR- GURGAON. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-07-2008 • Built Up Area ---- 7000 (in sq. meter) • Water Consumption ---- 35740 liters/day • Ground Water ---- 35740 liters/day • Waste Water generation (a) Domestic Effluent ---- 4000 liters/day (b) Trade Effluent ---- 12000 liters/day	13-12-2011 (1)ETP ---- ETP - Physiochemical,Other ETP Name : STP (a) AR dated16-09-2011..... issued byDELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 16-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report not submitted (4) Inspection details: conducted on on 23.02.11 and following were observed:- 1. The unit has installed an ETP & STP (Physico-chemical) separately. But the same were not found in operation and septic conditions were prevailing in various tanks of ETP and STP. 2. It was observed that ETP & STP have not been operated since long and untreated waste water is being discharge into the drain without any treatment. 3. No provision has been made regarding sludge disposal 4. No oil & grease trap has been provided. No operator was present at site.	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Ask the unit to submit noise monitoring report for D.G. Set from empanelled laboratory of DPCC.

							5. It was reported that horn are blown during maintenance/ stabling hours for safety check of the trains which is essential. 6. Two bore well exist. No permission available at site. 7. Adequate stack height has not been provided with the DG set of 60 KVA. 8. RWH system not provided. 9. Small plants were observed along with boundary wall. (5) SCN u/s 21/22 & 25/26 details : issued on 09.03.11. unit has submitted its reply on 23.03.11. (6) SCN u/s 31(A) & 33(A) details : issued on 07.10.11. Reply received from DGM (RS), sultanpur depot on 13.10.11 & 17.10.11 along with adequacy report of ETP & STP dated 16.09.11. It has been informed by the aforesaid reply that they are making serious effort to obtain the consent as the mandatory requirment of DPCC and requested to intimate the fee & performa etc immediatly so that payment & case is submitted to DPCC immediately. As approved, letter was issued on 18.11.11 to comply with pollution control laws and apploy CTE & CTO (orange) immediately without fail. EARLIER CMC DECISION 02.09.11 Issue SCN for closure incorporating to apply for consent to establish and consent to operate.		
4	DPCC/EC/2/1/2011/334 19-12-2011	CJ INTERNATIONAL HOTELS LTD. HOTEL LE MERIDIEN 8, WINSBOR PLACE	NEW DELHI	Orange Renewal	5 STAR DELUXE HOTEL. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-1989 • Built Up Area ---- 26035 (in sq. meter) • Water Consumption ---- 737000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 370000 liters/day (b) Trade Effluent ---- 200000 liters/day	25-04-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated .31.10.2011 issued by Delhi Technological university submitted. (b) Effluent analysis report dated 31-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (a) AR dated 31.10.2011 issued by Delhi Technological university submitted. (b) Stack monitoring report dated 31-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. But no information available regarding height above roof level. (3)D.G.Set Noise Report : 5 (a) The unit has 4 D.G. Set(s) of 1010, 1010, 1000, 1250, KVA. Noise monitoring report dated 31-10-2011	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Renewal of consent to operate granted with condition that hotel will provide Sewage Treatment Plant to treat the whole waste water generated from the hotel within six months for which an action plan may be submitted within 30 days.

							issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. But no information available regarding height above roof level. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 31-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. But no information available regarding height above roof level. (b) Stack monitoring report (for more than 1000 KVA) dated 31.10.2011 issued by Delhi Technological university submitted. and parameters within limit / not satisfactory. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
5	DPCC/EC/2/1/2011/403 27-12-2011	THE TAJ MAHAL HOTEL NUMBER ONE MANSINGH ROAD	NEW DELHI	Orange Renewal	HOTEL. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 22670 (in sq. meter) • Water Consumption ---- 520000 liters/day • Ground Water ---- 280000 liters/day • Waste Water generation (a) Domestic Effluent ---- 160000 liters/day (b) Trade Effluent ---- 180000 liters/day	26-04-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 29.09.2008 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 21-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Scrubber, Scrubber, Scrubber, Scrubber with DG sets and boiler (a) AR dated 13.03.2009 issued by Guru Gobind Singh Indraprastha University submitted. (b) Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Issue Show Cause Notice u/s 31(A) of the Air Act for closure of the hotel in view of the observations during inspection regarding bypass arrangement for emissions from boiler.

							prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1250 KVA, 1050 KVA and 1050 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack height is inadequate. The unit has 3 D.G. Set(s) of 1250 KVA, 1050 KVA and 1050 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring reports (for more than 1000 KVA) dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted and parameters within limit / not satisfactory. Stack heights are inadequate. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
6	DPCC/EC/2/1/2011/415 29-12-2011	V3S INFRATECH LIMITED PLOT NO.-10, LAXMI NAGAR DISTT CENTER, VIKAS MARG	EAST	Orange Operate	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-07-2004 • Built Up Area ---- 5189.19 (in sq. meter) • Water Consumption ---- 95000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70000 liters/day (b) Trade Effluent ---- 0 liters/day	16-05-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated ...24.12.2011..... issued by ...DELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 27-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - 27-12-2011 - issued by - DELHI COLLEGE OF ENGINEERING - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 500, 380, 250 KVA. Noise monitoring report dated 27-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 16.11.11 & following were observed:	22-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Ask the unit to install the V-notch for measurement of treated waste water and also to submit the water balance chart within 30 days.

							a) The commercial complex is found in operation. b) 100 KLD capacity of biological ETP has been found installed and in operational status. c) Filter press has now also been installed as communicated to the unit. d) Solar heating system has also been installed by the unit. e) Ground water extraction is also being done for which application has been filed as reported. f) A common compost system for solid waste has also there for plot no 10 & 12. g) EC not required as BUA is less than 20,000 m2. Unit has submitted a representation on 07.05.12 along with effluent analysis report & analysis report of ambient air dated 23.04.12 but in the air monitoring report source is not mentioned. EARLIER CMC DECISION 02.04.09 Ask the unit to file CGWA clearance and to install Solar Water Heating system. Call on 12.05.09. 12.06.09 Ask the unit to file full compliance. Call on 05.08.09 13.01.11 inspection be conducted.		
7	DPCC/EC/2/1/2012/467 04-01-2012	JAKSONS BUILDWELL PVT. LTD. (COMMERCIAL COMPLEX RING ROAD MALL) PLOT NO.-21, MANGALAM PLACE, SECTOR-03, ROHINI	NORTH WEST	Orange Renewal	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 23460 (in sq. meter) • Water Consumption ---- 188500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 38000 liters/day (b) Trade Effluent ---- 26000 liters/day	02-04-2012 (1) ETP ---- Oil and Grease Trap (a) AR dated 28.07.2008 issued by D.T.U submitted. (b) Effluent analysis report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (2) D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 1250, 1250, 500 KVA. Noise monitoring report dated 28-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit.	03-05-2012 Cases be referred to Committee as per 2 (d)	12-06-2012 Renewal of consent to operate granted.
8	DPCC/EC/2/1/2012/545 12-01-2012	PREMIUM SYSTEMS 250, F.I.E. PATRARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG. OF BATHROOM FITTING (WITH NI AND CR. ELECTROPLATING). Sanitary Goods with Casting (With Pit Furnace) / Buffing / Electroplating	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 800 liters/day	28-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 10.11.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 16 number of parameters analyzed which are within limit prescribed limit. (2)ECS - BAG FILTER DEVICE (a) AR dated 14-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 14-	03-05-2012 Cases be referred to Committee as per 2 (d)	12-06-2012 Renewal of consent to operate and authorization under HWM Rules granted.

								12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . 1 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set 62.5 KVA Noise Report : 1 (a) The unit has 1 D.G. Set of 62.5 KVA . Noise monitoring report dated 14-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
9	DPCC/EC/2/1/2012/584 17-01-2012	DCM LTD (PARK SQUARE) MANOHAR LAL KHURANA MARG KISHANGANJ	CENTRAL	Orange Operate	construction of flatted factory complex and the said unit is being developed in four (4) phases. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 66481.91 (in sq. meter) • Water Consumption ---- 387000 liters/day • Ground Water ---- 387000 liters/day • Waste Water generation (a) Domestic Effluent ---- 339000 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 05.01.12 issued by DTU submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)(3)D.G.Set Noise Report : (a) The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 16-01-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No. (b) Stack monitoring report (for more than 1000 KVA) dated 16.01.12 issued by SHRIRAM INSTITUTE submitted and parameters within limit. (3) Inspection details:N/A (4) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (5) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A (6) Compliance report of EIA submitted on 23.12.11, 30.06.11, 29.12.10	10-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Inspection be conducted.
10	DPCC/EC/2/1/2012/593 18-01-2012	LODHI PROPERTY COMPANY LTD. (FORMERLY HOTEL SCOVEVISTA LTD.) UNIT- THE AMAN, LODHI HOTEL	SOUTH	Orange Renewal	Hotel in New Delhi. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 47370 (in sq. meter) • Water Consumption ---- 227000 liters/day • Ground Water ---- 66000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200000 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 21.12.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF	03-05-2012 Cases be referred to Committee as per 2 (d)	12-06-2012 Inspection be conducted and based on the findings of the inspection the file should be put for further necessary action.

							ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - Scrubber (a) Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 1250,1250 KVA. Noise monitoring report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit.		
11	DPCC/EC/2/1/2012/677 25-01-2012	KRISH DEVELOPERS PVT. LTD. (CITY PARK NORTH) KH. NO.-51/19, VILLAGE BAKOLI	NORTH WEST	Orange Operate	Hotel and Motels. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 4001.92 (in sq. meter) • Water Consumption ---- 20000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 15000 liters/day	02-04-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 14.11.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 5 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	03-05-2012 Cases be referred to Committee as per 2 (d)	12-06-2012 Ask the unit to submit Registration for Eating House from Police Department.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php 26-06-2012

							(3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 07-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC(O) in its meeting held on 31.03.11, CTE was issued on 11.05.11 vd CNO 27391. Inspection is yet to be conducted. EARLIER CMC DECISION 31.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted.		
14	DPCC/EC/2/1/2012/1165 22-03-2012	HOTEL EXCELSIOR LTD. UNIT HOTEL SHANGRI-LA 19, ASHOKA ROAD, NEW DELHI	NEW DELHI	Orange Renewal	Five Star Hotel. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 29620 (in sq. meter) • Water Consumption ---- 340000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40000 liters/day (b) Trade Effluent ---- 80000 liters/day	02-05-2012 (1)ETP - ETP Biological (a) AR dated 19.03.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 17-01-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Scrubber, Scrubber, Scrubber, (a) AR dated 19.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 10-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 16-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 1250 KVA, 1000 KVA and 1000 KVA. Noise monitoring report dated 16-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	03-05-2012 Cases be referred to Committee as per 2 (d)	12-06-2012 Renewal of consent to operate granted.
15	DPCC/EC/2/1/2012/1232	HOTEL BROADWAY 4/15 A, ASAF ALI ROAD,	CENTRAL	Orange Operate	HOTEL AND RESTAURANT		27-04-2012 (1)ETP ---- ETP - Bio-logical	03-05-2012 Cases be referred to Committee as per 2	12-06-2012 Seek clarification from the Jamia Milia

	29-03-2012				Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-1954 • Built Up Area ---- 361.25 (in sq. meter) • Water Consumption ---- 20000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10000 liters/day (b) Trade Effluent ---- 6000 liters/day		(a) AR dated Feb, 2012 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 19-01-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - No (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(d)	Islamia University, empanelled consultant of DPCC regarding discrepancies w.r.t. adequacy report for ETP/STP prepared for the hotel and also ask to correct the adequacy report if required and prepare water balance chart. Also inspection be conducted.
16	DPCC/EC/2/1/2012/1381 16-04-2012	ITC LIMITED (UNIT SHERATON NEW DELHI) DISTRICT CENTRE, SAKET	SOUTH	Orange Renewal	HOTEL. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 2995 (in sq. meter) • Water Consumption ---- 258000 liters/day • Ground Water ---- 249000 liters/day • Waste Water generation (a) Domestic Effluent ---- 97000 liters/day (b) Trade Effluent ---- 115000 liters/day		27-04-2012 (1)ETP ---- Other : STP (a) AR dated ...May,2008... issued by ..Guru Gobind Singh Indraprastha University... submitted. (b) Effluent analysis report dated 25-02-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No . 1 number of parameter analyzed which is beyond prescribed limit. Effluent analysis report dated 25-02-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No 1 number of parameters analyzed which is beyond prescribed limit. (2)ECS - Scrubber, Scrubber (a) Stack monitoring report dated 25-02-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 25-02-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 07-12-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 07-12-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes.	10-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Issue Show Cause Notice u/s 33(A) of the Water Act, 1974 for closure of the hotel as the parameter phosphate reported in the test report is exceeding the prescribed limit.

							As decided by the CMC (O) in its meeting held on 13.01.11, CTR was issued on 09.02.11 vd CNO 26696 along with a copy of green hotel guidelines. As approved, letter was issued to the unit on 01.08.11 for compliance of Green Hotel Guidelines. The unit has submitted its reply on 23.09.11 along with the environemtal statement, SMRs & water test reports of STP. The unit has submitted its representation in 21.12.11 along with the NMR dated 07.12.11. EARLIER CMC DECISION 13-01-2011 (In CTR File) Issue consent to operate along with the guidelines of Green Hotel category.		
17	DPCC/EC/2/1/2012/1505 30-04-2012	VISHWASH AUTO MOBILES INDIA PLOT NO.-84, POCKET-G, SECTOR-1, DSIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF AUTO PARTS WITH ELECTROPLATING. Industry Or Process Involving Electroplattng Operations Process Involving Buffing	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 1400 liters/day • Ground Water ---- 1400 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 800 liters/day	07-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .25.03.2012 issued by GGSIU submitted. (b) Effluent analysis report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (a) AR dated 28.02.2012 issued by DTU submitted. (b) Stack monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: . no (4) Inspection details conducted on 15.06.2010 and it was found that (a)unit found operational and engaged in activity of manufacturing of autoparts (b) effluent generated discharged into the drain. (c) unit have 4 buffing units installed without bany emmission control system. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A) details issued on 19.12.2011 (7) unit submitted its reply on 28.12.2011 (8) Temporary revocation of closure directions issued on 3.07.2012 for 30 days.	10-05-2012 Case be referred to Committee as per 2 (d)	12-06-2012 Revoke closure directions issued to the unit and issue consent to operate under Air Act and Water Act and authorization under HWM Rules.