



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)


F. No. DPCC/ Committee II (b) /4th Meeting / 2016/ 4739-43

Dated: 6-7-16

Subject: Minutes of the **4th Meeting of the Committee for II (b) Category Cases** headed by Member Secretary, DPCC, held on **29.06.2016**, in the conference room of DPCC at 5th Floor , ISBT Building, Kashmere Gate , Delhi -06

Please find enclosed herewith the Minutes of the **4th Meeting** of the aforementioned Committee, held on **29.06.2016**, in the conference room of DPCC at 5th Floor , ISBT ISBT Building, Kashmere Gate , Delhi -06

Concerned Engineers are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 4th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held on 29.06.2016, in the conference room of DPCC, at ISBT, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

Agenda Item No 1: Remaining Pending Cases of Consent to Establish of the period upto 15.06.2016.

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur/Rangpuri area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and list of 59 no. of units including decisions taken in these cases are at Annexure I.

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.


Since decisions are taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists. The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair


(S.M. Ali)
Member Secretary, DPCC


(Dr. Chandra Prakash)
SEE, CMC-I


(D.K. Singh)
SEE, CMC-II


(M. Arif)
SEE, CMC- V


(Satender Kumar)
SEE, CMC-III & IV


(D.K. Srivastava)
EE, CMC-III


(M.S. Rawat)
EE, CMC-V


(Shyam Sunder)
EE, CMC-I


(Ramesh Chandra)
EE, CMC-II





(S.K. Goyal)
EE, CMC-III


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-IV

Attendance Sheet for 4th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules of **the units under Category II (b), for the Pending Consent to Establish cases upto 15.06.2016**, held on **29.06.2016** in the Conference Room of DPCC at ISBT Building , Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S.M. Ali	Member Secretary, DPCC	
2.	Dr. Chandra Prakash	SEE(CMC I), DPCC	
3.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
4.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
5	Sh. Satender Kumar	SEE(CDC)(CMC III & IV), DPCC	
6	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
7	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
8	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
9	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
10	Sh. S. K. Goyal	EE(CDC) (CMC III), DPCC	
11	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
12	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
13	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 4th meeting on 29.06.2016 w.r.t. Agenda Item No 1 -- 59 Remaining Pending Consent to Establish cases of the period upto 15.06.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GOYAL GRAIN MERCHANTS PVT. LTD.	E-819, DSIDC, NARELA INDUSTRIAL AREA	28-08-2009	31265	Dall Mill. Dal Mills	Orange Establish	Non-SPI				21-01-2014 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated November, 2013 issued by Jamia Millia Islamia submitted. (b) Stack monitoring report dated 26-08-2013 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	29-06-2016 Implement the earlier CMC decision dated 20.12.2013.
2	SUNAM METAL INDUSTRIES	A-132, WAZIRPUR INDUSTRIAL AREA	30-11-2009	32048	Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	Orange Establish	Non-SPI				11-12-2009 ATR / Remarks: No D.G set One diesel fired melting furnace installed. . Recommendations of Scrutinizing Committee on 04.12.2009: Inspection be conducted Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Competent Authority has decided that issuance of CTE as per decision of CMC is kept in abeyance till renewal of consent application received as it is an operational unit without valid CTO(R). But now unit has applied for CTO(R) on 27.01.2016. Recommendation / Action Taken Details (EE/AEE) on 19-08-2015 Being an old file effort	29-06-2016 Consent to Establish granted.

											are made to trace the file. Recommendation / Action Taken Details (EE/AEE) on 05-08-2013 As decided an inspection was conducted on 25.03.2013 on the basis of the findings of the inspection a show cause notice u/s 31 (A) of the Air (Prevention and Control of Pollution) Act, 1981 was issued on 15.04.2013,Reply submitted by the unit on 25.04.2013 regarding rectification of deficiencies observed during inspection. Again an inspection was conducted by the officials of DPCC on 22.05.2013 and following were observed: 1. unit found in operation engaged in aluminium casting through pit furnace, size- 200- 250 kg/ charge. 2. unit has installed cyclone followed by scrubber found in operation. 3.New stack has been provided with the cyclone. 4. Two furnace found in operation and both attached with the cyclone and scrubber. 5. Diesel is used as fuel.	
3	MAHESH METAL WORKS	B-28, PHASE-II, MAYAPURI INDUSTRIAL AREA	02-11-2010	35556	C I CASTING THROUGH PIT FURANCE AND MACHINING WITH LATHE Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 16-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 14-08-2006			23-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Unit inspected on 28.09.2010 (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure Direction u/s 31 (A) of the Air Act issued to the unit on 11.10.2010 Earlier CMC Decision:	29-06-2016 Trace the file. If file is not traceable, create duplicate file and issue Consent to Establish. Also to make infructuous other old pending consent/authorization applications.

								Authorisation Status	Pending			Decision on 09.11.2010 Ask the unit to remove the cupola furnace from the premises and confirm on an affidavit. Unit submitted Bank Guarantee on 02.12.2010. Temporary Revocation of closure directions u/s 31 (A) of the Air Act issued to the unit on 06.12.2010 decision dated 14.02.2011 ask the unit to confirm the removal of cupola furnace from the premises on an affidavit. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Consent to establish already grant in the meeting conducted on 20.12.2013. File is not traceable. Recommendation / Action Taken Details (EE/AEE) on 30-10-2013 An inspection was carried out on 24.10.2013 and following were observation 1. The unit found operational and engaged in the activity of C I Casting through Pit Furnace and Machining with Lathe. 2. Pit Furnace is found in working condition with Adequate Stack Height. 3. No D.G. Set installed. 4. Coupla furnace has been revoked. 5. There is also a Lathe Machine Section in the unit. Recommendation / Action Taken Details (EE/AEE) on 06-08-2013 inspection yet to be conducted
4	RAINBOW VSK WIRES (I) PVT.LTD.	P-13.SECTOR-5,DSIDC BAWANA INDUSTRIAL AREA	21-12-2010	36025	Mfg. of Copper Rods. Copper Wire Drawing with Super	Orange Establish	Non-SPI					05-10-2012 ETP / STP ---- N/A ECS: N/A DG Set: nil 29-06-2016 In the earlier inspection on 18.10.2012, premises was found vacant and unit was not

					Enamelling (Dry Process)						Earlier Decision dated: 16.03.2011 Inspection be conducted, accordingly inspection of the unit was conducted on 21.07.2011 and it was observed that unit is yet to be established. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 30-10-2013 Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 29-01-2013 As decided inspection was conducted on 18.10.2012 and found vacant. Yet to be establish	established, Consent to Establish granted (without Super Enamelling) with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.
5	M.R. COOTAGE INDSUTRIES	B-215 NARINA INDSUTRIAL AREA PH-I	12-01-2011	36212	CUTTING AND SLITTING OF SHEETS Cutting, Sizing and Polishing of Marble Stones	Orange Establish	Non-SPI				08-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Earlier CMC Decision: Decision on 07.10.2010 Ask the unit to apply for consent to establish. Letter issued to the unit on 22.11.2010 Decision on 30.12.2010 Decision of DPCC Board meeting dated 22.12.2010 be placed in file and renewal of consent be issued. Decision on 31.03.2011 inspection to be conducted.	29-06-2016 Expedite inspection.

												ATR/Remarks: CTO Issued valid upto 28.07.2010 vide consent order no 16249 in the activity of Job Work (cutting & silting of sheets) under green category. CTO_R Issued valid upto 22.07.2020 vide consent order no 26571 under same activity and under green category. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 30-10-2013 Inspection not done. Recommendation / Action Taken Details (EE/AEE) on 06-08-2013 inspection yet to be conducted	
6	D.D. KNITWEARS	C-153, MAYAPURI INDUSTRIAL AREA PH-II	24-02-2011	36547	MANUFACTURING OF HOSIERY GOODS WITH WASHING. Readymade Garment (with Washing)	Orange Establish	Non-SPI					08-10-2012 CTE : Applied on 12.08.2010 vide ID no 34835 under Green category in the activity of Mfg. of hosiery goods w/o washing/bleaching w/o trade effluent. Water Consumption ---- 700 liters/day Ground Water ---- 700 liters/day Built Up Area ---- 250 (in sq. meter) CETP Membership ---- Mayapuri Industrial Area CETP Society / Membership No ---- NO Date of commissioning of project : April, 2011 Waste Water generation Domestic Effluent ---- 100 liters/day Trade Effluent ---- 450 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A	29-06-2016 Expedite inspection and also collect the copy of consent application during inspection.

											Earlier CMC Decision: Decision on 05.10.2010 Inspection be conducted. Inspection was inspected on 22.11.2010 & 07.12.2010 but the concerned person did not allow us to inspect the premesis. Decision on 30.12.2010 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act. Decision on 11.11.2011 Ask the compliance from dicom & DJB and also ask the SDM for effective closure of the unit. Refusal of consent under green category issued to the unit on 08.11.2011. Recommendation / Action Taken Details (EE/AEE) on 29-06- 2016 Decision yet to be followed and file is also not traceable. Recommendation / Action Taken Details (EE/AEE) on 30-10- 2013 Inspection not done. Recommendation / Action Taken Details (EE/AEE) on 27-08- 2013 File was put up administrativley, and it was decided that inseption may be condutced to decide further course of action. Inspection yet to be conducted.	
7	JMC- CHEC (JV)	CBD GROUND, NEAR KARKARDOOMA COURT, SHAHDARA	13-09-2012	DPCC/EC/2/1/2012/2631	MIXING OF CONCRETE. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI				09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...6... 250KVA, 2x 125 KVA & 3x 62.5KVA Recommendation / Action Taken Details (EE/AEE) on 29-06- 2016	29-06-2016 Inspection be conducted as decided in file.

Inspection was conducted on 07.10.2015 and SCN 31(A) of Air (prevention and control of pollution) Act, 1981 was issued on 26.10.2015 followed by Modified Directions 31(A) of Air (prevention and control of pollution) Act, 1981 issued on 22.01.2016.

A reply was received on 01.02.2016 informing the compliance with respect to the deficiencies.

A letter was issued to the SDM (Shahdara) on 09.02.2016 requesting to collect a fine of Rs. 50,000/- from the unit.

Order from SDM concerned received regarding submission of fine of Rs. 50,000/- in the account of DPCC.

As approved on file inspection of the unit is to be conducted.

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

Inspection was conducted on 07.10.2015 and SCN 31(A) of Air (prevention and control of pollution) Act, 1981 was issued on 26.10.2015 followed by Modified Directions 31(A) of Air (prevention and control of pollution) Act, 1981 issued on 22.01.2016.

A reply was received on 01.02.2016 informing the compliance with respect to the deficiencies.

A letter was issued to the SDM (Shahdara) on 09.02.2016 requesting to collect a fine of Rs. 50,000/- from the unit.

Order from SDM concerned received regarding submission of fine of Rs. 50,000/- in the account of DPCC.

As approved on file
inspection of the unit is

to be conducted.

Remarks/ATR on 16-04-2015

Unit has submitted copy of water tanker bills and stated that they have closed the submersible pump (photo attached).

**Recommendation /
Action Taken Details
(EE/AEE) on 09-04-
2015**

Letter issued on
16.03.2015.

**Recommendation /
Action Taken Details
(EE/AEE) on 03-03-
2015**

Inspection:-- Inspection of the site was done on 10.07.14.

SCN:- SCN under 31(A) and 33(A) was issued on 30.07.2014

Reply received on dated 13.08.14 that oil & grease cum settling tanks installed, dust collector is also installed with proper Stack height.

The matter was discussed in CMC meeting on 29.08.2014

The activity of Ready Mix Concrete is being carried out at the location allotted to DMRC for casting yard. Preparation of Ready Mix Concrete is an ancillary work for the main activity of the casting being done for DMRC. In view of aforesaid fact, it would be appropriate that the consent application be filed for the activity of Casting integrated with Ready Mix Concrete Plant by the casting yard of DMRC. Put up the file administratively accordingly.
Category:- 2d.

Ground water - 4 Nos. of Bore wells exists & no permission from DJB/CGWA was found during inspection conducted on 10.07.2014

Commencement of
Production - 01-10-2012

10

												CTO O : Total Plot Area (in sq. meter) - 1500, Builtup Area , Water Consumption - 1000 LTD, Waste Water Generation - 750 LTD, The unit has submitted copy of acknowledgement of application for the permission of GW Extraction which was applied in DJB on 13.01.2015. Recommendation / Action Taken Details (EE/AEE) on 30-10-2013 Inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 11-09-2013 Inspection is pending. Recommendation / Action Taken Details (EE/AEE) on 31-01-2013 File was put up administratively and it was decided that letter be issued to DDA to clarify the permissibility of RMC/ Concrete Mix plant at the allocated site.	
8	SEHRA BATTERIES	D-1/10, PHASE-II, MAYAPURI INDUSTRIAL AREA	23-08-2013	DPCC/EC/2/1/2013/5200	MFG. OF LEAD ACID BATTERIES. Batteries (Lead Acid) and Accessories without Trade Effluent Discharge Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	Orange Establish	Non-SPI					10-09-2013 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No	29-06-2016 Implement the earlier CMC decision dated 04.03.2015 regarding making the consent to establish application infructuous.

(6) Closure directions
u/s 31(A)/33(A)/5 of EPA
details : No

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

.

**Recommendation /
Action Taken Details
(EE/AEE) on 04-03-
2015**

ATR is same as above
mentioned for dated
04.3.2015.

**Recommendation /
Action Taken Details
(EE/AEE) on 04-03-
2015**

- (1)ETP ---- N/A
(2)ECS - N/A
(3)D.G. Set: ...N/A...
(4) Inspection conducted
on 27.03.2014 and it was
observed that unit found
closed during inspection.
(5) SCN u/s
31(A)/33(A)/5 of EPA
details :No
(6) Closure directions
u/s 31(A)/33(A)/5 of EPA
details :No
(7) Water Consumption:
400 (Corporation)

Unit has submitted a
letter on 18.09.2014
stating that they have
not started the work due
to some personal health
reason and there is no
planning for this in future
also. They are planning
to have distributorship of
some branded
companies and do
trading for their
products.

**Remarks/ATR on 03-
03-2015**

- (1)ETP ---- N/A
(2)ECS - N/A
(3)D.G. Set: ...N/A...
(4) Inspection conducted
on 27.03.2014 and it was
observed that unit found
closed during inspection.
(5) SCN u/s
31(A)/33(A)/5 of EPA
details :No
(6) Closure directions
u/s 31(A)/33(A)/5 of EPA
details :No
(7) Water Consumption:

												400 (Corporation) Unit has submitted a letter on 18.09.2014 stating that they have not started the work due to some personal health reason and there is no planning for this in future also. They are planning to have distributorship of some branded companies and do trading for their products. Recommendation / Action Taken Details (EE/AEE) on 15-05-2014 An inspection was conducted on 27.03.2014 and it is found that unit closed during inspection. Recommendation / Action Taken Details (EE/AEE) on 30-10-2013 Inspection not done.	
9	AMAR METAL PRODUCTS	C-154, NARAINA INDUSTRIAL AREA, PHASE-I	14-02-2014	DPCC/EC/2/1/2014/6924	MFG. OF SHEET METAL WORKS I.E. DECORATIVE GOODS WITH POWDER COATING (WITHOUT PHOSPHATING). Powder Coating without phosphating	Orange Establish	Non-SPI					26-03-2014 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 08-03-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:Inspection conducted on 22.01.2014 and following were observations a. Unit is engaged in activity of light engg. work e.g. cutting, pressing & lathing etc. followed by Dry Powder Coating/ Painting in an oven. b. During process of Dry Powder Coating/Painting, Significant Air Pollution in terms of spreading of dry powder (paint) and fugitive emissions. c. For observed the control of Air pollution	29-06-2016 Implement the earlier CMC decision dated 18.03.2015.

unit did not install any pollution control Device for prevention and Control of Pollution.

(5) SCN u/s 31(A) : issued on 29.01.2014

(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No

Recommendation / Action Taken Details (EE/AEE) on 29-06-2016
Inspection yet to be conducted.

Recommendation / Action Taken Details (EE/AEE) on 18-03-2015
(1)ETP ---- N/A
(2)ECS - N/A

Stack monitoring of powder coating section dated 06.03.2014 issued by SIMA submitted and parameters found within limit.
(3)D.G.Set: ...N/A...

(4) Inspection details:Inspection conducted on 22.01.2014 and following were observations
a. Unit is engaged in activity of light engg. work e.g. cutting, pressing & lathing etc. followed by Dry Powder Coating/ Painting in an oven.
b. During process of Dry Powder Coating/Painting, Significant Air Pollution in terms of spreading of dry powder (paint) and fugitive emissions.
c. For observed the control of Air pollution unit did not install any pollution control Device for prevention and Control of Pollution.

(5) SCN u/s 31(A) : issued on 29.01.2014

(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No

												(7) Water Consumption : 300 Lt/day (Corporation) File was put up administratively and it was decided to issue a letter on 05.08.2014 regarding submission of false documents. Also issue a letter to the complainant on 05.08.2014 informing that DPCC implements various pollution control statues and is not an investigating agency to investigate the false documents, therefore, he may register his complaint before an appropriate forum. Reply received by the unit on 19.08.2014 and the same is not traced out. Recommendation / Action Taken Details (EE/AEE) on 03-06-2014 -Documents attached with application are under dispute as per complaint made by Mr. Lal Sing (Brother of Applicant) - In view of said complaints, file is under submission.	
10	CEC CICI JV BATCHING PLANT MAJLIS PARK BEHIND DELHI JAL BOARD OFFICE MUKUNDPUR	CEC-CICI JV, G-8, IIIRD FLOOR, MODEL TOWN-III,	25-03-2014	DPCC/EC/2/1/2014/7299	READY MIX CONCRETE PRODUCTION. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI					03-04-2014 (1)ETP ---- water is being reused through sedimentation tank (2)ECS - N/A Emission report dated 06.03.2014 issued by SIMA labs submitted. found within the limits- (3)D.G.Set of 160 KVA installed and NMR dated 06.03.2014 issued by Centre for Occupational and environmental health submitted. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Status of Pollution Control system/Devices: 1. ETP- Settling cun collection tank provided 2. ECS- Yes 3. D.G. set- 1 x 160 KVA	29-06-2016 Case deferred.

Plot Area- 7000 sq mt
Proposed Date-
01.01.2012

Status of Ground Water Extraction: Yes
1. Water consumption: 10000 L/day.
a) Source of water: Boerwell

Status of Inspection:
Yes(07.03.2016)

SCN u/s 31(A) of Air Act
& 33(A) of Water Act
issued on 11.05.2015

Observation made during inspection are as follows:

1. Unit is found operating and engaged in the activity of concrete production for azadpur metro satation.
2. One borewell found exists without permission from DJB/CGWA.
3. ECS found insatlled with one RMC plant. However, another RMC plant dismantled.
4. Conveyer belt for the aggregate are covered.
5. Concrete paltfarm found for washing of vehicles.
6. Construction materials i.e. fine & coarse aggregate are covered by tarpaulin.
7. Sprinkling is being done by manually through water tanker.

Test Reports:

Air (Emission)-N/A

Water (Effluent)-N/A

Noise Test Report- N/A

**Recommendation /
Action Taken Details
(EE/AEE) on 16-03-
2015**

Letter issued to the DDA to clarify whether the activity of RMC is permissible on the said land. No reply has been received till date.

Water Consumption -10
KLD From tanker.

Ground water- Nil

												Recommendation / Action Taken Details (EE/AEE) on 04-06-2014 As decided a letter was issued to the DDA to clarify whether the activity of RMC is permissible on the said land. Reply awaited. Ground Water: Nil	
11	ARVIND TECHNO GLOBE (JV)	RAMLILA GROUND, OPPOSITE G.T.B.HOSPITAL, NAND NAGRI BUS TERMINAL (GAGAN CINEMA)	31-03-2014	DPCC/EC/2/1/2014/7367	BATCHING PLANT FOR CONCRETE PRODUCTION IN CASTING YARD. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI					17-04-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Proposed Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Inspection was carried out by DPCC officials on 6.05.2015 and SCN u/s 31(A) Air of (prevention and control of pollution) Act, 1981 & 33(A) of the Water (prevention and control of pollution) Act, 1974 was issued on 14.05.2015. Based on the representation received, another inspection was conducted on 30.07.2015 and due to non - compliance, Closure direction u/s 31(A) Air of (prevention and control of pollution) Act, 1981 & 33(A) of the Water (prevention and control of pollution) Act, 1974 was issued on 31.08.2015. Based on the representation informing compliance, the closure directions were Temporary revoked on 30.9.2015 for submission of the adequacy report. The compliance along with the adequacy report has been submitted by the unit on 04.11.2015 and requested for the permanent revocation of the directions. File was submitted accordingly for revocation. As directed by Honorable Chairman that the case is put up in CMC meeting along with facts.	29-06-2016 Case deferred.

**Recommendation /
Action Taken Details
(EE/AEE) on 10-07-
2015**

Inspection was conducted due to complaint received against the unit. Based upon the inspection unit was directed to provide the water sprinkler system and remove the bore well and also SCN u/s 33(A) of water Act was also issued.

unit has informed that they have provided the water sprinkler system.

File under submission.

**Recommendation /
Action Taken Details
(EE/AEE) on 17-03-
2015**

This is an RMC Plant for DMRC purpose. The work contract is given to M/s ARVIND TECHNO GLOBE (JV) and it has applied for consent to establish with DPCC for operation of an RMC Plant.

A letter to DDA was issued on 04.06.2014 that DDA had given permission for casting yard but RMC was not mentioned and also to clarify whether the activity of RMC is permissible on the said land.

DDA replied on 09.06.2014 that a copy of so called consent letter be provided to them.

As decided in CMC on 16.06.2014 the file was put up administratively and it is proposed to place the matter in CMC for decision on CTE.

**Recommendation /
Action Taken Details
(EE/AEE) on 04-06-
2014**

As approved, letter was issued on 04.06.2014.

Ground water - 1000
litres/day (receipt of DJB

												enclosed).	
12	CORSAN CORVIAM CONSTRUCCION S.A.-SADHBHAV ENGINEERING LTD-JV	PROJECT CC-47, NEAR MUNDKA RAILWAY STATION, RANI KHERA VILLAGE	21-04-2014	DPCC/EC/2/1/2014/7532	READYMIX CONCRETE PLANT (WITHOUT TRADE EFFLUENT DISCHARGE). Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI					12-05-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 29-06- 2016 As approved, inspection was conducted on 09.02.2016 and during inspection the RMC plant found operational without obtaining consent to operate from DPCC and without taking appropriate steps to control water pollution, air pollution and for storage of used oil. Afterthat case was considered by competent authority and it was decided to issue SCN for refusal of consent and SCN for closure u/s 33(A) of water Act and 31(A of Air Act imposing compensation of Rs. 50000. Accordingly SCN was issued and unit has also submitted compensation of Rs. 50000. Recommendation / Action Taken Details (EE/AEE) on 22-07- 2015 As approved, a letter was issued to DDA on 01.10.2014. In response of that, a reply submitted by DMRC on 21.10.2014 stating that the land plot for the batching plant belong to	29-06-2016 Case deferred.

											DMRC and land use of the area is industrial as per DDA Master Plan 2021. Also stating that batching plant is temporary facility meant for the construction of Mundka-Bahadurgarh Corridor of Delhi MRTS Project, Phase-III. However, no reply submitted by the DDA yet.	
13	HOTEL BOMNAY ORIENT (PROP. SISA HOTELS PVT. LTD)	941-943 AND 945-949, GALI SHYAM LAL, JAMA MASJID, DELHI	21-05-2014	DPCC/EC/2/1/2014/7903	Hotel Without Restaurant. Hotels with at least 20 bed rooms without kitchen or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP-No 2. ECS- No 3. D.G. set- 1x 62.5KVA Plot Area- 1500 sq mt Proposed Date- 01.04.2003 Status of Ground Water Extraction:Yes 1. Water consumption: 5000 L/day. a) Source of water: Corporation (copy of Corporation water bill not submitted) Status of Inspection: Yes SCN was issued on 13.03.2014 as unit was operating without consent. Modified Direction was issued on 22.05.2014 to submit the consent application within 45 days.	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	29-06-2016 MCD Licencse issued for 60 rooms & 68 beds which was valid upto 31.03. 2015	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
14	METROSTROY ERA JV BATCHING PLANT 60 M3 / HR	NEAR DMRC DEPOT, YUDHISTIR BRIDGE, SHASTRI PARK	02-06-2014	DPCC/EC/2/1/2014/8027	Batching Plant. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI				(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 01-05-2014 issued by DPCC submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. Ground water - Nil (source of water - by tanker)	29-06-2016 Case deferred.

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

Letter was sent to DC (North East) on 27.07.15 to regarding Extraction of ground water without permission from DJB/CGWA.

Inspection carried out by DPCC officials on 22.09.2015 and Show Cause Notice was issued to the unit to submit either copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within three months or submit evidence along with photographs of discontinuation / sealing of borewell (both prior and after sealing) within one month with copy to Dy. Commissioner (Revenue). Unit was advised to use treated water from existing CETPs and STPs. Failure to do so, consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water was sent accordingly to unit on 26.10.15 followed by Modified direction u/s 31(A) of the Air (prevention and control of pollution) Act, 1981 & 33(A) of the Water (prevention and control of pollution) Act, 1974 issued on 29.12.2015.

A representation from the unit was received on 22.04.2016 informing compliance and requested for waive off of fine etc.

Letter was issued to the unit & a copy to SDM on 07.04.2016 for submission fine of Rs.50,000/- for Violation of the orders of orders of Honble NGT dated 10.04.2015 in OA No 21 of 2014 and OA No. 95 of 2014 Vardhaman Kaushik Vs. Union of

India & Ors and sanjay Khilshrestha Vs. Union of India & Ors regarding Air Pollution Control.

Subsequently, a letter was issued to the SDM (Shastri Park) on 27.05.2016 requesting him to collect of a fine of Rs. 50,000/- to comply with the orders of Honble NGT.

**Recommendation /
Action Taken Details
(EE/AEE) on 10-07-
2015**

letter was sent to unit on 23.03.15 to submit copy of permission of extraction of ground water from Delhi Jal Board / CGWA also a Show Cause Notice was sent to unit on 20.05.15 to remove the deficiencies.

unit has replied on 8.06.15 that they have applied to Jal Board for the extraction of Ground Water permission and they would be using water from Jhimil CETP. Further unit has not replied about the rectification of deficiencies.

**Recommendation /
Action Taken Details
(EE/AEE) on 17-03-
2015**

Letters were issued to unit, DDA and DMRC on 13.03.2015.

Unit was inspected on 16.03.2015 and the observations are :

1. Plant found not in operation temporarily, as informed plant operate as per requirement of concrete site.
2. Settling tank constructed for trade effluent & slurry which was found choked & pool of waste effluent found at site.
3. No water sprinkling system found to avoid dust from batching plant.
4. Land is allotted by DMRC Ltd. (Copy enclosed).

											5. RO plant exists, waste effluent of RO send to drain. 6. One bore well exists and unit applied to DJB for permission. Remarks/ATR on 15-07-2014 1. Documents for conformity of batching mix plant at the site from land owning agency is not submitted. 2. An ambient Air Monitoring Report conducted by SIMA lab which is not as per DPCC norms. Remarks/ATR on 14-07-2014 Unit has submitted consent to establish (proposed) for batching plant w.r.t. DMRC letter dated 19.06.2012 handed over dated 17.03.2012 and undertaking on an affidavit in this regard.	
15	METROSTROY ERA JV BATCHING PLANT 30 M3 / HR	NEAR DMRC DEPOT, YUDHISTIR BRIDGE, SHASTRI PARK	02-06-2014	DPCC/EC/2/1/2014/8034	BATCHING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI				14-07-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 01-05-2014 issued by DPCC submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. Unit has submitted consent to establish (proposed) for batching plant w.r.t. DMRC letter dated 19.06.2012 handed over dated 17.03.2012 and undertaking on an affidavit in this regard. Ground water - Nil (source of water - by tanker) Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Letter was sent to DC	29-06-2016 Case deferred.

(North East) on 27.07.15 to regarding Extraction of ground water without permission from DJB/ CGWA.

Inspection carried out by DPCC officials on 22.09.2015 and Show Cause Notice was issued to the unit to submit either copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within three months or submit evidence along with photographs of discontinuation / sealing of borewell (both prior and after sealing) within one month with copy to Dy. Commissioner (Revenue). Unit was advised to use treated water from existing CETPs and STPs. Failure to do so, consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water was sent accordingly to unit on 26.10.15 followed by Modified direction u/s 31(A) of the Air (prevention and control of pollution) Act, 1981 & 33(A) of the Water (prevention and control of pollution) Act, 1974 issued on 22.01.2016.

A representation from the unit was received on 22.04.2016 informing compliance and requested for waive off of fine etc.

Letter was issued to the unit & a copy to SDM on 07.04.2016 for submission fine of Rs.50,000/- for Violation of the orders of orders of Honble NGT dated 10.04.2015 in OA No 21 of 2014 and OA No. 95 of 2014 Vardhaman Kaushik Vs. Union of India & Ors and sanjay Khlsrestha Vs. Union of India & Ors regarding Air Pollution Control.

Subsequently, a letter was issued to the SDM (Shastri Park) on 27.05.2016 requesting him to collect of a fine of Rs. 50,000/- to comply with the orders of Honble NGT.

**Recommendation /
Action Taken Details
(EE/AEE) on 10-07-
2015**

letter was sent to unit on 23.03.15 to submit copy of permission of extraction of ground water from Delhi Jal Board / CGWA also a Show Cause Notice was sent to unit on 20.05.15 to remove the deficiencies.

unit has replied on 8.06.15 that they have applied to Jal Board for the extraction of Ground Water permission and they would be using water from Jhilmil CETP. Further unit has not replied about the rectification of deficiencies.

**Recommendation /
Action Taken Details
(EE/AEE) on 17-03-
2015**

Letters were issued to unit, DDA and DMRC on 13.03.2015.

Unit was inspected on 16.03.2015 and the observations are :
1. Plant found not in operation temporarily, as informed plant operate as per requirement of concrete site.

2. Pool of waste water and slurry found at site and settling tank found choked.

3. Unit has installed/constructed one settling tank for trade effluent generated during washing of hopper. After settling trade effluent goes to drain.

4. No water sprinkling arrangement found to avoid dust from batching plant raw material.

5. Land is allotted by DMRC Ltd. (Copy

											enclosed). 6. RO plant exists, waste effluent of RO send to drain. 7. One bore well exists and unit applied to DJB for permission. 8. D.G. set acoustic enclosure. (Joint Stand by) Remarks/ATR on 15-07-2014 1. Documents for conformity of batching mix plant at the site from land owning agency is not submitted. 2. An ambient Air Monitoring Report conducted by SIMA lab which is not as per DPCC norms.	
16	METROSTROY ERA JV BATCHING PLANT 30 M3 / HR	RANI KHERA ROAD, PRECASTING YARD, NEAR MUNDKA RAILWAY STATION, MUNDKA	02-06-2014	DPCC/EC/2/1/2014/8041	BATCHING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI				14-07-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Ground water- nil Remarks/ATR on 29-06-2016 . Recommendation / Action Taken Details (EE/AEE) on 10-07-2015 letter was sent to unit on 23.03.15 to submit copy of permission of extraction of ground water from Delhi Jal Board / CGWA also a Show Cause Notice was sent to unit on 20.05.15 to remove the deficiencies. unit has replied on 8.06.15 that they have applied to Jal Board for the extraction of Ground	29-06-2016 Case deferred.

Water permission and they would be using water from Jhilmil CETP. Further unit has not replied about the rectification of deficiencies.

Recommendation / Action Taken Details (EE/AEE) on 16-03-2015

1)ETP ---- N/A

(2)ECS - N/A
(a) Stack monitoring report of batching plant aggregate loading and unloading point issued by SIMA dated 07.05.2014 and parameters found within limit.

(3)D.G.Set: ...N/A...

(4) Inspection details:no

(5) SCN u/s 31(A)/33(A)/5 of EPA details :no

(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no

(7) Water Consumption : 1000 Lt/day (Tanker)

A letter was issued Vice Chairman, DDA and DMRC with a copy to Director (Planning), DDA on 10.09.2014 regarding clarification w.r.t. setting up of batching plant (Ready Mix Concrete Plant) and letter was issued to the unit seeking details of suppliers of water and their valid permission from DJB for extraction/drawl of ground water and its supply through tanker.

Reply not received.

Inspection was conducted on 13.03.2015 and the following observations were made :-
(a) The unit found operating and engaged in the activity of casting and readymade concrete plant.
(b) No air pollution

												control device is installed at site, however, sprinklers were found on the site. (c) One boiler of capacity 3 T found installed with stack height of 91m. No air pollution control device found installed in the same. (d) One D.G. Set of capacity 250 KVA found installed under a shed with acoustic enclosure and adequate stack height. (e) For treating waste water generated by the plant, 2 settling tanks found installed. The treated water is not using re-utilized in the premises and is discharged into drain. (f) One borwell found installed in the premises, however, no permission could be produced by the representative. As informed, due to very high TDS, ground water is not being extracted and the source of water is through tankers. The bill for the same has been collected. (g) A pantry kitchen for staff is there. However, no ETP/oil and grease trap found installed.	
17	KFC (UNIT OF A.N. TRADERS PVT. LTD.)	GROUND FLOOR, KARTA PROP NO. 21, FF CENTRAL MARKET WEST PUNJABI BAGH, NEW DLEHI	16-06-2014	DPCC/EC/2/1/2014/8170	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI					16-07-2014 (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inspection was conducted on 29.04.2014 and following were observation made. - Restaurant found operational and engaged in Restaurant activity with seating capacity 60 seats. Restaurent has two waste water outlets with tow oil and grease traps and waste water is discharged into the sewer through the oil and grease traps. -No effluent treatment plant (ETP) found installed.	29-06-2016 Take action as decided in file.

- One D.G. Set found installed at the roof - top of capacity 160 KVA with acoustic enclosure however inadequate stack height (Up to 1 meter for the acoustic enclosure.
- MCD license approved for 48 seats validity up to 31.03.2013.

(5) SCN u/s 31(A)/33(A)
issued on 17.05.2013

Modified directions
issued on 05.07.2013.
extension of the Time
period for Modified
Directions issued on
28.10.2013

(6) Closure directions
u/s 31(A)/33(A) issued
on 03.04.2014.
Compliance report w.r.t.
Directions issued on
27.05.2014.

unit has submitted a representation on 18.06.2014 requested the revocation . unit has applied for consent to Establish and submitted Adequacy report of installed ETP.

File is under submission.

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

File is under the submission of higher ups.

**Recommendation /
Action Taken Details
(EE/AEE) on 16-03-
2015**

(1)ETP ---- ETP - Bio-
logical

(2)ECS - N/A

(3)D.G.Set: ...N/A...

(4) Inspection details:
inspection was
conducted on 29.04.2014
and following were
observation made.
- Restaurant found
operational and engaged
in Restaurant activity

with seating capacity 60 seats.

Restaurant has two waste water outlets with tow oil and grease traps and waste water is discharged into the sewer through the oil and grease traps.

- No effluent treatment plant (ETP) found installed.

- One D.G. Set found installed at the roof - top of capacity 160 KVA with acoustic enclosure however inadequate stack height (Up to 1 meter for the acoustic enclosure).

MCD license approved for 48 seats validity up to 31.03.2013.

(5) SCN u/s 31(A)/33(A)
issued on 17.05.2013

Mofidied directions
issued on 05.07.2013.
extension of the Time
period for Modified
Directions issued on
28.10.2013

(6) Closure directions
u/s 31(A)/33(A) issued
on 03.04.2014.
Compliance report w.r.t.
Directions issued on
27.05.2014.

(7) Water Consumption :
4000 Lt/day (DJB)

Unit has submitted a representation on 18.06.2014 requested the revocation . unit has applied for consent to Establish and submitted Adequacy report of installed ETP.

File was put up administratively and decided to ask compliance report. Accordingly, a letter seeking compliance report was issued on 22.01.2015 to (i) Member (Water Supply) (ii) SDM (Punjab Bagh) and (iii) The Chief Engineer, BSES.

Reply from DJB received on 09.02.2015 stating that the water

												connection of the unit is disconnected.	
												No compliance received from SDM (Punjabi Bagh) and BSES.	
18	SOM PAN PRODUCTS PVT. LTD. (UNIT-2)	C-123 NARAINA INDUSTRIAL AREA	23-06-2014	DPCC/EC/2/1/2014/8232	Manufacturing and Marketing of Pan Masala. Without Suing Gutka/ Tobacco Pan Masala (Mixing Only)	Orange Establish	Non-SPI					16-07-2014 (1)ETP ---- N/A (2)ECS - N/A ((b) Stack monitoring report dated 22-05-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD, submitted, Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 16-06-2014 issued by DPCC submitted, Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier, a unit in the same name was operating for and activity of Pan Masala (Mixing Only). In the light of notification w.r.t. prohibition of Tobacco mixing products and in the light of violation w.r. to packaging material, the said activity has been closed down and litigation application in this respect also has been disposed and after a payments of fine, prescribed under the rule. Now unit in the same name M/s SOM PAN PRODUCTS PVT. LTD. (UNIT-2) has applied for	29-06-2016 Case deferred.

an activity of Manufacturing and Marketing of Pan Masala. (Without using Gutka/ Tobacco) under the orange category for consent to Establish/ operate.

Ground Water- Nil
Source of Water supply-
DJB

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

File is under the submission of higher ups.

**Recommendation /
Action Taken Details
(EE/AEE) on 16-03-
2015**

(1)ETP ---- N/A

(2)ECS - N/A

(a) Stack monitoring report dated 22-05-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes

(3)D.G.Set Noise Report
: 2

(a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 16-06-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes

(4) Inspection details: No

(5) SCN u/s
31(A)/33(A)/5 of EPA
details :No

(6) Closure directions
u/s 31(A)/33(A)/5 of EPA
details :No

Earlier, a unit in the same name was operating for and activity of Pan Masala (Mixing Only).
In the light of notification w.r.t. prohibition of

											Tobacco mixing products and in the light of violation w.r. to packaging material, the said activity has been closed down and litigation application in this respect also has been disposed and after a payments of fine, prescribed under the rule. Now unit in the same name M/s SOM PAN PRODUCTS PVT. LTD. (UNIT-2) has applied for an activity of Manufacturing and Marketing of Pan Masala. (Without using Gutka/ Tobacco) under the orange category for consent to Establish/ operate. Ground Water- Nil Source of Water supply- DJB Unit has submitted a letter on 22.05.2014 along with an affidavit stating that they have changed the name of the unit from Sompan Products Pvt. Ltd. (Unit-II) to Sompan Products Pvt. Ltd. Inspection yet to be conducted.	
19	M.T.S. AUTOMOBILES	A-95/6, WAZIRPUR INDUSTRIAL AREA	12-08-2014	DPCC/EC/2/1/2014/8729	AUTOMOBILE SERVICING AND REPAIR STATION WITH WASHNG ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI				17-09-2014 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 File is under submission. Recommendation / Action Taken Details (EE/AEE) on 19-08-2015 AS approved, an inspection of the unit was conducted on 06.07.2015 and the following were observed: 1. Unit found operational and engaged in the activity of automobile servicing and repair station with washing	29-06-2016 Take action as decided in file.

											activity. 2. Painting activity is done without painting booth. 3. No channelization system is provided for emission generated during process of painting. 4. ETP found installed and same found non-operational. 5. No log book maintained. 6. Non-compliance of HWM rules. 7. One bore well exist, Permission could not be shown. 8. Unit has no applied for CTO and authorization under HWM rules from DPCC till date. Based on the deficiencies observed during inspection, the competent authority has decided to issue SCN for refusal of consent and closure u/s 31(A) of air act and u/s 33(A) of water act and u/s 5 of EPA. Recommendation / Action Taken Details (EE/AEE) on 16-04-2015 Decision of the CMC dated 18/09/14 to be implemented.	
20	DELHI TRANSPORT CORPORATION RAJGHAT DEPOT-I	RAJGHAT DEPOT-I, NEW DELHI	21-08-2014	DPCC/EC/2/1/2014/8811	REPAIR AND MAINTENANCE, WASHING AND SERVICING OF CNC LOW FLOOR BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI				19-09-2014 (1)ETP-N/A (2)ECS -N/A (3)D.G.Set:N/A (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.
21	JAIMINI BROTHERS STEEL INDUSTRIES	14, PKT-M, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	26-08-2014	DPCC/EC/2/1/2014/8857	MFG. OF OFFICE AUTOMATION PRODUCTS (LAMINATION MACHINE BINDING MACHINE, PAPER CUTTER, WIRE STITCHING MACHINE AND OFFICE FURNITURE) AND POWDER COATING (WITHOUT PHOSPHATING).	Orange Establish	Non-SPI				17-09-2014 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 21-08-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	29-06-2016 Implement the earlier CMC decision dated 27.05.2015.

					Powder Coating without phosphating							Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Inspection is yet to be conducted.	
22	HOTEL OM INTERNATIONAL	C-15/219 (OPPOSITE DISTRICT CENTER), GURU NANAK PURA, LAXMI NAGAR, NEW DELHI	29-08-2014	DPCC/EC/2/1/2014/8910	GUEST HOUSE (WITHOUT MEALS AND LAUNDRY). Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI			RTI received with ID No 2288 & 2295 on 23.12.2013 & 01.01.2014 Inspection carried out on 12.03.2014. SCN for Closure u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention and Control of Pollution) Act, 1981 was issued on 22.04.2014. Reply was received on 02.05.2014 in which the unit informed that they will comply the directions of DPCC and requested / seeking six month time for compliance. Modified Directions u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention and Control of Pollution) Act, 1981 were issued on 14.07.2014. CTE applied on 29.08.2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G. Set ---- N/A (4) Water Consumption: 2000 L/ Day Source: Corporation (5) Ground Water: 1 bore well	N/A	29-06-2016 Recommended for CTE followed by Inspection be conducted.	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Subsequently, inspection be conducted. Further, unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.
23	PURI BUILDWELL PVT. LTD.	C-9/13, SECTOR-7, ROHINI, DELHI	01-09-2014	DPCC/EC/2/1/2014/8926	PP CITY CENTRE COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI					18-11-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Ground Water: Nil Source of Water: 34 KLD from municipal authority Recommendation / Action Taken Details	29-06-2016 Consent to Establish granted with the conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.

											(EE/AEE) on 29-06-2016 The unit had applied for CTE with one year fees on 01.09.2014 which has expired on 03.08.2015. Thereafter, competent authority has decided to ask the unit to submit fee for further one year so that validity of consent order may be changed. Accordingly, letter issued on 19.10.2015. In response of that unit has submitted a reply with receipt of submission of consent application on 05.11.2015. Remarks/ATR on 19-08-2015 A reply received from the unit on 13.04.2015 in response of a letter issued on 02.03.2015 stating that no construction activity has been started and photographs have enclosed for their claim and also stating that STP of 35 KLD will be installed before operating official/commercial complex and in construction work water demand is very low as pre mix concrete will be used. Recommendation / Action Taken Details (EE/AEE) on 04-03-2015 Letter seeking clarification regarding the source of supply of water apart from DJB as well as commencement of operations as the project report regarding functioning of ETP issued. Reply awaited.
24	S.G.M. ENTERPRISES	A-26,SECTOR -1 BAWANA INDUSTRIAL AREA	22-12-2014	DPCC/EC/2/1/2014/9718	Manufacturing of Katha Manufacturing of Katha with Distillation and with Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP-No 2. ECS- Proposed 3. D.G. set- No Plot Area- 200 sq mt Proposed Date- 01.01.2015 Status of Ground Water Extraction:Yes 1. Water consumption:	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	29-06-2016 - Ask the unit to submit balance consent fee. If unit submits the same, Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source within 03 months.

									700 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection (dated 25.10.2014): Unit was operational without consent and without ETP. One borewell connection exist without permission from DJB. SCN for Closure U/s 33(A) of Water Act and U/s 31(A) of Air Act issued on 25.11.2014. Unit submitted reply on 05.01.2015 along with voluntary disclosure of borewell to DJB and sought time to install ETP etc.			
25	TEMPO AUTOMOBILES PVT. LTD	33 & 33-A, NAJAFGARH ROAD INDUSTRIAL AREA	26-12-2014	DPCC/EC/2/1/2014/9770	SERVICING, REPAIRING AND WASHING OF VEHICLES. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 30-09-2011 Authorisation Status Approved Authorisation Issue Date 24-09-2012 Authorisation Expiry Date 29-09-2016			24-02-2015 (1)ETP ---- Yes (a) AR dated November, 2014 issued by M/s Jamia Millia Islamia submitted. (b) Effluent analysis report dated 06-10-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 01-10-2014 of Paint Booth issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-11-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection conducted on 30.06.2014 and following were observed :- (a) ETP was found in defuct and disconnected condition. (b) ETP is completely under capacity of the unit. (c) Upto 1 p.m., 20	29-06-2016 File be put up administratively.

vehicles including Vans/Tempo/Force 1 vehicles etc. were entered for servicing.

(d) Mixer cum flocculator of the unit is only of the capacity 600 liters to 1000 liters.

(e) Stack height of painting booth was found inadequate.

(f) Bore Well exist in the premises, however, permission from DJB not shown.

(g) Unit has not complied with the provisions with HWM Rules.

(5) SCN u/s 31(A) and 33(A) on 28.07.2014
Unit has submitted its reply on 29.08.2014
(6) Modified directions u/s 31(A) and u/s 33(A) issued on 01.10.2014
(7) Directions u/s 31(A) and u/s 33(A) issued on 29.12.2014

Reply received on 16.01.2015 stating that they have applied for consent and obtained authorization valid upto 2016 and requesting to withdraw the notice.

Compliance report of closure directions issued to (i) SDM (Patel Nagar)
(ii) The Member (Water)
(iii) The CETO, Tata Power Distribution Ltd.
on 06.02.2015

Compliance report yet to be recieved.

(8) Water Consumption :
1300 Lt/day (Ground
Water)

Unit has submitted a letter stating that they have installed Paint Booth in January, 2014 for which unit is applying for consent to establish and consent to operate.

Remarks/ATR on 29-06-2016

- Unit submitted a reply on 13.01.2016 regarding submit the compliance report regarding disconnection/permission for extraction of ground

											water. unit submitted a copy of water cess bill against borewell. -Unit has submitted a reply on 12.01.2016 and wherein they have made a request to issue a letter for transport department, so that they their trading certificate may be renewed. As decided, a letter was issued to the unit on 20.01.2016, regarding the above mentioned fact Recommendation / Action Taken Details (EE/AEE) on 27-05-2015 The unit was issued letter for submission of copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA on 25.03.2015. The unit submitted its reply on 08.04,2015 along with copy of application for volunteer disclosure of existing Borewell in Delhi Jal Board and also informed that CETP in the area yet to be constructed and therefore the unit could not use the treated water as per directions. A reminder letter was issued to the unit on 27.04.2015 asking the unit to submit the compliance report regarding disconnection of Borewell and the permission for extraction of ground water. The reply is still awaited.	
26	BIG YELLOW DOOR A UNIT OF GRAZE ENTERPRISES	PROPERTY NO 8, GROUND FLOOR, SATYA NIKETAN	29-01-2015	DPCC/EC/2/1/2015/10005	Restaurant services Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with	Orange Establish	Non-SPI				24-02-2015 (1)ETP : Oil and Grease Trap (Proposed). (2)ECS - N/A (3)D.G. Set : Nil KVA (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 400 Lt/day (DJB) (8) Seating Capacity : 34	29-06-2016 Implement the earlier CMC decision dated 19.05.2015.

					Floor Area less than 100 m ²) with or without sewer connection							Seats. (9) Copy of valid MCD and Delhi Police license submitted (valid upto 31.03.2015)
												Remarks/ATR on 29-06-2016 Inspection yet to be conducted.
												Recommendation / Action Taken Details (EE/AEE) on 19-05-2015 File yet to be put up administratively and Inspection be conducted w.r.t. verification of existence of borewell.
												Recommendation / Action Taken Details (EE/AEE) on 16-04-2015 1)ETP : Oil and Grease Trap installed. Photographs enclosed. (2)ECS - N/A (3)D.G. Set : Nil KVA (4) Inspection conducted on 11.11.2014 and following were observed:- (i) No ETP found installed. Waste water from the kitchen is being discharged into the NDMC drain without treatment. (ii) The unit found operating without having consent from DPCC. (iii) the representative could not produce copy of Delhi Police license and MCD license. (iv) Channelization system is provided in the kitchen but without having adequate stack height. (v) Having 1 borewell. (5) SCN u/s 31(A) and 33(A) issued on 20.11.2014 Reply received on 04.12.2014 (6) Closure directions u/s 31(A) and 33(A) issued on 03.02.2015 (7) Water Consumption : 500 Lt/day (DJB) (8) Seating Capacity : 34 Seats.

(9) Copy of valid MCD and Delhi Police license submitted (valid upto 31.03.2015)

Reply received on 06.02.2015 and 11.02.2015 and following is submitted :-
(a) restaurant consisting of 34 seats, therefore, no ETP is required to be installed.
(b) suitable exhaust system and proper arrangement to channelize the fugitive emissions from cooking and kitchen operations by providing proper ducting/hood two meter about the roof of the building has already been provided for proper discharge of fumes/fugitive emission.
(c) it is again reiterated that no borewell is installed in restaurant and using mineral water for cooking and drinking and for washing of utensils, and using only DJB water.

File was put up administratively and it was decided to inspect the unit.

As decided, inspection was carried out on 02.03.2015 and following were the observations:
(i) Unit was not found operating during inspection .
(ii) Channelization is provided in the kitchen with adequate stack height.
(ii) Oil & Grease trap found installed & operating.
(iii) MCD & Delhi Police License valid upto 31.03.2015.
(iv) The Unit found non-operating in view of closure direction issued on 03.02.2015.

As the unit applied for CTE & CTO and seating capacity found to be 34 and as decided by Chairman DPCC, Revocation of closure direction was issued on 11/03/2015.

27	DUDE FOOD (A UNIT OF DELICIOUS CONCEPTS PVT. LTD	11, SATYA NIKETAN, BENITO JUAREZ MARG	12-02-2015	DPCC/EC/2/1/2015/10112	QUICK SERVICES RESTAURANT. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI					26-02-2015 (1)ETP : Oil and Grease Trap. (2)ECS - N/A (3)D.G. Set : 40 KVA (4) Inspection conducted on 11.11.2014 and following were observed :- (a) No Effluent Treatment Plant(ETP)/Oil and Grease Trap found installed. Waste water from the kitchen is being discharged into the NDMC drain without treatment. (b) The unit found operating without having consent from DPCC. (c) Having valid MCD license and Delhi Police license upto 31.03.2015 (d) Channelization system is provided in the kitcehn but without having adequate stack height. (e) One D.G. Set capacity 35 KVA found installed at the terrace with acoustic enclosure but without having adequate stack height. (f) Having 1 borewell. (5) SCN u/s 31(A) and 33(A) issued on 20.11.2014 Reply along with photographs received on 03.12.2014 and following is submitted :- (a) they are under process to install oil and grease trap. Quotation from different supplier has been obtained and shall finalize in a week period and install the within 60 days. (b) They are under process to apply for consent to establish and consent to operate and apply before 15.12.2014 (c) D.G. Set and channelization system stack height , they are taking advise from consultants and surely get it within 60 days. (d) they do not have a bore well in premises there seems to be a confusion the same can be verified during a site	29-06-2016 Implement the earlier CMC decision dated 23.04.2015.
----	--	---------------------------------------	------------	------------------------	--	------------------	---------	--	--	--	--	--	---

(e) No of seats 35 seats.

(6) Closure directions
u/s 31(A) and 33(A)
issued on 03.02.2015

Reply received on
09.02.2015 and following
is submitted :-

(a) they have installed oil and grease trap from the kitchen waste water and it is functional. All the kitchen waste water is first treated in oil and grease trap and then it is discharged to sewer.

(b) They will get the D.G. Set testing report in few days and grant 20 days times to submit consent applications.

(c) Stack height of the D.G. Set system was inadequate but not they have increased it upto the desired standard.

(d) Channelization system is provided in the kitchen. The stack height, which was inadequate, has now been increased upto the desired level.

(e) Though there is a bore well the the outlet. But the source of water supply is NDMC and given 20 days to compelte the job.

(7) Water Consumption :
2300 Lt/day (DJB. Copy
enclosed)

(8) Seating Capacity : 35 Seats.

(9) Copy of valid MCD and Delhi Police licenses submitted (valid upto 31.03.2015)

**Recommendation /
Action Taken Details
(EE/AEE) on 29-06-
2016**

Inspection yet to be conducted.

**Recommendation /
Action Taken Details
(EE/AEE) on 16-04-
2015**

The unit submitted its reply on 19.02.2015 and informed that they have submitted Consent to Establish application and requested for grant of 45

												days time so as to get noise monitoring report of D.G Set for applying Consent to Operate. The unit again submitted its reply on 27.02.2015 and informed that they have applied for Consent to Operate vide I.D No. 10238 on 26.02.2015 Considering, the representations submitted by the unit temporary revocation was issued on 27.02.2015 for 45 days. The unit again submitted a representation on 12.03.2015 along with copy of receipt of CTE & CTO application, Photographs of Oil & Grease trap, ducting and channelization system, copy of receipt of bill of DJB, MCD & Delhi Police License (Both Valid upto 31.03.2015) and requested for revocation. Unit also stated that they have installed Oil & Grease trap as their restaurant is below 36 seating capacity and has installed adequate channelization system of the kitchen. Unit has uninstalled the D.G Set from the premises (Photograph Enclosed). Regarding borewell the unit stated that the borewell is just an underground storage tank which has been closed down and water supply has been stopped. (Photograph enclosed) and are using DJB water supply (Bill Enclosed). However, file yet to be put up administratively.	
28	ROYAL TURBAN (A UNIT OF FIVE FIGS HOSPITALITY PVT LTD)	J-2/6A,3RD FLOOR, B.K. DUTT MARKET RAJOURI GARDEN	12-03-2015	DPCC/EC/2/1/2015/10323	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/	Orange Establish	Non-SPI					31-03-2015 1)ETP : Yes. (2)ECS - N/A (3)D.G. Set : 62.5 KVA (4) Inspection details: yes. Inspection was conducted on 31.12.2014	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate

[illegible]

											on 12.06.2015 along with the copy of DJB (Cat-II). -An inspection was carried out by DPCC officials on 30.10.2015 and following deficiencies were observed: a) Common ETP installed but was not operational. b) No wet and Dry sludge observed. c) D.G Set has no acoustic enclosure and improper stack height. d) Stack height of chimney was also improper. -Show cause notice was issued to the unit on 10.12.2015 regarding deficiencies observed during inspection. -Unit submitted a reply on 08.01.2016 and informed that all the deficiencies have been rectified.	
29	HINDUSTAN CONSTRUCTION CO, LTD.	MUNIRKA ELEVATED CORRIDOR PROJECT, NELSON MANDELA MARG	12-03-2015	DPCC/EC/2/1/2015/10325	BATCHING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI				31-03-2015 (1)ETP ---- N/A. Sedimentation Tank(Proposed). (2)ECS - N/A Dust collector with dust bag filter will be provided. (3)D.G. Set : 180 KVA, 75 KVA AND 30 KVA (2 Nos). (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 600 Lt/day (DJB) Recommendation / Action Taken Details (EE/AEE) on 25-06-2016 -As approved an inspection was carried out by DPCC officials on 20.02.2016 and no deficiencies were observed. Remarks/ATR on 12-05-2015 (1)ETP ---- N/A. Sedimentation Tank(Proposed). (2)ECS - N/A	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate. Further, unit shall apply for Consent to Operate within 03 months.

												Dust collector with dust bag filter will be provided. (3)D.G. Set : 180 KVA, 75 KVA AND 30 KVA (2 Nos). (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 14600 Lt/day (Balaji Water supplier) (8) Ground Water: Nil	
30	KHAZANA (A UNIT OF GALAXY FOOD AND HOSPITALITIES)	C-13, VISHAL ENCLAVE, RAJOURI GARDEN	17-04-2015	DPCC/EC/2/1/2015/10578	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI					19-05-2015 (1)ETP ---- ETP Phisiochemical in nature is proposed (2)D.G.Set: ...125 KVA (4) Inspection details: unit was inspected by DPCC Representative dated 31.12.2014 and following were observed:- (i) The unit found operating and engaged in the activity of Restaurant and Banquet. (ii) The unit is operating without taking Consent from DPCC under air and water Act. (iii) Channelization system is provided in the kitchen but without having adequate stack height. (iv) One D.G Set found installed with adequate stack height (iv) Unit having MCD licence and Delhi Police License (Valid up to 31.03.2015). (v)No Effluent treatment plant is found installed for treating waste water generated by the unit. (5) SCN u/s 31(A)/33(A) of EPA details : Yes, issued to the unit on 20.01.2015 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Yes, issued to the unit on 09.03.2015.Reply received from the unit w.r.t. above said closure on 13.04.2015 and the	29-06-2016 Consent to Establish granted.

											unit informed that unit is under process to install ETP plant, D.G set and control of emission etc. (7) Water Consumption: 4000 Liters/Day (Municipal Authority) (8) Seating Capacity: 48 seats Recommendation / Action Taken Details (EE/AEE) on 28-06-2016 An Unit submitted a reply on 19.10.2015 and informed that they have closed down their unit and handed over to land lord on 12.10.2015. - As per approval, an inspection was carried out by DPCC officials on 10.02.2016 and unit found closed and another units were found operational with the name of M/s National Highway-44 and M/s Factory Restaurant and M/s habibi Restaurant -Show Cause Notice were issued to all the above mentioned units and both have applied for Consent to Establish. -Modified directions was issued to the above mentioned unit on 21.06.2016	
31	AL LAZEEZ	SHOP NO 22, GF, GURU NANAK MARKET, LAJPAT NAGAR PART-IV	29-04-2015	DPCC/EC/2/1/2015/10681	24 Seating Restaurant Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI				19-05-2015 (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... MCD license valid upto Delhi Police License valid upto Ground Water: Nil Source- 1000 ltr/day (DJB, bill enclosed). Complaint received against Al- Lazeez, 22, Ground Floor, Guru Nanak Market, Lajpat Nagar-IV, Delhi-24 As per approval, inspection was carried out by the representatives of DPCC on 26.03.2015 and following observation	29-06-2016 Consent to Establish granted. IT Cell to correct the categorization of the unit.

											were made. 1. Unit is found in operation and engaged in the activity of Restaurant with seating capacity of 34 2. No Oil & Grease trap installed and effluent is being discharged without any treatment. 3. Unit having proper channelization with kitchen with adequate stack height. As per record available in DPCC website, unit is operating without Consent (CTE & CTO) from DPCC. As approved, Show Cause Notice u/s 33(A) of the Water Act was issued on 29.04.2015. Unit submit the reply on 13.05.2015 stating that they will be installed OGT within 2-3 days and they have already applied for CTE & CTO on 29.04.2015 & 07.05.2015 and requested to grant 60 days time to complete the prescribed formality and adhering to all the norms mentioned as per DPCC. Unit provide copy of MCD health license valid upto 31.03.2015, copy of receipt for renewal of MCD health license dated 13.04.2015 and copy of acknowledgement for Delhi Police license dated 20.01.2015 along with CTE application. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 File yet to be put up.	
32	SHIVKYRA IMPEX	KHASRA NO. 52/11, MIE ROAD, TIKRI KALAN, NEW DELHI 110041	07-05-2015		SPICES GRINDING AND PACKAGING Spice Grinding	Orange Establish	Non-SPI				05-06-2015 (1)ETP ----- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No	29-06-2016 Implement the earlier decision dated 17.06.2015.

												(5) SCN u/s 31(A)/33(A)/5 of EPA details : No	
												(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	
												(7) Water Consumption : 10 litres /day	
												Recommendation / Action Taken Details (EE/AEE) on 29-06- 2016 .	
33	S AND S PIONEER CORP. (BRAND NAME - GRAND DREAMS)	A-29 AND 30, PHASE-I, MAYAPURI INDUSTRIAL AREA	18-05-2015	DPCC/EC/2/1/2015/10858	Banquet Hall. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI					05-06-2015 (1)ETP ---- Physio chemical of 10 kld capacity(proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D,G, Set(s) of 380 KVA, 380 KVA and 380 KVA. Noise monitoring reports : Not submitted. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) MCD License: unit not submitted copy of valid MCD license with application. However, unit enclosed receipt of application form for MCD license . (8) Water Consumption: 15,000 liter/ day from DJB (Bill enclosed) Recommendation / Action Taken Details (EE/AEE) on 29-06- 2016 A letter yet to be issued. Recommendation /	29-06-2016 The unit is located in industrial area and therefore in view of the new RESDH policy decided by DPCC Board meeting on 22.03.2016, there is no need of license from Municipal Authority of Delhi. Consent to Establish granted.

												Action Taken Details (EE/AEE) on 29-06-2016 A letter yet to be issued.	
34	THE FRATERNITY CLUB	FREEMANSONS HALL, JANPATH	28-05-2015	DPCC/EC/2/1/2015/10922	Club. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI					05-06-2015 (1)ETP ---- 5 KLD proposed (2)ECS - proper Channelization system has been provided (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD license: valid up to 31. 03.2016 (8) Delhi Police license : valid up to 31. 03.2016 (9) Water Consumption: 5000 Litres/ day (NDMC) (10) Ground water : Nil (11) Seating capacity/ Room: not mentioned anywhere in NDMC, Police License as well as application form. Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Inspection yet to be conducted. Remarks/ATR on 10-06-2015 (1)ETP ---- 5 KLD proposed (2)ECS - proper Channelization system has been provided (3)D.G.Set: Nil With reference to the application filed under RTI Act, the unit was inspected after the receipt of the receipt	29-06-2016 Case deferred.

												from excise department (4) Inspection details: Inspection of the unit was conducted on 02.01.2015 wherein following were observed: (i) The club found operating and engaged in the activity of club, restaurant and bar. (ii) As informed, the club is operational since 1947. (iii)The club is operating without taking consent from DPCC under Air and Water Acts. (iv)No Effluent Treatment Plant found installed in the club. (v)Channelization system is provided in the kitchen but without having adequate stack height. (vi)The club is having one restaurant & bar and 1 family room. (vii)The club is having 1 bore well. (viii) The club is having valid NDMC & Delhi Police License up to 31.03.2016. (5) SCN u/s 31(A)/33(A)/5 of EPA details : 15.01.2015 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD license: valid up to 31. 03.2016 (8) Delhi Police license : valid up to 31. 03.2016 (9) Water Consumption: 5000 Litres/ day (NDMC) (10) Ground water : Nil as per application, however during inspection Bore well was observed. (11) Seating capacity/ Room: not mentioned anywhere in NDMC, Police License as well as application form. (12) As per inspection findings unit is having 1 restaurant with a seating capacity of 48 persons	
35	GANGA ENTERPRISES	PLOT NO-236, POCKET-G, SECTOR-3, DSIIDC	04-06-2015	DPCC/EC/2/1/2015/10984	Processing of Condimets, Spices, Groundnuts and Dal etc.	Orange Establish	Non-SPI					16-07-2015 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	29-06-2016 Issue reminder. If unit submits the reply stating that present /

		INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA			Processing of Condiments, Spices, Groundnuts and Dal Etc						(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Water Consumption : 200 L/Day (Source- DSIIDC , bill enclosed) (8)Ground water : Nil In the list of 22124 units of relocation data provided by industry department unit exist at S.No 17541 of the list Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Plot Area- 250 sq mt Proposed Date- 15.06.2015 Status of Ground Water Extraction:No 1. Water consumption: 200 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: No Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A As decided by the consent committee - Letter was sent to unit on 07.08.2015 seeking clarification regarding present activities at earlier address in respect of which industrial plot was allotted. Reply yet to be received.	proposed activity is not carried out at earlier address in respect of which industrial plot was allotted, Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
36	GYANS RESTAURANTS	28/10, CENTRAL MARKET, OPP. NEELKANTH MANDIR, EAST PATEL NAGAR	09-06-2015	DPCC/EC/2/1/2015/11006	Restaurant. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops /	Orange Establish	Non-SPI				14-07-2015 (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:	29-06-2016 Consent to Establish granted. Also to make the consent application dated 24.08.2006 infructuous.

					Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection						No (5) A SCN u/s 31(A)/ & 33(A) was issued to the unit on 23.12.2014 as unit had applied for the CTO on 24.08.2006 which has already been lapsed and not applied for the fresh application for CTO. (6) A Closure Direction u/s 31(A)/ & 33(A) was issued to the unit on 30.01.2015 as unit failed to submit the reply against the SCN. (7) Temporary revocation was issued to the unit on 15.05.2015 for submitting the fresh application of consent to operate. (7) Water Consumption:2850 Litre/day (8) Source of water: Municipal Authority (K.No. 3433281000) (9) Ground Water: Nil (10) MCD License copy not submitted but copy of receipt enclosed. Remarks/ATR on 29-06-2016 . Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 As decided, a letter was issued to the unit on 02.09.205 regarding submit valid MCD/Delhi Police licenses. -Unit have submit its reply on 14.09.2015 along with MCD and Delhi police license valid upto 31.03.2016	
37	ECSTASY HOTELS PVT. LTD.	2/78, W.H.S., KIRTI NAGAR	15-06-2015	DPCC/EC/2/1/2015/11050	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production	Orange Establish	Non-SPI				10-07-2015 (1)ETP ---- ETP - Bio-logical (2)D.G.Set:125 KVA (Proposed). (3) Inspection details:No (4) SCN u/s 31(A)/33(A)/5 of EPA details :No	29-06-2016 The unit is located in industrial area and therefore in view of the new RESDH policy decided by DPCC Board meeting on 22.03.2016, there is no need of license from Municipal Authority of Delhi. Consent to Establish granted.

					of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						(5) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Ground water- Nil Source of water- Municipal Authority (10000 Liters/Day) Copy of valid mCD license (unit has submitted copy of receipt w.r.t applying for license dated 09.06.2015). Recommendation / Action Taken Details (EE/AEE) on 29-06-2016 a letter yet to be issued. Remarks/ATR on 27-07-2015 (1)ETP - ETP proposed. (2) ECS - N/A (3)D.G, Set -125 KVA (Proposed). (4) Inspection details- No (5) SCN u/s 31(A)/33(A)/5 of EPA details - No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details - No (7) Water Consumption- 10000 Liters/ day (DJB. Bill not submitted) (8) Seating Capacity- 200 persons (as per project report). (9) MCD License- Copy of MCD receipt w.r.t applying for license dated 09.06.2015 submitted.	
38	ADDA BY STRIKER (A UNIT OF SOI HOSPITALITY PVT LTD)	N-4, N BLOCK MARKET, GREATER KAILASH, PART-I	23-10-2015	DPCC/EC/2/1/2015/12197	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 (Proposed) Status of Ground Water extraction :Nil Water Consumption - 3000 ltrs /day	N/A	29-06-2016 As Modified Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air issued to the unit on 24.05.2016 to submit Surety Bond of Rs 5 lakhs within 15 days but the unit has not submitted surety bond of Rs 5 lakhs till date.	29-06-2016 Case deferred.

[illegible]

									informed that you will adhere to any further mandatory requirements as directed and guided by DPCC and submitted MCD Health License) & Delhi Police Licenses for 90 seats valid upto 31.03.2016. Modified Directions u/s 33(A) of the Water Act & u/s 31(A) of the Air issued to the unit on 24.05.2016 to submit Surety Bond of Rs 5 lakhs within 15 days, Submit Effluent Analysis Report of ETP & submit Noise Monitoring Report of DG Set from any of the approved laboratories of DPCC, Install flow meter at outlet & inlet of ETP & maintain Log Book for operation of ETP with full details including reading of inlet & outlet of flow meter and Submit application for Consent to Operate with all required documents /Reports within 45 days.			
39	THE TODDY SHOP (A UNIT OF BIG BISON FOOD AND ENTERTAINMENT PVT. LTD.)	1A, SECOND FLOOR, HAUZ KHAS VILLAGE	28-10-2015	DPCC/EC/2/1/2015/12225	EATING HOUSE. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		(1) Oil and Grease trap cum Settling Tank - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 15 KVA Groundwater-Nil Water consumption-1000 ltr/day Source-DJB (bill enclosed) MCD License valid upto 31.03.2016 Delhi Police License valid upto 31.03.2016 Unit was not inspected during survey on 17.09.2015, however as per list provided & informed by Delhi Fire Service unit is operational. As decided, Show Cause Notice u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to unit on 05.10.2015. As per approval on Hauz Khas Village file , an inspection was carried out	The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 28-10-2015 issued by DPCC submitted, Noise monitoring report within Limit - Yes	29-06-2016 unit has applied for Consent to Establish & Consent to Operate for 32 seats.	29-06-2016 Consent to Establish granted, IT Cell to correct the categorization of the unit.

									by the representatives of DPCC on 19.10.2015 and following were observed: 1. Unit found in operation and engaged in the activity of Eating House with seating capacity of 32 2.Unit have installed Oil and Grease Trap but settling tank not provided. 3.Channelization system provided in kitchen with adequate stack height. Unit submitted its representation on 20.10.2015 w.r.t SCN dated 05.10.2015 and stated that they are in process of filing of Consent to Establish and Operate and requested for 30 days time for filinf the consent application. Unit again submitted its representation on 29.10.2015 w.r.t. SCN dated 05.10.2015 and stated that they have applied for CTE and CTO on 28.10.2015 along with the photographs of Oil and grease cum Settling tank. Unit also submitted letter on 05.02.2016 informing that dimensions of OGT as 4feet 6inchx1feet6inchx 1feet6inch plus settling tank of capacity 1500 ltrs, suitable for holding water for 4 hours.			
40	PIND BALLUCHI GRILLS & PLATTERS (A UNIT OF CLASSIC HOSPITALITY)	A-3 GROUND FLOOR, PAMPOSH ENCLAVE, GREATER KAILASH-I	02-11-2015	DPCC/EC/2/1/2015/12269	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Installed (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction :Nil water consumption - 5000 ltrs /day Source of water - Delhii jal Board -(bill provided) MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Complaint has been received against the	N/A	29-06-2016 As approved in file inspection is yet to carried out.	29-06-2016 Inspection be conducted as decided in file.

									Hotels / restuarant operating at A-3 & A-5, Pamposh enclave, GK-1, ND-48. An inspection of the unit was carried out on 06.01.2015 and following deficiencies were observed - Unit has not installed an ETP and wastewater generating from kitchen process is being discharged into sewer without any treatment. - Source of water is Delhi jal Board (bill not available) SCN u/s 33(A) of Water act & u/s 31(A) of the Air was issued to the unit on 19.02.2016. Unit has submitted its representation on 01.03.2016 w.r.t. Show Cause Notice along with photographs of ETP, copy of DJB bill and bill for packaged drinking water and informing that they have installed ETP at their premises, in process of testing of Noise Monitoring of DG Set and the source of water from DJB and buy packaged drinking water from outside. Unit has also requested for 60 days time to comply with DPCC regulations.			
41	PURI BUILDWELL PVT. LTD.	C-9/13, SECTOR-7, ROHINI, DELHI	05-11-2015	DPCC/EC/2/1/2015/12334	PP CITY CENTRE COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 34 KLD from municipal authority Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	.	29-06-2016 Earlier, unit had applied for CTE with one year fees on 01.09.2014 which has expired on 03.08.2015. Thereafter, competent authority has decided to ask the unit to submit fee for further one year so that validity of consent order may be changed. Accordingly, letter issued on 19.10.2015. In response of that unit has now submitted a reply with receipt of submission of this consent application on 05.11.2015.	29-06-2016 Consent to Establish granted for further two years with the conditions i.e. (i) during the establishment of the unit, the water shall be obtained from the authorized source (ii) unit shall submit the proof that the water is being obtained from the authorized source at the time of applying for Consent to Operate.
42	MASALA HOUSE (A UNIT OF URBAN PALETTE	SHOP NO 4, FIRST FLOOR, SECOND FLOOR,	06-11-2015	DPCC/EC/2/1/2015/12348	REstaurant (48 Seats)	Orange Establish	Non-SPI		(1)ETP -Proposed (2)ECS - N/A	N/A	29-06-2016 Unit has applied for Consent for 48 seats.	29-06-2016 Consent to Establish granted with

	RESTAURANTS)	SUNDER NAGAR MARKET			Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer				(3)D.G.Set: 82.5 KVA (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water- Nil Water consumption-4000 ltrs/day , Source- DJB (bill enclosed) MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016			the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.
43	HOTEL AMALTAS INTERNATIONAL	6, GREEN PARK MAIN ROAD,	24-11-2015	DPCC/EC/2/1/2015/12440	GUEST HOUSE (30 ROOMS) WITH KITCHEN. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / Oil & Grease trap cum Settling tank ---- N/A (2)ECS - N/A (3)D.G.Set: .160 KVA Status of Ground Water extraction : Nil (However during inspection unit having borewell but without permission) Water consumption- 4000 ltrs /day Source of Water - tanker water (bill not provided) A complaint was filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action. As directed by PGC vide order dated 08.07.2015, Secretary (Environment), Govt. of NCT of Delhi, constituted a Committee, consisting of officials from various Deptt. including	N/A	29-06-2016 Unit has failed to submit CTO application & surety Bond and also not submit any reply w.r.t. letter dated 02.06.2016.	29-06-2016 File be put up administratively.

DPCC, SDMC, Env Deptt. etc to inspect the Hotels at Green Park Area. Inspection of Hotels including M/s Hotel Amaltas was carried out on 01.09.2015 and following were the main observations-

- Hotel M/s Le Traventino has been closed and M/s Hotel Amaltas International is operating at the said premises with the activity of Hotel (30 rooms) cum in-house Restaurant (53 seats) and basement hall.
- Sewer connection of the Hotel needs to be verified by Delhi Jal Board, as no documents were shown at site. However, the team observed the sewage flow from unit through a channel flowing into sewer line/ mainhole in the front side of unit.
- There is separate storm water drain in front side of unit. Very slight flow of waste water was observed in the storm water drain. However, no outfall channel of waste water from this unit could be found in the inspected portion of storm water drain located in front of the unit (covered with RCC slab).
- No ETP/ STP found installed and trade effluent generated from kitchen is being discharged into sewer without any treatment.
- No Oil & Grease Trap provided in the kitchen.
- 1 borewells located in the basement of the premises and was in used for ground water extraction, no permission was shown.
- 1 Hot water generator located at roof top of building without stack.
- 1 DG Set (160 KVA) located at roof top without adequate stack height.
- Unit has applied for obtaining MCD (Health) License (copy of receipt provided). However, police license is yet to be applied.
- No channelization system provided in the

kitchen.

Show Cause Notice u/s 31(A) of the Air Act and 33(A) of the Water Act was issued to M/s Hotel Amaltas International on 02.09.2015 and Dy. Comm. (South) was also requested vide letter dated 02.09.2015 to take necessary action for extraction / drawl of groundwater through borewells.

unit has submitted representations on 16.09.2015 & 23.09.2015 and informed that they are in process to rectify the deficiencies observed during inspection and requested to grant 2 months time to comply the same.

Direction u/s 33(A) of the Water Act & u/s 31(A) of the Air Act issued on 18.11.2015 to install adequate pollution control devices (ETP/STP), install adequate stack height with channelization system of kitchen, hot water generator & DG Set and submit consent applications with required documents & reports and surety bond for an amount of Rs 10 Lakhs within 45 days.

Reminder letter has been issued on 18.11.2015 to Dy. Comm. (South) to take necessary action for extraction / drawl of groundwater through borewells.

Unit has submitted representation on 09.02.2016 and stating that they have installed ETP and Oil & grease trap and submit application for Consent to Establish. However they have requested to grant sometime to comply the Directions.

Personal hearing given to the hotel by Member Secretary, DPCC on 15.02.2016.

Mr. Prakash Singh Badal

									(Co-ordinator) and Mr. Ravi Kumar (Accountant) attended the Personal Hearing on 15.02.2016 and submitted a representation stating that they are in process to complete the deficiencies / directions issued by DPCC vide letter dated 18.11.2015 and submit the compliances with respect to direction issued by DPCC by 26.02.2016.			
									Unit has submitted representation on 25.02.2016 stating that they have installed ETP and Oil & grease trap and submitted application for Consent to Establish. However they have requested to another 15 days time to install adequate stack height with channelization system of kitchen, hot water generator & DG Set and submit consent applications with required documents & reports and surety bond for an amount of Rs 10 Lakhs. Unit has not submitted application for Consent to Operate alongwith required documents & test reports and also failed to submit surety bond for an amount of Rs 10 Lakhs.			
									As approved in common file , letter was issued to unit on 02.06.2016 to submit Surety Bond for an amount of Rs 10 Lakhs and application for Consent to Operate along with required documents / test reports within 15 days in compliance of earlier directions dated 18.11.2015. However unit has failed to submit CTO application & surety Bond and also not submit any reply.			
									Reminder letter has been issued on 02.06.2016 to Dy. Comm. (South) to take necessary action for extraction / drawl of groundwater through borewells. however no reply received so far.			
44	EDESIA FOODS LLP (TRATTORIA LOUNGE)	30, 2ND FLOOR (REAR PORTION), HAUZ	26-11-2015	DPCC/EC/2/1/2015/12465	EATING HOUSE. Restaurants/Eating	Orange Establish	Non-SPI		Status of Pollution Control System	N/A	29-06-2016 Even after 5 months of Modified Directions unit	29-06-2016 File be put up administratively.

		KHAS VILLAGE			Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(1)ETP - CETP installed (common for building) (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water consuption - 1800 ltrs/day Source of water- DJB (Bill not provided) MCD & Delhi Police License License valid upto 31.03.2016 for 48 seats In compliance of order of Honourable Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on 31.08.2015. A rapid survey of Restaurant / Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09.2015 and it was observed that unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant. SCN u/s 33(A) of water Act & u/s 31(A of the Air Act issued to the unit on 05.10.2015. Unit has submitted reply on 16.10.2015 w.r.t. SCN & staing that they are in process of submitting applications for CTE & CTO and requested for 45 days time for the same. Unit has applied for CTE on 26.11.2015 Modified Directions u/s 33(A) of water Act & u/s 31(A of the Air Act issued to the unit on 15.01.2016 to submit application of Consent to Establish & Operate alongwith required documents / test reports.	has not applied for Consent to Operate	
45	THE MUSE	A-01, CHIRAG	03-12-2015	DPCC/EC/2/1/2015/12561	GUEST HOUSE.	Orange	Non-SPI		(1)ETP / Oil and grease N/A	29-06-2016	29-06-2016

	SAROVAR PORTICO (A UNIT OF PALM LAND HOSPITALITY PVT LTD)	ENCLAVE, NEHRU PLACE			Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Establish			Trap cum settling tank (Proposed) (2)ECS - No (1 Diesel fired boiler) (3)D.G.Set: 125 and 180 KVA Ground water- Nil Water consumption- 16800 ltrs/day, Source- DJB (Bill enclosed) MCD license valid upto 31.03.2018 Delhi police license valid upto 31.03.2016		It is existing unit and applied for Consent to Establish.	Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.
46	CAFE TURTLE (A UNIT OF FULL CIRCLE PUBLISHING PVT. LTD)	SHOP NO-8, GF BLOCK-B NIZAMUDDIN EAST MARKET	17-12-2015	DPCC/EC/2/1/2015/12782	Easting House (Restaurant) Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		(1)Oil and Grease Trap cum Settling Tank - installed (2)ECS - N/A (3)D.G.Set: N/A Ground water- Nil Water consumption-3700 ltrs/day, Source-DJB (bill enclosed) MCD license valid upto 31.03.2016 for 35 seats Delhi Police license valid upto 31.03.2016 for 35 seats	Effluent analysis report of Oil & Grease Trap dated 25-01-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	29-06-2016 Unit has also applied for Consent to Operate on 26.02.2016.	29-06-2016 Consent to Establish granted. IT Cell to correct the categorization of the unit.
47	NEW YORK SLICE (A UNIT OF B.M. CREATIONS PVT. LTD.)	50, GROUND FLOOR, HAUZ KHAS VILLAGE	28-12-2015	DPCC/EC/2/1/2015/12986	EATING HOUSE. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		(1)OGT cum settling tank installed (2)ECS - N/A (3)D.G.Set: Nil Ground water- Nil Water consumption-150 ltrs/day MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Unit was not inspected during survey on 17.09.2015 however, as per list provided and informed by Delhi Fire Service unit is operational. As per approval in file, SCN u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to unit on 05.10.2015.	N/A	29-06-2016 Unit has applied for Consent to Establish and Operate for 10 seats.	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source within 03 months.

As decided, an inspection of the unit was carried out by representatives of DPCC on 20.10.2015 and following were observed:

- 1. Unit found in operation and engaged in the activity of Fast Food Outlet with seating capacity of 22 seats.
- 2. The food prepared in the Manesar, Gurgaon in main kitchen and transported to outlets.
- 3. The pre cooked food baked, fried, seasoning etc as required and served in disposables.
- 4. The unit has not installed an Oil and Grease Trap cum Settling Tank and wastewater generated from washing is discharged into sewer without any treatment.
- 5. Channelization system provided in kitchen but adequate stack height has not been provided i.e. below roof level.
- 6. Unit having MCD (Health license) and Delhi Police license valid upto 31.03.2016. MCD (Health license) is for 10 seats.

Unit has submitted its reply on 29.10.2015 w.r.t. to SCN dated 05.10.2015 informing that they are in process of filing of consent to Establish and consent to Operate application and requested to grant 30 days time for the same.

Unit has again submitted its reply on 29.12.2015 and stated that they have applied for CTE and CTO on 28.12.2015.

Modified Direction u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to unit on 15.01.2016 for giving 45 days time to the unit for installation of Oil and Grease Trap cum Settling Tank.

Unit has submitted its reply on 21.03.2016 w.r.t. to Modified Direction issued to unit and stated that :

- 1. They have 10Nos. of seats and accordingly filed consent application in

									DPCC. 2. They are planning to increase the seats and meanwhile in the planning course, the officials from DPCC visited, they observed 22 seats instead of 10 seats. They have dropped the idea as it got congested and not increased a single seat. 3. The size of Oil and Grease Trap is 4x2x2 joined by Settling Tank having capacity of 300 Litres (total capacity of OGT cum Settling Tank is 750 Litres) and is enough to hold/detain the water for 4 hours meeting the DPCC norms.			
48	DAITCHI RESTAURANT	E-19A, NDSE-II	06-01-2016	DPCC/EC/2/1/2016/13148	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -installed. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 2200 ltrs/day, Source : DJB (Bill Enclosed) MCD License valid upto 31.03.2017. Delhi Police License valid upto 31.03.2017.	Effluent analysis report dated 10-03-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	29-06-2016 Unit has applied for Consent to Establish for 48 Seats and also applied for Consent to Operate on 16.03.2016.	29-06-2016 Consent to Establish granted. IT Cell to correct the categorization of the unit.
49	THE BEER CAFE (A UNIT OF BTB MARKETING PVT. LTD.)	8-A, FF, HAUZ KHAS VILLAGE	19-01-2016	DPCC/EC/2/1/2016/13332	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / Oil & Grease Trap cum Settling Tank--- - Proposed (2)ECS - N/A (3)D.G.Set: Nil (However found during inspection of 50 KVA) Status of Ground Water extraction : Nil Water consumption - 5000 ltrs /day Source of water - DJB (Bill provided) Unit was not inspected during survey on 17.09.2015. However, as per list provided & informed by Delhi Fire	N/A	29-06-2016 Unit has not submitted CTO application even after more than 5 months and also not submitted w.r.t. SCN dated 15.01.2016.	29-06-2016 File be put up administratively.

									Service unit is operational. Show Cause Notice u/s 33(A) of the Water Act (Prevention & Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 was issued to the Addressee, on 05.10.2015. The unit has submitted its reply on 13.10.2015 and informing that they will submit application for Consent to Establish & Consent to Operate within 60 days and requested to grant time to complete all work. However, no information was provided regarding operation of ETP. The unit was inspected on 19.10.2015 and it was observed that unit has installed Effluent Treatment Plant (ETP) but same was not in operation, chemical dosing tank was dried & log book of ETP not maintained. Stack height of channelization system & DG Set found inadequate. Unit is operating without Consent from DPCC. Another Show Cause Notice u/s 33(A) of the Water Act (Prevention & Control of Pollution) Act, 1974 and u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 was issued to the Addressee, on 15.01.2016.			
50	GOLDEN FIESTA EATERY PVT. LTD.	90-A, AMRITPURI, GARHI, EAST OF KAILASH	01-02-2016	DPCC/EC/2/1/2016/13469	Restaurant With 48 Seats. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - Nil (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Status of Ground Water extraction : Nil Water Consumption : 4000 ltr./day, Source : Corporation (Bill Enclosed) MCD License valid upto	Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-01-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit -Yes.	29-06-2016 Unit has applied for Consent to Establish for 48 Seats and also applied for Consent to Operate on 21.03.2016.	29-06-2016 Consent to Establish granted. IT Cell to correct the categorization of the unit.

					connected to public/municipal/DJB sewer				31.03.2018, Delhi Police License valid upto 31.03.2016.			
51	JUNGLEE BILLEE (A UNIT OF LE ITALIA)	M-24, M BLOCK MARKET, GREATER KAILASH, PART-I	08-02-2016	DPCC/EC/2/1/2016/13561	Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP/ Oil & Grease cum Settling Tank - Proposed (2)ECS - N/A (3)D.G.Set: 25 KVA Status of Ground Water extraction : Nil Water Consumption: 2000 ltr./day, Source: Corporation MCD Licence valid upto 31.03.2016. Delhi Police License valid upto 31.03.2016.	N/A	29-06-2016 Unit has applied for Consent to Establish for 48 Seats.	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit and also to deactivate the additional Consent to Establish applications entered in the online software existing in the same ID.
52	SUPRA CERAMICS	322, FIE PATPARGANJ INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13574	Mfg. of Sanitary Bathroom Fittings with Buffing without Electroplating. Process Involving Buffing	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - cyclone dust collector (3)D.G.Set Noise Report : 1 (4) Water Consumption: 300 L/ Day Source: Purchase Water (5) Ground Water: Nil	AR -Nil	29-06-2016 Consent To Establish be granted.	29-06-2016 Consent to Establish granted with the condition that unit shall submit the proof that the water is being obtained from the authorized source within 03 months.
53	COSY PALACE	B-11, EAST OF KAILASH	24-02-2016	DPCC/EC/2/1/2016/13721	Guest House/ Hotel Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA MCD license valid upto 31.03.2018 Delhi Police license valid upto 31.03.2016 Status of Ground Water extraction : Nil Water Consumption - 5000 ltr/day, Source- DJB (Bill Enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Effluent analysis report dated 09.11.2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and parameters are within limit. The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 06-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and parameters not meeting the standard.	29-06-2016 Unit has applied for Consent to Establish for 24 rooms. Unit has also applied for Consent to Operate on 24.02.2016	29-06-2016 Consent to Establish granted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
54	PIND BALLUCHI (A UNIT OF AN ELEGANT HOSPITALITY)	SS 2, SECOND FLOOR, SUPREME PLAZA PLOT NO 15-16, SECTOR-6 DWARKA	07-03-2016	DPCC/EC/2/1/2016/13888	Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP / oil & Grease Trap cum Settling tank - Proposed (2)ECS - N/A (3)D.G.Set: 62 KVA (Proposed0 Status of Ground Water extraction : Nil Water consumption - 5000 ltrs /day Source of water - DDA (Bill provided) MCD & Delhi Police License valid upto 31.03.2016	N/A	29-06-2016 Unit has applied for Consent to Establish for seating capacity of 96 seats.	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
55	DEFENCE COLONY (WA) CLUB	C-600, CHETNA MARG, DEFENCE COLONY	09-03-2016	DPCC/EC/2/1/2016/13909	Club and Restaurant Cum bar 48 Seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - installed (5 KLD) (2)ECS - N/A (3)D.G.Set : 1 (180 KVA) Status of Ground Water extraction : Nil Water Consumption: 8000 ltrs/day, Source : DJB (Bill Enclosed) MCD License valid upto 31.03.2016. Delhi Police License valid upto 31.03.2016.	Effluent analysis report dated 22-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 29-02-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes.	29-06-2016 Unit has applied for Consent to Establish for 48 Seats and also applied for Consent to Operate on 28.03.2016.	29-06-2016 Consent to Establish granted. IT Cell to correct the categorization of the unit.
56	LAIDBACK CAFE (A UNIT OF M/S OM SHALOM)	N-11, 2ND AND 3RD FLOOR, N BLOCK MARKET, GREATER KAILASH-I	18-03-2016	DPCC/EC/2/1/2016/14034	Restaurant Cum Bar with 48 seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to	Orange Establish	Non-SPI		Status of Pollution Control System (1) ETP - CETP installed with M/s S. Bar & Restaurant (A unit of Om Shalom) (2)ECS - N/A (3)D.G.Set: Nil Water Consumption - 5000 ltrs / day Source of water - DJB (Bill enclosed) Status of Ground Water extraction : Nil	N/A	29-06-2016 Unit has applied for Consent to Establish for 48 seats.	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.

[illegible]

									M/s S. Bar & Restaurant (A unit of Om Shalom) has submitted representation w.r.t. Modified directions alongwith Surety Bond of Rs 5 Lakhs, photograph of ETP, undertaking, copy of receipt for water testing. The unit has informed that they have installed common ETP for 96 seats for M/s S. Bar & Restaurant (A unit of Om Shalom) & M/s Laid Cafe (A unit of M/s Om Shalom), installed flow meter at inlet & outlet of ETP & maintained Log Book for operation of ETP, submitted application for Consent to Establish for M/s Laid Cafe (A unit of M/s Om Shalom) on 18.03.2016 and already obtained Consent to Establish & Operate for M/s S. Bar & Restaurant (A unit of Om Shalom) They have also mentioned that both the units are responsible operation of common ETP and requested for 30 days time to submit application for Consent to Operate for M/s Laid Cafe (A unit of M/s Om Shalom).			
57	CHAAYOS (A UNIT OF SUNSHINE TEAHOUSE PVT. LTD.)	26, FIRST FLOOR, HAUZ KHAS VILLAGE	21-03-2016	DPCC/EC/2/1/2016/14064	Eating House Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Establish	Non-SPI		Status of Pollution Control System (1) ETP / Oil & Grease Trap cum Settling Tank - Proposed (2) ECS - N/A (3)D.G,Set Noise Report : 200 KVA (Proposed) Water Consumption 2100 ltrs / day Source of water - DJB (bill provided) Status of Ground Water extraction : Nil MCD License valid upto 31.03.2016 for 32 seats In compliance of order of Honble Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on 31.08.2015. A rapid survey of Restaurant /	N/A	29-06-2016 It is existing unit and applied for Consent to Establish.	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.

									Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09.2015 and it was observed that unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant. Show Cause Notice u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 28.10.2015. Modified Direction u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 for 45 days to submit application for CTE & CTO as unit is operating without consent from DPCC. Unit applied for CTE under Air & Water Acts on 21.03.2016. Unit submitted a reply on 21.03.2016 & 29.03.2016 w.r.t. Modified Directions informing that they have applied for Consent to Establish and installed Oil & Grease Trap cum Settling Tank, applied for Noise Monitoring of DG Set and requested for grant of sometime to apply for CTO.			
58	LONDONERS RESTAURANT (UNIT OF VIPSIE HOSPITALITYS PVT. LTD.)	M-25, 1ST AND 2ND FLOOR, GREATER KAILASH, PART-I	30-03-2016	DPCC/EC/2/1/2016/14141	RESTAURANT (48 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP/ Oil & Grese Trap cum Settling Tank ---- Proposed (2)ECS - N/A (3)D.G.Set: 100 KVA (Proposed) Status of Ground Water extraction :Nil Source of Water - DJB (bill provided) MCD & Police License Valid upto 31.03.2016	N/A	29-06-2016 It is existing unit and applied for Consent to Establish.	29-06-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. IT Cell to correct the categorization of the unit.
59	BOHEMIA (A UNIT OF HIGH	N-1, IIND FLOOR,	05-04-2016	DPCC/EC/2/1/2016/14192	RESTAURANT (48 SEATS).	Orange Establish	Non-SPI		Status of Pollution Control System	N/A	29-06-2016 During inspection of the	29-06-2016

HAT FASHIONS)	GREATER KAILASH, PART-I	Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						(1)ETP / Oil & Grease Trap cum Settling tank - Proposed (2)ECS - N/A (3)D.G.Set: 62.5 KVA (Proposed) Water Consumption - 3500 ltrs /day Source of water - DJB (Bill provided) Status of Ground Water extraction : Nil MCD & Delhi Police License valid upto 31.03.2018 for 48 seats Complaint received from Sh. G Singh against Restaurants operating in N Block Market, Greater Kailash, Part-I, New Delhi- 48 through PGMS bearing ID No. 201541074, accordingly an inspection of the unit was carried out by representatives of DPCC on 08.10.2015 and following were observed: - Unit found operating with activity of Restaurant cum Bar with 98 seats. - Unit has installed only Oil & Grease trap but not installed Effluent Treatment Plant (ETP). - Channelization system in kitchen with inadequate stack height. - 1 DG set of capacity 125 KVA with Inadequate stack height. - Source of water is DJB.Copy of Bill obtained. - Unit has not provided MCD health & Delhi Police License. Show Cause Notice under Water & Air Act issued to the unit on 28.10.2015. Reply not received from unit so far. Reminder Show Cause Notice under Water & Air Act issued to the unit on 09.02.2016. No reply received however they have applied for Consent to establish on 05.04.2016. Unit has applied for Consent to Establish for	unit on 08.10.2015 it was found that unit having 98 seats. However, unit has applied for Consent to Operate for 48 seats.	File be put up administratively.
---------------	-------------------------	--	--	--	--	--	--	--	---	----------------------------------

[illegible]