



CONSENT MANAGEMENT

Decisions taken by Member Secretary (DPCC) on 01.06.2012 in respect of 38 cases of Consent to Operate and Renewal of Consent to Operate (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 31.12.2011 to 18.11.2011 (in reverse chronology)

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2011/106 22-11-2011	SHIV SHAKTI ROLLER FLOUR MILLS (A UNIT OF KOLAR CATALYST DESIGNS PVT. LTD.) A-11, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	Flour Mills. Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 482 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 14.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Consent to Operate.	01-06-2012 Consent to Operate granted.
2	DPCC/EC/2/1/2011/94 22-11-2011	DIVYA JEWELLERS PVT. LTD. X-34/33, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	manufacturing of jewellery. Electroplating Industries	- Date of commissioning of project ---- - Built Up Area ---- 1135.23 (in sq. meter) - Water Consumption ---- 3450 liters/day - Ground Water ---- 2500 liters/day - Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 600 liters/day		09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedAugust,2008..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 08-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 31.05.06 & following were observed: (A) Unit found in operation and engaged in the manufacturing of jewellery with plating. (B) ETP found in operation. (C)Wet sludge observed in the filter press. (D) Dry sludge (approx 2500 kg) found stored in leak proof container. As decided by the CMC (O) in its meeting	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	01-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

							installation of equipments w.r.t. floor mills under process. - As informed, Unit will start its operation after 3-4 month.		
							(5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Decision on 25.11.2010 Issue consent to establish. Subsequently, inspection be conducted.		
14	DPCC/EC/2/1/2011/205 02-12-2011	SINGHAL CABLES PLOT NO 11 SEC-A DSIDC JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	Mfg. of Aluminum Products. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	- Date of commissioning of project ---- - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 10.10.11 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 14.11.11 & follwong were observed: (A) Unit found in operation. (B) 2 pit furnace for casting of AC ingot is installed. (C) Wet scrubber has been provided for the air emission generated from the pit furnace. EARLIER CMC DECISION 14.09.11 (In CTE File) Inspection be conducted w.r.t type of furnace.	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of consent to establish and consent to operate.	01-06-2012 Consent to Establish and Consent to Operate granted.
15	DPCC/EC/2/1/2011/214 05-12-2011	ESSCO SANITATIONS C-58/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Manufacturing of Bathroom Fittings. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project ---- - Built Up Area ---- 780 (in sq. meter) - Water Consumption ---- 3500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - stack attached with casting furnanc Stack monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	01-06-2012 Inspection be conducted.
16	DPCC/EC/2/1/2011/222	SUNIL DALL MILLS	Lawrence	Orange	Dall Mill.		09-05-2012	Decision / Recommendation of	01-06-2012

	07-12-2011	C-11/5, LAWRENCE ROAD INDUSTRIAL AREA	Road Industrial Area	Renewal	Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 29.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate.	Renewal of Consent to Operate granted.
17	07-12-2011	NEW NIRANKARI OIL AND GENERAL MILL B-40/3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	10-05-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 16.07.2008 issued by DTU submitted. (b) Stack monitoring report dated 21-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. ((4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate.	01-06-2012 Renewal of Consent to Operate granted.
18	09-12-2011	GURU BEVERAGES PVT. LTD A16, NARAINA INDUSTRIAL AREA PHASE-1	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF DRINKING WATER AND DRINKING SODA. Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 15350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	07-05-2012 (1)ETP ---- N/A (b) Effluent analysis report dated 05-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: yes conducted on 03.02.2012 during the inspection one boring exist at site. the Raw Water is obtained through tankers. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for inspection.	01-06-2012 Inspection be conducted.

[illegible]

	14-12-2011	III HARI NAGAR DEPOT-3		Renewal	Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1.63 (in sq. meter) • Water Consumption ---- 14000 liters/day • Ground Water ---- 14000 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 11200 liters/day	(1)ETP ---- Oil and Grease Trap (a) AR dated 18.10.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 18-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	Renewal of Consent to Operate and Authorization under HWM Rules granted.
22	DPCC/EC/2/1/2011/300 14-12-2011	DTC HARINAGAR-I HARI NAGAR DEPOT-1	WEST	Orange Renewal	REPAIR AND MAINTENANCE WORK OF DTC BUSES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-07-1961 • Built Up Area ---- 3072.214 (in sq. meter) • Water Consumption ---- 38500 liters/day • Ground Water ---- 38500 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 28500 liters/day	01-05-2012 (1)ETP- physio chemical ETP (a) AR dated .18.10.2011 issued by Delhi Technologicl University submitted. (b) Effluent analysis report dated 18.10.2011 issued by Delhi Technological University submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate and authorization under HWM Rules.	01-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
23	DPCC/EC/2/1/2011/318 15-12-2011	SPLASH WATER RIDES (RUN BY SAGU DREAMLAND PVT.LTD. MAIN G.T.KARNAL ROAD NEAR PALLA MORE,ALIPUR	NORTH WEST	Orange Operate	WATER PARK. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 1012 (in sq. meter) • Water Consumption ---- 62000 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 8000 liters/day	10-05-2012 (1)ETP ---- Biological treatemnt (a) AR dated17.10.2011 issued by DTU submitted. (b) Effluent analysis report dated 17-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-10-2011 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 22-05-2012 File be put up administratively.	01-06-2012 File be put up administratively.

								SCN u/s 21/22 & 25/26 issued on 03.01.2012 for without obtaining prior consent to operate from DPCC. Unit submitted its reply on 18.01.2012 along with an affidavit and receipt of CTO application.		
29	DPCC/EC/2/1/2011/326 16-12-2011	DELHI TRANSPORT CORPORATION DICHAON KALAN DEPOT	SOUTH WEST	Orange Renewal	BUS REPAIR AND WASHING. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-1974 • Built Up Area ---- 1665.856 (in sq. meter) • Water Consumption ---- 21000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 10000 liters/day		08-05-2012 (1)ETP ---- physio chemical (a) AR dated 25.11.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	01-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
30	DPCC/EC/2/1/2011/367 21-12-2011	SALEM INDUSTRIES PLOT NO 250, POCKET-F, SECTOR-5, DSIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF STAINLESS STEEL PRODUCTS (KITCHEN SINK) WITH BUFFING AND SPRAY PAINTING. Manufacturing of Stainless Steel Utensils (With Buffing Activity) Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - (a) AR dated 14.12.211 issued by DTU submitted. (b) Stack monitoring report dated 14-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	01-06-2012 Consent to Operate and Authorization under HWM Rules granted.
31	DPCC/EC/2/1/2011/376 22-12-2011	RICHI RICH RESTAURANT PVT. LTD. A-7, WAZIRPUR RING ROAD,	Wazirpur Industrial Area	Orange Operate	RESTAURANT CUM BANQUET HALL. Banquet Hall/ Party Lawn			10-05-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 27.10.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 23-09-2011 issued by DPCC submitted. Effluent	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Consent to Operate.	01-06-2012 Consent to Operate granted.

								with ECS. 3.D.G.set 0.5 Kva w/o acoustic and inadequate stack height lying defunct and not in use. (5) SCN u/s 31(A) issued on 20.12.2010. A letter issued to the unit for the submission of bank guarantee on 16.03.2011. A reply received on 07.04.2011 along with bank guarantee. Another reply received from the unit along with an affidavit on 26.09.2011. SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act issued to the unit on 08.11.2011. Final reminder issued to the unit on 22.12.2011 for the submission of consent to operate application. Unit submitted its reply along CTO application receipt.		
34	DPCC/EC/2/1/2011/406 27-12-2011	VIRENDER DALL MILL F-1709, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILLS. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 15.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate.	01-06-2012 Renewal of Consent to Operate granted.
35	DPCC/EC/2/1/2011/416 29-12-2011	SHAMSONS FOODS B-39,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF PICKLE AND FRUIT PRESERVES. Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- • Built Up Area ---- 420 (in sq. meter) • Water Consumption ---- 9300 liters/day • Ground Water ---- 9000 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- physicochemical treatment (a) AR dated 30.12.2009 issued by DCE submitted. (b) Effluent analysis report dated 23-11-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 32 KVA. Noise monitoring report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate.	01-06-2012 Renewal of Consent to Operate granted.
36	DPCC/EC/2/1/2011/423 30-12-2011	SHALAKS PHARMACEUTICALS PVT. LTD. B-209, NARAINA INDUSTRIAL AREA, PHASE-I	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF COSMETIC ITEMS LIKE SHAMPOO, CREAM, CLEANSER, BABY OIL, HAIR OIL ETC. Perfumes and Cosmetics (With Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 230 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 150 liters/day		07-05-2012 (1)ETP ---- Yes(physio- chemical) (a) AR dated Dec 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 08-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 08-12-2011 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	01-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

							ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
37	DPCC/EC/2/1/2011/436 30-12-2011	GOEL GRINDING MILLS B-58, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	GRINDING OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 520 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Stack monitoring report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Consent to Operate.	01-06-2012 Consent to Operate granted.
38	DPCC/EC/2/1/2011/440 30-12-2011	SUPREME IMPEX D-6/5, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Mfg. of Readymade Garments with Washing. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 540 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4500 liters/day	30-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated09.12.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 09-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 140 KVA. The unit has not submitted Noise monitoring report along with the application form. (4) Inspection details: conducted on 01.10.09 & following were observed: a) Unit was found operational during inspection. b) No DG set was found. c) M/s SUPREME IMPEX engaged in Mfg. of readymade garments w/o washing As decided by the CMC(G) in its meeting held on 27.11.09, CTO issued on 23.12.09 EARLIER CMC DECISION 27.11.09 (In Green File) Issue consent to operate	Decision / Recommendation of Screening Committee on 22-05-2012 Recommended for grant of Consent to Operate.	01-06-2012 Consent to Operate granted.