



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 64 cases of Consent to Operate and Renewal of Consent to Operate under orange category w.e.f. 01.04.2012 to 30.04.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2b category) on 10.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1325 13-12-2011	SEECO INDUSTRIES C-8, SMA INDUSTRIAL AREA, G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	RUBBER AUTO AND AUTOMOTIVE PARTS Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	• Date of commissioning of project ---- 13-02-2001 • Built Up Area ---- 650 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 63 KVA and 30 KVA. Noise monitoring report dated 10-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Not conducted (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-05-2012 Renewal of Consent to Operate granted with the condition to comply with the standards prescribed in the recent notification for rubber industries.
2	DPCC/EC/2/1/2012/1268 02-04-2012	PANCHSHEEL CHEMICAL INDS M-27/3, PHASE I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	Printing and Lamination on Polyester Film (without plastic) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A ((2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate and Authorization under HWM Rules granted without trade effluent discharge.
3	DPCC/EC/2/1/2012/1272 03-04-2012	ALLIED POLY BAGS (P) LTD A-4/3, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF POLYTHENE PACKING BAGS/ROLLS Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 501.6 (in sq. meter) • Water Consumption ---- 3 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2 liters/day (b) Trade Effluent ---- 0 liters/day		16-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 04.02.2009	10-05-2012 File be put up administratively.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
4	DPCC/EC/2/1/2012/1279 03-04-2012	BHUNESH GUPTA 340/39 NEW NO 1/424/39 & 1/424/40, GALI NO 1B, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Operate	MFG. OF PVC WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	10-05-2012 Consent to Establish and consent to operate granted without using plastic scrap as a raw material.
5	DPCC/EC/2/1/2012/1287 03-04-2012	LAXMI TRICYCLE INDUSTRY 312, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Manufacturing of Baby Tricycle Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 09-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Old files could not be traced out for details of the case.	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
6	DPCC/EC/2/1/2012/1288 03-04-2012	VISHVAKARMA TRICYCLE INDUSTRIES 291- FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MFG.OF BABY TRICYCLE Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old files could not be traced out for details of any history.	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
7	DPCC/EC/2/1/2012/1290 04-04-2012	PARAS CONTAINERS E-12,SECTOR-3,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Products Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

								Earlier CMC Decision Decision on 16.03.2011 Issue consent to establish without use of plastic scrap with the condition to provide hood and suction arrangement followed by a duct raised well above the roof level (at least 2 m above roof level) to channelze the process emissions.	
8	DPCC/EC/2/1/2012/1293 04-04-2012	SANDEEP GUPTA 61, S.S.I INDUSTRIAL AREA GT KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	COMPOUNDING OF PVC PRODUCTS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No .	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
9	DPCC/EC/2/1/2012/1294 04-04-2012	SHIKHA POLYMERS PVT. LTD 61, S.S.I INDUSTRIAL AREA GT KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	MFG. PVC COMPOUND AND PVC FILM Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A ((2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
10	DPCC/EC/2/1/2012/1297 04-04-2012	SHREE RAVI TRADING AND MANUFACTURING PVT. LTD. PLOT NO 62, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	CLEANING/CUTTING/ROASTING OF DRY FRUITS WITH BULK PACKAGING. Processing of Condiments, Spices, Groundnuts and Dal Etc	• Date of commissioning of project ---- • Built Up Area ---- 627 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		25-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Decision / Recommendation of Screening Committee Date : 02-04-2012 Category of the cases as per office order dated 06-03-2012 2c Recommended for grant of consent to establish. Decision / Recommendation of Screening Committee (MS) Date : 20-04-2012 Category of the cases as per office order dated 06-03-2012 2c Consent to Establish granted.	10-05-2012 Consent to Operate granted.
11	DPCC/EC/2/1/2012/1300	K. D. B UDYOG A-110, PHASE II, MANGOLPURI	Mangolpuri Industrial Area	Orange Renewal	MGF.OF PRINTED PLASTIC PACKAGING MATERIAL ABOVE 40 MICRON WITH VIRGIN PLASTIC			24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1	10-05-2012 File be put up administratively.

	09-04-2012	INDUSTRIAL AREA			Plastic Processed Goods Roto and Flexo Printing	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
12	DPCC/EC/2/1/2012/1306 09-04-2012	RAJ PLASTICS 307/1 & 1-A, PLOT NO.-1, KH. NO 325, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Operate	Mfg. of Plastic and PVC Product and Engineering works Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 41.8 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Earlier CMC Decision Decision on 25.11.2010 Issue consent to establish.	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
13	DPCC/EC/2/1/2012/1308 09-04-2012	R.P. HIGH VACCUM METALLIZING E-10 TOP FLOOR MANGOL PURI INDL. AREA	Mangolpuri Industrial Area	Orange Operate	vaccum metallizing. Vacuum Metalising	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 240 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details: Inspection conduted on 10.11.2010 (a) No measures taken to channalize the emission genrated from the process spray painting. (b) No CTE/CTO obtain by the unit. (5) SCN u/s 31(A)/5 of EPA issued to the unit on 25.02.2011 (6) Closure directions u/s 31(A)/5 of EPA issued on 16.05.2011 Revocation of Closure direction issued on 29.08.2011. Letter issued to the unit for the submission of consent to operate on 07.02.2012. Now the unit apply for the same.	10-05-2012 Consent to Operate and Authorization under HWM Rules granted.
14	DPCC/EC/2/1/2012/1312 10-04-2012	SHANTI ART CENTRE PLOT NO J-283 POCKET-O,SECTOR-3 BAWANA INDUSTRIAL	Bawana Industrial Area	Orange Operate	PROCESSING OF PIPES WITH POWDER COATING. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (b) Stack monitoring report dated 13-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	10-05-2012 Consent to Operate granted.

	10-04-2012	B-32/2, (BACK SIDE) WAZIRPUR INDL. AREA	Area		Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (b) Stack monitoring report dated 13-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Earlier Decision / Recommendation of Screening Committee (MS) Date : 20-04-2012 Category of the cases as per office order dated 06-03-2012 2c Consent to Establish granted.	Consent to Operate granted.
17	DPCC/EC/2/1/2012/1320 11-04-2012	PRAKASH BROTHERS A-11 DSIDC ENGG. COMPLEX, PHASE-1 MAGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG. OF PVC AND RUBBER PRODUCTS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- 01-01-2007 • Built Up Area ---- 53 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - channelization system not provided over injection moulding machine. (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material with the condition to comply with the standards prescribed in the recent notification for rubber industries.
18	DPCC/EC/2/1/2012/1326 11-04-2012	RAVI INDUSTRIES 1/424/32, GALI NO 1B, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MFG. OF ELECTRIC CABLES Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 104.5 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
19	DPCC/EC/2/1/2012/1330 11-04-2012	RAJDHANI RUBBER INDUSTRIES 10, TILAK NAGAR INDUSTRIAL AREA	Tilak Nagar Industrial Area	Orange Renewal	MFG.OF RUBBER FOOTWEARS AND SHEET Footwear (rubber)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No	10-05-2012 Renewal of Consent to Operate granted with the condition to comply with the standards prescribed in the recent notification for rubber industries.

								The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
24	DPCC/EC/2/1/2012/1354 13-04-2012	SATISH CHAND PLASTIC GRANULES B-67, LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	MANUFACTURING OF PVC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 74.32 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Earlier CMC Decision on 29.12.2011 Issue consent to establish and ask the unit to apply for consent to operate and to ensure compliance of the letter dated 02.08.2011 within 45 days, failing which, closure directions will be confirmed. A letter issued to the unit on 27.02.2012 for full compliance.	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
25	DPCC/EC/2/1/2012/1360 13-04-2012	HYPHEN CABLES PVT. LTD H-1210, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	PVC AND XLPE WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 75 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 55 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
26	DPCC/EC/2/1/2012/1457 14-04-2012	SWASTIK ALUMINIUMS PLOT NO. 103, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MANUFACTURING OF ALUMINIUM CIRCLE Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 File be put up administratively.
27	DPCC/EC/2/1/2012/1373 16-04-2012	GOLD PLAST (INDIA) B-6, SEC-5, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC COMPOUND. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)			09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

						- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
28	DPCC/EC/2/1/2012/1374 16-04-2012	G.P.I INDUSTRIES B-19, SEC-5, DSIIDC INDL. AREA BAWANA	Bawana Industrial Area	Orange Operate	Mfg. of PVC Compound. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 350 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
29	DPCC/EC/2/1/2012/1456 16-04-2012	KOUNSAL INDUSTRIES 213, PH-II, SHAHZADA BAGH INDUSTRIAL AREA COMPLEX	Shahzada Bagh Industrial Area	Orange Renewal	Electrical Wire And Cables Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 56 (in sq. meter) - Water Consumption ---- 120 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: .1 (a)Noise monitoring report of 62.5 KVA dated 11.04.2012 issued by -DTU submitted and noise levels are within limit / beyond limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
30	DPCC/EC/2/1/2012/1383 17-04-2012	S.K. AUTO INDUSTRIES (REGS.) B-62, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG. OF RUBBER OIL SEALS. Rubber Auto Parts Excluding Production Of Tyres And Tubes (Without Reclamation And Devulcanisation Of Rubber)	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		01-05-2012 (1)ETP ---- N/A (2)ECS -stack attached with the hood section. (b) Stack monitoring report dated 19-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted with the condition to comply with the standards prescribed in the recent notification for rubber industries.
31	DPCC/EC/2/1/2012/1386 17-04-2012	PRAKASH INDUSTRIES 1/424/32, GALI NO.1B, FRIENDS COLONY	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)			04-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

		INDL. AREA				• Date of commissioning of project ---- • Built Up Area ---- 92.903 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
38	DPCC/EC/2/1/2012/1399 17-04-2012	AVON STEEL A-93/5,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	HOTRE-ROLLING OF S.S.SHEETS Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - Stack attaced with funace Stack monitoring report dated 22-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: no (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted.
39	DPCC/EC/2/1/2012/1372 18-04-2012	STAR LIGHT INDUSTRIES E-42,SECTOR-5,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of PVC product (master Batch). Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 31-12-2010 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A. (2)ECS - N/A (3)D.G.Set: ...No... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
40	DPCC/EC/2/1/2012/1401 18-04-2012	SWASTIK THERMOMETER CO. B-50, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF THERMOMETERS. Mfg. of Thermometer without Trade Effluent Discharge	• Date of commissioning of project ---- 26-09-1986 • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 31.03.11, CTE was issued on 11.05.11. EARLIER CMC DECISION 31.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection along with Dr. T.K. Joshi be conducted w.r.t mercury management and fluoride management.	10-05-2012 Inspection expedited, thereafter, file be put up administratively.
41	DPCC/EC/2/1/2012/1404	MADAN SONS B-25, PHASE-I,	Mayapuri Industrial Area	Orange Operate	MFG OF SHEET METAL AND PLASTIC MOULDED PARTS			10-05-2012 (1)ETP ---- N/A	10-05-2012 Consent to Operate granted without

	18-04-2012	MAYAPURI INDUSTRIAL AREA			Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 750 KVA. Noise monitoring report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	using plastic scrap as a raw material.
42	DPCC/EC/2/1/2012/1405 18-04-2012	N. R. RUBBER PRODUCTS 18, MOTI NAGAR DLF INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Renewal	MANUFACTURING OF PLASTIC INJECTION MOULDED PRODUCTS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 234 (in sq. meter) • Water Consumption ---- 180 liters/day • Ground Water ---- 160 liters/day • Waste Water generation (a) Domestic Effluent ---- 140 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
43	DPCC/EC/2/1/2012/1406 18-04-2012	ACTION PLASTICS 40, S.S.I INDUSTRIAL AREA G.T. KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	MFG OF PVC REXINE GOODS (PVC REXENE CLOTH Coated Cotton Fabrics (PVC Rexene Cloth)	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 1550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - Stack attaced with thermic fluid heater Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

	20-04-2012	CO. DELHI (P) LTD. B-5, JHILMIL INDUSTRIAL AREA	Area		ROLLING Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) With Capacity Less Than 25MT/Day	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - wetscrubber with LDo Furnace. (a) Stack monitoring report dated 20-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...Nil. As decided by the CMC (O) in its meeting held on 25.11.10, CTR & letter to DJB were issued on 29.12.10. EARLIER CMC DECISION 25.11.10 Issue renewal of consent. Refer to DJB regarding ground water extraction.	Renewal of Consent to Operate granted.
48	DPCC/EC/2/1/2012/1428 20-04-2012	GUPTA PLASTIC PLOT NO 139, PKT-P, SEC-5, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PLASTIC DANA AND PLASTIC BAGS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 70 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 File be put up administratively.
49	DPCC/EC/2/1/2012/1432 23-04-2012	SAGGU ELECTRICAL INDUSTRIES D-42, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Renewal	Manufacturing of Electrical Motors. Electrical and Electronic Goods involving use of varnish	• Date of commissioning of project ---- 15-05-2007 • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		04-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:Inpection on 23.08.2011- 1) The unit was found in operation in the work of making electric motors. 2) casted shell (body), enamelled copper wire and other hardware and electric components were being used for making of eletric motors from 90W to 3 HP. 3) Spray painting facility on the body of the motor was onerved at the front vermada.As informed they donot do spray painting occassionally on the body. 4) A DG set of 5 HP capacity in non-operational condition was lying in front veramada. (5) SCN u/s 31(A) issued on 12.03.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	10-05-2012 Consent to Operate with condition to comply with the provisions of E-Waste Rules and authorization under HWM Rules granted.

	24-04-2012	C-84,DDA SHED, PHASE-I, OKHLA INDUSTRIAL AREA			Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 1505.03 (in sq. meter) • Water Consumption ---- 950 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 246 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 19.01.2011 and following were observed: 1. The unit is engaged in the activity of mfg of copper winding wire (submersible). 2. Mfg process involves covering of BOPP film over readymade copper wire with the help of tapping m/c after that covered copper wire are kept in electric oven and finally leakage of winding wire is tested in a container filled with plain water at high voltage. 3. Adequate stack height has been provided with electric oven. 4. DG Set of 25 KVA has been removed from the premises. As decided by the CMC (O) in its meeting held on 03.03.11, CTO was issued on 07.04.11. EARLIER CMC DECISION 11.10.2010 (In CTO file) Inspection be conducted. 03.03.11(In CTO file) Issue consent to operate.	
54	24-04-2012	JAIN JEWEL PRINTERS E-21, S.M.A. INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	OFFSET PRINTING Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :bo	10-05-2012 Consent to Operate without trade effluent discharge and Authorization under HWM Rules granted.
55	26-04-2012	SSP PLASTIPACK PVT. LTD. E-85, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PLASTIC MOULDING GOODS Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	07-05-2012 (1)ETP ---- N/A (2)ECS - Channelization not provided over injection moulding m/c. (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

56	DPCC/EC/2/1/2012/1479	CENTURY PLASTIC (INDIA) A-101/6, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	PVC FLEXIBLE PIPES. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 222 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS -channelization system is not provided (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 13-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
57	DPCC/EC/2/1/2012/1486	GANDHI INDUSTRIES B-20, PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF PLASTIC GOODS AND SPRING Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 204 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
58	DPCC/EC/2/1/2012/1487	VARDHMAN PLASTIC PLOT NO.-270, POCKET-F, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC COMPOUND AND PVC WIRE AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - no (Channelization system is not provided) (3)D.G.Set: no (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
59	DPCC/EC/2/1/2012/1488	TODI ELECTRICAL CO. 1/429/9, FIRST FLOOR, GALI NO 1, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	MFG.OF PVC WIRE AND CABLE Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 12.04.10 & following were observed: (A) Unit found in operation. (B) Fugitive emissions are generated while mixing of raw material. (C) copy of SCN provided to the unit. (D) chennlization system has been provided. (E) CTO not applied.	10-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

[illegible]

									devices installed, the process of manufacture & product being manufacture.	
									17.06.09 Ask the unit to file an affidavit stating that D.G. Set and borewell have been removed from the premises and submit adequacy and efficacy report from empanelled consultant of DPCC. Call on 19.08.2009	