



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 39 cases of Consent to Operate and Renewal of Consent to Operate under orange category w.e.f. 01.04.2012 to 30.04.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 10.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1281 03-04-2012	SANJEEVANI GRAINS PVT. LTD. PLOT NO 517, SECTOR-C, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A (2)ECS - Yes (a) AR dated 31.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO Earlier CMC Decision Decision on 14.02.2011 Issue consent to establish. Subsequently, Inspection be conduted.	10-05-2012 Recommended for grant of Consent to Operate granted. Subsequently inspection be conducted.
2	DPCC/EC/2/1/2012/1291 04-04-2012	SPECULUM-FINISH 20, DSIDC COMPLEX, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	PLASTIC MOULDING AND ELECTROPLATING ON PLASTIC. Industry Or Process Involving Electroplating Operations	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 800 liters/day		25-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.07.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - (Stack connected with electroplating bath) (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within	10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								limit / beyond prescribed limit. (3)D.G.Set: nil (4) Inspection details:conducted on 03.04.2007. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
3	DPCC/EC/2/1/2012/1296 04-04-2012	DHANJAL INDUSTRIES 20, PKT-B, SEC-3, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	ENGINEERING WORKS WITH BUFFING Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 23.03.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:conducted on 19.11.2009. (5) SCN u/s 31(A) :no (6) Closure directions u/s 31(A) issued on 25.03.2010. Revocation of closure direction u/s 31 (A) of the Air Act issued on 21.03.2012. Recommendations of Scrutinizing Committee on 17.09.2009: Recommended for grant of Consent to Establish. Subsequently, inspection be conducted.	10-05-2012 Recommended for grant of Consent to Operate.
4	DPCC/EC/2/1/2012/1304 09-04-2012	JAIPRAKASH INDUSTRIES PLOT NO. H-239, SEC-2, BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF SECONDARY ABS DANA Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 2000 liters/day		25-04-2012 (1)ETP ---- yes(physicochemical treatment) (a) AR dated 31.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 22-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (b) Stack monitoring report dated 22-	10-05-2012 Recommended for grant of Consent to Operate.

							03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
5	DPCC/EC/2/1/2012/1305 09-04-2012	BAWA MASALA CO PVT. LTD. G-20-21, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	GRINDING AND PACKING OF SPICES Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 0 liters/day	27-04-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 26.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: 1 (a)Noise monitoring report of - 100- KVA dated - 28.09.2011- issued by - DPCC - submitted and noise levels are within limit / beyond limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Recommended for grant of Consent to Operate.
6	DPCC/EC/2/1/2012/1310 09-04-2012	CHEMI-KALEEN (INDIA) PVT. LTD. C-115, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURE OF TOOTHPASTE AND OTHER COSMETICS AND TOILETRIES Manufacturing Of Toothpowder, Toothpaste, Talcum Powder And Other Cosmetic Items Perfumes and Cosmetics (With Effluent Discharge)	• Date of commissioning of project ---- 01-01-1971 • Built Up Area ---- 3003.92 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 30 liters/day	02-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 09.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack attached with Boiler (b) Stack monitoring report dated 10-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-12-2011 issued by DPCC submitted.	10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								Noise monitoring report within Limit - Yes (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
7	DPCC/EC/2/1/2012/1316 10-04-2012	PERFACT BEVERAGES PVT. LTD. A-268/1 PH-1 OKHLA INDL. AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER. Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 147 (in sq. meter) • Water Consumption ---- 6700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day		27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...28.02.2012... issued by ..DELHI COLLEGE OF ENGINEERING.. submitted. (b) Effluent analysis report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 28.12.11, Consent to establish and letter were issued on 18.01.12 for submission of CTO application within 90 days. Unit has submitted its reply on 30.01.12 stating that they will apply CTO as soon as they get the adequacy report and test report. EARLIER CMC DECISION 28.12.11 (In CTE File) Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated.	10-05-2012 Recommended for grant of Consent to Operate.
8	DPCC/EC/2/1/2012/1323 11-04-2012	SONIA INDUSTRIES D-14/3, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Break lining Brake Lining without use of Asbestos	• Date of commissioning of project ---- • Built Up Area ---- 704 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone sapreater (a) AR dated23.02.12..... issued byDTU..... submitted. (b) Stack monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	10-05-2012 Recommended for grant of Renewal of Consent to Operate without use of asbestos.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 2005 & following were observed: (A) Unit found in operation. (B) Dust collector have been provided with the grinding machines and found in opertion. (C) DG set installed with acoustic enclosure & adequate stack height. (D) Manufacturing process is as follow.. Mixing---Dies--Hydraulic press--- Grinding---Brake lining. As decided by the CMC(O) in its meeting held on 14.06.06, CTO (R) was issued on 20.11.06 vd CNO 17658. EARLIER CMC DECISION 14.06.06 Consent Granted	
9	DPCC/EC/2/1/2012/1329 11-04-2012	HIM MOTORS (P) LTD. 338, F.I.E., PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Car Service Centre (Repairing and Servicing) Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 975 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 8000 liters/day		27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...23.02.2012... issued by ...DELHI COLLEGE OF ENGINEERING ... submitted. (b) Effluent analysis report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Unit have one paint booth. (a) Stack monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (4) Inspection details: conducted on 02.09.11 & following were observed: (A). PAint booth was found but not properly maintained. (B) DG set found of 83.5 KVA with acoustic enclosure but acoustic enclosure	10-05-2012 Recommended to put up file administratively.

13	DPCC/EC/2/1/2012/1364	ANJALI STEEL INDUSTRIES B-68/4, GATE NO.-3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS WITH BUFFING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		of EPA details :no 27-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2009 issued by GGISU submitted. (b) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Recommended for grant of Consent to Operate.
14	DPCC/EC/2/1/2012/1366	ANKUR EXPORTS A-96/11, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	STAINLESS MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING). Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		30-04-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 21.06.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 09-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Recommended for grant of Consent to Operate.
15	DPCC/EC/2/1/2012/1367	ALKA AYURVEDIC PVT LTD C-4, GT KARNAL ROAD, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	MANUFACTURING OF AYURVEDIC MEDICINES. Medicines / Pharmaceutical Formulation- With Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1200 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		27-04-2012 (1)ETP yes (a) AR dated 31.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - n/a (b) Stack monitoring report dated 13-02-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA	10-05-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.

ENGINEERING submitted. Stack Test Report within Limit - Yes.

(4) Inspection details: conducted on 24.08.11 w.r.t a public complaint and following were observed:

- (A). The unit was found in operation and engaged in the activity of Service Station & Show Room of Cars.
- (B). Log book of hazardous waste maintained properly.
- (C). ETP found operational. But sludge & waste oil are not stored in isolated area.
- (D). No provisions of HWM Rules followed. Display board not updated.
- (E). D.G set of 125 KVA found without proper stack height.
- (F). Some waste water coming out of the unit which is untreated.

(5) SCN u/s 33(A) & 5 of EPA details :
issued on 03.10.11. SCN for revocation
of CTO was also issued on 03.10.11.

The unit has submitted its reply on 13.10.11 along with an affidavit in response to aforesaid show cause notice.

As approved, a letter was also issued on 12.12.11 for submission of Bank Guarantee of Rs. 50,000/- each under Water Act & HWM Rules. However, no reply has been received in response of the above said letter.

(6) Closure directions u/s 33(A) & 5 of EPA details : issued on 31.01.12.
Revocation of CTO was also issued on 31.01.12.

the unit has submitted its reply on 16.02.12 along with an affidavit regarding rectification of deficiencies and the bank guarantee of Rs. 50,000/- each under Water Act and HWM Rules valid for one year which was asked to submit vide this office letter dt. 12.12.11.

As approved, the original bank guarantee of Rs. 50,000/- each under Water Act & HWM Rules submitted by the unit were returned back vide this office letter dt. 06.03.12 and the unit were asked to submit bank guarantee of RS. One lakh each under Water Act & HWM Rules valid for one year.

The unit has submitted its reply on 07.03.12 along with the aforesaid B.G of Rs. One lakh each under Water Act & HWM Rules valid for one year.

As approved, temporary revocation of

							closure directions u/s 33 (A) & 5 of EPA were issued on 12.03.12 for submission of fresh adequacy report, to apply for CTO & authorization under HWM Rules .	
18	DPCC/EC/2/1/2012/1389	HARPREET MOTORS PVT. LTD 68/2, NAJAFGARH ROAD INDUSTRIAL AREA, MOTI NAGAR	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 720 (in sq. meter) • Water Consumption ---- 6500 liters/day • Ground Water ---- 6000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4800 liters/day	09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March 2009 issued by I.P. University submitted. (b) Effluent analysis report dated 13-04-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 320 KVA and 200 KVA. Noise monitoring report dated 09-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	10-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
19	DPCC/EC/2/1/2012/1396	DADU AGRO (INDIA) PVT LTD. PLOT NO. A-178, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER, SOFT DRINK AND SODA. Aerated Water and Fruit Beverage with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 11000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	07-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 29.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. NOTE: the parameters i.e. BOD is exceeding the limits (2)ECS - No (b) Stack monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within	10-05-2012 Recommended to put up file administratively.

	JUMBO INDUSTRIAL ESTATE, OKHLA INDUSTRIAL ESTATE			• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 48000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 17500 liters/day		(2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 01.09.10 & following were observed:- 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : issued on 29.09.10 in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit.
--	--	--	--	--	--	---

							Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 12-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - No (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
23	DPCC/EC/2/1/2012/1420 19-04-2012	ARCHANA ADVERTISING PVT. LTD. C-78, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	OFFSET PRINTING INCLUDING WASHING OF ROLLER AND PLATES Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day	08-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...08.11.2011..... issued by ...DELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 05-12-2011 issued by DPCC submitted. Unit has submitted an affidavit along application stating that M/s ARCHANA OFFSET was merge/ convert into the name of M/s ARCHANA ADVERTISING PVT LTD	10-05-2012 Recommended for grant of Consent to Operate without using plastic scrap as a raw material.
24	DPCC/EC/2/1/2012/1426 20-04-2012	JUMBO INTERNATIONAL JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Operate	FOOD PROCESSING Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1115 (in sq. meter) • Water Consumption ---- 124000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 6100 liters/day (b) Trade Effluent ---- 62500 liters/day	08-05-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 250	10-05-2012 Recommended to put up file administratively.

KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.

The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.

The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.

(4) Inspection details: on 01.09.10 & following
were the observations:

1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation.
2. Both the units are having common coal fired boiler and ETP.
3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation.
4. ETP was also found in operation.
5. The units are having two bore wells.
6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10.
7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection.
8. The issue of conformity of unit is to be discussed.

(5) Closure directions u/s 31(A) details :
in accordance not to operate its coal
fired boiler till 15.10.10 in view of CWG
10 and to convert it into oil fired boiler
by 15.10.10, failing which direction for
disconnection of electricity, water supply
will be issued. Letter issued to
unit on 29.09.10 to apply for CTE also
essentially supported by the proof of
conformity from DDA and also to remove
the non-functional boiler and letter
issued to DDA for conformity of the unit.

As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit.

								(3)D.G.Set: ...No... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
28	DPCC/EC/2/1/2012/1439 23-04-2012	UNITED THREADS P. LTD D-1559 , DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DYING OF EMBROIDERY YARN Yarn and textile processing involving scouring, bleaching, dyeing, printing or any effluent/emission generating process. (upto 100 workers in all shifts, 1 acre of land, 100 Kld water) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 6300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March 2009 issued by GGSIU submitted. (b) Effluent analysis report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS -Stack attached with the bolier. (b) Stack monitoring report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
29	DPCC/EC/2/1/2012/1443 23-04-2012	NIRULAS CORNER HOUSE PVT. LTD BAWA POTTERIES COMPLEX, KISHAN GARH, VASANT KUNJ	SOUTH WEST	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 6800 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1500 liters/day		04-05-2012 (1)ETP ---- Physico-chemical (a) AR dated 16.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No	10-05-2012 Recommended to put up file administratively.

								(4) Inspection details:yes, conducted on 05.12.2011 (5) SCN u/s 3 (A) issued on 23.12.2011 (6) Closure directions u/s 33(A) issued on 23.02.2012 Raevocation of closure directions issued on 21.03.2012	
30	DPCC/EC/2/1/2012/1445 23-04-2012	MOHINI KITCHEN WARE (P) LTD. PLOT NO 4, PHASE-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MFG. OF ALUMINUM UTENSIL (PRESSURE COOKERS). Buffing On Metal	• Date of commissioning of project ---- • Built Up Area ---- 427 (in sq. meter) • Water Consumption ---- 320 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day		07-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 30.03.2012 issued by GGSIU submitted. (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:conducted on 04.10.2010 during the inspection following deficiencies were obsreved: (a) Unit was found operating and engaged in mfg. of pressure cooker with buffing. (b) No ECS installed, significant process emission observed. (c) Uint is operating without consent to establish and operate. (6) Closure directions u/s 31(A) issued to the unit on 02.11.2010. Revocation of closure direction issued on 20.12.2010. SCN u/s 21/22 and u/s 25/26 issued on 13.02.2012 for without obtaining prior consent to operate.	10-05-2012 Recommended for grant of Consent to Operate.
31	DPCC/EC/2/1/2012/1460 25-04-2012	M.C.A. INDUSTRIES 18, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	TRADING AND MFG. OF FINE MINERALS Pulverizing units	• Date of commissioning of project ---- • Built Up Area ---- 575 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 80 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		06-05-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.10.2010 issued by DTU submitted. (b) Stack analysis report dated 09.04.2012 issued by DPCC submitted. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5	10-05-2012 Recommended for grant of Renewal of Consent to Operate.

							of EPA details : No	
32	DPCC/EC/2/1/2012/1464	A.S. AUTOTECH PVT. LTD. 32, FIE PAPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 460 liters/day (b) Trade Effluent ---- 3000 liters/day	09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated28.02.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 23.07.10 & following were observed: (A) ETP has not been installed so far. (B) DG set is without A/E and adequate stack height. (C) No measures for HW management is taken. (D) not applied for CTO. (E) Not applied for authorization (F) It has been reported that order for ETP has been placed. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : was issued on 27.12.10 (6) Closure directions u/s 31(A), 33(A) & 5 of EPA details : issued on 06.01.12. Unit has submitted its reply on 28.02.12 along with an undertaking requesting for revocation of closure directions & informing that they have fulfill all compliance enumerated in the closure directions. As approved, a letter was issued on 13.03.12 for submission of undertaking on Rs. 10/- non judiciary stamp paper duly attested by notary public immediately. Unti has submitted its reply on 13.03.12 along with above mentioned undertaking. As approved, temporary revocation was issued on 14.03.12 for 45 days. Unit has submitted its repy on 25.04.12 stating that they have applied for CTO &	10-05-2012 Recommended to put up file administratively.
	25-04-2012							

								HWM authorization on 25.01.12, they have fulfilled complete compliances & requested for permanent revocation of closure directions. EARLIER CMC DECISION 07.05.10 (In CTE File) issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for authorization under HWM Rules. 09.11.10 (In CTE File) Issue SCN for closure u/s 31 (A) of the Air ACT, u/s 33 (A) of the Water Act and 5 of EPA.	
33	DPCC/EC/2/1/2012/1466 25-04-2012	NEW TECH SYSTEMS PLOT NO 188 POCKET-J SECTOR-5 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	SHEET METAL FABRICATION (WASHING OF STEEL BODY AND POWDER COATING) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		07-05-2012 (1)ETP ---- Physico-chemical treatment. (a) AR dated 12.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes (2)ECS - Cyclone (b) Stack monitoring report dated 20-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: dated 09.08.2011 and found that unit is water and air polluting.SCN for refusal under green issued on 19.10.2011. (5) SCN u/s 31(A)/33(A)/5 of EPA details: dated 19.10.2011,reply received on 04.11.2011 accepting defaults in CTE under Green. (6) Closure directions u/s 31(A)/33(A) issued on 09.02.2012. Unit submitted its reply on 29.02.2012 along with an affidavit requesting for revocation. Temporary revocation of closure direction u/s 31 & 33 issued on 19.03.2012 for 45 days.	10-05-2012 Recommended to put up file administratively.
34	DPCC/EC/2/1/2012/1476 26-04-2012	ACP GRANULES E-288, SEC-2, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF LD GRANULES (SECOND) WITH WASHING OF SCRAPS Manufacturing of Reprocessed PVC Granules & Other			07-05-2012 (1)ETP : physicochemical treatment (a) AR dated 26.03.12 issued by DTU submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes	10-05-2012 Recommended for grant of Consent to Operate.

							after that consent application was refused on 6.07.2009. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no CMC meeting decision held on 7.05.2010: issue consent to establish.	
37	DPCC/EC/2/1/2012/1499 27-04-2012	SHANTI HOSPITALITY PVT. LTD. KHASRA NO.32/7,PLOT NO 9, SAMALKA, NH-8	SOUTH WEST	Orange Operate	MOTEL Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- 25-12-2008 • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 300000 liters/day • Ground Water ---- 300000 liters/day • Waste Water generation (a) Domestic Effluent ---- 106000 liters/day (b) Trade Effluent ---- 89000 liters/day	10-05-2012 (1)ETP ---- Biological ETP (a) AR dated 11.04.2012 issued by DTU submitted. (b) Effluent analysis report dated - 11.04.2012 issued by - DTU submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	10-05-2012 Recommended for grant of Consent to Operate.
38	DPCC/EC/2/1/2012/1503 30-04-2012	SHIVA INTERNATIONAL APPARELS A-37/2,MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF READYMADE GARMENT WITH WASHING Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 503.4 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 400 liters/day	07-05-2012 ((1)ETP ---- Physio-chemical (a) AR dated 20.01.2012 issued by DTU submitted. (b) Effluent analysis report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - (b) Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test	10-05-2012 Recommended for grant of Consent to Operate.

								Report within Limit - Yes	
								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
39	DPCC/EC/2/1/2012/1513 30-04-2012	B.R. ALUMINIUM PLOT NO S- 55,PHASE-I, BADLI INDL. AREA	Badli Industrial Estate	Orange Operate	MANUFACTURING OF ALUMINIUM CIRCLE. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No... (4) Inspection details:conducted on 15.12.2011 during the inspection it was found that unit was operating without consent to operate. SCN u/s 21/22 & 25/26 was issued on 16.01.2012. Unit submitted its reply on 01.05.2012 along a copy of application receipt. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	10-05-2012 Recommended to inspect and file be put up administratively.