



CONSENT MANAGEMENT

Decisions taken in the Meeting of Committee headed by Chairman DPCC on 22.08.2012 w.r.t Agenda Item No 1 - 12 Cases of Consent to Establish under Orange Category (Category 2d) excluding cases of Redevelopment Areas of the Period 01.06.11 to 31.07.12.(fresh cases of June and July 2012 and pending cases of the period 01.06.2011 to 31.05.12).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	37249 01-06-2011	EXECUTIVE ENGINEER SWD-4 DDA NELSON MANDELA ROAD VASANT KUNJ	SOUTH WEST	Orange Establish	RESIDENTIAL PROJECT. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 27-03-2009 • Built Up Area ---- 8855 (in sq. meter) • Water Consumption ---- 822308 liters/day • Ground Water ---- 822308 liters/day • Waste Water generation (a) Domestic Effluent ---- 657846 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1) STP - Proposed (2) ECS - N/A (3) D.G.Set: ...N/A... (4) Inspection details: N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details : N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A (7) The unit has started construction activity and completed it without obtaining prior EC and CTE. (8) EC has been granted by SEIAA on 30.04.2010. (9) CTO has not been applied so far. (10) CMC meeting held on 05.10.2011 and decided that DDA to explain for indicating the higher waste water discharge figure in consent application and lower built up area in comparision of the figures indicated in EC. Also to clarify for not indicating the gross capital investment at column no 5 of the consent application and direct the DDA to submit technical adequacy report of STP clearly indicating the provisions proposed/made for recycling its treated water with clear indication of the quantity of waste water discharge from the premises so that further action w.r.t. the instructions issued by SEIAA be decided. (11) Letter issued to the unit on dated 13.12.2011, however, no reply received.	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Letter communicating the deficiencies w.r.t. information provided in the consent application be issued to DDA. Also inspection be conducted to know the stage of construction.
2	37343 10-06-2011	SILVER OAK RESORT HOTEL (SILVER OAK CELEBRATIONS PVT. LTD.) KH NO 63/82 MUNDKA VILLAGE MAIN ROHTAK ROAD	WEST	Orange Establish	motel/resorts. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 6500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day		08-08-2012 (1) ETP ---- ETP - Physiochemical (a) AR dated 18.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2) ECS - N/A (3) D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

								number of parameters analyzed which are within limit . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
3	37412 20-06-2011	THE BRITISH SCHOOL DR. JOSE. P. RIZAL MARG. CHANAKYAPURI	NEW DELHI	Orange Establish	complex is running of a school. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 27189.7 (in sq. meter) • Water Consumption ---- 95000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 66000 liters/day (b) Trade Effluent ---- 4000 liters/day		06-07-2012 (1)STP proposed. (2)ECS - N/A (3) D.G.Set of 380 x 1 & 750 x 2 KVA proposed. (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil (7) Unit has submitted copy of environmental clearance.	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
4	DPCC/EC/2/1/2011/207 02-12-2011	FUTURES BATH PRODUCTS PLOT NO-4, MPL NO.524/B, G.NO.4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	MFG. OF SANITARY GOODS WITH BUFFING AND ELECTROPLATING. Electroplating Industries Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 142.97 (in sq. meter) • Water Consumption ---- 1150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 900 liters/day	Recommendations of Scrutinizing Committee on 27-12-2011 Recommended for grant of consent to establish. Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 29-05-2012 Case deferred. Decision / Recommendation of Screening Committee on 22-05-2012 Case be referred to Committee as per 2 (d)	22-12-2011 (1)ETP ---- Proposed (2)ECS - Proposed for Buffing (3)D.G.Set: Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, letter was issued on 02.07.12 for submission of details of proposed Effluent Treatment Plant within 30 days. Unit has applied for CTO on 02.07.12. Unit ha submitted its reply on 26.07.12 along with details of ETP already installed. The unit has submitted adequacy report of ETP dated 30.05.12 conducted by DTU, with the application of CTO. Recommendation / Action Taken Details (EE/AEE) on 11-06-2012 Case was takenup by the Committee (2d cases) in the meeting on 29.05.12 and was deferred.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Ask the unit to submit details of proposed Effluent Treatment Plant within 30 days.	22-08-2012 Case deferred.
5	DPCC/EC/2/1/2012/662 23-01-2012	EXECUTIVE ENGINEER CONSTRUCTION DIVISION 14 CPWD SUPREME COURT OF INDIA, ADJACENT TO PRAGATI MAIDAN, TILAK NAGAR	NEW DELHI	Orange Establish	CONSTRUCTION OF ADDITIONAL OFFICE COMPLEX FOR THE SUPREME COURT OF INDIA. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-11-2011 • Built Up Area ---- 184684.36 (in sq. meter) • Water Consumption ---- 558000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 254000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 02-04-2012 Cases be referred to Committee as per 2 (d)	02-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Compliance report not submitted so far.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Consent to Establish to be issued after getting the compliance report w.r.t. conditions of environmental clearance.	22-08-2012 Case deferred.

6	DPCC/EC/2/1/2012/697 27-01-2012	EXECUTIVE ENGINEER (ND-8) DDA POCKET-III, SECTOR-G8, NARELA	NORTH WEST	Orange Establish	PREFAB EWS HOUSING COMPLEX AT POCKET -III, SECTOR-G8, NARELA, NEW DELHI. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-07-2012 • Built Up Area ---- 138163.95 (in sq. meter) • Water Consumption ---- 47925000 liters/day • Ground Water ---- 47925000 liters/day • Waste Water generation (a) Domestic Effluent ---- 4313000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 02-04-2012 Cases be referred to Committee as per 2 (d)	29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Compliance report not submitted so far.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Consent to Establish to be issued after getting the compliance report w.r.t. conditions of environmental clearance.	22-08-2012 Case deferred.
7	DPCC/EC/2/1/2012/698 27-01-2012	EXECUTIVE ENGINEER (ND-8) DDA POCKET-II, SECTOR-G2-G6, NARELA	NORTH WEST	Orange Establish	PREFAB EWS HOUSING COMPLEX AT POCKET -II, SECTOR-G2-G6, NARELA, NEW DELHI. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-2012 • Built Up Area ---- 68010.4 (in sq. meter) • Water Consumption ---- 1404000 liters/day • Ground Water ---- 1404000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1236000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 02-04-2012 Cases be referred to Committee as per 2 (d)	29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Compliance report not submitted so far.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Consent to Establish to be issued after getting the compliance report w.r.t. conditions of environmental clearance.	22-08-2012 Case deferred.
8	DPCC/EC/2/1/2012/922 01-03-2012	EXECUTIVE ENGINEER NORTH DEVISION 3 DDA POCKET-1, SECTOR-A-9, NARELA	NORTH WEST	Orange Establish	shopping malls, housing/commercial/office complexes. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 13-11-2013 • Built Up Area ---- 52892.72 (in sq. meter) • Water Consumption ---- 323830 liters/day • Ground Water ---- 323830 liters/day • Waste Water generation (a) Domestic Effluent ---- 260000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 Cases be referred to Committee as per 2 (d)	22-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Compliance report not sent yet.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Consent to Establish to be issued after getting the compliance report w.r.t. conditions of environmental clearance.	22-08-2012 Case deferred.
9	DPCC/EC/2/1/2012/1956 22-06-2012	LEANDRA BUILDERS AND DEVELOPERS PVT. LTD. (IT TOWERS) F-79-80, PHASE-I, OKHLA	SOUTH	Orange Establish	FLATTED FACTORY (COMMERCIAL USAGE AS PER THE MASTER PLAN OF DELHI 2021). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 29-06-2009 • Built Up Area ---- 67706.52 (in sq. meter) • Water Consumption ---- 312000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 213000 liters/day (b) Trade Effluent ---- 0 liters/day		28-06-2012 (1)ETP STP Proposed. (2)ECS - N/A (3)D.G.Set: 3 x 1010 KVA & 1 x 750 KVA (4) Inspection details: 27.09.2011 during construction. (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil. (7) This is a DLF Project. CTE No O-008954 on dated 26.06.2009. They have also informed that this unit has also been merged with DLF Retail Developpers Ltd and now changed to DLF Universal Ltd. Due to enhanced FAR the unit has obtained another CE and hence a freash CTE is applied.	Decision / Recommendation of Screening Committee on 19-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
10	DPCC/EC/2/1/2012/1965 22-06-2012	MAHARISHI DAYANAND CO OPERATIVE GROUP HOUSING SOCIETY LTD PLOT NO-B-4, VASANT KUNJ	SOUTH WEST	Orange Establish	181 NOS. OF M.S. FLATS (GROUP HOUSING COMPLEX). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-12-2012 • Built Up Area ---- 39833.11 (in sq. meter) • Water Consumption ---- 135000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 118000 liters/day (b) Trade Effluent ---- 2000 liters/day		28-06-2012 (1) STP Proposed. (2)ECS - N/A (3)D.G.Set: Nil at prasant but 2 DG sets proposed. (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil.	Decision / Recommendation of Screening Committee on 19-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
11	DPCC/EC/4/15/2012/2204 20-07-2012	NEGOLICE INDIA LTD. VICTORIA GARDENS (RESIDENTIAL	NORTH WEST	Orange Establish	VICTORIA GARDENS (RESIDENTIAL COMPLEX) AT RING ROAD, AZADPUR, NEW DELHI Shopping Malls, Housing /			06-08-2012 (1) STP is proposed (2)D.G. Sets: 3 (2 x 1500 KVA and 1 x 1000 KVA) proposed (3) Inspection details: unit has inspected by DPCC official dated 27.06.12 and	Decision / Recommendation of Screening Committee on 16-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

		COMPLEX) AT RING ROAD, AZADPUR			Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-2013 • Built Up Area ---- 45935.52 (in sq. meter) • Water Consumption ---- 524000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 399000 liters/day (b) Trade Effluent ---- 0 liters/day		following deficiencies were observed in respect to the compliance of EC conditions. (a) No water sprinklers were provided for the emissions of dust particles, through, water is sprinkled through a pipe. (b) The unit has a total of 9 bore well connections and three were in use at the time of inspection. Ground water permission had not obtained by the unit but shown a copy of letter to CGWA. (c) No firs Aid Room was found however, first Aid box was only kept. (d) Water meters for all inlet points of ground water extraction were not provided, and so readings of water meters were not maintained so as to assess the quantum of water uses. (4)Deficiencies were communicated to the unit and also to MOEF.Reply from the unit submitted on 16-08-12 that corrective measures have been taken. (5) SCN u/s 31(A)/33(A)/5 of EPA details: N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A		
12	DPCC/EC/2/1/2012/2233 25-07-2012	RELIANCE EMINENT TRADING AND COMMERCIAL PVT. LTD. PLOT NO 1, COMMUNITY CENTRE, KALKAJI (ALAKNANDA)	SOUTH	Orange Establish	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-07-2012 • Built Up Area ---- 64233 (in sq. meter) • Water Consumption ---- 77000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 151000 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)STP of 151 KLD is proposed. (2)ECS - N/A (3)D.G.Set: 1 (4) Inspection details:N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	Decision / Recommendation of Screening Committee on 16-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.