



CONSENT MANAGEMENT

Decisions taken in the Meeting of Committee headed by Chairman DPCC on 22.08.2012 w.r.t Agenda Item No 2 - 54 Cases of Consent to Operate and Consent to Operate (Renewal)under Orange Category(Category 2d)excluding cases of Redevelopment Areas of the Period 18.11.11 to 31.07.12 (fresh cases of June and July 2012 and pending cases of the period 18.11.11 to 31.05.12) and 17.11.11 to 01.06.2011(in reverse chronology).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	37292 06-06-2011	RAYAT ELECTRICALS 7/22, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Operate	MFG OF ASSEMBLY OF ELECTRICAL APPLIANCES WITH PAINT VARNISH POWDER COATING AND PHOSPHATING Electrical & Electronic Goods Manufacturing (With Electroplating)	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Inspection conducted on 12.10.2011. Ask the unit to submit fresh effluent analysis report with complete parameters including the iron which has not been analyzed in the analysis report submitted. If unit submits the requisite report, consent to operate and authorization under HWM Rules be issued.	10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GSSIU submitted. (b) Effluent analysis report dated 28.03.2011 issued by GSSIU submitted. 5 number of parameters are analyzed which are within limit. (2)ECS (b) Stack monitoring report dated 2011-03-26 issued by IP COLLEGE submitted. Stack Test Report within Limit Yes 3number of parameters analyzed which are within limit / beyoud prescribed limit. Stack monitoring report dated 2011-03-26 issued by GSSIU submitted. Stack Test Report within Limit Yes 2.....number of parameters analyzed which are within limit / beyoud prescribed limit. Stack monitoring report dated 2011-03-26 issued by GSSIU submitted. Stack Test Report within Limit Yes 1number of parameters analyzed which are within limit / beyoud prescribed limit. (3)D.G.Set: 30 kva (a) Noise monitoring report dated 2011-03-27 issued by GSSIU submitted. Noise monitoring report within Limit Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Ask the unit to submit fresh complete effluent analysis report from empanelled consultant of DPCC

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 16.03.2011 Issue consent to establish, subsequently inspection be conducted. Inspection yet to be conducted.		
2	37311 08-06-2011	DLF RETAIL DEVELOPERS LTD DLF SOUTH COURT, PLOT NO A1 & P2B, SAKET PLACE	SOUTH	Orange Operate	RETAIL OFFICES AND HOTEL. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-12-2005 • Built Up Area ---- 53721.99 (in sq. meter) • Water Consumption ---- 315440 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 187580 liters/day (b) Trade Effluent ---- 5000 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for issuance of SCN for refusal of consent to operate and consent to establish in view of the discrepancies and deficiencies found during inspection and the fact that the activity of the hotel was not incorporated in consent to establish application and environmental clearance has been obtained without mentioning the aforesaid activity. Inform to SEIAA about the deviation in the activity.	12-10-2011 (1)ETP ---- STP installed. (a) AR dated 2011-04-20 issued by DTU submitted. (b) Effluent analysis report not submitted. (2)ECS ---- N/A (3)D.G.Set: 3 x 1500 KVA and 1 x 1010 KVA. (a) Noise monitoring report dated 2011-03-31 issued by IP COLLEGE submitted. Noise monitoring report within Limit Yes (b) Four Stack monitoring report (for more than 1000 KVA) dated 30-03-2011 issued by IP COLLEGE submitted and parameters are not in consenence with the units prescribed in notification dated 09.07.2002. (4) Inspection details: conducted on 07.07.10 and observations are. 1. Finishing work is in progress. 2. Commercial complex and Hotel is not operational. 3. STP has been installed but the same is not commissioned yes. 4. Clarifier has not been installed. only a square setting tank has been provided. 5. Rain water harvesting puts have been provided. However incidentally rain poured and run of was going directly out side the premises. 6. Green area has not been provided as per the project area. Insignificant green area against the proposed 2797.64 m2. 7. Solar water heating system not provided for the hotel rooms. 8. Energy efficient lights not provided in the basement. 9. Details of hotel has not been given in the applications for consent. As decided by the cmc dated 27.08.10 copy of inspection report provided to legal cell for aprising to the court Earlier Committee Decision 11.05.2009 SIT I and SIT II to inspect jointly and report before 18.05.2009. Also DPCC lab will take the samples as per procedure along with SIT inspection and the sample may be sent to CPCB and DPCC lab for analysis. Call on	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Inspection be conducted.

								22.05.2009 15.06.2009 Sh. B. Kumar SEE to examine the file and put up. Call on 12.08.2009 21.01.10 Inspection be conducted to know the present status. 27.08.10 Provide the copy of inspection report to legal cell for aprising to the court about the deficiencies observed during the inspection.		
3	37325 09-06-2011	KANODIA TECHNOPLAST (P) LTD A-43, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF PRINTING CYLINDERS. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1120.2 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Issue a letter to Registrar, GGSIU to confirm the veracity of the two reports issued on 20.01.2011 and 10.03.2011 respectively.	12-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.03.2011 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 2011-03-10 issued by IP COLLEGE submitted. Effluent Test Report within Limit . Yes. 10number of parameters analyzed which are within limit. (2)ECS ---- Installed (a) AR dated 22.03.2011. issued by G.G.S.I.P.U submitted. (b) Stack analysis report dated 04.03.2011 issued by G.G.S.I.P.U. submitted. (3)D.G.Set: 200 KVA and 125 KVA (a) Noise monitoring report dated 2010-12-24 issued by .DPCC submitted. Noise monitoring report within Limit Yes. 3number of parameters analyzed which are within limit. Noise monitoring report dated 2010-12-24 issued by DPCC submitted. Noise monitoring report within Limit Yes 3number of parameters analyzed which are within limit. Test report of ETP dated 10.03.2011 is having ditto results as mentioned in previous report dated 20.01.2011 which seems fake report. Earlier CMC Decision: 06.09.2010 Issue Consent to establish with Trade effluent discharge. Subsequently inspection be conducted. Inspection yet to be conducted.	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Ask the unit to submit fresh complete effluent analysis report from empanelled consultant of DPCC
4	37413 20-06-2011	GINGER HOTEL RAIL YATRI NIWAS, NEW DELHI RAILWAY STATION, GATE NO- 2, AJMERI GATE SIDE.	CENTRAL	Orange Operate	Hotel Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 4842.456 (in sq. meter) • Water Consumption ---- 50000 liters/day • Ground Water ---- 30000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 30000 liters/day		17-10-2011 (1)ETP ---- STP - Bio-logical (a) AR datedMarch,2011..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 31-03-2011 issued by GGSIPU submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set:250 KVA and 320 KVA	Decision / Recommendation of Screening Committee on 14-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Health Deptt. of MCD has rejected license vide its letter dated 02.11.2007. Therefore, unit is directed to submit valid MCD and Delhi Police licenses within 30 days.

							Noise monitoring report submitted submitted dated 22.11.10		
5	37432 <								

							today. SIT ti inspect and report. Call on 14.01.09. 30.12.08 CTE granted 14.01.09 No action. Minutes of the meeting dated 01.07.2010 / 02.07.2010 taken by MS, DPCC. The unit has not applied for consent to operate. The unit did not come for the meeting. It should apply for consent to operate with all the requisite documents, if it is in the stage of commissioning. 05.08.10 Issue letter to take necessary action w.r.t. the proceedings of the meeting taken by MS, DPCC on 01.07.2010/02.07.2010 incorporating the decision of the Scrutinizing Committee.		
7	37525 04-07-2011	SYDNEY GRAND HOTELS PVT. LTD. KH. NO 6/6, 6/6 EAST, 6/7, 6/15, 6/14, 6/17, 6/18, 6/19, VILLAGE SINGHOLA, MAIN GT KARNAL ROAD	NORTH WEST	Orange Operate	MOTEL ACTIVITY. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1899.22 (in sq. meter) • Water Consumption ---- 25000 liters/day • Ground Water ---- 25000 liters/day • Waste Water generation (a) Domestic Effluent ---- 18000 liters/day (b) Trade Effluent ---- 5000 liters/day	08-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 08.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 08-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 09-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
8	37540 06-07-2011	UNITECH AMUSEMENT PARKS LTD. SECTOR-10, ROHINI	NORTH WEST	Orange Renewal	AMUSEMENT PARKS. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-2007 • Built Up Area ---- 18751.08 (in sq. meter) • Water Consumption ---- 500000 liters/day • Ground Water ---- 500000 liters/day • Waste Water generation (a) Domestic Effluent ---- 107000 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 27.03.2007 issued by DTU submitted. (b) Effluent analysis report dated 27.06.2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 27.06.2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: 4 DG set of capacity 1500 X 2, 1250, 750 installed. NMR dated 21.05.2011, 31.05.2011 & 10.06.2011 submitted. parameters with in the limits.	Decision / Recommendation of Screening Committee on 09-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
9	37592 12-07-2011	LILYWHITE HOTEL KH. NO. 772, 773, 774, CHATTARPUR MAIN ROAD	SOUTH	Orange Operate	Motel and Banquet Hall, Party Lawn unit. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-09-2008 • Built Up Area ---- 1968 (in sq. meter) • Water Consumption ---- 20000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 4000 liters/day (b) Trade Effluent ---- 14000 liters/day	06-08-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated28.06.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 09-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

							(3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 200 KVA and 125 KVA. Noise monitoring report dated 07-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 200 KVA and 125 KVA. Noise monitoring report dated 07-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 09.03.11 and following were observed: 1)The unit has installed STP which was not found in operation due to not availability of raw effluent in collection tank. However, installed STP equipments were found in operational condition. 2) 3 no. RWH pit provided. 3) One borewell exist. 4) As reported presently motel is being run on trial basis. As decided by the CMC (O) in its meeting held on 31.03.11, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 18.05.11. Unit has submitted its reply on 24.06.11 & stating that they have applied for adequacy report & test report of STP and NMR of DG set. As soon as they received the above said report they shall immediately submit the CTO application. Earlier CMC Decisions 25.11.10 Issue consent to establish. Subsequently, inspection be conducted. 31.03.11 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act.		
10	37756 27-07-2011	TARA PRODUCTS E-19, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	Nangloi Industrial Area	Orange Renewal	MANUFACTURING OF (1) ELECTRONIC VOLTAGE CORRECTORS (II) CHASSIS (III) TRANSFORMER (IV) PCBS(V) ELECTRIC LEAD WTH PLUG. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 572 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 400 liters/day	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.02.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated 04.03.2008 issued by GGSIPU submitted. (b) Stack monitoring report dated 16-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5	Decision / Recommendation of Screening Committee on 09-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

							KVA. Noise monitoring report dated 15-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
11	37788 01-08-2011	MEERA BABA REALITY ASSOCIATES PVT. LTD PLOT NO.-1B5, TWIN DISTRICT CENTRE, ROHINI	NORTH WEST	Orange Operate	SHOPPING MALL AT PLOT NO.1 B5, TWIN DISTT. CENTER, ROHINI, NEW DELHI. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 23351.133 (in sq. meter) • Water Consumption ---- 167000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40000 liters/day (b) Trade Effluent ---- 36000 liters/day	03-08-2012 (1)ETP ---- STP (a) AR dated 25.01.2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (2)D.G. Set Noise Report: 2 (a) The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 22-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes, number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 22-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes, number of parameters analyzed which are within limit. (b) Stack monitoring report (for more than 1000 KVA) dated 22-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted and parameters within limit / not satisfactory. (3) Inspection details: inspection was done by DPCC officials on 01.12.2011 and following observations was found: (a) Shopping mall is operational having outlet of Haldiram, a wine shop & few other shops at G.F. other shops/offices/food courts are yet to be commissioned/occupied. (b) STP installed & found operational (Capacity: 100KLD) (c) D.G. Set (1010&500 KVA) found with common acoustic room & adequate stack height. (d) One bore well connection exists and one RWH pit exists. (4) SCN u/s 31(A)/33(A)/5 of EPA details: Show Cause Notice issued to the unit dated 20.06.2012. No reply received. (5) Closure directions u/s 31(A)/33(A)/5 of EPA details: -N/A-	Decision / Recommendation of Screening Committee on 03-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
12	37883 17-08-2011	STANDARD METAL INDUSTRIES E-8, S.M.A INDUSTRIAL AREA, G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	Mfg. of Door Fitting including Plating and Buffing. Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 2600 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1920 liters/day	11-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.07.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report: within Limit - Yes (2)ECS - Cyclone	Decision / Recommendation of Screening Committee on 03-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

							(a) AR dated 19.07.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
13	37908 23-08-2011	H.R. INDUSTRIES C-182, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	FABRICATION OF A.C. BODY WITH DEGREASING, WASHING AND POWER COATING. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 600 liters/day	29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.06.2009 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - Cyclone (a) AR dated issued by submitted. (b) Stack monitoring report dated 19-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 AND 75 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 03-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
14	37937	LEE GARDEN UNIT OF R.K.	NORTH	Orange	(A PARTY		11-07-2012	Decision / Recommendation of	22-08-2012

	25-08-2011	CATERERS MAIN G.T. KARNAL ROAD, OPP. JAIN MANDIR, NANGLI POONA	WEST	Operate	LAWN)/CAP:- 500-600 PERSON/OCCASION MOTEL/REPORT. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 15500 liters/day • Ground Water ---- 15500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 15000 liters/day		(1)ETP ---- Other ETP Name : STP (a) AR dated 29.07.20011 issued by DTU submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 31-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 31-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Screening Committee on 03-08-2012 Case be referred to Committee as per 2 (d)	Case deferred.
15	37952 26-08-2011	DLF LTD. DLF CENTRE, SANSAD MARG	CENTRAL	Orange Operate	COMMERCIAL (OFFICE COMPLEX). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-01-1987 • Built Up Area ---- 18553.8 (in sq. meter) • Water Consumption ---- 74500 liters/day • Ground Water ---- 61200 liters/day • Waste Water generation (a) Domestic Effluent ---- 27200 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- No (b) Effluent analysis report dated 24-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 1000, 1000 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 03-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
16	38039 06-09-2011	VISTA HOPITALITY PVT.LTD. 162 MG ROAD SULTANPUR	SOUTH	Orange Operate	Hospitality. Hotel With Less Than 20 Bedrooms			19-06-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated12.08.2011..... issued by ...DTU..... submitted. (b) Effluent analysis report dated 27-03-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

						• Date of commissioning of project ---- • Built Up Area ---- 18000 (in sq. meter) • Water Consumption ---- 25000 liters/day • Ground Water ---- 25000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 20000 liters/day		(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted by DPCC Officials on 07.03.2011 w.r.t an application under RTI Act on 15.12.10 and following were observed: 1. As reported the unit is in operation in the premises about last 1-1/2 years engaged in the activity of Motel(Room - 14 Nos., Banquet Hall -2 Nos., Party Lawn-1 No.). 2. No ETP/STP has been installed to treat the waste water generated from the unit. It was reported that at present all the waste water is collected in a tank & disposed off outside the premises through tankers w/o any treatment. 3. Proper channelization system has not been provided with the kitchen. 4. RWH system not provided. 5. SWH system not provided. 6. One bore well exist for withdrawal of ground water. 7. No permission from Govt. agencies was available at site. (5) SCN u/s 31(A) & 33(A) details : issued on 21.03.11 As approved, directions u/s 31(A) & 33 (A) was issued on 18.05.11 for stopping of commercial activity, installation of pollution control devices & submit an affidavit in this regard. Unit has submitted its compliance on 21.07.11 along with an affidavit, NMR of DG set & photographs of STP. As approved, letter was issued on 03.10.11 for submission of Bank Guarantee of Rs. 50,000/- each under Air ct & Water Act valid for one year. Unit has submitted aforesaid BG on 19.10.11. As approved, CTE was issued on 17.10.2011. Unit has submitted its reply on 30.03.12 along with the water anaylsis report dated 27.03.12 whichis within prescribed limits. Earlier CMC Decision 10.08.2011 Unit has submitted the requiste compliance subsequent to the recommendation of Scrutinizing Committee. Issue Consent to Establish.		
17	38084	HOTEL DIPLOMAT	NEW DELHI	Orange Renewal	Hotel			02-07-2012 (1)ETP ---- ETP - Bio-logical	Decision / Recommendation of Screening Committee on 06-07-2012	22-08-2012

	14-09-2011	9, SARDAR PATEL MARG			Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 1839 (in sq. meter) • Water Consumption ---- 25000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 15000 liters/day		(a) AR dated 02.09.2008 issued by DCE submitted. (b) Effluent analysis report dated 28-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Case be referred to Committee as per 2 (d)	Case deferred.
18	38172 27-09-2011	YSF HOTELS AND RESORTS PVT. LTD. (A UNIT OF ICON FOOD BEVERAGE SERVICES) KH. NO.-43,46,47 AND 48, VILLAGE SULTANPUR, NEAR GHITORNY METRO STATION, M. G.ROAD	SOUTH	Orange Operate	Hotel and Resorts Hotel With Less Than 20 Bedrooms Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 9024.49 (in sq. meter) • Water Consumption ---- 60000 liters/day • Ground Water ---- 60000 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 50000 liters/day		29-06-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated28.06.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...2... (a)Noise monitoring report of 320 KVA and 125 KVA dated 01-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 07.03.11 w.r.t an application under RTI Act & following were observed: a) As reported the unit is in operation about last one month (For party etc). Renovation/ finishing work is still in progress. b) Work for installation of STP is yet to be completed. 90 percent of work has been completed. c) As reported presently waste water is collected in the collection tank and disposed off outside the premises through tanker without any treatment. d) No permission from Govt. agencies was available at site. e) Two bore well exist for withdrawal of ground water. f) RWH system provided. But details were not available. (5) SCN u/s 33(A) details : issued on 21.03.11.	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

							Unit has submitted its reply on 13.04.11 and informed that now STP is fully operational and already applied for CTE. As approved, letter was issued on 10.06.11 for submission of Bank Guarantee of Rs. 50,000 under Water Act valid for one year, affidavit regarding rectification of deficiencies, adequacy report and effluent analysis report of STP and also apply for CTO As decided by the CMC (O) in its meeting held on 10.08.11, reminder letter was issued on 14.09.11. However, which was returned back undelivered. Unit has submitted aforesaid Bank Guarantee on 20.09.11. EARLIER CMC DECISION 10.08.11 Issue final reminder of letter dated 10.06.11		
19	38212 30-09-2011	DLF IT PARK 15, SHIVAJI MARG	WEST	Orange Operate	FLATTED FACTORY (IT-OFFICE-CUM-RETAIL). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-10-2009 • Built Up Area ---- 66923 (in sq. meter) • Water Consumption ---- 357000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 235000 liters/day (b) Trade Effluent ---- 0 liters/day	04-07-2012 (1) ETP -STP of 250 kLD capacity. (a) AR dated 16.09.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report not submitted as it will be operated after completion certificate. (3) D.G.Set Noise Report : 4 (a) The unit has 4 D.G. Set(s) of 1010, 1010, 1010, 380 KVA. Noise monitoring report dated 16-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. (b) Stack monitoring report (for more than 1000 KVA) dated 16.09.2011 issued by Delhi Technological University submitted and parameters within limit. (4) C T E applied on 13.06.2008 granted on 02.07.2009 and E C applied on 20.05.2008 obtained on 19.01.2009. (5) Inspection details:30.06.08 during construction phase. (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil.	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
20	38282 14-10-2011	SILVER OAK RESORT HOTEL (SILVER OAK CELEBRATIONS PVT. LTD.) KH NO 63/82 MUNDKA VILLAGE MAIN ROHTAK ROAD	WEST	Orange Operate	motel/resorts. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 6500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day	03-07-2012 (1)STP (a) AR dated 18.07.2011 issued by submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

							(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
21	38286 17-10-2011	RADISSON BLU PLOT NO.4, SECTOR-13, DWARKA	SOUTH WEST	Orange Operate	HOTEL COMPLEX NAMELY RADISSON BLU AT PLOT NO 4 SECTOR 13 DWARKA NEW DELHI 110075. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 67544 (in sq. meter) • Water Consumption ---- 301000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 88000 liters/day (b) Trade Effluent ---- 75000 liters/day	22-06-2012 (1)STP -installed. (a) AR dated issued by submitted. (b) Effluent analysis report dated 05-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 05-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No recent inspection. (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A (7) The unit had approached Honble High Court for refund of ED and BG. Got a favoured order to release.	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
22	38336 24-10-2011	RAMESH TRADING CORP. (INDIA) C-9, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF BI-CYCLE RIMS. Electroplating Industries Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 550 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 400 liters/day	13-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.09.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 24-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . Note: temperature is exceeding the prescribed limit (2)ECS - yes (a) AR dated 10.10.2011 issued by DTU submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

								10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes		
23	38351 25-10-2011	BAJAJ AUTO WAYS (REGD) B-65, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG. OF CLUTCH PLATES INCLUDING HEAT TREATMENT. Heat Treatment (Hardening/ Tampering of Steel)	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1200 liters/day		13-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.10.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS -yes (a) AR dated 21.10.2008 issued byGGSIU submitted. (b) Stack monitoring report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 75, 125 KVA. Noise monitoring report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
24	38375 02-11-2011	SRI JAGDAMBE TRADERS 340/3, GALI NO 1B, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	BATHROOM SANITARY FITTING WITH ELECTROPLATING AND BUFFING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 92.5 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day		05-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated10.10.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - Dust collector (a) AR dated 10.10.11 issued by DTU submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... Old records could not be traced out.	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
25	38383 03-11-2011	MARUTI SUZUKI INDIA LTD PLOT NO -1 SHOPPING MALL, NELSON MANDELA MARG, VASANT KUNJ	SOUTH WEST	Orange Renewal	OFFICE COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-11-2008 • Built Up Area ---- 21175 (in sq. meter) • Water Consumption ---- 49030 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 37224 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)STP installed (a) AR dated 25.11.2008 issued by Guru Gobind Singh Indraprastha University submitted (b) Effluent analysis report dated 31/08/2011 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes, 10 number of parameters analyzed which are within limit	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

								(2) ECS not installed (3)D.G.Set: 4, but status of 1010 kVA DG set is not mentioned. (a)Noise monitoring report of 500 KVA dated 19.12.2011 issued by SHRIRAM INSTITUTE submitted and noise levels are within limit. (b) Stack monitoring report 500 KVA dated 31.10.2011 issued by SHRIRAM INSTITUTE submitted and parameters within limit (4) Inspection details:Not conducted so far (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A		
26	DPCC/EC/2/1/2011/188 01-12-2011	BHARTI REALTY LTD PLOT NO. 1, VASANTKUNJ MALL, VASANT KUNJ	SOUTH WEST	Orange Operate	OFFICE COMPLEX/BUILDING (BHARTI CRESCENT). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-10-2007 • Built Up Area ---- 21223.95 (in sq. meter) • Water Consumption ---- 45000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Case be referred to Committee as per 2 (d)	21-05-2012 (1)STP of cap 25 kld. (a) Copy of AR dated 26.11.08 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No as TSS levels beyond limit of 30 mg/l. (c)Water requirment 45 kld. (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 4 D.G. Set(s) of 500 KVA. Noise monitoring report dated 30-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (4) Inspection details:16.07.10.Energy conservation details not submitted. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : (7) Date of start of construction Oct 2007. (8) ED and BG submitted due to violations. Matter of ED is subjudice in Honble SC of India. (9) SCN for refusal was issued to the unit on 15.03.12. Reply recieved but no ammendment in STP informed, nor fresh report of all parameters submitted. (10) BUA more than 20000 sqm. EC granted on 28.11.06. CTE also granted on 15.04.09. (11) Unit has sent a legal notice for return of ED/BG. However, BG of Rs 45,00,000 returned to the unit. Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Inspection done. Letter for deficiencies have been issued. Reply awaited.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Inspection be conducted and based on the findings of the inspection the file should be put for further necessary action.	22-08-2012 Case deferred.
27	DPCC/EC/2/1/2011/253 09-12-2011	DELHI METRO RAIL CORPORATION LTD. (SULTANPUR METRO DEPOT) SULTANPUR	SOUTH	Orange Operate	MAINTENANCE OF TRAINS ENGAGED ON QUTB MINAR- GURGAON. Automobile Servicing And Repair Station With Washing Activity		Decision / Recommendation of Screening Committee on 22-05-2012 Case be referred to Committee as per 2 (d)	13-12-2011 (1)ETP ---- ETP - Physiochemical,Other ETP Name : STP (a) AR dated16-09-2011..... issued byDELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 16-09-2011 issued by DELHI COLLEGE OF	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Ask the unit to submit noise monitoring report for D.G. Set from empanelled laboratory of DPCC.	22-08-2012 Case deferred.

						• Date of commissioning of project ---- 01-07-2008 • Built Up Area ---- 7000 (in sq. meter) • Water Consumption ---- 35740 liters/day • Ground Water ---- 35740 liters/day • Waste Water generation (a) Domestic Effluent ---- 4000 liters/day (b) Trade Effluent ---- 12000 liters/day	ENGINEERING submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report not submitted (4) Inspection details: conducted on on 23.02.11 and following were observed:- 1. The unit has installed an ETP & STP (Physico-chemical) separately. But the same were not found in operation and septic conditions were prevailing in various tanks of ETP and STP. 2. It was observed that ETP & STP have not been operated since long and untreated waste water is being discharge into the drain without any treatment. 3. No provision has been made regarding sludge disposal 4. No oil & grease trap has been provided. No operator was present at site. 5. It was reported that horn are blown during maintenance/ stabling hours for safety check of the trains which is essential. 6. Two bore well exist. No permission available at site. 7. Adequate stack height has not been provided with the DG set of 60 KVA. 8. RWH system not provided. 9. Small plants were observed along with boundary wall. (5) SCN u/s 21/22 & 25/26 details : issued on 09.03.11. unit has submitted its reply on 23.03.11. (6) SCN u/s 31(A) & 33(A) details : issued on 07.10.11. Reply received from DGM (RS), sultanpur depot on 13.10.11 & 17.10.11 along with adequacy report of ETP & STP dated 16.09.11. It has been informed by the aforesaid reply that they are making serious effort to obtain the consent as the mandatory requirment of DPCC and requested to intimate the fee & performa etc immediatly so that payment & case is submitted to DPCC immediately. As approved, letter was issued on 18.11.11 to comply with pollution control laws and apploy CTE & CTO (orange) immediately without fail. EARLIER CMC DECISION 02.09.11 Issue SCN for closure incorporating to apply for consent to establish and consent to operate. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012		
--	--	--	--	--	--	--	--	--	--

								As deecided, letter was issued on 06.07.12 for submission of noise monitoring report for D.G. Set from empanelled laboratory of DPCC.		
28	DPCC/EC/2/1/2011/403 27-12-2011	THE TAJ MAHAL HOTEL NUMBER ONE MANSINGH ROAD	NEW DELHI	Orange Renewal	HOTEL. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 22670 (in sq. meter) • Water Consumption ---- 520000 liters/day • Ground Water ---- 280000 liters/day • Waste Water generation (a) Domestic Effluent ---- 160000 liters/day (b) Trade Effluent ---- 180000 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Case be referred to Committee as per 2 (d)	26-04-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 29.09.2008 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 21-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Scrubber, Scrubber, Scrubber, Scrubber with DG sets and boiler (a) AR dated 13.03.2009 issued by Guru Gobind Singh Indraprastha University submitted. (b) Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-11-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1250 KVA, 1050 KVA and 1050 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack height is inadequate. The unit has 3 D.G. Set(s) of 1250 KVA, 1050 KVA and 1050 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring reports (for more than 1000 KVA) dated 15-11-2011	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Issue Show Cause Notice u/s 31(A) of the Air Act for closure of the hotel in view of the observations during inspection regarding bypass arrangement for emissions from boiler.	22-08-2012 Case deferred.

							issued by SHRIRAM INSTITUTE submitted and parameters within limit / not satisfactory. Stack heights are inadequate. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided by the committee of 2d headed by Hone ble Chairman, notice under section 31(A) of the Air Act, has been issued on 02.07.2012. Reply has been received on 06.07.2012 along with an affidavit stating that by pass arrangement has been plugged, photographs also attached. File administratively put up wherein it has been decided, case may be placed before the committee of 2d cases.			
29	DPCC/EC/2/1/2011/415 29-12-2011	V3S INFRATECH LIMITED PLOT NO.-10, LAXMI NAGAR DISTT CENTER, VIKAS MARG	EAST	Orange Operate	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-07-2004 • Built Up Area ---- 5189.19 (in sq. meter) • Water Consumption ---- 95000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Case be referred to Committee as per 2 (d)	16-05-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated ...24.12.2011..... issued by ...DELHI COLLEGE OF ENGINEERING..... submitted. (b) Effluent analysis report dated 27-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack analysis report dated - 27-12-2011 - Issued by - DELHI COLLEGE OF ENGINEERING - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 500, 380, 250 KVA. Noise monitoring report dated 27-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 16.11.11 & following were observed: a) The commercial complex is found in operation. b) 100 KLD capacity of biological ETP has been found installed and in operational status. c) Filter press has now also been installed as communicated to the unit. d) Solar heating system has also been installed by the unit. e) Ground water extraction is also being done for which application has been filed as reported. f) A common compost system for solid waste has also there for plot no 10 & 12. g) EC not required as BUA is less than 20,000 m2.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Ask the unit to install the V-notch for measurement of treated waste water and also to submit the water balance chart within 30 days.	22-08-2012 Case deferred.

							Unit has submitted a representation on 07.05.12 along with effluent analysis report & analysis report of ambient air dated 23.04.12 but in the air monitoring report source is not mentioned. EARLIER CMC DECISION 02.04.09 Ask the unit to file CGWA clearance and to install Solar Water Heating system. Call on 12.05.09. 12.06.09 Ask the unit to file full compliance. Call on 05.08.09 13.01.11 inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, letter was issued on 02.07.12 for installation of V-notch for measurement of treated waste water and also to submit the water balance chart within 30 days. Unit has submitted its reply on 19.07.12 along with photograph of Industrial water flow meter for measurement of treated waste water & also submitted water balance chart.		
30	DPCC/EC/2/1/2012/593 18-01-2012	LODHI PROPERTY COMPANY LTD. (FORMERLY HOTEL SCOVEVISTA LTD.) UNIT- THE AMAN, LODHI HOTEL	SOUTH	Orange Renewal	Hotel in New Delhi. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 47370 (in sq. meter) • Water Consumption ---- 227000 liters/day • Ground Water ---- 66000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Cases be referred to Committee as per 2 (d) 29-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 21.12.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Effluent analysis report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2)ECS - Scrubber (a) Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Inspection be conducted and based on the findings of the inspection the file should be put for further necessary action.	22-08-2012 Case deferred.

								limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 10-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 1250,1250 KVA. Noise monitoring report dated 21-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit. Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Inspection done. Scn for closure under 31(A) and 33(A) has been issued informing deficiencies. Reply awaited.		
31	DPCC/EC/2/1/2012/677 25-01-2012	KRISH DEVELOPERS PVT. LTD. (CITY PARK NORTH) KH. NO.-51/19, VILLAGE BAKOLI	NORTH WEST	Orange Operate	Hotel and Motels. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 4001.92 (in sq. meter) • Water Consumption ---- 20000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 15000 liters/day	Decision / Recommendation of Screening Committee on 03-05-2012 Cases be referred to Committee as per 2 (d)	02-04-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 14.11.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 5 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 12-06-2012 Ask the unit to submit Registration for Eating House from Police Department.	22-08-2012 Case deferred.

								monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 14-11- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the Consent Committee of Chairman, a letter was issued to the unit on 18.07.2012 regarding submission of registration of eating house issued by Delhi Police. no reply received from the unit till date.		
32	DPCC/EC/2/1/2012/796 13-02-2012	SPIRIT GLOBAL PVT. LTD. COMMERCIAL COMPLEX AT PLOT NO-9, JASOLA, DISTRICT CENTRE	SOUTH	Orange Operate	COMMERCIAL COMPLEX (OFFICE). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 05-08-2005 • Built Up Area ---- 20420.56 (in sq. meter) • Water Consumption ---- 151000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 45000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 28-03-2012 Cases be referred to Committee as per 2 (d)	23-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated06.05.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 20-12- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. TSS is not meeting the prescribed standards (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 1010, 1010, 500 KVA. Noise monitoring report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. Ambient Noise level is not meeting the prescribed standard of 65 dBA for commercial area. (b) Stack monitoring reports (for more than 1000 KVA) dated 15.12.11 issued by DTU submitted by the unit but the same could not be created. Adequate stack height has not been provided with the 2 DG sets of capacity above 1000 KVA. Nox is also not meeting with the prescribed standard w.r.t one DG set. (4) Inspection details: conducted on 03.08.10 & following were observed: 1. Commercial complex has about 80 percent occupancy. 2. Application for CTO has not been submitted. 3. STP is operated in batches. 4. No sludge was found. Sludge drying bed has not been provided. 5. By-pass facility exists to drain out effluent directly w/o treatment. 6. No facility to re-use the treated effluent. 7. No Oil & Grease removal facility exists in the STP. 8. Open area is not connected with rain water harvesting. 9. Solar lightning system has not been provided.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Issue show cause notice for refusal of consent and show cause notice for closure of the unit as the unit has failed to obtain environmental clearance as the built up area exceeds 20000 sqm.	22-08-2012 Case deferred.

									10. Energy saving lights such as CFL have not been provided in the basement. 11. No space left for Green Belt. 12. Doors of DG Sets room to be treated acoustically (5) SCN u/s 33(A) details : issued on 27.12.10 (6) Closure directions u/s 33(A) details : issued on 17.02.11 As decided by the CMC(O) in its meeting held on 17.06.11, unit has submitted a letter on 20.07.11 along with an affidavit regarding submission of E.D. of Rs. 54.56 Lakh and B.G of Rs. 54.56 lakhs as per the out come of appeal filed by DPCC in the division bench of Hon ble High Court againt the judgement dated 30.09.10. Accordingly, Revocation of closure direction u/s 33 (A) of the Water Act issued on 27.07.11 and a letter was issued on 27.07.11 to apply for consent to operate within 15 days and obtain environmental clearence from SEIAA within 2 months. The unit applied for CTO under orange category on 13-02-2012. However, no response has been received w.r.t environmental clearence to be obtained from SEIAA. Further, as per CTO application, total waste water discharge is 45 KLD. However, in the enclosed adequacy report it has been mentioned that the plant is adequate to treat the 40 KLD of the waste water. EARLIER CMC DECISION 16.02.2009 (In CTE File) Sh. A.N. Singh, Scientiest, DOE to study the reply w.r.t. SIT deficiencies and submit the file administratively within a week. 21.01.10 (In CTE File) Inspection be conducted to know the present status to decide the next course of action w.r.t. closure 09.11.10 (In CTE File) Issue SCN u/s 33(A) of the Water Act and also to ask the unit to submit completion certificate clearly indicating the built up area. 17.06.11 (In CTE File) IIT, Delhi has not disputed with the area shown in the sanctioned plan submitted by the unit. However, the IIT, Delhi has recorded in its report that 420 sqm area is not shown in the sanctioned plan. Therefore, the total built up area is 20420.56 sqm. Ask the unit to obtain environmental clearance from SEIAA within 02 months and till that time application for consent to establish shall be kept pending. The unit shall also apply for consent to operate within 15 days.		
--	--	--	--	--	--	--	--	--	---	--	--

								The construction of the project was started in 2005 with project cost of Rs. 54.56 Crores and commissioned also in 2007 without consent to establish, consent to operate and environmental clearance and even without having Sewage Treatment Plant(STP), therefore, liable to pay environmental damages and bank guarantee. The environmental damages and bank guarantee has not been imposed earlier in this case and the similar other construction projects have filed the petition before Hon ble High Court in which DPCC has filed the LPA against the order of High Court. Ask the unit to submit an affidavit stating that the unit shall pay Rs. 54.56 Lakh as environmental damages (1 percent of the project cost) and Rs. 54.56 Lakh as bank guarantee (1 percent of the project cost) in the spirit of the court order in respect of the matter of the construction matter pending before the Hon ble Court. If the unit submits the affidavit with regard to environmental damages and bank guarantee, closure directions be revoked. Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 SCN for refusal and closure issued. unit has applied for CE with SEAC/SEIAA alongwith information that deficiencies being rectified.		
33	DPCC/EC/2/1/2012/814 13-02-2012	V3S INFRATECH LIMITED V3S EAST CENTRE, PLOT NO-12, LAXMI NAGAR, DISTRICT CENTRE, VIKAS MARG	EAST	Orange Operate	COMMERCIAL COMPLEX V3S EAST CENTRE. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-09-2005 • Built Up Area ---- 39089.6 (in sq. meter) • Water Consumption ---- 205000 liters/day • Ground Water ---- 205000 liters/day • Waste Water generation (a) Domestic Effluent ---- 132000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 15-06-2012 Case be referred to Committee as per 2 (d)	21-05-2012 (1)STP (a) AR dated 15.12.11 issued by DTU submitted. (b) Effluent analysis report dated 3.04.12 issued by DTU submitted and within limits. (2)ECS - N/A (a) A Stack (of DG) analysis report dated - 15.12.11 - issued by - DTU - submitted. Two stack reports are not submitted. (3)D.G.Set Noise Report : 1 (Three noise reports not submitted). (a) The unit has 1 D.G. Set(s) of 1500, 1500, 1500, 500 KVA. Noise monitoring report dated 02-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:N/A (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A. (7) ED & BG Rs 80,00,000 each submitted. unit has requested for return of the BG. (8) Six monthly compliance conditions of EC not submitted to DPCC.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 15-06-2012 This case could not be taken up in the earlier meetings of screening committee since it was not entered online. The decision / recommendation of screening committee entered today due to requirement of software to complete the process. The case was taken up by the Committee of Chairman (2d category cases) on 12.06.12 as Table Agenda 2 and following decisions were taken offline - Expired BG of the unit be returned. Seek noise monitoring reports of all the generator sets in the unit by DPCC Lab.	22-08-2012 Case deferred.

23-08-2012

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

23-08-2012

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								details : N/A (12) Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A		
39	DPCC/EC/2/1/2012/1522 02-05-2012	PICCADILY HOTEL DISTRICT CENTRE JANAKPURI	WEST	Orange Renewal	FIVE STAR HOTEL. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- 16-10-2009 • Built Up Area ---- 34067.31 (in sq. meter) • Water Consumption ---- 250000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150000 liters/day (b) Trade Effluent ---- 40000 liters/day	Decision / Recommendation of Screening Committee on 25-06-2012 Case be referred to Committee as per 2 (d)	12-06-2012 (1) STP capacity enhanced as per Adequacy Report. (a) AR dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. 2)ECS - Wet scrubber on boilers. (a) AR not submitted. (b) Stack monitoring report of DG sets dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Common Stack monitoring report of Boilers dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has D.G. Set of 1500 KVA. Noise monitoring report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes. (4) Inspection details: 23.12.10. (5) SCN u/s 31(A)/33(A)/5 of EPA details :28.09.10. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Letter issued. No reply submitted yet.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 27-06-2012 Ask the unit to clarify regarding enhancement of the quantity of waste water and to submit water balance chart and reasons for the increase in the waste water generation. Also explain regarding the units / equipment added to increase the capacity of STP.	22-08-2012 Case deferred.
40	DPCC/EC/2/1/2012/1545 04-05-2012	REGENCY PARK PROPERTY MANAGENT SERVICES PVT. LTD. (EMPORIO) PLOT NO 4, NELSON MANDELA ROAD, VASANT KUNJ, PHASE-I	SOUTH WEST	Orange Operate	commercial complex. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 04-10-2004 • Built Up Area ---- 60228 (in sq. meter) • Water Consumption ---- 155900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 25-06-2012 Case be referred to Committee as per 2 (d)	12-06-2012 (1)ETP Name: STP (a) AR dated 30.12.2008 issued by DCE submitted. (b) Effluent analysis report dated 22.03.2012 issued by SIIR submitted. (2)ECS - N/A. (3)D.G.Set Noise Report : yes. (a) The unit has 3 D.G. Set(s) of 1010, 1500, 1700 KVA. Noise monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -yes. (b) Stack monitoring report (for more than 1000 KVA) dated16.03.2012 & 17.03.2012 issued by SIIR submitted and parameters within limit / not satisfactory.	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 27-06-2012 Inspection be conducted and based on findings of inspection the file should be put up for further necessary action.	22-08-2012 Case deferred.

								(4) Inspection details: No Latest inspection done. (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Discrepancy in capacity of GG sets as 1750 kVA in CTO & 1700 kVA in NMR. Recommendation / Action Taken Details (EE/AEE) on 22-08-2012 Notice for inspection issued. Inspection to be done on 03-09-12.		
41	DPCC/EC/2/1/2012/1598 11-05-2012	BEVERLY PARK MAINTENANCE SERVICES LTD PLOT NO/3 NELSON MANDELA ROAD VASANT KUNJ PHASE-II	SOUTH WEST	Orange Operate	Shopping Complex Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 69246.3 (in sq. meter) • Water Consumption ---- 23971000 liters/day • Ground Water ---- 11689000 liters/day • Waste Water generation (a) Domestic Effluent ---- 12305000 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 25-06-2012 Case be referred to Committee as per 2 (d)	20-06-2012 (1)ETP ----STP (a) AR dated 30.12.2008 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 25-04-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit -No : 3 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 09-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 30-03-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 30-03-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 2 G.G. Set(s) of 1700 KVA. Noise monitoring report dated 09-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. (b) Stack monitoring report (for more than 1000 KVA) dated 31.03.12 issued by SHRIRAM INSTITUTE submitted and parameters within limit (4) Discrepancy in capacity of DG sets as 2 X 1500 & 1 X 1010 kVA in CTO & 3 X 1500 kVA in NMR. (5) Discrepancy in capacity of GG sets as 1750 kVA in CTO & 1700 kVA in report. (5) Inspection details:Yet to be done as per cmc dated 13.01.11. (6) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (7) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Recommendation / Action Taken Details (EE/AEE) on 22-08-2012	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 27-06-2012 Inspection be conducted and based on findings of inspection the file should be put up for further necessary action.	22-08-2012 Case deferred.

								Inspection notice issued. inspection to be done on 27-08-12.		
42	DPCC/EC/2/1/2012/1758 									

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

							mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. It is mentioned in the NMR generated in the software that Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. As decided by the CMC (O) in its meeting held on14.09.11, CTE was issued on 07.10.11. EARLIER CMC DECISION 14.09.11 Issue Consent to establish. Subsequently, inspection be conducted.		
45	DPCC/EC/2/1/2012/1903 15-06-2012	BIRD AUDIO INDIA PVT. LTD S-35, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	Television Parts with Electroplating. Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes . (2)ECS - Scrubber (b) Stack monitoring report dated 18-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.0 KVA. Noise monitoring report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Old file is not traceable.	Decision / Recommendation of Screening Committee on 19-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.
46	DPCC/EC/2/1/2012/1928 20-06-2012	NARULA UDYOG (INDIA) PVT. LTD A-75, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	Medical Equipment instrument, Appliances, Hospital Furniture (With Powder Coating and Phosphating) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 1004 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 300 liters/day	19-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 26.08.2008 issued by Delhi College of Engineering submitted. (b) Effluent analysis report dated 30-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A	Decision / Recommendation of Screening Committee on 19-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

									e) Structural work is complete and finishing. f) Proper barricades need to be installed around tile/ stone cutting area/equipment in order to avoid fugitive emission. g) Debris stored at site need to be removed regularly. h) No information provided regarding project cost. (5) SCN u/s 33(A) details : issued on 29.05.08. CTE was issued on 19.01.09 vd CNO 19515. EARLIER CMC DECISION 10.09.2008 SIT report to be submitted administratively. Call on 07.10.2008 07.10.2008 Call for personal hearing on 20.10.2008 at 7.00 PM. Letter for hearing be issued without waiting for minutes. 21.10.2008 The unit came for personal hearing today. It claims that the building in which the mall is running was leased down by DMRC and as such it has no responsibility. On the contrary, the unit is running the mall without intervention by DMRC, the unit is responsible for generating waste water of 25 KLD. There is no STP for treatment of the waste water and several other deficiencies noted during the SIT inspection need to be corrected by the unit. The unit is directed to pay environmental damages of Rs. 8 Lakhs and Bank Guarantee of Rs. 8 Lakhs valid for three years by 24.11.2008, failing which, notice for closure will be confirmed. Call on 24.11.2008. 24.11.2008 Call for personal hearing on 17.12.2008 at 7.30 PM. 18.12.2008 The unit came for personal hearing today. The unit has filed a letter stating that it will submit application for Consent to Establish by 19.12.2008 and pay environmental damages and Bank Guarantee as directed by CMC within 01 month. It shall also submit thereafter the Consent to Operate application. If, the unit files the Consent to Establish application by tomorrow, the unit is allowed time upto 21.01.2009 to comply with the decision to submit environmental damages and Bank Guarantee. As soon as it complies with these directions, Consent to Establish may be issued. Once the Consent to Establish is issued, the unit may apply for Consent to Operate, which will be processed expeditiously. 21.01.2009 No action. Unit submitted arepresentaion on		
--	--	--	--	--	--	--	--	--	---	--	--

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

23-08-2012

23-08-2012

								(2)ECS - Water Scrubber (b) Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRI RAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 1500, 1500, 840 KVA. Noise monitoring report dated 28-06-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
52	DPCC/EC/2/1/2012/2145 13-07-2012	EROS METRO MALL PLOT NO.8, SECTOR-14, DWARKA CITY CENTRE	SOUTH WEST	Orange Operate	EROS METRO MALL AT PLOT NO. 8, SECTOR-14, DWARKA CITY CENTRE, NEW DELHI. Shopping Malls, Housing / Commercial/ Office			16-08-2012 (1)STP- physiochemical (a) AR dated 17.05.2012. issued by DTU submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 16-08-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

							(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 17-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 14.12.09 & following were observed: 1. ECS provided with powder coating plant was found broken at some places and not working properly as some smoke was coming out. 2. Powder coating plant is not having adequate stack height. 3. The unit is having two D.G.Sets of 62.5 kva each out of which one D.G.Set found kept in broken acoustic enclosure without adequate stack height and another D.G.Set was kept in open at roof top without adequate stack height and acoustic enclosure. (5) SCN u/s 31(A) & 5 of EPA details : issued on 25.03.10. As decided by the CMC (O) in its meeting held on 11.10.10, CTO was issued on 24.11.10. EARLIER CMC DECISION 13.11.09 Issue Consent to Establish. Subsequently, inspection be conducted. 12.02.2010 / 15.02.2010 Issue SCN u/s 5 of EPA and SCN u/s 31 (A) of the Air Act based on findings of inspection. 26.05.10 Decision taken on file to provide adequate stack height with working D.G. Set and to remove the non working D.G. Set and to submit the Bank Guarantee of Rs 50,000 each under Air Act and HWM Rules valid for one year ratified. 11.10.10 Issue consent to operate.	
--	--	--	--	--	--	--	--	--