



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Meeting of Committee headed by Chairman DPCC on 22.08.2012-Table Agenda 2- Case of Ms Interglobe Hotels Pvt. Ltd. IBIS Hotel Asset No 9 Hospitality District Delhi Aerocity Delhi International Airport Delhi.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	34658 29-07-2010	INTERGLOBE HOTELS PVT. LTD. IBIS HOTEL, ASSET NO-9, HOSPITALITY DISTRICT, DELHI AEROCITY, DELHI INTERNATIONAL AIRPORT	SOUTH WEST	Orange Establish	HOTEL IBIS	• Date of commissioning of project ---- • Built Up Area ---- 7845.08 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		06-09-2010 Quantity of Ground water extraction: nil ATR / Remarks: Plot area:: 7845.08 sqm Year of commencement:Sept 2010 D.G. Set: 3X750 KVA (Proposed) Trade eff: 5 KLD during operation phase which is taken to STP. Recommendations of Scrutinizing Committee on 16.08.2010: Ask the unit to submit environmental clearance	Decision / Recommendation of Screening Committee on 06-07-2012 Case be referred to Committee as per 2 (d)	22-08-2012 Case deferred.