



CONSENT MANAGEMENT

Decisions taken by Member Secretary (DPCC) on 05.07.2012 in respect of 38 cases of Consent to Operate and Renewal of Consent to Operate (Orange Category 2c cases) (excluding the cases of re-development area) w.e.f. 01.05.2012 to 31.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/1521 02-05-2012	INDRAPRASTHA SERVICE STATION I.P. ESTATE, RING ROAD	NEW DELHI	Orange Renewal	FILLING CUM SERVICING OF VEHICLES Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 6000 liters/day - Ground Water ---- 5000 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day		22-06-2012 (1)ETP - ETP Physico Chemical (a) AR dated 27.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 23-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: NO (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	05-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
2	DPCC/EC/2/1/2012/1527 04-05-2012	MAYA TANDOORI J2/3, B.K DUTTA MARKET RAJOURI GARDEN	WEST	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- 01-09-2010 - Built Up Area ---- 146 (in sq. meter) - Water Consumption ---- 4500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 2200 liters/day (b) Trade Effluent ---- 1600 liters/day		19-06-2012 (1)ETP ---- Physico Chemical Treatment (a) AR dated 15.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 07-03-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - No (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 07-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Yes, conducted on 14.02.2011 and observed as under: 1. ETP found installed but it was found dry & defunct. 2. Effluent is being discharged directly into sewer without any treatment. 3. DG set of 180 KVA found with accoustic enclosure but having in-adequate stack height.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.

								4. Emmission from kitchen found channelized and discharged through stack having in-adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.03.2011. (6) Modified directions u/s 31(A)/33(A) issued on 20.04.2011		
3	DPCC/EC/2/1/2012/1534 04-05-2012	LODHI THE GARDEN RESTAURANT (A UNIT OF ARESKP RESTAURANT PVT. LTD.) LODHI GARDEN LODHI ROAD	NEW DELHI	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 797.96 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3800 liters/day		22-06-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 18.05.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 25-04-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: yes, conducted on04.01.201 & 20.04.2012, ad the observations are: 1. ETP installed and found functional. 2. Stack height of DG set of 62.5 KVA has been raised. 3. Trade effluent is ebing discharged through ETP. 4. Wet and Dry sludge also observed. (5) SCN u/s 33 (A0 & 31 (A) issued on 10.05.2011 (6) Closure directions u/s 31(A) & 33 (A) issued on 15.03.2012. Temporatry revocation issued on 25.04.2012. Revocation of Direction issued on 13.06.2012.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.
4	DPCC/EC/2/1/2012/1564 08-05-2012	CAPITAL STEEL INDUSTRIES A-18 GROUP INDL AREA,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	CIRCLE CUTTING, MFG. OF S.S. UTENSILS WITH BUFFING AND PACKING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 228.5 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) SCN u/s 31(A) was issued on 1.03.2011. A letter was issued to the unit regarding submission of bank guarantee on 20.09.2011. unit submitte the bank guarantee on 14.11.2011	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.
5	DPCC/EC/2/1/2012/1577	AVA APPARELS LLP	Mayapuri Industrial Area	Orange Operate	MFG OF READYMADE GARMENTS WITH			13-06-2012 (1)ETP ---- ETP- Physico-chemical (a) AR dated 20.01.2012 issued by DTU	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to	05-07-2012 Consent to Operate granted.

								Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
11	DPPC/EC/2/1/2012/1612 14-05-2012	MANGAT RAM DAL MILLS PVT LTD M-16, PHASE I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	DAL MILL Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 700 (in sq. meter) - Water Consumption ---- 500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 20.03.2009 issued by DCE submitted. (b) Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Renewal of Consent to Operate.	05-07-2012 Renewal of Consent to Operate granted.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
12	DPCC/EC/2/1/2012/1646 21-05-2012	RANA MOTORS (P) LTD A-3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	SERVICE, REPAIR AND MAINTENANCE OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 12800 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 12000 liters/day		18-06-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 27.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes Note: The old file could not be traceble	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	05-07-2012 Consent to Operate and Authorization under HWM Rules granted.
13	DPCC/EC/2/1/2012/1652 21-05-2012	BEST HEALTH FOOD PROCESSORS PLOT NO. 124, BLOCK - A, DSIDC, INDL COMPLEX NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	FLOUR MILLS (ATTA CHAKKI). Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 04.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 04-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.
14	DPCC/EC/2/1/2012/1664 21-05-2012	MAYA EXPORTS CORPORATION B-127, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MANUFACTURING OF SAMPLES OF READYMADE GARMENTS. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1118 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 5500 liters/day		15-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A Unit has one diesel boiler. (a) Stack monitoring report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Renewal of Consent to Operate.	05-07-2012 Renewal of Consent to Operate granted.

[illegible]

							As decided by the CMC (O) in its meeting held on 10.08.11, CTE was issued on 06.09.11. (4) Inspection details: conducted on 09.01.12 & following were observed a) Unit found in operational. b) Unit has installed ETP & same was found in operation. c) DG set installed with acoustic enclosure with adequate stack height. d) One bore well exists. e) Stack height with channelization duct found in adequate. EARLIER CMC DECISION 10-08-2011 Issue consent to establish. Subsequently, inspection be conducted.		
16	DPCC/EC/2/1/2012/1673 21-05-2012	SWATANTAR ART PRESS Y-19, OKHLA INDUSTRIAL AREA PH-II	Okhla Industrial Area	Orange Operate	Offset Printing Including Washing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 333 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	15-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated22.02.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 22-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 19-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 09.12.09 & it was found that no ETP was installed to treat effluent generated from the process. Adequate stack height and acoustic enclosure was not provided with the DG set of 62.5 KVA. The unit was also not complying with the provisions of HWM Rules and no documentary were shown regarding establishment year of the unit. (5) Closure directions u/s 31(A) & 33 (A) : issued on 26.03.10. Refusal of consent to establish was also issued on same date. Unit has submitted its representation Afresh CTE application submitted by the unit on 12.04.10. As decided by the CMC (O) in its meeting held on 26.05.10, CTE was issued on 30.06.10. EARLIER CMC DECISION In Earlier CTE	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	05-07-2012 Consent to Operate and Authorization under HWM Rules granted.

[illegible]

								the unit to apply for authorization under HWM Rules as the unit is operational. Also ask the unit to install ETP before undertaking plate making activity		
18	DPCC/EC/2/1/2012/1679 21-05-2012	LALLY AUTOMOBILES PVT. LTD . D-196,PH-1 OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	SERVICING OF CARS UNIT. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day		18-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated07.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 24.06.2009, SCN for refusal was issued on 15.07.09. Unit has submitted its reply on 29.07.09 along with affidavit & fresh adequacy report of ETP. EARLIER CMC DECISION 16.03.2009 Ask the unit to file permission from Central Ground Water Authority for extracting the ground water and submit adequacy report of ETP with details of waste water connected from the other units from any of the empanelled consultants of DPCC. Call on 29.04.2009. 11.05.2009 Issue final reminder for full compliance of earlier CMC decision with direction to seek permission for ground water extraction from DJB in view of new orders. Call on 24.06.2009 24.06.2009 Issue SCN for refusal of consent. Call on 26.08.2009	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	05-07-2012 Consent to Operate and Authorization under HWM Rules granted.
19	DPCC/EC/2/1/2012/1689 22-05-2012	JOLLY ENGINEERING WORKS E-43, GT KARNAL ROAD, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	BUFFING AND DRY POLISHING MATERIAL BUILDER HARDWARE Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 459 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 07.03.2009 issued by DCE submitted. (b) Stack monitoring report dated 22-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.

21	DPCC/EC/2/1/2012/1698	T & T MOTORS LTD. 29, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	AUTOMOBILE WORKSHOP CUM SERVICE STATION Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day		22-06-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated .Aug, 2008 issued by Jamia Milia submitted. (b) Effluent analysis report dated 22-05-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	05-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
22	DPCC/EC/2/1/2012/1701	NIHARIKA PLASTIC IND PLOT NO-160, SEC-2, PKT-N, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC GRANULES WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 500 liters/day		18-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 07.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 31-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: NIL	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Establish and Consent to Operate.	05-07-2012 Consent to Establish and Consent to Operate granted.
23	DPCC/EC/2/1/2012/1703	RAJPAL HOSIERY SCORPION IRON & STEEL (P) LTD A-135, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF S.S. SHEETS UTENSILS (WITH BUFFING). Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		20-06-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Cyclone (a) AR dated 7.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.

								monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :		
24	DPCC/EC/2/1/2012/1705 24-05-2012	ARYA UDYOG 100, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Spices Mfg. / Grinding. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 225 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		20-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 16-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 29.03.03 (A) the unit has a DG set of 10 KVA without acoustic enclosure and in affidavit 3 KVA DG set is mentioned. (B) Unit found in operation at the time of inspection.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Renewal of Consent to Operate.	05-07-2012 Renewal of Consent to Operate granted.
25	DPCC/EC/2/1/2012/1708 24-05-2012	SINGLA AGENCIES B-1 EXTENSION, A-41 MOHAN CO-OPERATIVE INDL. AREA	Mohan Co-operative Industrial Area	Orange Operate	SERVICE AND WASHING OF TWO WHEELERS AUTOMOBILES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 7000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 6000 liters/day		20-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated26.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 29.12.11, CTE was issued on 16.01.12. EARLIER CMC DECISION 29-12-2011 Issue consent to establish	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	05-07-2012 Consent to Operate and Authorization under HWM Rules granted.
26	DPCC/EC/2/1/2012/1714 24-05-2012	SIKKA AUTOMOBILE PVT. LTD. PLOT NO 88 B/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Servicing of Automobiles. Automobile Servicing And Repair Station With Washing Activity			22-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted. (b) Effluent analysis report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	05-07-2012 Consent to Operate and Authorization under HWM Rules granted.

[illegible]

							ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 29.12.11, CTE & letter were issued on 18.01.12. EARLIER CMC DECISION 29-12-2011 Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated.		
31	DPCC/EC/2/1/2012/1738 28-05-2012	BAWA FRUIT PRODUCTS B-25, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MANUFACTURING AND SALES OF FOOD PRODUCT. Jam, Jellies And Fruit Preserves, Citrus Fruit Concentrated, Vinegar, Tomato Ketchup And Vegetable Sauce Etc Pickles, Chutney & Murabba	• Date of commissioning of project ---- • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 800 liters/day	19-06-2012 (1)ETP: Physio-chemical (a) AR dated 9.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection conducted on 18.12.2010. Accordingly SCN u/s 33 (A) & u/s 31 (A) issued on 08.08.2011. Unit submit its representation on 23.08.2011. (5) An again Inspection conucted on 13.12.2011 during the inspection following were observed: (a) Unit found operational engaged in the activity of mfg. or sales of food products like sirca onion or sharbat. (b) Unit has been installed the ETP plant to treat discharge generated from the activity but same was not in operation as informed that same work is pending due to which they are not operating. (c) Two brick massonry furnaces were exists in the unit but as informed and approval they are not using it. (d) A DG set of 7.5 KVA found installed without acoustic and inadequate stack height found installed. Unit submit its representation on 04.01.2012 & 14.03.2012. Another Inspection conucted on 14.05.2012 during the inspection following were observed: (a) Unit found operational engaged in the activity of mfg. of vinegar & syoup. (b) Unit installed the ETP and found in operational condition.	Decision / Recommendation of Screening Committee on 25-06-2012 Recommended for grant of Consent to Operate.	05-07-2012 Consent to Operate granted.
32	DPCC/EC/2/1/2012/1739 28-05-2012	SUBHASH SALES PVT LTD B-34 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	PASTEURIZED MILK AND ITS PRODUCTS. Milk Processing and Dairy Products (Intergrated	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 600 liters/day	19-06-2012 (1)ETP ---- Physico-chemical (a) AR dated 09.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 25-06-2012 Inspection be conducted.	05-07-2012 Inspection be conducted.

[illegible]

								04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes		
38	DPCC/EC/2/1/2012/1763 <									