



CONSENT MANAGEMENT

Agenda No. 2 - Annexure I - 72 cases of Consent to Operate and Renewal of Consent to Operate under orange category w.e.f.31.12.2011 to 01.12.2011 (in reverse chronology) excluding the cases re-development areas recommended by Screening Committee as (2b category) on 22.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2011/84 21-11-2011	OKAYA POWER LIMITED H-19, UDYOG NAGAR, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	TRADING AND BATTERY CHARGING. Batteries (Lead Acid) And Accessories	- Date of commissioning of project ---- 01-01-1988 - Built Up Area ---- 1182.143 (in sq. meter) - Water Consumption ---- 4000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 3500 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 08-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 09.06.2011 (5) SCN u/s 31(A) & 33 (A) issued on 24.08.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision on 19.12.2011 Unit be asked to submit the details of waste water generation on an affidavit and adequacy report and effluent analysis report of ETP.	22-05-2012 Inspection be conducted and thereafter put up administratively.
2	DPCC/EC/2/1/2011/86 21-11-2011	TRANSCORE INDS E-290, SEC-4, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF ELECTRICAL STAMPING AND LAMINATION CORE AND PLASTIC ELECTRICAL ACCESSORIES. Plastic Processed Goods	- Date of commissioning of project ---- 28-09-2004 - Built Up Area ---- 403 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
3	DPCC/EC/2/1/2011/89 21-11-2011	FOUJI JAIN PLASTIC F-3, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	plastic dana and plastic products. Manufacturing of PVC Granules and Other Injection			26-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

					Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
4	DPCC/EC/2/1/2011/90 21-11-2011	LAXMI PLASTIC UDYOG A-67, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA, G. T. KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	PVC/PLASTIC PRODUCTS (POLYTHENE TUBES). Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - channelization system not provided over Extruder m/c (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material and without mfg. of plastic bags.
5	DPCC/EC/2/1/2011/102 22-11-2011	CAPITAL PRESS A-49/2, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Offset Printing. Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1900 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		16-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Consent to Operate and Authorization under HWM Rules granted.
6	DPCC/EC/2/1/2011/107 22-11-2011	SHAKTI ENTERPRISES B-4,MANGOLPURI INDUSTRIAL AREA, PHASE-II	Mangolpuri Industrial Area	Orange Renewal	Manufacturing of Plastic Components of Water Heater. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2) Channalization system not provided over injection moulding machine (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
7	DPCC/EC/2/1/2011/108	SHAKTI ENTERPRISES	Mangolpuri Industrial Area	Orange Renewal	Manufacturing of Plastic Components of			09-05-2012 (1)ETP ---- N/A (2)ECS - Channelization system not	22-05-2012 Renewal of Consent to Operate granted

	22-11-2011	B-5, PH-II, MANGOLPURI INDUSTRIAL AREA			Water Heater. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		provided over Injection moulding m/c (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	without using plastic scrap as a raw material.
8	DPCC/EC/2/1/2011/110 22-11-2011	ATUL CABLE CO. 1/421, GALI NO. 6, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	Mfg. of PVC Wire and Cable. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 92.9 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...1... (a)Noise monitoring report of - 62.5-KVA dated - 18.11.2011 - issued by - Delhi College of Engineering- submitted and noise levels are within limit. Old files of the case are not traced out	22-05-2012 Renewal of Consent to Operate granted.
9	DPCC/EC/2/1/2011/114 22-11-2011	VIJAY SARDANA D-29, DSIDC NANGLOI INDUSTRIAL AREA, ROHTAK ROAD, NANGLOI	Nangloi Industrial Area	Orange Renewal	PVC/Plastic Goods by Injecton Moulding Machine. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 108 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day		19-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
10	DPCC/EC/2/1/2011/91 22-11-2011	PRAKASH CHAND PREM CHAND JAIN B-69/3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG OF ELECTRIC WIRE AND CABLES AND STAMPING. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 250 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - channelization system not provided over extruder m/c. (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted.
11	DPCC/EC/2/1/2011/92 22-11-2011	R.C. ELECTRICALS A-53, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	Copper Wire Drawing. Wire Drawing (Without Pickling/ Galvanizing)			09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	22-05-2012 Renewal of Consent to Operate without pickling and galvanizing and Authorization under HWM Rules granted.

						• Date of commissioning of project ---- • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day			
12	DPCC/EC/2/1/2011/93 22-11-2011	MAHESHWARI POLYMERS A-47, DDA SHED, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG OF PVC COMPOUND (PVC GRANULES). Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 239.68 (in sq. meter) • Water Consumption ---- 240 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
13	DPCC/EC/2/1/2011/121 23-11-2011	NIPPON PAINT (INDIA) PRIVATE LIMITED 170, F.I.E. PATPAR GANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	COLOUR DEVEOPMENT AND TRAINING (WITHOUT WASHING). Paint (By Mixing Process Only) Except Nitrocellulose and Alkd Resin Based Paints	• Date of commissioning of project ---- • Built Up Area ---- 650 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 750 liters/day (b) Trade Effluent ---- 0 liters/day		22-12-2011 (1)ETP ---- N/A (2)ECS - Channelization installed (3)D.G.Set: Nil (4) Inspection details:Yes, on dated 4.11.2011 and it was found that relevent machinery to produce auto paints was available.No measures for hazardous waste was taken.Unit in operation. (5) SCN u/s 31(A)/33(A)/5 of EPA details :Yes on dated 13.12.2011. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :not yet. (7) the activity of the unit falls under negative/ prohobited category for which earlier CTE / CTO have already been refused.Now the unit says that they will not produce nitrocellulose/ alkide resin based automotive paints.	22-05-2012 Inspection be conducted and thereafter put up administratively.
14	DPCC/EC/2/1/2011/124 23-11-2011	A.P. EXPORTS K-53, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	MFG AND PACKING OF REDYMADE GARMENTS WITHOUT WASHING Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		27-04-2012 (1)ETP ---- N/A (2)ECS - Electric Boiler. (3)D.G.Set: 62.5 KVA, NMR submitted dated 11.11.2011 (4) Inspection details:No (5)SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act issued to the unit on 19.07.2011. Earlier CMC Decision Decision on 04.03.2011 Inspection be conducted. Decision on 23.05.2011 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act and u/s 33 (A) of the Water Act. Decision on 08.09.2011 Ask the unit to apply for consent to establish under orange category in view of existence of electric boiler.	22-05-2012 Consent to Operate granted.

[illegible]

							(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
19	DPCC/EC/2/1/2011/152 25-11-2011	HARDIK POLYMERS PVT.LTD. J-24, UDYOG NAGAR INDUSTRIAL AREA ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	MFG. OF SHOE MAKING (FOOTWEAR). PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 500 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	25-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Renewal of Consent to Operate granted.
20	DPCC/EC/2/1/2011/170 30-11-2011	AVON COPY HOUSE T-4/24, MANGOLPURI INDUSTRIAL AREA PHASE-I	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-05-2012 Renewal of Consent to Operate granted.
21	DPCC/EC/2/1/2011/171 30-11-2011	GOEL UDYOG T-1/117, PHASE I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR (WITHOUT USE OF SCRAP). PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 300 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted.
22	DPCC/EC/2/1/2011/172 30-11-2011	DELITE SALES PVT. LTD A-5, PH-II MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 400 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)Channelization system is not provided over injection moulding machine. (3)D.G.Set: ...Nil... (4) Inspection conducted on 20.01.2011 and it is observed that:- - ECS was not installed and D.G Set found without adequate stack height. - Mixing process is highly inflameable & activity of polyurethane form is falls under prohibited list of MPD 2021. (5) SCN u/s 31(A) issued on 25.02.2011 Unit submitted its reply on 16.03.2011 A letter issued to the unit for submission of bank gurantee of Rs 50,000/- & affidavit on 18.05.2011. Unit submitted its reply on 06.07.2011along with photographs of stack height and submitted bank gurantee. (6) Closure directions u/s 31(A)/33(A)/5	22-05-2012 Inspection be conducted and thereafter put up administratively.

								of EPA details :no Decession taken on 14.09.2011. Period of three year for which consent fee was submitted already expired. Ask the unit to apply for fresh renewal of consent immediately. Letter issued to the unit for in compliance of decesion taken	
23	DPCC/EC/2/1/2011/173 30-11-2011	MINI MAX INDUSTRIES F-28, DSIDC NANGLOI INDUSTRIAL AREA	Nangloi Industrial Area	Orange Renewal	plastic products (household items). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 148 (in sq. meter) - Water Consumption ---- 50 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		17-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
24	DPCC/EC/2/1/2011/174 30-11-2011	ANAND SWAROOP GUPTA T-4/24, PH-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG. OF PVC FOOTWEAR AND PVC COMPOUND. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS -channelizatin system not provide over injection moulding m/c. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
25	DPCC/EC/2/1/2011/176 30-11-2011	BOTHRA INDUSTRIES X-25, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF PLASTIC TUBES AND FILMS (WITHOUT PLASTIC BAGS). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 529.54 (in sq. meter) - Water Consumption ---- 320 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 270 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 18-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	22-05-2012 Renewal of Consent to Operate without mfg. of plastic bags granted.
26	DPCC/EC/2/1/2011/177	KAPUR RUBBER INDUSTRIES A-4, PH-II,	Mangolpuri Industrial Area	Orange Renewal	Mfg. of PVC Plastic and EVA Chappals.			21-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2	22-05-2012 Renewal of Consent to Operate granted.

	30-11-2011	MANGOLPURI INDUSTRIAL AREA			PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 1600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		a) The unit has 2 D.G. Set(s) of 140 KVA and 125 KVA. Noise monitoring report dated 29-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 125 & 125 KVA. Noise monitoring report dated 10-06-2008 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no unit applied for CTO_R vide id no.28281 on 03.12.2008.	
27	DPCC/EC/2/1/2011/182 01-12-2011	LAAJ INTERNATIONAL A-2, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF READYMADE GARMENTS WITHOUT WASHING, DYEING AND BLEACHING. Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 476 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 24.11.2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 28.07.2011, during the inspection one steam generator found installed with adequate stack height. (5) SCN for refusal of consent issued on 19.10.2011. EARlier CMc Decision 01.02.2010 Ask the unit to clarify regarding non existence of the units to whom the unit has informed to have outsourced the washing. 06.05.2010 Inspection be conducted. Decision on 16.07.2010 Inspection be expedited. Decision on 07.10.2010 Issue SCN for refusal of consent and SCN u/s 33(A) of the Water Act on the basis of tne findings of inspection. Decision on 23.05.2011 Inspection be conducted after serving the notice for inspection. Decision on 08.09.2011 Issue SCN for refusal of consent in view of the existence of electric boiler which falls under Orange category. ATR/ Remarks Earlier SCN for refusal of consent issued on 19.10.2011 as the activity comes under orange category due to existance of boiler. Plot area: 476 sq. yards Year of commencement:2002 Trade effluent: Nil	22-05-2012 Consent to Operate granted.

							of EPA details :no	
36	DPCC/EC/2/1/2011/242	SHRI METAL CONTAINERS 231-232, DSIDC COMPLEX, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Mfg. of Small Steel Drum. Spray Painting, Paint Baking, Paint Stripping	- Date of commissioning of project ---- - Built Up Area ---- 300 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 20-10-2011 issued by DPCC submitted.	22-05-2012 Consent to Operate and Authorization under HWM Rules granted.
37	DPCC/EC/2/1/2011/244	GORAMAL HARI RAM LTD. 39, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MFG. OF SOAP, DETERGENT CAKE POWDER, SCOURING POWDER AND BAR WITHOUT TRADE EFFLUENT DISCHARGE. Soap, Detergent Cake and Powder, Scouring Power and Bar (W/O Trade Effluent)	- Date of commissioning of project ---- - Built Up Area ---- 2000 (in sq. meter) - Water Consumption ---- 4000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day	24-04-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 300 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 20 KVA. Noise monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 26.05.2009 and following were observed: 1.) Outer insulation of some of the equipment need to be restructured. 2.) used oil storage containers/ tankers were kept in open area and that needs to be covered. 3.) waste water channels containing alkaline constituents used for making soaps to be disconnected from storm water channel. 4.) one borewell found existing at site	22-05-2012 Inspection be conducted and thereafter put up file administratively.

[illegible]

	09-12-2011	C-124-B, PHASE-II MAYAPURI INDUSTRIAL AREA	Area		ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 78 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 175 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Renewal of Consent to Operate granted without using plastic scrap as a raw material.
41	DPCC/EC/2/1/2011/258 09-12-2011	POOJA PLASTO COLOUR PVT. LTD. A-96/9 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	PLASTIC MASTERBATCHES (LDPE AND PP). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
42	DPCC/EC/2/1/2011/260 09-12-2011	PAWAN STEELS E-23, S.M.A INDUSTRIAL AREA ,G.T.KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	HOT ROLLING OF S.S. SHEET. Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 09- 11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	22-05-2012 Renewal of Consent to Operate granted.
43	DPCC/EC/2/1/2011/266 12-12-2011	RAJ KUMAR H-1271, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MFG. OF PVC GOODS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2) channelization system is not provided over injection moulded machine. (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
44	DPCC/EC/2/1/2011/270	EQUAL PLASTICS K-26, SECTOR-2,	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC DANA.			09-05-2012 (1)ETP ---- N/A (2)ECS -Stack provided over extruder	22-05-2012 Consent to Operate granted with the

	12-12-2011	DSIDC, BAWANA INDL. AREA			Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 0 liters/day	and grinding m/c (b) Stack monitoring report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	condition to channelize the process emissions by hood and suction arrangement with stack of 11 meter height and emissions have to conform limits of particulate matters of 150 mg/NM3 and Hcl mist of 35 mg/NM3.
45	DPCC/EC/2/1/2011/276 12-12-2011	JAGAN PRASHAD SHED NO. 2, B-45, JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	MFG. OF PVC GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Dated 20.11.10 and it was observed that: a) the unit was operating without obtaining CTE & CTO from DPCC. b) The unit is engaged in the activity of mfg. of PVC granules and have not provided chanelization system/ emission control system thereby causing the air pollution. (5) SCN u/s 31(A) of Air Act issued on 21.03.11. However, no reply has been recieved from the unit. (6) Closure directions u/s 31(A)/33(A) was issued on 22.11.11. Unit has submittd its reply on15.12.2011 informing that they have taken the anti pollution control measures by providing channelization and a stack. Further the unit has also stated that they will apply for CTE/CTO after getting monitoring report. As approved, temporary revocation of closure direction issued on 19.04.2012 for 45 days for submission of stack monitoring report from approved laboratory of DPCC. Unit has mentioned in its CTO application that the channelization with exhaust system has been provided for process emissions but the unit has not submitted stack monitoring report from	22-05-2012 Consent to Operate refused. Ask the unit to apply afresh for consent to operate as reprocessing of plastic is involved.

								dated 16.08.2010 for the pit furnace and copper rolling with the condition that rolling capacity shall be less than 25 MT/day.	
49	DPCC/EC/2/1/2011/312 15-12-2011	NEW BHARAT ELECTRICAL WORK PLOT NO.-7, POCKET-M, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF LT PANEL BOARD (ELECTRICAL GOODS). Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 120 (in sq. meter) - Water Consumption ---- 160 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
50	DPCC/EC/2/1/2011/313 15-12-2011	VACUUM METALLISING INDUSTRIES (P) LTD 4/1, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	VACUUM METALLISING. Vacuum Metalising	- Date of commissioning of project ---- - Built Up Area ---- 80 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 12-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	22-05-2012 Renewal of Consent to Operate without trade effluent discharge and Authorization under HWM Rules granted. Subsequently, inspection be conducted.
51	DPCC/EC/2/1/2011/323 16-12-2011	RIAZUDDIN GHASUDDIN T-4/67, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MANUFACTURING OF PVC FOOTWEAR AND REXENE MADE UPPER. PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- 01-01-1995 - Built Up Area ---- 203.4 (in sq. meter) - Water Consumption ---- 125 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted.
52	DPCC/EC/2/1/2011/327 16-12-2011	BONNE SALES PVT. LTD. E-27 SMA INDUSTRIAL AREA	S.M.A Industrial Area	Orange Operate	MFG. OF BABY FEEDING NIPPLES AND PLASTIC CAPS. Plastic Processed Goods	- Date of commissioning of project ---- - Built Up Area ---- 540 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5	22-05-2012 Consent to Establish and Consent to Operate granted with the condition that unit will comply with the prescribed standards as per the latest notification.

							of EPA details :no	
53	DPCC/EC/2/1/2011/333	PREMIER COMPONENTS 55, PHASE-III, OKHLA INDUSTRIAL ESTATE 19-12-2011	Okhla Industrial Estate	Orange Renewal	MANUFACTURE OF BICYCLE PARTS. Expanded Metal with Hot Process	• Date of commissioning of project ---- • Built Up Area ---- 567 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day	30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 10-12-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 10-12-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - Yes As decided by the CMC(O) in its meeting held on 27.09.06, CTE issued on 03.10.06. EARLIER CMC DECISION 27.09.06 (In CTR File) Consent granted with condition that NMR of DG set shall be submitted within 2 months.	22-05-2012 Renewal of Consent to Operate without trade effluent discharge granted.
54	DPCC/EC/2/1/2011/335	KISHORE ENGINEERING WORKS PLOT NO.-247, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA 19-12-2011	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC AND PVC PRODUCT AND ENGINEERING WORKS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	10-05-2012 (1)ETP ---- N/A (2)ECS - channelization system is not provided over injection moulding machine. (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
55	DPCC/EC/2/1/2011/351	DINESH INDUSTRIES PLOT NO. 261, SECTOR-1, POCKET-OBAWANA INDUSTRIAL AREA 19-12-2011	Bawana Industrial Area	Orange Operate	PLASTIC MOULDED ITEMS. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2) Channalization system is not provided with injection moulding machine (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.
56	DPCC/EC/2/1/2011/361	PLASTICA INDUSTRIES (REGD) M-222, POKET-J, SEC-1, DSIDC BAWANA INDUSTRIAL AREA 20-12-2011	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCT. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	10-05-2012 (1)ETP ---- N/A (2)ECS - channelization system is not provided over injection moulding machine. (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA	22-05-2012 Consent to Operate granted without using plastic scrap as a raw material.

								details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
57	DPCC/EC/2/1/2011/372	SURYA EXPORTS D-14/3, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF COTTON MADE HOME FURNISHINGS (WITHOUT WASHING AND DYEING). Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 1572 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 40 KVA (not in use) and 70 KVA. Noise monitoring report dated 17-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-05-2012 Consent to Operate granted without trade effluent discharge.
58	DPCC/EC/2/1/2011/377	FANCY CLEANING & DYEING HOUSE PLOT NO. B-2673, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF PVC AND PLASTIC PRODUCT (INJECTION MOULDING). Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2) channelization is not provided over injection moulding machine. (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
59	DPCC/EC/2/1/2011/384	GOEL PLASTICS 340/39-A, ST. NO.1B, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG. OF PVC COMPOUND AND PVC WIRE AND CABLE. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:conducted on 12.02.09 & following were observed: (A) Unit found operating and engaged in Mfg. of PVC compounds and dana at the ground floor of premises. (B) no DG set found. (C) 3 exhaust provided at the processing site. (D) Ground water drawn through boring and is used for cooling process, sometimes water discharged into drain after recycling. As decided by the CMC (O) in its meeting held on 16.02.09, letter was issued on 22.04.09. Unit has submitted its reply on 12.05.09 along with the affidavit indicating the manufacturing process & product being manufacture. Reminder letter (decision of CMC (O) dated 17.06.09) not issued as the unit has submitted its reply. EARLIER CMC DECISION 16.02.09 Ask the unit to submit an affidavit clearly indicating whether they are complying	22-05-2012 Renewal of Consent to Operate granted.

[illegible]

	26-12-2011	INDUSTRIAL AREA			GOODS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		(5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
64	DPCC/EC/2/1/2011/393 26-12-2011	G.D. POLYMERS PVT. LTD. K-39, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Renewal	MFG. OF ALL KINDS OF FOOTWEAR INCLUDING LEATHER FOOTWEAR (WITHOUT TANNING). Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		24-04-2012 (1)ETP ---- N/A . (2)ECS - N/A . (3)D.G.Set: ...N/A... (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Renewal of Consent to Operate granted.
65	DPCC/EC/2/1/2011/421 29-12-2011	PAYAL POLYCOMPOUNDS PVT LTD C-7,S.M.A INDUSTRIAL AREA, G T KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	MANUFACTURING OF P.V.C. COMPOUNDS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 650 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 600 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)Channelization system not provided over injection moulding m/c. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 10-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
66	DPCC/EC/2/1/2011/422 30-12-2011	TEKNOBYTE INDIA PVT. LTD PLOT NO.-10, POCKET-D, SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PET PERFORM. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - Channalization system is not provided with injection moulding machine (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
67	DPCC/EC/2/1/2011/425 30-12-2011	SIDDHARTHA EXPORTS PVT. LTD. A-72 & 72/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF SWEETS AND NAMKEENS. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Renewal of Consent to Operate granted.	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Stack analysis report dated - 12.10.2011 issued by DTU submitted.	22-05-2012 Renewal of Consent to Operate granted.
68	DPCC/EC/2/1/2011/429 30-12-2011	A.R. ENTERPRISES 69/2A, NAJARGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	COPPER WIRE DRAWING. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 214 (in sq. meter) • Water Consumption ---- 140 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		23-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	22-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
69	DPCC/EC/2/1/2011/431 30-12-2011	RAGHUBIR SINGH & CO. 308/9, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	COPPER WIRE DRAWING. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 140 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
70	DPCC/EC/2/1/2011/442 30-12-2011	RAJESH COLD STORAGE B-70, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Cold Storage. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		29-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	22-05-2012 Renewal of Consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
71	DPCC/EC/2/1/2011/447 30-12-2011	VIAADI INTERNATIONAL B-25/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Fishing Hooks. Manufacturing of Fishing Hooks using Electric Oven			30-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100	22-05-2012 Renewal of Consent to Operate granted.

						• Date of commissioning of project ---- • Built Up Area ---- 650.32 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		KVA. Noise monitoring report dated 18-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	
72	DPCC/EC/2/1/2011/448 30-12-2011	SAGAR STEEL INDUSTRIES A-18, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ANNEALING OF S.S. SHEETS. Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		04-05-2012 (1)ETP ---- N/A (2)ECS -no (b) Stack monitoring report dated 15-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Consent to Operate granted.