



CONSENT MANAGEMENT

Agenda No. 2 - Annexure II - 38 cases of Consent to Operate and Renewal of Consent to Operate under orange category w.e.f.31.12.2011 to 01.12.2011 (in reverse chronology) excluding the cases re-development areas recommended by Screening Committee as (2c category) on 22.05.2012

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2011/106 22-11-2011	SHIV SHAKTI ROLLER FLOUR MILLS (A UNIT OF KOLAR CATALYST DESIGNS PVT. LTD.) A-11, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	Flour Mills. Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 482 (in sq. meter) - Water Consumption ---- 1000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		10-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 14.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 14-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Recommended for grant of Consent to Operate.
2	DPCC/EC/2/1/2011/94 22-11-2011	DIVYA JEWELLERS PVT. LTD. X-34/33, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	manufacturing of jewellery. Electroplating Industries	- Date of commissioning of project ---- - Built Up Area ---- 1135.23 (in sq. meter) - Water Consumption ---- 3450 liters/day - Ground Water ---- 2500 liters/day - Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 600 liters/day		09-05-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedAugust,2008..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 08-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 40 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 31.05.06 & following were observed:	22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							(A) Unit found in operation and engaged in the manufacturing of jewellery with plating. (B) ETP found in operation. (C)Wet sludge observed in the filter press. (D) Dry sludge (approx 2500 kg) found stored in leak proof container. As decided by the CMC (O) in its meeting held on 12.02.10/15.02.10, CTE was issued on 12.03.10 Unit has submitted a representation on 07.12.11 along with the copy of CGWA registration. EARLIER CMC DECISION 05.11.2008 As per CTE application, unit has to install ETP for 650 lt effluent discharge. However, unit has installed ETP of 200 lt/day capacity which is insufficient to treat the total quantity . There are some deficiencies advised by the consultant in adequacy report. Ask the unit to rectify all the deficiencies. Call on 17.12.2008 04.03.09 Ask the unit to file affidavit for correction of deficiencies and permission from CGWA clearance. Call on 22.04.09 03.06.09 Issue reminder. Call on 22.07.09 12.02.10/15.02.10 Issue Consent to Establish.	
3	DPCC/EC/2/1/2011/95 22-11-2011	KUMAR METALS PVT. LTD A-70, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	COPPER WIRE DRAWING AND ENAMELED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 530 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated June,2008 issued by GGSIPU submitted. (b) Stack monitoring report dated 29-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-09-2011 issued by DPCC submitted.	22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
4	DPCC/EC/2/1/2011/99 22-11-2011	BAFNA METALS PVT. LTD. A-70, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	COPPER WIRE DRAWING AND ENAMELED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 230 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated June 2008 issued by GGSIU submitted. (b) Stack monitoring report dated 29-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1	22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by the CMC(G) in its meeting held on 14.09.2011, revocation of earlier CTE & CTO and reminder for submission of Bank Gaurantee under Air Act, Water Act and HWM Rules was issued on 31.10.2011. Unit has submitted its reply on 14.11.11 requesting for some time to submit the above said Bank Guarantee. Unit has submitted above said Bank Guarantee under Water Act, Air Act & HWM Rules. EARLIER CMC (O)DECISION 14.09.11 (In CTE File) Earlier CTE & CTO revoked. Ask the unit to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules. If unit submit Bank Gaurantee CTE be issued.	
12	DPCC/EC/2/1/2011/187 01-12-2011	OM PRAKASH GUPTA ASSOCIATES A-10, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	FLOUR MILL. Flour Mills	- Date of commissioning of project ---- 01-01-2000 - Built Up Area ---- 280 (in sq. meter) - Water Consumption ---- 250 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 28.02.2009 issued by DCE submitted. (b) Stack monitoring report dated 23-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: .nil	22-05-2012 Recommended for grant of Renewal of Consent to Operate.
13	DPCC/EC/2/1/2011/204 02-12-2011	J.J. FOODS PRIVATE LIMITED B-21, LAWERANCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	FLOUR MILL DALL AND BESAN MILL. Dal Mills Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 650 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 300 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-05-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 29.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil 4) Inspection was conduted on 27.01.2011 and following were the observation:- - Unit not found in operation as installation of equipments w.r.t. floor mills under process. - As informed, Unit will start its operation after 3-4 month. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5	22-05-2012 Recommended for grant of Consent to Operate.

16	DPCC/EC/2/1/2011/222	SUNIL DALL MILLS C-11/5, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Dall Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 450 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 29.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Recommended for grant of Renewal of Consent to Operate.
17	DPCC/EC/2/1/2011/223	NEW NIRANKARI OIL AND GENERAL MILL B-40/3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	10-05-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 16.07.2008 issued by DTU submitted. (b) Stack monitoring report dated 21-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. ((4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Recommended for grant of Renewal of Consent to Operate.
18	DPCC/EC/2/1/2011/255	GURU BEVERAGES PVT. LTD A16, NARAINA INDUSTRIAL AREA PHASE-1	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF DRINKING WATER AND DRINKING SODA. Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 15350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	07-05-2012 (1)ETP ---- N/A (b) Effluent analysis report dated 05-12-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: yes conducted on 03.02.2012 during the inspection one boring exist at site. the Raw Water is	22-05-2012 Recommended for inspection.

							obtained through tankers. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Earlier CMC Decision Decision on 20.10.2009 Issue Consent to Establish. Subsequently, inspection be conducted. Decision on 23.03.2010 Ask the unit to apply for consent to operate.	
19	DPCC/EC/2/1/2011/290 13-12-2011	SATISH KUMAR C-38, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING ON UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 28.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit -yes . (3)D.G.Set: nil (4) Inspection details:conducted on 19.12.2011 during the inspection following were observed: (a) Unit found operational engaged in the activity of buffing on S.S. utensils of IIIrd floor at the premises. Unit has been installed the emission control system (ECS) and same was found in working condition with adequate stack height. (b) Other unit namely M/s Vishal Metal Company operating at Ist and IInd floor of the premises engaged in the activity of mfg. of S.S utensils without buffing. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-05-2012 Recommended for grant of Consent to Operate.
20	DPCC/EC/2/1/2011/293 14-12-2011	N.R. INDUSTRIES A-28, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	COPPER WIRE DRAWING AND SUPER ENAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	09-05-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 19-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 12-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							(4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
23	DPCC/EC/2/1/2011/318 15-12-2011	SPLASH WATER RIDES (RUN BY SAGU DREAMLAND PVT.LTD. MAIN G.T.KARNAL ROAD NEAR PALLA MORE,ALIPUR	NORTH WEST	Orange Operate	WATER PARK. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- 01-01-2004 - Built Up Area ---- 1012 (in sq. meter) - Water Consumption ---- 62000 liters/day - Ground Water ---- 12000 liters/day - Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 8000 liters/day	10-05-2012 (1)ETP ---- Biological treatemnt (a) AR dated17.10.2011 issued by DTU submitted. (b) Effluent analysis report dated 17-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes (4) Inspection details:29.10.2010 Temporary revocation of closure direction u/s 33 and 31 issued on 15.07.2011.	22-05-2012 File be put up administratively.
24	DPCC/EC/2/1/2011/319 15-12-2011	ALL HEAVENS WEST (A UNIT OF KESARI HOSPITALITY PVT. LTD.) J 2/14, B.K. DUTTA MARKET, RAHOURI GARDEN	WEST	Orange Operate	RESTAURANT AND BANQUET HALLS. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	- Date of commissioning of project ---- - Built Up Area ---- 420 (in sq. meter) - Water Consumption ---- 4500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 2200 liters/day	08-05-2012 (1)ETP ---- physico-chemical (a) AR dated 18.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 08-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA KVA. Noise monitoring report dated 24-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	22-05-2012 Recommended for grant of Consent to Operate.

	16-12-2011	PVT. LTD. E-655-656, DSIDC NARELA INDL. AREA	Industrial Area	Operate	MASALA. Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 375 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated issued by submitted. (b) Stack monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 08.09.2011 during the insoection following were observed: (a) Unit found operational engaged in mfg. of tobacco products, gutka, pan masala with paper foil packaging only. No multilayer plastic packaging carried out. (b) ECS installed work is going on, to control the process emission generated. (c) DG sets fond with acoustic enclosure & adequate stack height. (d) One bore well connection exists. (5) SCN u/s 31(A) issued on 01.07.2011. (6) Closure directions u/s 31(A) issued on 07.10.2011 An again inspection conducted on 29.11.2011 during the inspection following were observed: (a) Unit found operational engaged in the activity of Mfg. of Tobacco product, Guthka, Pan Masala. (b) ECS found installed with working condition. (C) Sample of each brand collected, No plastic pouch observed. (d) One borewell connection exists. SCN u/s 21/22 & 25/26 issued on 03.01.2012 for without obtaining prior consent to operate from DPCC. Unit submitted its reply on 18.01.2012 along with an affidavit and receipt of CTO application.	File be put up administratively.
29	DPCC/EC/2/1/2011/326	DELHI TRANSPORT CORPORATION DICHAON KALAN	SOUTH WEST	Orange Renewal	BUS REPAIR AND WASHING. Automobile			08-05-2012 (1)ETP ---- physio chemical (a) AR dated 25.11.2011 issued by Delhi Technological University submitted.	22-05-2012 Recommended for grant of Renewal of Consent to Operate and Authorization

									c) M/s SUPREME IMPEX engaged in Mfg. of readymade garments w/o washing As decided by the CMC(G) in its meeting held on 27.11.09, CTO issued on 23.12.09 EARLIER CMC DECISION 27.11.09 (In Green File) Issue consent to operate	
--	--	--	--	--	--	--	--	--	--	--