



DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /6th Meeting / 2016/ 4749-53 Dated: 6.7.16

Subject: Minutes of the **6th Meeting of the Committee for II (b) Category Cases** headed by Member Secretary, DPCC, held on **04.07.2016**, in the conference room of DPCC at 5th Floor , ISBT Building, Kashmere Gate , Delhi -06

Please find enclosed herewith the Minutes of the **6th Meeting** of the aforementioned Committee, held on **04.07.2016**, in the conference room of DPCC at 5th Floor , ISBT ISBT Building, Kashmere Gate , Delhi -06

Concerned Engineers are required to take necessary action as per the decisions taken by the Committee.

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

- 1.PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
- 2.In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .

(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 6th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Waste Rules, held on 04.07.2016, in the conference room of DPCC, at ISBT, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

Agenda Item No 1: Remaining Pending Cases of Consent to Operate/Renewal of the period 01.07.2015 to 31.12.2015.

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur/Rangpuri area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and list of 104 no. of units including decisions taken in these cases are at Annexure I.

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.

It was decided to take up cases of the units where source of water is ground water/having borewell/tubewell (without having permission from DJB/NDMC/CGWA) and/or taking water from private water supplier, later on, since some policy decisions are to be taken in such cases.

In view of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, notified by Ministry of Environment, Forest and Climate Change on 04.04.2016, the Committee decided that inspection be carried out in respect of the units generating hazardous waste as per said Rules, before placing such cases in the meeting of the Committee. In one case namely M/s Car Care Centre, Lodhi Road, Near Ispat Bhawan, New Delhi engaged in the activity of Filling cum Service Station of Cars (ID No. 11905 dated 29.09.2015) though authorization under the said Rules have been granted however to be issued after conducting the inspection w.r.t. hazardous waste management and if found satisfactory.


Since decisions are taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists. The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(Dr. Chandra Prakash)
SEE, CMC-I



(D.K. Singh)
SEE, CMC-II


(M. Anif)
SEE, CMC-V


(Satender Kumar)
SEE, CMC-III & IV



(D.K. Srivastava)
EE, CMC-III


(M.S. Rawat)
EE, CMC-V


(Shyam Sunder)
EE, CMC-I


(Ramesh Chandra)
EE, CMC-II






(S.K. Goyal)
EE, CMC-III


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-IV

Attendance Sheet for 6th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules of the units under **Category II (b)**, for the **Remaining Pending Consent to Operate/ Renewal** cases of the period **01.07.2015 to 31.12.2015**, held on **04.07.2016** in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Dr. Chandra Prakash	SEE(CMC I), DPCC	
3.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
4.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
5.	Sh. Satender Kumar	SEE(CDC)(CMC III & IV), DPCC	
6.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
7.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
8.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
9.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
10.	Sh. S. K. Goyal	EE(CDC) (CMC III), DPCC	
11.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
12.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
13.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 6th meeting on 04.07.2016 w.r.t. Agenda Item No 1 -- 104 Remaining Pending Cases of Consent to Operate/Renewal of the period 01.07.2015 to 31.12.2015 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	THRUST MOTORS (P) LTD.	62, RAMA ROAD, NAJAFAGARH ROAD INDUSTRIAL AREA	01-07-2015	DPCC/EC/2/1/2015/11196	SERVICE STATION OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-07-2015 Authorisation Status Pending			19-02-2016 (1)ETP ---- ETP installed. (a) AR dated May, 2015 issued by M/s Jamia Millia Islamia submitted. (b) Effluent analysis report dated 02.01.2015 issued by DPCC submitted and parameters found within limit. (2)ECS - N/A (3)D.G. Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 4000 Lt/day (Outside. Bills from M/s Nagpal Water Supply enclosed)	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
2	SOHUM TRADING COMPANY	B-10/6-7, GROUP WAZIRPUR INDUSTRIAL AREA	07-07-2015	DPCC/EC/2/1/2015/11240	MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI				02-03-2016 (1)ETP ---- N/A (2)ECS - Yes (a) AR not submitted. (b) Stack monitoring report dated 09-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1	04-07-2016 Case deferred.

												D.G. Set(s) of 180 KVA. Noise monitoring report dated 13-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground Water:Nil Source of Water: 0.1 KLD from DJB(bill in the name of Smt. Mithlesh Kumari enclosed) Unit is required to submit the following documents:- a) Adequacy Report of ECS, in original, from empanelled consultants of DPCC. (Unit is submitted the copy of receipt dated 01.07.2015 requesting for Adequacy Report from Jamia Millia. Remarks / ATR on 01-07-2016 Unit has submitted a adequacy report on 24.05.2016 issued by Jamia Millia Islamia dated Naovember, 2015.	
3	TARUN UDYOG	A-3, GROUP, WAZIRPUR INDUSTRIAL AREA	13-07-2015	DPCC/EC/2/1/2015/11286	CIRCLE CUTTING MFG. OF S.S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI					02-03-2016 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated Nov 2010 issued by GGSIU submitted. (b) Stack monitoring report dated 09-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Ground Water: Nil Source of Water: 0.04 KLD from outside. Enquiry counter raised the point that unit is required to submit the following:- a) Details of suppliers of water	04-07-2016 Case deferred.

											(Name , Address and Contact details of the Agency(ies) supplying water through tankers including bill) and its valid permission from concerned Agency(ies) for extraction/ drawl of ground water.	
4	LALLY AUTOMOBILES PVT. LTD.	D-11, PHASE-I, OKHLA INDUSTRIAL AREA	14-07-2015	DPCC/EC/2/1/2015/11296	Servicing of Cars unit. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-07-2010 Authorisation Status Revoked Authorisation Issue Date 23-01-2013 Authorisation Expiry Date 25-07-2015 Authorisation Revoked Date 12-02-2015 HWM Application No. 2 Application Date 14-07-2015 Authorisation Status Pending			02-03-2016 (1)ETP ---- ETP - Physiochemical (a) AR dated June 2015 issued by Jamia Millia Islamia New Delhi (b) Effluent analysis report dated 06-05-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: yes, conducted on 13.01.2015 (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 21.10.2014 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : issued on 23.02.2015 Temporary Revocaton of direction issued on 23.03.2015	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
5	SU YASH TRAEXIM PVT. LTD.	C-178E, PHASE-II, MAYAPURI INDUSTRIAL AREA	22-07-2015	DPCC/EC/2/1/2015/11348	REPAIR AND SERVICING OF AUTOMOBILES (TWO WHEELERS ONLY.	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-07-2015			02-03-2016 (1)ETP ---- ETP installed. (a) AR dated July, 2015 issued by Jamia Millia Islamia	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

					Automobile Servicing and Repair Station with Washing Activity			Authorisation Status	Pending			submitted. (b) Effluent analysis report dated 21-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection conducted on 05.06.2014 and following were observed:- (a) Unit found operating and engaged in the activity of automobile servicing and repair station with washing activity (activity as per record is repair and servicing of automobiles.) (b) unit does not having any D.G. Set for the unit. (c) Unit not installed any ETP for the waste water treatment generated through washing activity. (d) Unit presently discharging waste water directly into the sewer. (e) No senior person available to sign even Mr. Pradeep Jha refused to sign. (5) SCN u/s 31(A)/33(A)/5 of EPA issued on 12.06.2014 w.r.t list of 118 automobile service centers / workshops in Delhi Reply received on 01.07,2014 (6) Modified directions issued on 05.11.2014. Replies received on 28.11,2014 and 05.01,2015. and requesting to grant some time for submission of adequacy report. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption :
--	--	--	--	--	---	--	--	----------------------	---------	--	--	--

6	RED APPLE BANQUETS	21/19, PHASE-II, NARAINA INDUSTRIAL AREA	22-07-2015	DPCC/EC/2/1/2015/11357	FOOD ITEM CATERING. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				5000 Lt/day (DJB)	02-03-2016 (1)ETP ---- ETP installed. (a) AR dated September, 2014 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 21-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 06-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 300 Lt/day (Corporation) (8) Seating Capacity : 150 Seats. (9) Copy of valid MCD license submitted (valid upto 31.03.2016) Unit has submitted an undertaking stating that it is a banquet hall for marriage parties and not a restaurant hence there is no need for the police certification.	04-07-2016 Inspection be conducted.
7	BROOKLYN ENINGEERS (I) PVT. LTD.	PLOT NO. 493, PATPARGANJ INDUSTRIAL AREA	23-07-2015	DPCC/EC/2/1/2015/11364	Servicing and washing of vehicles (Four wheelers) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004				02-03-2016 (1)ETP ---- Installed (a) AR dated July 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 23-04-2015 issued by DPCC submitted. Effluent Test Report	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

								Authorisation Expiry Date	30-09-2006			within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 30-06-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 18-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - No (4) Water Consumption: 2540 L/d Source : Corporation (5) Groundwater:Nil	
8	DHITI LIFE SCIENCES PRIVATE LIMITED	B-107, PHASE-I, OKHLA INDUSTRIAL AREA	31-07-2015	DPCC/EC/2/1/2015/11423	MFG. OF DIAGNOSTIC KITS. Manufacturing of Diagnostic Kit without Boiler or Furnace	Orange Operate	Non-SPI					02-03-2016 (1)ETP ---- Other ETP Name : ETP (a) AR dated issued by submitted. (b) Effluent analysis report dated 20-05-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report	04-07-2016 Consent to Establish and Consent to Operate granted.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

operating and engaged in the activity of Restaurant and Bar.

(b) ETP found installed and in working condition. Log Book is not maintained.

(c) One DG Set of capacity 125 KVA found installed with acoustic enclosure and adequate stack height.

(d) Channelization system is provided in the kitchen with adequate stack height.

(e) Unit is having valid MCD and Delhi Police license upto 31.03.2015

(f) The unit is operating without taking consent from DPCC under Air and Water Acts.

(5) SCN u/s 31(A) and 33(A) issued on 22.01.2015

(6) Closure directions u/s 31(A) and 33(A) issued on 09.03.2015

Reply along with photographs of ETP received on 23.03.2015 stating that ETP is installed and running properly.

Photographs attached and applied for AR to Jamia Millia Islamia University and requesting to withdraw closure directions and issue some more time 02 months for submission of CTO.

(7) Water Consumption : 14250 Lt/day (DJB. Bill enclosed and Packed Bottles for drinking)

(8) Seating Capacity : 185 Seats.

(9) Copy of valid MCD and Delhi Police licenses submitted (valid

10	LE GRAND BANQUETS (A UNIT OF SRK HOSPITALITY)	E-2, UDYOG NAGAR INDUSTRIAL AREA, PEERA GARHI	06-08-2015		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m2) connected to public/municipal/DJB sewer with Boiler	Orange Operate	Non-SPI				upto 31.03.2016) 03-03-2016 (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Water Consumption-5000 Liters/Day -Unit has not submitted the hard copy of CTO application along with requisite documents.	04-07-2016 Ask the unit to submit hard copies of consent application along with required documents within 15 days. Also inspection be conducted.
11	SWAGATH HOTELS & RESTAURANTS	C-8, MALVIYA NAGAR	06-08-2015	DPCC/EC/2/1/2015/11488	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI				03-03-2016 (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated - 18.04.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set: N/A (4) Inspection details: No (5) SCN for refusal u/s 31(A)/33(A) : Issued on 05.05.2014 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water: Nil MCD License valid upto 31.03.2016 Delhi Police License valid upto 31.03.2016	04-07-2016 Consent to Operate (Renewal) granted.
12	NEW MINAR RESTAURANT	M-65, GREATER KAILASH-I MARKET	07-08-2015	DPCC/EC/2/1/2015/11491	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other	Orange Operate	Non-SPI				03-03-2016 (1)ETP ---- ETP - Bio-logical (a) AR dated 27.06.2014 issued by Delhi Technological University submitted. (b) Effluent analysis	04-07-2016 Consent to Operate granted.

					such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						report dated 04-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 14-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN for revocation of consent u/s 31(A)/33(A) : Issued on 01.06.2015 Unit submitted the reply on 09.07.2015 alongwith the copy of voluntary disclosure of borewell and also permission for extraction of ground water from CGWA. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water: Yes with permission (copy enclosed) MCD License valid upto 31.03.2017 Delhi Police license valid upto 31.03.2017	
13	SHIV SAGAR & ZAMOZZA (A UNIT OF EATBUD FOOD PRIVATE LIMITED)	52, JANPATH, CONNAUGHT PLACE	10-08-2015	DPCC/EC/2/1/2015/11509	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments	Orange Operate	Non-SPI				03-03-2016 (1)ETP --: ETP (a) AR dated June, 2015 issued by Department of Civil Engineering, Jamia Milia Islamia, New Delhi submitted. (b) Effluent analysis report dated 06.04.2015 issued	04-07-2016 Consent to Operate granted. IT Cell to correct the categorization of the unit.

					(with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer						by Water Laboratory of DPCC submitted. Effluent analysis report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-04-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (1)ETP : Yes (2)ECS - N/A (3)D.G. Set : 125 KVA (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 4000 Lt/day (NDMC. Bill enclosed) (8) Seating Capacity : 180 Seats. (9) Copy of valid NDMC and Delhi Police licenses submitted (valid upto 31.03.2016) (10) Ground Water: Nil	
14	KHANDELWAL SALES CORPORATION	M-19 NEW MANDOLI INDUSTRIAL AREA	10-08-2015	DPCC/EC/2/1/2015/11512	MFG. OF COPPER INGOTS BY CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI				02-03-2016 (1)ETP ---- Installed (a) AR dated: not submitted. (2)ECS - Installed (a) AR dated September 2009 issued by Jamia Millia Islamia submitted. (b) Stack monitoring report dated 22-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes OLMS not Installed. (3)D.G.Set Noise	04-07-2016 Inspection be conducted.

											Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 62.5 KVA. Noise monitoring report dated 18-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: A survey was conducted in January 2016(file under process) (5) Water Consumption: 1000 L/d Source : outside (6) Groundwater: Nil (7) Existence Proof: 09.12.2005 (Energisation Date as per Electricity Bill)	
15	CHANDRA ROLLING MILLS PVT LTD	J-1,VISHNU GALI MANDOLI INDL. AREA	10-08-2015	DPCC/EC/2/1/2015/11513	MFG. OF RE-ROLLING OF FERROUS AND NON-FERROUS METALS. Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI				02-03-2016 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated September 2015 issued by Jamia Millia Islamia University submitted. (b) Stack monitoring report dated 22-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 200 KVA. Noise monitoring report dated 18-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of	04-07-2016 Inspection be conducted.

											parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 200 KVA and 62.5 KVA. Noise monitoring report dated 28-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) SCN u/s 21/22 of Air Act & 25/26 of Water Act : 01.06.2015 (5) Closure directions u/s 31(A) details : 28.08.15 (6) Temporary Revocation: 10.09.2015 (7) Inspection details: A survey was conducted in January 2016 (File under process)The unit has also informed and as seen during the inspection that they have installed the OLMS (8) Existence Proof: Energisation Date: 28.11.2005 (As per Electricity bill) (9) Groundwater: Nil (10) Water Consumption: 40 L/d Source : Purchase Water	
16	SURYA KIRAN METAL PVT LTD.	77,RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA .G.T.K RD.	10-08-2015	DPCC/EC/2/1/2015/11517	MFG. OF PLASTIC SUTALI AND PLASTIC RASSI. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated October 2015 issued by Jamia Milia submitted. 2. ECS-Yes 3. D.G. set- No Plot Area- 220 sq mt Propsed Date- 01.08.2008 Status of Ground Water Extraction:No	Effluent analysis report of outlet of ETP dated 02.07.2015 from DPCC lab. Parameters are within prescribed limit. Emission monitoring report dated 18.08.2015 issued by DPCC lab submitted. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016 -	04-07-2016 File be put up administratively.

									1. Water consumption: 1400 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: Yes (30.04.2015) as complaint received against the unit & following deficiencies observed were: 1. Unit found operating & engaged in the activity of mfg. of plastic sutli & strip using Virgin & scrap/ waste plastic. 2. Channelization system & stack height not adequate. 3. Washing of scarp exists at ground floor(backside) 4. No ETP installed to treat the effluent generated from washing. 5. Burning of mesh used in extruder being carried out on the top floor. 6.One borewell being used without permission from DJB/CGWA. SCN was issued on 13.05.2015 for deficiencies observed during inspection dated 30.04.2015. Subsequently unit has submitted photographs of sealed borewell & consent application			
17	COMPETENT AUTOMOBILES CO. LTD.	P NO. 3 GAZIPUR	11-08-2015	DPCC/EC/2/1/2015/11532	Authorized Maruti Service and Repair Unit (With Washing) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-10-2005 Authorisation Status Pending HWM Application No. 2 Application Date 13-05-2009 Authorisation Status Pending HWM Application No. 3 Application Date 27-02-		02-03-2016 (1)ETP ---- ETP - Physiochemical (a) AR dated June 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - Paint Booths (a) AR dated Not submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 20-02-2015 issued by MAULANA	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.	

								Date2012 Authorisation StatusApproved Authorisation Issue Date24-05-2012 Authorisation Expiry Date26-02-2017 HWM Application No.4 Application Date11-08-2015 Authorisation StatusPending			AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 20-02-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Water Consumption:27115 L/D Source:Outside (5) Ground Water:Nil	
18	RAJU HOSIERY FACTORY	B-13, JHILMIL INDUSTRIAL AREA	13-08-2015	DPCC/EC/2/1/2015/11538	MFG. OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI	HWM Application No.1 Application Date19-01-2004 Authorisation StatusApproved Authorisation Issue Date15-07-2004 Authorisation Expiry Date14-07-2006 HWM Application No.2 Application Date21-08-2006 Authorisation StatusPending			02-03-2016 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - Scrubber (a) AR dated September 2010 issued by Guru Gobind Singh Indrprastha University submitted. Fresh adequacy Report have not been submitted. (b) Stack monitoring report dated 24-07-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 16-07-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Water	04-07-2016 Inspection be conducted.

											consumption: 200 l/d Source: Corporation	
19	ARUN ENTERPRISES	B-28, 1ST FLOOR, GTK ROAD INDUSTRIAL AREA	13-08-2015	DPCC/EC/2/1/2015/11557	Agriculture Seeds Seed Food With Trade Effluent Discharge without Boiler / Furnace	Orange Operate	Non-SPI				03-03-2016 1. ETP- N/A. 2. ECS-N/A 3. Plot Area: 734 sq yard 4. D.G. Set : Nil. 5. Water consumption: 500 L/day. a) Source of water: Outside(copy of bill not submitted) b) Ground water- Nil Earlier application for consent to establish was infructuous in view of water pollution caused vide decision taken in consent committee(Green) in its meeting dated 19.05.2009 and decided that unit to apply under orange category. Recommendation / Action Taken Details (EE/AEE) on 04-07-2016 Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 734 sq mt Propsed Date- 01.01.2009 Status of Ground Water Extraction: No 1. Water consumption: 500 L/day. a) Source of water: Outside source (copy of Outside source bill not submitted) Status of Inspection: No Water(Effluent)-N/A Air (Emission)-N/A	04-07-2016 Inspection be conducted.

											Noise Test Report- N/A	
20	ISCON GLOBAL (P) LTD.	C-22, LAWRENCE ROAD INDUSTRIAL AREA	14-08-2015	DPCC/EC/2/1/2015/11560	DALL MILL AND BESAN GRINDING. Dal Mills Flour Mills	Orange Renewal	Non-SPI				03-03-2016 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated June,2015 issued by Jamia Millia Islamia submitted. (b) Stack monitoring report dated 14-05-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: Nil (4) Source of water: 0.3KLD from DJB.	04-07-2016 Consent to Operate (Renewal) granted.
21	LIBRA FOUR WHEELS PVT. LTD.	69/3A, NAJAFGARH ROAD INDUSTRIAL AREA, MOTI NAGAR	18-08-2015	DPCC/EC/2/1/2015/11567	Automobile Workshop (With Washing) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-08-2015 Authorisation Status Pending			27-08-2015 (1)ETP ---- Other ETP Name : ETP (a) AR not submitted. (b) Effluent analysis report dated 08-07-2015 issuedd. by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 28-07-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

											EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no File has been reveived as per verbal direction of previous incharge Enquary Counter is required to submit original Adequacy report from DPCC empanelled agency. (unit is submitted receipt dated 12.01.2015 requesting for Adequacy report of M/s jamia Millia Islamia. Ground water- Nil Consumption of water 3500 liters/day and its source outside, bill enclosed.	
22	SARAVANA BHAVAN RESTAURANT	50, JANPATH, NEW DELHI-110001	19-08-2015	DPCC/EC/2/1/2015/11584	VEGETARAIN RESTAURANTS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				27-08-2015 (1)ETP ---- yes (a) AR submitted dated july 2015dated issued by Jamia Millia Islamia. (b) Effluent analysis report dated 04.03.2015 issued by DPCC. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 08-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s	04-07-2016 Consent to Operate granted.

												31(A)/33(A)/5 of EPA details :No
												-MCD license valid up to 31.03.2018. -Delhi police license valid up to 31.03.2016.. -Unit has fire safety Certificate issued on 17.12.2014 by Delhi Fire Service. Ground water- Nil Water consumption 8000 liters/day and its source NDMC (Bill enclosed).
23	THE FRATERNITY CLUB	FREEMANSONS HALL, JANPATH	26-08-2015	DPCC/EC/2/1/2015/11620	CLUB. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				03-03-2016 (1)ETP ---- 5 KLD proposed (a) AR dated August, 2015 issued by Department of Civil Engineering, Jamia Milia Islamia, New Delhi submitted. (b) Effluent analysis report dated 02-07- 2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - proper Channelization system has been provided (3)D.G.Set: Nil With reference to the application filed under RTI Act, the unit was inspected after the receipt of the receipt from excise department (4) Inspection details: Inspection of the unit was conducted on 02.01.2015 wherein following were observed: (i) The club found operating and engaged in the activity of club, restaurant and bar. (ii) As informed,	04-07-2016 Expedite inspection.

the club is operational since 1947.

(iii) The club is operating without taking consent from DPCC under Air and Water Acts.

(iv) No Effluent Treatment Plant found installed in the club.

(v) Channelization system is provided in the kitchen but without having adequate stack height.

(vi) The club is having one restaurant & bar and 1 family room.

(vii) The club is having 1 bore well.

(viii) The club is having valid NDMC & Delhi Police License up to 31.03.2016.

(5) SCN u/s
31(A)/33(A)/5 of
EPA details :
15.01.2015

(6) Closure
directions u/s
31(A)/33(A)/5 of
EPA details : No

(7) MCD license:
valid up to 31.
03.2016

(8) Delhi Police
license : valid up to
31.03.2016

(9) Water Consumption: 5000 Litres/ day (NDMC)
(10) Ground water : Nil as per application, however during inspection Bore well was observed.

(11) Seating capacity/ Room: not mentioned anywhere in NDMC, Police License as well as application form.

(12) As per inspection findings unit is having 1 restaurant with a seating capacity of

24	VAKARTUND ASSOCIATES	KH. NO 79/80, HANUMAN GALI, NEW MANDOLI INDL. AREA, SABOLI	26-08-2015	DPCC/EC/2/1/2015/11627	RE-ROLLING OF COPPER. Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI				48 persons 02-03-2016 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 28.11.11 issued by DTU submitted. (b) Stack monitoring report dated 20-08-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 1000 KVA. Noise monitoring report dated 10-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) SCN u/s 31(A)/33(A)/5 of EPA details : 01.06.2015 (5)Closure directions u/s 31(A)/33(A)/5 of EPA details : 31.08.2015 (6)Temporary Revocation: 08.09.2015 (7) Inspection details: A survey was conducted in the month of January 2016 (File under process) (8) Existence Proof:Unit exist before feb 2007(copy of Registration certificate of central sales Tax no 326394 submitted) (9) Online Monitoring System:Installed (10) Water Consumption: 300 L/d Source : Out Source	04-07-2016 Inspection be conducted.
----	----------------------	--	------------	------------------------	---	----------------	---------	--	--	--	---	---

											(11) Groundwater: Nil	
25	KHAZANA (A UNIT OF GALAXY FOOD AND HOSPITALITIES)	C-13, VISHAL ENCLAVE, RAJOURI GARDEN	28-08-2015	DPCC/EC/2/1/2015/11651	RESTAURANT (50 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				03-03-2016 (1)ETP ---- Other ETP Name : ETP (a) AR dated issued by submitted. (b) Effluent analysis report dated 29-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 25 KVA and 125 KVA. Noise monitoring report dated 31-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 25 KVA and 125 KVA. Noise monitoring report dated 31-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: unit was inspected by DPCC Representative dated 31.12.2014 and following were observed:- (i) The unit found operating and engaged in the activity of Restaurant and Banquet. (ii) The unit is operating without taking Consent from DPCC under air and water Act. (iii) Channelization system is provided in the kitchen but without having adequate stack height. (iv) One D.G Set found installed with adequate stack height	04-07-2016 Consent to Operate granted and directions for closure be revoked.

											(iv) Unit having MCD licence and Delhi Police License (Valid up to 31.03.2015). (v)No Effluent treatment plant is found installed for treating waste water generated by the unit. (5) SCN u/s 31(A)/33(A) of EPA details : Yes, issued to the unit on 20.01.2015 (6) Closure directions u/s 31(A) and 33(A) issued on 09.03.2015 (7) Temporary revocation of directions issued on 17.07.2015 for 45 days for submission of CTO application. (8)Unit submitted the Consent to Operate application on 28.08.2015. (9) Water Consumption: 4000 Liters/Day (Municipal Authority) (10) Seating Capacity: 48 seats -Permanent Revocation may be granted to the unit.	
26	CHIRAG RESTAURANT PVT LTD	SHOP NO. 30, 3RD FLOOR, HAUZ KHAS VILLAGE,	28-08-2015	DPCC/EC/2/1/2015/11661	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				03-03-2016 (1)ETP ---- Common ETP - Bio-logical (a) AR dated february 2014 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 09-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Ground water : Nil (5) MCD License valid upto 31.03.2016 (6)Delhi police	04-07-2016 Consent to Operate granted and directions for closure be revoked.

												license valid upto 31.03.2016 (7) Inspection details: Conducted on 17.09.2015 (8) SCN u/s 31(A)/33(A) : No (9) Closure directions u/s 31(A)/33(A): Issued on 24.03.2014 & 30.04.2015 Temporay revocation of direction issued on 21.07.2015 Unit has submitted a reply on 02.03.2016 w.r.t letter dated 10.02.2016 that they have installed flow meter with Effluent Treatment plant.	
27	WOK IN THE CLOUDS KTG HOTELS & RESORTS PVT LTD	J-2/13, RAJOURI GARDEN	28-08-2015	DPCC/EC/2/1/2015/11665	RESTAURANT (190 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI					03-03-2016 (1)ETP ---- Other ETP Name : ETP (a) Adequacy Report dated 27.04.2011 issued by Delhi Technical University, New Delhi submitted. (b) Effluent analysis report dated 29-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Hood suction system provided (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 100 KVA and 200 KVA. Noise monitoring report dated 31-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No	04-07-2016 Consent to Operate (Renewal) granted.

											(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No - MCD & Delhi Police License-valid upto 31.03.2016 -Water Consumption-4000 litre/Day (DJB bill enclosed)	
28	ELROY MOTORS PRIVATE LIMITED	A-2, PHASE-I, OKHLA INDUSTRIAL AREA	31-08-2015	DPCC/EC/2/1/2015/11675	AUTOMOBILES WORKSHOP (WITH WASHING). Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 31-08-2015 Authorisation Status Approved Authorisation Issue Date 05-05-2016 Authorisation Expiry Date 30-08-2020			26-04-2016 (1)ETP ---- N/A (a) AR dated September, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 08-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 09-07-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 30-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Pollution Control System / Devices: ETP Installed Status of Ground water extraction: No Borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No Test Reports:- Air (Emissions) - Test Report of Paint Booth within norms. Water(Effluent) - Test Report of ETP within norms. Noise - Test Reports of DG Set	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

										within norms.		
29	DURATUF GLASS INDUSTRIES PVT. LTD-II	S-69, BADLI INDUSTRIAL ESTATE	02-09-2015	DPCC/EC/2/1/2015/11701	Mfg. of Safety/ Toughened Glasses Toughening of Glass	Orange Renewal	Non-SPI		1. ETP- Yes a) Adequacy report of ETP dated october 2015 submitted . 2. ECS- No 3. D.G. Set: No. Plot Area- 400 sq.mtr Proposed Date- 01.01.2000 4. Water consumption: 1500 L/day a) Source of water: DJB (copy of DJB water bill submitted) CTO(R) applied & same address S-69 is mentioned in test report issued by DPCC, electricity bill, DJB water bill, CETP receipt as issued CTO(R). However, consent application form, undertaking & CA certificate is having address S-68-69.	Effluent analysis report of outlet of ETP dated 11.06.2015 from DPCC lab submitted. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- N/A	01-07-2016 -	04-07-2016 Ask the unit to clarify regarding addition of address S-68.
30	DURATUF GLASS INDUSTRIES (P) LTD. UNIT-III	S-77, BADLI INDUSTRIAL ESTATE	02-09-2015	DPCC/EC/2/1/2015/11702	Manufacturing of Safety/ Toughened glasses, Toughening of Glass	Orange Operate	Non-SPI		1. ETP- Yes 2. ECS- No 3. D.G. Set: No. Plot Area- 468 sq.mtr Propsed Date- 01.12.2013 4. Water consumption: 1500 L/day a) Source of water: DJB (Copy of DJB water bill submitted).	Effluent analysis report dated 11.06,2015 from DPCC lab submitted. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- N/A	01-07-2016 -	04-07-2016 Consent to Operate granted.
31	JAY DEE EXPORTS	A-35, G.T. KARNAL ROAD INDL. AREA	08-09-2015	DPCC/EC/2/1/2015/11732	MFg. of Readymade Garments With Washing. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes (10 KLD) a) Adequacy report of ETP dated Aug, 2015 issued by Jamia Milia submitted. 2. ECS-No 3. D.G. set- 2x125 KVA Plot Area- 1766 sq.mtrs Proposed Date- 01.01.2010 Status of Ground Water Extraction:No 1. Water consumption: 3000 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Direction for closure U/s	Effluent analysis report of Inlet/Outlet of ETP dated 05.08.2015 submitted from DPCC lab. Parameters are within prescribed limit. Emission moniotring report dated 18,08,2015 issued by DPCC submitted. Parameters are within prescribed limit. Noise monitoring report dated 11.08.2105 from DPCC submitted. Noise monitoring report within limit.	01-07-2016 -	04-07-2016 Consent to Operate(Renewal) granted and directions for closure be revoked.

									33(A) of the Water Act issued on 16.07.2015 as the unit is operating without CTO from DPCC & listed in SPI list. Direction for closure U/s 33(A) of the Water Act and U/s 5 of Environment(Protection) Act issued on 24.07.2015 as the unit was listed in defaulters units which is not connected to CETP.			
32	PIONEER RESTAURANT AT PIONEER CRCKERY HOUSE	H-40, OUTER CIRCLE, CONNAUGHT PLACE	08-09-2015	DPCC/EC/2/1/2015/11736	QUICK SERVICES RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Water Consumption : 4000 Lt/day Source of Water-(NDMC. Bill enclosed) Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -Copy of valid NDMC and Delhi Police licenses submitted (valid upto 31.03.2017)	Waster Effluent-Effluent analysis report dated 10-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate granted.
33	SHRI SHAKTI ENTERPRISES	KHASRA NO. 47, NEW MANDOLI, INDUSTRIAL AREA	09-09-2015	DPCC/EC/2/1/2015/11739	Mfg. of Copper And Aluminum Ingots. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 01.06.2015. Reply received on 11.08.2015, informing stack monitoring conduction & requested Jamia Millia Islamia for adequacy report. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015. A representation was received from the unit on 15.09.2015 requesting for revocation of issued Closure directions by submitting Security Bond	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 03-08-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted.	02-07-2016 As approved in file inspection be conducted.	04-07-2016 Inspection be conducted as decided in file.

									of Rs. 5,00,000/- that their unit is established prior to 7th Feb. 2007 and further stating that the other compliance have also done.			
									Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, etc.			
									A representation was received from the unit on 30.11.2015 informing the installation of OLMS.			
									(1)ETP ---- N/A			
									(2)ECS - Cyclone and Wet Scrubber			
									(3)D.G.Set Noise Report : 1			
									(4) Water Consumption: 200 Litres/ Day Source: Purchase			
									(5) Ground Water: Nil			
34	RUBY CYCLE INDUSTRIES PVT. LTD.	C-46, PHASE-I, OKHLA INDUSTRIAL AREA	10-09-2015	DPCC/EC/2/1/2015/11756	MFG. OF CONCENTRATE (FLAVORS) AND SYRUP. Food Additives, Nutrients and Flavors with Electric Furnace	Orange Operate	Non-SPI				22-04-2016 (1)ETP ---- N/A (a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 08-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil Water Consumption:- Approx. 133 ltr/ day (Source:- MCD water supply (DJB), DJB bill enclosed). Remarks:- Unit has submitted an undertaking stating that the activity carbonated water soft drinks concentrated syrup has been totally closed since 31.03.2015 and activity of the unit	04-07-2016 Inspection be conducted w.r.t. quantum of water used and waste water discharged.

											is Concentrate (Flavors) and syrup.	
35	KIC FOOD PRODUCTS PVT. LTD.	ASIAN GAMES VILLAGE, SIRI FORT ROAD	10-09-2015	DPCC/EC/2/1/2015/11763	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (a) Effluent analysis report dated 01-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 07-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Groundwater- Nil Water consumption- 25000 ltrs/day, Source- DJB (bill enclosed) MCD license valid upto 31.03.2017 Delhi Police license valid upto 31.03.2017	Effluent analysis report dated 01-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 07-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 As per remark of enquiry counter on receipt of Consent application dated 10.09.2015 that unit has submitted copy of receipt dated 27.07.2015 w.r.t. conducting adequacy report to Jamia Millia Islamia University but same is yet to be provided by the unit.	04-07-2016 Inspection be conducted.
36	SAUBHAGYA BANQUET	PLOT NO C-65, PREET VIHAR	14-09-2015	DPCC/EC/2/1/2015/11783	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		(1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set - N/A (4) Water Consumption: 3000 L/ Day Source: Corporation and drinking Water suppliers (5) Ground Water: Nil	AR - Nil Effluent analysis report dated 16.03.2016 issued by DPCC submitted.	01-07-2016 Recommended for CTO.	04-07-2016 Ask the unit to submit copy of DJB bill and details of water supplier.
37	SHIVAM METALS	L-6, NEW MANDOLI INDUSTRIAL AREA	16-09-2015	DPCC/EC/2/1/2015/11805	Casting of Ferrous and non ferrous metal except cupla. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 12.06.2015 for submission of application for CTE & CTO.	AR report dated 10.10.2011 issued by DTU submitted Stack monitoring report dated 21-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within	01-07-2016 As approved on file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									A reply received on 26.08.2015 unit was informed that take a time for applicatoin applied for CTE and also stack & noise test reoprt As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 29.09.2015. A representation was received from the unit on 30.9.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 16.10.2015 directing the unit to apply for installation of OLMS, testing/monitoring etc. report etc. unit was installed online stack monitoring systems. inspection was carried out by DPCC Officials on 22.01.2016 and SCN was issued by hand on 22.01.2016 to the unit for u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 (1)ETP --N/A (2)ECS - Copper ingots (3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Outside (5) Ground Water: Nil	limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.		
38	BARBEQUE NATION (A UNIT OF BARBEQUE NATION HOSPITALITY LTD)	N-96,97 AND 98, IIND FLOOR, MUNSHI LAL BUILDING, CONNAUGHT PLACE	17-09-2015	DPCC/EC/2/1/2015/11814	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with	Orange Operate	Non-SPI		Source of Water: NDMC Connection (copy of bill provided) Water Consumption: 4000 Litres/ Day Status of Ground Water	Water Effluent- Effluent analysis report dated 29-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate granted.

					minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer				extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Biological (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 250 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD License and Delhi Police License valid upto 31.03.2016	Noise- The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 31-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
39	BALAJI COPPER (P) LTD	P-16 NEW MANDOLI INDUSTRIAL AREA	17-09-2015	DPCC/EC/2/1/2015/11817	Mfg. of Copper Re Rolling Mill (Copper Rods) Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 27.05.2015 for submission of application for CTE & CTO. A reply was received on 09.07.2015 requested time for submission of full compliance report. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 28.08.2015. A representation was received from the unit on 29.09.2015 and on 01.10.2015 requesting for revocation of Closure directions issued to them. Temporary Revocation of Direction of Closure for 45 days was issued on 13.10.2015 directing the unit to apply for installation of OLMS, monitoring report etc. unit was Submitted	AR report dated Nov, 2015 issued by JAMIA MILLIA ISLAMIA submitted Stack monitoring report dated 03-11-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 28-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 750 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	01-07-2016 As approved on file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									Adequacy Report, Stack Monitoring Report & Noise Monitoring Report on 09.12.2015. (1)ETP --N/A (2)ECS - Copper ingots (3)D.G.Set : Noise report: 1 (4) Water Consumption: 40 L/ Day Source: Outside (Purchase and Market) (5) Ground Water: Nil			
40	JAISHRI METAL CO.	PLOT NO P-11-C, MAHAVIR GALI, NEW MANDOLI INDL. AREA	18-09-2015	DPCC/EC/2/1/2015/11823	MFG. OF COPPER AND ALUMINIUM INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 24.06.2015, informing that the unit operating after installing required pollution control device and as adequacy report received will be submitted and will apply for CTE/CTO, A communication was also received on 11.08.2015 along with stack monitoring report and noise monitoring report. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 08.09.2015. A representation was received from the unit on 18.09.2015 and a letter dated 23.09.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and further stating that the other compliance are in process. Temporary Revocation of Direction of Closure for 45 days was issued on 30.09.2015 directing the unit to apply for installation of OLMS, adequacy report etc. (1)ETP ---- N/A (2)ECS - Scrubber,	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 03-08-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 28-07-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil			
41	MODERN GARMENTS	C-3/14, MAYAPURI INDUSTRIAL AREA, PHASE-II	23-09-2015	DPCC/EC/2/1/2015/11876	Job work in washing readymade garments with boiler Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-08-2006 Authorisation Status Pending HWM Application No. 2 Application Date 19-09-2011 Authorisation Status Approved Authorisation Issue Date 06-09-2012 Authorisation Expiry Date 18-09-2016	Source of Water: DJB (Cat-II) copy of bill provided Name not matched and address matched Water Consumption: 40,000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP Physiochemical (2)ECS - Stack attach to boiler (3)D.G.Set Noise Report : 1 D.G Set of 62.5 KVA (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Water Effluent- (a) AR dated 19.08.2011 issued by DCE submitted. (b) Effluent analysis report dated 18-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 01-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-08-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate (Renewal) granted.
42	JAIN PLASTICS	487/29, NATIONAL MARKET, PEERAGARHI	23-09-2015	DPCC/EC/2/1/2015/11878	Manufacturing of Reprocessed Plastic Dana (With Trade Effluent Discharge) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI		Source of Water- DJB (CAT-II) name and address matched Water Consumption- 1200 Litres/ day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS -Stack attached to extruder and mixer (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- (a) AR dated September, 2015 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 17-08-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 20-08-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes	01-07-2016	04-07-2016 Case deferred.
43	S & S PIONEER CORP	B-17, G.T.K. ROAD	24-09-2015	DPCC/EC/2/1/2015/11887	BANQUET HALL	Orange Operate	Non-SPI		Status of Pollution Control system/Devices:	Effluent analysis report of outlet of ETP dated	01-07-2016	04-07-2016

		INDUSTRIAL AREA			Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				1. ETP- Yes (9 KLD) a) Adequacy report of ETP dated Feb, 2015 issued by Jamia Milia submitted. 2. ECS-No 3. D.G. set- 1x 380 KVA Plot Area- 10406 sq yard Proposed Date- 01.01,2010 Status of Ground Water Extraction:No 1. Water consumption: 3000 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No MCD License valid upto 31.03.2016 for 300 seats (Receipt for renewal of MCD License copy submitted)	20.08.2015 submitted from DPCC lab. Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 21.08.2105 from DPCC submitted. Noise monitoring report within limit.		Consent to Operate granted.
44	CAR CARE CENTRE	LODHI ROAD NEAR ISPAT BHAWAN	29-09-2015	DPCC/EC/2/1/2015/11905	Filling cum service Station of Cars. Automobile Fuel Outlet (With Automobile Servicing, Repairing And Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-03-2008 Authorisation Status Pending HWM Application No. 2 Application Date 29-09-2015 Authorisation Status Pending	Source of Water: DJB (Cat-II) name and address matched Water Consumption: 2500 Litres/ Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 75 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent-(a) Adequacy Report dated September, 2015 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 26-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 07-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate (Renewal) and Authorization under HWM Rules granted.
45	G.M. OFFSET	PLOT NO. 257,, F.I.E. PATPARGANJ INDL. AREA, DELHI	29-09-2015	DPCC/EC/2/1/2015/11909	OFFSET PRINTING PRESS (WITH TRADE EFFLUENT). Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-09-2015 Authorisation Status Pending	(1)ETP ---- Other ETP Name : ETP (2)ECS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 300 L/ Day Source: Can Water Supply (5) Ground Water: Nil	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Effluent analysis report dated 23.04.2015 issued by DPCC submitted.	01-07-2016 Recommended for CTO and Authorization.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
46	PURAN SERVICE STATION	KIRTI NAGAR, KIRTI NAGAR INDUSTRIAL AREA	29-09-2015	DPCC/EC/2/1/2015/11930	Servicing of Light Vehicles. Automobile	Orange Renewal	Non-SPI	HWM Application No. 1	Source of Water- DJB (CAT-II) name not matched and address matched.	Water Effluent-(a) AR dated July, 2015 issued byJ amia Milia Islamia submitted.	01-07-2016	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste

					Servicing and Repair Station with Washing Activity				Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 28-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 08-04-2011 Authorisation Status Approved Authorisation Issue Date 23-09-2013 Authorisation Expiry Date 07-04-2016	Water Consumption- 2500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Biological (2)ECS - N/A (3)D.G.Set Noise Report : 1 Set(s) of 62.5 KVA -SCN was issued to the unit on 12.06.2014. - Unit submitted a reply on 02.07.2014 and informed that they will soon submit the application for renewal of consent to operate. -A modified direction issued to the unit on 01.10.2014 giving 45 days. -Unit again submitted a reply on 05.01.2015 and informed that they have applied for adequacy report and soon will submit the application for renewal of consent to operate after getting adequacy report. -An inspection was conducted by DPCC Officials on 11.12.2015 and following observations were made: a) ETP installed and was also found operational. b) Wet sludge found at site. c) HWM guidelines followed. d) Unit has applied for CTO (R).	(b) Effluent analysis report dated 09-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-09-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes		Rules.
47	TRIPTI RESTAURANT & CATERING SERVICES	COTTAGE 4-A WEST PATEL NAGAR	30-09-2015	DPCC/EC/2/1/2015/11932	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to	Orange Operate	Non-SPI		Source of Water: DJB Cat-II . (Bill enclosed) NAME NOT MATCHED AND ADDRESS MATCHED, Water Consumption : 3400 Lt/day Status of Ground Water extraction : Nil Status of Pollution Control System ETP : ETP ECS - N/A D.G. Set : 1 D.G Set of 125 KVA Inspection details: No	Water Effluent: Effluent analysis report dated 18-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016	Consent to Establish and Consent to Operate granted.

					public/municipal/DJB sewer				SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Seating Capacity : 45 Seats. Copy of valid MCD license submitted (valid upto 31.03.2016)			
48	HOTEL SHANTI PALACE	COTTAGE 4-A WEST PATEL NAGAR	30-09-2015	DPCC/EC/2/1/2015/11942	Guest House Hotels with less then 20 bedrooms neither having kitchen nor laundry and connected to public /municipal/DJB sewer without boiler	Orange Operate	Non-SPI		Source of Water-DJB (Cat-II) (Bill enclosed) Name and address matched Water Consumption : 7210 Lt/day Status of Ground Water extraction : Nil Status of Pollution Control System ETP : Septic Tank ECS - N/A D.G. Set : 1 D.G Set of 125 KVA Inspection details: No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -No. of Rooms: 16 and No. of Beds : 20. - Copy of valid MCD submitted (valid upto 31.03.2016)	Noise- The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate granted.
49	MANOHAR LAL	S-45, PH-I, BADLI INDL. AREA	01-10-2015	DPCC/EC/2/1/2015/11964	MANUFACTURING OF PRESSURE COOKER WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-Yes a) Adequacy report of ETP dated 16.02.2012 issued by DTU submitted. 3. D.G. set- No Plot Area- 412 sq.mtr Proposed Date- 01.01.2011 Status of Ground Water Extraction:No 1. Water consumption: 30 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No	Water(Effluent)-N/A Emission monitoring report dated 12.08.2015 issued by DPCC submitted. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016	04-07-2016 Case deferred.
50	DELHI TRANSPORT CORPORATION	WAZIRPUR DEPOT, RING ROAD	05-10-2015	DPCC/EC/2/1/2015/11976	REPAIR AND MAINTENANCE OF CNG LOW FLOOR BUSES.	Orange Renewal	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP	1. Effluent analysis report dated 25.05.2015 issued by DPCC submitted. Report within Limit - Yes	01-07-2016	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste

					Automobile Servicing and Repair Station with Washing Activity			Application Date 09-02-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 12-07-2005 Authorisation Status Pending HWM Application No. 3 Application Date 11-09-2008 Authorisation Status Pending HWM Application No. 4 Application Date 05-10-2015 Authorisation Status Pending	Unit has submitted empanelled Adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 25.05.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Source of Water: 10 KLD from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	2. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes		Rules.
51	DTC NETAJI SUBHASH PLACE	SUBHASH PLACE DEPOT,	05-10-2015	DPCC/EC/2/1/2015/11979	Repair and Maintenance of CNG Low Floor Buses, Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-10-2003 Authorisation Status Pending HWM Application No. 2 Application Date 13-07-2006 Authorisation	Status of Pollution Control System (1)ETP Unit has submitted empanelled adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 17.06.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1	1. Effluent analysis report dated 17.06.2015 issued by DPCC submitted, Report within Limit - Yes 2. Noise monitoring report dated 24-06-2015 issued by DPCC submitted, Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

								Status Approved Authorisation Issue Date 13-03-2007 Authorisation Expiry Date 12-03-2009 HWM Application No. 3 Application Date 23-01-2012 Authorisation Status Pending	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water: 12 KLD from DJB Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
52	UNIVERSAL SWITCH GEAR CONTROL	PLOT NO-14,PKT-E,SEC-3,BAWANA INDUSTRIAL AREA	05-10-2015	DPCC/EC/2/1/2015/11992	Manufacturing of Control Panel With Powder Coating (Without Phosphating and Without Trade Effluent) Powder Coating without phosphating	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-Yes 3. D.G. set- No Plot Area- 200 sq.mtr Propsed Date- 01.02.2006 Status of Ground Water Extraction:No 1. Water consumption: 150 L/day. a) Source of water: DSIDC (copy of DSIDC water bill submitted) Status of Inspection: No	Water(Effluent)-N/A Emission moniotring report dated 25.09.2015 from Shriram Institute for Industrial Research. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016 -	04-07-2016 Consent to Operate (Renewal) granted.
53	P.L.J. & SONS	53/A-3, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	12-10-2015	DPCC/EC/2/1/2015/12065	Manufacturing of Kali Mehandi and Hair colour in powder form. Manufacturing of Kali Mehandi / Hair Colour in Powder form (Grinding and mixing only)	Orange Renewal	Non-SPI		Source of Water- DJB (CAT-II) Name not matched and address matched Water Consumption- 200 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Working (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emissions- (a) (a) Adequacy report dated 12.02.2013 issued by Delhi Technological University, submitted. (b)Stack monitoring report dated 06-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	28-06-2016 .	04-07-2016 Consent to Operate (Renewal) granted.
54	R. N. POLYMERS	E- 919, DSIDC NARELA INDUSTRIAL	12-10-2015	DPCC/EC/2/1/2015/12073	MANUFACTURING OF DANA WITH (REPROCESSING	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes	Effluent analysis report dated 20.06.2015 from Shriram Institute for	01-07-2016 -	04-07-2016 Issue show cause notice for refusal

		AREA			AND WASHING) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)				a) Adequacy report of ETP dated October, 2015 issued by Jamia Milia submitted. 2. ECS-Yes 3. D.G. set- No Plot Area- 350 sq.mtr Proposed Date- 01.01.2002 Status of Ground Water Extraction:No 1. Water consumption: 3360 L/day. a) Source of water: PNC (copy of PNC water bill submitted) Status of Inspection: Yes Inspection was conducted on 22.04.2015 by the officials of DPCC and inspection findings are as follows: Unit found operating & engaged in the activity of mfg. of plastic granules (reprocessing) using plastic scrap as raw material. Operating without valid consent/ registration under Plastic Rules 2011. ETP found installed but same is lying defunct & dry. ECS channelization with ducting installed with one Extruder at basement. Stack found broken. One borewell exist w/o permission SCN u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 07.05.2015 Replied on 29.06.2015 stated that applied for adequacy & air monitoring to Shriram Lab, ETP test report is meeting the norms. Application for registration form 2 under plastic rules submitted. As per DPCC lab test report dated 28.04.2016 sample lifted from bypass of ETP (ETP was non-operational). Parameters found exceeding the norms.	Industrial Research submitted. Parameters are within prescribed limit. However total metal is not mentioned Emission monitoring report dated 19.09.2015 from Shriram Institute for Industrial Research. Parameters are within prescribed limit. However stack height is inadequate(10.05 mt from ground floor) Noise Test Report- N/A		of consent and show cause notice u/s 33(A) of Water Act.
55	RADNIK EXPORTS	B-24/1, PHASE-II, OKHLA	13-10-2015	DPCC/EC/2/1/2015/12084	Mfg. of Readymade Garments with	Orange Operate	Non-SPI		Status of Pollution Control System	Effluent Analysis Report from DPCC Lab dated	01-07-2016 Earlier the unit was	04-07-2016

		INDUSTRIAL AREA			Washing. Readymade Garment (with Washing) with Boiler				(1)ETP - Installed Adequacy report from Jamia Millia Islamia Submitted and found adequate. (2)ECS -N.A. (having oil fired boiler) (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. Groundwater- Nil Water Consumption- 3500 ltr/day, Source- DJB(Copy of Bill enclosed)	06.05.2015 submitted and found within the prescribed limits. Stack Monitorring Report for 2 Oil Fired Boiler of DPCC Lab dated 06.07.2015 submitted and found with in the prescribed limits. Noise monitoring report dated 01-06-2015 for 125 KVA DG Set submitted and found meeting the limit.	engaged in activity of Manufacturing of Readymade Garments without Washing .	Consent to Operate granted.
56	FAHRENHEIT AUTOMOBILES PVT. LTD.	B-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	16-10-2015	DPCC/EC/2/1/2015/12113	SERVICING, REPAIRING AND MAINTENANCE OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 16-10-2015 Authorisation Status Pending	Source of Water- DJB (CAT-II) name and address matched Water Consumption- 5800 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - Stack attached to Paint Booth (3)D.G.Set Noise Report : 1 D.G. Set(s) of 140 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 05-10-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report of stack attached to paint booth dated 29-09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 22-09-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	01-07-2016 .	04-07-2016 Consent to Operate and Authorization under HWM Rules granted.
57	GOLDEN MOMENTS	870, EAST PARK ROAD, KAROL BAGH	16-10-2015	DPCC/EC/2/1/2015/12125	A Party hall/ Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP issued by Jamia Milia dated January 2016 submitted. 2. ECS-No 3. D.G. set- Yes, 2x140 KVA Plot Area- 2600 sq.mtr Proposed Date- 01.11.2014 Status of Ground Water Extraction:No 1. Water consumption: 3200 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No MCD License valid upto	Effluent analysis report dated 18.09.2015 from DPCC submitted. Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 09.10.2015 & 12.10.2015 of each resp. from FICCI submitted. Noise monitoring report within limit,	01-07-2016 -	04-07-2016 Consent to Establish and Consent to Operate granted.

58	MAHARAJA RESIDENCY	PLOT NO B-20, B-21 & B-126/10, GURU NANAK PURA, LAXMI NAGAR	19-10-2015	DPCC/EC/2/1/2015/12132	BANQUET HALL WITH 31 ROOMS. Hotels with less than 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		31.03.2016 for 400 seats. (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 2 (4) Water Consumption: 4000 L/ Day Source: Corporation and Drinking Water Suppliers (5) Ground Water: Nil	AR - Nil Effluent analysis report dated - 22-04-2015 issued by DPCC submitted. Stack monitoring report dated 21-09-2015 issued by DPCC submitted. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection.	04-07-2016 Ask the unit to submit copy of DJB bill and details of water supplier. Also inspection be conducted.
59	CAFFE TONINO (A UNIT OF PYRAMINDS)	PLOT NO-09, H BLOCK, PLAZA CINEMA BUILDING, CONNAUGHT PLACE	19-10-2015	DPCC/EC/2/1/2015/12138	Restaurant. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Source of Water- NDMC Connection Water Consumption- 3500 Litres/Day Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: 62.5 KVA Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent-Effluent analysis report dated 29-07-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- Noise monitoring report of 62.5 KVA dated 21.08.215 issued by Air Lab, DPCC submitted and noise levels are within limit-Yes	29-06-2016 .	04-07-2016 Unit has submitted NDMC water bill. Consent to Operate granted.
60	BRIGHT MOTORS PVT. LTD	C-263, PEERAGARHI OUTER RING ROAD	20-10-2015	DPCC/EC/2/1/2015/12155	Repair and Servicing of Automobiles Car with Washing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-10-2015 Authorisation Status Pending	Source of Water- DJB (Cat-II) name and address matched Water Consumption- 5600 Litres/ Day Status of Ground Water extraction : Nil but copy of CGWA Permission provided and name and address matched) Status of Pollution Control System	Water Effluent-(a) AR dated Octobar, 2014 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 18-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Case deferred.

									(1)ETP ---- ETP - Physio chemical (2)ECS - Hood suction system provided. (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
61	NIRULAS CORNER HOUSE PVT. LTD.	53, GOLE MARKET	20-10-2015	DPCC/EC/2/1/2015/12180	Restaurant Services (34 Seats) Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Renewal	Non-SPI		Source of Water- Municipal Corporation Water Consumption-300 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 82.5 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	NoIise- The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - No	01-07-2016	04-07-2016 The unit is meeting the insertion loss limit for noise and submitted NDMC water bill. Consent to Operate (Renewal) granted.
62	ELEVATIONS HOLDINGS PVT LTD	F-24 PUSHPANJALI FARMS DWARKA NH-8 LINK ROAD (BHARTHAL ROAD)	21-10-2015	DPCC/EC/2/1/2015/12184	Party Lawn For Marriage and Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				26-04-2016 (1)ETP ---- ETP - Bio-logical (a) AR dated November, 2015 issued by Jamia Millia Islamia submitted. (b)Effluent analysis report dated 06-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Remarks:- Unit has submitted a letter issued by SDMC dated 14.07.2015 regarding renewal/ fresh permission	04-07-2016 Complaints have been received including through PGMS and as decided in file, inspection be carried out.

for commercial use of farmhouse Unit has submitted an undertaking stating that it is a farm house, therefore Delhi Police license is not required.

Temporary Revocation was issued to the unit on 21.08.2015 for 45 days with the condition that the unit will not be operated for testing/ installation of pollution control equipments and no commercial activity shall be carried out during this period and shall apply for CTO alongwith all the required documents i.e. Adequacy Report of ETP from any of empanelled consultant of DPCC, effluent analysis report of ETP from an approved lab of DPCC. The unit shall submit the fresh application for CTE and other required documents signed by the authorized signatory authorized by board of directors.

Status of Pollution Control System / Devices: Requisite Device(s) (ETP installed) Status of Ground water extraction: Unit has informed that extraction of ground water has been totally stopped. SDM has sealed the borewell. Source of Water : Tanker. Bill submitted. Status of Inspection:- No

Test Reports:-
Air (Emissions) -
Test NA.
Water(Effluent) -

											Test Reports of ETP within norms. Noise - Test N/A.	
63	GOLA SIZZLAR (A UNIT OF KESARI HOSPITALITY PVT. LTD.)	J 2/14, B.K. DUTTA MARKET, RAHOURI GARDEN	28-10-2015	DPCC/EC/2/1/2015/12224	RESTAURANT AND BANQUET HALLS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI		Source of Water: DJB (Category-II, copy of bill provided) name not matched and address matched. Water Consumption:4500 Litre/day Ground Water Extraction: Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of 125 KVA. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details :No MCD License & Delhi Police License expired on 31.03.2016	Water Effluent- (a) Adequacy Report dated 18.05.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 29.05.2015 issued by Water Lab, DPCC submitted. Effluent monitoring report within Limit - Yes Noise Monitoring Report- (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate (Renewal) granted.
64	THE TODDY SHOP (A UNIT OF BIG BISON FOOD AND ENTERTAINMENT PVT. LTD.)	1A, SECOND FLOOR, HAUZ KHAS VILLAGE	28-10-2015	DPCC/EC/2/1/2015/12229	EATING HOUSE. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease trap cum Settling Tank - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 15 KVA Groundwater-Nil Water consumption-1000 ltr/day Source-DJB (bill enclosed) MCD License valid upto 31.03.2016 Delhi Police License valid upto 31.03.2016 Unit was not inspected during survey on 17.09.2015, however as per list provided & informed by Delhi Fire Service unit is operational. As decided, Show Cause Notice u/s 33(A) of the Water Act and u/s 31(A)	The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 28-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Unit has applied for Consent to Consent to Operate for 32 seats.	04-07-2016 Consent to Operate granted.

									of the Air Act was issued to unit on 05.10.2015. As per approval on Hauz Khas Village file , an inspection was carried out by the representatives of DPCC on 19.10.2015 and following were observed: 1. Unit found in operation and engaged in the activity of Eating House with seating capacity of 32 2.Unit have installed Oil and Grease Trap but settling tank not provided. 3.Channelization system provided in kitchen with adequate stack height. Unit submitted its representation on 20.10.2015 w.r.t SCN dated 05.10.2015 and stated that they are in process of filing of Consent to Establish and Operate and requested for 30 days time for filinf the consent application. Unit again submitted its representation on 29.10.2015 w.r.t. SCN dated 05.10.2015 and stated that they have applied for CTE and CTO on 28.10.2015 along with the photographs of Oil and grease cum Settling tank. Unit also submitted letter on 05.02.2016 informing that dimensions of OGT as 4feet 6inchx1feet6inchx 1feet6inch plus settling tank of capacity 1500 ltrs, suitable for holding water for 4 hours.			
65	MAYBELL TRADINGS PVT. LTD.	PLOT NO B-27, JHILMIL INDUSTRIAL AREA	28-10-2015	DPCC/EC/2/1/2015/12230	COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-10-2015 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Catalytic Converter. (3)D.G.Set Noise Report : 1 (4) Water Consumption: 170 L/ Day Source: Corporation (5) Ground Water: Nil	AR - Nil Stack monitoring report dated 18-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
66	SANJAY GUPTA / SHIV SHAKTI INDUSTRIES	P-5, P-7, KH. NO 45, MAHAVIR GALI, NEW MANDOLI REDEVELOPMENT AREA	29-10-2015	DPCC/EC/2/1/2015/12251	CASTING OF COPPER INGOT. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on	AR dated 27.02.2012 issued by DTU submitted. Stack monitoring report dated 28-09-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									01.06.2015 for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 08.08.2015. A representation was received from the unit on 14.08.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and seeking time for compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 18.09.2015 directing the unit to apply for installation of OLMS, adequacy report etc. The unit has submitted compliance and also applied for CTO. (1)ETP ---- N/A (2)ECS - Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 180 Liters/ Day Source: Out Source (5) Ground Water: Nil	The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted.		
67	PUSHP ALLELA (A UNIT OF M/S PUSHPA FOOD AND BEVERAGES)	A-4, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12260	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (a) AR dated Jan 2016 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 26.10.2015 issued by FICCI RESEARCH & ANALYSIS CENTRE submitted.- Paramerter meeting the prescribed norms.	N/A	01-07-2016 MCD Licence and Delhi Police Licence have not been submitted by the unit.	04-07-2016 Consent to Operate granted.

					(with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				(2)ECS - Channelization provided. (3)D.G.Set: ...Nil Status of Ground Water extraction : 7.0 KLD (registration from CGWA enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
68	SUBHASH KUMAR VINOD KUMAR	B-74, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12261	MANUFACTURE OF STAINLESS STEEL SINK AND S.S. HARDWARE WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 17.01.2011 issued by DTU submitted. (b) Stack analysis report dated 26.10.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE submitted. (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.1 KLD from DJB (bill enclosed) Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Stack analysis report dated 26.10.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE submitted. Old file not traceble.	01-07-2016 Unit has submitted a letter along with copy of letter submitted to DPCC on 15.10.2015 and an undertaking stating that they have changed its name from M/s Subhash Kumar Vinod Kumar to M/s Jain Brothers and requesting to update the same in DPCC record.	04-07-2016 Case deferred.
69	BALAJEE METAL INDUSTRIES	A-131, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12268	MFG. OF ALUMINIUM CIRCLE AND ACCESSORIES. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Status of Ground Water extraction : NO Source of Water: 1.0 KLd from DJB (bill enclosed) Earlier, consent was refused and direction for closure were issued to the unit on 27.07.2015. The unit has also applied for CTE and CTO along with stack monitoring report of Pit furnace	Stack monitoring report dated 08-10-2015 issued by DPCC submitted, Stack Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Consent to Operate granted.

70	REAL FOODS	B-225, PHASE-I, NARAINA INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12279	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Source of Water- DJB (Cat-II) Name not matched and address matched Water Consumption- 5000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Working (2)ECS - channelization system provided (3)D.G.Set Noise Report : 1 D.G. Set(s) of 140 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No - An inspection was conducted by DPCC officials on 22.01.2015 and following observations were made: 1. Unit found operating and engaged in the activity of Restaurant. 2. Unit having 1 D.G Set of capacity 90 KVA approximately with adequate stack height but without acoustic enclosure. 3. Ducting system is provided in the kitchen and chimney stack height is above the roof top. 4. ETP Plant is not installed but waste water is discharging by the unit into CETP as informed by the unit. 5. Unit having valid MCD License and Delhi police license till 31.03.2015. Accordingly, based on the findings of inspection Show cause notice for closure u/s 33(A) of the Water Act,1974, and u/s 31(A) of the Air Act,1981 was issued to the unit on 04.03.2015. - Unit has failed to submit any reply w.r.t to SCN. -Closure direction was issued to the unit on	Water Effluent- (a) AR dated August, 2015 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 28-08-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 29-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Take action as decided in file.
----	------------	---	------------	------------------------	---	----------------	---------	--	---	--	------------	---

									25.05.2015. -Unit submitted the reply on 13.07.2015 and informed that direction was issued with the name of M/s Bikanerwala food Pvt. Ltd. while their correct name is Real Foods. Also, submitted the undertaking and security bond of Rs. five lakhs only/- also submitted the copy of MCD and Delhi Police License, Water connection and electricity meter. -Temporary revocation was issued to the unit on 24.07.2015. MCD and Delhi Police License valid upto 31.03.2016.			
71	AGRAWAL DRUGS PVT. LTD.	421, FIE PATPARGANJ INDL. AREA	02-11-2015	DPCC/EC/2/1/2015/12282	Re-packaging of pharmaceutical drugs and chemicals (with In house small lab) Pharmaceuticals Formulation With Washing Operation	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-12-2011 Authorisation Status Approved Authorisation Issue Date 21-06-2012 Authorisation Expiry Date 25-12-2016	A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honrable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act, 1981 issued to the unit on 08.09.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2016/12282 applied on 02.11.2015 and requested to withdraw the above said notice. (1)ETP ---- Yes 2) ECS -- N/A (3)D.G. Set: Nil (4)Water Consumption: 1000 L/d Source: Outside (5) Ground water: Nil	AR dated 12.12.2011 issued by DTU submitted. Effluent analysis report dated 29-10-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
72	SATISH KUMAR	C-38, WAZIRPUR INDUSTRIAL AREA	02-11-2015	DPCC/EC/2/1/2015/12295	Mfg. of Utensils with buffing. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-10-2015 issued by DPCC submitted. Stack Test	Stack monitoring report dated 08-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Case deferred.

									Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.2 KLD from DJB (bill enclosed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
73	3S JOINT VENTURES HOSPITALITY	C-91/10, WAZIRPUR INDUSTRIAL AREA	03-11-2015	DPCC/EC/2/1/2015/12309	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR dated Nov 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 13.10.2015 by FICCI RESEARCH AND ANALYSIS CENTRE. Report within limit- Yes (2)ECS - Channelization system is provided. (3)D.G.Set: ...160, 160 KVA. Noise Monitoring report dated 30.09.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE. Report within limit- Yes Status of Ground Water extraction : 5.0 KLD (registration in the name of M/s Ajit Singh and Co. (P) Ltd. enclosed) Earlier, a temporary revocation of closure direction was issued on 05.08.2015. Afterthat unit applied for CTE and CTO on 02.11.2015 and 03.11.2015 but failed to submit fresh effluent analysis report of treated effluent and valid permission from MCD. A reminder letter was also issued on 15.06.2016 giving 15 days to submit the same. Unit submitted a reply stating that request for fresh analysis report has	1. Effluent analysis report dated 13.10.2015 by FICCI RESEARCH AND ANALYSIS CENTRE. Report within limit- Yes 2. Noise Monitoring report dated 30.09.2015 issued by FICCI RESEARCH AND ANALYSIS CENTRE. Report within limit- Yes	01-07-2016	04-07-2016 Case deferred.

									been submitted in FICCI as soon as they get the report they will submit the same. MCD Licence is also under process (Copy of applied receipt in MCD enclosed)			
74	MANGU CHICKEN CORNER	SHOP NO 24, DDA MARKET, SECTOR-17, ROHINI	04-11-2015	DPCC/EC/2/1/2015/12319	DHABA WITHOUT SEATS. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP Only Oil and Grease Trap cum settling tank provided. (2)ECS Channelization system provided in kitchen. (3)D.G.Set: ...Nil Status of Ground Water extraction : No Source of Water: 0.3 KLD from DJB (bill enclosed) MCD License valid upto 31.03.2016. Delhi Police license valid upto 31.03.2015 Earlier, a complaint against this unit received on 23.04.2015, thereafter, an inspection carried on 25.06.2015 and during inspection oil and grease cum settling tank not found installed for treatment of wastewater generated from washing section. Modified direction was issued on 30.10.2015. Now unit has submitted both the application of Consent to Establish and Consent to Operate along with all the requisite documents.		01-07-2016 .	04-07-2016 Consent to Operate granted.
75	PRAKASH OFFSET PRINTING PRESS	C-450, DSIDC, NARELA INDUSTRIAL AREA	05-11-2015	DPCC/EC/2/1/2015/12328	Printing press with plate making, Washing and Binding. Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006	Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated September, 2015 issued by Jamia Milia submitted, 2. ECS-No 3. D.G. set- 1x125KVA. Plot Area- 350 sq.mtr Proposed Date- 01.01.2003 Status of Ground Water Extraction:No 1. Water consumption: 600 L/day.	Effluent analysis report dated 24.08.2015 submitted from Shriram Institute for Industrial Research. Parameters are within prescribed limit except Bio assay test (0% of survival of fish) Air (Emission)-N/A Noise monitoring report dated 28.07.2015 by DPCC submitted. Noise monitoring report within limit.	01-07-2016 Not meeting the norms.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

								HWM Application No. 2 Application Date 08-09-2006 Authorisation Status Pending	a) Source of water: DSIDC (copy of DSIDC water bill submitted) Status of Inspection: No			
								HWM Application No. 3 Application Date 05-11-2015 Authorisation Status Pending				
76	REKHA PRINTERS PVT. LTD.	A-102/1, PHASE-II, OKHLA INDUSTRIAL AREA	06-11-2015	DPCC/EC/2/1/2015/12344	OFFSET PRINTING. Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 16-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 28-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 18-11-2008 Authorisation Status Pending HWM Application No. 4	Status of Pollution Control System (1)ETP - Yes (a) AR dated August, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 13-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D,G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 14-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - No Ground Water- Nil Water consumption- 2500 ltrs/day, Source- DJB (Bill enclosed)	Effluent analysis report dated 13-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 14-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - No	01-07-2016 The Noise Monitoring report of the DG set is not meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.

								Application Date 15-11-2011 Authorisation Status Approved Authorisation Issue Date 01-05-2013 Authorisation Expiry Date 14-11-2016				
77	BGARAT HEAVY TRANSMISSION PRODUCTS	PLOT NO. B-14/7, JHILMIL INDUSTRIAL AREA	09-11-2015	DPCC/EC/2/1/2015/12352	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI		(1)ETP ---- N/A (2)ECS - Wet Scrubber installed with Super Enameling Plant (3)D.G.Set Noise Report : 1 (4) Water Consumption: 150 L/ Day Source: Can Water Supply/ Other Source (5) Ground Water: Nil	AR - Nil Stack monitoring report dated 18-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 18-05-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
78	MANOJ KUMAR JAIN	PLOT NO 1/536/A/10, GALI NO 4, FRIENDS COLONY INDUSTRIAL AREA	09-11-2015	DPCC/EC/2/1/2015/12353	Copper Wire Drawing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-11-2015 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4)Water Consumption: 100 L/d Source: DJB (5) Groundwater:Nil	N/A	01-07-2016 Re commanded for Inspection.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules. IT Cell to correct the categorization of the unit i.e. Copper Wire Drawing without Super Enamelling, Pickling (Dry Process).
79	CORUS HOTELS & THE CORUS RESTAURANT (A UNIT OF RUNWELL INDIA PVT. LTD)	13,14,B/47 TO 49 AND B/54 AND B/14/1 TO 8 NAWAB ALI BUILDING, CONNAUGHT PLACE	12-11-2015	DPCC/EC/2/1/2015/12375	HOTEL AND RESTAURANT. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DJB sewer with Boiler	Orange Operate	Non-SPI		Source of Water- Water Consumption- 10200 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - Stack attached to boiler (3)D.G.Set Noise Report : 2 D.G. Set(s) of 62.5 KVA and 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 13-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Air Emission- (Stack monitoring report of stack attached to boiler dated 23-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Stack Test Report within Limit - Yes Noise- (a)The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No	01-07-2016 .	04-07-2016 Noise monitoring reports dated 13.10.2015 of FICCI Research & Analysis Centre perused and it was found that both the D.G. Sets 62.5 KVA & 125 KVA found meeting the prescribed standards. Consent to Establish and Consent to Operate granted.

									- MCD License and Delhi Police License valid upto 31.03.2018	(b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No		
80	UNITAN IMPEX	A-234, GROUND FLOOR, DSIDC INDUSTRIAL COMPLEX, NARELA, DELHI	23-11-2015	DPCC/EC/2/1/2015/12432	GRINDING (CUTCH POWDER AND CUTCH, CUTECHU POWDER). Supari (Betelnut) and Pan Masala Grinding	Orange Operate	Non-SPI		Status of Pollution Control System Status of Pollution Control system/Devices: 1. ETP- No 2. ECS-Yes 3. D.G. set-No Plot Area- 350 sq.mtr Proposed Date- 10.08.2014 Status of Ground Water Extraction:No 1. Water consumption: 80 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: Yes Inspection was conducted on 07.08.2015 by the officials of DPCC and inspection findings are as follows: Unit found operating and engaged in the activity of mfg. of Cutch powder using cutch (solid form). SCN for closure u/s 31 (A) of Air act issued on 21.09.2015 Replied on 06.10.2015 stated that applied for stack monitoring report & asked to give time to apply for consent Modified Direction u/s 31(A) of Air Act giving 45 days time to apply for consent issued on 03.02.2016	Water(Effluent)- N/A Emission monitoring report issued by FICCI dated 03.11.2015 submitted. Parameters are within prescribed limit. Noise Test Report- N/A	04-07-2016	04-07-2016 Consent to Operate granted.
81	LAVANYA ORCHID	15, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	26-11-2015	DPCC/EC/2/1/2015/12463	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (Cat-II) Name and address matched Water Consumption:3500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report :3 D.G Set of 180,160 and 62.5 KVA installed	Water Effluent-Effluent analysis report dated 06-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Noise- (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 06-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No Remarks/Recommendation	01-07-2016 Consent to Establish granted in the meeting on 25.06.2016 . Since noise monitoring report for D.G. Set is not meeting the prescribed limit, Ask the unit to submit fresh noise monitoring report of D.G. Set from empanelled laboratory of DPCC after installing proper acoustic enclosure.	04-07-2016 As per report of FICCI Research & Analysis Centre dated 06.11.2015, noise level at 1 meter distance is 72.3 db(A) (when door closed) and D.G. Set is operational, is meeting the prescribed standard of less than 75 db(A) and insertion loss is 25.3 db(A). In view of above, D.G. Set is meeting the prescribed standard. Therefore, decision taken on 25.06.2016 regarding seeking fresh noise monitoring report is reviewed and Consent to Operate granted.

					public/municipal/DJB sewer				Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Noise Monitoring report of D.G Set for 160 KVA provided.		
82	NORTHERN STEEL INDUTRIES (UNIT-II)	A-53,GROUP WAZIRPUR INDsutRIAL AREA	26-11-2015	DPCC/EC/2/1/2015/12466	MFG. OF S. S. UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 08.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 16-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.05 KLD from outside source through jars. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Stack monitoring report dated 16-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Case deferred.
83	WANG PHARMACEUTICALS AND CHEMICALS	PLOT NO 41, SEC-2, PKT-C, DSIDC BAWANA INDL. AREA	26-11-2015	DPCC/EC/2/1/2015/12473	MANUFACTURING OF BASIC RAW MATERIALS FOR PHARMACEUTICAL FORMULATION. Pharmaceuticals Formulation With Washing Operation	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-11-2015 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes a) Adequacy report of ETP dated February, 2015 issued by Jamia Milia submitted. 2. ECS-No 3. D.G. set-Yes, 1x 82.5 KVA Plot Area- 150 sq.mtr Proposed Date- 01.10.2013 Status of Ground Water Extraction:No 1. Water consumption: 515 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: No	Effluent analysis report of ETP dated 14.10.2015 submitted from DPCC lab. Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 09.10.2105 from DPCC submitted, Noise monitoring report within limit.	01-07-2016 -	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
84	GAURAV METALS PVT. LTD.	12/8-9, SHAHDARA INDUSTRIAL	27-11-2015	DPCC/EC/2/1/2015/12480	COPPER WIRE DRAWING WITH SUPER ENAMELING.	Orange Renewal	Non-SPI	HWM Application No. 1	(1)ETP ---- N/A (2)ECS - Wet Scrubber	AR - NIL Stack monitoring report	01-07-2016 This is a case of redevelopment	04-07-2016 Inspection be carried out w.r.t.

		AREA (NORTH OF GT ROAD)			Copper Wire Drawing with Super Enamelling (Dry Process)				Application Date07-07-2004 Authorisation StatusApproved Authorisation Issue Date04-08-2004 Authorisation Expiry Date03-08-2006 HWM Application No.2 Application Date03-10-2006 Authorisation StatusPending HWM Application No.3 Application Date20-12-2012 Authorisation StatusRejected Authorisation Refused Date20-08-2015 HWM Application No.4 Application Date27-11-2015 Authorisation StatusPending	with Super Enameling Plant	dated 26-10-2015 issued by DPCC submitted.	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-10-2015 issued by DPCC submitted.	(3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Can Water Supply (5) Ground Water: Nil	area i.e North of GT Road. As the unit failed to submit MCD license and authenticated map issued by Industries department the previously previous application for CTO and authorization under HW rules submitted on 20.12.2012 were refused on 31.08.2015 and also SCN u/s 33 (A) of the Water (Prevention and Control of Pollution) Act, 1974 and u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 also issued. Unit apply a fresh for CTO on 27.11.2015 and for Authorization under HW rules on 27.11.2015.	compliance of Hazardous Waste Rules.
85	DAIJEX AUTO INDUSTRIES	191, SECTOR-2, POCKET-O, DSIDC BAWANA INDUSTRIAL AREA	01-12-2015	DPCC/EC/2/1/2015/12514	Auto Parts and Accessories. Process Involving Buffing	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- Yes (Bag Filter) a) Adequacy report of ECS dated 28.02.2012 issued by DTU 3. D.G. set-No Plot Area- 150 sq.mtr Proposed Date- 01.01.2009 Status of Ground Water Extraction:No 1. Water consumption: 150 L/day.	Water(Effluent)- N/A Emission moniotring report - issued by FICCI dated 09.11.2015 submitted. Parameters are within prescribed limit. Noise Test Report- N/A	01-07-2016	04-07-2016 Case deferred.			

									a) Source of water: DSIIDC (copy of DSIIDC water bill submitted)			
									Status of Inspection: No			
86	CHING WAH CHINESE & JAPANESE RESTAURANT	A-81/A, LAJPAT NAGAR-II,	02-12-2015	DPCC/EC/2/1/2015/12533	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP- Yes (a) AR dated February,2015 issued by Jamia Millia Islamia submitted. Effluent analysis report dated 19-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Ground Water- Nil Water Consumption-8000 ltrs/day , Source- DJB (Bill Enclosed) MCD license & Delhi Police license valid upto 31.03.2017	Effluent analysis report dated 19-10-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - No	01-07-2016 As per note on Noise Monitoring Report of DG set from DPCC laboratory dated 06.10.2015, that the DG set monitored is not meeting the permissible limit as per the G.S.R. 371 (E) dated 17th May 2002 and amended till date.	04-07-2016 Clarification may be sought from the DPCC laboratory regarding mentioned of NA w.r.t. insertion loss in the noise monitoring report and file be put up administratively.
87	M.T. ENTERPRISES	P-9 & 10, NEW MANDOLI INDL AREA	02-12-2015	DPCC/EC/2/1/2015/12546	Mfg. of Copper Ingots by Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 08.07.2015, informing the submission of adequacy report and Air monitoring report but the letter was without enclosures as claimed. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015. A representation was received from the unit on 21.09.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and further stating that the other compliance are in process.	AR dated issued by submitted. Stack monitoring report dated 03-11-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, adequacy report etc. (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 62 KVA. (4) water Consumption: 200 Liter/ Day Source: outside (5) Ground Water: Nil			
88	DURGA INDUSTRIES	PLOT NO. N-22B, GALI NO. 9, ANAND PARBAT INDUSTRIAL AREA	04-12-2015	DPCC/EC/2/1/2015/12563	MFG. OF ENAMELLED COPPER WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004 Authorisation Expiry Date 30-09-2006 HWM Application No. 2 Application Date 02-11-2006 Authorisation Status Pending HWM Application No. 3 Application Date 06-03-2012 Authorisation Status Pending	Source of Water: Municipal Corporation Water Consumption: 100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Scrubber (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emission- Stack monitoring report dated 06-11-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-07-2016	04-07-2016 Case deferred.
89	GANGANAGAR AUTOMOBILES PVT. LTD.	56 (PART), RAMA ROAD, NAJAFGARH ROAD	07-12-2015	DPCC/EC/2/1/2015/12599	SERVICE STATION (WASHING, REPAIRING, DENTING AND	Orange Operate	Non-SPI	HWM Application No. 1	Source of Water: Trough tanker (copy of bill enclosed)	Effluent: (a) Effluent analysis report dated 16-09-2015 issued by DPCC submitted.	01-07-2016	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste

		INDUSTRIAL AREA			PAINTING OF CARS). Automobile Servicing and Repair Station with Washing Activity with burner			Application Date 07-12-2015 Authorisation Status Pending	Water Consumption:3500 Litre/day Source of Ground Water Extraction:Nil Status of Pollution Control System (1)ETP - working (2)ECS -working (3)D.G.Set Noise Report : 1 D.G Set of 125 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent Test Report within Limit - Yes Emission: (a) Stack monitoring report dated 18-09-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes		Rules.
90	R.K. METAL	KH. NO 69 KRISHNA GALI SAMBOLI INDL. AREA	11-12-2015	DPCC/EC/2/1/2015/12694	Mfg. of Copper Wire Bars Ingot Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 08.06.2015. A representation was received from the unit on 15.0-9.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, adequacy report etc. The unit has submitted compliance and also	AR --N/A Stack monitoring report dated 03-11-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 01-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	01-07-2016 As approved in the file inspection be expedite.	04-07-2016 Inspection be conducted as decided in file.

									applied for CTO. (1)ETP ---- N/A (2)ECS - applied on 19.10.2015 (3)D.G.Set Noise Report : 1 (4) water Consumption: 200 Liter/ Day Source: outside (5) Ground Water: Nil			
91	I.G. HOMOEO REMEDIES PVT. LTD.	316, FIE, PATPARGANJ INDUSTRIAL AREA	11-12-2015	DPCC/EC/2/1/2015/12697	Mfg. of Homeopathic Medicines and Heral Cosmetics (syrup, Tables, Mother Tinctures, Dilution, Shampoo and oil) Medicines / Pharmaceutical Formulation- without Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-09-2006 Authorisation Status Pending HWM Application No. 2 Application Date 11-12-2015 Authorisation Status Pending	A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honrable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act,1981 issued to the unit on 08.09.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2015/12697 applied on 11.12.2015 and requested to withdraw the above said notice . (1)ETP ---- Yes (2) ECS - N/A (3)D.G.Set: Nil (4)Water Consumption: 600 KL/days, Source: Water Tanker (5) Groundwater:Nil	AR dated Feb 2016 issued by Jamia Melia Islamia submitted. Effluent analysis report dated 28-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	01-07-2016 Re commanded for Consent to Operate and Authorization under HW Rules.	04-07-2016 Inspection be carried out w.r.t. compliance of Hazardous Waste Rules.
92	VERNA METAL INDUSTRIES	BC-341, MANGOLPURI INDUSTRIAL AREA, PHASE-II	16-12-2015	DPCC/EC/2/1/2015/12748	Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Status of Ground Water extraction : No Source of Water: 0.1 KLD	Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Inspection be conducted.

									from DJB (bill enclosed) Earlier, a compliant has been received against this unit, thereafter inspection carried on 25.06.2015 during inspection unit found engaged in the activity of mfg. of sanitary fittings and accessories (with casting and electroplating) without taking any control measures. Afterthat, a SCN was issued on 16.07.2015. Subsequently, unit submitted its reply on 26.08.2015 and stating that they have closed the electroplating section and buffing activity and doing only casting and assembly of sanitary fittings and accessories for which they have installed chimneys (photograph enclosed). A modified direction was also issued on 08.10.2015 with the condition to apply for consent to establish and operate along with all requisite documents within 45 days. Now unit has applied for both CTE and CTO in the activity of Casting and Assembly of Sanitary Fittings and Accessories (Without Electroplating and without buffing) on 16.12.2015.			
93	BAGGA LINK SERVICE LTD	G.F. 1141/2, RITHALA, DELHI	16-12-2015	DPCC/EC/2/1/2015/12772	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status 1 10-11-2014 Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) AR dated 17.10.2014 issued by DTU submitted. (b) Effluent analysis report dated 26-11-2015 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 23-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	1. Effluent analysis report dated 26-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 23-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Earlier, CTO case deferred since the documents required w.r.t. proof of conformity etc. is to be decided by MS, DPCC.	04-07-2016 Case deferred.

									Status of Ground Water extraction :Nil Source of Water: 2.5 KLD from DJB and outside water supply Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
94	ANIQDIMCHA DAO (A UNIT OF M/S RARA PREMIER FOODS)	N-17, M BLOCK MARKET, GREATER KAILASH PART-I, NEW DELHI	16-12-2015	DPCC/EC/2/1/2015/12777	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) AR dated September 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 17.06.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 23-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water- Nil Water consumption- 7690 ltrs/day, Source- DJB (bill enclosed) MCD license valid upto 31.03.2017 Delhi Police license valid upto 31.03.2017 As decided, an inspection was carried out by representatives of DPCC on 06.10.23015 and following were observed: 1. Unit found operating with activity of Restaurant, Bar and Lounge with Restaurants named Dao and Dimcha operating at first floor and Lounge and Bar named Aniq operating on second floor. 2. Police license and MCD license valid upto 31.03.2017 in name of M/s Aniqdimchadao (A unit of M/s Rara Premier Foods Pvt Ltd).	Effluent analysis report dated 17.06.2015 issued by DPCC submitted. Effluent report is with in prescribed limit. The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 23-07-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Now unit exist in N block market and not in M block market. As per approval on file SCN for refusal of Consent under Air and Water Act and Direction for Closure to be issued to unit.	01-07-2016 Another complaint was received through PGMS. And another inspection was carried out by the representatives of DPCC on 25.05.2016 and it was found that ETP of the unit was not in operation, logbook of ETP not available. Now unit exist in N block market and not in M block market. As per approval on file SCN for refusal of Consent under Air and Water Act and Direction for Closure to be issued to unit.	04-07-2016 Take decision as decided in file.

									3. CTE from DPCC in name of AniqDimchaDao (A unit of M/s Rara Premier Foods). 4.No. of seats are approx 95. 5. ETP installed with name AniqDimchaDao (A unit of Rara Premier Foods) marked. 6. ETP not found operational . Logbook not maintained. Sludge not found. 7. One DG set of 160 KVA placed at roof top with inadequate stack height. 8. Proper Channelization installed with adequate stack height above roof level. 9. Source of water is DJB. Copy of bill provided. Show Cause Notice u/s 33(A) of the Water Act and 31(A) of the Air Act was issued to unit on 28.10.2015 Unit submitted its representation on 05.11.2015 w.r. t. SCN dated 28.10.2015 regarding rectification of deficiencies. Another complaint was received through PGMS. And another inspection was carried out by the representatives of DPCC on 25.05.2016 and it was found that ETP of the unit was not in operation, logbook of ETP not available. As per approval on file SCN for refusal of Consent under Air and Water Act and Direction for Closure to be issued to unit,			
95	TIRUPATI UDHYOG	B-47B (F), JHILMIL INDUSTRIAL AREA, SHAHDARA	21-12-2015	DPCC/EC/2/1/2015/12829	MFG. OF ALUMINIUM SHEETS AND CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing Annealing using Electric Furnace/Oven	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Cyclone and Wet Scrubber (3)D.G.Set: ...N/A... (4) water Consumption: 350 L/ D Source: Corporation (5) Ground Water: Nil	AR dated Jan 2016 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 24-09-2015 issued by SHRIRAM INSTITUTE submitted.	01-07-2016 Based upon a complaint the unit was inspected on 11.05.2016 and accordingly for deficiencies a SCN u/s 31 (A) of Air Act, 1981 was issued. Reply was submitted by the unit on 19.06.2016 informing the compliance. To check the compliance	04-07-2016 Inspection be conducted.

inspection was conducted again on 11.09.2016. For the deficiencies modified direction u/s 31 (A) of Air Act, 1981 was issued on 01.12.2015. A reply along with the photographs showing the compliance was submitted by the unit on 27.04.2016. As approved a letter was than issued to the unit on 07.04.2016 directing them to install On Line Monitoring System (OLMS) and to submit the compliance report within 90 days. Compliance report is awaited.

Remarks/ATR on 01-07-2016
Based upon a complaint the unit was inspected on 11.05.2015 and accordingly for deficiencies a SCN u/s 31 (A) of Air Act, 1981 was issued. Reply was submitted by the unit on 19.06.2015 informing the compliance. To check the compliance inspection was conducted again on 11.09.2015. For the deficiencies modified direction u/s 31 (A) of Air Act, 1981 was issued on 01.12.2015. A reply along with the photographs showing the compliance was submitted by the unit on 27.04.2016. As approved a letter was than issued to the unit on 07.04.2016 directing them to install On Line Monitoring System (OLMS) and to

											submit the compliance report within 90 days. Compliance report is awaited.	
96	R.K. METALS	B-47 B (E), JHILMIL INDUSTRIAL AREA, SHAHDARA	21-12-2015	DPCC/EC/2/1/2015/12830	MFG. OF ALUMINIUM SHEETS. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing Annealing using Electric Furnace/Oven	Orange Operate	Non-SPI		(1)ETP ---- Sedimentation Tank provided for scrubbing water treatment. (2)ECS - Cyclone and Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 250 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR: Nil Stack monitoring report dated 25-09-2015 issued by SHRIRAM INSTITUTE submitted. The analysed parameter was within the prescribed limit.	01-07-2016 Based upon a complaint the unit was inspected on 11.05.2015 and accordingly for deficiencies a SCN u/s 31 (A) of Air Act, 1981 was issued 09.06.2015. A reply was submitted by the unit on 22.06.2015 informing the compliance. To check the compliance inspection was conducted again on 11.09.2015. For the deficiencies Closure Direction u/s 31 (A) of Air Act, 1981 was issued to the unit on 24.11.2015. A representation was received on 22.01.2016, 09.02.2016 and on 17.03.2016 requesting for revocation of closure directions issued along with documentary proof and some computer based photographs showing the compliance. As approved the Closure Direction issued on 24.11.2015 was than temporary revoked on 07.04.2016 directing to install On Line Monitoring System (OLMS) and to submit the compliance report within 90 days. Compliance report is awaited.	04-07-2016 Inspection be conducted.
97	SAGAR RATNA HOTELS PVT LTS (SAGAR RATNA)	A- 6/7,CHAUDHARY BALBIR SINGH MARG ,PACHIM VIHAR	21-12-2015	DPCC/EC/2/1/2015/12867	Restaurant, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other	Orange Renewal	Non-SPI		Source of Water- DJB (Cat-II) Copy of bill provided and name nto matched and address matched Water Consumption- 2500 Litres/ Day Status of Ground Water extraction : Nil	Water Effluent- Effluent analysis report dated 17-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	01-07-2016 .	04-07-2016 Consent to Operate (Renewal) granted.

					such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer				Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - Channelization provided (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No NDMC Licesne and Delhi Police License valid upto 31.03.2016			
98	ORIENT FASHION EXPORTS(INDIA) PVT. LTD	PLOT NO. E-45/9&10, PHASE-II, OKHLA INDUSTRIAL AREA	23-12-2015	DPCC/EC/2/1/2015/12949	Mfg. of Readymade Garments without washing and Dry Cleaning. Laundry and Dry-cleaning with Boiler Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP - ETP - Physiochemical (a) AR dated March 2016 issued by Jamia Millia Islamia submitted and found adequate. (b) Effluent analysis report dated 03-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit . (2)ECS - N.A(Oil fired Boiler) (a) Stack monitoring report dated 30-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit. (3)D.G.Set : 200 KVA and 205 KVA (a) The unit has 2 D.G. Set(s) of 200 KVA and 205 KVA. Noise monitoring report dated 20-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. But unit has submitted report for only one DG set but capacity of DG set is not specified. Ground water- Nil Water consumption-2000 ltrs/day, Source- DJB (Bill enclosed for the same premises)	Effluent analysis report dated 03-12-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit . Stack monitoring report for Oil Fired Boiler dated 30-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted and found within Limit. D.G.Set : 200 KVA and 205 KVA Noise monitoring report dated 20-11-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted however not mentioned the capacity of DG Set monitored and year of mfg of DG Set	01-07-2016 The unit requested for Change of Name from M/s Silver Ocean Exports Pvt. Ltd to ORIENT FASHION EXPORTS(INDIA) PVT. LTD and the same has been done.	04-07-2016 Consent to Operate granted.
99	WEAR WELL INDIA	B-134, PHASE I,	28-12-2015	DPCC/EC/2/1/2015/12990	MFG. OF	Orange	Non-SPI	HWM	Status of Pollution Control	Effluent analysis report	01-07-2016	04-07-2016

	PVT. LTD	OKHLA INDUSTRIAL AREA			READYMADE GARMENT WITH WASHING. Readymade Garment (with Washing) with Boiler	Renewal		Application No. 1 Application Date 13-10-2006 Authorisation Status Pending HWM Application No. 2 Application Date 06-11-2009 Authorisation Status Pending	System (1)ETP - Yes (a) AR dated March 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 19-11-2015 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS -N/A (Unit is having 4 Oil fired boiler) (a) Stack monitoring report dated 21-10-2015 & 26.10.2015 issued by DPCC submitted, Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 125 KVA 250 KVA and 250 KVA. Noise monitoring report dated 17-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water- Nil Water consumption-3250 ltrs/day, Source- DJB (bill enclosed)	dated 19-11-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 21-10-2015 & 26.10.2015 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 3 D.G. Set(s) of 125 KVA 250 KVA and 250 KVA. Noise monitoring report dated 17-09-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	DPCC laboratory have collected the sample on 09.03.2016 and as per remarks unit was found in operation and ETP was not operational at the time of monitoring. Sample was collected from bypass of unit and effluent analysis report dated 28.04.2016 reveals that parameter of BOD was not meeting the prescribed standard. As approved on file, SCN u/s 33(A) of the Water Act and 31 (A) of the Air Act was issued to unit on 28.06.2016. Reply awaited.	Take decision as decided in file.
100	NEW YORK SLICE (A UNIT OF B.M. CREATIONS PVT. LTD.)	50, GROUND FLOOR, HAUZ KHAS VILLAGE	28-12-2015	DPCC/EC/2/1/2015/12991	EATING HOUSE. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	Orange Operate	Non-SPI		(1)OGT cum settling tank installed (2)ECS - N/A (3)D.G.Set: Nil Ground water-Nil Water consumption-150 ltrs/day MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Unit was not inspected during survey on 17.09.2015 however, as per list provided and informed by Delhi Fire Service unit is operational. As per approval in file, SCN u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to unit on 05.10.2015.	N/A	01-07-2016 Unit has applied for Consent to Operate for 10 seats.	04-07-2016 Consent to Operate granted.

As decided, an inspection of the unit was carried out by representatives of DPCC on 20.10.2015 and following were observed:

1. Unit found in operation and engaged in the activity of Fast Food Outlet with seating capacity of 22 seats.
2. The food prepared in the Manesar, Gurgaon in main kitchen and transported to outlets.
3. The pre cooked food baked, fried, seasoning etc as required and served in disposables.
4. The unit has not installed an Oil and Grease Trap cum Settling Tank and wastewater generated from washing is discharged into sewer without any treatment.
5. Channelization system provided in kitchen but adequate stack height has not been provided i.e. below roof level.
6. Unit having MCD (Health license) and Delhi Police license valid upto 31.03.2016. MCD (Health license) is for 10 seats.

Unit has submitted its reply on 29.10.2015 w.r.t. to SCN dated 05.10.2015 informing that they are in process of filing of consent to Establish and consent to Operate application and requested to grant 30 days time for the same. Unit has again submitted its reply on 29.12.2015 and stated that they have applied for CTE and CTO on 28.12.2015.

Modified Direction u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to unit on 15.01.2016 for giving 45 days time to the unit for installation of Oil and Grease Trap cum Settling Tank.

Unit has submitted its reply on 21.03.2016 w.r.t. to Modified Direction issued to unit and stated that :

1. They have 10Nos. of seats and accordingly filed consent application in

									DPCC. 2. They are planning to increase the seats and meanwhile in the planning course, the officials from DPCC visited, they observed 22 seats instead of 10 seats. They have dropped the idea as it got congested and not increased a single seat. 3. The size of Oil and Grease Trap is 4x2x2 joined by Settling Tank having capacity of 300 Litres (total capacity of OGT cum Settling Tank is 750 Litres) and is enough to hold/detain the water for 4 hours meeting the DPCC norms.			
101	GOLDEN CROWN BANQUET (A UNIT OF MASALA MAGIC HOSPITALITY PVT. LTD)	36 RAMA ROAD, MOTI NAGAR INDL. AREA	29-12-2015	DPCC/EC/2/1/2015/13014	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Ground water: Nil Water Consumption: 3500 Litre/day (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 200 KVA (4) Inspection : Yes, Inspection conducted on 26.11.2014 w.r.t the implementation of Action plan under Swacch Bharat Mission, 2014 (office order dated 05.11.2014 & 10.11.2014) and following were the observation. - during inspection, the banquet was found operational. - Structure of effluent treatment plant found at site. Effluent is being discharged into drain without treatment. - the unit is operating without consent taking from DPCC under Air & Water Acts. The unit has not applied for consent. - Stack height of D.G. set found inadequate. -Ground water connection exist. (5) SCN u/s 31(A)/33(A) : issued on 23.12.2014 (6) Closure directions u/s 31(A)/33(A) : issued on 30.01.2015 - unit submitted a reply on 20.02.2015 and informed that they rectified all the deficiencies observed during inspection also	Water Effluent-Effluent analysis report dated 26-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Noise- The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 13-10-2015 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	01-07-2016	04-07-2016 Consent to Operate granted and directions for closure be revoked.

									submitted the photographs of ETP with copy of voluntary disclosure of existing borewell. -Temporary revocation issued on 03.09.2015. -MCD license valid upto 31.03.2016			
102	DUNGAR LAL METAL FOUNDRY WORKS	PLOT NO 6/43-A, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA	29-12-2015	DPCC/EC/2/1/2015/13019	MFG. OF SMALL FOUNDRY JOB WORK BRASS AND GUN METAL BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 08-10-2004 Authorisation Expiry Date 07-10-2006 HWM Application No. 2 Application Date 31-07-2006 Authorisation Status Pending	Source of Water: Municipal Corporation Water Consumption: 30 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Working (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emissions- Stack monitoring report dated 08.08.2015 issued by Air Lab, DPCC submitted.	01-07-2016	04-07-2016 Case deferred.
103	L. P. CASTING WORKS	PLOT NO. J-33, GALI NO. 7, ANAND PARBAT INDUSTRIAL AREA	29-12-2015	DPCC/EC/2/1/2015/13020	MFG. OF SMALL FOUNDRY JOB WORK BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 08-10-2004 Authorisation Expiry Date 07-10-2006 HWM Application No. 2 Application Date 31-10-2006 Authorisation Status Pending	Source of Water: Outside Water Consumption: 30 Litres/ Day Status of Ground Water extraction : Nill Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Working (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Air Emission- Stack monitoring report dated 01-10-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-07-2016	04-07-2016 Case deferred.
104	THE BRINELL	F-30/1, PH-II,	31-12-2015	DPCC/EC/2/1/2015/13065	MFG. OF	Orange	Non-SPI		Status of Pollution Control	1.Adequacy Report Dated	01-07-2016	04-07-2016

CLOTHING INC	OKHLA INDUSTRIAL AREA			READYMADE GARMENTS (WITH WASHING). Readymade Garment (with Washing) with Boiler	Operate				System (1)ETP - Installed. Adequacy Report Dated January 2016 issued by Jamia Millia Islamia submitted and found adequate. (2)ECS -N.A (Having oil fired boiler) (3)D.G.Set- 40 KVA, 125 KVA, 140 KVA Ground water- Nil Water Consumption-3000 ltrs/day, Source- DJB (bill enclosed for the same premises)	January 2016 issued by Jamia Millia Islamia submitted and found adequate. 2. Effluent analysis report dated 18-11-2015 issued by DPCC submitted and found within Limit - 3.ECS - N/A 4. Stack monitoring report dated 26-10-2015 for Oil fired Boiler issued by DPCC submitted and found within Limit. 5.D.G.Set Noise Report : The unit has 4 D.G. Set(s) of 15 KVA (not in use),40 KVA,125 KVA and 140 KVA. Noise monitoring report dated 03-11-2015 issued by DPCC submitted and found meeting the prescribed limit.	This is existing unit which has also applied for Consent to Operate on 31.12,2015. Earlier unit has obtained Consent under Green Category for the activity of Fabrication and export of readymade garments (without washing) with validity upto 19.06.2008.	Consent to Operate granted.
--------------	-----------------------	--	--	--	---------	--	--	--	--	---	---	-----------------------------

--