



CONSENT MANAGEMENT

Decisions taken by Member Secretary (DPCC) on 17.07.2012 in respect of 63 cases of Consent to Operate and Renewal (Orange Category 2c cases) w.e.f 17.11.11 to 01.09.11 in reverse chronology (excluding the cases of re-development areas)

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	37984 01-09-2011	AUTO VIKAS SALES & SERVICE PVT. LTD. 62A-NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	AUTHORISED SERVICE STATION (SERVICING OF VEHICLES). Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 1115 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 400 liters/day		28-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated May 2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:18.05.2011 and following were the observations: 1. ETP installed and in operational. Dry sludge seen at site. No wet sludge is found at site. No chemical Dosing tank found at site. 2. Waste oil found stored n the drum in open area. (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 07.10.2011 and ask for reply within 15 days (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 File be put up administrativley.	17-07-2012 Unit has submitted bank guarantee as asked by DPCC and have informed regarding rectification of deficiencies and also applied afreshf for authorization under HWM Rules on 17.02.2011. Consent to Operate and Authorization under HWM Rules granted.
2	37990 01-09-2011	MOTORADES DR. K.S. KRISHNAN ROAD NEAR N.P.L. PUSA INSTITUTED	CENTRAL	Orange Renewal	Petrol Pump Cum Service Station. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 232 (in sq. meter) - Water Consumption ---- 6100 liters/day - Ground Water ---- 5000 liters/day - Waste Water generation (a) Domestic Effluent ---- 900 liters/day (b) Trade Effluent ---- 4500 liters/day		03-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 20.07.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 12-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
3	38001	KOHLI AUTOMOBILES B-220, PHASE - I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	Car Washing/Repairing. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 900 liters/day		29-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.07.2008 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 19.07.2011 issued by Delhi Pollution Control Committee submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
4	38029	DALIP TRADING (P) LTD. KH. NO 365/2, 379 & 394, VILAGE RANGPURI	SOUTH WEST	Orange Operate	motel/hotel, restaurant and bar. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 18000 liters/day • Ground Water ---- 18000 liters/day • Waste Water generation (a) Domestic Effluent ---- 7000 liters/day (b) Trade Effluent ---- 5000 liters/day		03-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated Sept-2009 issued by GGSIPU submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of 320 KVA dated 20.07.2011 issued by DPCC submitted and noise levels are within limit / beyond limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
5	38040 07-09-2011	RAJDHANI FLOUR MILLS LTD. (UNIT-2) B-30,LAWRENCE ROAD	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF GRAM DALL AND BESAN. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 3200 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	29-06-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 10.09.2008 issued by DCE submitted. (b) Stack monitoring report dated 05-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 4 D.G. Set(s) of 320 KVA, 250 KVA, 125 KVA and 50 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Renewal of Consent to Operate granted.
6	38041 07-09-2011	SHAKTI PRODUCTS OVERSEAS PVT. LTD 28B, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Operate	PACKAGING OF TABACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 1588 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	02-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil.. (6) Closure directions u/s 5 of EPA was issued on 16.08.2011. unit submitted the bank guarantee on 08.09.2011. Inspection conducted on 8.09.2011 and 14.10.2011. recently inspection was conducted on 19.04.2012 and following were observed: 1. unit found sealed at the time of inspection and it was reproted that power supply has been disconnected. 2. DG Set does not exist. 3. The packing pouches being used by unit colleected and attached with this report.	06-07-2012 Recommended to put up file administratively.	17-07-2012 Inspection be conducted.
7	38054 09-09-2011	FAHRENHEIT AUTOMOBILE PVT. LTD. C-46 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	REPAIRING AND SERVICING OF AUTOMOBILES (CARS). Automobile Servicing And Repair Station		29-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 28-07-2011 issued by DELHI COLLEGE OF	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.

					With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation • (a) Domestic Effluent ---- 400 liters/day • (b) Trade Effluent ---- 1500 liters/day		ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - stack (a) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes		
8	38057 09-09-2011	MYSTIC C-147 (A-147), PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	WASHING OF GARMENTS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 8550 liters/day • Ground Water ---- 8550 liters/day • Waste Water generation • (a) Domestic Effluent ---- 300 liters/day • (b) Trade Effluent ---- 8000 liters/day		02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated Aug-2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 14-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (b) Stack monitoring report dated 30-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Renewal of Consent to Operate granted.
9	38059 09-09-2011	VIMCO BATTERIES (1) REGS. F-39, PH-II, MAYAPURI INDUSTRIAL	Mayapuri Industrial Area	Orange Renewal	MFG. OF BATTERY INCLUDING PLATES. Batteries (Lead Acid) And Accessories			29-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 06-	06-07-2012 Recommended for inspection.	17-07-2012 Inspection be conducted.

		AREA				• Date of commissioning of project ---- • Built Up Area ---- 84 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
10	38082 13-09-2011	ARKAY ENTERPRISES D-89, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF READYMADE GARMENTS (WITH WASHING). Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 4797.97 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 4000 liters/day		19-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...September,2008..... issued by ...GGSIPU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 08-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Reply submitted that they have already applied for CTE on 10.07.2009 and CTO (R) on 15.09.2008 along with fresh adequacy report. DJB permission not submitted. As decided by CMC (O) in its meeting held on 12.05.2010, Consent to establish was issued on 11.06.2010 Earlier CMC Decision 16.03.2009 Ask the unit to apply for Consent to Establish, fresh consent to operate application and file fresh adequacy report from empanelled consultants of DPCC along with permission from CGWA. Call on 29.04.2009. 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Call on 24.06.2009 24.06.2009 Issue SCN for refusal of consent. Call on 26.08.2009. 12.05.2010 Issue Consent to Establish.	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.
11	38092	SWADESHI	Najafgarh	Orange	Service station of				06-07-2012	17-07-2012

	15-09-2011	AUTO PVT. LTD. 41, RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Road Industrial Area	Operate	Bikes. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 2500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	03-07-2012 (1)ETP ---- ETP Physiochemical (a) AR dated 20.07.2007 issued by DCE submitted. (b) Effluent analysis report dated 20-06- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 20- 06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Recommended for grant of Consent to Operate and authorization under HWM Rules.	Consent to Operate and Authorization under HWM Rules granted.
12	38104 16-09-2011	PARADISE METALS 26A, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF CONTACT POINTS. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 550 liters/day • Ground Water ---- 550 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 250 liters/day	03-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.08.2008 issued by DCE submitted. (b) Effluent analysis report dated 30-07- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A ((3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 30- 07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 30-07- 2011 issued by DELHI COLLEGE OF	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
13	38117 16-09-2011	EAGLE AGRO FOODS P. LTD C-50, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	MANUFACTURING OF SPICES MAKING THROUGH GRINDING. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 900.92 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		28-06-2012 (1)ETP ---- N/A (2)ECS - Cyclones and bag house filter (a) AR dated 29.08.2011 issued by DTU submitted. (b) Stack monitoring report dated 19-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:nil (5) SCN u/s 31(A)/33(A)/5 of EPA details :nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :nil	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.
14	38118 19-09-2011	MODERN GARMENTS C-3/14, MAYAPURI INDUSTRIAL AREA, PHASE-II	Mayapuri Industrial Area	Orange Renewal	Washing and Dyeing of readymade garments. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 167.2 (in sq. meter) • Water Consumption ---- 40000 liters/day • Ground Water ---- 29000 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 29000 liters/day		03-07-2012 (1)ETP ---- ETP Physiochemical (a) AR dated 19.08.2011 issued by DCE submitted. (b) Effluent analysis report dated 19-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (b) Stack monitoring report dated 19-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	06-07-2012 As per the test report for ETP submitted by the unit, it is meeting the prescribed standards. Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
15	38121 19-09-2011	GYMKHANA SERVICE STATION RACE COURSE ROAD	NEW DELHI	Orange Renewal	Petrol Pump/Service Station/Carwash. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 636 (in sq. meter) • Water Consumption ---- 13500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day		05-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 15.10.2008 issued by DTU submitted. (b) Effluent analysis report dated 22-03-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 02-09-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 25-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 Recommended for grant of Consent to Establish, Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Consent to Establish, Renewal of Consent to Operate and Authorization under HWM Rules granted.
16	38124 19-09-2011	D.D. MOTORS (A DIV. OF D.D. INDUSTRIES LTD) B-8, PHASE-I MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	SERVICING AND REPAIRING OF VEHICLES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 4100 liters/day • Ground Water ---- 4100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 3000 liters/day		02-07-2012 (1)ETP ---- ETP Physiochemical. (a) AR dated 08.10.2010 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(2)ECS - N/A (a) AR dated 20.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :		
17	38125 19-09-2011	D.D. MOTORS (A DIV. OF D.D. INDUSTRIES LTD) A-100 , PH-II , MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	sale, service and repairing of vehicle. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2200 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 9000 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 0 liters/day		02-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated issued by submitted. (b) Effluent analysis report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
18	38130 20-09-2011	ENGINEERS SERVICE STATION SHREE AUROBINDO MARG, ADJ, SAFDARJUNG AIRPORT	SOUTH	Orange Operate	Filling station cum service station of cars. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 381 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 3000 liters/day		05-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 01.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
19	38143 22-09-2011	SPARCO BATTRIES PVT. LTD A-35/1, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG OF LEAD ACID BATTRIES Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		03-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated Aug-2008 issued by GGSIPU submitted. (b) Stack analysis report dated - N/A -	06-07-2012 Recommended for inspection.	17-07-2012 Inspection be conducted.

								issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140, 82.5 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:24.09.2010 (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :u/s 31 (A) Air Act, issued on 11.10.20104		
20	38145 23-09-2011	USHA UDYOG C-8/1, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Grinding of Spices. Spice Grinding	• Date of commissioning of project ---- 01-01-1993 • Built Up Area ---- 117 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day		29-06-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 14-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Renewal of Consent to Operate granted.
21	38153 23-09-2011	R.M.P. INTERNATIONAL PLOT NO A-51, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENTS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 950.68 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 400 liters/day		18-06-2012 (1)ETP ---- N/A (a) AR dated ...September 2011..... issued byJamia Milia Islamia..... submitted. (b) Effluent analysis report dated 29-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details conducted by	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.

								DPCC officials on 03.06.10 are as follows: a. The unit is engaged in mfg. of readymade garments including pressing with the help of one electric boiler and one diesel fired boiler. b. Washing activity was not observed during inspection. However, washing facility such as one washing m/c, two tumbler, one hydro, two handis exist in the premises at top floor. c. Source of water is MCD and outside source. d. As reported the unit is operating since 2002. (5) SCN u/s 31(A) & 33(A) details : issued on 01.09.2010. SCN for refusal of consent was also issued on 01.09.10 (6) Closure directions u/s 31(A) and 33 (A) details : issued on 09.11.2010. Refusal of CTE (Green category) was also issued on 09.11.10. Unit has submitted its representations on 16.03.11, 18.03.11 & 22.03.11 along with an affidavit and technical adequacy report of ETP. As approved, letter was issued on 05.04.11 for submission of Bank Guarantee of Rs. One Lakh each under Water Act & Act valid for one year. Unit has submitted aforesaid Bank Guarantee on 21.04.11. As approved, revocation of closure directions was issued on 25.04.11 Earlier CMC Decision 16.07.10 Issue SCN for refusal of consent and SCN u/s (A) of the Air Act due to concealment of the facts. 05.10.10 Consent refused and confirm closure direction. 08.04.11 Decision taken on file ratified regarding submission of bank guarantee of Rs. 1 Lakh each under Air Act and Water Act valid for one year period and also for revocation of the closure directions, if the unit submits the requisite bank guarantee		
22	38155 23-09-2011	MUNISH ENTERPRISES K-71 ROHTAK ROAD (2ND FLOOR) UDYOG NAGAR	Udyog Nagar Industrial area	Orange Operate	BUFFING ON S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)			03-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 06.09.2011 issued by DTU submitted. (b) Stack monitoring report dated 06-	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.

		INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 18.58 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 10 liters/day		09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
23	38156 23-09-2011	RAJPUT STEEL A-16,GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE ROLLING OF S.S. SHEETS AND BUFFING OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 70 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		29-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 29.07.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil....	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.
24	38158 26-09-2011	H.D. BLADES & ALLIED INDUSTRIES PVT. LTD. B-14, PH-II, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	Manufacturing of Domestic/household pressure cooker. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 0 liters/day		02-07-2012 (1)ETP ---- N/A (2)ECS - Dust collector (a) AR dated 20.09.2011 issued by DTU submitted. (b) Stack monitoring report dated 18-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Renewal of Consent to Operate granted.
25	38161 26-09-2011	VISHAL INDUSTRIES 31, MOTI NAGAR DLF INDUSTRIAL AREA , NAJAFGARH ROAD	Najafgarh Road Industrial Area	Orange Renewal	Leather Finishing. Leather finishing and dyeing (using semi finished leather as starting raw material)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 3250 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2500 liters/day		02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated Oct-2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	06-07-2012 Recommended for inspection.	17-07-2012 Inspection be conducted.

							(2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :nO		
26	38165 26-09-2011	CPL AUTOS (P) LTD. S-47, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Washing and Servicing of vehicles. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 335 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3500 liters/day	19-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...June, 2009..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 26-09-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 24.06.09, letter was issued on 15.07.09 for file full complaine within one month. Unit has submitted its reply on 22.07.09 along with fresh adequacy report dated June, 2009, water analysis report & Noise Monitoring report. Earlier CMC Decision 16.03.2009 Ask the unit to apply for Consent to establish, file a fresh adequacy report of ETP, NMR of D.G set from empanned laboratories of DPCC and affidavit for source of water supply. Call on 29.04.2009 11.05.2009 Issue final reminder for full copmpliance of earlier CMC decision. Call on 24.06.2009 24.06.2009 Ask the unit for full compliance within 1 month. call on 26.08.2009	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
27	38166	ANAND MOTORS	G.T. Karnal	Orange Renewal	REPAIR AND SERVICING OF LIGHT		29-06-2012	06-07-2012	17-07-2012

	27-09-2011	B-27, G.T. KARNAL ROAD INDUSTRIAL AREA	Road Industrial Area		VEHICLES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 900 liters/day		(1)ETP ---- Oil and Grease Trap (a) AR dated 29.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	Renewal of Consent to Operate and Authorization under HWM Rules granted.
28	38168 27-09-2011	RAUNAQ MOTORS B-89, WAZIR PUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 4500 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4200 liters/day		13-06-2012 (1)ETP ---- Physico-chemical (a) AR dated 16.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Earlier CMC Decision: Decision on 21.12.2009/22.12.2009 Issue Consent to Establish. Subsiently, inspection be conducted. A Letter issued to the unit for the submission of fresh application for consent to operate on 23.09.211.	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
29	38169 27-09-2011	SHANTI ROYAL (A UNIT OF S.A. FRAGRANCES PVT. LTD.) B-4, GTK ROAD INDUSTRIAL	G.T. Karnal Road Industrial Area	Orange Operate	BANQUET HALL CONSISTING OF BANQUETING FOR 400 PERSONS TO ORGANIZE FUNCTION. Banquet Hall/ Party			25-06-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 31.03.2011 issued by GGSIU submitted. (b) Effluent analysis report dated 9.09.2011 issued by DTU submitted.	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.

		AREA			Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 2273.33 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Inspection conducted on 1.07.2011 and based on the deficiencies SCN 33(A) of Water Act, 1974 was issued on 2.08.2011. unit submitted the bank guarantee of Rs. 50,000 on 12.10.2011.		
30	38177	BALAJI STEEL (INDIA) A-140, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG. OF STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		02-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 12.10.2010issued by GGISU submitted. (b) Stack monitoring report dated 19-09-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: Nil. (4) Inspection conducted on 03.12.2010 during the inspection following were observed: (a) Unit found in operational and engaged in the activity of mfg. of utensils with buffing. (b) ECS found installed but not found working properly as emissions observed during buffing of SS utensils. (c) Top floor of the premises used for buffing of utensils and rest of the pollution of the premises and for manufactruing of utensils/ cutting, bending, pressing etc. (5) SCN u/s 31(A) was issued on 18.01.2011 and Closure directions u/s 31(A) was issued on 06.04.2011.	06-07-2012 Recommended for grant of Consent to Establish and Consent to Operate.	17-07-2012 Consent to Establish and Consent to Operate granted.

								The consent was refused on 08.04.2011. Unit submitted its reply on 13.04.2011 requesting for revocation of closure directions. A letter was issued to the unit on 7.06.2011 regarding submission of bank guarantee. accordingly bank guarantee was submitted on 20.06.2011 Recently, inspection was conducted on 15.12.2011 and following was observed: 1. unit found operational and engaged in the activity of mfg. of S.S. Utensils with buffing. 2. At the basement cuttingt, bidding and pressing was carried out. Ground floor is utilizing for packaging and storage purpose. 3. At top floor buffing activity was carried out with ECS installed and working.		
31	38182	APEX AUTOMOBILE PVT. LTD	Patparganj Industrial Area	Orange Renewal	SERVICING, REPAIRING AND WASHING OF TWO WHEELER VEHICLES.	• Date of commissioning of project ---- • Built Up Area ---- 390 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 8500 liters/day		18-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...November,2008..... issued by ...GGSIPIU..... submitted. (b) Effluent analysis report dated 01-09- 2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 12- 08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 11.01.10 & it was observed: a) The unit is found in operation. b) Entire premises of the unit was inspected and after best effort, bore well for ground water could not be traced out. c) it was informed Sh. Vivek Goel, brother of the M.D and Sh. Shiv kumar that bore well has never existed in the unit and source of water supply is through tankers only (photocopies of bills of supply of water tanker from 12.10.08 to 26.12.09 were provided by the unit) (Details are enclosed) d) ETP of the unit is found in operation however, wet sludge is found in small quity which reveals that is found stored in containers. (A sample of treated w/w from outlet of ETP was collected) e) Record of logbook for sludge & chemicals used was also provided for Dec, 2009 to 10th Jan, 2010. f) Treated w/w is being reused/ recycled for washing of bikes.	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(5) SCN u/s 5 of EPA details : issued on 18.03.10. Also a letter issued on 18.03.10 to DJB to inform about non-existence of bore well. Unit submitted its reply on 01.04.10 regarding rectification of deficiencies along with effluent analysis report dated 01.04.10. Earlier CMC Decision 12.02.10/15.02.10 Notice u/s 5 of EPA wrt discrepancies like low generation of wet sludge etc. observed under HWM rules. Letter to DJB to inform about non existence of borewell. 16.06.10 Ask the unit to apply fresh authorization under HWM Rules.		
32	38204	A.V.N. EXPORT B-208, 2ND FLOOR, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Mfg. of Readymade Garments with washing. Readymade Garment With Electric/ Gas fired boiler (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 5300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 4000 liters/day		11-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated28.09.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: carried out by DPCC officials on 01.03.11 and following were observed: 1. The unit was found in operation including washing of garment. 2. No ETP has been installed to treat the trade effluent generated from the washing process 3. Trade effluent generated from the washing section is being discharge into the sewer without any treatment 4. As reported cutting, sampling, washing, finishing, packing etc. activities are carried out in this premises and stitching of garments are carried out from outside vendor.	06-07-2012 Recommended to put up file administratively.	17-07-2012 File be put up administratively.

							5. Adequate stack height and acoustic enclosure has not been provided with the DG set of 15 KVA. 6. Source of water is outside tanker. 7. As reported the unit is being operated about last three months 8. One more unit i.e. M/S International Panacea in operation at the first floor of the premises and engaged in the activity of R&D lab of Biotech product. No ETP has been installed. As reported operating about last one year. (5) SCN u/s 33(A) details : issued on 19.05.2011. Unit has submitted its reply on 27.05.11. As approved, letter was issued on 27.07.11 for submission of Bank Guarantee of Rs. 50,000/- under Water Act for one year along with an affidavit for rectification of deficiencies observed during inspection. Unit has submitted its reply on 03.08.11 along with the abovesaid affidavit. Unit has submitted abovesaid Bank Guarantee on 23.09.11. Earlier CMC meeting 31.03.2011 Ask the unit namely M/s A.V.N Export to increase the stack height of the D.G Set. Issue SCN u/s 33(A) of the Water Act to M/s A.V.N Export and M/s International Panacea. 26.08.11 Decision taken on file regarding the letter issued to M/s A.V.N. Export for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year with an affidavit for rectification of deficiencies and directions for closure u/s 33(A) of the Water Act issued to M/s International Panacea ratified.		
33	38208 30-09-2011	KAPISH INDUSTRIES 57, PHASE II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	Manufacturing of Pressure Cooker with buffing. Buffing On Metal	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	03-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone/Dust collector (a) AR dated 29.08.2011 issued by DTU submitted. (b) Stack analysis report dated 29.08.2011 issued by DTU submitted. (3)D.G.Set:nil (4) Inspection details: Inspection of te unit was conducted on 19.11.2010. Observations: 1. Unit found operating engaged in mfg.	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to operate refused since the unit has informed regarding its closure of the unit vide letter dated 25.05.2012. Inspection be conducted to take decision regarding bank guarantee administratively.

								of pressure cooker with buffing. 2. ECS found installed and connected with three buffing machines only. Rest 3-buffing machine have not connected with ECS. 3. ECS was not in operation. 4. Process emission observed. (5) SCN u/s 31(A) and Refusal of consent details : Was sent ot the unit on 14.11.2011. Reply has been received on 22.03.2011 stating that ECS has been installed & fee for adequacy of ECS has been submitted to DTU. Thereafter shall be applied for Consent to Establish and Operate. (6) As per the decision taken up by Competent Authority letter for submission of Bank Guarantee of Rs.50,000/- under Air Act and submit its reply on an affidavit and to apply for consent to establish and operate was sent to the unit on 14.11.2011. Unit has submitted Bank Guarantee of Rs.50,000/- under Air Act on 06.09.2011 but failed to comply other directions. (7) Closure directions u/s 31(A) and refusal of consent details : was sent to the unit on 26.09.2011. Reply has been received on 30.09.2011 wherein you were complied all those directions i.e. submitted reply on an affidavit & submitted fresh CTE and CTO application along with adequacy report. (8) As per the decision taken up by Competent Authority and decided to ask the unit to submit the Bank Guarantee of Rs.50,000/- (because out of One lakh unit has already submitted Bank Guarantee of Rs.50,000/- on 06.09.2011). Unit has submitted Bank Guarantee of Rs. 50,000/- on 17.11.2011. (9) As per the decision taken up by Competent Authority revocation of closure directions u/s 31 (A) of the Air Act was sent to the unit on 29.11.2011. (10) A reply received from the unit along with an affidavit and photographs of ECS on 25.05.2012.		
34	38215	TEMPO AUTOMOBILES PVT. LTD	Najafgarh Road Industrial Area	Orange Operate	Authorised service station (servicing and washing of vehicles)			02-07-2012 (1)ETP ---- ETP (a) AR dated 30.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
	30-09-2011	33 & 33-A, NAJAFGARH ROAD INDUSTRIAL			Automobile Servicing And Repair Station With Washing Activity					

		AREA				• Date of commissioning of project ---- • Built Up Area ---- 464 (in sq. meter) • Water Consumption ---- 1600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 480 liters/day (b) Trade Effluent ---- 600 liters/day		Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
35	38236 05-10-2011	C.T.C. MALL TRADEX PVT. LTD 3, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SHOW ROOM OF READYMADE GARMENTS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 2200 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 1500 liters/day		02-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated Jan, 2009 issued by GGSIPU submitted. (b) Effluent analysis report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5	06-07-2012 Recommended to put up file administratively.	17-07-2012 Consent to Operate granted.

36	38256	EXCEL MOTORS B-II/31, MATHURA ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	Servicing of automobiles cars. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 836.13 (in sq. meter) • Water Consumption ---- 7000 liters/day • Ground Water ---- 7000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 1000 liters/day	of EPA details :no	08-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 20-09-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 06.11.09 and following were observed a) Unit is operating for the last 1 1/2 years as reported. b) ETP is installed but no chemical treatment of effluent was being done. c) Effluent was being by passed through ETP, w/o treatment. (ETP- physico-chemical). d) No measures for HW are taken except display board. e) Bore well water is used in the unit. f) Water is discharged in to Jaipur drain/open drain (5) Closure directions u/s 33(A) & 5 of EPA details : issued on 02.02.10. Unit has submitted its represntation on 01.02.10. As approved, Letter was issued on 09.02.10 for personal hearing. The representatives of the unit attended the said meeting & the unit in compliance of the said decision by the committee, submitted a Bank Guaranttee of Rs. 2 Lakh for a period of one year vide their letter dated 08.02.10 for violation under Water Act & HWM Rules. As decided by the CMC (O) in its meeting held on 12.02.10/15.02.10, revocation of closure directions issued on 23.02.10. Unit has submitted represnations on 06.05.11 & 05.08.11 for refund of Bank Guaranttee. EARLIER CMC DECISION 05.10.09	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
	10-10-2011									

								Issue Consent to Establish. Subsequently, inspection be conducted to know the present status of the unit. 21.12.2009/22.12.2009 Issue closure direction. 12.02.10/15.02.10 The unit came for personal hearing today. The representative of the unit informed that they have done improvements. He further admits that ETP was not operational at the time of inspection due to some electrical faults. The unit also supplied a copy of representation to the Committee. The Committee deliberated on the issue and decided to impose Bank Guarantee of Rupees One Lakh each under Water Act & HWM Rules valid for period of one year. If the unit submits the said Bank Guarantee, the closure directions issued to the unit be revoked		
37	38265	SHRI BALAJI ENTERPRISES PLOT NO 1/536/C-6,GALI NO-4 FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Aluminum Wire Drawing with supper Enamelling. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 85.27 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-10-2011 (1)ETP ---- N/A (2)ECS - Wet scrubber. (a) AR Not required. (b) Stack monitoring report dated 15-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:Inspected on 23.06.2011. Unit operating & wet scrubber installed. CTE granted on 05.05.2011. No DG set installed. (5) SCN u/s 31(A)/33(A)/5 of EPA details : (6) Closure directions u/s 31(A)/33(A)/5 of EPA details:	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
38	38273	LEE CASTLE MOTEL & RESORTS KH. NO 51/11,51/12, 51/13 MIN 52/15 VILLAGE BAKOLI	NORTH WEST	Orange Operate	Motel and Resorts cap Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 3000 (in sq. meter) • Water Consumption ---- 15500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 15000 liters/day		22-06-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 29.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 200 KVA and 500 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 200 KVA and 500 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Inspection be conducted.
39	38281	VINOD ENTERPRISES	Wazirpur Industrial Area	Orange Operate	Mfg.of Utensils with Buffing.			13-06-2012 (1)ETP ---- N/A	06-07-2012 Recommended for inspection.	17-07-2012 Inspection be conducted.

		14-10-2011	A-103/4, WAZIRPUR INDUSTRIAL AREA			Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - Cyclone (a) AR dated 15-09-2011 issued by DTU submitted. (b) Stack monitoring report dated 15-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection conducted on 12.06.2010 and following was observed: ECS(dust collector) found installed but out of 14 only 6 buffing machine found connected with ECS. goods are insufficiet to track the process emission and flexible pipes(4 Nos without hood) observed. (5) SCN for refusal of consent and SCN for closure u/s 31(A) issued on 24.10.2010.		
40	38297	18-10-2011	BANDHAN BANQUETS 14 NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day		03-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 03-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring report (for more than 1000 KVA) dated issued by	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Ask the unit to submit valid MCD and Delhi Police license. If unit submits the same, issue Consent to Operate.

							submitted and parameters within limit / not satisfactory.		
							(4) Inspection details:NO		
							(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO		
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
41	38305	STERLING MOBIKES PVT. LTD. 19-10-2011 243, PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Operate	SERVICING OF MOTOR BIKES WITH WASHING UNIT. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 55 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 1000 liters/day	08-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated12.08.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 11-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 03.06.11 & following were observed: (A) Presently unit is being run on trial bases and no washing of motor bikes is being started. (B) Unit has installed ETP and found in working condition. (C) DG set (45 KVA) found with aacoustic enclosure and adequate stack height. As decided by the CMC (O) in its meeting held on 13.10.11, SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act issued on 01.12.11 for operating without consent to operate. But the same was returned back undelivered. EARLIER CMC DECISION 13.10.11 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for operating without consent to operate.	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
42	38310	GITA OFFSET PRINTERS PVT LTD 20-10-2011 C-90, PHASE-I OKHLA INDUSTRIAL	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING OF PLATES AND INK ROLLERS. Printing Press (With Trade Effluent		07-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated06.09.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 06-09-2011 issued by DELHI COLLEGE OF	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Ask the unit to submit fresh effluent analysis report from empanelled laboratory of DPCC for all prescribed parameters and if found meeting the standards, consent to operate and

		AREA			Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 7000 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 500 liters/day		ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 26-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.		authorization be issued.
43	38322	P.R.G. INTERNATIONAL PVT. LTD. 21-10-2011 B-43, JHILMIL INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Jhilmil Industrial Area	Orange Operate	Manufacturing of Electricals Goods,(Fan, Exhaust Fans, Stampings and laminations etc) Phosphating & Powder Coating Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 1672 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		26-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 12-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 12-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 20.10.09, CTE & letter for submission of CTO application were issued on 26.11.09. EARLIER CMC DECISION 20.10.09 Issue consent to Establish. Ask the unit to apply for consent to operate.	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
44	38331	GULABGUNDHI TOBACCO CO. 24-10-2011 70, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	MANUFACTURING OF CHEWING TOBACCO (KIMAM AND ZARDA). Tobbaco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 242 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		02-07-2012 (1)ETP ---- N/A (2)ECS - Bag House Filter (a) AR dated 22.09.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A...	06-07-2012 Recommended for grant of Renewal of Consent to operate with the condition that unit shall not use plastic sachet / multilayered packaging containing plastic for packing of said products.	17-07-2012 Inspection be conducted.

								(4) Inspection details: conducted on 20.11.2011 (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 01.07.2011 u/s Air Act. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
45	38335 24-10-2011	MOTHER DAIRY FRUIT & VEGETABLE PVT. LTD. UNIT MOTHER DAIRY PATPARGANJ	EAST	Orange Renewal	PROCESSING OF MILK AND MANUFACTURING OF ICE CREAM. Ice-cream Milk Processing and Dairy Products (Intergrated Project) Including Pasturization	• Date of commissioning of project ---- 28-09-1973 • Built Up Area ---- 26802.54 (in sq. meter) • Water Consumption ---- 2222000 liters/day • Ground Water ---- 2222000 liters/day • Waste Water generation (a) Domestic Effluent ---- 163000 liters/day (b) Trade Effluent ---- 728000 liters/day		06-06-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated22.09.08..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 02-04-2012 issued by DPCC not submitted. Effluent Test Report within Limit - Yes. But, unit has not submitted this effluent analysis report Effluent analysis report dated 19-10-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. But, unit has not submitted this effluent analysis report (2)ECS - N/A (a) Stack monitoring report dated 09-04-2012 issued by DPCC not submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 20-10-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 110 KVA and 160 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 110 KVA and 160 KVA. Noise monitoring report dated 19-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 20.03.09 & following suggestions were made: (A) greenary can be improved around the boundary. (B) Treated waste water can be reused/recycled in their cooling water requirement and for colony non- potable purposes.	06-07-2012 Recommended for grant of renewal of consent to operate.	17-07-2012 Renewal of Consent to Operate granted.

								(C) W.W. Generation -22354 KL/month-- (As per 2008 April) (D) ETP consists of Eq. tank (2 No.s). A. Sludge--2 set of A.S. process (E) Sludge drying pits are provided. 7 nos , fresh sludge, dried sludge found As decided by the CMC (O) in its meeting held on 22.05.09, CTR & authorization was issued on 19.06.09. EARLIER CMC DECISON 22.05.09 Issue renewal of consent and authorization under HWM Rules. Also convey the suggestion made by the Committee to further improvement and report. The proposal related to honorarium of Sh. Dr. Anil Saroha, Asstt. Professor, IIT approved. Call on 08.07.2009		
46	38342 24-10-2011	VEE ESS INDUSTRIES A-5, NARAINA INDUSTRIAL AREA, PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	JOB WORK OF ELECTROPLATING AND MFG. OF LAMPS AND BURNERS. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 83.6 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		04-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
47	38384 03-11-2011	DEEPAK FLOUR MILLS PLOT NO 74, POCKET-P, SECTOR-3,DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		11-06-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 20.10.2011 issued by DTU submitted. (b) Stack monitoring report dated 20-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test	06-07-2012 Recommended for grant of Consent to Operate.	17-07-2012 Consent to Operate granted.

48	38385	SHERVANI HOSPITALITIES LTD. 03-11-2011 12-A, CONNAUGHT PLACE	CENTRAL	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 225 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 4500 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 2200 liters/day		Report within Limit - Yes. 02-07-2012 (1)ETP ----ETP- Physiochemical (a) AR dated 14.09.2011 issued by DTU submitted. (b) Effluent analysis report dated 14-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 17-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 13-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 19.8.2011 (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 06.09.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details:No	06-07-2012 Recommended to put up file administratively.	17-07-2012 Genuiness of the adequacy report has been verified from DTU. Consent to Operate granted.
49	38386	STANDARD WORKS 03-11-2011 B-62/5, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	ELECTROPLATING AUTO PARTS. Electroplating Industries	• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 400 liters/day		02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June,2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
50	38387	SUNSHINE ENTERPRISES 03-11-2011 B-62/5, NARAINA INDUSTRIAL	Naraina Industrial Area Phase - II	Orange Renewal	ELECTROPLATING JOB WORK. Electroplating Industries			02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June, 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-09-	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		AREA PHASE - II				• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 400 liters/day		2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no		
51	38388	JINDAL PULSES H-1385, DSIDC NARELA INDUSTRIAL AREA 04-11-2011	Narela Industrial Area	Orange Renewal	dal mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		22-06-2012 (1)ETP ---- N/A (2)ECS -bag house filter (a) AR dated 23.06.2008 issued by DTU submitted. (b) Stack monitoring report dated 12-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	06-07-2012 Renewal of Consent to Operate granted.	17-07-2012 Renewal of Consent to Operate granted.
52	38392	NATIONAL SPORTS CLUB INDIA MATHURA ROAD, NEW DELHI 04-11-2011	NEW DELHI	Orange Renewal	CLUB WITH RESTAURANT UNIT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 4100 (in sq. meter) • Water Consumption ---- 16500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 6800 liters/day (b) Trade Effluent ---- 7500 liters/day		02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.01.2007 issued by DCE submitted. (b) Effluent analysis report dated 20-09-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Inspection be conducted.
53	38395	GALAXY AUTOMOBILES	Najafgarh Road	Orange Renewal	denting and painting of cars.			02-07-2012	06-07-2012	17-07-2012

	04-11-2011	PVT LTD 29, DLF, INDUSTRIAL AREA, NAJAFGARH ROAD MOTI NAGAR	Industrial Area		Denting and Painting Of Vehicles	• Date of commissioning of project ---- • Built Up Area ---- 1351 (in sq. meter) • Water Consumption ---- 9500 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1200 liters/day (b) Trade Effluent ---- 4000 liters/day		(1)ETP ---- ETP - Physiochemical (a) AR dated July 2009 issued by GGSIPU submitted. (b) Effluent analysis report dated 17-08- 2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 10- 08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 09- 08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	Renewal of Consent to Operate and Authorization under HWM Rules granted.
54	08-11-2011	GOLDEN PRINTERS A-84/3, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	OFFSET PRINTING AND PLATE MAKING (WITH TRADE EFFLUENT DISCHARGE). Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 340 (in sq. meter) • Water Consumption ---- 460 liters/day • Ground Water ---- 60 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 50 liters/day		02-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 08.11.2011 issued by DTU submitted. (b) Effluent analysis report dated 08-11- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 08- 11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
55	09-11-2011	NARAIN SINGH & SONS D-34, S.M.A INDUSTRIAL AREA, G.T.K.	S.M.A Industrial Area	Orange Renewal	AUTOMOBILE SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity			13-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.09.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 10-08-	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		KARNAL ROAD				• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 1200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 1000 liters/day		2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 24-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...		
56	38414	SINGH PLASTIC MOULDERS A-92/2, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MANUFACTURING OF TAPE DECK MECHANISM, METAL CHASSIS (POWDER COATING WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		02-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 14-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 14-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Recommended for grant of Renewal of Consent to Operate.	17-07-2012 Renewal of Consent to Operate granted.
57	38418	ROSHAN LAL & OTHERS C-8, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	GRINDING OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		22-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 28-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2012 Recommended for grant of renewal of consent to operate.	17-07-2012 Renewal of Consent to Operate granted.
58	38419	O.K. MASALA COMPANY C-8, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Grinding of Spices. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 290 (in sq. meter) • Water Consumption ---- 160 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		25-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Note: exhaust fans and ducts are provided over grinders.	06-07-2012 Recommended for grant of renewal of Consent to operate.	17-07-2012 Renewal of Consent to Operate granted.
59	38438	REKHA PRINTERS PVT. LTD.	Okhla Industrial Area	Orange Renewal	Offset Printing. Printing Press (With			08-06-2012 (1)ETP ---- N/A	06-07-2012 Ask the unit to submit fresh effluent	17-07-2012 Ask the unit to submit fresh effluent

	15-11-2011	A-102/1, PHASE-II, OKHLA INDUSTRIAL AREA			Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 571.7 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1300 liters/day (b) Trade Effluent ---- 1700 liters/day	(a) AR datedOctober, 2008..... issued byJamia Milla Islambia..... submitted. (b) Effluent analysis report dated 28-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Unit has submitted incomplete parameter in the test report i.e., Bio-assey, Sulphide, phenolic compounds are not mentioned (2)ECS - N/A (3)D.G.Set Noise Report : N/A Unit has submitted an affidavit along with the application form stating that the Earlier 2 DG sets have been removed from the premises.	analysis report with complete parameters from approved laboratory of DPCC. If unit submits the same and found meeting the standards, Renewal of consent to operate and authorization under HWM Rules be issued.	analysis report with complete parameters from approved laboratory of DPCC. If unit submits the same and found meeting the standards, Renewal of consent to operate and authorization under HWM Rules be issued.
60	38445	NEW YORK MOTORS 71/7, A-2, RAMA ROAD NAJAFGARH INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICING /WASHING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 42 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 500 liters/day	02-07-2012 (1)ETP ---- ETP- Physiochemical (a) AR dated 08.11.2011 issued by Delhi Technical University submitted. (b) Effluent analysis report dated 08.11.2011- issued by DTU submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: on 20.10.2009 (5) SCN u/s 31(A)/33(A)/5 of EPA details :10.05.2010 under 33 (A) Water Act. 1974 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	06-07-2012 File be put up administratively.	17-07-2012 Consent to Operate and Authorization under HWM Rules granted.
61	38450	KANSAL ENTERPRISES PLOT NO-26, GALI NO-3 , FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of Cerium Powder by only dry and grinding Cerium Lump Pulverizing units	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	06-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 14.08.06 & following were observed: (A) Cerium Lump---Dried (electric oven & drier)-----Grinder---Powder. (B) Cyclone & bag filter is unbuilt with grinder. As decided by the CMC (O) in its meeting held on 27.09.06, consent was issued on 03.10.06. EARLIER CMC DECISION 27.09.06 (In CTR file) Consent Granted	06-07-2012 Recommended for grant of Renewal of Consent to Operate with codition that unit will submit stack monitoring report of bag filter from approved laboratory of DPCC.	17-07-2012 Inspection be conducted to ascertain the nature of chemicals / materials being used.

62	38453	SRI KIRSHNA WIRE PRODUCT	Friends Colony Industrial Area	Orange Operate	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day	06-06-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR -- N/a for Super Enameling activity. (b) Stack monitoring report dated 02-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 25.02.11 & it was found that the unit was operating & engaged in the activity of super enamelling without obtaining prior CTO and also no emission control system was found installed with the super enamelling plant. (5) SCN u/s 31(A) details : issued on 24.05.11. (6) Closure directions u/s 31(A) details : issued on 03.01.12. Unit has submitted a representation on 17.02.12 informing that they have installed ECS and has applied CTE & CTO and requested for revocation of closure directions. As approved, a letter was issued on 01.03.12 for submission of Bank Guarantee of Rs. 1 lakh under Air Act. Unit has submitted the above said Bank Guarantee on 06.03.12. As approved, temporary revocation was issued to the unit on 12.03.12. EARLIER CMC DECISION 05.10.11 (In CTE file) Confirm closure directions.	06-07-2012 Recommended to put up file administratively.	17-07-2012 File be put up administratively.
63	38455	ARC MOTORS PVT. LTD. PLOT NO. F-25/4, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Automobile Services, Washing and Repair Workshop Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 372 (in sq. meter) - Water Consumption ---- 7500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 6500 liters/day	08-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A...	06-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-07-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								As decided by the CMC (O) in its meeting held on 09.04.06, letter was issued on 24.04.09. Unit has submitted its reply on 12.05.09 along with copy of water tanker bills & an affidavit stating that they are not using any type of boring water for drinking and officials use/commercial use. They are using water provided by the water tanks. As decided by the CMC (O) in its meeting held on 15.06.09, CTR & HWM Rules were issued on 03.07.09. EARLIER CMC DECISION 09.04.09 Ask the unit to file permission from DJB for ground water extraction. Call on 19.05.2009. 15.06.09 Issue renewal of consent and authorization under HWM Rules. Call on 12.08.2009.		
--	--	--	--	--	--	--	--	--	--	--