



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 57 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 01.05.2012 to 31.05.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2b category) on 25.06.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1514 01-05-2012	BHARAT INSULATION 55, DSIDC SHED, NEW COMPLEX, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF ELECTRICAL INSULATING MATERIAL. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	- Date of commissioning of project ---- - Built Up Area ---- 130 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Renewal of Consent to Operate granted.
2	DPCC/EC/2/1/2012/1519 02-05-2012	ASHOK JAIN & BROS PLOT NO 58, POCKET - M, SECTOR-1, DSIDC BAWANA INDSUTRIAL AREA	Bawana Industrial Area	Orange Operate	mfg.of PVC /Plastic Products. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 90 (in sq. meter) - Water Consumption ---- 400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Remarks: channelization is not provided over injection moulding machine.	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
3	DPCC/EC/2/1/2012/1526 04-05-2012	PROFESSOR ENTERPRISES I-167, SECTOR-1 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF POLY GRANULES. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 110 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
4	DPCC/EC/2/1/2012/1549	GUPTA PLASTIC INDUSTRIES G-73,	Bawana Industrial Area	Orange Operate	MFG OF PVC FOOTWEAR. PVC Footwear (Using Fresh Raw			18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	25-06-2012 Consent to Operate granted.

	07-05-2012	SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA			Material)	• Date of commissioning of project ---- 01-06-2011 • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		Remarks: channelization os not provided over the hooper and heating machine.	
5	DPCC/EC/2/1/2012/1559 08-05-2012	NIGAM FINE ART CO. 11, D.S.I.D.C. SHED SCHEME,1, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	GRAVURE PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE). Gravure printing (Dry process)	• Date of commissioning of project ---- • Built Up Area ---- 111.48 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Unit has submitted a representation on 11.05.12 stating that the address is entered incomplete and the complete address is 11 D.S.I.D.C. Scheme-I, Okhla Industrial Area, Phase- II, New Delhi-20 requested to correct the address in the records.	25-06-2012 Consent to Operate (without trade effluent) and Authorization under HWM Rules granted.
6	DPCC/EC/2/1/2012/1567 09-05-2012	REHBAR TOYS PLOT NO.-87, POCKET-J, SECTOR-5, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC AND PVC MOULDED GOODS. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no The Old file could not be traceable.	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
7	DPCC/EC/2/1/2012/1568 09-05-2012	ASHOO SONS B-2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF ARTIFICIAL TEETH. Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1980 • Built Up Area ---- 132 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 21-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) SCN u/s 31(A)/33(A) for refusal of consent was issued on 15.12.2010	25-06-2012 Consent to Operate granted without trade effluent.

								SCN u/s 31(A) for closure was issued on 16.03.2011. Application of Consent to operate was refused on 16.03.2011 A letter was issued to unit on 5.01.2012 asking them to submit fresh application for consent to operate.	
8	DPCC/EC/2/1/2012/1569 09-05-2012	XO FOOTWEAR PVT. LTD. A-122, PHASE-II, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Operate	MFG.OF ALL KIND OF FOOTWEAR Eva Footwear and Eva Compound PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil.. Remarks: Channelization is not provided over injection moulding machine.	25-06-2012 Consent to Operate granted.
9	DPCC/EC/2/1/2012/1570 09-05-2012	SPB PACKAGING (P) LTD B-70/67, DSIDC SHED LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	POLY PROPLENE BAG(INDUSTRIAL PLASTIC POUCHES) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 115 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 File be put up administratively.
10	DPCC/EC/2/1/2012/1571 09-05-2012	ASHOKA CABLE WORKS (INDIA) A-59, PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	RUBBER/ PVC INSULATED WIRE CABLE (WITHOUT PROCESSING OF PLASTIC WASTE). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	• Date of commissioning of project ---- 01-01-1976 • Built Up Area ---- 1210 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 06-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	25-06-2012 Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
11	DPCC/EC/2/1/2012/1583 10-05-2012	GANESH FOUNDRY WORK B-141, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	C. I. CASTING THROUGH PIT FURNACE. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 418 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		21-06-2012 (1)ETP ---- N/A (2)ECS - Suction hood (b) Stack monitoring report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:yes, conducted on 28.09.2010. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Directions u/s 31(A) issued on 11.10.2010.	25-06-2012 Inspection be conducted.
12	DPCC/EC/2/1/2012/1589 11-05-2012	ES VEE FOOTWEAR INDUSTRIES A-51/3, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 470 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		13-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
13	DPCC/EC/2/1/2012/1590 11-05-2012	CLASSIC PRINTING INK CO. PVT. LTD B-1/2, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MFG. OF PRINTING INK (NON FLEXOGRAPHIC) AND MFG. OF RUBBER ROLLERS.			15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 04-05-2012 issued by DELHI COLLEGE OF	25-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

					Ink and Printing Ink (Excluding Flexographic Ink)	• Date of commissioning of project ---- • Built Up Area ---- 525.8 (in sq. meter) • Water Consumption ---- 1200 liters/day		ENGINEERING submitted. Stack Test Report within Limit - Yes	
					Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 07.05.10, CTE & letter were issued on 16.06.10. EARLIER CMC DECISION 07.05.10 Issue consent to establish. ask the unit to apply for authorization under HWM Rules.	
14	DPCC/EC/2/1/2012/1595 11-05-2012	GOYAL PLASTIC INDUSTRIES E-161, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG OF PVC/ PLASTIC COMPOUND AND PRODUCTS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Remarks: Channelization is not provided over extruder machine.	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
15	DPCC/EC/2/1/2012/1634 12-05-2012	ETERNO WOODS INDIA (P) LTD. S-54, PHASE-I, BADLI INDUSTRIAL AREA	Badli Industrial Estate	Orange Operate	WPC BOARD (WOOD PLASTIC COMPOSITE) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Remarks: Channelization is not provided over extruder machine.	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
16	DPCC/EC/2/1/2012/1615 15-05-2012	SUNDER PLASTIC PVT. LTD A-84, PH-II, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	MFG OF PLASTIC GRANULES AND FOOTWEAR (WITHOUT REPROCESSING). Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- 01-01-1990 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Note: Channelization is not provided over extruder machine. old record of the case could not be tracable.	25-06-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
17	DPCC/EC/2/1/2012/1629	BRIJESH	Bawana	Orange	Mfg. of Plastic				25-06-2012

	16-05-2012	PLASTIC PLOT NO 170, POCKET- C,SECTOR- I,DSIDC BAWANA INDUSTRIAL AREA	Industrial Area	Operate	Product(moulded goods) without trade effluent. Plastic Processed Goods	• Date of commissioning of project ---- 05-07-2004 • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Remarks: channelization system is not provided over injection moulding machine.	Consent to Operate granted without using plastic scrap as a raw material.
18	DPCC/EC/2/1/2012/1633 16-05-2012	FANCY FASHION B-I/F- 3,MOHAN CO- OPERATIVE INDUSTRIAL AREA	Mohan Co- operative Industrial Area	Orange Operate	READYMADE GARMENTS (WITHOUT WASHING). Readymade Garment With Electric/ Gas fired boiler (Without Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 1003.35 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 62.5 KVA and 125 KVA. Noise monitoring report dated 26-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: on 08.09.10 & following observations were made: 1. unit was found operational. 2. Unit is having two diesel fired boilers in which adequate stack height has not been provided. 3. No washing activity was observed. 4. One borewell exist. As decided by the CMC (O) in its meeting held on 25.11.10, letter was issued on 12.01.11 for submission of Bank Guarantee of Rs. 50,000 under Air Act valid for one year as the unit applied under Green category hiding the existence of oil fired boiler. Unit has submitted abovesaid Bank Guarantee on 25.01.11. As decided by the CMC (O) in its meeting held on 25.11.10, CTE was issued on 09.02.11. Unit has mentioned in its application that the unit has one electric boiler. However, earlier during the inspection report dated 08.09.10 unit have two diesel fired boiler. Earlier CMC Decisions	25-06-2012 Consent to Operate granted.

								In CTE & CTO (Green) application: 16.07.10 Inspection be conducted. 07.10.2010 Consent be made infructuous as unit has applied for consent under Orange category. Inspection report be placed before CMC(Orange). 16-11-2010 Ask the unit to submit Bank Guarantee of Rs. 50,000 under Air Act valid for one year as the unit applied under Green category hiding the existence of oil fired boiler. If unit submits Bank Guarantee, consent to establish be granted.	
19	DPCC/EC/2/1/2012/1636 16-05-2012	JMD PACKAGING SOLUTIONS (UNIT-II) A-4/3, FIRST FLOOR, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Operate	Mfg. of Packging Containers/bottles tray/blister packaging etc. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 1640 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A . (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
20	DPCC/EC/2/1/2012/1639 16-05-2012	KRISHNA STEEL A-130, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Cold Re Rolling of S.S. Sheet (Without Pickling) Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	25-06-2012 Consent to Operate granted.
21	DPCC/EC/2/1/2012/1643 16-05-2012	VED PRAKASH SHEELA DEVI & NIRMAL GOEL A-93/12, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	RE Rolling of S.S. Sheets Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- 01-01-1996 • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil Note: This case is also listed with CTE cases.	25-06-2012 Consent to Operate granted.
22	DPCC/EC/2/1/2012/1647	NEEL KANTH PLASTIC S-40, PH-I,	Badli Industrial Estate	Orange Operate	HOT RE-ROLLING, (ANNEALING FURNACE)			20-06-2012 (1)ETP ---- N/A	25-06-2012 Consent to Operate granted.

	21-05-2012	BADLI INDUSTRIAL ESTATE			Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS -Stack attached with furnace (b) Stack monitoring report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
23	DPCC/EC/2/1/2012/1649 21-05-2012	LAXMI INDUSTRIES A-97/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S. SHEETS . Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	25-06-2012 Consent to Operate granted.	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted.
24	DPCC/EC/2/1/2012/1650 21-05-2012	UNIVERSAL ENTERPRISE C-86, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	COLD RE-ROLLING OF S.S. SHEET/PATTA (WITHOUT PICKING) Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	25-06-2012 Renewal of Consent to Operate granted.	20-06-2012 ((1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Renewal of Consent to Operate granted.
25	DPCC/EC/2/1/2012/1651	SLAP COSMETICS	Badli Industrial	Orange Renewal	MFG. OF PVC/PLASTIC			18-06-2012	25-06-2012

	21-05-2012	PLOT NO. G-2, PH-III, DSIDC INDL. COMPL. BADLI INDUSTRIAL ESTATE	Estate		COMPOUNDS AND MOULDED GOODS Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Renewal of Consent to Operate granted without using plastic scrap as a raw material.
26	DPCC/EC/2/1/2012/1656 21-05-2012	HARSON ENTERPRISES PLOT NO-47, POCKET-I, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC PIPES/WIRE AND ELECTRICAL ASSESSORIES Conduit Pipes (Plastic) using fresh raw material	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material. 25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.	20-06-2012 (1)ETP ---- N/A (2)ECS - Stack attached with the extruder. (b) Stack monitoring report dated 03-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
27	DPCC/EC/2/1/2012/1660 21-05-2012	GIANS MEDITRONICS L-159, SEC-3, DSIDC, INDUSTRIAL AREA BAWANA	Bawana Industrial Area	Orange Operate	MFG. OF DIES MOULDS AND MOULDING. Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
28	DPCC/EC/2/1/2012/1661	MAITRI POLYMERS	Friends Colony Industrial	Orange Operate	MANUFACTURING OF PVC COMPOUND.			15-06-2012 (1)ETP ---- N/A	25-06-2012 Consent to Operate granted without

	21-05-2012	PLOT NO 1/536-D/14 GALI NO 4 FRIENDS COLONY INDL. AREA	Area		Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 125.42 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 29.12.11, CTE was issued on 19.01.12. EARLIER CMC DECISION 29-12-2011 Issue consent to establish with the condition to channelize the process emissions.	using plastic scrap as a raw material.
29	DPCC/EC/2/1/2012/1662 21-05-2012	JUGAL TARA MAFG. CO. PVT. LTD. 2/359, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	MANUFACTURING OF PRESSURE COOKER RUBBER PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 376 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 11.02.09. a) Unit is found engaged in the activity of mfg of rubber gaskets for pressure cooker. b) Unit is operating at Ground, first & Second floor. G.F is being used for mfg. of rubber gaskets, First floor is being used for packaging purposes, second floor is being used for storage purposes. c) One DG set of 62 KVA us installed with proper acoustic enclosure and with adequate stack height. One thermic fluid heater is also provided with proper stack height. As decided by the CMC (O) in its meeting held on 16.02.09, letter was issued on 16.04.09 for filling an affidavit elaborating all pollution control devices install. Unit has submitted its reply on 08.05.09 along with an affidavit. As decided by the CMC (O) in its meeting held on 17.06.09, letter was issued on 08.07.09 for apply for renewal of consent afresh. EARLIER CMC DECISION 16.02.09 ask the unit to file an affidavit elaborating all pollution control devices install.	25-06-2012 Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.

							17.06.09 Ask the unit to apply for renewal of consent afresh. Call on 19.08.09.	
30	DPCC/EC/2/1/2012/1663 21-05-2012	SWAGAT STEEL B-50 GROUP, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ANNEALING OF FERROUS AND NON FERROUS SHEETS. Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 27.87 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no The Old file could not be traceable.	25-06-2012 Consent to Operate granted.
31	DPCC/EC/2/1/2012/1683 21-05-2012	SHYAM CABLES 1/429/9, GROUND FLOOR, GALI NO 1, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Mfg. of PVC Wire and Cables Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 12.02.09 & following were observed: (A) Unit found operationg & engaged in Mfg. of PVC wire , cable at basement & G. floor of the premises. (B) Chnnelizations needs to be installed in a process area. (5) SCN u/s 31(A) details : issued on 16.04.09. Unit has submitted its reply on 04.05.09. As decided by the CMC (O) in its meeting held on 17.06.09, letter was issued on 15.07.09 for confirm its reply on an affidavit. Unit has submitted its reply on 29.07.09 along with an affidavit. As decided by the CMC (O) in its meeting	25-06-2012 Consent to Operate granted.

							held on 07.05.10, CTE was issued on 11.06.10. EARLIER CMC DECISION 16.02.09 Issue notice for closure. 17.06.09 Ask the unit to confirm its reply on an affidavit. Call on 19.08.09. 07.05.10 Issue consent to establish.	
32	DPCC/EC/2/1/2012/1684 21-05-2012	ANAND ENTERPRISES PLOT NO-231, SECTOR-2, POCKET-H, DSIIDC, BAWANA INDUSTRIAL AREA,	Bawana Industrial Area	Orange Operate	MFG. OF PLASTIC PRODUCTS (PLASTIC TUBES). Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 95 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:conducted on 09.11.2011 during the inspection following were observed: (a) The unit was found in operatin. (b) No emission control measures was taken by the unit over mixing machines being used for mixing of cutted PVC waste and DOP and no emission control meaures also taken on the PVC waste cutting machine. (c) DG set was found without accoustic enclosure and adequacte stack height. (5) SCN u/s 31(A) issued on 16.02.2011. (6) Closure directions u/s 31(A) issued on 12.03.2012 unit submitted its reply along with photographs on 28.03.2012. Temporary revocation of closure direction issued on 26.04.2012. Unit submitted its reply on 01.06.2012 and stated that they have applied for CTO with stack emission monitoring report and Noise Monitoring report.	25-06-2012 Consent to operate granted and be issued after revocation of closure directions as approved in file.

								Permanent revcation is pending.	
33	DPCC/EC/2/1/2012/1686 22-05-2012	PARASNATH STEEL A-98/3, G F WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	HOT RE-ROLLING OF S.S. SHEETS (WITHOUT PICKLING). Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 5100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	25-06-2012 Renewal of Consent to Operate granted.	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... Remarks: Channelization system is not provided over proces emission.	25-06-2012 Renewal of Consent to Operate granted.
34	DPCC/EC/2/1/2012/1687 22-05-2012	B.K. ENTERPRISES A-98/3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Casting of Ferrous and non Ferrous metals. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 70 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Inspection was conducted on 21.06.2012 and following were observed: 1. unit found in operational and engaged in the activity of casting of ferrous and non-ferous metal by pit furnace. 2. hood and suction arrangement found installed but with inadequate height as fumes generated found spreading in the hall. 3. pit furnace installed at first floor.	25-06-2012 Issue SCN for refusal of consent based on the observations made during the inspection.
35	DPCC/EC/2/1/2012/1688 22-05-2012	MA DURGA STEEL INDUSTRIES A-7, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	SHEET METAL AND COLD RE-ROLLING OF S.S. SHEETS (WITHOUT PICKLING) Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no The Old file could not be traceable.	25-06-2012 Renewal of Consent to Operate granted without pickling.
36	DPCC/EC/2/1/2012/1694 22-05-2012	BHALLA HOSIERY ENTERPRISES B-40 GROUP , WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S. SHEETS Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 117 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		14-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted.

37	DPCC/EC/2/1/2012/1697	BANSAL STEEL INDUSTRIES B-20, GROUP WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	Cold Re rolling of S. s. Sheets. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		18-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	25-06-2012 Consent to Operate granted.
38	DPCC/EC/2/1/2012/1700	ANU CHEM POLYMERS PLOT NO 47 POCKET-O SECTOR-1 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	PVC COMPOUND AND MASTER BATCH. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	25-06-2012 Consent to Operate granted without using plastic scrap as a raw material.
39	DPCC/EC/2/1/2012/1702	SHREE BALAJI STEEL B-68/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S.SHEETS Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted.
40	DPCC/EC/2/1/2012/1707	AMAN STEELS DSIDC SHED.NO 70, WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S. SHEETS. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Operate granted.
41	DPCC/EC/2/1/2012/1713	SHANTI STEEL A-24, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	COLD RE-ROLLING OF S.S.SHEETS. Cold re Rolling Without Pickling of S .S. Sheets	• Date of commissioning of project ---- • Built Up Area ---- 130 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	25-06-2012 Consent to Operate granted.

					(with capacity less than 25 MT/day)			(4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
42	DPCC/EC/2/1/2012/1718 25-05-2012	R.K. STEELS B-70/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Cold Re rolling of S.s. Sheets. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	25-06-2012 Renewal of Consent to Operate granted.
43	DPCC/EC/2/1/2012/1724 25-05-2012	KAPSONS WORLDWIDE C-74A,PHASE- 2,MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG.OF READYMADE GARMENTS AND HOSIERY GOODS FOR EXPORTS (WITHOUT WASHING AND DYEING)WITH FIRED OIL BOILER. Readymade Garment with oil fired boiler (Without Washing/Dyeng)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		21-06-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: yes, conducted on 06.01.2012 and the observations are: 1. unit found engaged in the activity of readymade garments with washing. 2. waste water generated from the washing activity is discharge directly into the sewer without any treatment. 3. No ETP found installed. 4. one oil fired boier found installed without adequate stack height. 5. one DG set of 125 KVa found installed with accoustic enclsoure and inadequate stack height. (5) SCN u/s 31(A) & 33 (A) issued on 21.03.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EA details :No	25-06-2012 Inspection be conducted.
44	DPCC/EC/2/1/2012/1727	AJAY KUMAR A-133,	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF PVC PRODUCTS AND			19-06-2012 (1)ETP ---- N/A	25-06-2012 Renewal of Consent to Operate granted

	25-05-2012	WAZIRPUR INDL AREA			S.S. UTENSILS (WITHOUT BUFFING) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Note: old record of the case could not be tracable.	without using plastic scrap as a raw material.
45	DPCC/EC/2/1/2012/1728 25-05-2012	SATISH GUPTA (HUF) B-72/4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ANNEALING OF STAINLESS STEEL SHEET. Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - no (a) Stack monitoring report dated 29- 02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: nil (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Consent to Establish and Consent to Operate granted.
46	DPCC/EC/2/1/2012/1731 25-05-2012	ALERT INDIA C-1, S.M.A INDUSTRIAL AREA G. T. K. ROAD	S.M.A Industrial Area	Orange Renewal	MANUFACTURING OF PVC SOLES. PVC Footwear (Using Fresh Raw Material)		25-06-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A	25-06-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

28-06-2012

								trade effluent generated from the process in plate making section and the same is being discharged without any treatment. 3. The unit is not complying with the provisions of HWM Rules. 4. As reported the unit is in operation in the premises about last 4 years. 5. Adequate stack height and acoustic enclosure has not been provided with the D.G Sets 2 X 10 KVA. Unit has submitted its reply on 05.08.10 & stating that the plate making activity was removed from the unit since 06 July 2010 & acoustic encloure has been made with DG set. As decided by the CMC (O) in its meeting held on 27.08.10, letter was issued on 09.11.10 for submission of Bank Guarantee and affidavit. Unit has submitted its reply on 08.12.10 along with above said Bank Guarantee & affidavit. EARLIER CMC DECISION 07.05.10 Issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for fresh authorization under HWM Rules. 27.08.10 Reply received. Ask the unit to submit an affidavit of complete rectification of deficiencies found during the inspection. Also ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year.	
49	DPCC/EC/2/1/2012/1744 28-05-2012	JAI CHANDA INDUSTRIES C-59/2, 1ST & 2ND FLOOR WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	JOB WORK OF COLD RE ROLLING AND CIRCLE CUTTING Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/day)	• Date of commissioning of project ---- • Built Up Area ---- 110 (in sq. meter) • Water Consumption ---- 30 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	25-06-2012 Renewal of Consent to Operate granted.
50	DPCC/EC/2/1/2012/1756	KIRAN TALWAR A-254, DSIDC	Narela Industrial Area	Orange Operate	PVC WIRES AND CABLES. Electrical Wire			18-06-2012 (1)ETP ---- N/A (2)ECS - N/A	25-06-2012 Consent to Operate granted.

	30-05-2012	NARELA INDUSTRIAL AREA			And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- 01-01-2007 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 110 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil... (4) SCN u/s 31(A) was issued on 20.11.2011 and u/s 21/22 & u/s 25/26 was issued on 20.01.2011. Direction for closure was issued on 30.05.2011 (5) Inspection details: unit was inspected on 3.08.2011 subsequently letters received from the unit regarding revocation of closure directions on 8.11.2011, 13.10.2011, 3.10.2011 & 13.9.2011. A letter was issued to the unit on 23.11.2011 regarding submission of bank guarantee. unit submitted the bank guarantee on 28.11.2011. Revocation of closure directions was issued on 1.12.2011.	
51	DPCC/EC/2/1/2012/1757 30-05-2012	A.S. PLASTIC C-367, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	EVA FOOTWEAR. Eva Footwear and Eva Compound	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 75 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Note: old record of the case could not be tracable.	25-06-2012 Consent to Operate granted.
52	DPCC/EC/2/1/2012/1764 30-05-2012	S.D.M. ELECTRIC PRODUCTS (PVT.) LTD. B-88/3, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Poly Bags tube, Paper bags and flexo printing. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Roto and Flexo Printing	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 140 liters/day (b) Trade Effluent ---- 0 liters/day	25-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. Subsequently, inspection be conducted.	19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 25-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:NO	25-06-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. Subsequently, inspection be conducted.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
53	DPCC/EC/2/1/2012/1766 30-05-2012	BHARTI STEELS B-47/3, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Re Rolling of S.S Sheets Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 56 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	25-06-2012 Renewal of Consent to Operate granted.
54	DPCC/EC/2/1/2012/1767 30-05-2012	ROCKSEA PAPER PRODUCTS A/38, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	POLYTHENE CARRY BAGS. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1435.18 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		21-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	25-06-2012 File be put up administratively.
55	DPCC/EC/2/1/2012/1769 30-05-2012	J.S. METAL INDUSTRIES 308/1, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	COPPER WIRE DRAWING Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Note: The old file could not be traceble.	25-06-2012 Renewal of Consent to Operate (without pickling) and Authorization under HWM Rules granted.

56	DPCC/EC/2/1/2012/1771	MAYUR ELECTROMECK PVT. LTD. 452, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	MANUFACTURING WIRES AND CABLES. Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 563 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 27.08.10, CTR was issued on 17.09.10. A representation was received on 07.05.12 from M/s MAYUR ELECTROMECK PVT.LTD along with an affidavit & memorandum and articles of association of M/s MAYUR ELECTROMECK PVT.LTD stating that they have takeover the proprietorship from M/s MAYUR INDUSTRIES. Now, the name of unit has changed from M/s MAYUR INDUSTRIES to M/s MAYUR ELECTROMECK PVT.LTD. EARLIER CMC DECISION 12.02.10/15.02.10 Refer to DJB for ground water extraction 27.08.10 Issue renewal of consent.	25-06-2012 Renewal of Consent to Operate granted.
57	DPCC/EC/2/1/2012/1779	BULAKI DEEP FREEZE C-30, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	COLD STORAGE. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1050 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : (a) The unit has 3 D.G. Set(s) of 125 KVA, 125 KVA and 10 KVA. Noise monitoring report dated 03-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	25-06-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.