



CONSENT MANAGEMENT

Agenda No 2 - Annexure III - 07 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 01.05.2012 to 31.05.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2d category) on 25.06.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1517 02-05-2012	DLF LTD. PLOT NO. A-4 & P-1A, SAKET PLACE	SOUTH	Orange Operate	SHOPPING, MULTIPLEX, HOTEL AND OFFICES. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 16-05-2005 • Built Up Area ---- 98638.32 (in sq. meter) • Water Consumption ---- 935000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 336000 liters/day (b) Trade Effluent ---- 0 liters/day		12-06-2012 (1)ETP Name : STP (a) AR dated 30.12 2008 issued by DCE submitted. (b) Effluent analysis report dated 06.04.12 issued by SIIR submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 30-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Four number of parameters analyzed which are within limit. (b)The unit has 3 D.G. Set(s) of 1500,1500,1010 KVA. Noise monitoring report dated 30-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -Yes. Four number of parameters analyzed which are within limit. (c)The unit has 3 D.G. Set(s) of 1750,1750,1750 KVA. Noise monitoring report dated 20-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Four number of parameters analyzed which are within limit. (d) Stack monitoring report (for more than 1000 KVA) dated 26.03.12 issued by submitted and parameters within limit. (7) Explanation whether plot no A-4 and plot no P-1A are attached and why consent to establish and operate have not filed separately. (8)Discripency in capacity of DG sets as 1400 kVA in CTO & 1750 kVA in NMR	25-06-2012 Case be referred to Committee as per 2 (d)

							(9)BOD and COD levels are not proportional. (10) Inspection details:No latest inspection done. (11) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (12) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	
2	DPCC/EC/2/1/2012/1522 02-05-2012	PICCADILY HOTEL DISTRICT CENTRE JANAKPURI	WEST	Orange Renewal	FIVE STAR HOTEL. Hotel with atleast 20 Bed Rooms with Boiler	• Date of commissioning of project ---- 16-10-2009 • Built Up Area ---- 34067.31 (in sq. meter) • Water Consumption ---- 250000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150000 liters/day (b) Trade Effluent ---- 40000 liters/day	12-06-2012 (1) STP capacity enhanced as per Adequacy Report. (a) AR dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. 2)ECS - Wet scrubber on boilers. (a) AR not submitted. (b) Stack monitoring report of DG sets dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. Common Stack monitoring report of Boilers dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has D.G. Set of 1500 KVA. Noise monitoring report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes. (4) Inspection details: 23.12.10. (5) SCN u/s 31(A)/33(A)/5 of EPA details :28.09.10. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No	25-06-2012 Case be referred to Committee as per 2 (d)
3	DPCC/EC/2/1/2012/1545 04-05-2012	REGENCY PARK PROPERTY MANAGENT SERVICES PVT. LTD. (EMPORIO) PLOT NO 4, NELSON MANDELA ROAD,	SOUTH WEST	Orange Operate	commercial complex. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 04-10-2004 • Built Up Area ---- 60228 (in sq. meter) • Water Consumption ---- 155900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75000 liters/day (b) Trade Effluent ---- 0 liters/day	12-06-2012 (1)ETP Name: STP (a) AR dated 30.12.2008 issued by DCE submitted. (b) Effluent analysis report dated 22.03.2012 issued by SIIR submitted. (2)ECS - N/A. (3)D.G.Set Noise Report : yes. (a) The unit has 3 D.G. Set(s) of 1010,	25-06-2012 Case be referred to Committee as per 2 (d)

		VASANT KUNJ, PHASE-I						1500, 1700 KVA. Noise monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -yes. (b) Stack monitoring report (for more than 1000 KVA) dated16.03.2012 & 17.03.2012 issued by SIIR submitted and parameters within limit / not satisfactory. (4) Inspection details: No Latest inspection done. (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Discrepancy in capacity of GG sets as 1750 kVA in CTO & 1700 kVA in NMR.	
4	DPCC/EC/2/1/2012/1598 11-05-2012	BEVERLY PARK MAINTENANCE SERVICES LTD PLOT NO/3 NELSON MANDELA ROAD VASANT KUNJ PHASE- II	SOUTH WEST	Orange Operate	Shopping Complex Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- • Built Up Area ---- 69246.3 (in sq. meter) • Water Consumption ---- 23971000 liters/day • Ground Water ---- 11689000 liters/day • Waste Water generation (a) Domestic Effluent ---- 12305000 liters/day (b) Trade Effluent ---- 0 liters/day		20-06-2012 (1)ETP ----STP (a) AR dated 30.12.2008 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 25-04-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit -No . 3 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 09-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 30-03-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 1 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 30-03-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. The unit has 2 G.G. Set(s) of 1700 KVA. Noise monitoring report dated 09-05-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - YES. (b) Stack monitoring report (for more than 1000 KVA) dated 31.03.12 issued by SHRIRAM INSTITUTE submitted and parameters within limit	25-06-2012 Case be referred to Committee as per 2 (d)

								(4) Discrepancy in capacity of DG sets as 2 X 1500 & 1 X 1010 kVA in CTO & 3 X 1500 kVA in NMR. (5) Discrepancy in capacity of GG sets as 1750 kVA in CTO & 1700 kVA in report. (5) Inspection details:Yet to be done as per cmc dated 13.01.11. (6) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (7) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	
5	DPCC/EC/2/1/2012/1619 15-05-2012	MARC SANITATION PVT. LTD. A-2, S.M.A INDUSTRIAL AREA , G T KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	MFG. OF BATHROOM FITTING WITH ELECTROPLATING. Sanitary Goods with Casting (With Pit Furnace) / Buffing / Electroplating	• Date of commissioning of project ---- • Built Up Area ---- 2519.4 (in sq. meter) • Water Consumption ---- 17000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 4000 liters/day (b) Trade Effluent ---- 11500 liters/day		18-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 11.11.2008 issued by GGIU submitted. (b) Effluent analysis report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . Note: Parameter i.e. Temperatrue exceeding the prescribed limit. (2)ECS - Multi Cyclone, Multi Cyclone, Multi Cyclone, Multi Cyclone, Multi Cyclone, Multi Cyclone, Multi Cyclone (a) AR dated 04.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 26-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	25-06-2012 Case be referred to Committee as per 2 (d)

28-06-2012

					Operations Powder Coating without phosphating			(2)ECS - Cyclone (b) Stack monitoring report dated 16-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Note: This case is listed with CTE cases.	
7	DPCC/EC/2/1/2012/1758 30-05-2012	GALLERIA PROPERTY MANAGEMENT SERVICES PVT. LTD. DT CITY CENTRE, BLOCK-A, COMMUNITY, SITE, SHALIMAR BAGH	NORTH WEST	Orange Operate	SHOPPING COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-12-2004 • Built Up Area ---- 34895.55 (in sq. meter) • Water Consumption ---- 205000 liters/day • Ground Water ---- 95000 liters/day • Waste Water generation (a) Domestic Effluent ---- 100000 liters/day (b) Trade Effluent ---- 0 liters/day		15-06-2012 (1)ETP ---- STP (a) AR dated 30.12.2008 issued by Delhi College of Engineering submitted. (b) Effluent analysis report dated 21-05-2012 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - yes . (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 22-02-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - yes. Stack height is adequate. The unit has 1 D.G. Set(s) of 1010 KVA. Noise monitoring report dated 22-02-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - yes. Stack height is not adequate. The unit has 1 D.G. Set(s) of 1010 KVA. Noise monitoring report dated 22-02-2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - yes. Stack height is not adequate. The unit has 1 D.G. Set(s) of 1010 KVA. Noise monitoring report dated 22-02-	25-06-2012 Case be referred to Committee as per 2 (d)

								2012 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - yes. Stack height is not adequate. (b) Stack monitoring report (for more than 1000 KVA) dated 22.02.2012 issued by SHRIRAM INSTITUTE submitted and parameters within limit. (4) Inspection details: 30.04.09. (5) SCN u/s 31(A)/33(A)/5 of EPA details : N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	
--	--	--	--	--	--	--	--	--	--