

F. No. 21-338/2017-IA-III
Government of India
Ministry of Environment, Forest and Climate Change
(IA.III Section)

Indira Paryavaran Bhawan,
Jor Bagh Road, New Delhi - 3

Date: 24th June, 2019

The Chief General Manager
M/s NBCC India Limited
RBG Office, Delhi - II, NBCC India Limited,
GPRA Complex, New Moti Bagh,
New Delhi - 110023
E Mail: sarojininbcc@gmail.com

Subject: Redevelopment of General Pool Residential Accommodation (GPRA) Colony at Sarojini Nagar by M/s NBCC India Limited - Amendment in Environmental clearance - reg.

Sir,

This has reference to your online proposal No. IA/DL/NCP/96146/2018 dated 18th February, 2019, submitted to this Ministry seeking amendment in Environmental Clearance granted vide letter F.No.21-338/2017-IA-III dated 12th June, 2018 to the project 'Redevelopment of General Pool Residential Accommodation (GPRA) Colony' at Sarojini Nagar in favour of M/s NBCC India Limited, in terms of the provisions of the Environment Impact Assessment (EIA) Notification, 2006, under the Environment (Protection) Act, 1986.

2. The proposal for grant of amendment in Environmental Clearance to the above referred project was considered by the Expert Appraisal Committee (Infra-2) in its 39th meeting held on 26-28 March, 2019. The project proponent gave a detailed presentation on the salient features of the project and informed that:

- (i) NBCC (India) Limited has been assigned by Ministry of Housing and Urban Affairs (MoHUA) for the proposed redevelopment of General Pool Residential Accommodation (GPRA) Colony at Sarojini Nagar, Africa Avenue Marg, Chanakyapuri Tehsil, New Delhi. NBCC has obtained Environmental Clearance from Ministry of Environment, Forest and Climate Change vide letter F.No.21-338/2017-IA-III dated 12th June, 2018 for the said project.
- (ii) Environmental clearance has been obtained for total plot area of 9,96,193.45 sqm and total built-up area of 38,45,281.18 sqm. It was proposed to execute the work in 5 Residential Type Buildings of 231 towers with combined basement and total dwelling units of 17,944 including Service apartments, Office block and other social infrastructure like Vinay Nagar Bengali Sr. School, Ganesh Shankar Sarvodaya Bal Vidyalaya, Government Boys Senior Secondary School - 1 & 2, Government Girls Senior Secondary School - 1, SKV Kanya Vidyalaya No.1, NDMC NAVY UG School, N.P Co-Ed Secondary School, N.P Primary School (D.G Block), N.P Primary School-1, Khalsa Middle School, Bharat Samaj Nursery School, NDMC Dispensary, C.G.H.S Dispensary No. 1 to 4,

Barat Ghar, Ayush Hospital, GrihaKalyan Kendra & Barat Ghar-1, Police Station and Post Office.

- (iii) Initial activities were taken up after obtaining the EC but meanwhile writ petitions /PIL were filed in Hon'ble High Court, Delhi & National Green Tribunal (NGT) against felling of trees and they ordered to maintain status quo in redevelopment of all seven GPRA Colonies including Sarojini Nagar on 2nd July, 2018 & 26th July, 2018. Thereafter, MoHUA submitted an affidavit for consideration of Hon'ble High Court with regard to avoid cutting of the trees to the maximum extent possible thereby necessitating changes in layout plan, reduction in dwelling units etc. Based on the affidavit, Hon'ble High court of Delhi has ordered on 3rd October, 2018 that MoHUA/NBCC should be permitted to approach appropriate statutory authorities for necessary approvals of the revised proposals, which shall be considered by the said authorities in accordance with law. Further action/steps shall be taken by MoHUA/NBCC as per the decision of the statutory authorities.
- (iv) As per the Hon'ble High court directions, NBCC has reworked their concept plans and the components include 5 Residential Type Buildings (Type II, III, IV, V, VI) of 160 towers with basement and service apartments with total dwelling units of 16,260, Commercial Blocks and other Social infrastructures like Vinay Nagar Bengali Sr. School, Ganesh Shankar Sarvodaya Bal Vidyalaya, Government Boys Senior Secondary School-1 & 2, Government Girls Senior Secondary School-1, Sarvodaya Kanya Vidyalaya No.1, NDMC NAVYUG School, N.P Co-Ed Secondary School, N.P Primary School (D.G Block), N.P Primary School-1, Khalsa Middle School, Bharat Samaj Sewak Nursery School, NDMC Dispensary & Quarters, C.G.H.S Dispensary No. 1 to 4, Barat Ghar, Griha Kalyan Kendra, Police Station & Quarters, Suvidha Market 1 to 3, Community hall (service Apartment 1 & 2), Local Shopping centre, Community hall 3 & 4, Multi-level car parking, Sarojini Nagar Main market, Babu market, Red cross society, Delhi Public library, Post Office and DLF Square mall.
- (v) Out of the above Social infrastructures, Vinay Nagar Bengali Sr. School, Sarvodaya Kanya Vidyalaya No.1, NDMC NAVYUG School, N.P Co-Ed Secondary School, N.P Primary School-1, Khalsa Middle School, Bharat Samaj Nursery School, NDMC Dispensary & Quarters, Police Station & Quarters, Sarojini Nagar Main market, Babu market, Red cross society, Delhi Public library, Post Office and DLF Square mall are proposed to be retained which shall be refurbished later on.
- (vi) The details of the project components of the revised plan are as follows:
- i. The total plot area is 10,44,833.71 sqm which has been increased from 9,96,193.45 sqm and total construction area is 29,28,222.9 sqm. The details of the project as per EC granted and proposed amendment in the EC is as follows:

S. No.	DESCRIPTION	EC OBTAINED DATED 12.06.2018	EC AMENDMENT REQUESTED
1.	Total area of Extent	9,96,193.45 sqm	10,44,833.71 sqm
2.	Total Built up area	38,45,281.18 sqm	29,28,222.96 sqm
3.	Dwelling Units	17,944 Nos.	16,260 Nos. (10015 GPRA+890 Service Apartment+5355 Servant Quarters)
4.	Plot Coverage	1,81,805.30 sqm (18.25 %)	2,00,207.89 sqm (19.16%)

S. Patel

5.	Achieved FAR	17,18,685.97 sqm (180.97)	16,29,233.88 sqm (155.93%)
6.	Green belt area	3,50,162.00 sqm (35.15%)	3,04,237.91 sqm (29.12%)
7.	Parking details		
	Two wheeler parking required	15,545 Nos.	16,262
	Two wheeler parking provided	15,545 Nos.	16,262
	Car parking required	43,134 Nos.	25,775
	Car parking provided	83,800 Nos.	26,015
8.	Total Population	1,13,441 Nos.	61,121 Nos.
9.	Source of Water Supply	New Delhi Municipal Council (NDMC)	New Delhi Municipal Council (NDMC)
10.	Total water Requirement	11,347 KLD	6,911 KLD
11.	Fresh Water Requirement	7,301 KLD	4,423 KLD
12.	Quantity of wastewater generation	9,482 KLD	5,782 KLD
13.	Treatment system for waste water	STP - 9,482 KLD Capacity Technology - FAB	STP - 5782 KLD Capacity Technology - MBR
14.	Power requirement & Source	1,07,443 MVA and NDMC	79,260 KW and NDMC
15.	Solid waste generation, treatment and management	- Municipal Solid waste - 43,425 Kg/day - Bio-degradable - 26,055 Kg/day (OWC) - Non-Biodegradable - 17,370 Kg/day (Authorized Recyclers) - Hazardous waste - Used oil - 2.5 TPA (Disposed to CPCB authorized re-processors) - C&D Waste - 4,41,619 Tons(disposed off at government specified C & D plant) - STP sludge - 1,171 Kg/day (Manure for gardening)	- Municipal Solid waste - 44,802 Kg/day - Bio-degradable - 26,881 Kg/day (OWC) - Non-Biodegradable - 17,921 Kg/day (Authorized Recyclers) - Hazardous waste - Used oil - 2.5 TPA (Disposed to CPCB authorized re-processors) - C&D Waste - 4,41,619 Tons(disposed off at government specified C & D plant) - STP sludge - 832 Kg/day (Manure for gardening)

ii. The built-up area statement of project as per EC granted and proposed amendment in the EC is as follows:

S. No.	Towers	EC OBTAINED DATED 12.06.2018				EC AMENDMENT REQUESTED			
		No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)	No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)
Residential									
1	Type-II	(G+12, G+11)	31	2885	207720	(G+12, G+11)	31	2824	222528
2	Type-III	(G+12)	29	2680	241419	(G+12)	28	2726	246943
3	Type-IV	(G+12, G+11)	56	2640	364681	(G+12, G+11)	52	2492	371954
4	Type-V	(G+11)	25	1125	238606	(G+11)	22	1012	216613
5	Type-VI	(G+12)	30	1125	310654	(G+12)	27	961	290130
	Combined Basement area				622792				648438
	Sub Total (A)			10655	1985872			10015	1348168

Commercial									
1	Commercial - C (Retail/ Office's)	(G+8)	2	-	195988	(LG+G+8)	1	-	34992.9
2	Commercial - D (Retail/ Office's)	(G+8)	1	-	44212	(LG+G+8)	2	-	178823
3	Service Apartment-1	(G+11)	9	315	75750	(G+11)	9	300	90733
4	Service Apartment-2	(G+12)	22	836	193950	(G+12)	18	590	180056
	Combined Basement area				1194353				320174
	Sub Total (B)			1151	1704253			890	804579

S. No.	Towers	EC OBTAINED DATED 12.06.2018				EC AMENDMENT REQUESTED				Remarks
		No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)	No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)	
Social Infrastructure										
1	Vinay Nagar Bengali Sr. School	(G+3)	1	-	7306.65	(G+2)	1	-	3528.09	Retained
2	Ganesh Shankar Sarvodaya Bal Vidyalaya	(G+3)	1	-	7652.8	(G+3)	1	-	6334.68	
3	Government Boys Senior Secondary School-1	(G+3)	1	-	7306.65	(G+3)	1	-	6986.79	
4	Government Boys Senior Secondary School-2	(G+3)	1	-	7306.65	(G+3)	1	-	5541.11	
5	Government Girls Senior Secondary School-1	(G+3)	1	-	7306.65	(G+3)	1	-	6610.07	
6	Sarvodaya Kanya Vidyalaya	(G+3)	1	-	7576.4	(G+1)	1	-	4230.73	Retained
7	NAVYUG School	(G+3)	1	-	10955.66	(G+2)	1	-	8814.75	Retained
8	N.P CO-ED Secondary school	(G+4)	1	-	6970.4	(G+1)	1	-	2632.62	Retained
9	N.P Primary School (D.G Block)	(G+3)	1	-	2860.35	(G+3)	1	-	2731.18	
10	N.P Primary school	(G+3)	1	-	3275.33	(G+2)	1	-	1566.09	Retained
11	Khalsa Middle School	(G+4)	1	-	9025	(G)	1	-	460.08	Retained
12	Bharat Samaj Sewak Nursery School	(G+3)	1	-	3275.33	(G)	1	-	620.92	Retained
13	NDMC Dispensary & Quarters	(G+2, G+11)	1	-	7214.03	(G+1), (51)	-	51	2919.84	Retained
14	C.G.H.S Dispensary No. 1	(G+3)	1	-	1714.72	(G)	1	-	400.41	
15	C.G.H.S Dispensary No. 2	(G+2)	1	-	939.33	(G+1)	1	-	604.24	
16	C.G.H.S Dispensary No. 3	(G+2)	1	-	902.52	(G+1)	1	-	524.06	
17	C.G.H.S Dispensary No. 4	(G)	1	-	186.27	(G+2)	1	-	1163.41	
18	Barat Ghar	(G+2)	1	-	1445.85	(G+2)	1	-	1332.43	
19	Griha Kalyan Kendra	(G+3)	1	-	2900.85	(G+2)	1	-	1616.74	

S. Bose

S. No.	Towers	EC OBTAINED DATED 12.06.2018				EC AMENDMENT REQUESTED				Remarks
		No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)	No. of Floors	No. of Towers	No. of Dwelling Units	Total (sqm)	
20	Police Station & Quarters	(G+4, G+11)	1	-	9420.14	(G+1), (46)	-	46	3527.43	Retained
21	Post Office	(G+1)	1	-	1833.75	(G+1)	1	-	1664.84	Retained
22	Ayush Hospital (G+5)		1	-	2181.35					
23	Suvidha Market - 1					(G)	1	-	100.5	
24	Suvidha Market - 2					(G+1)	1	-	571.35	
25	Suvidha Market - 3					(G+1)	1	-	645.93	
26	Community Hall (Service Apartment - 1)					(G)	1	-	2678.59	
27	Community Hall (Service Apartment - 2)					(G)	1	-	2417.93	
28	Local Shopping Centre					(G+2)	1	-	10080.3	
29	Community Hall 3						1	-	142.23	
30	Community Hall 4						1	-	142.23	
31	Multi-Level Car Parking						1	-	25383.6	
32	Sarojini Nagar Main Market					(G)	1	-	13927.8	Retained
33	Babu Market					(G)	1	-	1024.02	Retained
34	Red-Cross Society						-	40	1677.11	Retained
35	Delhi Public Library					(G+3)	1	-	1908.28	Retained
36	DLF Square Mall					(G+9)	1	-	2307.57	Retained
	Combined Basement area				45600					
Sub Total (C)					155156.18				127037.92	
GRAND TOTAL (A + B + C)					3845281.18				2928222.93	

iii. During construction phase, the total water requirement is expected to be 385 KLD which will be met by procuring recycled /treated water from nearby STP and the sewage generated will be treated by providing mobile STP. Temporary sanitary toilets will be provided during peak labor force.

iv. During operational phase, total fresh water demand of the project is expected to be 4,423 KLD and the same will be sourced from the existing supply of 4073 KLD in Sarojini Nagar and surplus existing supply in adjoining Netaji Nagar by New Delhi Municipal Council (NDMC). Sewage generated (5,782 KLD) will be treated in STP of 5,782 KLD capacity based on Membrane Bio Reactor (MBR) technology. The treated sewage will be reused for toilet flushing (2,488 KLD), landscaping (799 KLD) and HVAC (534 KLD) (one time use). Excess 1,917 KLD of treated sewage will be supplied to NDMC for horticulture and other uses in surrounding area.

- v. Solid Waste generation has been projected as 44,802 kg/day. The biodegradable waste (26,881 kg/day) will be processed in Organic Waste Converter and the non-biodegradable waste (17,921 kg/day) will be handed over to Authorized Recyclers. The Bio-Sludge of 832 kg/day from STP will be used as manure for gardening and green belt development.
- vi. The total rainwater harvesting (RWH) potential estimated in the site is 31055 cum during peak hour rainfall. Rain water harvesting pits of 92 nos. will be constructed within the project site for recharge of groundwater. Surplus water from the recharge pits shall be diverted to the storm water drainage network.
- vii. During construction phase, the total power requirement is 9000 KVA and for operation phase of the proposed project is 79,260 KVA which will be availed from New Delhi Municipal Council (NDMC).
- viii. Parking facility proposed for two wheelers and four wheelers are 16,262 Nos and 26,015 Nos against the requirement of 16,262 Nos and 25,775 Nos respectively (according to TCPO norms).
- ix. Proposed energy saving measures would save about 8.57% of power per annum.
- x. It is not located within 10 km of Eco sensitive areas.
- xi. There is no court case pending against the project.
- xii. Investment/ Cost of the project is Rs. 13,494 Crores.
- xiii. The Employment potential will be 8000 persons during construction phase.
- xiv. Benefits of the project: The proposed redevelopment is General Pool Residential Accommodation (GPRA) with supporting social infrastructure, General Pool Office Accommodation (GPOA) with advanced facilities under Ministry of Housing and Urban Affairs. The proposed project benefits the surroundings by providing employment opportunities both during construction and operation phase thereby enhancing the socio-economic and standard of living of the locality.

3. The project/activity is covered under category 'B' of item 8(b) 'Townships and Area Development projects' of the Schedule to the EIA Notification, 2006 and its subsequent amendments, and requires appraisal at State level. However, due to absence of SEIAA/SEAC in Delhi, the proposal has been appraised at Central Level.

4. The EAC in its 39th meeting held on 26-28 March, 2019, during deliberation noted that as per the EC granted vide dated 12th June, 2018, initial activities were taken up but due to writ petitions /PIL filed in Hon'ble High Court, Delhi and National Green Tribunal (NGT) against felling of trees, the Hon'ble High Court has ordered to maintain status quo in redevelopment of all seven GPRA Colonies including Sarojini Nagar on 2nd July, 2018 & 26th July, 2018. Thereafter, MoHUA submitted an affidavit for consideration of Hon'ble High Court with regard to avoid cutting of the trees to the maximum extent possible thereby necessitating changes in layout plan, reduction in dwelling units etc. Based on the affidavit, Hon'ble High court of Delhi has ordered on 3rd October, 2018 that MoHUA/NBCC should be permitted to approach appropriate statutory authorities for necessary approvals of the revised proposals, which shall be considered by the said authorities in accordance with law. Accordingly, the project proponent has submitted application for amendment in the environmental clearance granted to the project.

S. Rose

The Committee also noted that the project proponent has revised the water balance and reduced the requirement as per Manual on norms and standards for environment clearance of large construction projects of MoEF&CC issued vide order no F.No. J-12011/3/2005-IA (CIE) part, dated 15th May, 2007. Now the fresh water demand is considered as 65 lpcd against 90 lpcd and flushing demand is considered as 21 lpcd against 45 lpcd. As per the revised water balance, during operational phase, total fresh water demand of the project is expected to be 4,423 KLD and the same will be sourced from the existing supply of 4073 KLD in Sarojini Nagar (as per certificate received from NDMC vide dated 13th September, 2018) and surplus existing supply in adjoining Netaji Nagar by New Delhi Municipal Council (NDMC).

The Committee further noted that as per the revised tree cutting/transplantation plan, out of 11,913 existing trees of different species, 3,500 (+/- 5%) trees will be transplanted and 8,413 (+/- 5%) trees will be retained at the project site. It was informed that they have requested Forest Department, GNCTD vide letter no. NBCC/GM/SN/DCF (S)/2019/30 dated 31st January, 2019 for issuing tree cutting/transplantation permission.

During deliberation, the project proponent informed the Committee that regarding Traffic study, UTTIPEC has decided to have long term traffic congestion mitigation measures. Accordingly, PWD, GNCTD (Road owning Agency) has been appointed to conduct a comprehensive study synchronizing with their other upcoming road infrastructure works. Before submission to UTTIPEC, as an abundant precaution, expert agencies namely IUT & UMTC have been appointed by MOHUA to make the scheme comprehensive and effective. MoHUA in their affidavit submitted to Hon'ble High court stated that the possession will be allowed to be given only after addition / alteration to road infrastructure required to maintain smooth flow of traffic.

In a query by the EAC regarding decrease in green belt area, the project proponent informed that earlier an area of 49,809.67 sqm was proposed for open parking. Now in the revised proposal and area of 1,27,595.88 sqm has been proposed for open parking resulting in decreases in green belt area.

The Committee was also informed that the project site is 9.2 km (ESE) from Okhla Bird Sanctuary and 9.6 km (SSE) from Asola Bhati Wildlife Sanctuary. Ministry vide Notification S.O. 2996(E) dated 11th September, 2017 and S.O. 2262 (E) dated 19th August, 2015 has notified Eco-sensitive Zone of Asola Bhati Wildlife Sanctuary and Okhla Bird Sanctuary respectively. The instant proposal is outside the Eco-sensitive Zone of Asola Bhati Wildlife Sanctuary and and Okhla Bird Sanctuary and does not attract NBWL clearance.

5. The EAC, based on the information submitted and clarifications provided by the Project Proponent and detailed discussions held on all the issues, recommended the project for grant of amendment in environmental clearance with stipulated specific conditions. As per recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords amendment in Environmental Clearance issued vide dated 12.06.2018 with following specific conditions:

- (i) All the conditions contained in the Environment Clearance letter F.No.21-338/2017-1A-III dated 12th June, 2018 shall be complied with.
- (ii) Consent to Establish/Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of

Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974.

- (iii) The project proponent shall provide for adequate fire safety measures and equipment as per National Building Code/required by Fire Service Act of the State and instructions issued by the local Authority/Directorate of fire, from time to time. Further, the project proponent shall take necessary permission/NOC regarding fire safety from Competent Authority as required.
- (iv) The project proponent shall obtain all necessary clearance/ permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.
- (v) As proposed, fresh water requirement from NDMC (as per certificate received from NDMC vide dated 13th September, 2018) shall not exceed 4073 KLD. Existing water supply is sufficient to cater the future demand and no additional water is required for the proposed project.
- (vi) Sewage shall be treated in the STP based on Membrane Bio Reactor (MBR) Technology with tertiary treatment i.e. Ultra Filtration. The treated sewage will be reused for toilet flushing (2,488 KLD), landscaping (799 KLD) and HVAC (534 KLD) (one time use). Excess 1,917 KLD of treated sewage will be supplied to NDMC for horticulture and other uses in surrounding area.
- (vii) The project proponents would devise a monitoring plan to the satisfaction of the State Pollution Control Board so as to continuously monitor the treated waste water being used for flushing in terms of faecal coliforms and other pathogenic bacteria.
- (viii) The project proponents would commission a third party study on the implementation of conditions related to quality and quantity of recycle and reuse of treated water, efficiency of treatment systems, quality of treated water being supplied for flushing (specially the bacterial counts), comparative bacteriological studies from toilet seats using recycled treated waters and fresh waters for flushing, and quality of water being supplied through spray faucets attached to toilet seats.
- (ix) The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed 92 nos. of rain water harvesting recharge pits shall be provided for rain water harvesting after filtration as per CGWB guidelines.
- (x) NBCC shall be responsible for implementation of the traffic plan that is under preparation in coordinate with PWD, GNCTD (Road owning Agency) for the impact of the re-development project. The Traffic Management plan shall be implemented simultaneously and commissioned before allowing any occupants possession and start residence in the rehabilitated accommodation. Possession will be allowed to be given only after addition / alteration to road infrastructure required to maintain smooth flow of traffic.
- (xi) No tree cutting/felling has been proposed. However, it is proposed to transplant 3,500 (+/- 5%) trees. No tree transplantation should be carried out unless exigencies demand. Where absolutely necessary, tree transplantation shall be with prior permission from the Tree Authority constituted as per the

Delhi Preservation of Trees Act, 1994 (Delhi Act No. 11 of 1994). Old trees should be retained based on girth and age regulations as may be prescribed by the Forest Department. In case of non-survival of any transplanted tree, compensatory plantation in the ratio of 1:10 (i.e. planting of 10 trees for every 1 tree) shall be done and maintained. Plantations to be ensured species (cut) to species (planted).

- (xii) A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and/or invasive species should not be used for landscaping. As proposed, 3,04,237.91 (29.12% of the plot area) area shall be provided for green area development.
- (xiii) The project is recommended for grant of amendment in Environmental Clearance subject to final outcome in the W.P.(C) No. 6680/2018 in the matter of Dr. Kaushal Kant Mishra Vs Union of India & Ors pending before the Hon'ble High Court of Delhi.


6. All the other conditions contained in the MOEF&CC letter F.No.21-338/2017-IA-III dated 12th June, 2018 shall remain the same.

7. This issues with the approval of Competent Authority.


(Dr. Subrata Bose)
Scientist F

Copy to:

- 1) The Secretary, Department of Environment, Government of Delhi, New Delhi.
- 2) The Addl. Principal Chief Conservator of Forests (C), Ministry of Environment, Forests and Climate Change, Kendriya Bhavan, 5th Floor, Sector-H, Aliganj, Lucknow - 226024.
- 3) The Chairman, Central Pollution Control Board Parivesh Bhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
- 4) The Member Secretary, Delhi Pollution Control Committee, Department of Environment, Government of N.C.T. Delhi, 4th Floor, ISBT Building, Kashmere Gate, Delhi.
- 5) Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
- 6) Guard File/ Record File/ Notice Board.
- 7) MoEFCC website.


(Dr. Subrata Bose)
Scientist F