



CONSENT MANAGEMENT

Agenda No 1 - Annexure III - 10 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 17-11-2011 to 01-09-2011 (in reverse chronology) excluding the cases of redevelopment areas recommended by Screening Committee as (2d category) on 06.07.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	38039 06-09-2011	VISTA HOPITALITY PVT.LTD. 162 MG ROAD SULTANPUR	SOUTH	Orange Operate	Hospitality. Hotel With Less Than 20 Bedrooms	• Date of commissioning of project ---- • Built Up Area ---- 18000 (in sq. meter) • Water Consumption ---- 25000 liters/day • Ground Water ---- 25000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 20000 liters/day		19-06-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated12.08.2011..... issued by ...DTU..... submitted. (b) Effluent analysis report dated 27-03-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted by DPCC Officials on 07.03.2011 w.r.t an application under RTI Act on 15.12.10 and following were observed: 1. As reported the unit is in operation in the premises about last 1-1/2 years engaged in the activity of Motel(Room - 14 Nos., Banquet Hall -2 Nos., Party Lawn-1 No.). 2. No ETP/STP has been installed to treat the waste water generated from the unit. It was reported that at present all the waste water is collected in a tank & disposed off outside the premises through tankers w/o any treatment. 3. Proper channelization system has not been provided with the kitchen. 4. RWH system not provided. 5. SWH system not provided.	06-07-2012 Case be referred to Committee as per 2 (d)

								6. One bore well exist for withdrawal of ground water. 7. No permission from Govt. agencies was available at site. (5) SCN u/s 31(A) & 33(A) details : issued on 21.03.11 As approved, directions u/s 31(A) & 33 (A) was issued on 18.05.11 for stopping of commercial activity, installation of pollution control devices & submit an affidavit in this regard. Unit has submitted its compliance on 21.07.11 along with an affidavit, NMR of DG set & photographs of STP. As approved, letter was issued on 03.10.11 for submission of Bank Guarantee of Rs. 50,000/- each under Air ct & Water Act valid for one year. Unit has submitted aforesaid BG on 19.10.11. As approved, CTE was issued on 17.10.2011. Unit has submitted its reply on 30.03.12 along with the water anaylsis report dated 27.03.12 whichis within prescribed limits. Earlier CMC Decision 10.08.2011 Unit has submitted the requiste compliance subsequent to the recommendation of Scrutinizing Committee. Issue Consent to Establish.	
2	38084 14-09-2011	HOTEL DIPLOMAT 9, SARDAR PATEL MARG	NEW DELHI	Orange Renewal	Hotel Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 1839 (in sq. meter) • Water Consumption ---- 25000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3000 liters/day (b) Trade Effluent ---- 15000 liters/day		02-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 02.09.2008 issued by DCE submitted. (b) Effluent analysis report dated 28-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	06-07-2012 Case be referred to Committee as per 2 (d)

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
3	38172 27-09-2011	YSF HOTELS AND RESORTS PVT. LTD. (A UNIT OF ICON FOOD BEVERAGE SERVICES) KH. NO.- 43,46,47 AND 48, VILLAGE SULTANPUR, NEAR GHITORNY METRO STATION, M. G.ROAD	SOUTH	Orange Operate	Hotel and Resorts Hotel With Less Than 20 Bedrooms Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 9024.49 (in sq. meter) • Water Consumption ---- 60000 liters/day • Ground Water ---- 60000 liters/day • Waste Water generation (a) Domestic Effluent ---- 8000 liters/day (b) Trade Effluent ---- 50000 liters/day		29-06-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated28.06.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...2... (a)Noise monitoring report of 320 KVA and 125 KVA dated 01-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 07.03.11 w.r.t an application under RTI Act & following were observed: a) As reported the unit is in operation about last one month (For party etc). Renovation/ finishing work is still in progress. b) Work for installation of STP is yet to be completed. 90 percent of work has been completed. c) As reported presently waste water is collected in the collection tank and	06-07-2012 Case be referred to Committee as per 2 (d)

							disposed off outside the premises through tanker without any treatment. d) No permission from Govt. agencies was available at site. e) Two bore well exist for withdrawal of ground water. f) RWH system provided. But details were not available. (5) SCN u/s 33(A) details : issued on 21.03.11. Unit has submitted its reply on 13.04.11 and informed that now STP is fully operational and already applied for CTE. As approved, letter was issued on 10.06.11 for submission of Bank Guarantee of Rs. 50,000 under Water Act valid for one year, affidavit regarding rectfication of deficiencies, adequacy report and effluent analysis report of STP and also apply for CTO As decided by the CMC (O) in its meeting held on 10.08.11, reminder letter was issued on 14.09.11. However, which was returned back undelivered. Unit has submitted aforesaid Bank Guarantee on 20.09.11. EARLIER CMC DECISION 10.08.11 Issue final reminder of letter dated 10.06.11	
4	38212 30-09-2011	DLF IT PARK 15, SHIVAJI MARG	WEST	Orange Operate	FLATTED FACTORY (IT-OFFICE-CUM-RETAIL). Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-10-2009 • Built Up Area ---- 66923 (in sq. meter) • Water Consumption ---- 357000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 235000 liters/day (b) Trade Effluent ---- 0 liters/day	04-07-2012 (1) ETP -STP of 250 kLD capacity. (a) AR dated 16.09.2011 issued by Delhi Technological University submitted. (b) Effluent analysis report not submitted as it will be operated after completion certificate. (3) D.G.Set Noise Report : 4 (a) The unit has 4 D.G. Set(s) of 1010, 1010, 1010, 380 KVA. Noise monitoring report dated 16-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No.	06-07-2012 Case be referred to Committee as per 2 (d)

							(b) Stack monitoring report (for more than 1000 KVA) dated 16.09.2011 issued by Delhi Technological University submitted and parameters within limit. (4) C T E applied on 13.06.2008 granted on 02.07.2009 and E C applied on 20.05.2008 obtained on 19.01.2009. (5) Inspection details:30.06.08 during construction phase. (5) SCN u/s 31(A)/33(A)/5 of EPA details :Nil. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil.	
5	38282 14-10-2011	SILVER OAK RESORT HOTEL (SILVER OAK CELEBRATIONS PVT. LTD.) KH NO 63/82 MUNDKA VILLAGE MAIN ROHTAK ROAD	WEST	Orange Operate	motel/resorts. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 6500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 5000 liters/day	03-07-2012 (1)STP (a) AR dated 18.07.2011 issued by submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	06-07-2012 Case be referred to Committee as per 2 (d)

6	38286	RADISSON BLU PLOT NO.4, SECTOR-13, DWARKA	SOUTH WEST	Orange Operate	HOTEL COMPLEX NAMELY RADISSON BLU AT PLOT NO 4 SECTOR 13 DWARKA NEW DELHI 110075. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 67544 (in sq. meter) • Water Consumption ---- 301000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 88000 liters/day (b) Trade Effluent ---- 75000 liters/day	22-06-2012 (1)STP -installed. (a) AR dated issued by submitted. (b) Effluent analysis report dated 05-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 1500 KVA. Noise monitoring report dated 05-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No recent inspection. (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A (7) The unit had approached Honble High Court for refund of ED and BG. Got a favoured order to release.	06-07-2012 Case be referred to Committee as per 2 (d)
7	38336	RAMESH TRADING CORP. (INDIA) C-9, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF BI-CYCLE RIMS. Electroplating Industries Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 550 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 400 liters/day	13-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.09.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 24-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . Note: temperature is exceeding the prescribed limit (2)ECS - yes (a) AR dated 10.10.2011 issued by DTU submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-	06-07-2012 Case be referred to Committee as per 2 (d)

							10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	
8	38351 25-10-2011	BAJAJ AUTO WAYS (REGD) B-65, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MFG. OF CLUTCH PLATES INCLUDING HEAT TREATMENT. Heat Treatment (Hardening/ Tampering of Steel)	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1200 liters/day	13-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.10.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS -yes (a) AR dated 21.10.2008 issued byGGSIU submitted. (b) Stack monitoring report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 75, 125 KVA. Noise monitoring report dated 21-09-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes . (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	06-07-2012 Case be referred to Committee as per 2 (d)
9	38375 02-11-2011	SRI JAGDAMBE TRADERS 340/3, GALI NO 1B, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	BATHROOM SANITARY FITTING WITH ELECTROPLATING AND BUFFING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 92.5 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day	05-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated10.10.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - Dust collector (a) AR dated 10.10.11 issued by DTU submitted. (b) Stack monitoring report dated 10-	06-07-2012 Case be referred to Committee as per 2 (d)

							10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	
							(3)D.G.Set: ...N/A...	
							Old records could not be traced out.	
10	38383	MARUTI SUZUKI INDIA LTD 03-11-2011 PLOT NO -1 SHOPPING MALL, NELSON MANDELA MARG, VASANT KUNJ	SOUTH WEST	Orange Renewal	OFFICE COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	• Date of commissioning of project ---- 01-11-2008 • Built Up Area ---- 21175 (in sq. meter) • Water Consumption ---- 49030 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 37224 liters/day (b) Trade Effluent ---- 0 liters/day	18-06-2012 (1)STP installed (a) AR dated 25.11.2008 issued by Guru Gobind Singh Indraprastha University submitted (b) Effluent analysis report dated 31/08/2011 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes, 10 number of parameters analyzed which are within limit (2) ECS not installed (3)D.G.Set: 4, but status of 1010 kVA DG set is not mentioned. (a)Noise monitoring report of 500 KVA dated 19.12.2011 issued by SHRIRAM INSTITUTE submitted and noise levels are within limit. (b) Stack monitoring report 500 KVA dated 31.10.2011 issued by SHRIRAM INSTITUTE submitted and parameters within limit (4) Inspection details:Not conducted so far (5) SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	06-07-2012 Case be referred to Committee as per 2 (d)