



Decisions taken by the Member Secretary (DPCC) on 17.08.2012 (8th Approval Meet) in 194 Cases of Consent to Operate and Consent to Operate (Renewal) under Orange Category (excluding cases of Redevelopment Areas) of the Period 31.08.2011 to 01.06.2011(in reverse chronology) 18.11.2011 to 30.04.2012 and 01.07.2012 to 31.07.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	37263 02-06-2011	ANAND ENGINEERING CORPORATION 171-B, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	M.S. WIRE DRAWING. Wire Drawing (Cold Process) And Bailing (With Metal Surface Treatment)	• Date of commissioning of project ---- • Built Up Area ---- 223 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 700 liters/day	Recommendations of Scrutinizing Committee on 12-10-2011 CMC official confirmed during the meeting that the unit has applied for authorization under HWM Rules on 02.06.2011 and adequacy report dated March, 2008 issued by GGSIU submitted and test report dated 23.05.2011 from DPCC laboratory with nine parameters. Emission test report for the acid mist not submitted. Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC. Decision of Consent Management Committee on 19-10-2011 Ask the unit to provide the channelization / control system for the acid mist generated from the process to substantiate the compliance of emission standard of 50 mg/NM3 w.r.t. acid mist by way of submission of the emission test report from the approved laboratory of DPCC within 30 days, failing which, action for closure will be initiated.	06-07-2011 CTE ---- Not required as operate renewal is valid upto 02.06.2011. Water Consumption ---- 800 liters/day Ground Water ---- 800 liters/day Built Up Area ---- 223 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- 5266 Date of commissioning of project -2003. Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 700 liters/day ETP / STP ---- Yes. Test Report(Water) within Limit ---- Yes ,31.05.2011. Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.
2	37266 03-06-2011	AMIT JAIN S/O SHRI R.C. JAIN PLOT NO 8/9, GALI NO. 4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 71 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 13-10-2011 Recommended for grant of renewal of consent to operate and authorization under HWM Rules. Decision of Consent Management Committee on 19-10-2011 Issue renewal of consent to operate and authorization under HWM Rules.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- Yes (a) AR not required. (b) Stack analysis report dated ..14.03.2011..... issued by .DPCC submitted. (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 Decision yet to be implemented.	Decision / Recommendation of Screening Committee on 14-08-2012 Decision of earlier CMC decision dated 19.10.2011. IT Cell be requested to correct the categorization of the activity of the unit.	17-08-2012 Decision already taken on 19.10.2011. IT Cell be requested to correct the categorization of the activity of the unit.
3	37269	FABULINE B-300, PHASE-I,	Okhla Industrial Area	Orange Operate	READYMADE GARMENTS AND HOME FURNISHING ITEMS WITH WASHING.		Recommendations of Scrutinizing Committee on 13-10-2011 Inspection be conducted to check the	Action Taken Details on 31-01-2012 As decided by CMC dated 19.10.11, inspection was conducted by DPCC	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to	17-08-2012 Consent to Operate granted.

	03-06-2011	OKHLA INDUSTRIAL AREA		Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 750.08 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 10000 liters/day	veracity of ground water extraction. Decision of Consent Management Committee on 19-10-2011 Inspection be conducted including the checking of veracity of ground water extraction.	officials on 19.01.12 & following was observed: 1. Unit found in operation & engaged in the activity of Mfg. of readymade garments & home finishing products with washing. 2. Two DG sets of 62.5 KVA & 20 KVA installed with acoustic enclosure & adequate stack height. However, 20 KVA capacity DG set is not in use. 3. ETP installed & found operational. 4. No bore well exists within the premises & source of water is MCD & outside tanker (Copy of Bill enclosed) 10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated December 2010 issued by GGSIU submitted. (b) Effluent analysis report dated 2011-06-03 issued by DPCC submitted. Effluent Test Report within Limit Yes 4 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A (3)D.G.Set: 62.5 and 20 KVA. (a) Noise monitoring report dated 2010-12-06 issued by DPCC submitted. Noise monitoring report within Limit Yes (4) Inspection details: conducted on 06.07.10 & observations are:- 1. The unit has installed on ETP which was found in operational condition. 2. Adequacy report of ETP has not been obtained form approval consultant of DPCC. 3. Source of water is outside tanker copy of bill obtained. 4. DG Sets are placed in partially acoustically treated room. As decided by CMC dated 27.08.10, Letter to ask the unit to correct the deficiencies noted during inspection and submit an affidavit in this regard, SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate and letter to inform to DJB regarding ground water extraction were issued on 27.10.10 Earlier Committee Decision 141nd (In CTE File) Issue consent to establish. Subsequently,	Operate.	
--	------------	-----------------------	--	----------------------------------	--	---	---	----------	--

							inspection be conducted. 27.08.10 (In CTE File) Ask the unit to correct the deficiencies noted during inspection and submit an affidavit in this regard. Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not applying consent to operate. Inform to DJB regarding ground water extraction. Recommendation / Action Taken Details (EE/AEE) on 09-08-2012 As decided by CMC dated 19.10.11, inspection was conducted by DPCC officials on 19.01.12 & following was observed: 1. Unit found in operation & engaged in the activity of Mfg. of readymade garments & home finishing products with washing. 2. Two DG sets of 62.5 KVA & 20 KVA installed with acoustic enclosure & adequate stack height. However, 20 KVA capacity DG set is not in use. 3. ETP installed & found operational. 4. No bore well exists within the premises & source of water is MCD & outside tanker (Copy of Bill enclosed)		
4	37294 06-06-2011	SHOR SHOT INDIA PVT. LTD D-1/1, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OG READYMADE GARMENTS (WITH WASHING). Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 1050 (in sq. meter) • Water Consumption ---- 7400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5900 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate. 10-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated July 2009 issued by JAMIA MILLIA ISLAMIA submitted. . (b) Effluent analysis report dated 2011-06-07 issued by DPCC submitted. Effluent Test Report within Limit Yes . 4 number of parameters analyzed which are within prescribed limit. (2)ECS ---- N/A Stack monitoring report of three oil fired boilers are within prescribed limit. (3)D.G.Set: 2 x 125 KVA (a) Noise monitoring report dated 2011-06-03 issued by .DPCC . submitted. Noise monitoring report within Limit Yes . Noise monitoring report dated 2011-06-03 issued by DPCC ... submitted. Noise monitoring report within Limit Yes As decided by CMC dated 07.05.10, CTE issued vd CNO 24012. Earlier Committee Decision 07.05.10 (In CTE File) Issue Consent to establish)	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
5	37304 07-06-2011	JAGSONS PRINTERS B-70/44, DSIDC COMPLEX, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	offset printing. Printing Press (With Trade Effluent Discharge)		Recommendations of Scrutinizing Committee on 17-10-2011 Consent to establish issued on 30.10.2009 valid upto 27.10.2010. Recommended for grant of consent to operate and authorization under HWM 12-10-2011 (2)ETP ---- Physio chemical (a) AR dated 30.05.2011 issued by D.T.U..... submitted. (b) Effluent analysis report dated..... 30.05.2011 issued by D.T.U.....	Decision / Recommendation of Screening Committee on 14-08-2012 Consent to establish issued on 30.10.2009 valid upto 27.10.2010. Recommended for grant of consent to operate and authorization under HWM	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

						• Date of commissioning of project ---- • Built Up Area ---- 83 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 150 liters/day	Rules.	submitted.	Rules.	
6	37316 08-06-2011	RASOI FOOD PRODUCTS CO. PLOT NO.-144, POCKET-L, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Dal Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to increase the stack height of the oil fired burner upto 11 meter of ground level or 2 meter above roof level whichever is more and submit the stack monitoring report to substantiate the compliance of the standards w.r.t. particulate matter i.e. 150 mg/NM3 from approved laboratory of DPCC. If unit submits the compliance report on an affidavit and satisfactory monitoring report, consent to operate be issued.	10-10-2011 (1) ETP: N/A (2) ECS: : yes (a) AR dated : submitted on 06.06.2011 (b) Stack monitoring report dated: submitted on 06.06.2011 (c) number of parameters analyzed which are within prescribed limit: Nil (3) D.G.Set:Nil (4) Inspection details:conducted on 08.03.2011 i) the dall mill was found in inspection. Besides cup elevatorsbeing used for lifting of whole moong dall, the unit was also having destoners, shortex, sieveer, gravity siever	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

								etc. In this proces, the emissions generated was being controlled by providing duct and suction arrangement (ID. fans and the ducts has been found attached to the bag house having 120 nos. of bags installed at roof top. ii) the unit was also having driers fitted with HSD fired burners for the process removal of chilka (outter covering of dall) from the moong. iii) The stack provided with the driers section found inadequate in height. iv) in house condition was found poor as a lot of dust was found on tools and plant machinery. (5) SCN u/s 33(A), 31(A) : No (6) Closure directions u/s 33(A), 31(A): No		
7	37322 09-06-2011	STAR INSULATION (PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	COPPER WIRE DRAWING AND SUPER ENAMELLED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 83.61 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Ask the unit to submit the status of M/s Manoj Wire Industries existing at the premises to whom the closure directions were issued on 20.08.2010. Also seek compliance from Discom and DJB.	10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (a) AR dated NOT REQUIRED (b) Stack analysis report (Wet Scrubber) dated10.03.2011..... issued by ..GGSIPU.. submitted. (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG.	Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	17-08-2012 File be put up administratively.
8	37323 09-06-2011	MARUT NANDAN CREATIONS B-69,GROUND FLOOR LAWRENCE ROAD INDSUTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	PRINTING PRESS WITH TRADE EFFLUENT DISCHARGE. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 800 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate and authorization under HWM Rules.	17-10-2011 (1)ETP ---- Yes (a) AR dated 06.04.2011..... issued by J.M.I..... submitted. (b) Effluent analysis report dated 2011-04-06 issued by DPCC submitted. Effluent Test Report within Limit Yes 10.....number of parameters analyzed which are within limit. (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: Inspection of the unit was conducted on 11.12.2010. a) Unit found operatin, engaged in printing press work with plate wash. b) No ETP installed for trade effluent generating from plate wash. c) No HWM Rules are complied with. d) No Consent applied. e) DG Set 62.5 KVA found without acoustic & inadequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 06.01.2011. No reply received. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued on 11.05.2011. Reply has been received on 20.05.2011 stating that they have rectified all the deficiencies observed during	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								inspection. Revocation of closure direction was sent on 01.06.2011. Earlier CMC Decision: 31.03.2011 Unit has applied for authorization under HWM rules and submitted a letter from Jamia Milia Islamia regarding installation of ETP. Ask the unit to submit Bank Guarantee of Rs. 50,000 each under Water Act and HWM Rules, if unit submits bank Guarantee, consent to establish be issued. Also ask the unit to submit adequacy report from approved consultant of DPCC and consent to operate within 30 days. Letter for submission of bank Guarantee, fresh adequacy report and application of consent to operate was issued on 20.04.2011. Reply has been received on 20.05.2011 alongwith Bank guarantee and fresh adequacy report. CTE issued.		
9	37329 10-06-2011	J.A. MANUFACTURING WORKS B-64, DSIDC COMPLEX, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	BATH FITTINGS WITH BUFFING (WITHOUT ELECTROPLATING). Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	Recommendations of Scrutinizing Committee on 17-10-2011 Recommended for grant of consent to operate.	14-10-2011 1)ETP ---- N/A (2)ECS ---- YES (a) AR dated ...30.05.2011..... issued by ...DCE, DTU..... submitted. (b) Stack monitoring report dated 30.05.2011..... issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit Yes6.....number of parameters analyzed which are within limit / beyoud prescribed limit. (3)D.G.Set:62.5 KVA FOUND DURING INSPECTION. (a)Noise monitoring report of DG set not submitted. (4) Inspection details:Conducted on 28.05.2009. Buffing activity observed. DG set of 62.5 KVA was found. (5) SCN u/s 31(A)/33(A) details :SCN u/s 21.22/25.26 was issued on 18.01.2010. u/s 31 (A) was issued on 07.07.2010. Refusal of CTO issued on 04.05.2011 as unit had applied under green category. (6) Closure directions u/s 31(A)/33(A) details:Issued on 04.05.2011. Request for revocation for closure issued on 17.06.2011 with demand of additional B.G of Rs.50,000/-Additional BG submitted on 21.06.2011. Revocation of directions issued on 01.08.2011.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
10	37345 13-06-2011	KRISHNA ELECTROPLATES B-227, (BACK SIDE) NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day		14-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.05.2008 issued by GGSIP submitted. (b) Effluent analysis report dated 2011-06-03 issued by DPCC submitted. Effluent Test Report within Limit Yes . 16 number of parameters analyzed which	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.	17-08-2012 Ask the unit to submit stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.

							are within prescribed limit.		
							(2)ECS ---- N/A ((3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No		
11	37349 13-06-2011	SAMARA AUTO MAX (P) LTD. A-68, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	AUTOMOBILE WORKSHOP. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 10000 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2500 liters/day	14-10-2011 (1)ETP - Physiochemical (a) AR dated 2011-04-09 issued by DTU submitted. (b) Effluent analysis report dated 2011-04-21 issued by DPCC. submitted. Effluent Test report within Limit Yes. 4 number of parameters analyzed which are within limit (2)ECS ---- N/A (3)D.G.Set: ...1X62.5 KVA. (a) Noise monitoring report dated 2011-04-29 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision: Decision on 14.02.2011 Issue consent to establish. Subsequently, inspection be conducted.	Decision / Recommendation of Screening Committee on 14-08-2012 Expedite inspection.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted. Subsequently, inspection be expedited.
12	37352 13-06-2011	AUTOCENTRE D-BLOCK DEFENCE COLONY	SOUTH	Orange Renewal	PETROL PUMP CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 1225 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1200 liters/day	17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GGSIU submitted.. (b) Effluent analysis report dated 14-03-2011 issued by GGSIU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 30-03-2011 issued by GGSIU submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								As decided by CMC dated 24.06.09, CTR issued on 16.07.09 vd CNO 20948 & authorization under HWM Rules granted on 22.07.09 Earlier Committee Decision (In earlier CTR File) 20.03.2009 Ask the unit to submit affidavit about source of water supply. Call on 29.04.2009. (In earlier CTR File) 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Call on 24.06.2009 (In earlier CTR File) 24.06.09 Issue renewal of consent and authorization under HWM Rules. Call on 26.08.2009		
13	37354 13-06-2011	LAXMI TRADING CO. C-11/4, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	GRINDING OF SPICES. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate be issued.	17-08-2012 Ask the unit to submit stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate be issued.
14	37357 13-06-2011	PRIVELEDGE PUNJAB (A UNIT OF D.K. PLAZA PVT. LTD.) A-12 VISHAL ENCLAVE RAJOURI GARDEN	WEST	Orange Operate	Restaurant Capacity 90 persons. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day		17-10-2011 (1)ETP ----Physiochemical (a) AR dated 08.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 08.04.2011 issued by DTU submitted. (c) Four parameters analysed wih in prescribed limit. (2)ECS ---- Channalisation (3)D.G.Set: 125 KVA and 82.5 KVA (a) Noise monitoring report of both D.G sets dated 2011-04-13 issued by DPCC submitted. Noise monitoring report within Limit _ Yes. (4) Inspection details:Inspection conducted on 09.02.2011 and following were observed: a) Unit found in operation. b) Oil & Grease trap found existing at back side, however no ETP found installed. c) DG sets of 125 & 62.5 KVA found with acoustic enclosure but having inadequate stack height. d) Emission from kitchen found channelization and discharged through stack having in-adequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Notice u/s 31 (A) & u/s 33 (A) issued to the unit on 11.03.2011. (6) Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administrativley.	17-08-2012 File be put up administrativley.

								Act issued on 04.05.2011. Earlier CMC Decision: Decision on 10.08.2011 Issue final remainder for bank guarantee, application for CTO with valid MCD and Delhi police license within 15 days failing which action of closure will be initiated. ATR/Remarks: A letter issued to the unit for the submission of bank guarantee, application for CTO with valid MCD and Delhi police license on 05.10.2011.Unit Unit applied for CTO with MCD, Delhi Police License.		
15	37358 13-06-2011	SIPLA FRUIT PRODUCT B-64 A, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	mfg. of achar and muraba. Pickles, Chutney & Murabba	• Date of commissioning of project ---- • Built Up Area ---- 381 (in sq. meter) • Water Consumption ---- 3150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day		17-10-2011 (1)ETP ---- ETP - Bio-logical (a) AR dated 25.07.2008 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 30-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A . (b) Stack monitoring report dated 22-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: 62.5 KVA a) Noise monitoring report of 62.5 KVA dated 30.05.2011 issued by D.T.U submitted and noise levels are within limit. Earlier CMC Decision: 12.05.2010 Issue consent to establish.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
16	37361 14-06-2011	PUSHKAR PULSES PVT. LTD. E-816, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - Installed (a) AR dated 21.03.2011 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 18-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ..Nil... Earlier CMC Decision: 30.07.2010 Issue consent to establish. Subsequently inspection be conducted.	Decision / Recommendation of Screening Committee on 14-08-2012 Expedite inspection.	17-08-2012 Consent to Operate granted. Subsequently, inspection be expedited.
17	37364 14-06-2011	R. K KHULLAR & COMPANY C-203, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF SURGICAL AND OT EQUIPMENTS. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-10-2011 (1)ETP: N/A (2)ECS - Yes (Dust Collector) (a) AR dated 21.02.2011 issued by DTU submitted. (b) Stack monitoring report dated 31-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit Yes, one number of parameter analyzed which are within prescribed limit.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

								(3)D.G.Set Noise Report : 1(40 KVA) (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 21-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit Yes, three numbers of parameters analyzed which are within prescribed limit. (4) Inspection details: Inspection conducted on 21.12.2010, during the inspection following were observed: a) Buffing activity carried out for final finishing. b) One D.G Set of 40 KVA found in defunct condition. (5) SCN u/s 31(A) and Refusal of consent issued on 19.04.2011. Unit applied for CTE and CTO with fresh NMR & SMR under Orange Category.		
18	37380 15-06-2011	SHREE GANESHA ENTERPRISES (CITY BANQUET) 40 B RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Banquet. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP --- Bio-logical (a) AR dated 23-03-2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Channalisation for kitchen emissions. (3)D.G.Set Noise Report : 2 (125KVA and 180 KVA) (a) Noise monitoring report dated 01-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Inspection conducted on 25.01.2011. During the inspection following were observed: a) Waste water generated from the kitchen is discharged directly into the sewer without treatment. b) Effluent Treatment Plant is under installation and yet to be commissioned. c) The tandoor and bhatti installed at first floor are not provided with channelization system. d) D.G sets of 125 KVA & 150 KVA were found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011 Modified direction u/s 31 (A) of the Air Act, 1981 & u/s 33 (A) of the Water Act issued on 11.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 05.05.2011.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administrativley.	17-08-2012 File be put up administratively.

							A letter has been issued for the submission of channelization system for kitchen emission on an affidavit, submit the bank guarantees Rs. One lakh each under Air Act and Water Act on 19.07.2011. Unit submitted the bank guarantee of Rs. one lakh each under air and water act on 21.07.2011 and the closure directions has been revoked on 21.07.2011. Unit submitted an affidavit and inform that MCD and Delhi Polce License has been applied and will submit the same at the earliest.		
19	37381 15-06-2011	RADHA PALACE WEST 36 RAMA ROAD NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	Banquet Hall Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 900 (in sq. meter) • Water Consumption ---- 2300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 2000 liters/day	17-10-2011 (1)ETP ---- Bio-logical (a) AR dated 23.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Four number of parameters analyzed which are within prescribed limit. (2)ECS - Channalistion for kitchen emissions (3)D.G.Set: 3 (2X125 KVA and 82.5 KVA) (a)Noise monitoring reports of all three D.G sets dated 16.03.2011 issued by DPCC submitted and noise levels are within limit. (4) Inspection conducted on 25.01.2011, during the inspection following were observed: a) Unit is having a kitchen with tandoor (3 nos. coal fired) & LPG bhatties, the hood & duct with stack approx 3 above shed. However, the filters of hood are not found in place. b) Two coal fired tandoors at first floor are without channelization system. c) Waste water generated from kitchen is by-passed into the drain without any treatment. ETP found non-operational. d) No chemical dosing tank/aeration facilities provided in ETP. e) No sludge thickener system i.e. filter/sludge drying beds have been provided and no wet sludge seen indicating that ETP is not operated. f) House keeping is very poor, all drains leading to sewer found filled with food items & kitchen waste. g) 5 D.G. Sets (1X180 KVA, 2X125 KVA & 1X82 KVA) found installed without adequate stack nad sides found open without acoustic panels. (5) SCN u/s 31(A) & 33(A) was issued on 11.02.2011 (6) Closure directions u/s 31(A) & 33(A) was issued on 24.03.2011. Temporary revocation of closure direction u/s 33 (A) of the Water Act and u/s 31 (A) of the Air Act was issued on	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administrativley.	17-08-2012 File be put up administratively.

								02.05.2011 subsequent to the submission of A.R of ETP, NMR of D.G sets and B.G of Rs one lakh each under Air and Water act with further directions to apply for CTO with fresh effluent analysis repot. Unit applied for CTO with fresh EAR and submit undertaking regarding MCD and Police License.		
20	37385 15-06-2011	CHARU MOTORS PVT. LTD 69/1A , NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1110 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 6400 liters/day		17-10-2011 (1)ETP ---- yes (a) AR dated .Oct, 2007 issued by GGSIU submitted. (b) Effluent analysis report dated 27-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes Four number of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set : 2 (500 KVA and 100 KVA) (a) Noise monitoring report of both the D.G sets dated 01-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 02.03.2009. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.
21	37390 16-06-2011	BLACK STALLION COOKWRE P.LTD B-74 GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	MFG. OF ALUMINIUM UTENSILS (PRESSURE COOKER AND ALUMINIUM BASE KITCHENWARE) WITH BUFFING. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		17-10-2011 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 24.03.2011 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 17-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: Inspection of the unit was conducted on 13.12.2010. a) Unit is engaged in mfg. of utensils with buffing. b) No ECS provided to channelize the emission generated from buffing activity. c) A DG set of 62.5 KVA found installed in non-operating condition without any acoustic enclosure and adequate stack height. Earleir CMC Decision: 31.03.2011 Earlier decision for submission of bank guarantee reiterated if the unit submits the bank guarantee, consent to establish be issued. 23.05.2011 (Green)	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate and Consent to Establish.	17-08-2012 Consent to Operate and Consent to Establish granted.

							ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act valid for one Year in view of the buffing activity observed during ihe inspection. 08.09.2011 (GREEN) Consent be made infructous as unit has applied for consent under Orange Ctaegory. As per the decision taken up on CMC (Green) 23.05.2011 regarding submission of Bank Guarantee of Rs.50,000 each under Air Act valid for one Year in view of the uffing activity observed during the inspection was sent on 18.07.2011. As per the decision taken up by Competent Authority reminder for submission of bank Guarantee was sent on 24.08.2011. Reply has been received on 29.08.2011 along with bank Guarantee of Rs.50,000 for Air Act. Letter for consent application made infructous was sent to the unit on 13.10.2011.		
22	37398 17-06-2011	KABILA RESTAURANT (A UNIOT OF MAXIMS FOOD) DDA SHOPPING CENTRE, AUROBINDO PLACE	SOUTH	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 148 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 450 liters/day	08-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated March, 2011 issued by GGSIU .submitted. (b) Effluent analysis report dated 29-03-2011 issued by GGSIU submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) dated 24.06.09, letter was issued on 20.07.09 to ask the unit to fie full compliance withinone month. Unit has submitted its reply on 20.07.09 . Unit has submitted a representation on 03.08.09 along with NMR Earlier Committee Decision (In earlier CTR File) 16.03.2009 Ask the unit to file permission from Central Ground Water Authority for extracting the ground water, a fresh adequacy report of ETP and raise the stack height of the D.G. Set and to submit the noise monitoring report of the D.G. Set from approved laboratories of DPCC.Also ask the unit to install solar water heating system, rain water harvesting system, CFL & to undertake planatation of trees. Call on 29.04.2009.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

							(In earlier CTR File) 11.05.2009 Issue final reminder for full compliance of CMC decision, failing which, unit will be called for personal hearing. Call on 24.06.2009. (In earlier CTR File) 24.06.09 Ask the unit to file full compliance within 01 month. Call on 26.08.2009.		
23	37399 17-06-2011	MAPPLE EMERALD KH NO 41/2/2,1,3,41/3,41/9, MIN 37/23/2, 37/24/2 34/24/2 SAMALKHA KH. NO.450. RAJKORI SAMLKHA VILLAGE RAJOKRI,NH-8	SOUTH WEST	Orange Operate	Motel for 49 room. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 6600.72 (in sq. meter) • Water Consumption ---- 70000 liters/day • Ground Water ---- 70000 liters/day • Waste Water generation (a) Domestic Effluent ---- 15000 liters/day (b) Trade Effluent ---- 35000 liters/day	18-10-2011 ((1)ETP ---- ETP - Bio-logical (a) AR dated March, 2011 issued by GGSIU submitted. (b) Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (stack connected to Boiler) (a) Stack monitoring report dated 26-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (b)Stack monitoring report dated 26-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 600 KVA. Noise monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:Inspection conducted on 25.02.2011, during the inspection following were observed: a) Sewage Treatment Plant found installed but not found in operation. Units of the STP (aeration tank, clarifiers etc.) are filled with stale sewage commissioned. No wet of dry sludge seen at site. b) Waste Water generated from kitchen and rooms being discharged without any	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

								treatment to soak pit. c) Two kitchen exist at G.F. & F.F. Kitchen at F.F. is not channelized. Emissions are directly discharged into atmosphere. d) 12 LPG Batties, 4 Coal fired tandoor are working in open area without any channelization. e) Stack height of boilers found inadequate i.e. below the roof level. f) D.G. Set of 380 & 600 KVA found without adequate height. (5) SCN u/s 31(A)/33(A) issued on 04.03.2011. unit submitted its reply along with an affidavit. Accordingly, Unit submitted the Bank Guarantee on 20.07.2011 each under air and water act.		
24	37402 17-06-2011	SAT RATTAN ENGINEERING WORKS F-1862, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	PRESSURE COOKER PARTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 450 liters/day		17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.03.2011..... issued by G.G.S.I.P.U..... submitted. (b) Effluent analysis report dated 18-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.	17-08-2012 Ask the unit to submit stack monitoring report for electroplating process from empanelled consultant of DPCC. If unit submits the same and found within standards, consent to operate and authorization under HWM Rules be issued.
25	37414 21-06-2011	AMBROSIA FOODS PLOT NO.-317, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	FOOD PROCESSING. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 500 liters/day		06-07-2011 CTE -valid upto 29.08.2011 Water Consumption ---- 600 liters/day Ground Water ---- 0 liters/day Built Up Area ---- 300 (in sq. meter) CETP Membership ---- Not Applicable Date of commissioning of project ---- 2011 Waste Water generation Domestic Effluent ---- 50 liters/day Trade Effluent ---- 500 liters/day ETP / STP ---- Yes, 03.2011. Test Report(Water) within Limit ---- Yes Test Report(Air) within Limit ---- N/A Boiler stack report : Yes, 17.06.2011. NMR Sumitted ---- N/A	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate. IT Cell be requested to correct the categorization of the activity of the unit.	17-08-2012 Consent to Operate granted. IT Cell be requested to correct the categorization of the activity of the unit.
26	37424 22-06-2011	SAKET MOTORS PVT. LTD. B-238, PHASE-I, OKHLA INDUSTRIAL AREA,	Okhla Industrial Area	Orange Operate	AUTO MOBILE WORKSHOP CUM SERVICE STATION INCLUDING WASHING. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1973 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 8000 liters/day		17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated Oct, 2010 issued by GGSIU submitted. Inadequate ETP & not meeting the standards as per adequacy report. However, subsequent test report dated 07.06.11 reveals that parameters are within limits. (b) Effluent analysis report dated 07-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								(4) Inspection details: conducted by DPCC officials on 12.04.10 & during inspection it was observed that the work was in progress. It was informed by Sh. Rakesh Chaudhary, manager on telephoned that still about two months is required to establish the unit. Earlier Committee Decision 25.01.10 Issue consent to establish. Subsequently, inspection be conducted. 27.04.10 Inspection done. No action		
27	37425 22-06-2011	MOTHER DAIRY FRUIT & VEGETABLE PVT. LTD. MANGOLPURI, INDL. AREA, PH-I	Mangolpuri Industrial Area	Orange Renewal	COLD STORAGE DISTRIBUTION AND IQF OF FRUITS AND VEGETABLES. Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 30350.4 (in sq. meter) • Water Consumption ---- 306176 liters/day • Ground Water ---- 302395 liters/day • Waste Water generation (a) Domestic Effluent ---- 20000 liters/day (b) Trade Effluent ---- 262000 liters/day		29-11-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.07.2008 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 20-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 13-05-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380 KVA and 160 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit is having 2 Boilers. Stack monitoring report dated 13.05.2011 issued by DPCC submitted and parameters within limit. (4) Inspection details: 1. Unit found operational engaged in the activity food & vegetables, processing & storage. 2. During the inspection no Ammonia leakage found as complaint received regarding this (Ammonia capacity as informed 20 tonnes by the technical staff). 3. ETP installed and same was found in working condition. 4. 2 D.G. set (300 KVA, 160 KVA) installed with acoustic and adequate stack height. 5. HWM Rules are complied with. 6. It is informed taht few months back minor Ammonia leakage was occur and same was gor repaired immediately no casualty reported.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of renewal of consent to operate with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia and authorization under HWM Rules also granted.	17-08-2012 Renewal of consent to operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia and authorization under HWM Rules also granted.
28	37427 22-06-2011	S & S HOSPITALITY SERVICES INC PLOT NO 16,SHIVAJI MARG NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day		18-10-2011 (1)ETP: Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes. Four numbers of parameters analyzed which	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

							are within limit.		
							(2)ECS: Channelization for Kitchen emissions. (3)D.G.Set Noise Report: 2 (320 KVA & 125 KVA) (a) Noise monitoring reports of both D.G sets dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes ((4) Inspection details: Conducted on 28.01.2011, during the inspection following were observed: a) Waste water generated from kitchen located at ground floor and first floor being discharged without treatment. An Oil & Grease Trap is installed & found filled with kitchen garbage. No Effluent Treatment Plant found installed. b) D.G. Sets of 325 KVA & 125 KVA found installed without adequate stack height. (5) SCN u/s 31(A)/33(A) issued on 11.02.2011. (6) Closure directions u/s 31(A)/33(A) issued on 11.03.2011. As decided in CMC A letter issued to the unit on 04.04.2011 for the submission of Bank Guarantee. Unit submitted the Bank Guarantee on 05.04.2011each under air and water act. Temporary revocation of closure direction issued on 07.04.211 with further directions to submit the adequacy report of ETP/STP and to apply for consent to operate. Unit applied for CTO with EAR dated 30-05-11 and and submit an affidavit regarding MCD and Police License. Earlier CMC Decision: Decision on 31.03.2011. Ask the unit to submit Bank Guarantee of Rs. One Lakh each under Air Act and Water Act valid for one year. If unit submits the bank guarantee, issue consent to establish and closure directions be revoked temporarily for a period of 45 days for submission of adequacy report of the ETP installed and to apply for consent to operate. Letter be issued without waiting for minutes.		
29	37428 22-06-2011	GRAND PLAZA AFFARES 33/33A, RAMA ROAD NAJAFGARH ROAD INDL AREA	WEST	Orange Operate	BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)		18-10-2011 (1)ETP : Bio-logical (a) AR dated25.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 25-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit, Yes, four numbers of parameters analyzed which are within	Decision / Recommendation of Screening Committee on 14-08-2012 Expedite inspection.	17-08-2012 Inspection be expedited, thereafter, file be put up administratively.

						• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 8700.73 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	prescribed limit. (2)ECS : no Channelization for Kitchen emissions. (3)D.G.Set Noise Report : 3 (3X125 KVA) (a) The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit, Yes, three number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 125 KVA each, KVA. Noise monitoring report dated 04-04-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes three number of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Earlier CMC Decision Decision on 21.01.2011 Issue consent to establish. subsequently inspection be conducted.		
30	37430 22-06-2011	BEE KAY WORKS F-110, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	DRY CLEANING WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 91 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 850 liters/day	19-10-2011 (1)ETP : Physiochemical (a) AR dated March, 2011 issued by GGSIU submitted. (b) Effluent analysis report dated 29-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit Yes, four numbers of parameters analyzed which are within prescribed limit. (2)ECS : N/A (b) Stack monitoring report dated 29-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit Yes, one number of parameters analyzed which are within prescribed limit. (3)D.G.Set: Nil (4) Inspection details: Inspection	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to operate and consent to establish granted.

								conducted on 17.02.2011, during the inspection following were observed: a) Two boilers found installed at site using diesel as a fuel without adequate stack height. b) One D.G set of 25 KVA found installed without acoustic enclosuer and inadequate stack height. c) Unit generating waste water from the washing activity which is directly discharged into the sewer. No ETP found installed. (5) SCN u/s 31(A)/33(A) issued on 25.05.2011. Letter issued to the unit on 09.08.2011 for the submission of bank guarantee. Unit submitted the representation on 01.09.2011 and requisting for one month time for submission of bank guarantee. Unit submitted the bank guarantee on 23.09.2011.		
31	37454 27-06-2011	K.V. SPICES (INDIA) PVT. LTD. C-11/3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	SPICES GRINDING. Spice Grinding	• Date of commissioning of project ---- • Built Up Area ---- 170 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to seek stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate granted.	17-08-2012 Ask the unit to submit stack monitoring report for grinding section from empanelled consultant of DPCC. If unit submits the same and found within standards, renewal of consent to operate granted.
32	37463 27-06-2011	TARUN ELECTRONICS C-171, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Renewal	MFG. OF ELECTRONICS COMPONENTS WITH ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 65 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1500 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 1500 liters/day		19-10-2011 (1)ETP : Physiochemical (a) AR dated April, 2008 issued by GGSIU submitted. (b) Effluent analysis report dated 03-06-2011 issued by DPCC submitted. Effluent Test Report within Limit Yes, sixteen numbers of parameters analyzed which are within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1(62.5 KVA) (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 23-06-2011 issued by DPCC submitted. Noise monitoring report within Limit Yes, three numbers of parameters analyzed which are within prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Ground Water ---- 1500 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.
33	37482 29-06-2011	VINOD FOOD PRODUCTS PLOT NO. 53, POCKET-C, SECTOR-4, DSIDC	Bawana Industrial Area	Orange Operate	Mfg.of Confectionery products (sweets, Namkeen and Biscuits etc) Bakery Products And			20-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-03-2011 issued by IP COLLEGE submitted.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

		INDUSTRIAL COMPLEX, BAWANA			Confectionery With Trade Effluent/Emission Discharge	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 100 liters/day		Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 31-03- 2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes 3 number of parameters analyzed which are within limit (3)D.G.Set: Nil (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO old file is not tracable		
34	37483 29-06-2011	KNITCRAFT APPARELS INTERNATIONAL PVT. LTD. A-81, PHASE-I, NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	MFG. OF READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 6600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1300 liters/day (b) Trade Effluent ---- 500 liters/day		19-10-2011 (1)ETP : Physiochemical (a) AR dated 20.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-06- 2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Total Chromium (as Cr), Sulphide (as S), Phenolic compounds (as C4H2OH), Zinc and Total Metal parameters are not mentioned in the effluent analysis report and rest of the parameters are within limit. (2)ECS -Test report of (Thermex) Boiler dated 28.06.2011 issued by DTU having stack from GL is 9.0 m (b) Stack ed. analysis report dated 28.06.2011 issued by DTU submitted. (3)D.G.Set: 2 (125 & 140 KVA) (a)Noise monitoring report of 125 & 140 KVA dated 28.06.2011 issued by DTU submitted and noise levels are within limit / beyond limit. (4) Inspection details: Conducted on 24.09.2010 during the inspection following were observed: a) No washing activity observed. It was reported that washing will be started after 6 month b) DG set installed without acoustic enclosure with adequate stack height. doors was treated acoustically. SCN u/s 25/26 of Water & u/s 21/22 of Air Act issued to the unit on 20.01.2011. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Consent to Operate since the unit is carrying out washing activity for which ETP has been installed and required parameters have been submitted.	17-08-2012 Consent to Operate granted.
35	37484	NEW WOOL MOORES SPORTS	Okhla Industrial	Orange Renewal	WASHING OF COTTON QUILTS, BED SPREADS,			17-10-2011 (1)ETP ---- ETP - Physiochemical	Decision / Recommendation of Screening Committee on 14-08-2012	17-08-2012

	29-06-2011	E-123, PHASE-III, OKHLA INDUSTRIAL ESTATE	Estate		CUSHION COVERS. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 2100 liters/day • Ground Water ---- 2100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1800 liters/day		(a) AR dated December, 2007 issued by GGSIU submitted. (b) Effluent analysis report dated 20-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by CMC dated 24.06.09, letter issued to the unit on 20.07.09 to ask the unit to file full compliance within one month. Unit submitted its reply on 29.06.09 stating that they have applied to CGWA for ground water extraction. As decided by the CMC (O) in its meeting held on 28.12.11, CTE was issued on 16.01.12. Earlier Committee Decision 20.03.09 (In earlier CTR File) Ask the unit to file permission from Central Ground Water Authority for extracting the ground water. Call on 29.04.2009. 11.05.09(In earlier CTR File) Time allowed till 24.06.09 for full compliance. Call on 24.06.09 24.06.09(In earlier CTR File) Ask the unit to file full compliance within 01 month. Call on 26.08.09. 28.12.11 (In Fresh CTE file) Issue consent to establish. Unit has fresh applied for CTE on 14.07.11 with the activity of WASHING OF COTTON QUILTS, BED SPREADS, CUSHION COVERS AND ASSEMBLING OF AMPLIFIER (JOB WORK) & the same was granted on 16.01.12.	Recommended for grant of Renewal of Consent to Operate.	Renewal of Consent to Operate granted.
36	37486 29-06-2011	ACHEM PLAST 18, PH-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MFG. OF BAKELITE POWDER (USING P.F. RESIN AS STARTING RAW MATERIAL). Bakelite Powder Mfg. Using Phenol Formaldehyde Resin As Raw Material And Bakelite Products	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		18-10-2011 (1)ETP ---- N/A (2)ECS - ecs (Bag Filter) (a) AR dated 27.06.2011 issued by D.C.E submitted. (b) Stack monitoring report dated 27-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Note : Old record is not traceable.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
37	37490 30-06-2011	AT HOME INDIA PVT. LTD. F-29/4, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF HOME FURNISHING ITEMS WITH WASHING. Readymade Garment (With Washing)			17-10-2011 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly,2009..... issued byJamia Millia Islamia..... submitted. In adequacy report, it is mentioned that ETP is adequate to treat 2000 Lt/day generated during printing	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.

						• Date of commissioning of project ---- • Built Up Area ---- 860 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2100 liters/day	process but in summary it is mentioned that during washing of aluminum section, floor washing. (b) Effluent analysis report dated 05-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Effluent analysis report dated 07-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Unit has shown trade effluent : 2100 Lt/day in application form and 2000 Lt/day in affidavit (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 75 KVA. Noise monitoring report dated 26-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 82.5 KVA and 75 KVA. Noise monitoring report dated 26-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has shown 2 DG set of 82.5 kva and 82.5 Kva (both on application form and affidavit) but NMR submitted of 82.5 Kva and 75 KVA. (4) Inspection details:was done on 10.12.09 and following were found: 1. Unit is in operation w.e.f. year 2003, with washing but ETP was installed in the year 2004. 2. Borewell extraction is carried out for industrial use. 3. ETP was not found in operation and sludge drying beds were being provided & masonary work was in progress. 4. Waste water was being discharged into sewer w/o any treatment. (5) SCN u/s 33(A) EPA details : issued on 26.03.10 giving opportunity to submit reply within 15 days from the issue of service of the notice. The unit has failed to submit its reply. (6) Closure directions u/s 33(A) of EPA details : issued on 24.05.10. As decided by CMC dated 13.08.10, letter issued on 29.09.10 to submit BG of Rs. one Lakh under Water Act valid for one year. Unit has submitted a letter on		
--	--	--	--	--	--	--	---	--	--

							22.02.11 requested that they shall submit the required documents for applying CTO (orange) within 15 days. As per approval by competent authority, letters were issued on 16.05.11 to concerned authorities of DJB, BSES and MCD. Unit has submitted a letter dated 30.05.11. As per approval by competent authority, letter was issued on 21.06.11 to submit BG of one lakh under Water Act valid for one year and also submit the CTO application . Unit has submitted BG on 24.06.11. Unit has again submitted a letter dated 30.06.11 requesting to revoke the closure notice along with receipt of CTE & CTO application applied. As per approval by competent authority, Revocation of closure directiojn u/s 33 (A) issued on 01.07.11 As decided by the CMC (O) in its meeting held on 05.10.11, CTE dated 05.02.08 made infructuous on 09.12.11. CTE w.r.t present application dated 30.06.11 granted on 09.12.11. EARLIER CMC DECISION 12.2.2010/ 15.2.2010 (In earlier CTE File) Issue SCN u/s 33(A) of the Water Act. 26.5.2010 (In earlier CTE file) decision taken on the file for issuing the closure u/s 33 (A) of water Act retified. 13.08.10 (In earlier CTE file) Ask the unit to submit bank guarantee of Rs. One lakh under the Water Act valid for one year 05.10.11 (In earlier CTE file) Consent to Establish dated 05.02.2008 made infructuous. Issue consent to establish w.r.t present application dated 30.06.2011.		
38	37494 30-06-2011	S.S. SAHNI TECHNOLOGIES A-20/2, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG DRY BATTERIES AND BATTERY PLATES Battery Containers (PVC Section)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	20-10-2011 (1)ETP : N/A (2)ECS: wet scrubber, stack attached with lead melting furnace (a) AR dated March, 2011 issued by GGSIU submitted. (b) Stack analysis report dated 29.03.2011 issued by GGSIU submitted. (3)D.G.Set: Nil (4) Inspection details: Conducted on 24.09.2010, during the inspection following were observed: a) Unit found operational and engeged in the activity of Mfg. of batteries. b) One lead melting furnace using fuel as LPG is found installed. Fugitive emissions observed which have not been	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.

							channelized. No emission control system provided. c) One D.G. set of 63 KVA found installed without acoustic enclosure and stack. (6) Closure directions u/s 31(A) issued on 11.10.2010. Unit has submitted Bank Guarantee of Rs. One Lakh on 19.11.2010. After the submission of Bank Guarantee closure direction u/s 31(A) has been revoked on 22.11.2010.		
39	37495 30-06-2011	ANAND ELECTRO ENGINEERING B-67/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 125 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	18-10-2011 (1)ETP ---- ETP (Physico chemical) (a) AR dated 23.06.2011 issued by D.C.E..... submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. (2)ECS - Cyclone (a) AR dated 23.05.2008 issued by G.G.S.I.P.U submitted. (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: Inspection of the unit was conducted on 24.03.2011. a) Unit found operating engaged in electroplating & buffing of kitchen accessories. b) ETP & ECS found installed. c) ETP was not in operation. d) ECS for buffing was not working properly. e) Acidic fumes not channelized. f) Bore Well connection 01 No. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 25.05.2011. A reply received from the unit on 31.01.2012.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively with status of consent to establish.	17-08-2012 File be put up administratively with status of consent to establish.
40	37519 04-07-2011	M.G. AUTOSALES 44, SSI INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	SERVICING AND WASHING OF VEHICLES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 1500 liters/day	08-08-2012 (1)ETP ---- physicochemical treatment (a) AR dated 28.010.2010 issued by GGSIU submitted. (b) Effluent analysis report dated 19-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
41	37522 04-07-2011	KHANNA AUTOMOBILES C-124 A, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	WORKSHOP OF MOTOR CYCLES WITH WASHING. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 250.83 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 3000 liters/day	07-08-2012 (1)ETP ---- physio-chemical (a) AR dated 08.06.2009 issued by DTU submitted. (b) Effluent analysis report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...1 (a)Noise monitoring report of - 5 KVA dated - 17.06.2011 - issued by - DTU - submitted and noise levels are within limit / beyond limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
42	37526 04-07-2011	TAJ INDUSTRIES A-77,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ferrous and non ferrous metal. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- 01-01-1981 • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...nil Note: Old record is not traceble.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.
43	37529 05-07-2011	PRAG DISTILED WATER ICE FACTORY AND PRAG COLD STORAGE 3754-XII, OLD SUBZI MANDI	NORTH	Orange Renewal	ICE Manufacturing and cold storage. Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 2807.74 (in sq. meter) • Water Consumption ---- 45197 liters/day • Ground Water ---- 27387 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 21-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 21-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Note: old file is not tracable	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to put up file administratively. Also IT Cell be requested to correct the categorization of the activity of the unit.	17-08-2012 File be put up administratively. Also IT Cell be requested to correct the categorization of the activity of the unit.
44	37534 05-07-2011	ROOTS B-96/1, 2ND FLOOR, NARAINA INDUSTRIAL AREA, PHASE-I	Naraina Industrial Area Phase - I	Orange Operate	Mfg. of Ready Made Garments. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 4000 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP - Physiochemical (a) AR dated 03.07.2011 issued by submitted. (b) Effluent analysis report dated 03-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 04-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: inspection conducted on 07.09.2010 and observed that unit found operational and engaged in the activity of readymade garments. - washing activity carried out (no use of any chemical only normal washing occur). -One DG set of 35 KVA found at site with acoustic enclosure and proper stack height. (5) SCN u/s 33(A)/5 of EPA details : issued on 20.12.2012 under water act. (6) Closure directions u/s 33(A)/5 of EPA details : issued on 21.06.2011 and revocation of direction issued to the unit on 23.09.2011.		
45	37548 07-07-2011	RAGHUBIR ELECTRIC WORKS F-125, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Hard chrome (electroplating) Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 134 (in sq. meter) • Water Consumption ---- 280 liters/day • Ground Water ---- 280 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 170 liters/day		07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 18.08.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report from empanelled laboratory of DPCC.	17-08-2012 Ask the unit to submit stack monitoring report from empanelled laboratory of DPCC.
46	37554 07-07-2011	J.S. SAHNI SONS ENERGY SYSTEM B-26, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of electric storage batteries. Lead Acid Battery Reconditioning/Assembly (without grid casting, oxide mfg & paste mixing)	• Date of commissioning of project ---- • Built Up Area ---- 334.45 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Wet Scrubber, bag filter (a) AR dated 23.06.2011 issued by DTU submitted. (3)D.G.Set: 62.5 and 125 KVA (a)Noise monitoring report of 62.5 Kva and 125 KVA dated 17.06.2011 issued by DTU submitted and noise levels are within limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.

								details :No		
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
47	37555 07-07-2011	AJIT ALLOYS PVT. LTD C-60/1WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	Buffing of S.S. Utensils. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 8.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
48	37556 07-07-2011	FRONTIER BISCUIT FACTORY PVT.LTD. C-61 PHASE-II MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	Manufacturing of Biscuits. Food And Fruit Processing Industry Bakery Biscuit Production	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day		07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - (Stack connected to Oven) (a) Stack monitoring report dated 30-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
49	37562 07-07-2011	NIRMAL TRADING CO. A-13, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	DYEING OF SILK YARN. Dyeing, Bleaching (Cotton Textile) (Upto 100 Workers in All Shifts, 1 Acre Of Land, 100 Kld Water)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 8800 liters/day • Ground Water ---- 8800 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 8500 liters/day		07-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .17.06.2008issued by .GGSIU submitted. (b) Effluent analysis report dated 14-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 15 KVA and 30 KVA. Noise monitoring report	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								dated 02-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
50	37563 07-07-2011	PANACEA BIOTEC LTD. B-1 EXTN., A-24-25, MATHURA ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	RESEARCH AND DEVELOPMENT OF MEDICINES LABS. Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1100 (in sq. meter) • Water Consumption ---- 3050 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2050 liters/day (b) Trade Effluent ---- 800 liters/day		06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedDecember, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 28-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 08-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 08-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 30.04.10 & following were observed: a) It was observed that the unit is yet to be established. b) Construction work and ETP installation work are in progress. c) As reported, approx 1 month time is still required to establish the unit. d) One bore well exists. As decided by the CMC (O) in its meeting held 27.08.10, letter was issued to the unit on 08.10.10 to apply for CTO & letter to DJB for ground water extraction was also issued on 08.10.10. Earlier CMC decision 16.03.2009 Ask the unit to submit status of installation of ETP with adequacy report from any of the empanelled consultants of DPCC. Also SIT-II to inspect and report. Call on 29.04.2009. 11.05.2009 Issue final reminder for full compliance of earlier CMC decision. Also inspection to be expedited by SIT-II. Call on 24.06.2009 24.06.2009 Shift to CMC(BMW). 12.02.10 Issue Consent to Establish. Subsequently, inspection be conducted. 27.08.10 Ask the unit to apply for Consent to Operate prior to its operation. Inform to DJB regarding ground water extraction.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
51	37568	GEE ESS PEE LAND DEVELOPERS (P) LTD (OWNER OF BRIJ GREEN FARM)	SOUTH	Orange Operate	BENQUET HALL. Banquet Hall/ Party Lawn (Minimum Area			06-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated28.06.2011..... issued byDelhi Technical University.....	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

	08-07-2011	A-35, VILLAGE SATBAHRI, MEHRAULI		100 Sq Mts)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 1369 (in sq. meter) • Water Consumption ---- 8300 liters/day • Ground Water ---- 8300 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 7000 liters/day	submitted. (b) Effluent analysis report dated 30-11-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 63 KVA and 35 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 63 KVA and 35 KVA. Noise monitoring report dated 27-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 09.03.11 w.r.t a RTI matter & following were observed: a) No ETP/STP has been installed to treat the waste water generated from the unit b) As reported waste water of both the kitchen are collected separately in an underground tank and disposed off out side the premises w/o any treatment through tanker. c) No channelization system has been provided with the temporary kitchen meant for party purpose. d) Adequate stack height has not been provided with the D.G Set of 32KVA, 62KVA, 2X125 KVA. e) Two bore well exist for withdrawal of ground water. f) No RWH system provided. (5) SCN u/s 33(A) details : issued on 21.03.11. A letter was also sent to DJB on 21.03.11 for ground water extraction. (6) Closure directions u/s 33(A) details : issued on 09.05.11. Since, the unit failed to submit its reply with in stipulated time in response to SCN issued on 21.03.11. The unit submitted its reply on 20.04.11 & 27.04.11 in respone to SCN. The unit submitted its reply on 13.05.11 along with photographs of ETP informing that they have installed ETP and applied for technical adequacy report to DTU. It is also menstioned that they have applied to DPCC lab for noise monitoring of DG set & are in the process to apply for CTO. Unit has submitted its reply on 11.07.11. As approved, letter was issued on 03.10.11 for submission of Bank Guarantee of Rs. One Lakh under Water Act valid for one year. Unit has submitted its reply on 17.10.11		
--	------------	-------------------------------------	--	-------------	--	--	--	--

							along with above said bank Guarantee. As decided by the CMC (O) in its meeting held on 10.08.11, CTE, letter for submission of effluent analysis report & revocation of closure directions were issued on 21.10.11. Unit has submitted its reply on 22.12.11 along with the effluent analysis report of ETP. EARLIER CMC DECISION 10-08-2011 Applied for CTO on 08.07.2011 and reply received on 11.07.2011. Closure directions be revoked and issue consent to establish. Also ask the unit to submit effluent analysis report from approved laboratory of DPCC.		
52	37576 11-07-2011	MAYA ENGG. WORKS C-314, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Bright Steel Bars. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 350 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 40 liters/day	08-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June, 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Ask the unit to submit stack monitoring report for Sulphric acid mist from empanelled consultant of DPCC. IT Cell be requested to correct the categorization of the activity of the unit.
53	37578 11-07-2011	SHRI NIWAS DALL & BESAN MILLS C-21, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PROCESSING AND MFG. OF DALL AND BESAN. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 750 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 16.07.2008 issued by 30.06.2011 submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil..	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
54	37583 11-07-2011	SIDHARTH WIRE PRODUCTS PLOT NO 29-B-30, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Manufacturing of Wire Drawing with Super Enameling. Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 93.65 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 13-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate and authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.

							KVA. Noise monitoring report dated 13-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted by DPCC officials on 22.05.10 & following observations have been made: 1) Unit found in operation 2) No water prollution is generated 3) To control air pollution, catalytic convertor has been installed 4) No H.W is generated 5) DG set is provied with A/E 6) Catalytic convertor is more effective, better ECS. as evident during inspection. (5) SCN u/s 21/22 & 25/26 was issued on 21.03.2011 for operating unit without Consent from DPCC. EARLIER CMC DECISION 12.02.2010/15.02.2010 issue consent to establish subsequently inspection be conducted. 27.08.10 Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act to M/s Siddharth Wire Products.		
55	37591 12-07-2011	HALDIRAM MANUFACTURING CO. PVT. LTD B1/F-10 & 12, MOHAN CO-OPERTIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Renewal	MFG. OF NAMKEENS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1440 (in sq. meter) • Water Consumption ---- 225000 liters/day • Ground Water ---- 225000 liters/day • Waste Water generation (a) Domestic Effluent ---- 25000 liters/day (b) Trade Effluent ---- 200000 liters/day	08-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedAugust, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 31-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

17-08-2012

								guarantee of Rs. one lakh under each of three Acts. The same team which inspected earlier may inspect the unit again and put up the case on 14.11.07. The all his papers must also be checked whether unit is paying cess fully to DPCC or not. 07.12.07 The information provided by the PGRC indicated that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC. 23.04.08 Unit has failed the self assessed cess and weeks time to file the adequacy report. Time allowed upto 21.05.2008. Case may be put up on 21.05.2008. 23.05.08 Call on 25.06.2008 with renewal application. Call for test reports of the both units and report in CMC on 31.07.2008. 07.12.07 The information provided by PGRC indicates that the adequacy report is yet to be submitted and the self assessment under the Cess Act is yet to be done. Ask the unit for compliance of the both and take up the case in next CMC. 25.06.08 Call for the test reports of the both units and report in CMC on 31.07.2008. 03.09.08 Issue renewal of consent to operate. File may be sent back to concerned CMC and consent order to be issued by concerned CMC. 30.01.09 No action 22.05.09 No action		
56	37593 12-07-2011	TRIVENI INDUSTRIES F-1739, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Note: Old record is not traceable.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
57	37596 12-07-2011	SINGLA AUTOMOBILES A-96, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	SERVICING AND REPAIRING CENTRE OF MOTOR CYCLES. Automobile Repair and Servicing (Without Washing)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day		08-08-2012 (1)ETP ---- Phycicochemical (a) AR dated 23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate and authorization under HWM Rules. IT Cell be requested to correct the categorization of the activity of the unit.	17-08-2012 Renewal of Consent to Operate and authorization under HWM Rules granted. IT Cell be requested to correct the categorization of the activity of the unit.

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
58	37597 12-07-2011	MACHINO TECH INDUSTRIES A-114/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFINF OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 397 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
59	37599 13-07-2011	HALDIRAM MARKETING CO. PVT. LTD B-1/H-8, MATHURA ROAD, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Renewal	MFG. OF SWEETS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 1220 (in sq. meter) • Water Consumption ---- 200000 liters/day • Ground Water ---- 200000 liters/day • Waste Water generation (a) Domestic Effluent ---- 20000 liters/day (b) Trade Effluent ---- 180000 liters/day		07-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedMarch, 2011..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 31-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 22-06-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 3 D.G. Set(s) of 250 KVA, 250 KVA and 125 KVA. Noise monitoring report dated 06-06-2011 issued by DPCC submitted. Noise monitoring report	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

[illegible]

								Call for the test reports of both units and report in CMC on 31.07.08. 13.08.08 Cases of PGRC are to be put up Administratively 03.09.08 Issue renewal of consent to operate. File may be sent back to concerned CMC and consent order to be issued by concerned CMC. 30.01.09 No action.		
60	37603 13-07-2011	MAHALAXMI ROLLER FLOUR MILLS C-35/14, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Atta (Wheat Flour) Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 584 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 16.07.2008 issued by DTU submitted. (b) Stack monitoring report dated 12-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Note: old record is not tracable	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
61	37609 13-07-2011	PREM INDUSTRY A-56, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	1.MFG. OF PLASTIC HOUSE HOLD ITEMS BY INJECTION MOULDING MACHINE.2. PRESSING OF UTENSILS AND BUFFING. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 30.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 30-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Consent to Operate granted.
62	37613 14-07-2011	D.N. INDUSTRIES F-1701, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 09.06.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil Note: Old record is not traceble.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
63	37614 14-07-2011	ANAND UDYOG F-1702, DSIDC COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - Bag filter (a) AR dated 28.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

							(3)D.G.Set: nil		
							Note: Old record is not raceble.		
64	37628 14-07-2011	PRIME PAPYRUS PRODUCTS PVT. LTD. B-18/2, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Offset Printing with Washing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 975.482 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 500 liters/day	06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedApril 2008..... issued byGGSIPIU..... submitted. (b) Effluent analysis report dated 07-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-06-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 05.10.09, CTE was issued on 23.10.09 with the activity of printing of paper. EARLIER CMC DECISION 13.12.2007 Let the unit apply for authorization under HWM Rules also. 05.10.2009 Issue Consent to Establish.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
65	37634 15-07-2011	ADVANCED TECHNOLOGIES A-32, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MANUFACTURING OF SHEET METAL COMPONENTS WITH DRY POWDER COATING. (WITHOUT PHOSPHATING). Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 75.25 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	26-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for powder coating process from emapenelled laboratory of DPCC.	17-08-2012 Ask the unit to submit stack monitoring report for powder coating process from emapenelled laboratory of DPCC.
66	37635 15-07-2011	IMPRESARIO ENTERTAINMENT & HOSPITALITY PVT. LTD C-86, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF FOOD PRODUCT. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- 01-12-2008 • Built Up Area ---- 392.5 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day	06-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJuly, 2009..... issued byJAMIA MILIA ISLAMIA..... submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 04-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes 4) SCN u/s 33(A) details : issued on 23.12.10 in view of exceeding parameter & other deficiencies in documents	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

							submitted by the unit. SCN for refusal of consent was also issued on 23.12.10. However, no reply has been received from the unit. (5) Closure directions u/s 33(A) details : issued on 23.02.11. Refusal of consent was also issued on 23.02.11. Unit has submitted its replies on 01.03.11, 03.03.11, 07.03.11 and 16.03.11 informing that now the ETP is working and also applied for DPCC lab for testing. As approved, letter was issued on 18.04.11 for submission of proper affidavit regarding proper working of ETP and removal/ rectification of deficiencies and also submit the Bank Guarantee of Rs. 1Lakh under Water Act valid for one year. Unit has submitted its reply on 02.05.11 above said affidavit and Bank Guarantee of Rs. One lakh under Water Act valid for one year. As approved, revocation of closure directions was issued on 16.06.11 to apply for CTO within 15 days. Unit has submitted its reply on 29.06.11 stating that they have applied for water analysis report & NMR and as soon as they receive the report they shall submit the CTO application. EARLIER CMC DECISION 11.10.2010 Issue SCN for refusal of consent and SCN u/s 33(A) of the Water Act in view of exceeding parameter(s) and other deficiencies in documents submitted by the unit.		
67	37638 15-07-2011	UNITED FUEL STATION SITE NO 2 PITAMPURA OPPOSITE WAZIRPUR DISTT. CENTRE PITAMPURA	NORTH WEST	Orange Operate	PETROL PUMP FILLING CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 20015 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day	08-08-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 30.05.2011 issued by DTU submitted. (b) Effluent analysis report dated 30.05.2011 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-10-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes Inspection of the unit was conducted on 09.05.2012 and following were observed: (a) no washing of vehicles observed due to non issuance of CTE & CTO. (b) unit has ETP which is yet to be operate. (c) DG set installed with acoustic enclosure.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Establish and Consent to Operate and Authorization under HWM Rules.	17-08-2012 Consent to Establish and Consent to Operate and Authorization under HWM Rules granted.

68	37664 19-07-2011	MANN SERVICE STATION PUSA BOAD RAJENDRA PLACE	NORTH WEST	Orange Renewal	petrol pump cum service station. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 118 (in sq. meter) • Water Consumption ---- 2240 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.07.2008 issued by Delhi College of Engineering submitted. (b) Effluent analysis report dated 14-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
69	37668 19-07-2011	GOYAL FOOD PROCESSORS A-201, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL AND BESAN MILL. Dal Mills	• Date of commissioning of project ---- 01-01-1993 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day	07-08-2012 (1)ETP ---- N/A (2)ECS - cyclone (a) AR dated 29.07.2008 issued by DCE submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
70	37672 20-07-2011	RAJIV AUTOMOBILES A-1, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 2500 liters/day	27-09-2011 (1)ETP ---- Physico-chemical (a) AR dated18.07.11..... issued byDTU..... submitted. (b) Unit has not submitted Effluent analysis report along with CTO application. (2)ECS - N/A (3)D.G.Set: ...30 KVA... Unit has submitted a letter along with the CTO application stating that NMR shall be submitted after restoration of electricity & Water supply. (4) Inspection details: conducted on 01.12.2010: 1) Unit found in operation and was engaged in washing &servicing of bajaj motorcycle. 2) Washing of motorcycle was done in groundfloor and waste water was directly discharged into public sewer. 3) Water from drawn from bore well. 4) At 2nd floor, machine one air compressor and one DG set without	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek effluent analysis report of ETP and noise monitoring report of D.G. Set from emanelled consultant of DPCC and also inspect the unit.	17-08-2012 Ask the unit to submit effluent analysis report of ETP and noise monitoring report of D.G. Set from empanelled consultant of DPCC and also inspect the unit.

							acoustic enclosure was found. These machines were enclosed in a room of 2.5m x 2m. 5) DG set had improper stack height which ended inside the room only. 6) The person contacted informed that the unit was established 10 years ago with its head office at Durgapur. (5) SCN u/s 31(A) & 33(A) details : issued on 27.12.10. However, no reply has been received in response to the SCN. (6) Closure directions u/s 31(A) & 33(A) details : issued on 08.03.2011. Unit has submitted its reply on 10.05.11 & 27.06.11. As approved, letter was issued on 20.07.11 for submission of Bank Guarantee of Rs. One lakh each under Air Act, water Act & HWM Rules and also submit technical adequacy report of ETP, application for CTO & HW authorization. Unit has submitted above said BG on 01.08.11 along with technical adequacy report of ETP, CTO application & application for HWM Rules authorization. As approved, revocation of closure directions issued on 24.08.11. As decided by the CMC (O) in its meeting held on 14.09.11, CTE was issued on 07.10.11. Unit has submitted a letter along with the CTO application stating that test report of ETP & NMR shall be submitted after restoration of electricity & Water supply. EARLIER CMC DECISION 14.09.11 Issue consent to establish.		
71	37678 21-07-2011	CHARU MOTORS PVT. LTD. M-22-23, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	DENTING PAINTING REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1872.92 (in sq. meter) • Water Consumption ---- 8500 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5600 liters/day	07-08-2012 (1)ETP ---- (a) AR dated 12.07.2011 issued by DTU submitted. (b) Effluent analysis report dated 12-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 12-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
72	37682	UNIVERSAL SWITCH GEAR CONTROL	Bawana Industrial	Orange Operate	Manufacturing of Control Panel with Powder		08-08-2012 (1)ETP ---- N/A	Decision / Recommendation of Screening Committee on 09-08-2012	17-08-2012

	21-07-2011	PLOT NO-14,PKT-E,SEC-3,BAWANA INDUSTRIAL AREA	Area		Coating (Without phosphating and without Trade Effluent) Powder Coating without phosphating	• Date of commissioning of project ---- 01-02-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - Cyclone (a) AR dated 30.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Closure directions already revoked temporarily. Recommended to put up file administratively.	File be put up administratively.
73	37715 22-07-2011	YADAV FLOUR MILLS S-12,13, PH-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MANUFACTURING OF FLOUR. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 10.09.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 18-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil Note: Old record is not traceble.	Decision / Recommendation of Screening Committee on 09-08-2012 Renewal of Consent to Operate granted.	17-08-2012 Renewal of Consent to Operate granted.
74	37716 22-07-2011	BATHLA MOTELS LTD. KHASARA NO. 51/1MIN, 51/10 MIN, 51/26 & 52/6 AT VILLAGE BAKOLI ALIPUR MAIL G. T. KARNAL ROAD	NORTH WEST	Orange Operate	MOTEL AND FARM HOUSE. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts) Hotel With Less Than 20 Bedrooms	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 1289.77 (in sq. meter) • Water Consumption ---- 15000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 80000 liters/day		07-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 28.04.2011 issued by DTU submitted. (b) Effluent analysis report dated 28-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record uis not tracable	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted. Subsequently, inspection be conducted.
75	37728 25-07-2011	TIRUPATI FOOD INDUSTRIES B-17, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 1350 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 30.06.2011 issued by DTU submitted. (b) Stack monitoring report dated 30-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
76	37736 25-07-2011	SOM PAN PRODUCTS PVT. LTD. (UNIT-2) C-123 NARAINA INDUSTRIAL AREA	Naraina Industrial Area Phase - I	Orange Operate	mfg. of Marketing of Pan Masala. Pan Masala (Mixing Only)	• Date of commissioning of project ---- • Built Up Area ---- 880 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day		08-08-2012 (1)ETP ---- N/A (2)ECS - stack connected to dryers (b) Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to take action as decided in concerned file.	17-08-2012 Take action as decided in concerned file.

									parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . Stack monitoring report dated 21-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 4 (a) The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 07-08-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . The unit has 2 D.G. Set(s) of 380 KVA and 380 KVA. Noise monitoring report dated 15-07-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 08.05.2012 by officials of DPCC and observed that: (a) unit found operational and engaged in manufacturing of pan masala/ gutka with its packing. (b) brand names are: dilbaag and talab. (c) pouches material is paper coated with aluminium (d) hood and channelisation provided but not properly maintained/ not fully operated as required. (e) pouches are being packed in plastic material and paper also. (f) samples were collected containing pouches out of packed materials, packets containing large number of pouches during inspection in the presence of Mr.		
--	--	--	--	--	--	--	--	--	--	--	--

							I.D. Tripathi (Director) (5) SCN u/s 31(A)/5 of EPA details : and for refusal of consent under Air and Water Act issued on 28.05.2012 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO In reference to issue of pouches of pan, masala and gutka case is under process. Regarding prosecution case is being dealt by legal cell.		
77	37739 26-07-2011	MODI FLOUR MILLS PHASE-III, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Renewal	FLOUR MILLING. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 2856 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 1000 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated July, 2008 issued by GGSIU submitted. (b) Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 11-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 11-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 09-07-2011 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-06-2011 issued by SHRIRAM INSTITUTE	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

								submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 03.06.09, reminder letter was issued on 18.06.09 to file permission from DJB for ground water extraction. Unit has submitted CGWA clearance on 16.09.09. Unit has submitted its representation on 07.10.09 along with SMRs dated 25.09.10. EARLIER CMC DECISION 23.04.09 Ask the unit to file permission from DJB for ground water extraction. Call on 03.06.2009 03.06.09 Issue final reminder. Call on 22.07.2009		
78	37743 26-07-2011	VAIBHAV FILLING STATION A. BLOCK, COMMUNITY CENTRE, VIKASPURI	WEST	Orange Renewal	PETROL PUMP CUM SERVICES STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 1800 liters/day		02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 04.08.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 18-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 09-08-2012 Unit is already having valid Authorization under HWM Rules. Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
79	37744 26-07-2011	AIMIL LTD A-8, MOHAN CO-OPERATIVE INDUSTRIAL AREA, MATHURA ROAD	Mohan Co-operative Industrial Area	Orange Operate	Mfg. of Trading of Scientific Instruments. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 2030 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 04-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 437.5 KVA and 125 KVA. Noise monitoring report dated 28-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC (O) in its meeting 07.05.2011, CTE was issued on 07.06.2010. EARLIER CMC DECISION 07.05.2010 Issue Consent to Establish.	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
80	37755	SHAILESH KUMAR AGGARWAL	Friends Colony	Orange Operate	ALUMINIUM WIRE DRAWING WITH SUPER			03-08-2012 (1)ETP ---- N/A	Decision / Recommendation of Screening Committee on 09-08-2012	17-08-2012

	27-07-2011	PLOT NO 1/536-B/14, GALI NO 5, FRIENDS COLONY INDUSTRIAL AREA	Industrial Area		ENAMELLING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 51.83 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: a. Unit found in oiperation & engaged in mfg. of wire drawing with super enamelling. b. Wet scrubber installed with the wire drawing plant/ S/E plant. c. Unit have 1DG Set of 125 KVA w/o Acoustic enclosure & inadequate stack height. d. CTO not applied. As decided by CMC (O) in its meeting on 12.05.10, CTE was issued on 04.06.10. (5) SCN u/s 31(A) of Air Act details : issued on 20.06.2011 (6) Closure directions u/s 31(A) of Air Act: issued on 19.09.2011 A representation recieved from the unit on 04.10.2011 regarding complaince of the decisions and requested for revocation. Unit submitted the Bank gaurantee of Rs. 1,00,000 on 16.11.11. Revocation of directions issued to the unit on 22.11.11. Letter was received on 05.12.11 from SDM stating that the unit is de-sealed. EARLIER CMC DECISION 12.05.2010 Issue consent to establish.Subsequently, inspectionj be copnducted. Ask the unit to apply for consent to operate immediately. 07.08.10 Issue SCN u/s 31(A) of the Air Act.	Recommended for grant of Consent to Operate and authorization under HWM Rules.	Consent to Operate and Authorization under HWM Rules granted.
81	37766 28-07-2011	A.T. INDUSTRIES C-99, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING AND BACKLITE MOULDING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 340 liters/day	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 09.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 06-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended to seek the stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.	17-08-2012 Ask the unit to submit stack monitoring report for emission generated from the electroplating process from empanelled laboratory of DPCC.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
82	37773 29-07-2011	SAHRAWAT FLOUR MILL PLOT NO G-46, SECTOR-2, DISDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Flour Mill. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	08-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 18.02.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 12-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...NIL	Decision / Recommendation of Screening Committee on 09-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
83	37804 04-08-2011	MALHOTRA STEEL TUBES C-145 B, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of deep well hard pumps parts with electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 550 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day	02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 26.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 21-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.
84	37806 05-08-2011	VICTORIA FOODS (P) LTD. B-32,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Manufacturing of Wheat Flour, Maida, Suzi, Daliya and rawa etc. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 2800 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day	11-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.07.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 500,125 KVA. Noise monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
85	37825 08-08-2011	KALAKRITI PRINTS PVT. LTD F-29/5, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	PRINTING OF CLOTHS. Cotton And Silk Printing By Screen Printing with trade effluent discharge		12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...January,2008..... issued byJAMIA MILIA ISLAMIA..... submitted. (b) Effluent analysis report dated 01-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

						• Date of commissioning of project ---- 01-01-1990 • Built Up Area ---- 557 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 4000 liters/day		(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140 KVA and 82.5 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC(O) in its meeting held on 24.06.2009, a letter was issued to the unit on 20.07.2009 asking the unit to submit its reply on affidavit. Further, representations was recieved from the unit on 03.08.09 & 04.08.09 along with the affidavit. EARLIER CMC DECISION 16.03.2009 Ask the unit to increase the capacity of settling tank and add activated carbon filter as suggested in the adequacy report. Call on 29.04.2009 11.05.2009 Reiterate CMC decision taken earlier. Call on 24.06.2009 24.06.2009 Ask the unit to confirm its reply on an affidavit. Call on 26.08.2009		
86	37826 08-08-2011	REGENT AUTOMOBILES LTD. D-12, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	SERVICING OF AUTOMOBILES CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9200 liters/day		26-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...25.07.2011..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-05-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No. The D. G. Set monitored is not meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to issue a letter asking the unit to rectify the deficiencies in the acoustic system provided so as to bring down the noise level as per the notification and submit fresh noise monitoring report from approved laboratory of DPCC.	17-08-2012 Issue a letter asking the unit to rectify the deficiencies in the acoustic system provided so as to bring down the noise level as per the notification and submit fresh noise monitoring report for D.G. Set from empanelled laboratory of DPCC.
87	37857 11-08-2011	GALAXY AUTOMOBILES PVT. LTD. 69/1A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 3044 (in sq. meter) • Water Consumption ---- 13000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 8000 liters/day		30-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.10.2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 10-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

								(a) The unit has 2 D.G. Set(s) of 500 KVA and 100 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
88	37860 11-08-2011	PRAN PRINTERS B-157, OKHLA INDUSTRIAL AREA PHASE-1	Okhla Industrial Area	Orange Operate	PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 333 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day		13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated15.04.11..... issued byDTU..... submitted. (b) Unit has submitted incomplete test report. The unit has not mentioned the parameters i.e. total metal & Bio assay test in the test report. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 63 KVA and 10 KVA. Noise monitoring report dated 28-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: during the inspection of M/s YAARTI, B-157, Ph-I, OIA. It was observed that M/s Pran printer was engaged in the activity of printing at ground floor having two DG Set among which DG Set of 15 KVA was found without acoustic enclosure. (5) SCN u/s 31(A) & 5 of EPA details : issued on 28.03.11. Unit has submitted its reply on 05.04.11 & 19.04.11 along with an affidavit. As approved, letter was issued on 10.06.11 for submission of Bank Guarantee of Rs. 50,000/-each under Air Act & HWM Rules and application for CTO & authorization under HWM Rules. Unit has submitted above said Bank Guarantee on 05.07.11. However, the BG is not in proper format. As approved, letter was issued on 11.08.11 for submission of corrected Bank Guarantee. Unit has submitted its reply on 20.09.11 requesting for some time to submit the corrected BG. Unit has submitted its replies on	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

								03.05.12 along with the corrected BGs & informing that they have sold the machines where water treatment was required. They have now purchased new machines which are alcohol based and no water treatment is required. As such ETP plant is no more required by them. The unit has also requested to mark the record the discontinuation of the use of the above plant by them.		
89	37862 12-08-2011	MAHAVIR INDUSTRIES F-1715, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		12-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 11.08.2011 issued by DTU submitted. (b) Stack monitoring report dated 11-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note: Old record is not traceble.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
90	37865 12-08-2011	BERLIA STEELS PVT. LTD. 59, S.S.I INDUSTRIAL AREA, G.T. KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	Mfg. of Fans, Pums Cooler kit, Geysers etc. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 140.68 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		11-07-2012 (1)ETP ---- N/A (2)ECS - Cyclon (a) AR dated 28.07.11 issued by DTU submitted. (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.
91	37866 12-08-2011	GORI METAL INDUSTRIES E-38, SMA, INDL. AREA, G.T. KARNAL ROAD	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF M.S. BOLTS, HINGES, ALUMINIUM FITTINGS AND INJECTION MOULDING PRODUCTS. Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 800 liters/day		11-07-2012 (1)ETP ---- N/A (a) AR dated 26.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No Note: Old record is not traceble.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate (except S.S. Pickling) and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate (except S.S. Pickling) and Authorization under HWM Rules granted.
92	37868	HIMGIRI CARS PVT. LTD.	Udyog Nagar	Orange Operate	Servicing of Automobiles.			03-08-2012 (1)ETP ---- ETP - Physiochemical	Decision / Recommendation of Screening Committee on 03-08-2012	17-08-2012

	12-08-2011	C-1, PEERAGARHI, UDYOG NAGAR INDUSTRIAL AREA	Industrial area		Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 836 (in sq. meter) • Water Consumption ---- 10300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day		(a) AR dated 14.02.2012 issued by DTU submitted. (b) Effluent analysis report dated 12-08- 2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack attached with Paint Booth (b) Stack monitoring report dated 11-08- 2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 11- 08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 13.06.2011, during the inspection no wet sludge and chemical dosing tanks were found with ETP which revealed that ETP is not operating regularly and unit generated Hazardouse waste nad does not comply with HWM Rules. (5) SCN u/s 33(A) & u/s 5 of EPA issued on 01.01.2011 A letter has been issued to the unit on 19.08.2011/ 14.09.2011for the submission of B.G of Rs. 50,000 each under Water & HWM R ules and application for CTO and authorisation along with adequacy report of ETP within 30 days. .	Recommended to put up file administrativley.	File be put up administratively.
93	37872 16-08-2011	SUGOI MOTORS (PVT) LTD 27-A, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE REPAIR AND MAINTENANCE OF CAR. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day		29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08- 2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22- 03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 16.09.2010 that observed that ETP found installed but in non-operational condition, neither fresh nor dry sludge found. No channelisation system provided for disposal of treated filtered effluent from SDBs. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 20.01.2011 for refusal of consent under air act and SCN under water act issued on 20.01.2011	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO		
94	37873 16-08-2011	DEUTSCHE MOTOREN (PVT) LTD 27B, SHIVAJI MARG,NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE, REPAIR, AND MAINTENANCE OF BMW CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 8500 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day		30-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.04.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details :conducted on 16.09.2010 and observed that ETP found installed but in non-operational condition, neither wet nor dry sludge found and 1 DG set of 160 KVA found with acoustic enclosure. (5) SCN u/s 33A)/5 of EPA details : issued on 02.02.2011 under water act (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.
95	37893 19-08-2011	NATIONAL STEELS 21/27-X, BLOCK-A, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Operate	MANUFACTURING OF HAND PUMPS AND HAND PUMP PARTS (WITH ELECTROPLATING AND GALVANIZING). Electroplating Industries Galvanising	• Date of commissioning of project ---- • Built Up Area ---- 481 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 800 liters/day		29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.12.2009 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.

								of EPA details :No		
96	37898 19-08-2011	HOTEL DURGA DELUXE (A UNIT OF SARASWATI HOTELS PVT. LTD.) 5/40, SARASWATI MARG, W.E.A.,KAROL BAGH	CENTRAL	Orange Operate	Guest House Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up administratively.	17-08-2012 File be put up administratively.
97	37899 19-08-2011	KAPOOR FOUNDRY B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Dry Powder Coating. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 171 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.
98	37900 19-08-2011	AMIT INDUSTRIES B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MNG OF PARTS OF DOMESTIC APPLIANCES. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 100.33 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.
99	37907 23-08-2011	CITY CAR CARE 10/57, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	SERVICING OF VEHICLES (CAR WASHING AND SPRAY PAINTING). Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 418 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day		29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated16.03.2010 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 12-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details :no		
							(6) Closure directions u/s 31(A)/33(A)/5 of EA details :no		
100	37911 23-08-2011	R. S. KATHURIA CYECLE AND AUTO IND 9/52, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	Manufacturing of Bicycle Spokes with electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 804 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1200 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1000 liters/day	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 06.08.2008 issued by guru Gobind Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for SCN u/s 33(A) of the Water Act and also for refusal of the consent since not meeting the prescribed standards.	17-08-2012 Issue Show Cause Notice u/s 33(A) of the Water Act and also for refusal of the consent since not meeting the prescribed standards.
101	37913 23-08-2011	JASMINE GRAPHICS A-42, 3RD FLOOR, GATE NO.4, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	DYEING OF SUIT SALWAR AND DUPATTAS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 83.6 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 125 liters/day (b) Trade Effluent ---- 2000 liters/day	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules since meeting the prescribed standards.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted since meeting the prescribed standards.
102	37926 25-08-2011	RAVE SCANS PVT. LTD. A-27, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	SCANNING, PROCESSING, OFFSET PRINTING AND PLATE MAKING (WITH TRADE EFFLUENT DISCHARGE).		27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated on 29.11.2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

					Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 646 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 350 liters/day		ENGINEERING submitted. Effluent Test Report within Limit - number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO		
103	37930 25-08-2011	MODEST GRAPHICS PVT. LTD. C-52 & 53, DDA SHED, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 194 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29.07.2011..... issued byDTU..... submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No, sulphide exceeds the prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to issue SCN u/s 33(A) of the Water Act and for refusal of consent since not meeting the prescribed standards.	17-08-2012 Issue Show Cause Notice u/s 33(A) of the Water Act and for refusal of consent since not meeting the prescribed standards.
104	37931 25-08-2011	ASTHA PACKAGING 122, DSIDC COMPLEX,PHASE - I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING WITH WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 297.289728 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch,2011..... issued by ...GGSIPU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records not available.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

105	37933 25-08-2011	MODEST PRINT PACK (P) LTD. A-199, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 3200 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 500 liters/day	12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune,2009..... issued by ...GGSIPU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC (O) in its meeting held on 15.06.2009, reminder was issued on 02.07.2009 to submit the affidavit and adequacy report of ETP. Unit has submitted its reply on 17.07.2009 alongwith the adequacy report and affidavit. EARLIER CMC DECISION 09.04.2009 Ask the Unit to submit the affidavit for source of water supply and adequacy report of ETP from one of the empanlled consultants of DPCC. Call on 19.05.2009 15.06.2009 Issue reminder	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
106	37935 25-08-2011	BANSAL UDYOG D-15, S.M.A INDUSTRIAL AREA , G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 486 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day	03-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 17.06.2008 issued by . GGSIU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No .	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up administratively.	17-08-2012 Inspection be conducted.
107	37936 25-08-2011	SHRI KRISHNA ENGINEERING WORKS B-86, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF ALUMINIUM KITCHEN WARE WITH ANODIZING. Anodising	• Date of commissioning of project ---- • Built Up Area ---- 508 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day	11-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 22-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

							Noise monitoring report within Limit - Yes (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
108	37940 26-08-2011	MADHU CHAWLA DESIGN TREND PVT. LTD C-50, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- 01-10-1971 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 4000 liters/day	13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...August,2008..... issued by ...Jamia Milia Islamia... submitted. (b) Effluent analysis report dated 19-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA, 62.5 KVA and 75 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records not available.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
109	37951 26-08-2011	PUNKIT INDUSTRIES D-1631,DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 220 liters/day (b) Trade Effluent ---- 0 liters/day	11-07-2012 (1)ETP ---- N/A (2)ECS - bag filter (a) AR dated 9.06.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...Nil....	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
110	37967 29-08-2011	AMP MOTORS (P) LTD. A-5, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 3667 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 3000 liters/day	12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...March,2011..... issued by ...GGSIU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated March,2011 issued by GGSIU submitted. (b) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: was conducted by DPCC officials on 30.04.10 and following were observed: a) The unit is yet to be established. b) Finishing work, installation of machinery and ETP work is in progress. c) One borewell exist. As decided by CMC (O) in its meeting held on 16.06.2010, a letter was sent on	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								16.07.10 to DJB regarding ground water extraction. EARLIER CMC DECISION 16.03.2010 Issue Consent to Establish. Subsequently, inspection be conducted. 16.06.2010 Inform to DJB regarding groundwater extraction.		
111	37971 30-08-2011	BEST HEALTH FOOD PROCESSORS A-154/155, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - Bag filter (a) AR dated 28.04.2008 issued by DTU submitted. (b) Stack monitoring report dated 04-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
112	37973 30-08-2011	BAHADUR SINGH & SONS PVT LTD A-28,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PROCESS FOOD PRODUCTS (NAMKEEN AND SWEET). Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 9676.38 (in sq. meter) • Water Consumption ---- 51000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 50000 liters/day		10-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.08.2008 issued by DCE submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 26-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no A letter issued to the unit on 13.12.2011 for the submission of following: 1) File CGWA clearance. 2) Install Rain Water Harvesting System. 3) Install Solar Water Harvesting System in view of use of boilers and waste water recycling system. Unit submitted its reply on 21.02.2012 along with photographs of Rain Harvesing System and Quotaion for solar water harvesting system.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended for inspection.	17-08-2012 Inspection be conducted.
113	37977 30-08-2011	ALBION CONSULTING PVT. LTD. F-90/12, PHASE-1, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Manufacturing gold, Silver, Platinum and studded jewellery. Electroplating Industries	• Date of commissioning of project ---- 01-04-1988 • Built Up Area ---- 418.06368 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day		24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated01.08.2011..... issued by ...DTU..... submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which are within limit / beyond prescribed limit. Tempreture is exceeding the prescribed standard.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

	(2)ECS - N/A
	(3)D.G.Set: ...125 KVA... (a) Noise monitoring report not submitted.
	(4) Inspection details:conducted by DPCC officials on 05.01.2011. The following were observed: 1. Unit was operational without applying CTO. 2. Electroplating is done by electroplating pens. 3. Ultrasonic m/c is used to clean the articles. 4. Waste water generated from cleaning & electroplating were discharged into sewer w/o any treatment. 5. No ETP has been installed. 6. Dry waste collected through branches & vacuum and then send it to authorized recyclers for refining purpose as reported. 7. One another unit M/s Digital graphics India Pvt Ltd is at ground floor & engaged in the activity offset printing. 8. M/s Digital Graphics India Pvt. Ltd having ETP but not in operational condition. 9.HWM Rules are not followed by both units. 10. One D.G Set of 125 KVA is used by both the units having no acoustic enclosure & inadequate stack height.
	(5) SCN u/s 31(A)/33(A)/5 of EPA issued on 06.04.2011 As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued ot M/s Albion Consulting Pvt. Ltd for submission of Bank Guarantte of Rs. 50,000/- each under Air Act, Water Act and HWM Rulesvalid for one year along with an affidavit stating that unit will not carry put any water polluting activity & will not use DG set. As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued on 29.07.2011 to M/s Digital Graphics India Pvt Ltd for submission of Bank Guarantee under Air Act, Water Act and HWM Rules & an affidavit. M/s Digital Graphics India Pvt Ltd has submitted Bank Guarantees on 19.09.2011 EARLIER CMC DECISION: 30.07.10 Inspection be conducted. 07.02.2011 Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Albion Consulting Pvt. Ltd. Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Digital Graphics India Pvt.

								Ltd. 17.06.2011 Reply received from both the units. Ask the unit namely M/s Albion Consulting Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year along with an affidavit stating that unit will not carry out any water polluting activity and will not use D.G. Set. Ask the unit namely M/s Digital Graphics India Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year		
114	37978 30-08-2011	HARDWARE CENTER E-1,S.M.A.CO INDUSTRIAL AREA,G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	MFG. OF ALUMINIUM AND HARDWARE DOOR AND WINDOW FITTING. Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 4300 liters/day • Ground Water ---- 4300 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 4000 liters/day		11-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated .23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil.... Note: Old record is not traceable.	Decision / Recommendation of Screening Committee on 03-08-2012 Recommended to put up file administratively.	17-08-2012 Inspection be conducted.
115	DPCC/EC/2/1/2011/84 21-11-2011	OKAYA POWER LIMITED H-19, UDYOG NAGAR, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	TRADING AND BATTERY CHARGING. Batteries (Lead Acid) And Accessories	• Date of commissioning of project ---- 01-01-1988 • Built Up Area ---- 1182.143 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 3500 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Inspection be conducted and thereafter put up administratively.	08-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 08-11-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 09.06.2011 (5) SCN u/s 31(A) & 33 (A) issued on 24.08.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Decision on 19.12.2011 Unit be asked to submit the details of waste water generation on an affidavit and adequacy report and effluent analysis report of ETP. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As per recommendation an inspection was carried out by officials of DPCC on 30.07.2012 and observed that:- 1. Unit found operational and engaged in the activity of trading & testing of batteries. 2. Unit has installed an ETP having 500 ltr storage/collection tanks against 400-500 ltr effluent generations per day. ETP found in operational condition. 3. one DG set of 100 KVA found installed with acoustic enclosure and 2m stack.	Decision / Recommendation of Screening Committee on 13-08-2012 Adequacy report and effluent analysis report submitted and found meeting the prescribed standards. Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

116	DPCC/EC/2/1/2011/146 25-11-2011	CAPITAL BUSINESS SYSTEMS LTD G-13, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	Offset Printing (without Plate Making) Printing Press (Without Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 675.61 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee on 22-05-2012 Consent to Operate and Authorization under HWM Rules granted.	26-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 15-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As per approval on file an inspection was carried out by officials of DPCC on 30.07.2012 and observed that: 1. Unit found operational and engaged in the activity of offset Printing. 2. The waste water generated from the activities being treated and discharged through an ETP. 3. ETP found operational and working properly. Sludge drying beds are also found exist at site, wet sludge seen at site. 4. Three DG sets of 2X75 and 1X40 KVA found installed with acoustic enclosure and adequate stack height. 5. As per record maintained by unit w.r.t. HW-3 766.78 KG HW is stored at the end of June 2012. However, at the time of inspection only 50kg found stored.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to refuse consent to operate and authorization under HWM Rules. Ask the unit to apply afresh for consent to establish, consent to operate and authorization under HWM Rules for present activity (printing with plate making and waste water discharge).	17-08-2012 Refuse consent to operate and authorization under HWM Rules. Ask the unit to apply afresh for consent to establish, consent to operate and authorization under HWM Rules for present activity (printing with plate making and waste water discharge).
117	DPCC/EC/2/1/2011/325 16-12-2011	RAJAT INDUSTRIES PVT. LTD. E-655-656, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	MFG. OF PAN MASALA. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- 01-01-2005 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 375 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 01-06-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 22-05-2012 File be put up administratively.	04-05-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated issued by submitted. (b) Stack monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 22-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Conducted on 08.09.2011 during the insoection following were observed: (a) Unit found operational engaged in mfg. of tobacco products, gutka, pan masala with paper foil packaging only. No multilayer plastic packaging carried out. (b) ECS installed work is going on, to	Decision / Recommendation of Screening Committee on 13-08-2012 Implement the decision of inspection taken on file.	17-08-2012 Implement the decision of inspection taken on file.

								control the process emission generated. (c) DG sets fond with acoustic enclosure & adequate stack height. (d) One bore well connection exists.		
								(5) SCN u/s 31(A) issued on 01.07.2011.		
								(6) Closure directions u/s 31(A) issued on 07.10.2011 An again inspection conducted on 29.11.2011 during the inspection following were observed: (a) Unit found operational engaged in the activity of Mfg. of Tobacco product, Guthka, Pan Masala. (b) ECS found installed with working condition. (C) Sample of each brand collected, No plastic pouch observed. (d) One borewell connection exists.		
								SCN u/s 21/22 & 25/26 issued on 03.01.2012 for without obtaining prior consent to operate from DPCC.		
								Unit submitted its reply on 18.01.2012 along with an affidavit and receipt of CTO application.		
								Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided by the competent authority, file was put up administratively.		
118	DPCC/EC/2/1/2011/347 19-12-2011	HITECH GRAIN PROCESSING PVT. LTD. GI-36, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF DALL AND BESAN MILLING AND WHEAT FLOUR MILLING. Dal Mills Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 225 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		20-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 29.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
119	DPCC/EC/2/1/2011/348	CHIRANJI LAL JAIN OIL & FLOUR MILL E-47, SECTOR-2,	Bawana Industrial Area	Orange Operate	DALL MILL. Dal Mills			03-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 16.12.2011 issued by DTU	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

	19-12-2011	DSIDC, BAWANA INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		submitted. (b) Stack monitoring report dated 16-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection conducted on 02.08.2010, accordingly SCN u/s 31(A) was issued on 13.12.2010. Reply received from the unit on 27.12.2010. (6) Closure directions u/s 31(A) issued to the unit on 31.08.2011. Reply received from the unit on 28.09.2011. Revocation of closure directions issued on 09.12.2011.		
120	DPCC/EC/2/1/2012/500 06-01-2012	MAKINO AUTO INDUSTRIES 537-A/3, SHAMBHU NATH COUMPOUND, LANE NO. 08, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	Friends Colony Industrial Area	Orange Renewal	Auto Parts viz non ferrous die casting components, sheet metal components/ parts and brake linings. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 1650 (in sq. meter) • Water Consumption ---- 1050 liters/day • Ground Water ---- 1050 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 400 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted w.r.t. use of furnace and process. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection w.r.t. use of furnace and process.	28-03-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 05.01.2009 issued by GGSIPU submitted. (b) Stack monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . 6 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set 500 KVA Noise Report : 1 (a) The unit has 1 D.G. Set of 500 KVA. Noise monitoring report dated 26-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection.	17-08-2012 Expedite inspection.
121	DPCC/EC/2/1/2012/553 13-01-2012	NATIONAL COOPERATIVE UNION OF INDIA (NATIONAL COOPERATIVE PRINTING PRESS) 3, SIRI INSTITUTIONAL AREA, AUGUST KRANTI MARG	SOUTH	Orange Renewal	Printing and Washing (Plate Making) Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 150 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after getting the report and if meeting the prescribed standards, issue renewal of consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedSeptember, 2008..... issued byGGSIU..... submitted. (b) tHE Unit has submitted incomplete test report (2)ECS - N/A (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to seek original effluent analysis report submitted on 09.07.2012. If unit submits the same, renewal of consent to operate and authorization under HWM Rules be issued.	17-08-2012 Seek original effluent analysis report submitted on 09.07.2012. If unit submits the same, renewal of consent to operate and authorization under HWM Rules be issued.

							Recommanded to seek complete effluent analysis report for all the prescribed parameters.	As decided by the CMC (O) in its meeting held on 09.04.09, CTE issued on 30.04.09 vd CNO 20268. EARLIER CMC DECISION 09.04.09 (In CTO) Issue consent to operate. Call on 19.05.09 22.05.09 (In CTO File) No action. Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 09.07.12 along with effluent analysis report dated 27.05.12 issued by DTU which is within prescribed limits & having complete parameters. As the unit has not submitted original effluent analysis report, so report could not be generated online.		
122	DPCC/EC/2/1/2012/606 19-01-2012	LAVISH THE PARTY LAWN (A UNIT OF M/S CHANDRA FEROUAS ALLOYS AND REAL CO.(PVT) (LTD) KH NO 23/2 VILLAGE ALIPUR LANDMARK NEAR PALLA MORE CITY	NORTH WEST	Orange Operate	PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 16-10-2010 • Built Up Area ---- 10700 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 9000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 7200 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Expedite the inspection. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for grant of consent to operate.	29-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 03-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection is to be carried out.	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection.	17-08-2012 Expedite inspection.
123	DPCC/EC/2/1/2012/652 23-01-2012	MIRCHI RESTT. (A UNIT OF GULLUS BAR-B-QUE) IST FLOOR PLAZA CINEMA BUILDING CONNOUGHT PLACE	NEW DELHI	Orange Operate	RESTAURANT CUM BAR FOR 80 SEATS. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection to verify the rectification measures taken by the unit and file be put administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection to verify the rectification measures taken by the unit.	02-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 19.01.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 19-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-01-2012 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

										ENGINEERING submitted. Noise monitoring report within Limit - No number of parameters analyzed which are within limit prescribed limit. (3) Inspection details: was conducted on 19.08.2011. Observations: 1. The premises is being used as a restaurant. 2. Channelization has been provided to channelize the emissions generated during cooking process. 3. Oil and grease trap has been provided to treat the trade effluents generated from washing of utensils etc. 4. As per seating capacity, ETP should be provided by the restaurant but no ETP provided to treat the water effluents generated from the restaurant. 5. Acoustic enclosure has been provided with the DG set of 62 KVA placed on roof of the restaurant but the stack height was inadequate. (4) SCN u/s 31(A)/33(A) details : Was sent to the unit on 02.09.2011. (5) Reply has been received on 04.10.2011 shows their inability to install ETP. (6) Closure directions u/s 31(A)/33(A) details : Was sent to the unit on 23.11.2011. (7) Reply has been received along with an affidavit and requested for temporary revocation of closure direction for reconnection of electricity supply and water supply for installation of ETP. (8) As per the decision taken up by Competent Authority temporary revocation of closure direction for 30 days with the condition to submit the bank guarantee of Rs. 1 Lakh each under Air Act and Water Act was sent to the unit on 21.12.2011. (9) Reply has been received on 23.01.2012 stated the following: 1. They have completed installed adequate ETP in our premises, adequacy report of ETP enclosed. 2. They have only one DG Set having 62 KVA placed on the roof of the building which are kept in acoustic enclosure and adequate stack height (1.6 meter above the canopy) as per norms have already installed. Noise monitoring report of 62 KVA enclosed. 3. They have applied for consent to establish and consent to operate application at or department, receipt of the same enclosed. (10) Inspection details: was conducted on 19.02.2012. Observations: 1. The unit has installed an ETP at roof		
--	--	--	--	--	--	--	--	--	--	--	--	--

							top and the same was found operational at the time of inspection. 2. The unit has provided proper channelization system with the kitchen. 3. DG Set of 62 KVA installed at roof top with acoustic enclosure and however exhaust window found in broken condition. (11) A letter regarding deficiency observed during inspection was sent to the unit on 14.02.2012. (12) Reply has been received on 05.03.2012 stated that they have repaired the acoustic enclosure of the DG Set. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 case was put up administratively, wherein it was decided to issue a letter for rectification of deficiencies as observed during inspection on 23.05.2012. it was also decided that forfeiture of Bnak guarantee can be decided after reponse of unit with varification by reinspection. A letter was issued on 25.06.2012. A reply recieved on 18.07.2012 and submitted that:- plant has been operational after the completion of renovation. unit can be visited and issue the certificate.			
124	DPCC/EC/2/1/2012/696 27-01-2012	INDIRA PRINTERS C-63/5, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	Offset Printing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 1052 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 600 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after getting the report and if meeting the prescribed standards, issue consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to seek complete effluent analysis report for all prescribed parameters.	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJanuary, 2012..... issued byJamia Millia Islamia..... submitted. (b) The unit has submitted incomplete test report (2)ECS - N/A (3)D.G.Set: The unit has mentioned one DG set of (125 KVA) in its CTE application. However, in the CTO application Nil DG set has been mentioned. The details of DG set is coming from CTE application. As decided by the CMC (O) in its meeting held on 07.05.10, CTE was issued on 07.06.10. A letter was also issued on 11.06.10 to apply for authorization under HWM Rules EARLIER CMC DECISION 07.05.10 (In CTE) Issue consent to establish. Ask the unit to apply for fresh authorization under HWM Rules. Recommendation / Action Taken	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

								Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 20.07.12 along with effluent analysis report dated 12.07.12 issued by DTU which is within prescribed limits & having complete parameters.		
125	DPCC/EC/2/1/2012/711 30-01-2012	DELITE KOM LTD B-233, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Steel Furniture with Phosphating and powder coating. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 850 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 1800 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Seek complete effluent analysis report for all prescribed parameters and after getting the report and if meeting the prescribed standards, issue renewal of consent to operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to seek complete effluent analysis report for all prescribed parameters.	29-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated issued by submitted. (b) The unit has submitted incomplete test report. (2)ECS - N/A (b) Stack monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 01-08-2012 As decided, letter was issued on 25.05.12 for seeking complete effluent analysis report for all prescribed parameters. Unit has submitted its reply on 06.07.12 along with photocopy of effluent analysis report dated 27.05.12 issued by DTU which is within prescribed limits & having complete parameters. As the unit has not submitted original effluent analysis report, so report could not be generated online.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to seek original effluent analysis report dated 27.05.2012 submitted on 06.07.2012. If unit submits the same, renewal of consent to operate and authorization under HWM Rules be issued.	17-08-2012 Seek original effluent analysis report dated 27.05.2012 submitted on 06.07.2012. If unit submits the same, renewal of consent to operate and authorization under HWM Rules be issued.
126	DPCC/EC/2/1/2012/719 31-01-2012	WAMIKA HOSPITALITY PVT.LTD. MITHAS BANQUET C-94, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 1961 (in sq. meter) • Water Consumption ---- 7200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 6500 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Expedite inspection as decided in file. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended to expedite inspection as decided in file.	29-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 18.08.2010 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 4 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 3 (a) The unit has 1 D.G. Set(s) of 400 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to put up administratively.	17-08-2012 Implement the decision taken on file.

									Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 20-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3) Inspection details: was conducted on 07.09.2010 Observations 1. ETP found installed but non-operative. 2. No sludge seen in sludge drying bed. 3. Waste water from kitchen at 2nd floor only found connected with collection tank of ETP. 4. By-pass exists in the collection tank of ETP. 5. Mini Kitchen at ground floor and first floor not found connected with the existing ETP. 6. Channelisation for kitchen emission is under installation. 7. State condition of collection tank observed. 8. Stack height of DG sets were inadequate. 9. Two nos. of borewell connection exists. 10. Unit has not applied for consent to operate yet. (4) SCN u/s 31(A)/33(A) details : Was sent to the unit on 15.09.2010. (5) Reply has been received on 23.12.2011 along with an affidavit stating that they have rectified the deficiencies of ETP. (6) As per the decision taken up by Competent Authority a letter for submission of bank guarantee of Rs. 50,000/- each under Air and Water Act was sent to the unit on 02.02.2012. (7) Unit has submitted the bank guarantee of Rs. 50,000/- each under Air and Water Act on 15.03.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the Competent Authority, inspection of the unit was conducted on 07.06.2012 and following were observed:		
--	--	--	--	--	--	--	--	--	---	--	--

								1. Banquet not found in operation and flow measuring device not found installed. 2. ETP found installed but non-operational waste material found inside the reaction tank. 3. No sludge found in the sludge drying bed. 4. Spider web were exist on outlet of pipes reveals that ETP non operational since long. 5. Oil & Grease & food material found collected in collection tank which reveals that it was not cleaned/ treated. 6. Two borewell exists and foul smell observed. On the basis of findings of inspection SCN u/s 33(A) of Water Act and SCN for refusal of consent were issued on 22.06.2012. unit submitted its reply on 17.07.2012 along with an affidavit stating that regarding rectification of deficiencies.		
127	DPCC/EC/2/1/2012/754 03-02-2012	MALGUDI (A UNIT OF KTG HOSPITALITY) J-2/12 B.K. DUTTA MARKET. RAJOURI GARDEN	WEST	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-01-2010 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 3900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 2800 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted and thereafter put up the case administratively. Decision / Recommendation of Screening Committee on 28-03-2012 With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section.	22-03-2012 (1)ETP ---- yes (a) AR dated .27.04.2011issued by DTUsubmitted. (b) Effluent analysis report dated 02.02.12 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set : (a) The unit has D.G. Set of 125 KVA. Noise monitoring reports dated 27-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint & SCN U/s 31 (A) & U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD & DP, Ar & Test reports of ETP, NMR of DG Set and BG of Rs 1 Lakh in Air & Water act. Then file transfered to CMC. CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows: 1.) ETP was not found in operation. 2.) No sludge drying beds provided with ETP. 3.) Unit is operating without CTO. A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh. Unit submitted a letter On 24.2.2012 in responce to our letter dated 19.01.12 & instead of compliance of orders, unit requested to release the BG.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to refuse consent to operate.	17-08-2012 Refuse consent to operate.

							(6) Modified direction issued to the unit on 20.04.2011 unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 02.05.2011.unit submitted Bank Guarantees of Rs. 50,000 each under Air and Water Act on 17.06.2011 Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection was conducted on 27.07.012 and during visit no such unit exit at site and as informed by the Manager of Ms/ Walk in clouds the premises has been sold out for around four months. construction work is going on by the present owner.			
128	DPCC/EC/2/1/2012/755 03-02-2012	WOK IN THE CLOUDS KTG HOTELS & RESORTS PVT LTD J-2/13, RAJOURI GARDEN	WEST	Orange Operate	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-01-2002 • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3200 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted and thereafter put up the case administratively. Decision / Recommendation of Screening Committee on 28-03-2012 With respect to the representation dated 24.02.2012, unit be informed that it is required to forgo the bank guarantee of Rs. 50,000 in accordance with the letter dated 19.01.2012 due to non operation of the ETP found during inspection dated 05.12.2011. Forfeiture of the bank guarantee be ascertained by the Account Section.	22-03-2012 (1)ETP ---- yes (a) AR dated .27.04.2011issued by DTUsubmitted. (b) Effluent analysis report dated 02-02-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 100 KVA and 200 KVA. Noise monitoring reports dated 24-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Earlier inspection conducted by PGRC on 14.2.11 w.r.t a public complaint & SCN U/s 31 (A) & U/s 33(A) was issued on 11.3.11 with modified directions on 20.4.11. Unit submitted licences of MCD & DP, Ar & Test reports of ETP, NMR of DG Sets and Bg of Rs 1 Lakh in AIr & Water act. Then file transfered to CMC. CTE issued 24.11.11 as decided in CMC. Inspection again conducted on 05.12.2011 and the observations are as follows: 1.) ETP was not found in operation. 2.) No sludge drying beds provided with ETP. 3.) Unit is operating without CTO. A letter issued to the Union Bank ,by Sr. Account Officer on 19.1.12 for forfeiture of BG of Rs 50,000/- under water act with directions to the unit to tender the stamps paper in Bank for further action in r/o fresh BG of 50,000/ under Air Act , as unit submitted a consolidated BG of Rs 1 lakh. Unit submitted a letter On 24.2.2012 in responce to our letter dated 19.01.12 & instead of compliance of orders, unit requested to release the BG. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

								As per recommendation an inspection was carried out by officials of DPCC on 27.07.2012 and observed that: 1. unit found operational and engaged in the activity of restaurant cum bar and Banquet hall. 2. ETP found installed and fuctional properly. 3. DG set of 250 KVA and 125 KVA found installed with acoustic enclosure and adequate stack height. 4. Emissions from kitchen is being discharged through chimney with stack height of 2M above the roof level.		
129	DPCC/EC/2/1/2012/793 09-02-2012	MAHAVIR PRASAD B-68/4, GATE-NO-4, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 132.43 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Ask the unit to apply for Consent to Establish. Decision / Recommendation of Screening Committee on 28-03-2012 File is under submission.	26-03-2012 (1)ECS - Bag Filter / Bag House (a) AR dated 07.02.2012 issued by D.T.U submitted. (b) Stack monitoring report dated 07-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 13.03.2012. Observations: 1. Unit is engaged in mfg. of stainless steel utensils with buffing. 2. Ground Floor of the premises is being used cold re rolling of S.S. Sheets. 3. First Floor of the premises is being used for S.S. circle cutting. 4. Second Floor of the premises is being used for pressing of S.S. sheets with cutting, bending, spinning moulding. 5. Top floor of the premises is being used for buffing of S.S. Utensils. 6. ECS has been provided with buffing machines to channelise the emissions ground from buffing activity. ECS found in operations. However the contacted persons was advised to provide more sheets around the buff of the buffing machines. 7. As informed, the plot no. 68/4, has more other units. The approx area of 68/4 is 1200 sq yard. (3) Refusal of consent was issued vide refusal no 2265. Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 Unit applied for consent to establish on 23.04.2012 and same was granted on 13.06.2012 valid upto 12.06.2013. Decision regarding grant of consent to operate may be taken.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
130	DPCC/EC/2/1/2012/807 13-02-2012	PUSHPANJALI ENTERPRISES PVT. LTD. 340/17, GALI NO. 1, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD, SHAHDRA	Friends Colony Industrial Area	Orange Renewal	MFG.OF ALUMINIUM ROD WITH CASTING AND WIRE DRAWING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Wire Drawing (Without	• Date of commissioning of project ---- • Built Up Area ---- 459.86 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted to ascertain the type of the furnace. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for conducting inspection	22-03-2012 (1)ETP ---- NO (2)ECS - (stack attached to furnace and scrubber) (a) AR -NO (b) Stack monitoring report dated 23-12-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes . 1 number	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection.	17-08-2012 Expedite inspection.

					Pickling/ Galvanizing)		to ascertain the type of the furnace.	of parameters analyzed which are within limit prescribed limit. (3)D.G.Set : 250 KVA Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 21-12-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes . 3 number of parameters analyzed which are within limit prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 Inspection is still pending.	
131	DPCC/EC/2/1/2012/817 13-02-2012	INTERNATIONAL PANNACEA LTD. B-208 IST FLOOR PH-I O.I.A INDL. AREA	Okhla Industrial Area	Orange Operate	R AND D LAB OF BIOTECH PRODUCTS. Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 241.6 (in sq. meter) • Water Consumption ---- 650 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 300 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent in view of unsatisfactory effluent analysis report. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent in view of unsatisfactory effluent analysis report.	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated25.11.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 14-09-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit. The unit was found in operation without installation of ETP at First floor of the premises during the inspection of M/s AVN Export of the same premises. As decided by the CMC(O) on 31.03.2011, SCN u/s 33 (A) of the Water Act was issued to the unit on 19.05.11. The unit submitted its reply on 07.06.11 along with an affidavit & informed that they have assigned the work for installation of ETP & requested for grant of 2 to 3 months time. As approved in the file, directions u/s 33 (A) of the Water Act was issued to the unit on 27.07.11 to stop the waste water generating activity & install pollution control devices & to submit an affidavit in this regard within 60 days. The unit submitted its reply on 03.08.11 along with affdavit in response to directions issued on 27.07.11. As decided by the CMC (O) in its meeting held on 05.10.11, letter was issued on 07.12.11 for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules. 17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

							Unit has submitted its reply on 29.11.11 along with the bank guarantee of Rs. 50,000 under Water Act valid for one year. As per the decision of CMC(O) held on 05.10.11, CTE was issued to the unit on 07.12.11 vd CNO. 28372 EARLIER CMC DECISION 05.10.11 (In CTE File) Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the bank guarantee, consent to establish be issued. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, SCN for refusal of consent was issued on 23.05.12 in view of unsatisfactory effluent analysis report. Unit has submitted its reply on 06.06.12 along with effluent analysis report dated 29.05.12 issued by DTU & parameters are within prescribed limits.			
132	DPCC/EC/2/1/2012/823 14-02-2012	BHARATIYAM VILLAGE FOODS AND BEVERAGES PVT. LTD. KH. NO 46/16, 46/17, 46/24, 29, 49/4 VILLAGE BAKOLI PALLA BAKHTAWARPUR ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for grant of consent to operate and consent to establish.	22-03-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 03.02.2012 issued by Delhi Technological University submitted. (b) Effluent analysis report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: Was conducted on 12.01.2012. Observations: 1. Premises is having four rooms at ground floor & First Floor, one hall at basement. 2. No ETP installed in the premises. 3. Unit has made 5 pits (1 parking, 2 front lawn, 2 back lawn) for discharge of rain water in the ground water fitted with 4 inch pipe. 4. One collection tank is made near banquet hall for collection and discharge of waste water generated from kitchen in the ground water. 5. D.G. set found installed with acoustic enclosure. 6. As informed unit has started its operation about one year back. (3) Closure directions u/s 31(A)/33(A)/5 of EPA details : Was sent on 17.03.2010. (4) Reply has been received on 30.03.2010 requesting for 60 days time to install the desired ETP and stating that they will not use this facility until the installation of said ETP. (5) Reply has been received on 26.05.2010 along with an affidavit informing that the application for CTE	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection.	17-08-2012 Expedite inspection.

							has been submitted (Id. No. 33993 dated 26.05.2010) and the ETP has been installed, fees for the adequacy and test report has been submitted in G.G.S.I.P.U. Further requested to revoke the closure direction and issue CTE. (6) As per the decision taken up CMC (O) dated 26.05.2012, letter was regarding submission of bank guarantee of Rs. 1 lakh under Air and Water Act along with adequacy report and effluent analysis report of ETP. (7) Reply has been received on 05.07.2010 stating that the effluent treatment plant has been installed. (8) Unit has submitted the requisite Bank Guarantee of Rs. 1,00,000 each under Air and Water Act, application for consent to establish and consent to operate on 14.02.2012. Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 Inspection is to be carried out.			
133	DPCC/EC/2/1/2012/824 14-02-2012	TINA RUHCI FARMS HOUSE KH. NO 43/9-10-12,VILLAGE KHERA KALAN G.T.K ROAD	NORTH WEST	Orange Operate	FARM HOUSE A PARTY LAWN. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 10000 (in sq. meter) • Water Consumption ---- 3200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent and show cause notice u/s 31A of the Air Act. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for issuance of SCN for refusal of consent and SCN u/s 31A of the Air Act in view of non submisison of noise monitoring report to substantiate the compliance of gazette notification dated 17.05.2012 without disclosing the existence of the D.G. Set in the consent to operate application found during earlier inspection as asked vide letter dated 08.08.2011.	22-03-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 15.09.2011 issued by D.T.U submitted. (b) Effluent analysis report dated 31-01-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 6 number of parameters analyzed which are within limit / beyond prescribed limit. (2) Inspection details: Was conducted on 09.06.2010 Observations: 1. Farm House cum party lawn in operation. However no function is going. 2. Kitchen waste water found connected with slump for discharge into ground water through bore well. No ETP/STP installed . 3. 2 x 62.5 KVA with acoustic and 2 x 62.5 KVA without acoustic. Stack height inadequate. 4. Bore well connection exist 01 no. 5. MCD permission obtained as reported. (3) Earlier CMC Decision: 17.06.2011 Ask the unit to submit the full compliance of CMC decision dated 13.08.2010 (Ask the unit to submit bank guarantee of Rs. One Lakh each under Air Actand Water ACT valid for one year along with affidavit stating that unit will not operate its operation till installation of pollution control measures within 15 days. Thereafter, unit will submit an adequacy report and effluent analysis report of ETP from approved consultant/ laboratory of DPCC and noise monitoring report of acoustically treated D.G. Set from approved laboratory of DPCC). (4) As per the decision taken up by	Decision / Recommendation of Screening Committee on 13-08-2012 Expedite inspection.	17-08-2012 Expedite inspection.

							Consent Management Committee letter for submission of adequacy report, effluent analysis report of ETP, Noise monitoring report of DG set from approved laboratory of DPCC and an affidavit bearing the statement taht you shall stop teh operation of teh unit till installation and commissionng of ETP was sent to the unit on 08.08.2011. (5) Reply has been received on 26.08.2011 along with an adequacy reprot of effluent treatment plant stating that noise monitoring report of D.G. set along with the application of consent to operate will be submitted very soon. Recommendation / Action Taken Details (EE/AEE) on 27-07-2012 In compliance of the decision taken in the CMC meeting held on 20.04.2012, Show Cause Notice for closure u/s 31(A) of Air Act, 1981 and SCN for refusal of consent was issued on 25.05.2012. unit submitted its reply on 13.06.2012 along with the noise mionitoring reports. after that file was put up administratively and it was decided to inspect the unit.			
134	DPCC/EC/2/1/2012/854 21-02-2012	AAR GEE POWER CONTROL PLOT NO-54, POCKET-J, SEC-2, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Manufacturing of Electrical control panels etc and other sheet metal work with powder coating. Powder Coating without phosphating	• Date of commissioning of project ---- 01-07-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 25 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 15 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspection be conducted. Thereafter, file be put up administratively. Decision / Recommendation of Screening Committee on 28-03-2012 Directions of closure issued on 26.04.2010 as unit was found carrying out phosphating activity in deviation of the activity shown in its consent to establish application on 20.06.2007 and emission control system attached with the powder coating activity was found non operational. Subsequently, unit has applied for consent to establish on 14.05.2010 indicating the phosphating activity. Effective closure was sent on 08.12.2011 and compliance of the closure received in DPCC. Directions were temporarily revoked on 03.02.2012 for submission of consent to operate application. The unit has applied for consent to operate without mentioning the phosphating activity. In view of frequent shifting of the stand of the unit in order to avoid the installation of ETP, consent to operate be refused, bank guarantees be forfeited and closure directions be reconfirmed.	22-03-2012 (1)ETP ---- No (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 25-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes 1number of parameters analyzed which are within limit prescribed limit. (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 10.07.2012 during the inspection following were observed: a) Unit found in operation cyclone with bags found installed for powder coating section and found in operation. b) No phosphating activity found at site however empty tank lying in the permises. c) Baking is along throught LPG over.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
135	DPCC/EC/2/1/2012/859 21-02-2012	RADICURA PHARMACEUTICALS PVT. LTD. B-117, PHASE-I,	Okhla Industrial Area	Orange Renewal	Mfg. of Pharmaceuticals Formulation with boiler unit. Pharmaceuticlas		Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Issue show cause notice for refusal of consent since not meeting the effluent	21-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedFebruary, 2008..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 06-02-	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

		OKHLA INDUSTRIAL AREA			Formulation With Washing Operation with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 2518 (in sq. meter) • Water Consumption ---- 4750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 2300 liters/day	standards. Decision / Recommendation of Screening Committee on 28-03-2012 Recommended for SCN for refusal of consent in view of unsatisfactory effluent analysis report.	2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . In place of Chromium(Hexavalent), total chormium (Cr) has been mentioned in the test report (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 3 D.G. Set(s) of 110 KVA, 140 KVA and 35 KVA. Noise monitoring report dated 05-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Unit is having one boiler. (a) Stack monitoring report dated 10-01-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit. As decided by the CMC (O) in its meeting held on 07.05.10, CTE issued on 04.06.10 vd CNO 23976. Letter was issued on 17.06.10 EARLIER CMC DECISION 07.05.10 (In CTE File) Issue consent to operate. Ask the unit to apply for authorization under HWM Rules. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, SCN for refusal of consent was issued on 23.05.12 since not meeting the effluent standards. Unit has submitted its reply on 06.06.12 along with effluent analysis report dated 29.05.12 issued by DTU & parameter are within prescribed limits.		
136	DPCC/EC/2/1/2012/899 24-02-2012	SHAKTI FRAGRANCES PVT. LTD. 15, RAJASTHAN UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Renewal	MANUFACTURING OF PAN MASALA AND ZARDA. Gutka /Supari (Betelnut) Grinding	• Date of commissioning of project ---- • Built Up Area ---- 1505 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 File be put up administratively after inspection. Decision / Recommendation of Screening Committee on 28-03-2012 Inspection be done as decided in file.	28-03-2012 (1)ECS - Bag Filter / Bag House, Bag Filter / Bag House, Bag Filter / Bag House (a) AR dated 28.11.2011 issued by D.T.U submitted. (b) Stack monitoring report dated 28-11-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. Stack monitoring report dated 28-11-	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to carry out inspection by a team.	17-08-2012 Inspection be conducted.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

							details :was sent to the unit on 23.08.2011 (5) Closure directions u/s 31(A)/33(A)/5 of EPA details : was sent to the unit on 22.12.2011. (6) Reply has been received on 28.12.2011 along with an affidavit, noise monitoring report, adequacy report of ECS stating that they have rectified all the deficiencies. (7) A letter for submission of bank guarantee of Rs. 1,00,000/- each under Air Act and HWM Rules valid for one year. (8) Unit has submitted bank guarantee of Rs. One lakh each under Air and HWM Rules on 03.01.2012. (9) Temporary revocation for 30 days was sent to the unit on 10.01.2012. Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 19.04.2012 during the inspection following were observed: a) The unit was in operation during inspection engaged in the mfg. of tobacco products Guthka with paper packing. Sample collected attached with this inspection reports. b) ECS installed for Supari grinding section and mixing and packing section adequacy report and Stack Monitoring report submitted for the said systems. c) Two DG sets with capacity of 160 KVA and 82.5 KVA provided with acoustic enclosure. d) Unit applied for CTE and CTO. After inspection file was be put up administratively. As approved by the Competent Authority permanent revocation was issued to the unit on 15.06.2012.			
137	DPCC/EC/2/1/2012/1007 06-03-2012	ARYAN VEDS HERBALS A-41, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MFG. OF COSMETICS. Perfumes and Cosmetics (With Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1500 liters/day	Decision / Recommendation of Screening Committee on 13-08-2012 As per the new categorization, the activity of the unit categorized under Orange category. Accordingly, unit was asked to apply for consent to establish under Orange category. However, the unit has already obtained Consent to establish under Green category for the same activity. Recommended for grant of Consent to Operate and authorization under HWM Rules. Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Ask the unit to apply for consent to establish. Decision / Recommendation of Screening Committee on 26-03-2012 Recommended for grant of renewal of	22-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 21.02.2012 issued by D.T.U submitted. (b) Effluent analysis report dated 21-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes 16 number of parameters analyzed which are within limit prescribed limit. (2) Inspection details: was conducted on 03.08.2011. Observations: 1. Unit is operating without ETP trade discharge directly into sewer. 2. Unit has not applied for CTE/CTO. (3) SCN u/s 33(A) details : Was sent to the unit on 29.08.2011.	Decision / Recommendation of Screening Committee on 13-08-2012 As per the new categorization, the activity of the unit categorized under Orange category. Accordingly, unit was asked to apply for consent to establish under Orange category. However, the unit has already obtained Consent to establish under Green category for the same activity. Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

139	DPCC/EC/2/1/2012/1130	VEZLAY FOOD PVT. LTD. 352, FIE PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	Manufacturing of Food Items (soya bin Items) Food and Fruit Processing Industry - Confectioneries	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 1100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Expedite the inspection. Decision / Recommendation of Screening Committee on 03-05-2012 Expedite the inspection.	CTO yet to be decided. 30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated07.12.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) Stack monitoring report dated 15-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC(O) in its meeting held on 16.03.11, CTE was issued on 05.04.11 vd CNO 27109. Inspection is yet to be conducted. EARLIER CMC DECISION 16.03.11 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, inspection of the unit was conducted by DPCC officials on 16.07.12 & following were observed: 1. Unit is engaged in Mfg. of food items i.e., Soya bean chaps. 2. Unit has installed ETP to treat the effluent generated during the process. ETP is found in operation. 3. Unit has installed oil fired boiler with stack approx 12m from G.L.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
140	DPCC/EC/2/1/2012/1157	COLOURMAN B-52 2ND FLOOR LAWRENCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	DYEING AND WASHING OF JEANS. Readymade Garment (With Washing/Dyeing)	- Date of commissioning of project ---- - Built Up Area ---- 200 (in sq. meter) - Water Consumption ---- 3300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 File be put up administratively.	27-04-2012 (1)ETP ---- Physiochemical (a) AR dated 06.09.2011 issued by DTU submitted. (b) Effluent analysis report dated 16.03.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:conducted on 11.12.2010 during the inspection following were observed: (a) Unit found operational and engaged in the activity of dyeing and washing of jeans. (b) No ETP installed waste water is being discharged directly into drain. (c) HWM Rules are not comply. (d) One cold fired boiler body lying dismantled. (5) SCN u/s 31(A)/33(A)/5 of EPA details :issued on 12.01.2011	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to refuse the consent to operate and authorization under HWM Rules.	17-08-2012 Refuse consent to operate and authorization under HWM Rules.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 03-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:Conducted on 21.06.2011 at the same address but name is M/s Shanti Fragrence (P) Ltd , during the inspection following were observed: (a) Unit found operational. (b) Lot of fugitive emission observed generating from grinding of pan masala. No control measure taken to control fugitive emission. (c) Inadequate stack height observed in DG set and in oven. (5) SCN u/s 31(A) issued on 09.08.2011 to the M/s Shanti Fragrence (P) Ltd. (6) Closure directions u/s 31(A) issued on 07.10.2011 to the M/s Shanti Fragrence (P) Ltd. A letter issued to the unit on 07.10.2011 for the submission of full compliance. Unit submitted its reply along with photographs and bank guarantee under Air Act on 19.01.2012. Revocation of closure direction u/s 31(A) of the Air Act issued to the unit on 30.01.2012 with the condition of submit the test report of emission control system. Unit submitted its reply along with the test report of emission control system and Noise Monitoring report on 06.02.2012. Consent detail CTO issued valid upto 27.08.2006 in the name of M/s Shanti Fragrence (P) Ltd at the same address in the activity of mfg. of pan masala, zarda guttkha & sweet supari. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 Consent to Establish was granted on 04.07.2012 valid upto 03.07.2013. Inspection is to be carried out.		
142	DPCC/EC/2/1/2012/1196 26-03-2012	HIMGIRI AUTOMOBILES PVT. LTD A-19, NEW JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	Service Station (Washing and Repairing of Bikes) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 338.3 (in sq. meter) • Water Consumption ---- 8000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 09-05-2012 Inspection be conducted and file be put up administratively. Decision / Recommendation of Screening Committee on 03-05-2012 Recommended for inspection.	30-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29-02-2012..... issued by ...DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to refuse consent to establish, consent to operate and authorization under HWM Rules as closure directions has already been issued on 30.07.2012.	17-08-2012 Refuse consent to establish, consent to operate and authorization under HWM Rules as closure directions has already been issued on 30.07.2012.

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 29-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 15.12.11 & following were observed: (A). Unit operating without CTO w.e.f May, 2007. (B). ETP was found install but not functional. (C) By pass arrangement was found and effluent was being discharged withotu treatment (D) No measures for HW Management was found. (E) DG set was provided with A/E but without adequate stack height. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 06.01.12 as approved on file. Unit has submitted its reply on 23.01.12 along with the photographs of ETP, receipt of lab order of DTU & affidavit stating that the unit has rectify all the deficiencies observed during inspection & will apply for CTO as soon as they get the adequacy report & test report. EARLIER CMC DECISION 24.06.09 (In CTE File) Issue SCN for refusal of consent. Call on 26.08.09 09.09.09 (In CTE File) Inspection to be conducted to know the present status. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, unit was inspected by DPCC officials on 11.07.12 & following were observed: 1. Unit is in operation & engaged in servicing with washing. 2. ETP found installed but in non-operational. As reported, the pump is out of order since last 4-5 days. The waste water is discharging without treatment. 3. D G set found installed in acoustic enclosure & stack of of 6 from enclosure surface. 4. Unit applied for consent to operate. As decided, file was put up administratively & as approved, Direction for closure u/s 33 (A) of the Water Act & 5 of EPA were issued on 30.07.12.		
143	DPCC/EC/2/1/2012/1316	PERFACT BEVERAGES PVT. LTD. A-268/1 PH-1 OKHLA	Okhla Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER.		Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Inspection to be conducted.	27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...28.02.2012... issued by ..DELHI COLLEGE OF ENGINEERING..	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 File be put up administratively.

	10-04-2012	INDL. AREA			Water Softening and Demineralised Plants	• Date of commissioning of project ---- • Built Up Area ---- 147 (in sq. meter) • Water Consumption ---- 6700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day	Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Consent to Operate.	submitted. (b) Effluent analysis report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 28-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 28.12.11, Consent to establish and letter were issued on 18.01.12 for submission of CTO application within 90 days. Unit has submitted its reply on 30.01.12 stating that they will apply CTO as soon as they get the adequacy report and test report. EARLIER CMC DECISION 28.12.11 (In CTE File) Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, inspection was conducted by DPCC officials on 06.06.12 & following were observed: 1. During inspection, unit found operational. 2. ETP installed and functional. 3. Log book maintained.		
144	DPCC/EC/2/1/2012/1329 11-04-2012	HIM MOTORS (P) LTD. 338, F.I.E., PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	Car Service Centre (Repairing and Servicing) Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 975 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 8000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...23.02.2012... issued by ...DELHI COLLEGE OF ENGINEERING ... submitted. (b) Effluent analysis report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Unit have one paint booth. (a) Stack monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

									(4) Inspection details: conducted on 02.09.11 & following were observed: (A). PAint booth was found but not properly maintained. (B) DG set found of 83.5 KVA with acoustic enclosure but acoustic enclosure not in proper working condition. (C) Atleast 50 percent of trade effluent was directly discharged without being treated in ETP, outside premises. Trade effluent found spread over ground near washing booth. ETP found insatlled but not in proper working condition. (D) Chemical dosing tank found without chemicals. (E) Hazardous waste not properly maintined acoording to HWM Rules. (F) log book not properly maintained. Grit chamber and oil & grease trap chamber was found clogged. (G) No log book was maintained for paint booth (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 22.09.11. SCN for forfeiture of Bank Guarantee was also issued on 22.09.11 Unit has submitted its reply on 03.10.11 along with analysis report of ETP & NMR for the above said SCNs. (6) Closure directions u/s 31(A), 33(A) & 5 of EPA details : issued on 28.11.11. Bank Guarantee was also forfeited on 28.11.11. the unit has submitted its replies requesting regarding the revokation of above siad direction for closure stating that the unit have corrected all the discrepancies observed during inspection. As approved, letter was issued on 23.01.12 for submission of Bank Guarantte of Rs. 2 Lakh each under Air Act, Water Act & HWM Rules. Unit has submitted the above said BG on 25.01.12. As approved, temporilay revokation issued on 30.01.12 for submission of fresh adequacy report of installed ETP, all monitoring reports under Air Act, Water Act & HWM Rules. Unit has submitted its reply on 27.02.12 along with the adequacy report, Water analysis report & SMR. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, filw was put up adminstrativley & as approved, revocation of closure directions was		
--	--	--	--	--	--	--	--	--	--	--	--

145	DPCC/EC/2/1/2012/1379	RISHAB MOTORS PVT LTD. B-225, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	SERVICE STATION OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1760 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 4000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	issued on 21.06.12 27-04-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...09.04.2012... issued byDelhi Technical University..... submitted. (b) Effluent analysis report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. Unit have one paint booth. (a) Stack monitoring report dated 09-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (4) Inspection details: conducted on 24.08.11 w.r.t a public complaint and following were observed: (A). The unit was found in operation and engaged in the activity of Service Station & Show Room of Cars. (B). Log book of hazardous waste maintained properly. (C). ETP found operational. But sludge & waste oil are not stored in isolated area. (D). No provisions of HWM Rules followed. Display board not updated. (E). D.G set of 125 KVA found without proper stack height. (F). Some waste water coming out of the unit which is untreated. (5) SCN u/s 33(A) & 5 of EPA details : issued on 03.10.11. SCN for revokation of CTO was also issued on 03.10.11. The unit has submitted its reply on 13.10.11 along with an affidavit in response to aforesaid show cause notice. As approved, a letter was also issued on 12.12.11 for submissionof Bank Guarantee of Rs. 50,000/- each under Water Act & HWM Rules. However, no reply has been received in response of the above said letter. (6) Closure directions u/s 33(A) & 5 of EPA details : issued on 31.01.12. Revokation of CTO was also issued on 31.01.12. the unit has submitted its reply on 16.02.12 along with an affidavit regarding rectification of deficiencies and the bank guarantee of Rs. 50,000/- each under Water Act and HWM Rules valid for	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
-----	-----------------------	---	-----------------------	----------------	---	---	---	---	---	--

							one year which was asked to submit vide this office letter dt. 12.12.11. As approved, the original bank guarantee of Rs. 50,000/- each under Water Act & HWM Rules submitted by the unit were returned back vide this office letter dt. 06.03.12 and the unit were asked to submit bank guarantee of RS. One lakh each under Water Act & HWM Rules valid for one year. The unit has submitted its reply on 07.03.12 along with the aforesaid B.G of Rs. One lakh each under Water Act & HWM Rules valid for one year. As approved, temporary revocation of closure directions u/s 33 (A) & 5 of EPA were issued on 12.03.12 for submission of fresh adequacy report, to apply for CTO & authorization under HWM Rules . Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided, file was put up administratively & as approved, revocation of closure directions u/s 33 (A) of the Water Act & 5 of EPA was issued on 27.06.12.			
146	DPCC/EC/2/1/2012/1396 17-04-2012	DADU AGRO (INDIA) PVT LTD. PLOT NO. A-178, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PACKAGED DRINKING WATER, SOFT DRINK AND SODA. Aerated Water and Fruit Beverage with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 11000 liters/day • Ground Water ---- 11000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	07-05-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 29.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 19-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. NOTE: the parameters i.e. BOD is exceeding the limits (2)ECS - No (b) Stack monitoring report dated 17-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 23.11.2010 during the inhspction following were obseved: (a) unit has one oil fired boiler placed at top floor (b) no ETP provided to treat the trade effluent. (5) SCN u/s 31(A)/33(A) & refusal of consent were issued on 16.03.2011. (6) Closure directions u/s 31(A)/33(A) issued on 15.06.2011. (7) unit submitted its reply along with adequacy report of ETP on 2.09.2011.	Decision / Recommendation of Screening Committee on 13-08-2012 Closure directions has already been revoked on 10.07.2012.Recommended for grant of Consent to Operate.	17-08-2012 File be put up administratively.

							(8) A letter issued to the unit for the submission of Bank guarantee on 27.01.2012 (9) unit submitted its reply along with bank guarantee on 13.02.2012 (10) temporary revocation for 30 days of closure direction u/s 33 &31 issued on 9.03.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 File was sent to IT cell for change of name.		
147	DPCC/EC/2/1/2012/1458 17-04-2012	IDEAL UDYOG-UNIT II PLOT NO. 90, BADLI INDUSTRIAL ESTATE PHASE-II	Badli Industrial Estate	Orange Renewal	BRASS/COPPER CASTING BY PIT FURNACE Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 320 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively. 07-05-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack analysis report dated 11.04.2012 issued by DTU - submitted. (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 As decided by the competent authority, file was put up administratively.	Decision / Recommendation of Screening Committee on 13-08-2012 Implement the decision dated 16.05.2012.	17-08-2012 Inspection be conducted, thereafter, file be put up administratively.
148	DPCC/EC/2/1/2012/1411 19-04-2012	THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE, OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Operate	FOOD PROCESSING. Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 48000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 17500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Status awaited from DDA. Recommended to put up file administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively. 08-05-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated26.03.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 26-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 01.09.10 & following were observed:- 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in	Decision / Recommendation of Screening Committee on 13-08-2012 Wait for DDA reply.	17-08-2012 Wait for DDA reply.

								Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : issued on 29.09.10 in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. The unit has submitted a letter on 11.07.11 requested to use biocoal briquettes in the boiler to generate steam in place of diesel, as increase the price of diesel. It is submitted that the conversion of coal fired boiler to diesel fired boiler was done in compliance of decision of DPCC board meeting held on 09.12.09 & also biocoal briquettes is not an approved fuel as per notification of DPCC. As approved, letter was issued to the unit on 27.07.11 to not use the biocoal briquettes as a fuel in boiler. The unit has submitted its reply on 04.08.11. Unit has submitted along with CTO application a copy of letter from F.3(288) 66. MP dated 11.09.1968 issued by D.D.A. certifying that the plot land is		
--	--	--	--	--	--	--	--	--	--	--

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

									Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11 Unit has submitted a copy of letter along with CTE & CTO application from F.3 (288)66. MP dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan. EARLIER CMC DECISION 09-11-2010 Directions for disconnection of electricity / water supply be issued. 09-12-2010 Consent applications be refused. 13-01-2011 In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For		
--	--	--	--	--	--	--	--	--	---	--	--

								deciding the consent to operate application, reminder be sent to DDA on the conformity.		
								Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided file was put up administratively & as approved, Reminder letter was issued on 25.07.12 to DDA.		
150	DPCC/EC/2/1/2012/1443 23-04-2012	NIRULAS CORNER HOUSE PVT. LTD BAWA POTTERIES COMPLEX, KISHAN GARH, VASANT KUNJ	SOUTH WEST	Orange Renewal	RESTAURANT. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 6800 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	04-05-2012 (1)ETP ---- Physico-chemical (a) AR dated 16.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No (4) Inspection details:yes, conducted on 05.12.2011 (5) SCN u/s 3 (A) issued on 23.12.2011 (6) Closure directions u/s 33(A) issued on 23.02.2012 Raevocation of closure directions issued on 21.03.2012 Recommendation / Action Taken Details (EE/AEE) on 03-08-2012 File was put up administratively on 16.05.2012 and it was decided that inspection to be carried out. An inspection was conducted on 26.07.2012 and observation was as follow. 1. Unit found operational and engaged in the activity of restaurant with 52 sitting capacity. 2. ETP found installed and functional properly. 3. One DG set of 100 KVA found installed with acoustic enclosure and adequate stack height. 4. Hood and suction arrangement found installed to control the emission generated from the kitchen activity.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
151	DPCC/EC/2/1/2012/1460 25-04-2012	M.C.A. INDUSTRIES 18, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	TRADING AND MFG. OF FINE MINERALS Pulverizing units	• Date of commissioning of project ---- • Built Up Area ---- 575 (in sq. meter) • Water Consumption ---- 80 liters/day • Ground Water ---- 80 liters/day • Waste Water generation (a) Domestic Effluent ---- 40 liters/day (b) Trade Effluent ---- 0 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Inspection be conducted to ascertain the nature of minerals / raw materials and products. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended for grant of Renewal of Consent to Operate.	06-05-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.10.2010 issued by DTU submitted. (b) Stack analysis report dated 09.04.2012 issued by DPCC submitted. (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								directions. As approved, a letter was issued on 13.03.12 for submission of undertaking on Rs. 10/- non judiciary stamp paper duly attested by notary public immediately. Unti has submitted its reply on 13.03.12 along with above mentioned undertaking. As approved, temporary revocation was issued on 14.03.12 for 45 days. Unit has submitted its repy on 25.04.12 stating that they have applied for CTO & HWM authorization on 25.01.12, they have fulfilled complete compliances & requested for permanent revocation of closure directions. EARLIER CMC DECISION 07.05.10 (In CTE File) issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for authorization under HWM Rules. 09.11.10 (In CTE File) Issue SCN for closure u/s 31 (A) of the Air ACT, u/s 33 (A) of the Water Act and 5 of EPA. Recommendation / Action Taken Details (EE/AEE) on 30-07-2012 As decided, file was put up administratively & as approved, revocation of closure direction was issued on 05.07.12.		
153	DPCC/EC/2/1/2012/1466 25-04-2012	NEW TECH SYSTEMS PLOT NO 188 POCKET-J SECTOR-5 DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	SHEET METAL FABRICATION (WASHING OF STEEL BODY AND POWDER COATING) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16- 05-2012 File be put up administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	07-05-2012 (1)ETP ---- Physico-chemical treatment. (a) AR dated 12.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-04- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes (2)ECS - Cyclone (b) Stack monitoring report dated 20-04- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details: dated 09.08.2011 and found that unit is water and air polluting.SCN for refusal under green issued on 19.10.2011. (5) SCN u/s 31(A)/33(A)/5 of EPA details: dated 19.10.2011,reply received on 04.11.2011 accepting defaults in CTE under Green. (6) Closure directions u/s 31(A)/33(A) issued on 09.02.2012.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended for grant of Consent to Operate, Consent to Establish and authorization under HWM Rules.	17-08-2012 Consent to Operate, Consent to Establish and authorization under HWM Rules granted.

17-08-2012

							found that unit was operating without consent to operate. SCN u/s 21/22 & 25/26 was issued on 16.01.2012. Unit submitted its reply on 01.05.2012 along a copy of application receipt. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee inspection conducted by the officials of DPCC on 12.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium circle including melting rolling, annealing etc. b) Unit is having two oil fired pit furnace and has provided hood and channelization system over these pit furnace with height about 40 feet above ground level. c) Unit is having one PNG fired annealing furnace. d) Unit is in process of installation of one extra pit furnace. It was decided to take up the case in next CMC.		
156	DPCC/EC/2/1/2012/2029 02-07-2012	AUTO VIKAS SALES & SERVICE(P) LTD. 12-A,SHIVAJI MARG,NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	AUTHORIZED SERVICE STATION (SERVICING OF VEHICLES) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1500 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 800 liters/day	14-08-2012 (1)ETP ---- physiochemical (a) AR dated 07.05.2012. issued by DTU submitted. (b) Effluent analysis report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 07-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
157	DPCC/EC/2/1/2012/2033	AUTOLINK	SOUTH	Orange	AUTOMOBILE SERVICES		16-08-2012	Decision / Recommendation of	17-08-2012

	02-07-2012	ENTERPRISES PVT. LTD. BAWA POTTERIES COMPOUND, OPP. SAHARA RESTAURANG, ARUNA ASAF ALI MARG, VASANT KUNJ	WEST	Renewal	AND MAINTENANCE Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 20800 liters/day • Ground Water ---- 20000 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 20000 liters/day	(1)ETP Physico-chemical (a) AR dated March, 2008 issued by DTUsubmitted. (b) Effluent analysis report dated 25-05-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 06-03-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details: Inspection conductd on 26.07.2012 and during the inspection following were observed: 1.) unit found engaged in activity of service and maintianance of automobiles. 2.) ETP found installed and function properly. 3.) One DG set found installed with accoustic enclosure with adequate stack height. 4.) HW is being disposed to registered recycler. (5) SCN u/s 31(A)/33(A)/5 of EPA were issued on 26.09.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA were issued on 23.02.2012.	Screening Committee on 16-08-2012 After inspection, file has been put up administratively. Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules after revocation of closure directions issued to the unit.	Renewal of Consent to Operate and Authorization under HWM Rules after revocation of closure directions issued to the unit.
158	DPCC/EC/2/1/2012/2038 02-07-2012	AUTO CARE CENTRE NITI MARG, CHANAKYAPURI	SOUTH WEST	Orange Operate	FILLING STATION CUM SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 501.6 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	13-08-2012 (1)ETP ---- Physiochemical (a) AR dated 30.09.2009 issued by DTU. submitted. (b) Effluent analysis report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
159	DPCC/EC/2/1/2012/2047	RICHA GLOBAL EXPORTS PVT. LTD. A-41, PHASE-I,	Mayapuri Industrial Area	Orange Operate	Mfg. of Readymade Garments With Washing. Readymade Garment		13-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 10.07.2008 issued by GGSIPU submitted.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

	03-07-2012	MAYAPURI INDUSTRIAL AREA			(With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1451.4 (in sq. meter) • Water Consumption ---- 45000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 3000 liters/day • (b) Trade Effluent ---- 0 liters/day		(b) Effluent analysis report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 380, 625 KVA. Noise monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
160	DPCC/EC/2/1/2012/2048 03-07-2012	RICHA & CO. B-34, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Readymade Garments With Washing. Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1451.4 (in sq. meter) • Water Consumption ---- 42000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 2000 liters/day • (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.07.2008issued by GGSIPU submitted. (b) Effluent analysis report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - stack connected to thermic fluid heater (b) Stack monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 14-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

								(4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
161	DPCC/EC/2/1/2012/2055 03-07-2012	RAJINDER DAL MILL PLOT NO.-37, SECTOR-5, POCKET-K, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 08.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
162	DPCC/EC/2/1/2012/2056 03-07-2012	GAUTAM METAL INDUSTRIES PLOT NO.-108, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 08.06.2012 issued by DTU submitted (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
163	DPCC/EC/2/1/2012/2057 03-07-2012	JAIN DHATU UDYOG PLOT NO.-109, POCKET-C, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 08.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
164	DPCC/EC/2/1/2012/2058 03-07-2012	CHANDRA PACKAGING INDUSTRIES PLOT NO-8,SEC-3,POCKET-H,DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 10.03.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
165	DPCC/EC/2/1/2012/2059 03-07-2012	SHIVA INDUSTRIES PLOT NO. 3, SEC-1, PKT-N, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - cyclone/ bag filter (a) AR dated 10.03.2008 issued by GGSIU submitted. (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

							Note: old record is not tracable			
166	DPCC/EC/2/1/2012/2073	J.J. IMPEX (DELHI) PVT. LTD. 9, GTK ROAD S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP CUM SERVICE STATION Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 4645.1 (in sq. meter) • Water Consumption ---- 14750 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 7000 liters/day		13-08-2012 (1)ETP ---- Physico-chemical (a) AR dated 19.08.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 04-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 04-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 It was informed during the meeting that certain deficiencies have been observed during inspection of the unit on 08.08.2012. Issue Show Cause Notice for refusal of consent to operate and authorization based on the findings of the inspection.
167	DPCC/EC/2/1/2012/2081	SHREE SUDARSHAN INDUSTRIES PLOT NO.-B-8, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	COPPER HOT RE-ROLLING Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated August 2011 issued by Jamia Milia Islamia submitted. (b) Stack monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 1250 KVA. Noise monitoring report dated 29-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report of DG set having capacity of 1250 KVA not submitted. CTE issued on 25.02.11. But, CTE file could not traced out.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to seek stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC.	17-08-2012 Ask the unit to submit stack monitoring report of the D.G. Set of 1250 KVA from empanelled laboratory of DPCC.
168	DPCC/EC/2/1/2012/2087	SIOTIA IMPEX PVT. LTD B-30/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 04.06.2012 issued by DCE submitted. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and to be issued after issuance of CTE as decided on 30.07.2012.	17-08-2012 Consent to Operate and to be issued after issuance of CTE as decided on 30.07.2012.
169	DPCC/EC/2/1/2012/2088	ABYSS PHARMA PVT.	Mayapuri	Orange	Pharmaceutical			13-08-2012	Decision / Recommendation of	17-08-2012

	05-07-2012	LTD. B-121, PHASE-I, MAYAPURI INDUSTRIAL AREA	Industrial Area	Renewal	Formulation Medicines / Pharmaceutical Formulation- Without Boiler	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- Oil and Grease Trap (a) AR dated 03.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03- 03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Screening Committee on 16-08-2012 Recommended for issuance of SCN u/s 33(A) of the Water Act and SCN for refusal of consent.	Issue Show Cause Notice u/s 33(A) of the Water Act and Show Cause Notice for refusal of consent.
170	06-07-2012	AAA VEHICLEADES PVT. LTD B-244, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	AUTOMOBILE/VEHICLES SERVICE AND REPAIR UNIT. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 2106.16 (in sq. meter) • Water Consumption ---- 4800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 3200 liters/day	14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated21.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 21-05- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 07-06- 2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22- 05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 30.03.12 & following were observed: a) The unit was found in operational. As reported electricity/ water connection has not been disconnected. b) The unit has installed an ETP comprising oil & grease trap, collection cum equalization tank, reaction cum tube settler tank, sludge drying bed etc which was found in operation. c) Dry/ wet sludge was observed. d) Copy of ETP log book and HW record obtained.	Decision / Recommendation of Screening Committee on 16-08-2012 Revocation of closure direction approved on file. Recommended for grant of Consent to Operate and authorization under HWM Rules and to be issued after revocation of closure directions.	17-08-2012 Consent to Operate and authorization under HWM Rules granted and to be issued after revocation of closure directions.

17-08-2012

							(a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 21-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 18.01.11 w.r.t a public complaint & following were observed: a) During the inspection it was reported by the representative of the unit that now samples of readymade garments are made in this unit. b) The unit has installed an ETP which was not found in operation. c) No wet sludge was observed. Only some dry sludge was observed in a container. d) The unit is also engaged in dyeing of samples/ accessories button etc. and trade effluent generated from the dyeing activity is being discharged directly into the sewer without any treatment. e) Adequate stack height has not been provided with two oil fired boilers. f) The unit is having two DG sets of 180 KVA & 15 KVA. Adequate stack height and acoustic enclosure has not been provided with the D G set of 15 KVA(Not in use as reported). g) The unit is not complying with the provisions of HWM Rules as mentioned above in column no18. h) ETP log book and record of hazardous waste were not available. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 07.02.11. As decided by the CMC (O) in its meeting held on 17.06.11, SCN for refusal and SCN for revocation of consent to establish were issued on 29.07.11 letter was also issued on 29.07.11 for submission of Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year. Unit has submitted above mentioned BG on 12.08.11. EARLIER CMC DECISION 17.06.11 Issue SCN for refusal of consent and SCN for revocation of consent to establish. Also ask the unit to submit Bank Guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year.		
172	DPCC/EC/2/1/2012/2115 10-07-2012	DURGA METAL WORKS 1/536, GALI NO.4, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Operate	Mfg. of Aluminium Products (Kitchen Utensils) With Buffing. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 93 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	16-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated June 2012 issued by DTU submitted. (b) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

							ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... As decided by CMC (O) in its meeting held on 05.07.12, CTE was prepared online on 06.08.2012. EARLIER CMC DECISION 05.07.2012 Consent to Establish granted		
173	DPCC/EC/2/1/2012/2118 10-07-2012	DURGA STEEL INDUSTRIES (UNIT-2) B-30/1 (IIIRD FLOOR), WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF UTENSILS WITH BUFFING AND DRY POLISHING Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	16-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 04.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
174	DPCC/EC/2/1/2012/2120 11-07-2012	RAM SARUP RAM NIWAS B-66, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 20.06.2012 issued by DTU submitted. (b) Stack monitoring report dated 03-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
175	DPCC/EC/2/1/2012/2122 11-07-2012	HOME (AT THE RATE) F37 (A UNIT OF RAM RESORTS & INDUSTRIES (P) LTD. F-37, EAST OF KAILASH	SOUTH	Orange Operate	Guest House. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 772 (in sq. meter) • Water Consumption ---- 2900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR datedMay, 2012..... issued byJamia Millia Islamia..... submitted. (b) Effluent analysis report dated 28-06-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 25-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 21.11.11 w.r.t & following were observed: 1. The premises is used for the purpose of Guest House at ground floor, first floor, second floor and third floor with 21 rooms (42 beds). 2. One D.G set with 62 KVA installed at	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.

							roof top with acoustic enclosure and proper stack height. 3. Channelization is provided in the kitchen with stack height of 2 feet above roof top. (5) SCN u/s 31(A) & 33(A) details : issued on 12.12.11. Unit has submitted its reply on 15.12.11 & 10.01.12. The unit has informed vide its reply submitted on 15.12.11 that they have placed an order to install a STP to M/s Sai Nath Hardware Pvt. Ltd. C/o M/s Sintex Industries Ltd vide its letter dt. 06.12.11. It has also been mentioned in the reply that they are submitting their application for CTE & CTO and requested for withdrawal of above show cause notice. Now the unit has informed vide its reply submitted on 10.01.12 that they have installed ETP and the same is now operational. As approved, letter was issued on 13.02.12 for submission of an affidavit regarding rectification of deficiencies within 15 days, submit adequacy report of ETP/ STP and also apply to consent to establish and consent to operate within 45 days failing which closure action will be initiated. Unit has submitted its reply on 09.02.12 & 29.02.12 stating that they had applied for Jamia Milia Islamia for adequacy report of ETP. Unit has submitted its reply on 26.07.12 along with NMR dated 25.07.12		
176	DPCC/EC/2/1/2012/2126 11-07-2012	SHAKUNTALAM GARDEN KH. NO 45/11-12-38 VILLAGE BAKOLI BAKHTAWARPUR ROAD	NORTH WEST	Orange Operate	FARM HOUSE (A PARTY LAWN). Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- 01-01-2008 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 5000 liters/day	13-08-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 27.04.2012 issued by DTU submitted. (b) Effluent analysis report dated 27-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate.	17-08-2012 Consent to Operate granted.
177	DPCC/EC/2/1/2012/2154 16-07-2012	RAJAT INDUSTRIES PVT. LTD. E-780, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PAN MASALA Pan Masala (Mixing Only)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 (1)ETP ---- N/A (2)ECS -wet scrubber (a) AR dated 22.11.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 28-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 16-08-2012 Expedite inspection and file be put up administratively.	17-08-2012 Expedite inspection and file be put up administratively.

17-08-2012

								monitoring report within Limit - Yes		
180	DPCC/EC/2/1/2012/2171	B.B. STEELS PRIVATE LIMITED 55, S.S.I INDUSTRIAL AREA	S.S.I Industrial Area	Orange Renewal	ROLLING OF S.S. INGOTS INTO THINNER SECTION VIZ FLATS AND BARS. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 2706.96 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note: old record is not tracable	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.
181	DPCC/EC/2/1/2012/2178	CHOPRASONS PLOT NO B-73, GTK ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	CAR SERVICE CENTRE (REPAIR AND SERVICING OF LIGHT VEHICLES) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 128 (in sq. meter) • Water Consumption ---- 2000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 1500 liters/day		14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .02.07.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 12-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil Note: old record is not tracable	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
182	DPCC/EC/2/1/2012/2186	RESTLESS ELECTROPLATERS B-256, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Operate	ELECTROPLATING JOB WORKS. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 320 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 150 liters/day		13-08-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU submitted. (b) Effluent analysis report dated 11-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - stack connected to electroplating unit (a) Stack monitoring report dated 11-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	17-08-2012 Consent to Operate and Authorization under HWM Rules granted.
183	DPCC/EC/2/1/2012/2192	HANSA AGENCIES PVT. LTD. B-124, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	mfg. of readymade garments with washing. Readymade Garment (With Washing)			14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

						• Date of commissioning of project ---- • Built Up Area ---- 660 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 100 liters/day	Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, CTO was issued on 24.11.10. EARLIER CMC DECISION 11.10.10 Issue consent to operate.		
184	DPCC/EC/2/1/2012/2193 19-07-2012	EMSONS RADIO CORLPORATION B-218, OKHLA INDUSTRIAL AREA, PHASE-I	Okhla Industrial Area	Orange Renewal	MFG. OF ELECTRONIC COMPONENTS I.E. VERIOUS TYPE ANTENNAS INCLUDING ELECTROPLATING. Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 1500 liters/day	16-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. Temperature exceeds the prescribed parameter. (2)ECS - N/A (a) Stack monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, CTR was issued on 24.11.10 EARLIER CMC DECISION 11.10.10 Issue renewal of consent.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
185	DPCC/EC/2/1/2012/2195 19-07-2012	RAUNAQ MOTORS PLOT NO 7 & 33, PKT-H, SEC-1, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Repairing and Servicing of Vehicles Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 4000 liters/day	13-08-2012 (1)ETP ---- Other ETP Name : ETP (a) AR dated .20.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules and be issued after issuance of CTE as decided in meeting dated 29.12.2011.	17-08-2012 Consent to Operate and authorization under HWM Rules and be issued after issuance of CTE as decided in meeting dated 29.12.2011.

							(2)ECS - N/A (a) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 65 KVA. Noise monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes			
186	DPCC/EC/2/1/2012/2223 24-07-2012	SHREE FLAVOURS LLP PLOT NO 205 FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 22-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	17-08-2012 Inspection be conducted.
187	DPCC/EC/2/1/2012/2224 24-07-2012	SHREE FLAVOURS LLP PLOT NO 296, FIE PATPARGANJ INDL. AREA	Patparganj Industrial Area	Orange Operate	MFG. OF CHEWING TOBACCO. Tobacco Products without Raw Tobacco Processing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 02.04.12, CTE was issued on 04.05.12. EARLIER CMC DECISION 02-04-2012 (2b) Issue Consent to establish with the condition that the unit will not use the plastic packaging material.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	17-08-2012 Inspection be conducted.
188	DPCC/EC/2/1/2012/2225	RONIKA BRIGHTWAYS	Mayapuri Industrial Area	Orange Renewal	ELECTROPLATING JOB WORKS.			13-08-2012 (1)ETP ---- physiochemical (a) AR dated 16.07.2009 issued by DTU	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of	17-08-2012 Renewal of Consent to Operate granted.

	24-07-2012	F-85, PHASE-II, MAYAPURI INDUSTRIAL AREA			Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 38.4 (in sq. meter) • Water Consumption ---- 1800 liters/day • Ground Water ---- 1800 liters/day • Waste Water generation (a) Domestic Effluent ---- 240 liters/day (b) Trade Effluent ---- 1400 liters/day		submitted. (b) Effluent analysis report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - stack attached to electroplating bath (a) Stack monitoring report dated 23-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit . (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Consent to Operate and Authorization under HWM Rules.	
189	26-07-2012	PARDEEP KUMAR JAIN A-3, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	CIRCLE CUTTING , BUFFING OF STAINLESS STEEL UTENSILS AND THEIR PACKING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 15.09.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 16-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
190	26-07-2012	MARUTI INDUSTRIES B-70/2, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF STAINLESS STEEL UTENSILS.(WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 23.04.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... Note: old record is not tracable	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.
191	26-07-2012	SINGHAL ENTERPRISES 1/536/3-2A, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA GT ROAD SHAHDARA	Friends Colony Industrial Area	Orange Renewal	MFG.OF AL.KITCHEN WARES AND UTENSILS, PRESSURE COOKER WITH BUFFING WITHOUT ANODIZING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 86.5 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		16-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated December,2010 issued by GGSIPU submitted. (b) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate.	17-08-2012 Renewal of Consent to Operate granted.

								(3)D.G.Set: ...N/A... As decided by CMC(O) in its meeting held on 11.10.2010. a letter was issued to the unit for submission of adequacy report for the ECS on 22.11.10. Adequacy report of ECS was submitted by the unit on 05.01.2011 EARLIER CMC DECISION 11.10.2010 Ask the unit to submit the adequacy report for the ECS installed with buffing system from empanelled consultant of DPCC.		
192	DPCC/EC/2/1/2012/2248 27-07-2012	DUTTA PRESS B-9/3, PHASE II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 139.345 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 500 liters/day		14-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMay, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-07-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
193	DPCC/EC/2/1/2012/2255 27-07-2012	EVERBRIGHT ELECTROPLATERS 308/5, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	NICKEL AND CHROME ELECTROPLATING Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 96 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 1000 liters/day		16-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 05.08.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes . (2)ECS - N/A (a) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes Note: old record is not tracable	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	17-08-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
194	DPCC/EC/2/1/2012/2264 31-07-2012	SANJAY PLASTICS F-116, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	Manufacturing of LD Plastic Dana(With trade effluent discharge) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 500 liters/day		16-08-2012 (1)ETP ---- physio chemical (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

					Material With Washing Activity)			(2)ECS - N/A (a) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection of the unit was conducted on 15.04.2011 and it was found that 1. unit was opearting without consent from DPCC. 2. name of the unit was not disclosed. 3. No ETP and ECS found installed. 4. no DG set found installed. Based on the above observed deficiencies Direction for closure u/s 33 (A) & 31(A) was issued on 17.01.2012.	
--	--	--	--	--	---------------------------------	--	--	---	--