



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 17.08.2012 (8th Approval Meet) in 24 Cases of Consent to Establish under Orange Category (excluding cases of Redevelopment Areas) of the Period 01.06.2011 to 30.04.2012 and 01.07.2012 to 31.07.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	37287 06-06-2011	STAR INSULATION (PROP. INDER KANT OJHA) A-5/11 JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	COPPER WIRE DRAWING AND SUPER ENAMELLED COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 83.61 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		14-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details: 06.10.2010. No ECS was Found with S/E Plant. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :Unit was issued closure directions in the name of M/s Manoj Wire Works on 20.08.2010 during inspections in CWG.	Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administrativley.	17-08-2012 File be put up administratively.
2	37314 08-06-2011	SANJAY GOYAL AND VIJAY GOYAL B-60 GROUP WAZIRPUR INDL. AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF KITCHEN ACCESSORIES WITH BUFFING. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 20 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (3)D.G.Set: ...N/A... (4) Inspection conducted on 02.04.2011. (5) SCN u/s 31(A) of Air Act, 1981 was issued on 20.05.2011. (6) Closure directions u/s 31(A) 12.07.2011.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect, thereafter, file be put up administratively.	17-08-2012 Inspection be conducted, thereafter, file be put up administratively.
3	37360 14-06-2011	GAGAN PULSES (P) LTD. G-986 DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	processing and mfg. of dall. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 350 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...Nil... CMC Decision Decision on 05.10.2011 Ask the unit to clarify as to how it is separate entity from the M/s Sagar Dall Mill with documentary proof. Incompliance of decision taken in CMC meeting letter issued to the unit on 02.12.2011. A reply received from the unit on 15.12.2011 submitting the property registration documents.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 Consent to Establish granted.
4	37386 16-06-2011	GOLDEN METAL INDUSTRIES 1/536, A-4, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Establish	MANUFACTURING OF COPPER WIRE DRAWING. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		10-10-2011 (1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO.	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.
5	37422	SRI KIRSHNA WIRE PRODUCT	Friends Colony Industrial	Orange Establish	COPPER WIRE DRAWING WITH SUPER ENAMELING.			06-07-2011 CTO: New activity. Water Consumption ---- 100 liters/day	Decision / Recommendation of Screening Committee on 14-08-2012 File be put up administratively.	17-08-2012 File be put up administratively.

	21-06-2011	PROPERTY NO 426-431, FIRST FLOOR GALI NO.-8 FRIENDS COLONY INDUSTRIAL AREA	Area		Copper Wire Drawing With Super Enamelling. (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 100 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 0 liters/day		Ground Water ---- 100 liters/day Built Up Area ---- 100 (in sq. meter) CETP Membership ---- Jhilmil & Friends Colony Industrial Area CETP Society / Membership No ---- NO Date of commissioning of project ----Nov 2011. Waste Water generation Domestic Effluent ---- 80 liters/day Trade Effluent ---- 0 liters/day ETP / STP ---- N/A Test Report(Water) within Limit ---- N/A Test Report(Air) within Limit ---- N/A NMR Sumitted ---- N/A		
6	37488 30-06-2011	B.R. ALUMINIUM PLOT NO S-55,PHASE-I, BADLI INDL. AREA	Badli Industrial Estate	Orange Establish	ALUMINIUM CIRCLE. Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 120 liters/day (b) Trade Effluent ---- 0 liters/day		09-08-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 11.04.2012 issued by DTU submitted. (b) Stack monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...No... (4) Inspection details:conducted on 15.12.2011 during the inspection it was found that unit was operating without consent to operate. SCN u/s 21/22 & 25/26 was issued on 16.01.2012. Unit submitted its reply on 01.05.2012 along a copy of application receipt. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no As decided by the Screening Committee inspection conducted by the officials of DPCC on 12.07.2012 during the inspection following were observed: a) Unit found in operation and engaged in mfg. of aluminium circle including melting rolling, annealing etc. b) Unit is having two oil fired pit furnace and has provided hood and channelization system over these pit furnace with height about 40 feet above ground level. c) Unit is having one PNG fired annealing furnace. d) Unit is in process of installation of one extra pit furnace. It was decided to take up the case in next CMC. This case is listed in ATR Cases.	Decision / Recommendation of Screening Committee on 14-08-2012 Implement the decision dated 13.08.2012 to grant Consent to establish with the condition to use Pit Furnace only.	17-08-2012 Implement the decision dated 13.08.2012 to grant Consent to establish with the condition to use Pit Furnace only.
7	37580	PARTAP METAL INDUSTRIES A-136 WAZIRPUR	Wazirpur Industrial Area	Orange Establish	AMNUFACTURING OF PRESSURE COOKERS AND STAINLESS STEEL		Recommendations of Scrutinizing Committee on 28-12-2011 Inspection be expedited.	23-12-2011 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House	Decision / Recommendation of Screening Committee on 14-08-2012 Status of CTO application is not appearing in the history column. File be	17-08-2012 File be put up administratively.

	11-07-2011	INDUSTRIAL AREA			UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 460 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision of Consent Management Committee on 28-12-2011 Consent to establish has already been issued. Inspection be expedited.	(3)D.G.Set: ...N/A... Earlier CMC Decision: 13.10.2011 Consent under green category be revoked. Issue consent to Operate and consent to establish. Inspection be conducted within 03 months after issuance of consent. Recommendation / Action Taken Details (EE/AEE) on 07-08-2012 As decided by the Consent Management Committee inspection conducted by the officials of DPCC on 21.06.2012 during the inspection unit found in operation and enaged in mfg. of pressure cooker with buffing/polishing and unit has installed cyclone with buffing machine.	put up administratively.	
8	37654 18-07-2011	CORNELL OVERSEAS PVT. LTD. B-235, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	READYMADE GARMENT WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 779.76 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1800 liters/day (b) Trade Effluent ---- 2000 liters/day	Recommendations of Scrutinizing Committee on 28-12-2011 Recommended for grant of consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee, requisite reports / affidavit along with consent to operate application. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated. Decision of Consent Management Committee on 28-12-2011 Issue consent to establish, if unit complies with the decision taken on file regarding submission of bank guarantee, requisite reports / affidavit along with consent to operate application. Reminder for the same be issued for compliance within 15 days, failing which, further necessary action be initiated.	23-12-2011 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...1... 320 KVA (4) Inspection details: As per decision of CMC (G) dated 23.05.11, Inspection of the unit was conducted by the DPCC officials on 06.07.11 and following were observed: 1. The unit was found in operation and engaged in the activity of Mfg. of readymade garments including washing. 2. The unit is also having one oil fired boiler in which adequate stack height has not been provided. 3. No ETP has been installed to treat the trade effluent generated from the washing section. Presently the same is being discharged into the sewer without any treatment. 4. At present the unit is having one DG set of 320 KVA which have been placed in a partially acoustically treated room. 5. One bore well existing in the premises. Unit submitted its representation on 20.07.11 and stating that at the time of application submission they were apply with an activity of without washing. After management s decision, they have purchased washing equipments but ETP was not installed dueto delay on vendor. As washing includes they are applied CTE under orange category on 18.07.11. (5) SCN u/s 31(A) and 33(A) details : issued on 21.10.11 (SCN for refusal of consent were also issued on 21.10.11) unit has submitted its reply on 15.11.11 along with an affidavit (first page unsigned and not attested by notary) & photographs of ETP stating that you installed ETP, applied for CTE on	Decision / Recommendation of Screening Committee on 14-08-2012 Recommended to inspect the unit.	17-08-2012 Inspection be conducted.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php 17-08-2012

								was carried out by officials of DPCC on 30.07.2012 and observed that:- 1. Unit found operational and engaged in the activity of trading & testing of batteries. 2. Unit has installed an ETP having 500 ltr storage/collection tanks against 400-500 ltr effluent generations per day. ETP found in operational condition. 3. one DG set of 100 KVA found installed with acoustic enclosure and 2m stack.		
10	DPCC/EC/2/1/2012/567 13-01-2012	WANG PHARMACEUTICALS AND CHEMICALS PLOT NO 41, SEC-2, PKT-C, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MFG. OF BASIC RAW MATERIAL FOR PHARMACEUTICAL FORMULATION USING BOILER. Pharmaceuticlas Formulation With Washing Operation	• Date of commissioning of project ---- 01-08-2010 • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 850 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 280 liters/day	Decision / Recommendation of Screening Committee (MS) on 20-04-2012 Inspect the unit to ascertain the exact nature of the process. Decision / Recommendation of Screening Committee on 02-04-2012 Recommended for inspection to ascertain the exact nature of the process.	28-03-2012 (1)ETP ---- N/A (2)ECS - STACK ATTACHED TO DEISEL FIRED BURNER (PROPOSED) (3)D.G.Set: 40 KVA (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Competent Authority insepction conducted by the officials of DPCC on 27.06.2012 and unit was found under establishment and no machinery found exist in the premises.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administrativley.
11	DPCC/EC/2/1/2012/811 13-02-2012	NIHARIKA PLASTIC IND PLOT NO-160, SEC-2, PKT-N, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Plastic Granules/ Dana Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 300 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day	Decision Recommended by Consent Committee of Chairman, DPCC for cases of Orange Category 2(d) on 19-04-2012 Ask the unit to clarify the relation between M/s Niharika Plastic Inds and M/s V.K. Plastic. File be put up administratively after submission of reply. Decision / Recommendation of Screening Committee on 28-03-2012 Cases be referred to Committee as per 2 (d)	21-03-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: NIL (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 16-08-2012 Issue Consent to Establish. Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 file was sent to It cell for updation of record.	Decision / Recommended under File Put up Administratively on 16-08-2012 While dealing with the case of CTO of the unit, CTE was also approved and so CTE may be issued now.	17-08-2012 Decision already taken on 05.07.2012.
12	DPCC/EC/2/1/2012/1427 20-04-2012	JUMBO INTERNATIONAL JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE	Okhla Industrial Estate	Orange Establish	FOOD PROCESSING Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1115 (in sq. meter) • Water Consumption ---- 124000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 6100 liters/day (b) Trade Effluent ---- 62500 liters/day	Decision / Recommendation of Screening Committee (MS) on 16-05-2012 Status awaited from DDA. Recommended to put up file administratively. Decision / Recommendation of Screening Committee on 10-05-2012 Recommended to put up file administratively.	08-05-2012 (1)ETP ---- installed (2)ECS - N/A (3)D.G.Set Noise Report : 3 (4) Inspection details: on 01.09.10 & following were the observations: 1. M/s Midland Fruits and Vegetable Product (India) Private Limited and M/s Jumbo International are located in Ishwar Nagar, Jumbo House Okhla Phase-III, New Delhi without separate demarcation. 2. Both the units are having common coal fired boiler and ETP. 3. Cyclone followed by ESP has been installed with the coal fired boiler	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

								which was found in operation. 4. ETP was also found in operation. 5. The units are having two bore wells. 6. The units have not converted the coal fired boiler into oil fired so far as directed vide letter dated 15.03.10. 7. One more coal fired boiler was found installed which has been directly connected to main stack without any ECS. This boiler was not in operation during the inspection. 8. The issue of conformity of unit is to be discussed. (5) Closure directions u/s 31(A) details : in accordance not to operate its coal fired boiler till 15.10.10 in view of CWG 10 and to convert it into oil fired boiler by 15.10.10, failing which direction for disconnection of electricity, water supply will be issued. Letter issued to unit on 29.09.10 to apply for CTE also essentially supported by the proof of conformity from DDA and also to remove the non-functional boiler and letter issued to DDA for conformity of the unit. As decided by the CMC (O) in its meeting held on 13.01.11, the unit has submitted BG of Rs. One Lakh under Air Act on 08.02.11 along with an affidavit. As decided by the CMC (O) in its meeting held on 13.01.11, revocation of closure direction u/s 31 (A) of Air Act & reminder to DDA were issued on 14.02.11. Unit has submitted a copy of letter along with CTE & CTO application from F.3 (288)66. MP dated 11.09.1968 issued by D.D.A. in the name of M/s THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD certifying that the plot land is designated for light manufacturing use according to Delhi Master Plan. EARLIER CMC DECISION 09-11-2010 Directions for disconnection of electricity / water supply be issued. 09-12-2010 Consent applications be refused. 13-01-2011 In view of the subsequent representation that unit has converted coal fired boiler into oil fired one. Unit be asked to submit Bank Guarantee of Rs. 1 Lakh under Air Act valid for one year. If unit does so, closure directions be revoked. For deciding the consent to operate application, reminder be sent to DDA on the conformity.	
--	--	--	--	--	--	--	--	---	--

								Recommendation / Action Taken Details (EE/AEE) on 31-07-2012 As decided file was put up administratively & as approved, Reminder letter was issued on 25.07.12 to DDA.		
13	28-04-2012	PARKASH IMPEX PLOT NO.94,BLOCK-E PHASE-II,MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Establish	dei from silicon-press moulding-silicon mould casting-furnace with zink metal -buffing-finished metal-decorationjewellery-packaging Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day		07-08-2012 Note: File was submitted online and hard copy of the application was not received till date.	Decision / Recommendation of Screening Committee on 13-08-2012 Recommended to seek from the unit to submit hard copy of consent application along with required documents.	17-08-2012 Ask the unit to submit hard copy of consent application along with required documents.
14	02-07-2012	STERLING VEHICLE AND GENERAL SALES PVT. LTD. 19, SHIVAJI MARG, MOTI NAGAR INDUSTRIAL AREA	Moti Nagar DLF Industrial Area	Orange Establish	SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 9550 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.
15	10-07-2012	SARASWATI FOOD INDUSTRIES PLOT NO 21, PKT-E, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Dall Mill. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.
16	11-07-2012	HOME (AT THE RATE) F37 (A UNIT OF RAM RESORTS & INDUSTRIES (P) LTD. F-37, EAST OF KAILASH	SOUTH	Orange Establish	Guest House. Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 772 (in sq. meter) • Water Consumption ---- 2900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 0 liters/day		14-08-2012 (1)ETP ---- ETP - Bio-logical---- installed (2)ECS - N/A (3)D.G.Set Noise Report : 1---62.5 KVA- --- (4) Inspection details: conducted on 21.11.11 w.r.t & following were observed: 1. The premises is used for the purpose of Guest House at ground floor, first floor, second floor and third floor with 21 rooms (42 beds). 2. One D.G set with 62 KVA installed at roof top with acoustic enclosure and proper stack height. 3. Channelization is provided in the	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.

17-08-2012

	20-07-2012	MILL C-72, SEC-2, DSIIDC BAWANA INDL. AREA	Industrial Area	Establish	Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil...	Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	Consent to Establish granted.
21	20-07-2012	SMT. SARITA RANA F-32, SEC-5 DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	FLOUR MILL Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	14-08-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.
22	24-07-2012	SHRI SHYAM INDUSTRIES C-453, DSIIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Establish	DALL MILL Dal Mills	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day	13-08-2012 (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.
23	27-07-2012	SIKKA AUTOMOBILE PVT. LTD. B-13, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	SERVICING OF AUTOMOBILES Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 1011 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day	13-08-2012 (1)ETP ---- proposed (2)ECS - proposed (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended for grant of Consent to Establish.	17-08-2012 Consent to Establish granted.
24	31-07-2012	SANJAY PLASTICS F-116, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	Manufacturing of LD Plastic Dana(With trade effluent discharge) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 800 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 500 liters/day	16-08-2012 (1)ETP ---- physio chemical (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil... (4) Inspection of the unit was conducted on 15.04.2011 and it was found that 1. unit was operating without consent from DPCC. 2. name of the unit was not disclosed. 3. No ETP and ECS found installed. 4. no DG set found installed. Based on the above observed	Decision / Recommendation of Screening Committee on 16-08-2012 Recommended to put up file administratively.	17-08-2012 File be put up administratively.

