



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 24 cases of Consent to Establish under orange category w.e.f. 01.06.2012 to 30.06.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 19.07.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1783 01-06-2012	INDRAPRASTHA AUTOMOBLIES PVT. LTD. H-10 DSIDC INDL. COMPLEX, ROHTAK ROAD, NANGLOI	Nangloi Industrial Area	Orange Establish	SERVICING (WASHING) OF VEHICLES Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 148.84 (in sq. meter) - Water Consumption ---- 4300 liters/day - Ground Water ---- 4300 liters/day - Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 3500 liters/day		19-06-2012 (1)ETP ---- Proposed (Trade Eff: 3.5 KLD) (2)ECS - N/A (3)D.G.Set: 10 KVA (Proposed) (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Consent to Establish.
2	DPCC/EC/2/1/2012/1784 01-06-2012	GUPTA ROLLER FLOUR MILLS G-1140, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	FLOUR MILL. Flour Mills	- Date of commissioning of project ---- 01-01-2003 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 115 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.
3	DPCC/EC/2/1/2012/1801 06-06-2012	LAMBA ENTERPRISES PVT. LTD. 9, TILAK NAGAR INDL. AREA	Tilak Nagar Industrial Area	Orange Establish	Service Station of Bikes Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 100 (in sq. meter) - Water Consumption ---- 2500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2500 liters/day		19-06-2012 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A	19-07-2012 Recommended for grant of Consent to Establish.

								(3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
4	DPCC/EC/2/1/2012/1834 08-06-2012	DURGA STEEL INDUSTRIES (UNIT-2) B-30/1 (IIIRD FLOOR), WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	manufacturing of utensils with buffing and polishing Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Unit applied for CTO on 10.07.2012 vide ID no. DPCC/EC/2/1/2012/2118.	19-07-2012 Recommended for grant of Consent to Establish.
5	DPCC/EC/2/1/2012/1835 11-06-2012	KBS INDUSTRIES PLOT NO-8A, (MCD NO. 308/7) KH. NO 322,323,324, SHAHZADABAGH INDL. AREA	Shahzada Bagh Industrial Area	Orange Establish	ELECTROPLATING JOB WORK AND MANUFACTURING OF PLASTIC DANA Electroplating Industries Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 87 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day		16-07-2012 (1)ETP ---- Proposed (trade Effluent: 400 LPD) (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.
6	DPCC/EC/2/1/2012/1860	ROSSELL HOSPITALITY	Okhla Industrial	Orange Establish	FOOD PROCESSING.			17-07-2012	19-07-2012

	12-06-2012	(DIVISION OF ROSSELL INDIA LTD) C-61, GROUND FLOOR, PHASE-I, OKHLA INDUSTRIAL AREA	Area		Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: ...82.5 KVA... proposed	Recommended for grant of Consent to Establish.
7	DPCC/EC/2/1/2012/1862 13-06-2012	ROYAL EASTERN HOSPITALITIES PVT. LTD. (PANCHSHILA RENDZVOUS COMPLEX) T-540, PANCHSHILA PARK, MALVIYA NAGAR ROAD	SOUTH	Orange Establish	RESTAURENT/BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 3553 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 5000 liters/day		17-07-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set Noise Report : 320 KVA, 160 KVA, 160 KVA, 125 KVA---- Proposed	19-07-2012 Recommended for grant of Consent to Establish.
8	DPCC/EC/2/1/2012/1874 13-06-2012	TARRO INDUSTRIES PLOT NO. 108, SEC-1, PKT-A, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MFG. OF POLYSTER ZIPPER WITH DYEING. Yarn and textile processing involving scouring, bleaching, dyeing, printing or any effluent/emission generating process. (upto 100 workers in all shifts, 1 acre of land, 100 Kld water) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day		13-07-2012 (1)ETP ---- Proposed (2)ECS - N/A Stack monitroing report shall be submitted. (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.
9	DPCC/EC/2/1/2012/1888 14-06-2012	ANSUN MULTITECH (INDIA) LTD. B-141, OKHLA INDUSTRIAL AREA, PHASE-I,	Okhla Industrial Area	Orange Establish	MFG OF ZIP FASTENERS Industry Or Process Involving Electroplattng Operations	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 1230 (in sq. meter) • Water Consumption ---- 12500 liters/day • Ground Water ---- 12500 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 10500 liters/day		17-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 320 KVA (4) Inspection details: conducted on 19.01.12 at B-141, PH-I, O.I.A & following were observed: a) Unit was found operation & engaged in the activity of Assembly, electroplating, surface finishing, phosphating & spray painting (Zipper & Zip fastners). b) Pit furnace/ other furnace not exist in the premises. c) Alloy casting and die casting not exist at this premises.	19-07-2012 Recommended for inspection.

							d) DG set of 125 KVA exist with acoustic enclosure & adequate stack height. e) ETP installed & operational. f) Bore well exist. (CGWA clearance copy enclosed). As approved, a letter was issued on 07.07.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industires Department as unit has using zinc dross for alloy casting. As approved, SCN for refusal of consent was issued on 29.07.11. Unit has submitted its reply on 12.08.11 along with the details of the unit-I at B-123 & unit -II at B-141, copy of intimation regarding ETP shifting, copy of MCD factory license, copy of excise registration and copy of 3 applications for water & air testing & informed that due to space contraint, they shifted finishing department from B-123, Ph-I, O.I.A to B-141, Ph- I, O.I.A along with surface finishing department and relocated ETP plant. During the shifting operation and relocation, Zinc Alloy Dross Processing process activity was closed down as working out the same was intensive and not feasibl.Due to negligence of the consultant, the manufacturing process/ activity was copied from the previous manufacturing process chart & inadvertently gave wrong technical details about the manufacturing activity. As approved, Consent to establish was refused & unit was asked to apply fresh CTE & CTO on 29.03.12 at the address of B-141, Ph-I, O.I.A As approved, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 29.03.12 at the address of B-123, Ph-I, O.I.A. It was also approved that inspection of the unit at B-123, Ph-I, O.I.A also be conducted w.r.t prohibited/negetive list of the Industires. Unit has submitted its reply on 11.04.12. unit has applied CTO on 14.06.12 for the address of B-123, Ph-I, O.I.A.	
10	DPCC/EC/2/1/2012/1898	ANUGRAH AGRO	Lawrence Road	Orange Establish	PROCESSING AND MANUFACTURING OF		12-07-2012	19-07-2012

	15-06-2012	GI-39, LAWRENCE ROAD INDL. AREA	Industrial Area		DALL AND BESAN. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 280 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Recommended for grant of Consent to Establish.
11	DPCC/EC/2/1/2012/1900 15-06-2012	AGGARWAL PLASTICS E-209, SEC-2, DSIIDC, BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	MANUFACTURING OF ABS PLASTIC DANA (WITH TRADE EFFLUENT DISCHARGE) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 750 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day		17-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 30- 03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection conducted on 15.01.2011 during the inspection following were observed: (a) The unit was found in operation and found engaged in mfg. of Secondary dana from ABS plastic waste. (b) Washing being carried out at ground floor and entire trade effluent was being discharged w/o any treatment. (c) ELS was found installed over entire and mixer machinery followed by as common duct leading to a stack which was inadequate in height. (d) 2 borewell found installed. (5) SCN u/s 31(A)/33(A) issued on 17.10.2011. (6) Closure directions u/s 31(A)/33(A) issued on 17.01.2012.	19-07-2012 Closure directions have been temporarily revoked on 09.03.2012. Recommended for grant of Consent to Establish and to be issued after revocation of closure directions.

12	DPCC/EC/2/1/2012/1906	K.D.R ENTERPRISES PVT.LTD. PLOT NO196,PKT-H,SEC-5 DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	FLOUR MILLS Flour Mills Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-2009 • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.
13	DPCC/EC/2/1/2012/1910	GIANIS FOODS C-86, PH-II, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	Manufacturing of Ice Cream. Ice-cream	• Date of commissioning of project ---- • Built Up Area ---- 459.87 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 2000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 4000 liters/day		15-07-2012 (1)ETP ---- N/A Trade Eff: 4 KLD (2)ECS - N/A (3)D.G.Set: 120 KVA (Proposed) (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Consent to Establish.
14	DPCC/EC/2/1/2012/1911	SITOTIA IMPEX PVT. LTD B-30/1, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		12-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.
15	DPCC/EC/2/1/2012/1916	A.K.R SPICES C-145 C, (BACK	Naraina Industrial Area	Orange Establish	MFG. OF SPICES (GRINDING)			22-06-2012 (1)ETP ---- N/A	19-07-2012 Recommended for grant of Consent to

	19-06-2012	SIDE), PH-I, NARAINA INDL. AREA	Phase - I		Spice Grinding	- Date of commissioning of project ---- - Built Up Area ---- 59 (in sq. meter) - Water Consumption ---- 100 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Establish.
16	DPCC/EC/2/1/2012/1940 21-06-2012	ARIHANT METALS 17, G.T. KARNAL ROAD, SSI INDL. AREA	S.S.I Industrial Area	Orange Establish	ALUMINIUM CASTING, RE-ROLLING AND CIRCLE CUTTING Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	- Date of commissioning of project ---- - Built Up Area ---- 538 (in sq. meter) - Water Consumption ---- 320 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 0 liters/day	13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	19-07-2012 Recommended for inspection.
17	DPCC/EC/2/1/2012/1942 21-06-2012	LAXMI FOOD PLOT NO. 20-21, SEC-3, PKT-F, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	DALL MILL Dal Mills	- Date of commissioning of project ---- - Built Up Area ---- 500 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	13-07-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	19-07-2012 Recommended for grant of Consent to Establish.
18	DPCC/EC/2/1/2012/1944 21-06-2012	EXOTIC BLUSES B-150, BASEMENT AND GROUND FLOOR, PH-I, MAYAPURI INDL. AREA	Mayapuri Industrial Area	Orange Establish	WASHING AND DYEING OF READYMADE GARMENTS Readymade Garment (With Washing/Dyeing) with Boiler	- Date of commissioning of project ---- - Built Up Area ---- 334.45 (in sq. meter) - Water Consumption ---- 14000 liters/day - Ground Water ---- 12000 liters/day - Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 8500 liters/day	16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Consent to Establish.
19	DPCC/EC/2/1/2012/1946 21-06-2012	SHREE BALAJI PLASTICS E-286, SEC-2, DSIIDC BAWANA INDL.	Bawana Industrial Area	Orange Establish	MANUFACTURING OF LD PLASTIC DANA AND HDPE PIPE (WITH TRADE EFFLUENT DISCHARGE)		17-07-2012 (1)ETP ---- physicochemical treatment (a) AR dated 30.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03-	19-07-2012 Recommended for grant of Consent to Establish.

		AREA			Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day		2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set:nil (4) Inspection conducted on 10.05.2011 during the inspection following were observed: (a) The unit was found in operation and was found engaged in Secondary LD Dana and HDPE pipe. (b) Washing of LD scrap was being carried out on the roof top and entire trade effluent being discharged into the drain without treatment. (c) No emission control measures were taken on the extruder and mixer machine. (5) SCN u/s 31(A)/33(A) issued on 17.10.2011. (6) Closure directions u/s 31(A)/33(A) issued on 17.01.2012 Revocation of closure directions u/s 31(A)/33(A) issued on 05.03.2012.	
20	DPCC/EC/2/1/2012/1941 22-06-2012	PARTAP FOOD INDUSTRIES PLOT NO.121, PKT-A, SEC-4 DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	19-07-2012 Recommended for grant of Consent to Establish.
21	DPCC/EC/2/1/2012/1943 22-06-2012	SINGHLA FOOD PRODUCTS PLOT NO.5, PKT-C, SEC-3, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Establish	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (b) Stack analysis report Proposed (3)D.G.Set: nil (4) Inspection details:no	19-07-2012 Recommended for grant of Consent to Establish.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details :no	
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
22	DPCC/EC/2/1/2012/1987 26-06-2012	SINGLA PLASTICS E-292, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	MANUFACTURING OF LD PLASTIC DANA (WITH TRADE EFFLUENT DISCHARGE). Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 240 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day	17-07-2012 (1)ETP ---- physicochemical treatment (a) AR dated 30.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set:nil (4) Inspection conducted on 16.05.2011 during the inspection following were observed: (a) The unit was found in operation engaged in manufacture of LD Dana Secondary. (b) Washing was being carried out and entire trade effluent was being discharged directly to the sewer. (c) No ECS was found installed. (d) One borewell was found installed. (5) SCN u/s 31(A)/33(A) issued on 17.10.2011. (6) Closure directions u/s 31(A)/33(A) issued on 17.01.2012. Revocation of closure directions u/s 31(A)/33(A) issued on 05.03.2012.	19-07-2012 Recommended for grant of Consent to Establish.
23	DPCC/EC/2/1/2012/1991 26-06-2012	SHRI HANUMAN FOOD PRODUCT PLOT NO 32-35, POCKET-M, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	16-07-2012 (1)ETP ---- N/A . (2)ECS - N/A (b) Stack analysis report shall be submitted.	19-07-2012 Recommended for grant of Consent to Establish.

								(3)D.G.Set: nil	
								(4) Inspection details:no	
								(5) SCN u/s 31(A)/33(A)/5 of EPA details :no	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
24	DPCC/EC/2/1/2012/1992	LALITA FOOD PRODUCTS PLOT NO 11, POCKET-O, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	DALL MILL Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set: ...Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish.