



CONSENT MANAGEMENT

Agenda No 2 - Annexure I - 47 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 01.06.2012 to 30.06.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2b category) on 19.07.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1792 05-06-2012	ALLIED INDUSTRIES A-2/3, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PVC COLOR GRANULES Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 276 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 22-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
2	DPCC/EC/2/1/2012/1794 05-06-2012	SUPER INDUSTRIES M-43, SEC-I, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF RUBBER GOODS AND PLASTIC GOODS. Plastic Processed Goods Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 130 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 30 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 17-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material with the condition that unit will also comply with the provisions of new notification for rubber industries.

								details :no	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
								Old file is not traceable.	
3	DPCC/EC/2/1/2012/1796	BLUE HEAVEN COSMETICS PVT LTD. 39,MOTI NAGAR DLF INDUSTRIAL AREA ,KIRTI NAGAR	Kirti Nagar Industrial Area	Orange Renewal	PERFUMERY AND COSMETICS. Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process - Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks)	• Date of commissioning of project ---- • Built Up Area ---- 744 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		21-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted.
4	DPCC/EC/2/1/2012/1797	BLUE HEAVENS COSMETICS PVT. LTD. C-158, NARAINA INDUSTRIAL AREA, PHASE-1	Naraina Industrial Area Phase - I	Orange Operate	PERFUMERY AND COSMETICS. Manufacturing/formulation of Perfumery and Cosmetics (Not involved in the process - Production and /or industrial use of solvents and Production and/or industrial use of paints, pigments, lacquers ,varnishes, plastics and inks)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		18-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Consent to Operate granted.
5	DPCC/EC/2/1/2012/1798	GUPTA LAMINATION PLOT NO.-76,	Bawana Industrial Area	Orange Operate	MFG. OF ELECTRIC WIRE AND CABLES. Electrical Wire And Cables			13-07-2012 (1)ETP ---- N/A (2)ECS - N/A	19-07-2012 Consent to Operate granted.

	06-06-2012	POCKET-E, SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA			(Upto 100 Workers, 2000 Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
6	DPCC/EC/2/1/2012/1799 06-06-2012	S.K.LOGISTICS B-18 OKHLA INDUSTRIAL AREA,PHASE-II	Okhla Industrial Area	Orange Operate	COLD STORAGE AND REFRIGERATION. Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent	• Date of commissioning of project ---- 04-07-2011 • Built Up Area ---- 380 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		18-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 05-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 05-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Unit has online applied for CTE on 03.05.11. As approved, letter was issued to the unit on 19.09.11 to submit the documents Unit has submitted a representation on 19.09.11 along with online payment receipt, affidavit, copy of online application , project report , layout plan & location plan. Unit has also submitted a letter stating that there are some amendments (i.e., Manufacturing process, residential address, Gross capital investment, Built up area, & sanction power lad) mentioned to form filled online. In CTE application, Gross capital investments: 7,50,00,000 in affidavit & 44990000 in online application form. Unit has submittted Rs.25608.43 /- (as per 44990000 gross capital investment) as a DPCC fee through online instead of Rs. 50000 /- (as 75000000 as gross capital investment) As approved, a letter was issued on 08.11.11 for submission of clarification along with documantary proof w.r.t gross capital investment. Unit has submitted its reply on 02.12.11 along with the balance amount fee.	19-07-2012 Consent to Establish and Consent to Operate granted with the condition to comply with MSIHC Rules 1989 in respect of use of ammonia.
7	DPCC/EC/2/1/2012/1810	ATUL	Bawana	Orange	Mfg. of Plastic Products				19-07-2012

	07-06-2012	ENTERPRISES L-18, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Industrial Area	Operate	(lamination film) Plastic Processed Goods	- Date of commissioning of project ---- 12-02-2006 - Built Up Area ---- 210 (in sq. meter) - Water Consumption ---- 300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Consent to Operate granted without using plastic scrap as a raw material.
8	DPCC/EC/2/1/2012/1811 07-06-2012	HARYANA INDUSTRIES G-234, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC COMPOUND. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	- Date of commissioning of project ---- - Built Up Area ---- 150 (in sq. meter) - Water Consumption ---- 200 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material.
9	DPCC/EC/2/1/2012/1812 07-06-2012	MADAN PLASTIC WORKS K-91, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	mfg.of Plastic Products and Plastic Moulds. Plastic Processed Goods	- Date of commissioning of project ---- 05-01-2004 - Built Up Area ---- 99.36 (in sq. meter) - Water Consumption ---- 150 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material.
10	DPCC/EC/2/1/2012/1816 08-06-2012	FOOTWEAR (INDIA) A-21/15, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	mfg. of pvc footwear. PVC Footwear (Using Fresh Raw Material)	- Date of commissioning of project ---- 01-01-1965 - Built Up Area ---- 250 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		19-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 23-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted.
11	DPCC/EC/2/1/2012/1817	SHASHANK MITTAL	Friends Colony	Orange Operate	Manufacturing of Copper Wire Drawing.			17-07-2012	19-07-2012

	08-06-2012	340/38,GALI NO 1B FRIENDS COLONY INDUSTRIAL AREA	Industrial Area	Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 168 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection of M/s JOGINDER KHANEJA conducted on 09.10.10 & it was observed that no ECS was found installed with super enamelling plant in the premises for varnish coating. (5) Closure directions u/s 31(A) details :issued on 20.10.10 to M/s JOGINDER KHANEJA (FIRST FLOOR), 340/38, Gali No-1-B, Friends Colony Industrial Area, Delhi-95. As decided by the CMC (O) in its meeting held on 02.11.11, letters were issued on 19.12.11 for seeking compliance from the concerned authority i.e., discom, DJB & SDM for effective closure of the unitM/s Joginder Khaneja/Shashank Mittal. A representation was received from Smt. Sunita Mittal, Owner of the premises. The landlady requested for revocation of closure direction & confirmed on an affidavit that the polluting unit & activity has been removed from the premises & now, her son Mr. Shashank Mittal is operating a unit namely M/s SHASHANK MITTAL for activity of copper wire drawing & have obtained consent to establish from DPCC on 05.04.11. She further informed that they are in the process of applying Consent To Operate. As approved, temporary revocation was issued on 29.05.12 for submission of application of CTO. Unit has submitted its reply on 19.06.12 stating that they have applied for CTO & HWM authorization on 08.06.12. As approved, revocation of closure directions was issued on 12.07.12. EARLIER CMC DECISION 16.03.11 Issue consent to establish with the stipulations of MPD-2021 regarding number of workers and plot area. 02.11.11 Ask the compliance from discom & DJB and also ask the SDM for effective closure of the unit.	Consent to Operate and Authorization under HWM Rules granted.
--	------------	--	-----------------	---	---	---	---

12	DPCC/EC/2/1/2012/1829	SACHIN INDUSTRIES PLOT NO. 45, PKT-H, SEC-I, DSIDC INDL. COMPLEX, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC PRODUCTS (PVC PIPES) Plastic Processed Goods	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 15 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 0 liters/day (b) Trade Effluent ---- 10 liters/day		16-07-2012 (1)ETP ---- N/A . (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material.
13	DPCC/EC/2/1/2012/1830	AGGARWAL METAL INDUSTRIES A-288M, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF PVC MOULDED GOODS. Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 85 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
14	DPCC/EC/2/1/2012/1831	BINDAL TRADING CO. A-288, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	MANUFACTURING OF PVC PRODUCTS (COMPOUND). Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 320 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A . (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
15	DPCC/EC/2/1/2012/1844	M.C.I. CABLE CORPORATION 340/23, G.NO. 1B FRIENDS	Friends Colony Industrial Area	Orange Operate	MFG. OF PVC WIRE AND CABLES Electrical Wire And Cables (Upto 100 Workers, 2000			17-07-2012 (1)ETP ---- N/A (2)ECS - N/A	19-07-2012 Consent to Operate granted.

	11-06-2012	COLONY INDL. AREA SHAHDARA			Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 167 (in sq. meter) • Water Consumption ---- 170 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(3)D.G.Set: ...N/A... As decided by the screening committee on 25.06.12, CTE was issued on 11.07.12 EARLIER CMC DECISION 25-06-2012 (2b) Consent to Establish granted.	
16	DPCC/EC/2/1/2012/1848 11-06-2012	MEMBRANE TYRES PVT LTD PLOT-56, FIE, PATPARGANJ INDUSTRIAL AREA, DELHI-92	Patparganj Industrial Area	Orange Renewal	PRECURED TYRE RETREDING Tyre Retreading (With Boiler)	• Date of commissioning of project ---- • Built Up Area ---- 446 (in sq. meter) • Water Consumption ---- 105 liters/day • Ground Water ---- 105 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 24-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: Conducted on 29.11.06 & following were observed: a) Unit found in operation. b) Unit is engaged in the activity of tyre retreading. c) Unit had installed dust collector attached to buffing machine As approved, SCN u/s 25/26 of the Water Act & 21 of the Air Act was issued on 27.10.06. unit has submitted its reply on 03.11.06 & stating that they are in the process of applying CTR. Unit has applied CTR on 24.06.09 vd ID 30451.	19-07-2012 Renewal of Consent to Operate granted.
17	DPCC/EC/2/1/2012/1850 11-06-2012	S.L. INDUSTRIES F-57, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Mfg. of Plastic Goods Along with sheet Metal Component Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 83.68 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes .	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

								(4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
18	DPCC/EC/2/1/2012/1854 12-06-2012	J.B. METAL INDUSTRIES E-718, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	ALUMINIUM ROLLING AND ALUMINIUM CUTTING. Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 25 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to operate granted without casting.
19	DPCC/EC/2/1/2012/1864 13-06-2012	LAXMI ENTERPRISES B-3, PHASE-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	Stainless Steel Re Rolling (Hot) Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 250.83 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		20-06-2012 (1)ETP ---- N/A (2)ECS - stack attached with furnace. (b) Stack monitoring report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	19-07-2012 Consent to Operate granted.
20	DPCC/EC/2/1/2012/1865 13-06-2012	ROOP FURNACE B-41, GROUP WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	ANNEALING OF STAILESS STEEL SHEET Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		12-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 19-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection conducted on 05.08.2011 during the inspection following were observed: (a) Unit namely M/s Roop Furnace not existing at the site as informed by locally shifted to other place. (b) Other two unit namely M/s Pankaj Gupta engaged in the activity of cold-rerolling was operating at the ground floor and other unit namely M/s Capital Metal work owned by Mr. Ravinder engaged in cold-rerolling operating at the same address i.e. B-41 group W.I.A. Both units are operating without applying any consent. (5) SCN u/s 31(A)/33(A)/5 of EPA	19-07-2012 File be put up administratively.

								details :no	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
21	DPCC/EC/2/1/2012/1866 13-06-2012	JAIN COLOURS MANUFACTURES & SUPPLIERS PLOT NO 182, POCKET -K, SECTOR-2, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	Mfg. of Plastic Dana and Plastic Products (without reprocessing) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material.
22	DPCC/EC/2/1/2012/1871 13-06-2012	B K POLYMERS A-12/4, NARAINA INDUSTRIAL AREA PHASE - I	Naraina Industrial Area Phase - I	Orange Renewal	Polythene Film (80 Microns to 200 Microns) Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- • Built Up Area ---- 219 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted without mfg. of plastic bags.
23	DPCC/EC/2/1/2012/1872 13-06-2012	KAMAL POLYMERS 69/5, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	PVC COMPOUND/PLASIC GRANULES Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 800 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
24	DPCC/EC/2/1/2012/1873 13-06-2012	VEERAN PLASTIC INDUSTRIES 7, DSIDC SHED, SCHEME-III, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Mfg. of Plastic Tubes (for industrial Packaging Use only) Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 169.55 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		17-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 07.05.10, CTE was issued on 04.06.10. EARLIER CMC DECISION 07.05.10 Issue consent to establish with the condition that the unit will comply with the provisions of The Delhi Degradable Plastic Bag Act, 2000 envisaging the minimum thickness of plastic bag as 40 micron and size as 8 X 12.	19-07-2012 Renewal of Consent to Operate granted without mfg. of plastic bags.
25	DPCC/EC/2/1/2012/1875 13-06-2012	SUCHI ENTERPRISES PLOT NO 303, SEC-3, PKT-F, DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	manufacturing of PLASTIC PRODUCT. Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		20-06-2012 (1)ETP ---- N/A (2)ECS - stach attached with extruder. (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	19-07-2012 File be put up administratively.
26	DPCC/EC/2/1/2012/1897 15-06-2012	A.P. INDUSTRIES B-14/4, SHAHDARA JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Renewal	MFG. OF PVC WIRE AND CABLE AND PVC COMPOUND (FRESH). Electrical Wire And Cables (Upto 100 Workers, 2000 Sqm Plot) Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
27	DPCC/EC/2/1/2012/1909 18-06-2012	RAJ KUWAR SINGH B-34, LAWRANCE ROAD INDL. AREA	Lawrence Road Industrial Area	Orange Operate	MANUFACTURING OF PLASTIC FOOTWEARS PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 74.32 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 300 liters/day		20-06-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... REMarks: Channelization system is not provided over injection moulding machine.	19-07-2012 Consent to Operate granted.
28	DPCC/EC/2/1/2012/1918	GAUTAM CHEMICAL COMPANY	Bawana Industrial Area	Orange Operate	Mfg. of Wire and Cables. Electrical Wire And Cables (Upto 100 Workers, 2000			13-07-2012 (1)ETP ---- N/A	19-07-2012 Consent to Operate granted.

	19-06-2012	B-54,SECTOR-4,DSIDC BAWANA INDUSTRIAL AREA			Sqm Plot)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
29	20-06-2012	J.D. ALLOYS PLOT NO-25, SEC-1, PKT-A, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING AND DRAWING OF COPPER WIRE (WITHOUT FURNACE) Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate and Authorization under HWM Rules granted.
30	20-06-2012	JAGAN PRASHAD SHED NO. 2, B-45, JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	MFG. OF REPROCESSED PVC GRANULES AND OTHER INJECTION MOULDING ITEMS. (WITHOUT WASHING ACTIVITY) Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 80 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		19-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 11-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: Dated 20.11.10 and it was observed that: a) the unit was operating without obtaining CTE & CTO from DPCC. b) The unit is engaged in the activity of mfg. of PVC granules and have not provided chanelization system/ emission control system thereby causing the air pollution. (5) SCN u/s 31(A) of Air Act issued on 21.03.11. However, no reply has been recieved from the unit. (6) Closure directions u/s 31(A)/33(A) was issued on 22.11.11. Unit has submittd its reply on15.12.2011 informing that they have taken the anti pollution control measures by providing channelization and a stack. Further the unit has also stated that they will apply for CTE/CTO after getting monitoring report.	19-07-2012 File be put up administratively.

23-07-2012

	21-06-2012	ROAD INDL. AREA			Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 42 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
33	DPCC/EC/2/1/2012/1950 21-06-2012	SUBHASH CHAND WADHWA A-182 DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	MANUFACTURING OF PLSTIC PRODUCTS (PLASTIC TRIPAL AND AGRICULTURE PIPE). Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1992 • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 125 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted without using plastic scrap as a raw material.
34	DPCC/EC/2/1/2012/1953 21-06-2012	EXCELLENT POWER CABLE (PVT) LTD F-72,SECTOR-2, DSIDC,BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFg. of Aluminium Wire AC and SR Conductor (Aluminium Wire drawing) Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted.
35	DPCC/EC/2/1/2012/1978 25-06-2012	P.K. TECHNO PROJECT PVT. LTD. D-43, GTK ROAD, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	ENGINEERING GOODS VIZ. RUBBER PARTS AND RAIL TRACK PARTS Expanded Metal With Hot Process with Boiler Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - (a) Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes . Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 160 KVA and 75 KVA. Noise monitoring report	19-07-2012 Renewal of Consent to Operate granted with the condition that unit will also comply with the provisions of new notification for rubber industries.

								dated 22-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
36	DPCC/EC/2/1/2012/1979 25-06-2012	T.N.B (INDIA) PLASTIC PVT. LTD E-173, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 135 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Renewal of Consent to Operate granted.
37	DPCC/EC/2/1/2012/1980 25-06-2012	PANNA LAL KANHIYA LAL BANSAL D-43-A, GTK ROAD, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	ENGINEERING GOODS V/Z. RAIL TRACK PARTS (ELASTIC RAILS CLIPS) Expanded Metal With Hot Process with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted.
38	DPCC/EC/2/1/2012/1981	TRUE SAFE	Bawana	Orange	MFG.PLASTIC PRODUCTS				19-07-2012

	25-06-2012	INDUSTRIES D-279, SEC-5, DSIIDC, BAWANA INDL. AREA	Industrial Area	Operate	AND ENGG.WORKS Plastic Processed Goods	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection conducted on 18.10.2011 (5) SCN u/s 31(A) was issued on 18.05.2012	Consent to Operate granted without using plastic scrap as a raw material.
39	26-06-2012	POONAM PLASTIC PRODUCTS A-76/1, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF PVC PRODUCT (PLASTIC TUBES). Manufacturing of PVC Granules and Other Injection Moulded Items (Without Reprocessing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A . (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 19- 03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
40	26-06-2012	CHANCHAL DIES & PLASTIC PLOT NO. 103, SECTOR-5, POCKET-P, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MFG. OF PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 50 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Consent to Operate granted.
41	26-06-2012	AJIT ENGINEERING WORKS G-1123, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	PLASTIC PRODUCTS (MOULDED GOODS) Plastic Processed Goods	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 60 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted without using plastic scrap as a raw material.
42		AMTI COMPANY PLOT NO.2,	Kirti Nagar Industrial Area	Orange Operate	MFG. OF RUBBER PRODUCTS.			15-07-2012 (1)ETP ---- N/A	19-07-2012 Consent to Operate granted with the

	27-06-2012	STREET NO.4, KIRTI NAGAR INDUSTRIAL AREA			Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 190 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		(2)ECS - N/A (b) Stack monitoring report dated 08-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	condition that unit will also comply with the provisions of new notification for rubber industries.
43	27-06-2012	PRINCE INDUSTRIES T-4/17, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Old file is not traceable.	19-07-2012 Renewal of Consent to Operate granted.
44	27-06-2012	ARUN POLYMERS T-4/17, PHASE-I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	PVC FOOTWEAR PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Renewal of Consent to Operate granted.
45	27-06-2012	SANJEEV PLASTIC INDUSTRIES T-2/136, PHASE I, MANGOLPURI INDUSTRIAL AREA	Mangolpuri Industrial Area	Orange Renewal	PVC FOOTWEAR. PVC Footwear (Using Fresh Raw Material)	• Date of commissioning of project ---- • Built Up Area ---- 104 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5	19-07-2012 Renewal of Consent to Operate granted.

46	DPCC/EC/2/1/2012/2007	PLASTO FILMS 124, DSIDC SHEDS, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	MANUFACTURING OF POLYTHENE FILMS AND BAGS. Polythene, Plastic and PVC Goods through Extrusion Moulding (Without Use of Scrap)	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 111.53 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 0 liters/day		of EPA details :no 19-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: condcuted on 22.01.09 & following were observed: a) Unit is involved in the manufacturing of plastic bags only with size (10 x 18) and (20 x 36). b) Unit is using virgin plastic granules. c) No recycling process found at the premises. d) No printing is going on there. e) The plastic granule is ISI marked. As decided by the CMC (O) in its meeting held on 04.03.09, SCN was issued on 16.04.09 as to why the unit be not closed for non compliane of order dated 07.08.2008 passed by Hon ble High court of Delhi. Unit applied for authorization for Plastic bags on 06.02.09 vd ID 208. Unit submitted a letter on 13.04.11 along with Sales tax registration, Excise registration & Partner ship deed stating that the unit has change the name to Plastofilms EARLIER CMC DECISION 04.03.09 Issue SCN for closure. Call on 22.04.2009. 26.08.11 Put up in next CMC.	19-07-2012 File be put up administratively.
47	DPCC/EC/2/1/2012/2015	SMT. SANGEETA JAIN 458-466, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Renewal	COPPER WIRE DRAWING Copper Wire Drawing Without Super Enamelling, pickling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 86 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		18-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A...	19-07-2012 Unit has obtained CTE on 17.05.2004. Consent to Operate and Authorization under HWM Rules granted.