



CONSENT MANAGEMENT

Agenda No 2 - Annexure II - 31 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 01.06.2012 to 30.06.2012 excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 17.09.2012.

Generate PDF

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	DPCC/EC/2/1/2012/1785 01-06-2012	GROVER PLATERS SHOP NO. 4, F-BLOCK, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 12 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 240 liters/day		19-06-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated April, 2009 issued by GGSIPU submitted. (b) Effluent analysis report dated 18-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (b) Stack monitoring report dated 18-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
2	DPCC/EC/2/1/2012/1786	G.D. FOODS MFG. (INDIA) PVT. LTD.	S.S.I Industrial Area	Orange Renewal	MANUFACRING OF FOOD PRODUCTS. Pickles, Chutney &			13-07-2012 (1)ETP ---- Physio-chemical (a) AR dated 18.04.2012 issued by DTU	19-07-2012 Recommended for grant of Renewal of Consent to Operate.

	01-06-2012	32 , S.S.I INDUSTRIAL AREA			Murabba	• Date of commissioning of project ---- • Built Up Area ---- 1212 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 900 liters/day (b) Trade Effluent ---- 600 liters/day		submitted. (b) Effluent analysis report dated 18-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA AND 83 KVA KVA. Noise monitoring report dated 18-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Old file is not traceable.	
3	DPCC/EC/2/1/2012/1790 04-06-2012	K.G. POLYMERS C-521, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	PVC GRANULES REPROCESSING (WITHOUT WASHING). Manufacturing Of Reprocessed PVC Granules and Other Injection Moulded Items (Using Scrap as Raw Material Without Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 07-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Old file is not traceable.	19-07-2012 Recommended for grant of Renewal of Consent to Operate.
4	DPCC/EC/2/1/2012/1803 07-06-2012	SWARUP MOTORS PVT. LTD. 186-187, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Renewal	AUTOMOBILE SERVICE AND REPAIRS (TWO WHEELERS). Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 3700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2700 liters/day		16-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedOctober, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	19-07-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. SCN for refusal of consent was issued on 21.06.06. As decided by the CMC (O) in its meeting held on 21.01.09, Authorization was issued on 09.02.09. EARLIER CMC DECISION 10.09.2008 Ask the unit to file fresh adequacy report. Call on 07.10.2008. 07.10.2008 Issue reminder. Call on 06.11.2008 06.11.2008 Ask the unit to file Bank Guarantee of Rs. 50,000 each under Water Act & HWM Rules. Call on 17.12.2008 18.12.2008 Issue final reminder for Bank Guarantee. Call on 21.01.2009 21.01.2009 Authorization granted.	
5	DPCC/EC/2/1/2012/1804 07-06-2012	INVITATION CERAMONIAL B-52,G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Operate	BANQUET HALL. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 610 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 850 liters/day (b) Trade Effluent ---- 3000 liters/day		13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 15.12.2012 issued by GGSIU submitted. (b) Effluent analysis report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5, 125 KVA. Noise monitoring report dated 09-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Establish and Consent to Operate.
6	DPCC/EC/2/1/2012/1805	BENLON INDIA LTD.	Wazirpur Industrial Area	Orange Renewal	SYNTHETIC YARN DYEING			13-07-2012 (1)ETP - pysico-chemical	19-07-2012 Recommended for grant of Renewal of

	07-06-2012	A-68, GROUP WAZIRPUR INDUSTRIAL AREA			Yarn and textile processing involving scouring, bleaching, dyeing, printing or any effluent/emission generating process. (upto 100 workers in all shifts, 1 acre of land, 100 Kld water) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 111000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 110500 liters/day	(a) AR dated 27.02.2009 issued by DTU submitted. (b) Effluent analysis report dated 05-06-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 09-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 75 KVA and 125 KVA. Noise monitoring report dated 16-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Old file is not traceable.	Consent to Operate and Authorization under HWM Rules.
7	DPCC/EC/2/1/2012/1813 07-06-2012	TRIMURTI FRAGRANCES PVT. LTD. UNIT-4 PLOT NO 104, FIE, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	MANUFACTURING OF GUTKHA Gutka /Supari (Betelnut) Grinding	• Date of commissioning of project ---- • Built Up Area ---- 270 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 0 liters/day	18-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 25.05.12 issued by DTU submitted. (b) Stack monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection was conducted w.r.t a public complaint on 09.05.12 & following were observed: A. The unit is found in operation and engaged in activity of Mfg. of pan Gutkha by the brand name Shikhar Gutkha. B. The unit is using paper pouches (coated with aluminum foil) for packing of their product. Thereafter, 60 pouches are packed in plastic packet and then such 25 plastic packed into plastic carry bag (sample of each pouch, packet and carry bag are enclosed here with).	19-07-2012 Recommended to take action as decided in file.

								C. The unit has not installed emission control system with the mixing and grinding section/ process. D. The unit has not obtained consent to establish and consent to operate from DPCC. (5) SCN u/s 31(A) issued on 23.05.2012. Unit has submitted its reply on 07.06.12 stating that they have installed Dust collector system & it was also mentioned that they are not using any type of plastic bags after the day of inspection. File is under Submission EARLIER CMC DECISION 05-07-2012 (2c) File be put up administratively.	
8	DPCC/EC/2/1/2012/1824 08-06-2012	VEER SANITARY APPLIANCES PVT. LTD. B-10/3, GROUP, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	SHEET METAL BATHROOM ACCESSORIES. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 334.4 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Cyclone (a) AR dated 18.12.2010 issued by GGSIU submitted. (b) Stack monitoring report dated 05-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 14-02-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Operate.
9	DPCC/EC/2/1/2012/1843 11-06-2012	BALA JEE METALTEK PVT. LTD. SHED NO. A-1, DSIIDC JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Operate	mfg.of aluminium sheets and circles Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)			16-07-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 03.05.12 issued by DTU submitted.	19-07-2012 Recommended for inspection.

						• Date of commissioning of project ---- • Built Up Area ---- 151 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 50 liters/day • (b) Trade Effluent ---- 0 liters/day		(b) Stack monitoring report dated 03-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 09.05.12, CTE was issued on 29.05.12 by using pit furnace. EARLIER CMC DECISION 09-05-2012 (2c Case) Consent to Establish granted by using Pit Furnace only.	
10	DPCC/EC/2/1/2012/1845 11-06-2012	ROUTE O 4 RESTAURANT (A UNIT OF M/S TRINITY HOTELS AND RESORSTS PVT. LTD. K-2, MIDDLE CIRCLE, CONNAUGHT PLACE	NEW DELHI	Orange Operate	RESTAURANT AND BAR Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 576 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 1000 liters/day • (b) Trade Effluent ---- 3000 liters/day		16-07-2012 (1)ETP ----Physico-chemical (a) AR dated 16.05.2012 issued by DTUsubmitted. (b) Effluent analysis report dated 16-05- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 16- 05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No . (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Consent to Operate.
11	DPCC/EC/2/1/2012/1877 13-06-2012	TARRO INDUSTRIES PLOT NO 286- 287,SEC-3 PKT- D,DSIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MFG. OF ZINC SLIDER WITH ELECTROPLATING AND PAINTING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 3500 liters/day • Waste Water generation • (a) Domestic Effluent ---- 400 liters/day • (b) Trade Effluent ---- 2500 liters/day		13-07-2012 (1)ETP ---- Physico-chemical (a) AR dated 28.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 28-03- 2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (b) Stack monitoring report dated 28- 03-2012 issued by DELHI COLLEGE OF	19-07-2012 Recommended for inspection.

					Spray Painting, Paint Baking, Paint Stripping			ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
12	DPCC/EC/2/1/2012/1882 13-06-2012	PERFECT INDUSTRIES A-7, GROUP, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	STAINLESS STEEL UTENSILS(WITH BUFFING) Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 240 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		16-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 16.03.2012 issued by DTU submitted. (b) Stack monitoring report dated 16-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set: NIL (4) Inspection conducted on 11.07.2012, during the inspection ECS found operational. (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Operate.
13	DPCC/EC/2/1/2012/1886 14-06-2012	MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. M-34 GREATER KAILASH-I	SOUTH	Orange Operate	HOSPITALITY. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average	• Date of commissioning of project ---- • Built Up Area ---- 975.36 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 2200 liters/day		17-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated09.02.11..... issued byDTU..... submitted. (b) Effluent analysis report dated 29-05-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	19-07-2012 Recommended to put up file administratively.

					Production Of More Than 1tonne/Day)			(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-06-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 29.12.11, CTE & letter to apply for CTO were issued on 18.01.12. Unit has submitted its reply on 12.03.12 stating that there are two IDs created in the software in the name of M/s HOLOSTIK ENTERTAINMENT PVT LTD (MOCHA) & M/s MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. both the IDs are for the same company & requested to change it one. Unit has applied CTE in the name of M/s MOCHA. COFFEE & CONVERSATIONS ENTERTAINMENT PVT. LTD. but now, unit has applied CTO in the name of M/s M/s HOLOSTIK ENTERTAINMENT PVT LTD(MOCHA). EARLIER CMC DECISION 29-12-2011 Issue consent to establish and ask the unit to apply for consent to operate within 90 days, failing which, closure action will be initiated.	
14	DPCC/EC/2/1/2012/1887 14-06-2012	ANSUN MULTITECH (INDIA) LTD B-123, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	MFG. OF ZIP FASTENERS AND COMPONENTS. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- 01-01-1994 • Built Up Area ---- 1273 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 500 liters/day		18-07-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 25.05.12 issued by DTU submitted. (b) Stack monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: approved but not inspected. Unit has submitted its reply on 12.08.11 along with the details of the unit-I at B-123 & unit -II at B-141, copy of intimation regarding ETP shifting, copy of MCD factory license, copy of excise	19-07-2012 Recommended to expedite inspection.

							registration and copy of 3 applications for water & air testing & informed that due to space constraint, they shifted finishing department from B-123, Ph-I, O.I.A to B-141, Ph- I, O.I.A along with surface finishing department and relocated ETP plant. During the shifting operation and relocation, Zinc Alloy Dross Processing process activity was closed down as working out the same was intensive and not feasibl.Due to negligence of the consultant, the manufacturing process/ activity was copied from the previous manufactring process chart & inadvertently gave wrong technical details about the manufacturing activity. As approved, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 29.03.12 at the address of B-123, Ph-I, O.I.A. It was also approved on 12.03.12 that inspection of the unit at B-123, Ph-I, O.I.A also be conducted w.r.t prohibited/negative list of the Industires.	
15	DPCC/EC/2/1/2012/1889 14-06-2012	ANSUN MULTITECH (INDIA) LTD. B-141, OKHLA INDUSTRIAL AREA, PHASE-I,	Okhla Industrial Area	Orange Operate	MFG OF ZIP FASTENERS Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- 01-01-1995 • Built Up Area ---- 1230 (in sq. meter) • Water Consumption ---- 12500 liters/day • Ground Water ---- 12500 liters/day • Waste Water generation (a) Domestic Effluent ---- 2000 liters/day (b) Trade Effluent ---- 10500 liters/day	18-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated25.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which are within beyond prescribed limit. Outlet tempreture of ETP is given in test report as 39 C. (2)ECS - N/A (a) Stack monitoring report dated 25-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 25-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 19.01.12 at B-141, PH-I, O.I.A & following were observed:	19-07-2012 Recommended for inspection.

											a) Unit was found operation & engaged in the activity of Assembly, electroplating, surface finishing, phosphating & spray painting (Zipper & Zip fastners). b) Pit furnace/ other furnace not exist in the premises. c) Alloy casting and die casting not exist at this premises. d) DG set of 125 KVA exist with acoustic enclosure & adequate stack height. e) ETP installed & operational. f) Bore well exist. (CGWA clearance copy enclosed). As approved, a letter was issued on 07.07.11 for action under provisions of MPD-2021 has also been sent to MCD, DDA and Industires Department as unit has using zinc dross for alloy casting. As approved, SCN for refusal of consent was issued on 29.07.11. Unit has submitted its reply on 12.08.11 along with the details of the unit-I at B-123 & unit -II at B-141, copy of intimation regarding ETP shifting, copy of MCD factory license, copy of excise registration and copy of 3 applications for water & air testing & informed that due to space contraint, they shifted finishing department from B-123, Ph-I, O.I.A to B-141, Ph- I, O.I.A along with surface finishing department and relocated ETP plant. During the shifting operation and relocation, Zinc Alloy Dross Processing process activity was closed down as working out the same was intensive and not feasibl.Due to negligence of the consultant, the manufacturing process/ activity was copied from the previous manufactring process chart & inadvertently gave wrong technical details about the manufacturing activity. As approved, Consent to establish was refused & unit was asked to apply fresh CTE & CTO on 29.03.12 at the address of B-141, Ph-I, O.I.A As approved, SCN u/s 21/22 of the Air Act & 25/26 of the Water Act was issued on 29.03.12 at the address of B-123, Ph-I, O.I.A. It was also approved that inspection of
--	--	--	--	--	--	--	--	--	--	--	---

[illegible]

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								(3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 62.5,62.5 KVA. Noise monitoring report dated 18-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:Inspection of the unit was conducted on 03.06.2011: a) Unit found in operation and engaged in the Mfg. of Bakery products i.e. Biscuits. b) Channelization has been provided with the oil fired oven to channelize the trade emissions. c) As informed, no utensils are washed and it was also observed that all tyres/utensils are cleaned with disposal clothes. d) Acoustic enclosures and inadequate stack height has been provided with D.G. Set of 62.5 KVA placed on top roof of the premises. A letter for application of Consent to operate and to raise the stack height of your D.G. Set was sent to the unit on 27.06.2011. Reply has been received on 11.07.2011 alongwith an affidavit stating that the adequate stack height has been provided and Consent to Operate already submitted in your office Vide ID. No. 30379 dated 18.06.2009.	
20	DPCC/EC/2/1/2012/1930 20-06-2012	R.S. PULSES PVT. LTD. B-2606, DSIIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 29.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 29-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Consent to Operate.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
21	DPCC/EC/2/1/2012/1947 21-06-2012	SHREE BALAJI PLASTICS E-286, SEC-2, DSIIDC BAWANA INDL. AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF LD PLASTIC DANA AND HDPE PIPE (WITH TRADE EFFLUENT DISCHARGE) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 180 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day		17-07-2012 (1)ETP ---- physicochemical treatment (a) AR dated 30.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes . (3)D.G.Set:nil (4) Inspection conducted on 10.05.2011 during the inspection following were observed: (a) The unit was found in operation and was found engaged in Secondary LD Dana and HDPE pipe. (b) Washing of LD scrap was being carried out on the roof top and entire trade effluent being discharged into the drain without treatment. (c) No emission control measures were taken on the extruder and mixer machine. (5) SCN u/s 31(A)/33(A) issued on 17.10.2011. (6) Closure directions u/s 31(A)/33(A) issued on 17.01.2012 Revocation of closure directions u/s 31 (A)/33(A) issued on 05.03.2012.	19-07-2012 Recommended for grant of Consent to Operate.
22	DPCC/EC/2/1/2012/1948 21-06-2012	S.K. MOTORS B-16/3 JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	SERVICING OF VEHICLES.(WITH WASHING) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 366 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 560 liters/day (b) Trade Effluent ---- 400 liters/day		17-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated30.05.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 30-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A	19-07-2012 Recommended for grant of Consent to Establish and to inspect the unit.

http://dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistOrangePrint.php

								operate and apply for authorization under HWM Rules. If the unit submits the requisite documents, consent to establish be issued	
23	DPCC/EC/2/1/2012/1967 22-06-2012	SAURASHTRA MFG. CORPORATION C-79 , PH-II , MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF DOMESTIC APPLIANCES WITH CASTING AND STEEL ELECTROPLATING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Industry Or Process Involving Electroplating Operations	• Date of commissioning of project ---- • Built Up Area ---- 513 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 80 liters/day		16-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated June, 2009 issued by GGSIPU submitted. (b) Effluent analysis report dated 17-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (b) Stack monitoring report dated 17-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for inspection.
24	DPCC/EC/2/1/2012/1968 22-06-2012	SHREE HARI ASSOCIATES F-1670, DSIDC COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL (CHANNA KHANDA CATTLE FEED). Dal Mills	• Date of commissioning of project ---- 01-01-2001 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 35 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 31.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	19-07-2012 Recommended for grant of Renewal of Consent to Operate.

								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
25	DPCC/EC/2/1/2012/1969 22-06-2012	METAL BRIGHT CO. C-178, NARAINA INDUSTRIAL AREA PHASE-I	Naraina Industrial Area Phase - I	Orange Renewal	ELECTROPLATING ON FERROUS AND NON-FERROUS ARTICLES. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 92 (in sq. meter) • Water Consumption ---- 1400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 150 liters/day • (b) Trade Effluent ---- 1000 liters/day		16-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 16-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . Effluent analysis report dated 25-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (b) Stack monitoring report dated 16-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Effluent analysis report submitted shows that unit is meeting the prescribed standards. Recommended for grant of renewal of consent to operate and authorization under HWM Rules.
26	DPCC/EC/2/1/2012/1970 22-06-2012	SUMAN ENTERPRISES B-26, 2ND FLOOR, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation • (a) Domestic Effluent ---- 50 liters/day • (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 25.05.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil (4) Inspection details:no	19-07-2012 Recommended for grant of Consent to Operate.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :no	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
27	DPCC/EC/2/1/2012/1988 26-06-2012	SINGLA PLASTICS E-292, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Operate	MANUFACTURING OF LD PLASTIC DANA (WITH TRADE EFFLUENT DISCHARGE). Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 240 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 700 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 450 liters/day		17-07-2012 (1)ETP ---- physicochemical treatment (a) AR dated 30.03.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set:nil (4) Inspection conducted on 16.05.2011 during the inspection following were observed: (a) The unit was found in operation engaged in manufacture of LD Dana Secondary. (b) Washing was being carried out and entire trade effluent was being discharged directly to the sewer. (c) No ECS was found installed. (d) One borewell was found installed. (5) SCN u/s 31(A)/33(A) issued on 17.10.2011. (6) Closure directions u/s 31(A)/33(A) issued on 17.01.2012. Revocation of closure directions u/s 31(A)/33(A) issued on 05.03.2012.	19-07-2012 Recommended for grant of Consent to Operate.
28	DPCC/EC/2/1/2012/1999 26-06-2012	SHEETAL ENTERPRISES (UNIT-2) A-124, GROUP, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	Buffing. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 165 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day		13-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 16.02.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test	19-07-2012 Recommended for grant of Renewal of Consent to Operate.

								Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Old file is not traceable.	
29	DPCC/EC/2/1/2012/2012 28-06-2012	CHARU MOTORS PVT. LTD. A-57, NARAINA INDL. AREA, PHASE-I	Naraina Industrial Area Phase - I	Orange Operate	REPAIRING,SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- 01-04-2011 • Built Up Area ---- 1418 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 8000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 5600 liters/day		16-07-2012 (1)ETP ---- ETP- Physico-chemical (a) AR dated 20.06.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	19-07-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.
30	DPCC/EC/2/1/2012/2017 29-06-2012	RICHA FASHION PVT. LTD. F-23/2, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Operate	MFG. OF READYMADE GARMENT WITH WASHING. Readymade Garment (With Washing) with Boiler			16-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2012..... issued byDTU..... submitted. (b) Effluent analysis report dated 04-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes.	19-07-2012 Recommended for grant of Consent to Operate.

						• Date of commissioning of project ---- • Built Up Area ---- 1858.06 (in sq. meter) • Water Consumption ---- 6100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 2500 liters/day (b) Trade Effluent ---- 3000 liters/day		(2)ECS - N/A (a) Stack monitoring report dated 09-05-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 09-05-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 01.06.12, CTE was issued on 25.06.12. EARLIER CMC DECISION 01-06-2012 (2c) Consent to Establish granted	
31	DPCC/EC/2/1/2012/2019 29-06-2012	ROYAL EASTERN HOSPITALITIES PVT. LTD. (PANCHSHILA RENDZVOUS COMPLEX) T-540, PANCHSHILA PARK, MALVIYA NAGAR ROAD	SOUTH	Orange Operate	RESTAURENT/BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 3553 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 5000 liters/day		17-07-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated15.02.12..... issued byDTU..... submitted. (b) Effluent analysis report dated 20-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 4 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 15-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -No. According to NMR generated in the software it is mentioned that, D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 15-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. According to NMR generated in the software it is mentioned that, D. G. Set	19-07-2012 File be put up adminstraively.

							monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. According to NMR generated in the software it is mentioned that, D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting. The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 15-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit -No. According to NMR generated in the software it is mentioned that, D. G. Set monitored is meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date. However Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting.	
--	--	--	--	--	--	--	---	--