

DELHI POLLUTION CONTROL COMMITTEE
4th & 5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)


F. No. DPCC/ Committee II (b) /9th Meeting / 2016/ 5729-33

Dated: 07/9/16

Subject: Minutes of the 9th Meeting of the Committee for II (b) Category Cases headed by Member Secretary, DPCC, held on **31.08.2016**, in the conference room of DPCC at 5th Floor , ISBT Building, Kashmere Gate , Delhi -06

Please find enclosed herewith the Minutes of the 9th Meeting of the aforementioned Committee, held on **31.08.2016**, in the conference room of DPCC at 5th Floor , ISBT Building, Kashmere Gate , Delhi -06

Concerned Engineers are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC ,for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC .


(D.K.Singh)

Sr. Env. Engineer(CDC)
Consent Management Cell- II

Minutes of the 9th Meeting of the Committee for II (b) Category cases, headed by Member Secretary, DPCC and constituted vide office order dated 12.04.2016, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous & Other Wastes / Plastic Waste Rules, held on 31.08.2016, in the conference room of DPCC, at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meeting:-

At the outset the issue regarding ground water extraction / use of ground water / outside source for water supply (tankers) and letter F.No. DPCC/CMC-II/Consent GW-Policy/2016/5025-40 Dated 28.07.2016 (Copy enclosed as Annexure "B") issued in this regard to Chief Executive Officer, Delhi Jal Board & Secretary (Revenue) cum Divisional Commissioner, Govt. of NCT of Delhi [with copy to Member (Water), Delhi Jal Board and all Dy. Commissioners of 11 Districts] was discussed. As per the said letter:

"The Competent Authority in Delhi Pollution Control Committee (DPCC) has decided not to hold such consent applications pending and decide the cases from the pollution control point of view so that provisions of the pollution control laws can be implemented / enforced in NCT of Delhi. However, it has been decided that DPCC shall continue to send the list of units using ground water / having borewell/tubewell/taking water through tankers(based on the consent applications received in DPCC) on monthly basis to Secretary (Revenue) cum Divisional Commissioner and Chief Executive Officer, Delhi Jal Board for necessary action w.r.t. aforementioned notification".

In view of the above, the Committee decided not to hold consent applications on the issue of ground water extraction / use of ground water / outside source for water supply (tankers) and decide the cases from the pollution control point of view so that provisions of the pollution control laws can be implemented / enforced in NCT of Delhi.

Agenda Item No 1: Pending Cases of Consent to Establish of the period 16.06.2016 to 26.08.2016

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and list of 51 no. of units including decisions taken in these cases are at Annexure I.


Agenda Item No 2: Pending Cases of Consent to Operate / Renewal of the period 16.06.2016 to 26.08.2016

The above mentioned cases excludes cases of Hotels & Restaurant of Mahipalpur area involving orders of Hon'ble National Green Tribunal which are taken collectively in separate meeting.

Decisions were taken online in individual cases and list of 58 no. of units including decisions taken in these cases are at Annexure II.

Case of M/s Hotel Le Traventino, Plot No 4 and 5, Green Park, New Delhi (Application for Consent to Operate I.D. No. 15414 Dated 05.07.2016) engaged in the activity of Guest House, though falls in chronology of the aforementioned period however was not appearing in the agenda item generated through existing software and therefore Committee decided to take up this case for offline decision.

Contd..2...

A collection of handwritten signatures and initials in blue ink, located at the bottom of the page. The signatures are somewhat stylized and overlapping, with some appearing to be names like 'Anil', 'Raj', and 'Suresh'.

The matter was briefed to the Committee by concerned officers of CMC – II.

The matter relates to complaint filed by Ms. Aruna Bhowmick and Shri R.N. Bhagi in PGC on 12.09.2013 regarding covering the drain and choking of drainage /sewerage system in Green Park Area. Various orders have been passed by Public Grievance Commission including directions to DPCC and other Departments to jointly inspect the Hotels in the said area and take necessary action. **The next date of hearing in the case is 29.09.2016.**

As decided by the Committee headed by MS, DPCC in its meeting held on 27.06.2016, Consent to Establish was granted to the hotel on 07.04.2016 with condition that unit shall apply for Consent to Operate along with required documents (excluding test reports since directions for closure is still enforced).

The unit has submitted application for Consent to Operate on 05.07.2016 however without effluent analysis report for the treated effluent from ETP, stack monitoring report of Hot Water Generator (Boiler) and noise monitoring report for D.G. Set from DPCC laboratory. File was put up administratively and as decided, an inspection is to be carried out.

The Committee decided that an inspection be carried out as decided in the concerned file before taking further necessary action in this case.

Following Table Agenda Items were taken by the Committee with the permission of chair:-

Table Agenda Item No 1: Case of Unique Identification Authority of India (UIDAI), Bangla Sahib Road, New Delhi-110001 (ID No. 14538 CTE Dated 02.05.2016 for its proposed Headquarter Building).

It is a case of Unique Identification Authority of India (UIDAI) which has applied for Consent to Establish on 02.05.2016 for construction of its Office (Headquarter Building) at Bangla Sahib Road, New Delhi-110001. The matter was briefed before the Committee by concerned officers of CMC – IV. In the project report, it is mentioned that building will be Green Building with 4 Star GRIHA Rating. All MEP services are proposed to be designed in accordance with GRIHA manual issued by Ministry of New & Renewable Energy, Govt. of India. The plot area is 4447.51 Sq. Meter and built up area is 9571.31 Sq. Meter and therefore environmental clearance is not required since built up area is less than 20,000 Sq. Meter. Quantity of water mentioned in the application is 28.210 KLD (14 KLD from NDMC and rest from tankers) and domestic effluent discharge mentioned is 18 KLD and STP of 25 KLD capacity (tertiary sewage treatment with MBBR technology) is proposed. Treated effluent shall be used in flushing (6.92 KLD) & in landscaping (7.46 KLD) and there will be approximate zero discharge. D.G. Set of 725 KVA & 320 KVA with proper stack height and acoustic enclosure are proposed. It is mentioned that proposed date of commissioning of construction is March, 2016 & completion of construction / commissioning of the activity is August, 2017.

The Committee decided to grant Consent to Establish with the condition to reuse the treated effluent as mentioned in the project report and also use the treated effluent in cooling/air conditioning plant. Conditions regarding measures to be taken during construction phase for control of dust and proper storage of building construction materials etc. / during operational phase shall be imposed as is being done in other construction projects.

Contd..3...

Table Agenda Item No 2: Case of M/s Panchshila Club (A unit of Panchshila Co-operative House Building Society Ltd.), Panchshila Park, New Delhi-110017.

The Consent to Operate application of the club was earlier refused on 09.11.2015 and directions for closure were issued on 09.11.2015. Based on the representation received on 17.11.2015 and as decided by Hon'ble Chairman, DPCC, directions for closure were stayed vide letter dated 10.02.2016. Subsequently, the matter was put up administratively in the file and it was decided to place the case in CMC meeting.

The case was briefed by the concerned officers of CMC-II. The Committee decided to defer this case.

Regarding consent fee submitted by the units, the Committee considered the Undertaking/Certificate of Chartered Accountant given in respect of Gross/Total Capital Investment of the unit for calculation of consent fee.









In view of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016, notified by Ministry of Environment, Forest and Climate Change on 04.04.2016, the Committee decided that inspection be carried out in respect of the units generating hazardous waste as per said Rules, before placing Consent to Operate / Renewal cases of such units in the meeting of the Committee.

Since decisions are taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists. The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.












In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.


If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

 (S.M. Ali) Member Secretary, DPCC	 (D.K. Singh) SEE, CMC-II	 (M.S. Rawat) SEE, CMC- V	 (P.S. Pankaj) EE, CMC- IV	 (B.L. Chawla) SEE, CMC-I
 (Satender Kumar) SEE, CMC-III	 (D.K. Srivastava) EE, CMC-III	 (M.S. Rawat) EE, CMC-V	 (N.K. Joshi) EE, CMC-III	 (Sanjay Vatts) EE, CMC-II
 (Shyam Sunder) EE, CMC-I	 (Ramesh Chandra) EE, CMC-II	 (Amit Chaudhary) EE, CMC-V	 (Sunil Kumar) EE, CMC-IV	 (K. Kumar) EE, CMC-IV

Attendance Sheet for 9th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous Wastes Rules of **the units under Category II (b), for the Pending Consent to Establish /Operate/ Renewal cases of the period 16.06.2016 to 26.08.2016**, held on **31.08.2016** in the Conference Room of DPCC at ISBT Building , Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC V), DPCC	
4.	Sh. P. S. Pankaj	EE/I/c (CMC IV),DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I),DPCC	
6.	Sh Satender Kumar	EE(CDC) (CMC III), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. N.K.Joshi	EE(CDC) (CMC III), DPCC	
10.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC V), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/CMC-II/Consent GW-Policy / 2016 / 5025-40

Dated: 28/7/16

1. The Chief Executive Officer,
Delhi Jal Board, Varunalaya, Phase II, Jhandewalan, Delhi -55
2. The Secretary (Revenue) Cum Divisional Commissioner,
Govt. of National Capital Territory of Delhi, 5, Sham Nath Marg, Delhi -54.

Subject: Extraction of Ground Water using Bore/Tube Wells OR Use of Tanker Water by the Industries / Units which have applied for Consent under the Air & Water Acts to DPCC.

Ref: DJB Letter No. DJB/DOR/Creating Separate Head/2015/7963 to 8017 Dated 08.07.2015

Sir,

Delhi Pollution Control Committee (DPCC) implements the provisions of the various pollution control laws including the provisions of the Water (Prevention and Control of Pollution) Act, 1974 , as amended to date and the Air (Prevention and Control of Pollution) Act, 1981 , as amended to date, in NCT of Delhi.

2. As per the Notification of Department of Environment, Govt. of NCT of Delhi, Dated 12.07.2010 for Ground Water Regulation and Management in Delhi, Delhi Jal Board / New Delhi Municipal Council are the "Competent Authority" to grant permission for extraction / drawl of ground water through bore-well or tube-well in NCT of Delhi and Deputy Commissioner (Revenue) of each revenue area, GNCTD is the "Authorized Officer" for the purpose of regulation of ground water development and management in the respective revenue areas under the jurisdiction. The Deputy Commissioner (Revenue) of each revenue area, GNCTD is further delegated with the power of dealing with other issues such as checking violation and sealing illegal wells, launching of prosecution against offenders etc. including grievance redressal/related to ground water, based on the recommendation of the Advisory Committee [headed by concerned Deputy Commissioner (Revenue)].

3. There are a number of Consent applications (both Consent to Establish and Consent to Operate / Renewal under the Air & Water Acts), pending with DPCC for want of permission for ground water extraction / drawl through borewell/tubewell from the Competent Authority (DJB/NDMC) which is delaying / hampering the grant / disposal of the consent under the Air & Water Acts. The order of Jt. Director (Revenue)- HQ , DJB vide No. DJB/DOR/Creating Separate Head / 2015 / 7963 to 8017 Dated 08.07.2015 regarding fixation of ground water Cess /usage charges for industries may also be referred to.

Contd...2

o/c

It is clear therein that the industries are permitted borewells/ tubewells against payment of fixed fees. However, the above mentioned DJB letter No. DJB/DOR/Creating Separate Head / 2015 / 7963 to 8017 Dated 08.07.2015 puts a question mark on the DJB's policy of allowing of tubewells & borewells. Further, if DPCC insists for the industry applicants to first get a water connection authorization before it allows Consent to Establish / Operate, it will not only delay the disposal of applications but would also be against the Govt's emphasis on Ease of Doing Business.

4. There are also several Consent applications pending with DPCC in which cases units are using water supplied by tankers/outside agencies.

In view of the above, the Competent Authority in Delhi Pollution Control Committee (DPCC) has decided not to hold such consent applications pending and decide the cases from the pollution control point of view so that provisions of the pollution control laws can be implemented / enforced in NCT of Delhi. However, it has been decided that DPCC shall continue to send the list of units using ground water / having borewell/tubewell/taking water through tankers(based on the consent applications received in DPCC) on monthly basis to Secretary (Revenue) cum Divisional Commissioner and Chief Executive Officer, Delhi Jal Board for necessary action w.r.t. aforementioned notification.

Yours faithfully,

(S.M. Ali)

Member Secretary, DPCC

Copy for information to:-

1. The Member (Water), Delhi Jal Board, Varunalaya, Phase II, Jhandewalan, Delhi -55
2. The Dy. Commissioner (North District) (Revenue), 1, Kirpa Naryan Marg, Delhi-54
3. The Dy. Commissioner (Central District) (Revenue), 14, Daryaganj, New Delhi
4. The Dy. Commissioner (South District) (Revenue), Mehrauli Badarpur Raod, Saket, New Delhi-39
5. The Dy. Commissioner (New Delhi District) (Revenue), Jam Nagar House, New Delhi-01
6. The Dy. Commissioner (South West District) (Revenue), Kapashera, New Delhi
7. The Dy. Commissioner (West District) (Revenue), Old Middle School Building, Lawrence Road, Rampura, Delhi-85
8. The Dy. Commissioner (North East District) (Revenue), Weaver's Complex, Nand Nagari, New Delhi
9. The Dy. Commissioner (East District) (Revenue), L.M. Band Road, Shastri Nagar, Geeta Colony, Delhi-31
10. The Dy. Commissioner (North West District) (Revenue), Kanjhawala, Dlehi
11. The Dy. Commissioner (South East District) (Revenue), Old Gargi College Building, Lajpat Nagar-IV, New Delhi-24
12. The Dy. Commissioner (Shahdara District) (Revenue), L.M. Band Road, Shastri Nagar, Geeta Colony, Delhi-31
13. The Director (Environment), Department of Environment, Govt. of NCT of Delhi, 6th Floor, C - Wing, Delhi Secretariat, I.P. Estate, New Delhi-02
14. PA to Chairman, DPCC: for kind information to Chairman, DPCC please.

(S.M. Ali)

Member Secretary, DPCC

012



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 9th meeting on 31.08.2016 w.r.t. Agenda Item No 1 -- 51 Pending Cases of Consent to Establish of the period 16.06.2016 to 26.08.2016 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	PRIME AUTOMATION	PLOT NO 28, FIE, PATPARGANJ INDUSTRIAL AREA	24-06-2016	DPCC/EC/2/1/2016/15169	Service Station of Bikes Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set :65 KVA Proposed (4) Water Consumption: 2000 L/ Day Source: DJB & outside water supply (5) Ground Water: Nil	N/A	20-07-2016 Recommendation for CTE.	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
2	WEDDING OPERA (A UNIT OF S G HOSPITALITY)	B 9 LAWRENCE ROAD INDL AREA	27-06-2016	DPCC/EC/2/1/2016/15214	BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...125 KVA (Proposed) Status of Ground Water extraction : Nil Source of Water: 20 KLD from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has submitted the following: 1. Copy of License dt 20.06.2016 issued by Department of Labour. 2. Copy of receipt to apply for MCD License dt. 23.06.2016. 3. Copy of License dt 27.05.2016 issued by the Controller legal Metrology.	N/A	20-07-2016 .	31-08-2016 Show Cause Notice issued on 04.08.2016 after inspection. File is under submission. Take action as per decision in file.
3	CENTRUM MOTORCYCLES LLP	PLOT NO A 42/2 NARAINA INDUSTRIAL	28-06-2016	DPCC/EC/2/1/2016/15246	Automobile Service Station Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) NAME AND ADDRESS MATCHED Water Consumption: 2000	.	21-07-2016 .	31-08-2016 Consent to Establish granted with the condition that the unit shall

		AREA PHASE I							Litres/ Day Status of Ground Water: Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: 65 KVA (Proposed). Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			apply for Consent to Operate within 03 months.
4	T AND T MOTORS LTD.	B-81, PHASE-I, MAYAPURI INDUSTRIAL AREA	28-06-2016	DPCC/EC/2/1/2016/15266	AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) name not matched and address matched. Water Consumption: 4500 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D,G,Set: 1 D,G Set of 140 KVA (Proposed) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		21-07-2016	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
5	KRISH AUTOMOTORS PVT LTD	9 SSI INDUSTRIAL AREA G T K ROAD	29-06-2016	DPCC/EC/2/1/2016/15274	SHOWROOM CUM AUTOMOBILES SERVICING AND REPARING STATION WITH WASHING WITH BURNER (PAINT BOOTH) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- 2x50 & 125 KVA Plot Area- 4500 sq mt Date of commencement- 01.08,2016 Status of Ground Water Extraction: No 1. Water consumption: 2000 L/day. a) Source of water: Corporation (copy of Corporation water bill not submitted) Status of Inspection: No	Effluent analysis report - N/A Air (Emission)-N/A Noise Test Report- N/A	20-07-2016 - Remarks / ATR on 30-08-2016 -	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
6	TWIN TREE (A UNIT OF FARISIGHT HOSPITALITY PVT LTD)	A 19 NARAINA VIHAR	29-06-2016	DPCC/EC/2/1/2016/15282	GUEST HOUSE ACTIVITY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms	Orange Establish	Non-SPI		Source of Water: DJB, Category-II (copy of bill provided) Name and address matched.		21-07-2016	31-08-2016 Unit was inspected w.r.t. complaint received and file has been

					(single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Water Consumption:1000 litre/day Status of Ground Water Extraction: Nil D.G. Set: Nil M.C.D. License valid up to 31.03.2016 N.D.MC. License valid up to 31.03.2017 Status of Pollution Control System (1) Oil & Grease Trap: Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			submitted. Take action as per the decision in file.
7	ASHOK GUPTA	422-F, PLOT NO 19, GALI NO 7, FRIENDS COLONY INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15286	MFG./ASSEMBLING OF BATHROOM FITTINGS WITH MACHINING AND BUFFING W/O(CASTING,GRINDING AND ELECTROPLATING) Process Involving Buffing	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - Dust Collector (3)D.G.Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DJB (5) Ground Water: Nil	AR : Nil Stack monitoring report dated 01-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	20-07-2016 Recommended for Inspection followed by Inspection.	31-08-2016 Consent to Establish granted. Subsequently, inspection be conducted.
8	HICKORY CREATIONS (P) LTD	C-171, OKHLA INDUSTRIAL AREA PH-I	30-06-2016	DPCC/EC/2/1/2016/15354	STITCHING AND WASHING OF GARMENTS(JOB WORK) Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) AR dated March,2016 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 23.03.2016 issued by DPCC submitted. (2)ECS - N/A (One diesel fire boiler) (a) Stack monitoring report dated 21-04-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 9000 ltrs/day, Source- Outsource (bill enclosed) Earlier M/s Colour Impression was operating at this (C-171) premises and engaged in the activity of Dyeing and	Effluent analysis report dated 23.03.2016 issued by DPCC submitted. Effluent analysis report within limit- Yes Stack monitoring report for diesel fired boiler dated 21-04-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	21-07-2016 Unit has submitted its application for CTE and CTO on 30.06.2016 with all required documents.	31-08-2016 Consent to Establish granted.

Washing of Garments which is a water polluting activity. Due to which Closure direction u/s 33(A) of the Water Act was issued to unit on 05.06.2015

M/s Colour Impression submitted its reply on 26.06.2015 & 30.06.2015 informing that all industrial activity (washing activity) shifted to Faridabad on 1st June, 2013 and premises was given on rent on 20th July, 2013 and renter activity is book sales and binding only without pollutant. The unit vide its letter dated 30.06.2015 informed that SDM closed the industrial activity and electricity supply ws disconnected by BSES on 24.06.2015 and also mentioned that no binding activity at present. It was also declared vide letter dated 16.07.2015 that the dried sludge generated from ETP is stored as per rule in the premises and provide the details of the sludge stored after resealing of the premises.

Temporary revocation of directions u/s 33(A) Water Act was issued to unit on 16.07.2015 to verify the facts and submission of details of sludge stored in the premises alongwith the evidence with an undertaking that the Hazardous waste shal be stored/ disposed off as per HWM Rules.

M/s Colour Impressions submitted its reply on 04.08.2015 and submitted the photographs of stored hazardous waste sludge along with undertaking.

Thereafter a complaint has been received regarding pollution from an illegal factory of dyeing work at C-171, Okhla, Phase- I.

An inspection of the unit was carried out by representatives of DPCC on 14.10.2015 and following was observed:

-M/s Hickory Creations Pvt. Ltd. found in operation and engaged in the activity of Stitching & Washing of Cloth

									(Jobwork). -Unit has not installed an Effluent Treatment Plant and wastewater generating from washing section is discharging into sewer without any treatment. -Unit having one diesel/ electric fired oven, but without adequate stack height i.e. below roof level. -As informed source of water is tanker (bill not shown). -As informed M/s Colour Impression shifted to Faridabad about 2 years back. -Hazardous waste of unit M/s Color Impression is lying stored in the premises in 4 drums (Each 200 kgs). As decided ,SCN u/s 33 (A) of Water Act and u/s 31 (A) of Air Act was issued to unit M/s Hickory Creations Pvt. Ltd. Unit submitted its reply on 04.02.2016 and stated that they have recitified the deficiencies and also stated that they have applied to Jamia Millia Islamia to obtain adequacy report of ETP and trade effluent testing to DPCC lab.			
9	UTILITY FORMS PVT. LTD.	A-24/B-1, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE	30-06-2016	DPCC/EC/2/1/2016/15356	OFFSET PRINTING WITH WASHING. Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP -Yes (a) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Water Consumption- 770 ltrs/day, Source- Outsource The pictures enclosed with the application of Consent to Operate depict that the ETP is of M/s Utility Forms Pvt Ltd located in the adjacent building with address A-23/B-1, Mohan Co-operative Industrial Estate. Inspection is to be carried out in Utility Forms Pvt Ltd, A-23/B-1, Mohan Co-operative Industrial	(a) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 30.06.2016 and also applied under HMW Authorization on 30.06.2016.	31-08-2016 Consent to Establish granted.

									Estate as per the decision of Competent Authority.			
10	SAISHA PRODUCTS AND SERVICES	A-42, SECOND FLOOR REWARI LINE, MAYAPURI INDUSTRIAL AREA, PHASE-II	30-06-2016	DPCC/EC/2/1/2016/15364	BAKERY AND CONFECTIONERY PRODUCTION. Food and Fruit Processing Industry - Bakery (Bread & Biscuit) / Blanco Cakes	Orange Establish	Non-SPI		Source of Water: Outside, In undertaking its mentioned that source of water other corporation or ground water (copy of bill not provided) Water Consumption: 800 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 250 KVA and 320 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016	31-08-2016 Consent to Establish granted.
11	RAJINDER SERVICE STATION	2, SHAM NATH MARG	30-06-2016	DPCC/EC/2/1/2016/15378	PETROL PUMP CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- proposed 2. ECS- N/A 3. D.G. set- 1x82.5 KVA Plot Area- 1124.12 sq mt Date of commencement- 01.01.1976 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Unit has applied online and not submitted the following documents: (i)Sanctioned building plan(DDA/MCD) (ii) Approved layout plan (DDA/MCD) (iii) Allotment letter/dealership agreement is valid as on date (iv) Letter from oil company that dealership agreement is valid as on date (v) Authority letter, in original, regarding filling/signing of consent/authorization application.	Effluent analysis report - N/A Air (Emission)-N/A Noise Test Report- N/A	20-07-2016 - Remarks / ATR on 30-08-2016 -	31-08-2016 Ask the unit to submit the deficient documents mentioned in the receipt of CTE application.
12	HANS DRY CLEANERS	C 206 TOP FLOOR NARAINA INDUSTRIAL AREA PH I	04-07-2016	DPCC/EC/2/1/2016/15392	LAUNDRY AND DRY CLEANING (WITHOUT BOILER) Laundry and Dryclening without Boiler	Orange Establish	Non-SPI		Source of water:Corporation (copy of bill not provided) water consumption:500 litre/day Status of ground water:Nil NDMC License valid up to		30-08-2016	31-08-2016 Consent to Establish granted.

									31.03.2017 Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
13	DALIP TRADING PVT. LTD. (AN UNIT OF DEE MARKS HOTEL & RESORTS)	KH. NO 365/2, 379 & 394, VILLAGE RANGPURI, NH-8,	06-07-2016	DPCC/EC/2/1/2016/15417	MOTEL / HOTEL 55 ROOMS, COFFEE SHOP 44 SEATS, RESTAURANT AND BAR 70 SEATS AND BANQUETING ACTIVITY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Outside (copy of water cess bill provided) Water Consumption:27000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Proposed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 320 KVA -A complaint received in this office from Delhi Police and as approved, unit was inspected by DPCC officials on 20.07.2015 and various deficiencies were observed. - Based on findings, a show cause notice was issued to the unit on 30.07.2015. -Unit submit its reply on 28.08.2015 & 31.08.2015 and informed that all deficiencies has been rectified. -Again unit was inspected by DPCC officials on 12.01.2016 and deficiencies were observed. -Further unit submit its reply on 21.01.2016 and informed that all deficiencies are rectified and photographs also provided. -Accordingly, re inspection was conducted on 02.03.2016 and	Water Effluent: (a) AR dated October, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Emission: The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 28-06-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	30-08-2016	31-08-2016 Consent to Establish granted. Consent to operate dated 02.09.2015 be made infructuous since unit has again applied for Consent to Establish and Consent to Operate on 06.07.2016 with increased rooms.

									everything was found OK. -MCD License and Delhi Police License valid upto 31.03.2016.			
14	DEEPAK HOTELS PVT. LTD.	VILLAGE SAMALKHA, NH-8	08-07-2016	DPCC/EC/2/1/2016/15432	LAWN FOR MARRIAGE PARTY. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption: 7000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D,G,Set: Proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016	31-08-2016 Inspection be conducted.
15	VSK INFRASTRUCTURES PRIVATE LIMITED	PLOT NO 4, SECTOR-14, DWARKA	15-07-2016	DPCC/EC/2/1/2016/15500	INSTALLATION OF MIXING PLANT (RMC) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, (3)D,G,Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source : STP treated water from DJB (bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious	(a) Ambient Air Quality Test Report dated 29-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016.	31-08-2016 Inspection be conducted.

									Construction Company Pvt Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.			
16	AUSPISCIOUS CONSTRUCTION CO. PVT. LTD	PLOT NO 5 SECTOR 14 (NORTH) CITY CENTRE DWARKA	15-07-2016	DPCC/EC/2/1/2016/15502	INSTALLATION OF MIXING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A Water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (b)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source- Outside water tanker, Ground water and STP treated water is used (Bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a process to apply for CTE	(a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (c)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016.	31-08-2016 Inspection be conducted.

									and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.			
17	GIAN FOUNDRY WORKS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	21-07-2016	DPCC/EC/2/1/2016/15550	C.I. CASTING THROUGH PIT FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption:100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... -A complaint received in office and as approved,an inspection is conducted by DPCC officials on 10.02.2016 and unit found operating without taking consent and without ESC over cupola furnace. -A show cause notice was issued to the unit on 13.05.2016. -Unit failed to submit reply w.r.t show cause notice. -Accordingly, a closure direction was issued to the unit on 19.07.2016. -Unit submit its reply w.r.t closure direction and submit its application for consent to establish and rectify the deficiencies observed during inspection and requested to revoke the closure direction. - As decided, a temporary revocation was issued to the unit on 22.08.2016 for 30 days for submitting consent to operate application with all requisite documents.	30-08-2016	31-08-2016 The unit was found operating during inspection on 10.02.2016, therefore, unit be asked to inform the date of commissioning of the unit and also either to submit one documentary proof or consent fee w.e.f. 01.06.1991 as per office order dated 20.05.2016.	
18	GLAZE TRADING INDIA PRIVATE LIMITED	C-52, IST FLOOR, KESHOPUR INDUSTRIAL AREA	22-07-2016	DPCC/EC/2/1/2016/15580	MFG. OF COSMTICS PRODUCTS AND TRANDING WITH WASHING Perfumes and Cosmetics (With Effluent Discharge)	Orange Establish	Non-SPI		Source of Water: Tanker (copy of bill not provided) Water Consumption:200Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control	30-08-2016 copy of water tanker bill not provided.	31-08-2016 Consent to Establish granted.	

									System (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
19	UNITED FABRICATORS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	25-07-2016	DPCC/EC/2/1/2016/15588	C.I. CASTING THROUGH PIT FURNACE WITH MACHINING(LIGHT ENGINEERING WORKS). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Source of Water:Outside (copy of bill not provided) Water Consumption: 200 Litres/ Day Status of Ground Water extraction : No Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... -A complaint revived in office and as approved an inspection was conducted by DPCC officials on 29.06.2016 and found operating without consent. -Accordingly, a show cause notice was issued to the unit on 05.07.2016. -Unit submit its reply on 25.07.2016 and informed that uni has applied fr consent to establish on 25.07.2016.		30-08-2016	31-08-2016 The unit was found operating during inspection on 29.06.2016, therefore, unit be asked to inform the date of commissioning of the unit and also either to submit one documentary proof or consent fee w.e.f. 01.06.1991 as per office order dated 20.05.2016.
20	SHREE SHYAM WASHING	N1-17, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	25-07-2016	DPCC/EC/2/1/2016/15589	JOB WORK IN WASHING OF READYMADE GARMENTS WITH SPRAY PAINT. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-No 2. ECS- No 3. D.G. set- N/A Plot Area- 250 sq.mt. Commencement Date- 28.07.2016 Status of Ground Water Extraction-No 1. Water consumption- 10000 L/day. a) Source of water- Outside (copy of outside water bill not submitted) Status of Inspection- No. However, on 13.01.2016 a unit namely Vanshika Creations, was inspected based on compliant of the area and following were the observations- 1. The Unit has not installed ETP. Waste water	Water(Effluent)-No Emission monitoring report -No Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. Subsequently, inspection be conducted.

									is being discharged without treatment. 2. No boiler installed. 3. Emission control measures not taken with the spray booth chamber. 4. Borewell is used for water extraction without permission from DJB/CGWA. 5. Conset/Authorization not obtained from DPCC. HWM measures has not been taken. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 to Vanshika Creations. Reply received on 17.03.2016 stating that the unit exists by the name of Vanshita creation, unit is on rent & requested three months time to closed down & removed the unit from the present address. A proposal for inspection is under submission in Common file separately.			
21	SHIVAM FOODS	B-79, G.T. KARNAL ROAD INDUSTRIAL AREA	25-07-2016	DPCC/EC/2/1/2016/15590	RESTAURANT AND SWEET SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-No 2. ECS- No 3. D.G. set- Yes, 125 KVA and 90 KVA Plot Area- 605 sq.mt. Commencement Date- 01.08,2014 Status of Ground Water Extraction-No 1. Water consumption- 8500 L/day. a) Source of water- DJB (copy of water bill submitted) Status of Inspection- No	Water(Effluent)-No Air (Emission) -No Noise Test Report-No	30-08-2016 -	31-08-2016 Consent to Establish granted.
22	CHANSON HOSPITALITY PVT. LTD	30/23/2/2 MIN ON MAIN ROHTAK ROAD, NANGLOI JAT	27-07-2016	DPCC/EC/2/1/2016/15610	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Tanker (copy of bill not provided) Water Consumption:15000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	Water Effluent: Effluent analysis report dated 23-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	29-08-2016 Copy of water tanker bill not provided.	31-08-2016 File be put up administratively.

									31(A)/33(A)/5 of EPA details : No			
23	THE GREAT GETSBY CLUB OF INDIA	CLUB AVENUE, I.P. EXTN., PATPARGANJ, NEAR D.C.P. OFFICE	27-07-2016	DPCC/EC/2/1/2016/15612	RECREATION,ENTERTAINMENT,SOCIAL ACTIVITY CLUB. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		(1)ETP ---- Other ETP Name : STP (2)ECS - Diesel fired boiler will be installed (3)D.G.Set: ...N/A... (4) Water Consumption: 135000 L/ Day Source: DJB (Corporation & Ground Water) (5) Ground Water: Nil	N/A	30-08-2016 Recommended for CTE	31-08-2016 Unit was inspected on 13.07.2016 w.r.t. complaint received and a show cause notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued on 03.08.2016. Unit was also directed to submit environmental compensation of Rs. 50,000. Unit informed regarding rectification of deficiencies observed and submitted environmental compensation amount. Another inspection of the unit was carried out on 24.08.2016 and it was observed that unit has rectified of deficiencies. Consent to Establish granted.
24	THE PEARL BANQUETS	PLOT NO 21, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	28-07-2016	DPCC/EC/2/1/2016/15623	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Outside Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Working (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 125 KVA and 180 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent-Effluent analysis report dated 22-08-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise: (a) The unit has 2 D.G. Set(s) of 125 KVA and 180 KVA. Noise monitoring report dated 12-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 180 KVA. Noise monitoring report dated 12-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 .	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
25	TIFFANY BANQUET (A UNIT OF CHAWLA CATERERS)	PLOT NO 14, NAJAFGARH ROAD INDUSTRIAL AREA	28-07-2016	DPCC/EC/2/1/2016/15624	BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board Cat-II (Copy of bill provided) Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 250 KVA and 320 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	.	30-08-2016 .	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.

									31(A)/33(A)/5 of EPA details : No			
26	GOYAL GLOBAL PULSES (PRIVATE) LIMITED	PLOT NO J-3134, DSIIDC, NARELA INDUSTRIAL AREA	03-08-2016	DPCC/EC/2/1/2016/15656	DAL MILL. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Plot Area- 250 sq.mt. Commissioning Date- 28.08.2016 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
27	KRISHNA INDUSTRIES	PLOT NO E-886, DSIIDC, NARELA INDUSTRIAL AREA	03-08-2016	DPCC/EC/2/1/2016/15657	DAL MILL. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date- 28.09.2016 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water- DSIIDC (copy of water bill not submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Establish granted.
28	KANSIN IMPORT & EXPORT (P) LTD	S-75-76, OKHLA INDUSTRIAL AREA, PHASE-II,	05-08-2016	DPCC/EC/2/1/2016/15683	READYMADE GARMENTS WITH WASHING WITH BOILER. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (Two diesel fired boiler) (a) Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set -Yes (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 18-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 3000 liters/day , Source- DJB (Bill enclosed)	Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report for diesel fired boiler dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report for diesel fired boiler dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 18-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 05.08.2016	31-08-2016 Consent to Establish granted. IT Cell be directed to deactivate the earlier Consent to Establish dated 15.07.2015 granted on 02.08.2016 (valid upto 14.07.2016) and to make the said application infructuous since unit has again submitted Consent to Establish application afresh on 05.08.2016 for the activity of Readymade Garments with Washing with boiler.

									Earlier unit has applied for CTE on 15.07.2015 for the activity of Leather and Readymade Garments (With Washing). Case was taken up in committee and it was decided that Consent to Establish granted and the same is yet to be issued, in the mean time unit has submitted application for CTE and CTO on 05.08.2016 for the activity of READYMADE GARMENTS(WITH WASHING)WITH BOILER.			
29	PARSVNATH DEVELOPERS LTD	27, K. G. MARG	08-08-2016	DPCC/EC/2/1/2016/15691	COMMERCIAL PROJECT. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Source of Water: NDMC Connection (copy of bill provided) Water Consumption: 9200Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016	31-08-2016 Consent to Establish granted. Earlier Consent to Establish dated 16.06.02008 be made infructuous after checking the records since unit had again applied for Consent to Establish on 06.09.2013. Subsequently, inspection be conducted.
30	CHANSON BANQUET	17A, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	08-08-2016	DPCC/EC/2/1/2016/15699	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Tanker (Copy of bill not provided) Water Consumption: 15000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -- Working (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016	31-08-2016 File be put up administratively since closure directions have already been issued.
31	LAXMI PULSES	H-1162 / 1163, DSIIDC, NARELA	09-08-2016	DPCC/EC/2/1/2016/15705	DAL MILL. Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Bag house filter 3. D.G. set- No	Water(Effluent)-N/A Emission monitoring report - N/A	30-08-2016	31-08-2016 Consent to Establish granted.

		INDUSTRIAL AREA							Plot Area- 700 sq.mt. Commissioning date Date- 01.06.2009 Status of Ground Water Extraction-Yes(copy of voluntary disclosure from DJB submitted) 1. Water consumption- 400 L/day. a) Source of water- Borewell (Disclosure form to DJB submitted) Status of Inspection- No	Noise Test Report- N/A		
32	A AND V ZIPPERS PVT. LTD.	E-46/3, OKHLA INDUSTRIAL AREA, PHASE-II	11-08-2016	DPCC/EC/2/1/2016/15779	BASE KITCHEN(NO SEATING ARRANGEMENT AND NO BY PRODUCTS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted, Effluent Test Report within Limit - No. (2)ECS - N/A (3)D.G.Set- Yes (a) The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 4800 litres/day , Source- DJB (Bill enclosed)	Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted, Effluent Test Report within Limit - No . The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has also applied for CTO on 11.08.2016	31-08-2016 Issue show cause notice for closure u/s 33(A) of Water Act since prescribed parameters are found exceeding the prescribed limit as per the report dated 01.07.2016 of M/s Shriram Institute for Industrial Research for the sample taken on 14.06.2016.
33	KANIKA WORLDWIDE PVT. LTD.	A-190, PH-I, OKHLA INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15792	MFG. OF READYMADE GARMENT WITH WASHING AND BOILER. Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Yes (a) Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report for stack attached to boiler dated 14-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set- Yes (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 09-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water	Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report for stack attached to boiler dated 14-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 09-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 11.08.2016.	31-08-2016 Consent to Establish granted.

									extraction : Nil Water consumption- 12400 liters/day, Source- DJB (Bill enclosed) Earlier unit has obtained its Consent to Establish for the activity of Mfg. of Readymade Garments with washing. Now the unit has applied for CTE and CTO for the activity of MFG. OF READYMADE GARMENT WITH WASHING AND BOILER on 11.08.2016.			
34	RICHI RICH BANQUET (A UNIT OF J.S.D. ENTERPRISES)	1/10, WHS, KIRTI NAGAR INDUSTRIAL AREA	12-08-2016	DPCC/EC/2/1/2016/15808	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: outside (copy of bill provided) Water consumption: 2000 litre/day Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil A direction u/s 33 (A) of water act & u/s31 (A) of air act issued to the unit on 24.06,2016. In response to our Direction unit has submitted a reply on 05.07.2016 and informed that their premises was sealed by MCD on 10.03.2016 due to House tax dispute and still it was swale & no activity is taking place at their premises. An inspection of the unit was carried out by DPCC Official ON 28.07.2016 and following observations were made: -During inspection premises found sealed. - As informed by the owner that matter of sealing by House tax department is underfinalization and it will be decided soon. - Inspection of inside of the premises not done because it was totally sealed from outside. only small area for office was open. As decided a temporary revocation was sent to the	31-08-2016	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 15 days and also submit copy of valid license from MCD and Delhi Police.	

[illegible]

39	NANDA MINERALS	D-106, KESHOPUR INDUSTRIAL AREA, VIKASPURI	12-08-2016	DPCC/EC/2/1/2016/15820	MINERAL WATER. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Source of water: Through tanker Category-II (copy of bill not provided) Water consumption: 4000 litre/day Status of Ground Water extraction:Nil Status of Pollution Control System (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set : Nil As per approval unit was inspected by DPCC, Officials on 17.08,2015 and during inspection following were observed: (a) Unit found operational and engaged in the activity of manufacturing and trading of RO Water. (b) One borewell found exist, however, one is in defunct state. (c) No D.G. Set found installed at the premises. (d) One RO plant found in the premises use for bottling plant. (e) Rain water harvesting pit is used to store the rain water and RO reject water. -As per inspection findings a Show Cause Notice for closure u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued to the unit on 08.09.2015 & also letter was issued to concerned Dy. Commissioner w.r.t. extraction of ground water on 08.09.2015. -Unit has submitted its reply along with an undertaking on 28.09.2015 and informed that the activity of the unit falls under Orange category and shall apply for Consent to Establish and Operate and requesting to grant 30 days time to comply with all the pollution norms. -Again a Modified Direction u/s 33 (A) of water act & 31 (A) of Air act sent to the unit on 04.12,2015 & also reminder issued to concerned Dy. Commissioner w.r.t. extraction of ground water.		31-08-2016		31-08-2016	The unit was found operating during inspection on 17.08.2015, therefore, unit be asked to inform the date of commissioning of the unit and also either to submit one documentary proof or consent fee w.e.f. 01.06.1991 as per office order dated 20.05.2016. Also inspection be conducted.
40	SOMPAN PRODUCTS PVT. LTD.	A-33, NARAINA INDUSTRIAL	12-08-2016	DPCC/EC/2/1/2016/15836	MANUFACTURING OF CHEWING TOBACCO.	Orange Establish	Non-SPI		Source of Water: Delhi Jal Boared connection (copy of bill not provided)	Noise Emission: The unit has 1 D.G. Set(s) of 500 KVA. Noise	30-08-2016 Copy of water bill not provided.	31-08-2016	Seek clarification from Department	

		AREA, PHASE-I			Tobbaco Products without Raw Tobacco Processing				Water Consumption: 1000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set Noise Report : 1 D.G. Set(s) of 500 KVA -A complaint received in this office, an inspection was conducted by DPCC officials on 08.08.2016 and unit found operating without taking consent and ducting is not provided. -For further necessary action file is under process.	monitoring report dated 24-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		of Food Safety, Govt. of NCT of Delhi regarding permissiblty of the activity of Manufacturing of Chewing Tobacco w.r.t. notification dated 13.04.2016 issued by Department of Food Safety and whether DPCC can issue consent to such units considering the said notification and court orders etc., if any.
41	PALM SPRINGS CURE HOME AND RESEARCH CENTRE PVT LTD	CC 60 NARAINA INDUSTRIAL AREA PH 1	12-08-2016	DPCC/EC/2/1/2016/15852	GUEST HOUSE. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board & Packed bottles for drinking (copy of bill provided) Water Consumption:1780 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D,G.Set: 1 D.G Set of 200 KVA proposed Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
42	PETAL BANQUET (A UNIT OF SHIV SHAKTI HOTELS PVT. LTD.)	21/18, NARAINA INDUSTRIAL AREA, PHASE-II	16-08-2016	DPCC/EC/2/1/2016/15867	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: DJB, Category-II (Copy of bill provided) water consumption:3500 litre/day Status of ground water:Nil MCD License valid up to 31.03.2017 Status of Pollution Control System (1)ETP - proposed (2)ECS - channelization system with suitable stack provided on kitchen section (proposed)		30-08-2016	31-08-2016 Inspection was carried out and file has been submitted. Take action as per decision taken in file.

									(3)D.G.Set: 2 D.G Sets of capacity 160 & 62.05 KVA (Proposed) Status of Ground Water extraction : Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
43	HOTEL SWATI DELUX (A UNIT OF SHUDH HOSPITALITY PRIVATE LIMITED)	PLOT NO 17-A/32, WEA, GURUDWARA ROAD, KAROL BAGH	16-08-2016	DPCC/EC/2/1/2016/15896	GUEST HOUSE (44 ROOMS). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes (Stack connected to boiler) 3. D.G. set- Yes 1x180KVA Plot Area- 298 sq.mt. Proposed Date-01.01.2008 Status of Ground Water Extraction-No 1. Water consumption- 1500 L/day. a) Source of water- DJB (copy of DJB water bill submitted) Status of Inspection- No Copy of MCD license submitted valid upto 31.03.2017 (No. of beds 84 and No. of Rooms 44)	Water(Effluent)-N/A Air (Emission) -N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
44	HOTEL SWATI (A UNIT OF SHUDH HOSPITALITY PRIVATE LIMITED)	PLOT NO 15-A/56, W.E.A, KAROL BAGH	16-08-2016	DPCC/EC/2/1/2016/15897	GUEST HOUSE (34 ROOMS). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes (Stack connected to boiler) 3. D.G. set- Yes 1x180KVA Plot Area- 224sq.mt. Proposed Date-01.01.2008 Status of Ground Water Extraction-No 1. Water consumption- 1300 L/day. a) Source of water- DJB (copy of DJB water bill submitted) Status of Inspection- No Copy of MCD license submitted valid upto 31.03.2017 (No. of beds 71 and No. of Rooms 34)	Water(Effluent)-N/A Air(Emission) -N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
45	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15902	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date-01.07.2004	Water(Effluent)-N/A Emission monitoring report -N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Inspection be conducted.

									Status of Ground Water Extraction-No 1. Water consumption-4000 L/day. a) Source of water-DSIIDC (copy of DSIIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection-Yes(28.12,2015) Inspection findings- 1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. No ECS installed. 3. No ETP installed and waste water is being discharged directly into sewer without any treatment. 4. Unit is operating without valid consent/ registration under air, water acts/plastic rules respectively. 5. One Borewell connection exists without permission from DJB/CGWA. Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on.22.02.2016. No reply received Directions for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 28.04.2016			
46	VYOME BIOSCIENCES PVT LTD	PLOT NO-465, GROUND FLOOR, PATPARGANJ INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15907	LABORATORY/PHARMACEUTICAL RESEARCH DEVELOPMENT. Medicines / Pharmaceutical Formulation- without Boiler	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 16-08-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 1000 L/ Day Source: Outside (5) Ground Water: Nil	N/A	30-08-2016 Recommended for Inspection	31-08-2016 Consent to Establish granted. Consent to Establish under Green category dated 11.07.2014 be made infructuous since unit has again applied for Consent to Establish and Consent to Operate under Orange category. Subsequently, inspection be conducted.
47	AGGARWAL HOTELS PVT. LTD. (UNIT TAVERN ON THE GREENS)	QUTAB GOLF COURSE, LADO SARAI, AURBINDO MARG	16-08-2016	DPCC/EC/2/1/2016/15917	EATING HOUSE (RESTAURANT AND BAR). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP installed(disposal in sewer). (2)ECS - N/A (3)D.G.Set: 2 (180 KVA and 82.5 KVA) Status of Ground Water extraction :Nil	N/A	30-08-2016 Unit has applied for CTE on 16.08.2016.	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. Subsequently, inspection be conducted.

					having Kitchen and / or Laundry without Boiler				Water Consumption:7000 litres/day, Source: DJB (bill enclosed). Department of Food Safety License valid upto 31.12.2016 Status of Pollution Control System			
48	SURYA GRAND BANQUET (A UNIT OF RJS BANQUETS LLP)	WZ-306, S-1, CHOWDHARY DATA RAM MARG, VILLAGE PALAM, BEHIND SHRI NIKETAN CGHS LTD.	16-08-2016	DPCC/EC/2/1/2016/15936	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP - Proposed(Discharge in Sewer) (2)ECS - N/A (3)D.G.Set: 4 (250 KVA, 250 KVA, 250 KVA and 125 KVA) Status of Ground Water extraction : Nil Water Consumption: 4000 litre/day, Source : DJB(Bill not enclosed) MCD License for 160 seats valid upto 31.03.2017 issued by SDMC	N/A	30-08-2016 Unit has applied for CTE on 16.06.2016.	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. Subsequently, inspection be conducted.
49	STRIPLEX ELECTRICALS PVT. LTD	B-63/2, NARAINA INDUSTRIAL AREA PHASE - II	16-08-2016	DPCC/EC/2/1/2016/15946	ELECTRICAL ITEMS. Powder Coating without phosphating	Orange Establish	Non-SPI		Source of water:Corporation (Copy of bill not provided) water consumption:400 litre/day Status of ground water:Nil Status of Pollution Control System 1)ETP ---- N/A (2)ECS - working (3)D.G.Set : 1 D.G Set of 62.5 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Stack Monitoring report: (a) Stack monitoring report of stack attached to powder coating booth dated 11-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 .	31-08-2016 Inspection be conducted.
50	BEDI ENTERPRISES	F 100 PHASE II MAYAPURI INDUSTRIAL AREA	17-08-2016	DPCC/EC/2/1/2016/15966	C.I. CASTING THROUGH PIT FURNACE WITH MACHINING (LIGHT ENGINEERING WORKS). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	.	30-08-2016 .	31-08-2016 Consent to Establish granted with the condition that the unit shall install proper Emission Control System along with Online Monitoring System (OLMS) and apply for consent to operate within 03 months.

									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
									Water Consumption 100 liters/day.			
51	FOCUS CORPORATE ALLIANCE PRIVATE LIMITED	F-90/23 OKHLA PHASE 1	26-08-2016	DPCC/EC/2/1/2016/16024	SPICE GRINDING. Spice Grinding	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 500 liters/day , Source- Outside Earlier, Unit has applied under Green category on 20.08.2016 and paid consent fee of Rs. 3061 through online however have not submitted hard copy of the said application. Now unit has submitted a representation on 26.08.2016 and stated that earlier they have applied under Green category on 20.08.2016 and paid consent fee of Rs. 3061 but unit falls under Orange category,accordingly they have applied under orange category along with draft of Rs 2000.Unit has also requested to refund their fees submitted with green category.	N/A	30-08-2016	31-08-2016 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months. Consent to Establish application under Green category dated 20.08.2016 received through online mode be made infructuous and Account Section of DPCC to refund the consent fee, as applicable, received in respect of Green category application as requested by the unit.



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 9th meeting on 31.08.2016 w.r.t. Agenda Item No 2 - 58 Pending Cases of Consent to Operate / Renewal of the period 16.06.2016 to 26.08.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh / Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	JAI KISHAN DASS NARESH KUMAR DAL MILL	B-34, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	16-06-2016	DPCC/EC/2/1/2016/15103	DAL MILL. Dal Mills	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- Yes (Dust Collector) 3. D.G. set- No Plot Area- 250 sq.mt. Proposed Date- 23.11.2015 Status of Ground Water Extraction:No 1. Water consumption: 240 L/day. a) Source of water: DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection: No	Water(Effluent)-N/A Emission monitoring report dated 02.06.2016 issued by FICCI submitted. Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 - Remarks/ATR on 30-08-2016 -	31-08-2016 Consent to Operate granted.
2	A.P.S. FOOD PVT. LTD.	28, NWA, MARKET (CLUB ROAD) PUNJABI BAGH	16-06-2016	DPCC/EC/2/1/2016/15115	SWEET SHOP CUM RESTAURENT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-03-2007 Authorisation Status Pending	Source of Water: DJB & Purchase of Packed RO drinking water bottles (copy of DJB bill provided) Water Consumption-4720 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 140 KVA and 125 KVA -An inspection was conducted by DPCC officials on 22.12.2015 and various deficiencies were observed. -Accordingly, a show cause notice was issued to the unit on 11.02.2016. -Unit submit its reply on 03.03.2015 and informed that they have rectified all	Water Effluent-Effluent analysis report dated 05-04-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Emission-(a) The unit has 2 D.G. Set(s) of 140 KVA and 125 KVA. Noise monitoring report dated 07-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 2 D.G. Set(s) of 140 KVA and 125 KVA. Noise monitoring report dated 07-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	31-08-2016 .	31-08-2016 Consent to Operate (Renewal) granted.

									those deficiencies which were observed during inspection and ready to apply for consent to operate within 45 days. -Again an inspection of the unit was carried out by DPCC, Official on 30.08.2016 and following observations were made: -During inspection unit found operational. - ETP installed and was also operational. - D.G, Sets(2 D.G Sets of capacity 140 & 125 KVA) have proper stack height. - Channelization done in kitchen and also proper stack provided. - DJB water was being used. - As informed borewell not being used by the unit.			
3	JMM FINVEST PVT. LTD.	PLOT NO 5, CITY CENTRE, SECTOR-12, DWARKA	17-06-2016	DPCC/EC/2/1/2016/15125	SHOPPING MALL CUM COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - STP (a) Effluent analysis report dated 07-06-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G, Set(s) of 225 KVA, Noise monitoring report dated 06-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 241100 ltrs/day, Source- DJB (Bill enclosed)	Effluent analysis report dated 07-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 225 KVA, Noise monitoring report dated 06-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	21-07-2016 Unit has applied for CTO on 17.06.2016 with required documents.	31-08-2016 Inspection be conducted.
4	MITTAL DAL AND FLOUR MILL	F-1761, DSIDC NARELA INDUSTRIAL AREA	20-06-2016	DPCC/EC/2/1/2016/15129	DALL MILL. Dal Mills	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- Yes (Stack attached to Bag Filters) a) Adequacy report of ECS dated 19.01.2009 issued by Delhi College of Engineering submitted 3. D.G, set- No Plot Area- 350 sq.mt. Proposed Date- 07.04.2000 Status of Ground Water Extraction:No 1. Water consumption: 200 L/day.	Water(Effluent)-N/A Emission monitoring report dated 09.05.2016 issued by Shriram Institute For Industrial Research submitted. Parameters are within prescribed limit. Noise Test Report- N/A	06-07-2016 - Remarks/ATR on 30-08-2016 -	31-08-2016 Consent to Operate (Renewal) granted.

									a) Source of water: Outside (copy of Outside water bill submitted) Status of Inspection: No			
5	CHAAYOS (A UNIT OF SUNSHINE TEAHOUSE PVT. LTD.)	26, FIRST FLOOR, HAUZ KHAS VILLAGE	23-06-2016	DPCC/EC/2/1/2016/15183	Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil & Grease Trap cum Settling Tank installed. (2) ECS - N/A One LPG fired boiler with stack of 3 m above roof level (3)D.G.Set : 200 KVA (a) The unit has 1 D.G. Set(s) of 200 KVA, Noise monitoring report dated 02-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes However unit has not informed about DG Set in its application and undertaking. Water Consumption 2100 ltrs / day Source of water - DJB (bill provided) Status of Ground Water extraction : Nil MCD License valid upto 31.03.2017 for 32 seats issued by SDMC In compliance of order of Honble Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on 31.08.2015. A rapid survey of Restaurant / Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09,2015 and it was observed that unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant. Show Cause Notice u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 28.10.2015. Modified Direction u/s 33(A) of the Water & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 for 45 days to submit	(a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 02-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTO on 23.06.2016.	31-08-2016 Inspection be conducted.

									application for CTE & CTO as unit is operating without consent from DPCC. Unit applied for CTE under Air & Water Acts on 21.03.2016. Unit submitted a reply on 21.03.2016 & 29.03.2016 w.r.t. Modified Directions issued to unit informing that they have applied for Consent to Establish and installed Oil & Grease Trap cum Settling Tank, applied for Noise Monitoring of DG Set and requested for grant of sometime to apply for CTO. Unit has applied for CTO on 23.6.2016, informed about installation of Oil & Grease trap in CTO application and submitted NMR of DG Set alongwith CTO.			
6	RIDERS CORNER	B-48, KESHOPUR INDUSTRIAL AREA	27-06-2016	DPCC/EC/2/1/2016/15211	SERVICING, REPAIRING AND WASHING OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 27-06-2016 Authorisation Status Pending	Spurce of Water: outside (copy of bill not provided) Water Consumption: 1100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent: Effluent analysis report dated 30.12.2015 issued by Water Lab, DPCC submitted, parameters found within limit-yes	21-07-2016	31-08-2016 Inspection be conducted.
7	RALSON REMEDIES PVT. LTD.	J-38, ROHATAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	27-06-2016	DPCC/EC/2/1/2016/15242	HOMOEOPATHIC MEDICINE AND COSMETICS Medicines / Pharmaceutical Formulation- without Boiler Perfumes and Cosmetics (With Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-06-2016 Authorisation Status Pending	Water Consumption: 1200 Litres/ Day Source of Water: DJB (CAT-II) name and address matched Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA.	Effluent: Effluent analysis report dated 19-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted, Effluent Test Report within Limit - Yes Noise: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise	21-07-2016	31-08-2016 Inspection be conducted.

									Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	monitoring report within Limit - Yes		
8	RAMESH TRADING CORP. (INDIA)	C-9, WAZIRPUR INDUSTRIAL AREA	28-06-2016	DPCC/EC/2/1/2016/15248	Manufacturing of Tri-Cycle Rims with Powder Coating (Without washing and Electroplating) Powder Coating without phosphating	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 26-07-2006 Authorisation Status Approved Authorisation Issue Date 31-01-2008 Authorisation Expiry Date 30-01-2010 HWM Application No. 3 Application Date 24-12-2010 Authorisation Status Approved Authorisation Issue Date 12-12-2012 Authorisation Expiry Date 23-12-2015	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone Stack monitoring report dated 18-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil Source of Water: 0.2 KLD from DJB (bill enclosed) Earlier unit was engaged in the activity of Manufacturing of Tri-Cycle Rims with Electroplating. Accordingly, direction for closure were issued being SPI unit. The unit submitted its reply along with other document and reporting electroplating activity was closed two years back. As approved by competent authority, an inspection was conducted to verify the claim of the unit. And during the inspection no electroplating has been observed. Thereafter file has been process for revocation of closure direction. Now unit has applied for Consent for change activity i.e Manufacturing of Tri-Cycle Rims with Powder Coating (Without washing and Electroplating).	Stack monitoring report dated 18-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	15-07-2016	31-08-2016 Direction for closure revoked on 06.08.2015. Consent to Operate granted with the condition that the unit/premises owner shall ensure safe storage of earlier generated hazardous waste as per new HWM Rules at the premises.
9	RAJVAIDYA SHITAL PRASAD & SONS	285, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	28-06-2016	DPCC/EC/2/1/2016/15253	MANUFACTURING OF AYURVEDIC MEDICINES. Medicines / Pharmaceutical Formulation- with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-08-2006 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - stack attached to suction hood & Fluid Heater (3)D.G.Set Noise Report : 1 (4) Water Consumption:	AR : Nil. Effluent analysis report dated 20-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within	20-07-2016 Redevelopment Area.	31-08-2016 Inspection be conducted.

								HWM Application No. 2 Application Date 26-06-2014 Authorisation Status Pending	1000 L/ Day Source: Purchase Water (5) Ground Water: Nil	limit / beyond prescribed limit. Stack monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 3 D.G. Set(s) of 20, 30, 82.5 KVA. Noise monitoring report dated 15-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.		
10	CALISTA HOTELS AND RESORTS PVT LTD	KH. NO. 26/18/2, 26/22/3, 26/23, 26/24, 26/30, 37/2/2, 37/3, 37/4/1, 37/9/2, 37/4/2 & 37/26, VILLAGE KAPASHERA, OLD NH-8	28-06-2016	DPCC/EC/2/1/2016/15262	Hotel and Resorts. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- not connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) STP installed. Effluent analysis report dated 07-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 3(2 OF 380 KVA and 1 of 125 KVA). NMR of DG sets is meeting the limits, however Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting though the report by FICCI mentions that it is meeting. Ground water:- 16000 ltr/ day (application for voluntary disclosure of existing borewell enclosed). Letter was issued to unit	(a)Effluent analysis report dated 07-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (a) The unit has 3 D.G. Set(s) of 380 380 125 KVA. Noise Monitoring Report dated 02.07.2016 of 3 DG sets is meeting the limits, however Ambient Air Quality Standards in Respect of Noise as mentioned in Schedule III of the Environment (Protection) Rules, 1986 is not meeting though the report by FICCI mentions that it is meeting.	30-08-2016 Unit has applied for CTO on 28.06.2016.	31-08-2016 Case deferred.

on 19.02.2015 asking to submit permission from DJB/CGWA regarding extraction/withdrawal of ground water within 15 days, failing which, Consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water.

The Unit submitted letter dated 04.03.2015 received on 30.03.2015, alongwith copy of completion certificate/ occupancy certificate and also another letter dated 04.03.2015 received on 30.03.2015 alongwith copy of Farad showing existing old tube wells in revenue record and copy of voluntary disclosure of old existing tube wells in DJB.

The matter was apprised to Higher-Ups and as decided in common file of units extracting ground water of CMC-II, consent was refused to the unit vide refusal letter dated 01.06.2015 since permission from DJB/CGWA regarding extraction/ drawl of ground water through borewells was not submitted by the units.

Thereafter, the unit submitted letter/ appeal dated 01.07.2015 alongwith brief facts and stated that the borewells of the units are in revenue records and Kh. No. mentioned therein even much prior to the conversion of the land in question for relevant purpose for functioning of Motel and also stated that the unit is not indulged in extraction of ground water from the tubewells in violation of the rules and regulations. The unit also requested for stay/ quashing of the said refusal order and grant of Consent to Establish to the unit.

The matter was again briefed and submitted to

									Higher-Ups mentioning Legal Provisions etc. under the Water and Air Acts. The Competent Authority, finally decided in the concerned file (from para 43 to 49 at N/13) that decision regarding refusal of Consent to Establish on 01.06.2015 stands rectified and Consent to Establish be given as per requirement of the Law, Consent to Establish should state that construction has already taken place. Further unit may be asked to apply for Consent to Operate alongwith land use conformity documents/ test reports/ fee etc., w.e.f. 01.11.2014. After receipt of application for CTO, provisional consent may be considered for two months during which the unit shall submit test reports/ permission of extraction of ground water. The matter was briefed and submitted to Higher-Ups mentioning Legal Provisions etc. under the Water and Air Acts. The Competent Authority, finally decided in the concerned file that decision regarding refusal of Consent to Establish on 01.06.2015 stands rectified and Consent to Establish be given as per requirement of the Law, Consent to Establish should state that construction has already taken place. Further unit may be asked to apply for Consent to Operate alongwith land use conformity documents/ test reports/ fee etc., w.e.f. 01.11.2014. After receipt of application for CTO, provisional consent may be considered for two months during which the unit shall submit test reports/ permission of extraction of ground water. CTO application filed on 28.06.2016.			
11	KNITCRAFT APPARELS INTERNATIONAL PVT. LTD.	A-81, PHASE-I, NARAINA INDUSTRIAL AREA	28-06-2016	DPCC/EC/2/1/2016/15270	MFG. OF READYMADE GARMENTS (WITH WASHING). Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application 25-05-	Source of Water: DJB (CAT-II) name not matched and address matched Water Consumption: 500 Litres/ Day	Effluent: (b) Effluent analysis report dated 02-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	21-07-2016 Noise monitoring report fails to meet the prescribed standard.	31-08-2016 Ask the unit to take adequate measures to meet the prescribed standards for noise level and

								Date 2009 Authorisation Status Pending	Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - Working (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent Test Report within Limit - Yes Emission: -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes -Stack monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes Noise: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-04-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - No		submit fresh noise monitoring report.
12	ASHOK GUPTA	422-F, PLOT NO 19, GALI NO 7, FRIENDS COLONY INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15287	MFG./ASSEMBLING OF BATHROOM FITTINGS WITH MACHINING AND BUFFING W/O(CASTING,GRINDING AND ELECTROPLATING) Process Involving Buffing	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Dust Collector (3)D.G.Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DJB (5) Ground Water: Nil	AR : Nil Stack monitoring report dated 01-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	20-07-2016 Recommended for CTE.	31-08-2016 Inspection be conducted.
13	VIKASH DHATU UDYOG	B-15/5, SHAHDARA, JHILMIL INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15299	COPPER WIRE DRAWING WITH SUPER ENAMELING Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-09-2006 Authorisation Status Pending HWM Application No. 2 Application Date 29-06-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - Catalytic Converter (3)D.G.Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DJB (5) Ground Water: Nil	AR : N/A Stack monitoring report dated 29-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	20-07-2016 Recommended for Inspection.	31-08-2016 Inspection be conducted.
14	GRANITE AND MARBLES INDIA	B-210 NARAINA INDL. AREA	29-06-2016	DPCC/EC/2/1/2016/15304	JOB WORK OF MARBLES, GRANITES AND TRADING. Cutting, Sizing and Polishing of Marble Stones	Orange Operate	Non-SPI		Source of water: DJB (CAT-II) name and address matched Water Consumption: 2200 Litres/ Day Status of Ground Water extraction : Nil	Effluent: (b) Effluent analysis report dated 31-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	21-07-2016	31-08-2016 Consent to Operate granted.

									Status of Pollution Control System (1)ETP - Working (2)ECS -Working (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Emission: (b) Stack monitoring report dated 27-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes		
15	M/S KHADELWAL AUTOMOBILES	PLOT NO.150, PATPARGANJ INDUSTRIAL AREA, NEW DELHI-110092	30-06-2016	DPCC/EC/2/1/2016/15318	AUTOMOBILE WORKSHOP WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	inspection was carried out by DPCC officials on 07.12.2015 and for the deficiencies a Notice u/s 33(A) of Water (Prevention & Control of Pollution) Act, 1974 & u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 07.12.2015. No reply was received from the unit accordingly as approved the Closure Directions u/s 33(A) of Water (Prevention & Control of Pollution) Act, 1974 & u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 18.03.2016. A representation was received from the unit on 29.04.2016 & 10.05.2016 requesting for 60 days time for the compliance. As approved on file Temporary Revocation of Closure Direction for 15 days was issued on 17.06.2016 directing the unit to submit effluent analysis report from one of the approved labs of DPCC. The unit have submitted application for CTO on 30.06.2016 along with the effluent test report of 27.06.2016. (1)ETP ---- Yes (Physio-Chemical based) (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Water Consumption:	(a) Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes, number of parameters analyzed which are within prescribed limit.	20-07-2016 Recommended for Inspection.	31-08-2016 Inspection be conducted.

[illegible]

Earlier M/s Colour Impression was operating at this (C-171) premises and engaged in the activity of Dyeing and Washing of Garments which is a water polluting activity. Due to which Closure direction u/s 33(A) of the Water Act was issued to unit on 05.06.2015
M/s Colour Impression submitted its reply on 26.06.2015 & 30.06.2015 informing that all industrial activity (washing activity) shifted to Faridabad on 1st June, 2013 and premises was given on rent on 20th July, 2013 and renter activity is book sales and binding only without pollutant. The unit vide its letter dated 30.06.2015 informed that SDM closed the industrial activity and electricity supply ws disconnected by BSES on 24.06.2015 and also mentioned that no binding activity at present. It was also declared vide letter dated 16.07.2015 that the dried sludge generated from ETP is stored as per rule in the premises and provide the details of the sludge stored after desealing of the premises.
Temporary revocation of directions u/s 33(A) Water Act was issued to unit on 16.07.2015 to verify the facts and submission of details of sludge stored in the premises alongwith the evidence with an undertaking that the Hazardous waste shal be stored/ disposed off as per HWM Rules. M/s Colour Impressions submitted its reply on 04.08.2015 and submitted the photographs of stored hazardous waste sludge along with undertaking.
Thereafter a complaint has been received regarding pollution from an illegal factory of dyeing work at C-171, Okhla, Phase- I. An inspection of the unit was carried out by representatives of DPCC on 14.10.2015 and

									following was observed: -M/s Hickory Creations Pvt. Ltd. found in operation and engaged in the activity of Stitching & Washing of Cloth (Jobwork). -Unit has not installed an Effluent Treatment Plant and wastewater generating from washing section is discharging into sewer without any treatment. -Unit having one diesel/ electric fired oven, but without adequate stack height i.e. below roof level. -As informed source of water is tanker (bill not shown). -As informed M/s Colour Impression shifted to Faridabad about 2 years back. -Hazardous waste of unit M/s Color Impression is lying stored in the premises in 4 drums (Each 200 kgs). As decided ,SCN u/s 33 (A) of Water Act and u/s 31 (A) of Air Act was issued to unit M/s Hickory Creations Pvt. Ltd. Unit submitted its reply on 04.02.2016 and stated that they have rectified the deficiencies and also stated that they have applied to Jamia Millia Islamia to obtain adequacy report of ETP and trade effluent testing to DPCC lab.			
18	UTILITY FORMS PVT. LTD.	A-24/B-1, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE	30-06-2016	DPCC/EC/2/1/2016/15357	OFFSET PRINTING WITH WASHING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP -Yes (a) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Water Consumption- 770 ltrs/day, Source- Outsource The pictures enclosed with the application of Consent to Operate depict that the ETP is of M/s Utility Forms Pvt Ltd located in the	(a) Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 30.06,2016 and also applied for HMW Authorization on 30.06,2016.	31-08-2016 Inspection be conducted.

									adjacent building with address A-23/B-1, Mohan Co-operative Industrial Estate. Inspection is to be carried out in Utility Forms Pvt Ltd, A-23/B-1, Mohan Co-operative Industrial Estate as per the decision of Competent Authority.			
19	RAJINDER SERVICE STATION	2, SHAM NATH MARG	30-06-2016	DPCC/EC/2/1/2016/15379	PETROL PUMP CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-06-2016 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes(Oil and Grease trap) 2. ECS- N/A 3. D.G. set- 1x82.5 KVA Plot Area- 1124.12 sq mt Date of commencement- 01.01.1976 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day. a) Source of water: DJB (copy of DJB water bill submitted) Status of Inspection: No Unit has submitted Form-I under HWM rules. Unit has applied online and not submitted the following documents: (i)Sanctioned building plan(DDA/MCD) (ii) Approved layout plan (DDA/MCD) (iii) Allotment letter/dealership agreement is valid as on date (iv) Letter from oil company that dealership agreement is valid as on date (v) Authority letter, in original, regarding filling/signing of consent/authorization application. Unit has applied online under HWM and not submitted the following documents: (i) Photograph of container for storage of hazardous waste. (ii) Photograph of display boards.	Effluent analysis report of outlet of ETP (Automobile fuel outlet) dated 30.06.2016 issued by DPCC Submitted.Parameters are within prescribed limit. Air (Emission)-N/A Noise monitoring report dated 30.06.2016 issued by DPCC submitted.	20-07-2016 - Remarks/ATR on 30-08-2016 -	31-08-2016 Inspection be conducted.
20	DALIP TRADING PVT. LTD. (AN UNIT OF DEE MARKS HOTEL & RESORTS)	KH. NO 365/2, 379 & 394, VILLAGE RANGPURI, NH-8,	06-07-2016	DPCC/EC/2/1/2016/15418	MOTEL / HOTEL 55 ROOMS, COFFEE SHOP 44 SEATS, RESTAURANT AND BAR 70 SEATS AND BANQUETING ACTIVITY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Outside (copy of water cess bill provided) Water Consumption:27000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 320 KVA	Water Effluent: (a) AR dated October, 2015 issued by Jamia Milia Islamia submitted. (b)Effluent analysis report dated 21-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Emission: The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 28-06-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise	30-08-2016 .	31-08-2016 Consent to Operate granted.

									-A complaint received in this office from Delhi Police and as approved, unit was inspected by DPCC officials on 20.07.2015 and various deficiencies were observed. - Based on findings, a show cause notice was issued to the unit on 30.07.2015. -Unit submit its reply on 28.08.2015 & 31.08.2015 and informed that all deficiencies has been rectified. -Again unit was inspected by DPCC officials on 12.01.2016 and deficiencies were observed. -Further unit submit its reply on 21.01.2016 and informed that all deficiencies are rectified and photographs also provided. -Accordingly, re inspection was conducted on 02.03.2016 and everything was found OK. -MCD License and Delhi Police License valid upto 31.03.2016.	monitoring report within Limit - Yes		
21	GARG DISTRIBUTORS	D-16/4, PHASE-I, OKHLA INDUSTRIAL AREA	08-07-2016	DPCC/EC/2/1/2016/15425	Automobile workshop for Servicing and Repair with washing of two wheelers. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-07-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 11-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption- 800 ltrs/day, Source- DJB (bill enclosed)	Effluent analysis report dated 11-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes	21-07-2016 Unit has also applied for Authorization under HWM Rules on 08.07.2016	31-08-2016 Inspection be conducted.
22	SHIVA UTENSILS INDUSTRIES PVT LTD	C-91/1,WAZIRPUR INDUSTRIAL AREA,DELHI	08-07-2016	DPCC/EC/2/1/2016/15429	MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Cyclone	Stack monitoring report dated 10-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes	20-07-2016 .	31-08-2016 Consent to Operate granted. Subsequently, inspection be conducted.

23	AUTOWISE	PP-38A, GALI	13-07-2016	DPCC/EC/2/1/2016/15448	Servicing of Vehicles (with	Orange	Non-SPI	Stack monitoring report dated 10-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Status of Ground Water extraction : Nil (as mentioned in the undertaking/application) however, one borewell found existing during inspection on 24.11.2015. Source of Water: 0.5 KLD from DJB (bill enclosed) Earlier, M/s Shiva Industries engaged in pickling activity was operating in the premises which had stopped its activity and vacated the premises as reported by landlord of the premises. The landlord of the premises given an undertaking that no water polluting activity would be carried out in future and also assured that hazardous waste stored in a separate room shall be disposed off as per DPCC guidelines. The unit was also inspected on 24.11.2015 and following were observed: -No pickling & Cold Re-rolling activity was observed, -Construction/Renovation work was going on. -Packed machines for the proposed activities lying in the premises. -Electricity found connected. -One bore-well was existing. Besides above unit had filed an appeal against the directions dated 01.06.2015 in Honble NGT and prayed for not to disconnect the electric supply of the unit and same was dismissed by NGT. Landlord submitted the requisite security bond of Rs. 1,00,000/- (one lakh) alongwith undertaking on 18.12.2015. Afterthat CTE was issued on 09.03.2016.	Source of Water: Tanker	Water Effluent:	30-08-2016	31-08-2016
----	----------	--------------	------------	------------------------	-----------------------------	--------	---------	---	-------------------------	-----------------	------------	------------

	SERVICE STATION	NO. 10, ANAND PARBAT INDUSTRIAL AREA			Washing) Automobile Servicing and Repair Station with Washing Activity	Renewal		HWM Application No. Application Date Authorisation Status Authorisation Issue Date Authorisation Expiry Date 1 19-01- 2004 Approved 16-07- 2004 15-07- 2006 HWM Application No. Application Date Authorisation Status 2 21-07- 2006 Pending HWM Application No. Application Date Authorisation Status Authorisation Issue Date Authorisation Expiry Date 3 16-07- 2014 Approved 19-02- 2015 15-07- 2019 HWM Application No. Application Date Authorisation Status 4 13-07- 2016 Pending	(copy of bill provided) Water Consumption: 300Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent analysis report dated 17-06-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No .		Inspection be conducted.
24	VSK INFRASTRUCTURES PRIVATE LIMITED	PLOT NO 4, SECTOR-14, DWARKA	15-07-2016	DPCC/EC/2/1/2016/15501	INSTALLATION OF MIXING PLANT (RMC) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 29-06- 2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted.	(a) Ambient Air Quality Test Report dated 29-06- 2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016.	31-08-2016 Inspection be conducted.

									(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source : STP treated water from DJB (bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.	monitoring report within Limit - Yes		
25	AUSPISCIOUS CONSTRUCTION CO. PVT. LTD	PLOT NO 5 SECTOR 14 (NORTH) CITY CENTRE DWARKA	15-07-2016	DPCC/EC/2/1/2016/15503	INSTALLATION OF MIXING PLANT. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		(1)ETP - N/A Water is being recycled. (2)ECS - N/A (a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (b)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH	(a) Ambient Air Quality Test Report dated 01.07.2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (c)The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 28-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 15.07.2016.	31-08-2016 Inspection be conducted.

									ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 30,000 litres/day, Source- Outside water tanker, Ground water and STP treated water is used (Bill not enclosed). Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 05.05.2016 and unit has submitted its reply on 24.05.2016, 27.05.2016 and 02.06.2016 stating that RMC plant has seprate entity i.e. M/s VSK Infrastructure Pvt Ltd. and M/s Auspicious Construction Company Pvt Ltd. and unit is in a process to apply for CTE and CTO. Modified direction was issued to the unit u/s 33(A) of Water Act and 31(A) of Air Act on 14.06.2016 to apply for CTE and CTO of the RMC plant installed adjacent to the site of the project.				
26	SAFDARJUNG CLUB	SAFDARJUNG ENCLAVE	18-07-2016	DPCC/EC/2/1/2016/15513	CLUB. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water- Delhi Jal Board (Cat-II) copy of bill provided and name matched but address not matched Water Consumption-6400 Litre/ Day Status of Pollution Control System (1)ETP ---- Yes (2)ECS - N/A (3)D.G,Set Noise Report : 1 (a) The unit has 2 D.G, Set(s) of 62.5 KVA and 160 KVA, Noise monitoring report dated 14-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil -A complaint was received in our office and an inspection was carried out by DPCC officials on	Effluent Analysis Report: . (a) Effluent analysis report dated 22-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 160 KVA and 62,5 KVA. Noise monitoring report dated 28-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - (b) The unit has 2 D.G. Set(s) of 62,5 KVA and 160 KVA. Noise monitoring report dated 14-06-2016 issued by DPCC submitted, Noise monitoring report within Limit -	31-08-2016	31-08-2016	Consent to Establish and Consent to Operate granted.

									18.11.2015 and lot of discrepancies were observed. -Based on inspection a show cause notice u/s 31(A) and u/s 33(A) was issued on 05.01.2016. -In response to our show cause notice unit submitted a reply and requested for some time to rectify all the deficiencies observed during inspection. -Modified direction was issued to the unit on 28.03.2016 giving 45 days. -Unit has submitted a reply and also submitted an application for consent to establish but after that no further response received w.r.t consent to operate and installation of STP/ETP. -Closure direction is being issued.			
27	BELLAGIO RESTAURANT (UNIT OF TERA CONSTRUCTIONS PVT. LTD.)	13-14, COMMUNITY CENTRE, ASHOK VIHAR, PHASE-II	19-07-2016	DPCC/EC/2/1/2016/15528	EATING HOUSE WITH 170 SEAT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (a) AR dated April 2014 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 05-07-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 50 KVA and 125 KVA. Noise monitoring reports dated 23-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Source of water: 15 KLD from DJB(copy enclosed) MCD licence valid upto 31.03.2017 Delhi Police Licence valid upto 31.03.2017 Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	1. Effluent analysis report dated 05-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring reports dated 23-03-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	29-08-2016	31-08-2016 Consent to Operate granted.

									31(A)/33(A)/5 of EPA details :No			
28	RAJPOOT MOTORS	C-9, S.M.A COOPERATIVE INDUSTRIAL ESTATE , G.T. KARNAL ROAD	19-07-2016	DPCC/EC/2/1/2016/15533	Two Wheelers workshop (Washing and repairing) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-07-2016 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP-Yes 2. ECS- No 3. D.G. set- N/A Plot Area- 350 sq.mt. Commencement Date- 01,03,2016 Status of Ground Water Extraction-No 1. Water consumption- 170 L/day. a) Source of water- Outside (copy of outside water bill submitted) Status of Inspection- No	Water(Effluent)-report issued by FICCI on 27.05.2016. Parameters are within prescribed limit. Air(Emission) -No Noise Test Report- N/A	30-08-2016 -	31-08-2016 Inspection be conducted.
29	PAISLEY EXPORT PVT. LTD.	C-141, PHASE-II, MAYAPURI INDUSTRIAL AREA	19-07-2016	DPCC/EC/2/1/2016/15536	mfg. of readymade garments (with washing). Readymade Garment (with Washing)	Orange Renewal	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) copy of bill provided Water Consumption:1000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP -Working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent: Effluent analysis report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes Noise Emission: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 .	31-08-2016 Consent to Operate (Renewal) granted. Implement the earlier CMC decision dated 09.05.2012 w.r.t. revocation of earlier consent under green category.
30	RAWAT MOTORS	D-192, PEERAGARHI CHOWK	20-07-2016	DPCC/EC/2/1/2016/15537	SERVICING AND REPAIRING CENTRE OF AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 29-10-2013 Authorisation Status Approved Authorisation Issue Date 19-05-2015 Authorisation Expiry Date 07-04-2016 HWM Application No. 2 Application Date 20-07-2016 Authorisation	Source of Water: Tanker (copy of bill not provided) Water Consumption: 1300 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Water Effluent- Effluent analysis report dated 27-06-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Air Emission- Stack monitoring report dated 16-06-2016 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes	30-08-2016 .	31-08-2016 Inspection be conducted.

								Status	Pending				
31	VIKAS PULSES PVT. LTD	PLOT NO-C-463, DSIIDC, NARELA INDUSTRIAL AREA,	21-07-2016	DPCC/EC/2/1/2016/15552	DALL MILL. Dal Mills	Orange Operate	Non-SPI			Status of Pollution Control system/Devices- 1. ETP-No 2. ECS- Yes, attached to stack (bag house plant) 3. D.G. set- N/A Plot Area- 350 sq.mt, commencement Date- 01.03.2016 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection- No	Water(Effluent)- N/A Emission monitoring report -report issued by Shriram Institute for Industrial Research on 22.06.2016. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Operate granted.
32	VIKAS PULSES PVT. LTD	C-464, DSIDC, NARELA INDUSTRIAL AREA	21-07-2016	DPCC/EC/2/1/2016/15553	FLOUR MILL. Flour Mills	Orange Renewal	Non-SPI			Status of Pollution Control system/Devices- 1. ETP-No 2. ECS- Yes, attached to stack (bag house plant), AR submitted by Delhi College of Engineering, Nov 2008 3. D.G. set- N/A Plot Area- 350 sq.mt, commencement Date- 09.09.2004 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill submitted) Status of Inspection- No	Water(Effluent)- N/A Emission monitoring report -report issued by Shriram Institute for Industrial Research on 22.06.2016. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Operate (Renewal) granted.
33	KHANDELWAL AUTOMOBILES CENTRAL DELHI	20, RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	21-07-2016	DPCC/EC/2/1/2016/15558	REPAIRING, SERVICING AND WASHING OF TWO WHEELER VEHICLES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-07-2016 Authorisation Status Pending		Source of Water: Delhi Jal Board (CAT-II) copy of bill provided Water Consumption: 700 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP --Proposed (2)ECS - N/A (3)D.G.Set Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		30-08-2016 .	31-08-2016 Inspection be conducted.
34	GLOBAL WASH	C-211, SECTOR-1, DSIIDC, BAWANA	25-07-2016	DPCC/EC/2/1/2016/15586	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FIRED BOILER).	Orange Operate	Non-SPI			Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes	Water(Effluent)-report for readymade garment washing issued by FICCI on 16.06.2016 submitted	30-08-2016 -	31-08-2016 Expedite inspection.

		INDUSTRIAL AREA			Readymade Garment (with Washing) with Boiler				3. D.G. set- Yes, 125 KVA Status of Ground Water Extraction-Yes 1. Water consumption- 15000 L/day. a) Source of water- Ground water/Outside source (copy of Outside source bill not submitted) Status of Inspection- Yes Inspection was conducted on 22.09.2015 by the officials of DPCC and inspection findings are as follows Unit found operating and engaged in the activity of jeans dyeing, No valid consent from DPCC, ETP under installation, waste water discharges directly into the sewer without treatment, One boiler (horizontal) (one tonne/hr) found in use and coal is used as fuel causing air pollution. No ECS installed, HWM rules are not complied with, One Borewell exists without permission from DJB. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Replied on 09.11.2015 stated ETP work is going on, using oil fired instead of coal and effluent discharge with CETP and requested to give time to apply for CTO, adequacy report, stack monitoring report etc Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA issued on 16.02.2016 giving 30 days time to comply with the pollution control norms and to apply for consent	meeting the prescribed limit.		
35	A.R. STAMPINGS	C-5, MANDOLI INDUSTRIAL AREA, PHASE-I, NEAR SHIVANI DHARAM KANTA	25-07-2016	DPCC/EC/2/1/2016/15596	MFG.OF ELECTRICAL STAMPING (CORE) WITH ALUMINIUM METAL CASTING BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Suction hood with stack on Pit furnace (3)D.G.Set Noise Report : N/A (4) Water Consumption: 160 L/ Day Source: Tanker (5) Ground Water: Nil	Stack monitoring report dated 02-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Re-development area.	31-08-2016 File be put up administratively.
36	VAIBHAV STRIPS PVT. LTD.	KHASRA NO 12/8, NEW MANDOLI	28-07-2016	DPCC/EC/2/1/2016/15615	MANUFACTURING OF ALUMINIUM WIRE ROD	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Scrubber,	Stack monitoring report dated 29-06-2016 issued by DPCC submitted. Stack	30-08-2016 Redevelopment Area	31-08-2016 File be put up administratively.

		INDUSTRIAL AREA			Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day				Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 100 L/ Day Source: Outside Water (5) Ground Water: Nil	Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit. The unit has 3 D.G. Set(s) of 380 KVA(non operational),250 KVA(not in use)and 100 KVA. Noise monitoring report dated 18-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.		
37	METRO TRANSIT PRIVATE LIMITED	CLUSTER BUS DEPOT, VILLAGE- KAIR, NEAR GOVERNMENT COLLEGE	29-07-2016	DPCC/EC/2/1/2016/15636	BUS REPAIR AND MAINTENANCE WASHING PARKING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-07-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set- Yes (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 11000 liters/ day, Source- Purchased/water tanker (Bill enclosed)	Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has also applied for Authorization under HWM Rules on 29.07.2016.	31-08-2016 Inspection be conducted.
38	MCTC EXIM PVT. LTD.	B-239 OKHLA INDUSTRIAL AREA PHASE-I	01-08-2016	DPCC/EC/2/1/2016/15642	Automobile workshop cum service station including denting painting and washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP installed. (a) Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report for paint booth dated 29-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report :	Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report of Paint Booth dated 29-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTO on 01.08.2016 and also applied under HWM Authorization on 01.08.2016.	31-08-2016 Inspection be conducted.

									1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Ground water- Nil Water Consumption- 14000 ltrs/day, Source- Outside (Copy of Proof / Water Purchase Bill not enclosed)			
39	NEHA SALES CORPORATION	L-4 AND 5, NEW MANDOLI INDUSTRIAL AREA	01-08-2016	DPCC/EC/2/1/2016/15646	MFG. OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		ETP ---- N/A (2)ECS - Scrubber, Cyclone (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 18-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area	31-08-2016 File be put up administratively.
40	SHRI RAM ENTERPRISES	PLOT NO M-9, PHASE-I BADLI INDSTRUAL ESTATE	03-08-2016	DPCC/EC/2/1/2016/15658	MANUFACTURING OF ALUMINIUM CIRCLE. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes (wet scrubber) PNG fired casting pit furnace 3. D.G. set- No Plot Area- 425 sq.mt. Commissioning Date- 01.01.2011 Status of Ground Water Extraction-No 1. Water consumption- 20 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - Report submitted issued by DPCC on 29.06.2016. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Ask the unit to install Online Monitoring System (OLMS) within 03 months.
41	DENIM WORLD	J-55, SECTOR-2, DSIIDC, BAWANA INDUSTRIAL AREA	04-08-2016	DPCC/EC/2/1/2016/15664	JOB WORK IN WASHING OF READYMADE GARMENTS WITH OIL FIRED BOILER. Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes(Stack with boiler) 3. D.G. set- No Plot Area- 700 sq.mt. Commissioning Date- 01.06.2009	Water(Effluent) for washing of readymade garments -report issued from FICCI on 16.06.2016 submitted. Parameters are within prescribed limit. Emission monitoring report - report issued	30-08-2016 -	31-08-2016 Expedite inspection.

									Status of Ground Water Extraction-No 1. Water consumption-12000 L/day. a) Source of water-DSI IDC and outside tankers (copy of DSI IDC water bill submitted, outside water bill not submitted) Status of Inspection- Yes Inspection was conducted on 21.09.2015 by the officials of DPCC and inspection findings are as follows- Unit found operating and engaged in the activity of jeans dyeing. 1. No ETP installed, waste water discharges directly into the sewer. 2. Coal used in the boiler as fuel causing air pollution. 3. No valid consent obtained from DPCC. 4. Bore well is used without permission from DJB/CGWA. 5. HWM rules are not complied with. SCN for closure u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA on 19.10.2015 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA issued on 16.02.2016 giving 30 days time to comply with the pollution control norms & to apply for consent & authorisation Reply received on 04.04.2016 /14.06.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dying and engage in washing of ready made garments only.	from FICCI on 09.06.2016 submitted. Parameters are within prescribed limit. However, stack height from roof level is shown as N/A Noise Test Report- N/A		
42	KANSIN IMPORT & EXPORT (P) LTD	S-75-76, OKHLA INDUSTRIAL AREA, PHASE-II,	05-08-2016	DPCC/EC/2/1/2016/15684	READYMADE GARMENTS(WITH WASHING)WITH BOILER. Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (Two diesel fired boiler) (a) Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test	Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report for diesel fired boiler dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report for diesel fired boiler dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit -	30-08-2016 Unit has applied for CTE and CTO on 05.08.2016.	31-08-2016 Consent to Operate granted.

									Report within Limit - Yes Stack monitoring report dated 21-07-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set -Yes (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 18-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 3000 liters/day , Source- DJB (Bill enclosed) Earlier unit has applied for CTE on 15.07.2015 for the activity of Leather and Readymade Garments (With Washing). Case was taken up in committee and it was decided that Consent to Establish granted and the same is yet to be issued, in the mean time unit has submitted application for CTE and CTO on 05.08.2016 for the activity of READYMADE GARMENTS(WITH WASHING)WITH BOILER.	Yes The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 18-04-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
43	JMP INDIA	P-13, KHASRA NO 48, MAHAVIR GALI, NEW MANDOLI INDUSTRIAL AREA, SHAHDARA	08-08-2016	DPCC/EC/2/1/2016/15696	MANUFACTURING OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1) ETP ---- N/A (2) ECS - Wet Scrubber (3) D.G.Set: ...N/A... (4) Water Consumption: 130 L/ Day Source: Home (5) Ground Water: Nil	Stack monitoring report dated 14-06-2016 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area	31-08-2016 Inspection be conducted.
44	GREEN LOUNGE PREMIUM BANQUETS (A UNIT OF NAGPAL HOSPITALITY PVT. LTD.)	C-97, PHASE-II, MAYAPURI INDUSTRIAL AREA	08-08-2016	DPCC/EC/2/1/2016/15698	BANQUETS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Outside (copy of bill not provided) Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Working (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 250 KVA and 320 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of	Water Effluent-(b) Effluent analysis report dated 19-07-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise- (a)The unit has 2 D.G. Set(s) of 250 KVA and 320 KVA. Noise monitoring report dated 01-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - yes (b) The unit has 2 D.G. Set(s) of 250 KVA and 320 KVA. Noise monitoring report dated	30-08-2016 .	31-08-2016 Consent to Operate granted.

									EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	01-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - yes		
45	LAXMI PULSES	H-1162 / 1163, DSIIDC, NARELA INDUSTRIAL AREA	09-08-2016	DPCC/EC/2/1/2016/15706	DAL MILL. Dal Mills	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Bag house filter 3, D.G, set- No Plot Area- 700 sq.mt. Commissioning date Date- 01.06.2009 Status of Ground Water Extraction-Yes(copy of voluntary disclosure from DJB submitted) 1. Water consumption- 400 L/day. a) Source of water- Borewell (Disclosure form to DJB submitted) Status of Inspection- No	Water(Effluent)-N/A Emission monitoring report - report submitted issued by DPCC on 09.08.2016, Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Operate granted.
46	A AND V ZIPPERS PVT. LTD.	E-46/3, OKHLA INDUSTRIAL AREA, PHASE-II	11-08-2016	DPCC/EC/2/1/2016/15780	BASE KITCHEN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No. (2)ECS - N/A (3)D.G.Set- Yes (a) The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 4800 litres/day , Source- DJB (Bill enclosed)	Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No . The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for CTE and CTO on 11.08.2016.	31-08-2016 Issue show cause notice for closure u/s 33(A) of Water Act since prescribed parameters are found exceeding the prescribed limit as per the report dated 01.07.2016 of M/s Shriram Institute for Industrial Research for the sample taken on 14.06.2016.
47	DURGA ALLOYS	E-2, NEW MANDOLI INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15787	MFG. OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Wet Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 27-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area	31-08-2016 Inspection be conducted.
48	KANIKA WORLDWIDE PVT. LTD.	A-190, PH-I, OKHLA INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15793	MFG. OF READYMADE GARMENT WITH WASHING WITH BOILER. Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Yes (a) Effluent analysis report dated 27-06-2016 issued by DPCC	Effluent analysis report dated 27-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report	30-08-2016 Unit has applied for CTE and CTO on 11.08.2016.	31-08-2016 Consent to Operate granted.

									submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report for stack attached to boiler dated 14-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set- Yes (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 09-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 12400 liters/day, Source- DJB (Bill enclosed) Earlier unit has obtained its Consent to Establish for the activity of Mfg. of Readymade Garments with washing. Now the unit has applied for CTE and CTO for the activity of MFG. OF READYMADE GARMENT WITH WASHING AND BOILER on 11.08.2016.	for stack attached to boiler dated 14-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 09-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
49	FINE FOOD PRODUCTS	A-3, PHASE-II, BADLI INDUSTRIAL ESTATE	11-08-2016	DPCC/EC/2/1/2016/15794	MANUFACTURING OF BREAD. Food and Fruit Processing Industry - Bakery (Bread and Biscuit) / Blanco Cakes with Furnace	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Stack with Oven 3. D.G. set- No Plot Area- 250 sq.mt. Propsed Date- 01.06.2010 Status of Ground Water Extraction-No 1. Water consumption- 1000 L/day. a) Source of water- Outside(copy of water bill submitted) Status of Inspection- No Residential address shown in undertaking and consent form is same as of unit.	Water(Effluent)-report submitted issued by Shriram Institute for Industrial Research on 03.08.2016. Parameters are within prescribed limit. Stack monitoring report - Baking Oven- PNG Fired, report submitted issued by Shriram Institute for Industrial Research on 09.08.2016. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Operate granted.
50	AAA HOSPITALITY	KH. NO 73/15, 72/11, 72/12 AND 72/13, MAIN G.T, KARNAL ROAD, ALIPUR	11-08-2016	DPCC/EC/2/1/2016/15795	MOTEL WITH 22 NO. ROOMS AND 2 NO. BANQUETS WITH 200 SEATS. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal /	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes (STP) 2. ECS- N/A 3. D.G. set- No Plot Area- 5000 sq.mt. Propsed Date- 01.07.2016 Status of Ground Water Extraction-No 1. Water consumption- 25 KL/day.	Water(Effluent)-report dated 17.06.2016 issued by Shriram Institute for Industrial Research submitted. Parameters within prescribed limit. Emission monitoring report - N/A Noise Test Report- N/A	30-08-2016 -	31-08-2016 Consent to Operate granted.

					DJB Sewer and having Kitchen and / or Laundry without Boiler				a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- No			
51	SHIV METAL WORKS	29, Q/6, STREET NO. 4K, ANAND PARBAT INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15889	CASTING BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending	Source of water:Outside (Copy of bill not provided) water consumption:40 litre/day Status of ground water:Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - stack attached to exhaust of pit furnace (3)D.G.Set: ...N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Stack Monitoring Report: (a) Stack monitoring report dated 01-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	30-08-2016 It is a case of redevelopment area.	31-08-2016 Inspection be conducted.
52	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15903	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date-01.07.2004 Status of Ground Water Extraction-No 1. Water consumption-4000 L/day. a) Source of water- DSIIDC (copy of DSIIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection- Yes(28.12.2015) Inspection findings- 1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. No ECS installed. 3. No ETP installed and waste water is being discharged directly into sewer without any treatment. 4. Unit is operating	Water(Effluent)-report dated 28.07.2016 issued by FICCI submitted. Parameters are within prescribed limit. Stack monitoring report dated 26.05.2016 issued by Shriram Institute for Industrial Research submitted. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 -	31-08-2016 Inspection be conducted.

									without valid consent/ registration under air, water acts/plastic rules repectively. 5. One Borewell connection exists without permission from DJB/CGWA. Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on,22.02.2016. No reply received Directions for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 28.04.2016			
53	VYOME BIOSCIENCES PVT LTD	PLOT NO-465, GROUND FLOOR, PATPARGANJ INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15908	LABORATORY/PHARMACEUTICAL RESEARCH DEVELOPMENT. Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-08- 2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 1000 L/ Day Source: Outside (5) Ground Water: Nil	Effluent analysis report dated 22-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. 13 number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes. number of parameters analyzed which are within prescribed limit,	30-08-2016 Recommended for Inspection	31-08-2016 Inspection be conducted.
54	GKB RX LENS PVT. LTD.	E-26, B-1, EXTENSION, MOHAN CO- OPERATIVE INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15933	MFG. OF OPHTHALMIC LENSES. Optical Glass (Surfacing/Grinding Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-12- 2008 Authorisation Status Pending	Status of Pollution Control System (1)ETP installed. (a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption:7960 ltrs/day , Source: outside (bill not enclosed).. In compliance of the order dated 11.08.2015 of	(a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for Renewal of consent to operate on 16.08.2016.	31-08-2016 Inspection be conducted.

									Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others.As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 27.08.2015 and following were observed: (a) ETP found installed and in working condition. Effluent samples collected during inspection by DPCC lab. (b) No permission shown for extraction of ground water. (c) Log book maintained and shown for operation of ETP. Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act on 07.09.2015 and Letter to DC for groundwater extraction on 07.09.2015. Unit submitted its representation on 24.09.2015 w.r.t SCN along with photographs of ETP, copy of receipt for water test report & adequacy report of ETP and requested to grant 60 days time to submit renewal of CTO. Modified direction was issued to unit on 18.04.2016 to apply for application of renewal of CTO with all required documents. Unit has applied for Renewal of consent to operate(CTR) on 16.08.2016. In the CTR application the unit has informed that they are not extracting any ground water.			
55	STRIPLEX ELECTRICALS PVT. LTD	B-63/2, NARAINA INDUSTRIAL AREA PHASE - II	16-08-2016	DPCC/EC/2/1/2016/15947	ELECTRICAL ITEMS. Powder Coating without phosphating	Orange Operate	Non-SPI		Source of water:DJB, Category-II (Copy of bill provided) water consumption:400 litre/day Status of ground water:Nil Status of Pollution Control System 1)ETP ---- N/A (2)ECS - cyclone (3)D.G.Set : 1 D.G Set of 62.5 KVA	Stack Monitoring report: (a) Stack monitoring report of stack attached to powder coating booth dated 11-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016	31-08-2016 Inspection be conducted.

										Status of Inspection :No			
										SCN u/s 31(A)/33(A)/5 of EPA details :No			
										Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
56	ZOOM ROADYS	C-2/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	17-08-2016	DPCC/EC/2/1/2016/15958	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 17-08-2016 Authorisation Status Pending	Details of Pollution Control System (1)ETP ---- yes (a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :Yes, Inspection Conducted on 24.05.2016 and following were observed made: - During inspection unit found in operational. -ETP installed in the premises found no operational. - DG set installed at back side of the unit without adequate stack. - ETP and DG set installed at Public Place at back side of the unit. SCN u/s 31(A)/33(A)/ : on 28.06.2016 Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(a) Effluent analysis report dated 19-07-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-06-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for consent to operate and HWM rule with DG set and analysis report with in limit,	31-08-2016 Fresh inspection be conducted w.r.t. rectification measures taken and hazardous waste.	
57	LAMBA ENTERPRISES PVT. LTD	D/E-35, RAMA ROAD	17-08-2016	DPCC/EC/2/1/2016/15960	Show Room Cum Service Station of Bikes. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No, 1 Application Date 17-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 03-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	(a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 03-05-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	30-08-2016 .	31-08-2016 Inspection be conducted.	

									03-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes			
									Status of Ground Water extraction :Nil			
									Status of Inspection :No			
									SCN u/s 31(A)/33(A)/5 of EPA details :No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
									Water Consumption 1500 Liters/days and Source of water DJB (Bill enclosed of CAT-II)			
58	SETCO	69/2-A INDUSTRIAL AREA , NAJAFGHAR ROAD MOTI NAGAR BEHIND MOIT NAGAR BUS STAND	22-08-2016	DPCC/EC/2/1/2016/16000	SERVICING REPAIRING AND WASHING OF TWO WHEELERS 15 VEHICLES/DAY APP. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 01-08-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Water Consumption 1000 liters/ day and its source DJB (Cat-II). Bill enclosed.		30-08-2016	31-08-2016 Inspection be conducted.