



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 03.10.2012 (9th Approval Meet) in 21 Cases of Consent to Establish under Orange Category (excluding cases of Redevelopment Areas) of the Period 01.08.2012 to 31.08.2012.

[illegible]

	07-08-2012	PLOT NO.-142, POCKET-K, SECTOR-3, DSIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA	Industrial Area	Establish	Plastic Dana with Washing. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- 19-09-2007 • Built Up Area ---- 90 (in sq. meter) • Water Consumption ---- 850 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 600 liters/day		(1)ETP -- Physicochemical treatment (a) AR dated 26.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (b) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil (4) Inspection conducted on 29.03.2012. (5) SCN u/s 31(A) 33 (A) issued to the unit on 22.05.2012. (6) Modified direction u/s 31(A) 33 (A) issued to the unit on 25.07.2012.	Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	Consent to Establish granted.
7	07-08-2012	CENTURY OVERSEAS 6/6-7, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Establish	MFG. OF READYMADE GARMENTS (LEATHER/WOVEN ACCESSORIES) WITH WASHING ONLY Readymade Garment (With Washing) with Boiler	• Date of commissioning of project ---- • Built Up Area ---- 1800 (in sq. meter) • Water Consumption ---- 12000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 5600 liters/day (b) Trade Effluent ---- 5000 liters/day		15-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 150 KVA no NMR attached. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish with condition that unit shall provide Effluent Treatment Plant(ETP) to treat the waste water generated from washing activity.	03-10-2012 Consent to Establish granted with condition that unit shall provide Effluent Treatment Plant(ETP) to treat the waste water generated from washing activity.
8	07-08-2012	JAIN ENTERPRISES A-16, RAJASTHANI UDYOG NAGAR, G.T. KARNAL ROAD	Rajasthan Udyog Nagar Industrial Area	Orange Establish	STAINLESS STEEL RE-ROLLING (HOT) Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	• Date of commissioning of project ---- • Built Up Area ---- 836 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		30-08-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conducted on 12.07.012 and following were observed: a. unit is engaged in the hot rolling and using furnace oil as a fuel in furnace. b. unit has not provide any ECS to control the emisson generated from the process. c. heavy spillage of oil from gear box rolling machine observed annd huge quantity of carbon observed in the premises. (5) SCN u/s 31(A) was issued on 25.07.2012.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish. Subsequently, inspection be conducted.	03-10-2012 Consent to Establish granted. Subsequently, inspection be conducted.
9	08-08-2012	PERFECT ENGINEERING WORKS C-66, SECTOR-4, DSIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	DAL MILLING AND PACKAGING OF ALL TYPES OF PULSES AND FOOD GRADE ITEMS Dal Mills	• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
10		NITYA ENTERPRISES E-1, SECTOR-3,	Bawana Industrial Area	Orange Establish	MFG. OF PLASTIC DANA WITH WASHING SUITCASE COVER			10-09-2012 (1)ETP ---- Physicochemical treatment (a) AR dated 18.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 18-07-2012 issued by DELHI	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.

	13-08-2012	DSIDC, BAWANA INDUSTRIAL AREA			AND FOOTWEAR Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (Using Scrap As Raw Material With Washing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 210 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 700 liters/day	COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/a (b) Stack monitoring report dated 18-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conductred on 15.02.2012. (5) SCN u/s 31(A)/33(A) issued on 28.05.2012. (6) Modified directions u/s 31(A)/33(A) issued on 25.07.2012. A reply recieved from the unit along with adequacy report of ETP and CTE and CTO on 13.08.2012.		
11	16-08-2012	DPCC/EC/2/1/2012/2374 MOVIING KITCHEN PVT. LTD. A-9, DDA SHED, PH-II, OKHLA INDL. AREA	Okhla Industrial Area	Orange Establish	CATERING (VEG, NON VEG AND BAKERY ITEMS) WITH WASHING. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 334 (in sq. meter) • Water Consumption ---- 1220 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 1000 liters/day	13-09-2012 (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set: 62.5 KVA proposed. Wrong name has been entered online. correct name is M/s MOVING KITCHEN PVT. LTD.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
12	17-08-2012	DPCC/EC/2/1/2012/2390 KONTAY BEVERAGES A-248 DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Establish	MANUFCTURING OF DIFFERENT TYPE OF FLAVOURED BEVERAGES. Aerated Water And Fruit Beverage Food additives, nutrients and flavors	• Date of commissioning of project ---- • Built Up Area ---- 315 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day	12-09-2012 (1)ETP ---- Physico chemical treatment (a) AR dated 30.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 30-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...Nil refusal of consent was issued on 30.03.2012 (6) Closure directions u/s 31(A)/33(A) was issued on 30.03.2012	Decision / Recommendation of Screening Committee on 17-09-2012 The closure directions were revoked tempororaly. Applied for both Consent to establish and consent to operate. Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
13	17-08-2012	DPCC/EC/2/1/2012/2399 ESSENCE BAR AND RESTAURANTS A-13, VISHAL ENCLAVE	WEST	Orange Establish	BAR AND RESTAURANTS Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 3200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 17-09-2012 As per record earlier unit M/s 13 West have been closed. Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
14		DPCC/EC/2/1/2012/2434 SAHI ELECTROPLATING WORKS B-2322, DSIDC,	Narela Industrial Area	Orange Establish	JOB WORK OF ELECTROPLATING. Electroplating Industries		10-09-2012 (1)ETP ---- (Proposed) (2)ECS - (Proposed)	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of renewal of Consent to Establish.	03-10-2012 Renewal of Consent to Establish granted.

	23-08-2012	NARELA INDUSTRIAL AREA				• Date of commissioning of project ---- • Built Up Area ---- 150 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 400 liters/day		(3)D.G.Set:62.5 KVA, NMR (Proposed) (4) Inspection conducted on 01.08.2012 during the inspection following were observed: a) Unit has constructed building but has not started any industrial activity till date. b) No machinery and industrial activity observed at site.		
15	DPCC/EC/2/1/2012/2445 24-08-2012	ANUPAM METALS B-25, JHILMIL INDL. AREA	Jhilmil Industrial Area	Orange Establish	MFG.OF PRESSURE COOKERS AND HOUSEHOLD KITCHEN APPLIANCES WITH BUFFING. Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 97 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A Cyclone dust collector proposed. (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
16	DPCC/EC/2/1/2012/2446 24-08-2012	AGGARWAL FLOUR MILL PLOT NO 78, POCKET-J, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	FLOUR MILL Flour Mills	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 70 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		10-09-2012 (1)ETP ---- N/A (2)ECS - (Proposed) (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
17	DPCC/EC/2/1/2012/2465 29-08-2012	S & S PIONEER CORP B-17, G.T.K. ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Establish	BANQUET HALL Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 836 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2500 liters/day		11-09-2012 (1)ETP ---- Trade Effluent :2500 LPD (Proposed) (2)ECS - N/A (3)D.G.Set: 380 & 200 KVA (Proposed)	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
18	DPCC/EC/2/1/2012/2474 29-08-2012	KEYMAN LOCKING DEVICES F-90/34, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MFG. OF LOCKS (WITHOUT POLISHING AND ELECTROPLATING). Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to inspect the unit.	03-10-2012 Inspection be conducted.
19	DPCC/EC/2/1/2012/2492 30-08-2012	SPLASH WATER RIDES (RUN BY SAGU DREAMLAND PVT.LTD. MAIN G.T.KARNAL ROAD NEAR PALLA MORE,ALIPUR	NORTH WEST	Orange Establish	WATER PARK. Amusement/Water Park	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 1012 (in sq. meter) • Water Consumption ---- 62000 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 8000 liters/day		14-09-2012 (1)ETP ---- biological (a) AR dated 17.10.2011 issued by DTU submitted. (b) Effluent analysis report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Case be referred to committee for 2(d) category cases since unit is having STP.
20	DPCC/EC/2/1/2012/2494 30-08-2012	CONCORDE MOTORS (INDIA) LTD. A-31, MOHAN CO-OP. INDUSTRIAL ESTATE, MATHURA ROAD	Mohan Co-operative Industrial Area	Orange Establish	Automobile Servicing and Repairing. Automobile Servicing And Repair Station With Washing Activity with burner	• Date of commissioning of project ---- • Built Up Area ---- 4830 (in sq. meter) • Water Consumption ---- 21000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 20000 liters/day		13-09-2012 (1)ETP ---- Proposed (2)ECS - N/A Paint booth proposed. (3)D.G.Set: ... 70 KVA proposed.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.
21	DPCC/EC/2/1/2012/2507	THE EMBASSY	NEW	Orange	RESTAURANT.			14-09-2012	Decision / Recommendation of	03-10-2012

31-08-2012	RESTAURANT 11-D, CONNAUGHT PLACE	DELHI	Establish	Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- 01-06-1948 • Built Up Area ---- 260 (in sq. meter) • Water Consumption ---- 3500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 3000 liters/day	(1)ETP ---- Other ETP Name : STP (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A ((3)D.G.Set: 5 KVA (4) Inspection details: Inspection was conducted on 11.07.2012, and observed that oil and Grease trap found installed, one DG set of 5 KVA found installed without accoustic enclosure. (5) SCN u/s 31(A)/33(A)/5 of EPA details : on 25.07.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Screening Committee on 17-09-2012 Recommended for grant of Consent to Establish.	Consent to Establish granted.
------------	---	-------	-----------	---	---	---	--	-------------------------------