



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 03.10.2012 (9th Approval Meet) in 15 Cases of Consent to Establish under Orange Category (excluding cases of Redevelopment Areas) of the Period 31.05.2011 to 01.03.2011(in reverse chronology).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	36600 03-03-2011	RAPID COOL B-151, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Establish	Fabrication and Machining for making steam boiler and hot water generator (engg. works) Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 400 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - paint booth connected to wet Scrubber (A) Stack monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-02-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details: as per the approval in CMC meeting held on 08.04.2011 an inspection was carried out on 19.07.2011 and aboserved that 1. unit found operational and engagd in the activiktyof machining and fabrication of hot water generators. 2. one paint booth found installed with wet scrubber as ECS and providing stack height of about 2m above the roof level. 3. one DG set of 62.5 KVA found installed with accoustic enclosure and adequate stack height. unit generating hazardous waste in the form of cloth during painting activity. (5) SCN u/s 31(A)/5 of EPA details : SCN was issued to the unit on 26.09.2011 under Air Act. in response of SCN a letter submitted by the unit on 07.10.2011 alongwith affidavit and informed that they do not make or fabricate any tupes of steam boiler, actual activity is machining & fabricationof hot water generator and request to issue necessary consnet to Establish and operate certificate as early as possible. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.
2	36627 07-03-2011	BIKANER NAMKEEN BHANDAR 382, CHANDNI CHOWK DELHI	NORTH	Orange Establish	Sweets and Snacks Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-10-2010 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to inspect the unit, thereafter, file be put up administratively.	03-10-2012 Inspect the unit, thereafter, file be put up administratively.

					More Than 1tonne/Day)					
3	36673	V.S. INDUSTRIES	Jhilmil Industrial Area	Orange Establish	MFG. OF LIGHT FITTINGS AND REFLECTORS WITH CASTING, POWDER COATING AND BUFFING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 506.2 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - proposed (3)D.G.Set Noise Report : 81.25 KVA. Incomplete address mentioned in the software. Complete address is Plot No. B-44/2, Jhilmil Industrial Area Delhi Earlier Committee Decision 10.08.11 Inspection be conducted to check the kind of furnace. 28.09.11 Inspection be conducted to check the kind of furnace.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to expedite the inspection.	03-10-2012 Expedite the inspection.
4	36675	PARKASH RUMAL FACTORY	Wazirpur Industrial Area	Orange Establish	MANUFACTURING OF HOOKS, S.S UTENSILS WITH BUFFING, CIRCLE CUTTING ETC. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		24-10-2011 (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 10-10-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Earlier CMC Decision: 10.08.2011 Ask the unit to submit the proposal for controlling the air pollution from the buffing process. Letter for submission of proposal for controlling the air pollution from buffing process was sent to the unit on 22.09.2011. Reply has been received on 03.10.2011 alongwith an affidavit stating that they have installed the Emission Control System for controlling the air pollution from the buffing process and whenever, they get the Adequacy/Test report of ECS they will submit the application for Consent to Operate.	Decision / Recommendation of Screening Committee on 25-09-2012 Implement the decision dated 14.08.2012.	03-10-2012 Implement the decision dated 14.08.2012.
5	36683	S.N.S FRESH	S.M.A Industrial Area	Orange Establish	FOOD AND FRUIT PROCESSING INDUSTRY - FRUIT AND VEGETABLES. Food and Fruit Processing Industry - Confectioneries	• Date of commissioning of project ---- • Built Up Area ---- 1018.24 (in sq. meter) • Water Consumption ---- 1290 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 75 liters/day (b) Trade Effluent ---- 1000 liters/day		13-09-2012 (1)ETP ---- (trade effluent 1000 LPD Proposed) (2)ECS - N/A stack monitoring report : (Proposed) (3)D.G.Set: ...Nil (4) Inspection conducted on 30.10.2010. (5) SCN u/s 31(A)/33(A) issued on 15.12.2010.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to inspect the unit, thereafter, put up file administratively.	03-10-2012 Inspect the unit, thereafter, put up file administratively.

								As per CMC(O) meeting held on 10.08.2011, decided a letter was issued to the unit for submission of adequacy report of ETP, NMR of DG set, MCD license, application for CTO along with BG of Rs 50,000 each under Air and Water Act. unit has submitted a letter on 19.10.2011 along with BG of Rs 50,000 each under Air and Water Act and BG is valid upto 16.10.2012.		
8	36800 31-03-2011	PUNJAB PLASTIC PLOT NO 115 SECTOR-1 POCKET-F DSIDC BAWANA INDUSTRIAL AREA	Bawana Industrial Area	Orange Establish	Mfg. OF AUTO PARTS WITH PRESSIRE DIE CASITNG MACHINES. Aluminium Pressure Die Casting	• Date of commissioning of project ---- • Built Up Area ---- 60 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 ETP- N/A ECS- N/A DG Set- nil Channelization and hood & suction system is proposed.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to inspect the unit.	03-10-2012 Inspection be conducted.
9	36836 06-04-2011	DIVINE AUTOMOBILES PVT. LTD. 24/4 MOHAN CO- OPERATIVE INDUSTRIAL AREA	Mohan Co- operative Industrial Area	Orange Establish	AUTHORISED DEALER OF MARUTI SUZUKI INDIA LTD. (WORKSHOP) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 15-02-2011 • Built Up Area ---- 5500 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 3000 liters/day	Recommendations of Scrutinizing Committee on 31-05-2011 Ask M/s Aalianz Automobiles, who is the premises owner, to submit bank guarantee of Rs. One Lakh each under Air Act, Water Act and HWM Rules valid for one year. If M/s Aalianz Automobile submits the bank guarantee, closure directions be revoked and consent to establish be issued to M/s Divine Automobiles Pvt. Ltd. Copy of this letter be sent to M/s Divine Automobiles Pvt. Ltd. with the advise not to operate without revocation of closure directions issued to M/s Aalianz Automobile. Decision of Consent Management Committee on 10-08-2011 Ask M/s Aalianz Automobiles, who is the premises owner, to submit bank guarantee of Rs. One Lakh each under Air Act, Water Act and HWM Rules valid for one year. If M/s Aalianz	24-05-2011 Earlier Committee Decision 07.05.10 (In CTE with Aalianz authomobile) Issue consent to establish. Subsequently, inspection be conducted. Ask the unit to apply for authorization under HWM Rules. 09.11.10 (In CTE with Aalianz authomobile) Issue SCN for closure u/s 31(A) of the Air Act, u/s 33(A) of the Water Act and u/s 5 of the EPA. Remarks / Action Taken / ATR Water Consumption : 5Kld Waste Water generation : (a) Domestic effluent: 1.5 Kld (b) Trade effluent: 4.5 Kld Date of Commissioning :15.04.11 DG set : Nil GW: Nil Earlier a unit has obtained CTE on 04.06.10 vd CNO 23986 with the name of Aalianz authomobile SCN for closure u/s 31(A) of the Air Act, u/s 33(A) of the Water Act and u/s 5 of the EPA issued on 23.12.10. No reply received so far. Hence, as per approval on file, Closure direction issued to the said unit on 17.3.11 but same was returned back undelivered. As approved inspection was conducted on 06.04.11& closure directions pasted on the wall of office of unit.As reported M/s Aalianz automobile has been closed down & now premises in possession of M/s DIVINE AUTOMOBILES PVT. LTD which is in progress to establish a automobile workshop. As reported some machineries have been taken over from alianz automobile M/s alianz automobile has submitted its reply on 02.05.11 requesting revocation of closure direction Letter received on 03.05.11 from BSES that the electricity	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up administratively.	03-10-2012 File be put up administratively.

							Automobile submits the bank guarantee, closure directions be revoked and consent to establish be issued to M/s Divine Automobiles Pvt. Ltd. Copy of this letter be sent to M/s Divine Automobiles Pvt. Ltd. with the advise not to operate without revocation of closure directions issued to M/s Aalianz Automobile.	supply has been disssconnected. M/s DIVINE ATOMOBILE submitted CTE application with address only 24/4 MOHAN CO-OPERATIVE INDUSTRIAL AREA, instead of A-24/4 MOHAN CO-OPERATIVE INDUSTRIAL AREA Recommendation / Action Taken Details (EE/AEE) on 20-09-2012 As decided by the CMC (O) in its meeting held on 11.11.11, letter was issued on 23.12.11 to Sh. Anil Kapoor (Owner of M/s Aalianz Automobiles), A-2/30, Safdarjung Enclave, New Delhi & copy was also sent to M/s DIVINE AUTOMOBILES PVT. LTD. As decided by the CMC (O) in its meeting held on 11.11.1, letter was issued on 23.12.11 for seeking compliance to DJB, MCD & SDM . Copy of letter dated 23.12.11 sent to M/s DIVINE AUTOMOBILES PVT. LTD. was returned back undelivered. EARLIER CMC DECISION 11.11.2011 (In M/s Aalianz Automobiles) Compliance received from discom. The letter received back be delievered at residential addresses. Ask the compliance from DJB, MCD and also ask the SDM for effective closure of the unit.		
10	36865 11-04-2011	ANKITA COMMUNICATION A-1, DDA SHED, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Establish	MAKING FILM OUTPUT FOR OFFSET PRINTERS WITH TRADE EFFLUENT DISCHARGE. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 120 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 200 liters/day	Recommendations of Scrutinizing Committee on 31-05-2011 Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the same, consent to establish be issued. Decision of Consent Management Committee on 10-08-2011 Ask the unit to submit bank guarantee of Rs. 50,000 under Water Act valid for one year. If unit submits the same, consent to establish be issued. Subsequently, inspection be conducted.	24-05-2011 Earlier Committee Decision 66th(In Green File) Inspection be conducted. 67th(In Green File) Re-inspection by AEE. 69th(In Green File) Inspection be expedited. 70th(In Green File) Issue SCN for refusal and SCN u/s 33(A) of Water Act 1974 for closure of the unit. Remarks / Action Taken / ATR Water Consumption : 700 Lt/d Waste Water generation : (a) Domestic effluent: 500 Lt/d (b) Trade effluent: 200Lt/d Date of Commissioning : December 2010 DG set : 62.5 KVA GW: Nil CTO (Green) issued on 29.9.03 vd CNO 7885. CTO (orange) applied on 11.07.05 vd ID 15000. CTE(Green) applied on 28.06.10 vd ID 34344. SCN for refusal of consent under Air act and water act issued on 17.03.11. SCN u/s 33(A) of Water Act 1974 for closure of the unit issued on 17.03.11. Unit submitted its reply on 29.03.11 and 03.05.11 Unit has applied for CTE(orange) on 11.04.11 vd ID 36865. Recommendation / Action Taken Details (EE/AEE) on 19-09-2012 As decided by the CMC (O) in its meeting held on 10.08.11, letter was issued on 12.09.11 for submission of bank guarantee of Rs. 50,000 under Water Act valid for one year.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to implement the decision dated 10.08.2011.	03-10-2012 Implement the decision dated 10.08.2011.

							submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details: conducted on 08.05.2012 by officials of DPCC and observed that: (a) unit found operational and engaged in manufacturing of pan masala/ gutka with its packing. (b) brand names are: dilbaag and talab. (c) pouches material is paper coated with aluminium (d) hood and channelisation provided but not properly maintained/ not fully operated as required. (e) pouches are being packed in plastic material and paper also. (f) samples were collected containing pouches out of packed materials, packets containing large number of pouches during inspection in the presence of Mr. I.D. Tripathi (Director) (5) SCN u/s 31(A)/5 of EPA details : and for refusal of consent under Air and Water Act issued on 28.05.2012 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO In reference to issue of pouches of pan, masala and gutka case is under process. Regarding prosecution case is being dealt by legal cell.		
14	37118 18-05-2011	SILVER GRAND SERVICES A-1 54 RAMA ROAD NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Establish	BANQUET HALL AND LOUNGE. Banquet Hall/ Party Lawn (Minimum Area 100 Sq Mts)	• Date of commissioning of project ---- • Built Up Area ---- 447.6 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 3000 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	19-09-2012 (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inspection conducted on 25.01.2011 and observed that : -unit is a banquet hall for party and started since last one month. First function was held on 13.01.2011. kitchen is having 3 Numbers of coal fired tandoor and Six no. of LPG bhatties and found in operation. ducting provided but filters not fitted, the hight of stack is only two feet from the roof top. - waste water generated for the kitchen is discharging in to drain/sewar without any treatment. ETP is not installed so far. -Unit has not applied for the consent. (5) show cause notice for closure was issued on 11.02.2011 under air and water act. a reply was submitted by the unit on 04.03.2011 and requested some time for completion of work and commissioning / installation of pollution control equipment, procurement of adequacy report and submission of consent application to DPCC. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :issued under water and Air act on 24.03.2011. a letter was issued 9/5/2011 to the consurned authorities for disconnection of Water and electricity connection. A committee was held on 11.11.2011 and decied to ask complience report from DJB and SDM for effective closure of the unit.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.

							a reply was submitted on 27.04.2011 from the unit and informed that rectification of deficiency has been completed. (6)SCN u/s 31(A)/33 (A)/ 5 of EPA details : issued on 02.11.2011 for refusal of consent under Air and water Act. in response of above SCn unit has submitted a reply on 22.11.2011 along with adequacy report of ETP installed as well as photograph of ducting providing for the tandoor and bhatti for pollution control. a letter was issued to te unit on 20.01.2012 regarding submission of bank guarantee of Rs. one lakh each under Air and water act. reply is still awaited.		
15	37137 19-05-2011	SDG TECHNOPRINT PVT. LTD. B-232 NARAINA INDL. AREA PH-I	Naraina Industrial Area Phase - I	Orange Establish	OFFSET PRINTING AND PACKAGING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	19-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No A CMC (O) meeting was held on 14.09.2011 and ask for issued a SCN u/s 21/22 of Air act and 25/26 of water act for commensing the unit with obtaining consent to operate from DPCC with a direction to apply consent to operate immediatly (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 18.10.2011. a reply was submitted on 03.11.2011 and informed that consent to operated application is in process and will be submitted with in 20 days with required formality. a meeting held on 01.06.2012 and decided to Consent to Operate and authorization under HWM Rules granted without mfg. of plastic bags. CTO is issued on 19.06.2012 along with HWM authorization issued on 22.06.2012. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Consent to Establish.	03-10-2012 Consent to Establish granted.