



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 03.10.2012 (9th Approval Meet) in 46 Cases of Consent to Operate and Consent to Operate(Renewal) under Orange Category (excluding cases of Redevelopment Areas) of the Period 01.08.2012 to 31.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/2270 01-08-2012	POONAM ELECTROPLATERS 308/3, SHAHZADA BAGH INDUSTRIAL AREA	Shahzada Bagh Industrial Area	Orange Renewal	ELECTROPLATING. Electroplating Industries	- Date of commissioning of project ---- - Built Up Area ---- 70 (in sq. meter) - Water Consumption ---- 800 liters/day - Ground Water ---- 800 liters/day - Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 500 liters/day		12-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 10.09.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes . (2)ECS - N/A (b) Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.	03-10-2012 Seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.
2	DPCC/EC/2/1/2012/2272 01-08-2012	GROVER SWEET J-1/162, SHOP NO.3 & 4 (GF), RAJOURI GARDEN	WEST	Orange Renewal	EATING HOUSE. Restaurants/ Eating Houses/ Dhaba (Having Seating Capacity Less Than 36)/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of Less Than 1 Tonne/Day)	- Date of commissioning of project ---- - Built Up Area ---- 44 (in sq. meter) - Water Consumption ---- 2000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day		13-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.
3	DPCC/EC/2/1/2012/2275 01-08-2012	GUPTA ROLLER FLOUR MILLS G-1140, DSIDC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	FLOUR MILL. Flour Mills	- Date of commissioning of project ---- 01-01-2003 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 115 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 45 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 27.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate.	03-10-2012 Consent to Operate granted.
4	DPCC/EC/2/1/2012/2276 01-08-2012	SUNRISE AUTO WORLD PVT. LTD. PLOT NO.376, PATPARGANJ INDUSTRIAL AREA	Patparganj Industrial Area	Orange Operate	SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 400 (in sq. meter) - Water Consumption ---- 6000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 5000 liters/day		14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 09.04.2009 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. As decided by the CMC (O) in its meeting held on 11.10.10, letter was issued on 22.10.10 for applying authorization under	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.

[illegible]

		AREA ,				• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 2500 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 2000 liters/day	(2)ECS - N/A Stack monitoring report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil		
9	DPCC/EC/2/1/2012/2288	SWATI ENTERPRISES B-22, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	ALUMINUM CASTING (BY PIT FURNACE ONLY) Aluminium Casting (By Pit Furnace Only), Rolling (with capacity less than 25 MT/day) And Annealing	• Date of commissioning of project ---- • Built Up Area ---- 160 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day	10-09-2012 (1)ETP ---- N/A (2)ECS - Scrubber (b) Stack monitoring report dated 13-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...nil (4) Inspection conducted on 15.06.2012. during the inspection following was observed: (a) unit found operational without obtaining any consent from DPCC. (b) No proper channelising system/ ECS installed with furnace, hood provided was found broken. (5) SCN u/s 31(A) issued on 04.07.2012. (6) modified direction under section 31 (A) of the Air Act issued to the unit on 01.08.2012. A reply recieved from the unit on 13.08.2012 along with an affidavit.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to put up file administratively.	03-10-2012 Inspection be conducted, thereafter, file be put up administratively.
10	DPCC/EC/2/1/2012/2295	BRIGHT ELECTROPLATERS C-85, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	JOB WORK OF ELECTROPLATING. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 2250 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 1250 liters/day	14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated .21.07.2009 issued by GURU Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - Stack attached to the electroplating Bath. (A) Stack monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.	03-10-2012 Seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.
11	DPCC/EC/2/1/2012/2298	N.K. GOEL 1/536-D/16, GALI NO. 4A,	Friends Colony Industrial Area	Orange Renewal	MFG.OF AL.KITCHEN WARES AND UTENSILS, PRESSURE COOKER, LPG GAS		13-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details : no		
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
26	DGCC/EC/2/1/2012/2404 21-08-2012	GLOBE ENGINEERING CORPORATION A-35, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF BATTERIES. Batteries (Lead Acid) and Accessories without Trade Effluent Discharge	- Date of commissioning of project ---- - Built Up Area ---- 400 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 70 liters/day (b) Trade Effluent ---- 0 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - attached to bag filter and Cyclone (a) AR dated 26.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Monitoring Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
27	DGCC/EC/2/1/2012/2408 21-08-2012	K.S. & SONS B-75, MAYAPURI INDUSTRIAL AREA PHASE-I	Mayapuri Industrial Area	Orange Renewal	ENGINEERING WORKS AND FORGING AUTOMOBILES PARTS. Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	- Date of commissioning of project ---- - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 2640 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 2000 liters/day	13-09-2012 (1)ETP ---- N/A (2)ECS - stack attached to furnace hood (a) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
28	DGCC/EC/2/1/2012/2411 22-08-2012	AGRO PURE CAPITAL FOODS PVT. LTD. D-1511, DSII DC NARELA INDL. AREA	Narela Industrial Area	Orange Operate	DALL MILL Dal Mills	- Date of commissioning of project ---- 01-01-1992 - Built Up Area ---- 350 (in sq. meter) - Water Consumption ---- 2000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 0 liters/day	11-09-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 24.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate.	03-10-2012 Consent to Operate granted.
29	DGCC/EC/2/1/2012/2412 22-08-2012	NATIONAL FOUNDRY WORKS C-8/2,WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	CASTING OF FERROUS AND NON FERROUS METAL Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	- Date of commissioning of project ---- - Built Up Area ---- 65 (in sq. meter) - Water Consumption ---- 85 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 60 liters/day (b) Trade Effluent ---- 0 liters/day	11-09-2012 (1)ETP ---- N/A (2)ECS - N/A (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
30	DGCC/EC/2/1/2012/2418	ANNUPURNA FOOD	Narela Industrial	Orange Operate	Dall Mill.		11-09-2012 (1)ETP ---- N/A	Decision / Recommendation of Screening Committee on 17-09-2012	03-10-2012

	23-08-2012	INDUSTRIES J-3181, DSIDC NARELA INDL. AREA	Area		Dal Mills	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 0 liters/day	(2)ECS - Bag Filter / Bag House (a) AR dated24.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 27-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes.	Recommended for grant of Consent to Operate.	Consent to Operate granted.
31	23-08-2012	COMPACK ENTERPRISES INDIA PVT. LTD. B-60, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	Manufacturing of Printing Cartons. Cardboard/ Paper Or Corrugated Box & Other Products (With Printing Activity Including Effluent Generation) from Card board as raw material	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 2100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 500 liters/day	11-09-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 06.07.2012 issued by DTU submitted. (b) Effluent analysis report dated 10-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 21-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.
32	23-08-2012	O.K. INDUSTRIES B-73, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	MANUFACTURING OF ALUMINIUM KITCHEN WARE (WITHOUT PLATING). Process Involving Buffing Spray Painting, Paint Baking, Paint Stripping	• Date of commissioning of project ---- • Built Up Area ---- 502 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 650 liters/day (b) Trade Effluent ---- 0 liters/day	13-09-2012 (1)ETP ---- N/A (2)ECS - yes (a) AR dated 24.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	03-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
33	23-08-2012	SAHI ELECTROPLATERS PVT. LTD. 54/D-12, RAMA ROAD NAJAFGARAH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	Electroplating job Work. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 89 (in sq. meter) • Water Consumption ---- 750 liters/day • Ground Water ---- 750 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 350 liters/day	13-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - yes. number of parameters analyzed which are within limit. (2)ECS - stack attached to Electroplating bath (a) Stack monitoring report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - yes. number of parameters analyzed which are within limit (3)D.G.Set: ...N/A...	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.	03-10-2012 Seek effluent analysis report of ETP from empanelled laboratory of DPCC as per the latest standards notified by MOEF vide notification dated 30.03.2012.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
37	DPCC/EC/2/1/2012/2457	MALWA AUTOMOBILIES PVT. LTD. PLOT NO-29, RAJASTHANI UDYOG NAGAR INDL. AREA	Rajasthan Udyog Nagar Industrial Area	Orange Operate	Car Washing (with Service centre) Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- 01-01-2000 • Built Up Area ---- 1672.25 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 4000 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 3400 liters/day	17-09-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 01.08.2012 issued by DTU submitted. (b) Effluent analysis report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes File has been submitted administratvly for further decision.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to take action as per the decision taken on file.	03-10-2012 Inspection be conducted.
38	DPCC/EC/2/1/2012/2460	G.S. STEELS A-25, WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING OF S.S.UTENSILS Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 85 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day	12-09-2012 (1)ETP ---- N/A (2)ECS -Cyclone (a) AR dated 26.07.2012 issued by DTU submitted. (b) Stack monitoring report dated 26-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate.	03-10-2012 Consent to Operate granted.
39	DPCC/EC/2/1/2012/2470	GANESHA INTERNATIONAL A-88 WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Renewal	MANUFACTURING OF S.S. SINK Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 300 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 160 liters/day (b) Trade Effluent ---- 0 liters/day	11-09-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 21.07.2012 issued by GGSIPU submitted. (b) Stack monitoring report dated 24-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.
40	DPCC/EC/2/1/2012/2471	DIVINE AUTOTECH PVT.LTD. 51, NAJAFGARH ROAD INDL. AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICING, REPAIRING OFR VARIOUS CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 685 (in sq. meter) • Water Consumption ---- 3000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 2000 liters/day	13-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.
41	DPCC/EC/2/1/2012/2473	KEYMAN LOCKING DEVICES	Okhla Industrial Area	Orange Operate	MFG. OF LOCKS (WITHOUT POLISHING AND ELECTROPLATING).		14-09-2012 (1)ETP ---- N/A (2)ECS - N/A	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended to inspect the unit.	03-10-2012 Inspection be conducted.

	29-08-2012	F-90/34, PHASE-I, OKHLA INDUSTRIAL AREA			Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day		(a) Stack monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 06-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes.		
42	29-08-2012	ACMECAST WH-76, PHASE-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	CASTING OF FERROUS/NON FERROUS METALS/ALLOYS BY USING PIT FURNACE. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 122.59 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 30 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - stack attached to pit furnace (a) Stack monitoring report dated 13-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details: No. Inspection be conducted as decided by Screening Committee on 14.08.2012. inspection has to be conducted. (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
43	29-08-2012	RAINBOW COLOUR GRAPHICS A-44,NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Operate	Proofing layout designing plate making processing. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 151 (in sq. meter) • Water Consumption ---- 1500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 500 liters/day		14-09-2012 (1)ETP ---- physiochemical (a) AR dated 31.05.2012 issued by DTU submitted. (b) Effluent analysis report dated 31-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	03-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.
44	30-08-2012	MALWA MOTORS PVT. LTD W-10, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	SERVICING AND WASHING OF TWO WHEELERS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 743 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 450 liters/day (b) Trade Effluent ---- 2000 liters/day		14-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune, 2009..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: conducted on 28.10.09 & following were observed: a) Unit found in operation & ETP is installed which is in operation. b) one DG set of 5 KVA W/O acoustic enclosure is installed with inadequate stack height. c) NMR not submitted. d) Bore connection is not there.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.

							As decided by the CMC (O) in its meeting held on 19.08.10, SCN for refusal was issued on 29.09.10 for incorporating the requirement to apply for fresh authorization under HWM Rules. EARLIER CMC DECISION 07.10.09 Inspection be conducted. 21.12.09/22.12.09 Ask the unit to provide adequate stack height with the D.G. Set and submit noise monitoring report from approved laboratory of DPCC. 25.01.10 Implement the earlier CMCs decision dated 21.12.2009 19.08.10 Issue SCN for refusal of consent incorporating the requirement to apply for fresh authorization under HWM Rules.		
45	DPCC/EC/2/1/2012/2491 30-08-2012	MECHANICAL COCKS & VALVES INDIA Y-21, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	Manufacturing of Brass Components (without Plating.) Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only)	• Date of commissioning of project ---- • Built Up Area ---- 280 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 0 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) AR dated 20.08.2012 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Stack monitoring report dated 20-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 02.02.2011 and following were observed: 1. Unit found in operation. 2. Unit is having three oil fired furnaces. 3. The top of working furnace is about 3 above ground level. 4. Unit has installed ECS (wet scrubber) and found in operation. 5. Unit having two DG Set (62.5 & 15 KVA) but 15 KVA DG Set found w/o acoustic enclosure and inadequate stack height. 6. Unit is not fully complying with the provisions of HWM Rules As decided by the CMC (O) in its meeting held on 16.03.11, letter was issued on 06.04.11 to correct the deficiencies observed during the inspection and submit an affidavit in this regard. Unit has submitted the above mentioned affidavit on 18.04.11. Unit has submitted its representation on 10.06.11 along with NMR of DG set (62 KVA capacity) dated 26.05.11. EARLIER CMC DECISION 11.10.2010 Inspection be conducted to check the type of furnace. 16.03.2011 Ask the unit to correct the deficiencies observed during the inspection and submit an affidavit in this regard.	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
46	DPCC/EC/2/1/2012/2493 30-08-2012	SPLASH WATER RIDES (RUN BY SAGU DREAMLAND PVT.LTD. MAIN G.T.KARNAL ROAD NEAR PALLA MORE,ALIPUR	NORTH WEST	Orange Operate	WATER PARK. Amusement/Water Park	• Date of commissioning of project ---- 01-01-2004 • Built Up Area ---- 1012 (in sq. meter) • Water Consumption ---- 62000 liters/day • Ground Water ---- 12000 liters/day • Waste Water generation (a) Domestic Effluent ---- 1600 liters/day (b) Trade Effluent ---- 8000 liters/day	14-09-2012 (1)ETP ---- biological (a) AR dated 17.10.2011 issued by DTU submitted. (b) Effluent analysis report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 16-08-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit	Decision / Recommendation of Screening Committee on 17-09-2012 Recommended for grant of Consent to Operate.	03-10-2012 Case be referred to committee for 2(d) category cases since unit is having STP.

[illegible]