



CONSENT MANAGEMENT

Decisions taken by the Member Secretary (DPCC) on 03.10.2012 (9th Approval Meet) in 38 Cases of Consent to Operate and Consent to Operate(Renewal) under Orange Category (excluding cases of Redevelopment Areas) of the Period 31.05.2011 to 01.03.2011.(in reverse chronology).

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	36682 14-03-2011	THE RETREAT MOTAL (RUN BY JINGAL BELL AMUSEMENT PARK PVT. LTD.) ALIPUR, MAIN G.T. KARNAL ROAD	NORTH WEST	Orange Operate	MOTEL AND RESORT ACTIVITY. Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	- Date of commissioning of project ---- 01-01-1998 - Built Up Area ---- 5058.57 (in sq. meter) - Water Consumption ---- 5290 liters/day - Ground Water ---- 5290 liters/day - Waste Water generation (a) Domestic Effluent ---- 1880 liters/day (b) Trade Effluent ---- 2350 liters/day		13-09-2012 (1)ETP ---- N/A (a) AR dated .18.01.2011 issued by DTU submitted. (b) Effluent analysis report dated 18-01-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 18-01-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 08-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No The unit has 1 D.G. Set(s) of 80 KVA. Noise monitoring report dated 01-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No Direction for closure u/s 33(A)/ 31(A) was issued on 10.01.2011. Revocation of closure direction was issued on 29.11.2011. unit submitted MCD and Delhi Police license. Insepction of the unit was conducted on 11.09.2012 and following observed that: 1) Unit found installed ETP but same found not in operation and waste ater direcvtly discheged in to the drain. 2) Unit found installed hood and suction arrangement but same found not in operation.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommneded to issue Show Cause Notice u/s 33(A) of the Water Act, u/s 31(A) of the Air Act and for refusal of consent.	03-10-2012 Issue Show Cause Notice u/s 33(A) of the Water Act, u/s 31(A) of the Air Act and for refusal of consent.
2	36687 15-03-2011	AUTO VIKAS SALES AND SERVICES PVT. LTD G-14, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	Udyog Nagar Industrial area	Orange Operate	Servicing repairing and washing of vehicles. Automobile Servicing And Repair Station With Washing Activity	- Date of commissioning of project ---- - Built Up Area ---- 1000 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 1500 liters/day - Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 300 liters/day		19-09-2012 1)ETP ---- ETP (Physiochemical) (a) AR dated 03.01.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 18-12-2010 issued by GGSIPU submitted. Effluent Test Report within Limit - Yes. (2)ECS - stack connected to paint booth (a) Stack analysis report dated - 28.11.2011 - issued by - DTU - submitted. its paramaeeter are within prescribed limit (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-12-2010 issued by GGSIPU submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 18.05.2011 and it was	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.

								A letter was received from the unit on 14.10.2011 along with SMR of two paint booths.		
4	36806 31-03-2011	MARVEL WIRES 429/7, GALI NO. 1, FRIENDS COLONY INDL. AREA	Friends Colony Industrial Area	Orange Operate	COPPER WIRE DRAWING AND SUPER ENAMELING ON COPPER WIRE. Copper Wire Drawing With Super Enamelling (Dry Process)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 120 liters/day • Ground Water ---- 120 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		18-09-2012 (1)ETP ---- N/A (2)ECS - Scrubber (a) Stack monitoring report dated 02-11-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... As decided by the CMC (O) in its meeting held on 02.09.11, letter was issued on 23.09.11 for submission of fresh stack monitoring report from approved laboratory of DPCC. Unit has submitted fresh SMR on 2.11.11 issued by DPCC dated 02.11.11. EARLIER CMC DECISION 02.09.11 Ask the unit to submit fresh stack monitoring report from approved laboratory of DPCC.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.
5	36829 05-04-2011	SALVE PHARMACEUTICALS PVT. LTD. B-34, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	Mfg. OF PHARMACEUTICALS FORMULATION (GEL, SOLUTION, CREAM AND OINTMENT) APP. 0.8 TON/MONTHLY. Medicines / Pharmaceutical Formulation- With Boiler	• Date of commissioning of project ---- • Built Up Area ---- 250.83 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 200 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day		13-09-2012 (1)ETP ---- ETP - Physiochemical Adequacy report dated 30.10.2010 issued by GGSIU submitted Effluent analysis report dated 10.03.2011 submitted and all the parameters found in prescribed limits. (2)ECS - N/A (3)D.G.Set: ...Nil Accordingly, Inspection conducted on 27.07.2010 and 23.10.2010. based on the deficiencies Direction for closure u/s 33(A) & 31 (A) was issued on 24.03.2011. A letter issued to the unit for submission of bank guarantee on 1210.2011 unit submitted bank guarantee on 20.10.2011 Earlier decision on 11.11.2011: Closure direction be revoked and consent to operate and authorization be issued. As noted by Sh. V.K. Jain(EE) consent to operate can not be granted because of online generation problem. Revocation of closure directions issued on 23.01.2012 and authorization granted on 23.01.2012.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.
6	36835 06-04-2011	DEUTSCHE MOTOREN PVT. LTD H-5/B-I, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE, MATHURA ROAD	Mohan Co-operative Industrial Area	Orange Operate	SERVICS REPAIR AND MAINTENANCE OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2800 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day		19-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 04-03-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 29-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 04.01.12 & following were observed: (a). The unit has installed an ETP (batch type) having two Nos	Decision / Recommendation of Screening Committee on 25-09-2012 Recommneded to put up file adm inistratively.	03-10-2012 File be put up administratively.

							of reaction cum settling tank out of one is not connected with sludge drying bed. (b). The ETP was not found in operation even one of reaction cum settlin tank was filled with raw effluent. (c). No wet sludge was observed. Only small quantity of dry sludge was found stored in a drum at roof top. (d). No proper filter media i.e., gravel, sand etc have been provided in SDBs. (e). It was also observed that trade effluent from the washing area is also discharged into rain water harvesting pit. (f). Adequate stack height has not been provided with the paint booth. (g). The unit is not complying with the provisions of HWM Rules. (h). ETP log book is not being maintained since 29.01.09. (i). Filterate of SBD and waste water of filter has not been connected to collection cum equalisation tank. EARLIER CMC DECISION 07.09.11 Inspection be conducted.		
7	36844 07-04-2011	KOHLI GRAVURE F-58,PHASEII MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Operate	MFG OF ROTOGRAVURE PRINTING CYLINDER AND EMBOSS ROLLER. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 83.6 (in sq. meter) • Water Consumption ---- 600 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day	25-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 21.02.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 20-01-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - No (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: inspection was conducted on 19.07.2011 and observed that unit found operational and engaged in the activity of manufacturing of rotogravure printing and emboss roller with electroplating. -ETP found installed and in operational condition. wet sludge and dry sludge seen on the site, - unit generating HW and follow rule as per the norms. -waste water generated from the activity and discharge in to ETP for the Treatment. CMC(O) meeting held on 13.03.2011 as per decision issue consent to estabalish subsequently inspection be conducted. CMC(O) meeting held on 07.09.2011 as decide for suitable letter may be put up administratively addressed to MCD, DDA and COI with a copy to complainant. letter issued on 22.09.2011 to concerned authorities. (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to seek effluent analysis report from emapnelled laboratory of DPCC as per the latest notification of MOEF for electroplating industries.	03-10-2012 Seek effluent analysis report from emapnelled laboratory of DPCC as per the latest notification of MOEF for electroplating industries.
8	36857 11-04-2011	K.M. UDYOG PLOT NO. 1/536/B-9, GALI NO. 5, FRIENDS COLONY INDUSTRIAL AREA	Friends Colony Industrial Area	Orange Operate	Manufacturing of Sanitary Fittings. Process Involving Buffing		18-09-2012 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated Feb,2011 issued by GGSIU submitted. (b) Stack monitoring report dated 14-02-2011 issued by IP	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administrativley.	03-10-2012 File be put up administratively.

							(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 17-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes . (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO In CMC (O) meeting held on 07.09.2011 it was decided that inspection to be conducted. Earlier CMC (O) Meeting Decisions: In a meeting held on 04.12.2009 it was decide to issue CTE to the unit (when unit applied on 23.02.2009). In a Meeting held on 07.05.2010 it was decided that Consent application be made in fructuous as unit has obtained CTE earlier. In response to this letter was sent to the unit on 05.07.2010.		
11	37004 02-05-2011	NORTHERN STEEL INDSUTRIES (UNIT-II) A-53,GROUP WAZIRPUR INDSUTRIAL AREA	Wazirpur Industrial Area	Orange Operate	BUFFING ON S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 10 liters/day (b) Trade Effluent ---- 0 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated 08.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 08-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...NIL Earlier CMC Decision on 28.09.2011 Issye SCN for refusal of consent for want of doucmentary evidence to establish that unit No-1 and unit-II are the separate enity. Accordingly, SCN for refusal of consent issued to the unit on 22.11.2011. No reply peceived from the unit.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommneded to put up file administratively.	03-10-2012 File be put up administratively.
12	37006 02-05-2011	SHIVNATH RAI MAUJI RAM A-2, DSIDC JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	MANUFACTURING OF LIGHTING FIXTURE AND BALLASTS. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day	18-09-2012 (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 07-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: Inspected on .20.11.2010 & following were observed	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.

							1. DG set: 62.5KVA with A/E & 15 KVA(non functioal), with out A/E and st. ht. inadequate. 2. Unit has two .powder coating plant.with inadequate st height. 3. Following units are also found operating w/o consent in a plot opp to it: (1). Sangam Auto Industries, M/s Sultan Electroplating, DSIDC, B-45, Shed no.8. (2).Deepak Graphics, Shed no.7, B-45, JIA, Delhi, with activity printing /plate making. (3) .Raj Auto Ind. Shed no.6. B-45, JIA, Delhi, with activity plastic Auto parts. (Proppriater). (4.) Kamlesh,Shed no.5. B-45, JIA, Delhi, with activity injection moulding. 5.Vinod Kumar,Shed no.3. B-45, JIA, Delhi, with activity Printed Ciruit Board with trade effluent. Vikash Malhotra(Proppriater). (6) .M/s Jagan Prashad,.(Propriater),Shed no.2. B-45, JIA, Delhi, with activity PVC granules. (7).Jagdish Kumar, PVC (granules) , shed no.1.B-45, JIA, Delhi, (5) SCN u/s 31(A) details : issued on 21.03.11. As decided by the CMC (O) in its meeting held on 28.09.11, Refusal of consent to operate vide ID 32340 issued on 22.11.11. Letter was also issued on 22.11.11 for submission of Bank Guarantee of Rs. 50,000 under Air Act valid for one year. As decided by the CMC (O) in its meeting held on 28.09.11, direction for closure was issued on 22.11.11 to M/s Jagan Prasad, M/s Deepak Graphics, M/s Vinod Kumar & M/s Jagdish Kumar. Unit has failed to submit the above said Bank Guarantee. EARLIER CMC DECISION 23.03.2010 Ask the unit to clarify mfg. process and date of start of operation of the unit. 07.02.2011 Issue SCN for refusal of consent and SCN u/s 31(A) of the Air Act to N/s Shiv Nath Rai Mauji Ram. Issue SCN u/s 31(A) of the Air Act to other units namely (i) M/s Deepak Graphics (ii) M/s Raj Auto Inds (iii) M/s Kamlesh (iv) M/s Vinod Kumar (v) M/s Jagan Prasad (vi) M/s Jagdish Kumar found during inspection. Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act and u/s 5 of the EPA to M/s Sangam Auto Industries found during inspection. 28.09.11 Ask the unit to submit bank guarantee of Rs. 50,000 under Air Act valid for one year. If unit submits the bank guarantee, consent to operate be issued. Other units namely (i) Sangam Auto Inds, B-45, Shed No 8, (ii) M/s Kamlesh, Shed No 4 & 5, B-45 (iii) M/s Raj Auto Inds, B-45, Shed No 6 have applied for consent and be considered as per their chronology. Other remaining four units, closure directions may be confirmed. Also consent to operate application of M/s Shiv Nath Rai Mauji Ram dated 04.01.2010 be refused.		
13	37020	MGF AUTOMOBILES LTD.	Okhla Industrial	Orange Renewal	CAR WASHING AND SERVICING.		20-09-2012 (1)ETP ---- ETP - Physiochemical	Decision / Recommendation of Screening Committee on 25-09-2012	03-10-2012

		04-05-2011	A-2, PHASE-I, OKHLA INDUSTRIAL AREA	Area		Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2400 (in sq. meter) • Water Consumption ---- 9000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 600 liters/day (b) Trade Effluent ---- 8000 liters/day		(a) AR datedMarch, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 07-04-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 06.04.11 w.r.t a public complaint & following were observed: a) The unit installed an ETP comprising of O & G trap, collection cum equalizing tank, reaction tank, settling tank, media filter, SDB etc. which was found in operational condition. b) Dry and wet sludge was observed. c) The unit is not complying with provisions of HWM Rules w.r.t to storage in isolated area, storage date from when began & daily records of HW maintained. d) As reported, the source of water is outside tanker. As approved on file, SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act. SCN for revocation of authorization under HWM Rule was also issued on 25.04.11. As decided by the CMC (O) in its meeting held on 28.09.11, reminder letter was issued on 14.11.11. Unit has submitted its reply on 28.11.11 stating that the they are separate & collected the sludge from the ETP, stored in leak proof container, marking is done in containers & dates has been mentioned in the containers & daily log book of ETP maintained. Earlier Committee Decision 15.06.09 (In CTR File) Issue Consent to Establish, renewal of consent and authorization under HWM Rules. Call on 12.08.09 28.09.11 Issue final reminder.	Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	Renewal of Consent to Operate and Authorization under HWM Rules granted.
14	37021	04-05-2011	BEHARI LAL DARSHAL LAL B-3, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MFG. OF ACHAR AND MURABA. Pickles, Chutney & Murabba	• Date of commissioning of project ---- • Built Up Area ---- 835 (in sq. meter) • Water Consumption ---- 3300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 3000 liters/day		14-09-2012 (1)ETP ---- Biological treatment (a) AR dated 25.07.2008 issued by GGSIU submitted. (b) Effluent analysis report dated - 03.05.2011 - issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set: NIL Earlier CMC Decision on 28.09.2011 A reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, compliance letter issued to unit on 23.11.2011. No reply received from the unit till date.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively w.r.t CA Certificate.	03-10-2012 Issue Show Cause Notice for refusal of consent as the authenticity of the earlier submitted certificate could not be ascertained.
15	37022	04-05-2011	HARNARAIN GOKAL CHAND B-3/1, LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	MANUFACTURING OF ACHAR AND MURABA. Pickles, Chutney & Murabba			14-09-2012 (1)ETP ---- biological treatment (a) AR dated 25.07.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 03-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administrativley w.r.t CA certificate.	03-10-2012 Issue Show Cause Notice for refusal of consent as the authenticity of the earlier submitted certificate could not be ascertained.

						• Date of commissioning of project ---- • Built Up Area ---- 1260 (in sq. meter) • Water Consumption ---- 3300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 3000 liters/day	(3)D.G.Set: ...Nil Earlier CMC Decision on 28.09.2011 A reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, compliance letter issued to unit on 23.11.2011. No reply received from the unit till date.		
16	37036 05-05-2011	HIMGIRI CARS PVT. LTD. A-9/1, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	CAR WASHING AND SERVICES. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 657 (in sq. meter) • Water Consumption ---- 10500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 10000 liters/day	20-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2010..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 04-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 02-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 02.12.11 & following were observed: a) ETP was not found in operation. b) Collection tank is having capacity of 30 KL. c) Septic conditions were prevailing in the area of ETP and no air dispersion system or agitator was provided in ETP for through mixing of influent. d) During pump was found out of order. e) No wet or dry sludge was found stored in the premises. f) Stack ht with paint booth was inadequate. g) HW was not managed as per the rules, as provisions for it were not made. (5) SCN u/s 31(A), 33(A) & 5 of EPA details : issued on 10.01.12. SCN for forfeiture of Bank Guarantee was also issued on 10.01.12. (6) Closure directions u/s 31(A), 33(A) & 5 of EPA details : issued on 01.10.10. Unit has submitted its reply on 05.05.11 informing that compliance of directions that all the deficiencies have been corrected along with the request that revoke the directions issued. As approved, letter was issued on 11.05.11 for submission of Bank Guarantee of Rs. One each under Air Act, Water Act & HWM Rules. Unit has submitted the above said BGs on 12.05.11. As approved, revocation of closure directions was issued on 13.05.11. As approved, unit was inspected on 02.12.11 with the above mentioned observations. As approved, SCN u/s 31(A), 33(A) & 5 of EPA was issued on 10.01.12. SCN for forfeiture of Bank Guarantee was also issued on 10.01.12. Unit has submitted its point wise reply on 24.01.12 along with the affidavit & photographs regarding rectifications of	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.

						• Date of commissioning of project ---- • Built Up Area ---- 1000 (in sq. meter) • Water Consumption ---- 6000 liters/day • Ground Water ---- 6000 liters/day • Waste Water generation (a) Domestic Effluent ---- 5000 liters/day (b) Trade Effluent ---- 0 liters/day		Stack monitoring report dated 07-03-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 63.0 KVA. Noise monitoring report dated 01-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes closure directions issued on 01.02.2011 a letter issued to the unit for submisson of bank guarantee on 08.12.2011 Revocation of closure directions issued on 18.12.2011. unit submitted bank guarantee on 13.12.2011 Inspection of te unit was conducted on 13.04.2012and i was observed that ETP was installed found in operation and nit is complying HWM Rules.		
20	37081 12-05-2011	MARUTI UTENSILS B-36 GROUP,IST&IIND FLOOR WAZIRPUR INDUSTRIAL AREA	Wazirpur Industrial Area	Orange Operate	MFG. OF UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 440 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		14-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil . Earlier CMC Decision on 28.09.2011 A reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, comliance letter issued to unit on 23.11.2011. No reply received from the unit till date. (4) Inspection conducted on 24.05.2012 a) Unit found in operation. b) ECS (Cyclone) found installed and in operation. Dust found in the bottom of cyclone motor and suction found in working.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively w.r.t. CA Certificate.	03-10-2012 Issue Show Cause Notice for refusal of consent as the authenticity of the earlier submitted certificate could not be ascertained.
21	37083 12-05-2011	KANDHARI BROTHERS B-98, PH-I, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF BRIGHT STEEL BARS. Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 180 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 60 liters/day		21-09-2012 (1)ETP - Physiochemical (a) AR dated 30.04.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 30-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-03-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO As per CMC (O) meeting held on 28.09.2011 recommended for inspection to be conducted.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to expedite the inspection.	03-10-2012 Expedite the inspection.
22	37096 13-05-	V.S. INDUSTRIES PLOT NO. B-44, JHILMIL INDUSTRIAL AREA	Jhilmil Industrial Area	Orange Operate	MFG. OF LIGHT FITTINGS AND REFLECTORS WITH CASTING, POWDER COATING AND			18-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated March,2011 issued by GGSIU submitted.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to expedite the inspection.	03-10-2012 Expedite the inspection.

	2011				BUFFING. Casting Of Ferrous/ Non Ferrous Metal (By Using Pit Furnace Only) Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 506.2 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 0 liters/day	(b) Stack monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 29-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. Stack monitoring report dated 29-04-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 81.25 KVA. Noise monitoring report dated 26-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Incomplete address mentioned in the software. Complete address is Plot No. B-44/2, Jhilmil Industrial Area Delhi Earlier Committee Decision 10.08.11 Inspection be conducted to check the kind of furnace. 28.09.11 Inspection be conducted to check the kind of furnace.		
23	37104 16-05-2011	EXCELSIOR FOOD & CHEMICAL INDUSTRIES A-1 & 2 LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Operate	FRUITS AND VEGETABLE PRODUCTS. Food And Fruit Processing Industry - Fruit and Vegetables	• Date of commissioning of project ---- • Built Up Area ---- 1510 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day	14-09-2012 (1)ETP ---- ETP - Bio-logical (a) AR dated 31.03.2011 issued by GGSIU submitted. (b) Effluent analysis report dated 31-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 31-03-2011 issued by IP COLLEGE submitted. Noise monitoring report within Limit - Yes Earlier CMC Decision on 28.09.2011 Inspection be conducted as decided in CTE application by CMC (Orange) meeting dated 10.08.2011. Accordingly, Inspection on 19.12.2011, during the inspection following were observed: a) Unit found operational and engaged in the activity of food processing. b) ETP found installed (Biological based as 2 areation tank bliut) and same was working. c) One coil fired boiler has been removed from the permises. d) One DG Set of 62.5 KVA with accoustic and adequate stack height found installed.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Consent to Operate.	03-10-2012 Consent to Operate granted.
24	37127 18-05-2011	CHAUHAN ENTERPRISES D-27, S.M.A INDUSTRIAL AREA	S.M.A Industrial Area	Orange Renewal	Mfg. of Building Hardware items (light engg. works with buffing) Process Involving Buffing	• Date of commissioning of project ---- • Built Up Area ---- 920 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 0 liters/day	14-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 28.04.2011 issued by DTU submitted. (b) Stack monitoring report dated 28-04-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: one DG Set of 40 KVA installed. (a)Noise monitoring report of 40 KVA dated 13.05.2011 issued by DPCC submitted and noise levels are within limits.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.
25	37134 19-05-2011	ENKAY PLASTIC P. LTD 116, PH-II, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Renewal	MANUFACTURING OF UF MOULDING POWDER WITH STARTING RAW MATERIAL AS UF RESIN.		13-09-2012 (1)ETP ---- N/A (2)ECS -Bag filter/ cyclone (a) AR dated 23.06.2008 issued by DCE submitted. (b) Stack monitoring report dated 10-05-2011 issued by DELHI	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Renewal of Consent to Operate.	03-10-2012 Renewal of Consent to Operate granted.

								In CMC (O) meeting held on 28.09.2011 it was decided that inspection to be conducted.		
28	37153	CAPITAL FOODS F-1734-1735, DSIDC INDUSTRIAL COMPLEX, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	GRAM DAL AND BESAN MILL. Dal Mills	• Date of commissioning of project ---- 01-01-1991 • Built Up Area ---- 700 (in sq. meter) • Water Consumption ---- 350 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 280 liters/day (b) Trade Effluent ---- 0 liters/day		25-09-2012 Note: Renewal of Consent already granted vide consent order no 28264 issued on 14.11.2011 which is valid upto 19.05.2014. Therefore the status of this application shall be updated online.	Decision / Recommendation of Screening Committee on 25-09-2012 Send the file to IT Cell for updation of the information w.r.t. consent issued.	03-10-2012 Send the file to IT Cell for updation of the information w.r.t. consent issued.
29	37157	NAVTECH INDUSTRIES M-20, PHASE-I, BADLI INDUSTRIAL ESTATE	Badli Industrial Estate	Orange Operate	MANUFACTURING OF STAINLESS STEEL CUTLERY WITH BUFFING/POLISHING. Manufacturing of Stainless Steel Utensils (With Buffing Activity)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 50 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 20 liters/day (b) Trade Effluent ---- 0 liters/day		24-09-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 15.11.2009 issued by GGSIU submitted. (b) Stack monitoring report dated 13-05-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection conducted on 30.08.2010. (6) Closure directions u/s 31(A) 13.10.2010 and consent to operate was also refused on 13.10.2010 vide refusal no. 2043. A letter issued to the unit for the submission of BG on 16.11.2010. A reply received from the unit along with BG on 24.11.2010. Revocation of closure direction issued to the unit on 25.11.2010. Earlier CMC Decision on 28.09.2011 A reference be sent to Institute of Chartered Accountants to clarify the authenticity of CA who has issued the certificate submitted by the unit 15 days with a copy to the unit. Accordingly, comliance letter issued to unit on 29.11.2011. unit submitted reply on 10.04.2012 regarding release of BG.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administrativley w.r.t. CA certificate.	03-10-2012 Issue Show Cause Notice for refusal of consent as the authenticity of the earlier submitted certificate could not be ascertained.
30	37160	MICRO NIKEL PVT. LTD E-45/2, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	NICKEL SCREENS WITH ELECTROPLATING (CHOROME) CAPACITY-25-30 SCREEN/DAY. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 360 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 5000 liters/day		19-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2008..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 16-02-2012 issued by DTU submitted. MoEF vide notification Dated 30.03.2012 has prescribed Effluent standards for Electroplating, Anodizing Industry which includes some additional parameters which were not prescribed earlier. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 27-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 28.07.09 & following were observed a) Unit found in operational & is engaged in electroplating in Nickel screen. b) ETP installed.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to seek effluent analysis report from emapnelled laboratory of DPCC as per the latest notification of MOEF for electroplating industries. Also expedite the inspection.	03-10-2012 Seek effluent analysis report from emapnelled laboratory of DPCC as per the latest notification of MOEF for electroplating industries. Also expedite the inspection.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :NO		
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO		
32	37183 25-05-2011	SATYA SERVICE STATION LTD L-BLOCK HARI NAGAR JAIL ROAD	NEW DELHI	Orange Renewal	PETROL PUMP CUM SERVICING OF AUTOMOBILES (CARS). Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 500 (in sq. meter) • Water Consumption ---- 2400 liters/day • Ground Water ---- 2400 liters/day • Waste Water generation (a) Domestic Effluent ---- 320 liters/day (b) Trade Effluent ---- 2000 liters/day		21-09-2012 (1)ETP ---- physiochemical (a) AR dated 05.11.2007 issued by DCE submitted. (b) Effluent analysis report dated - 06.05.2011 - issued by - DCE - submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-05-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - yes . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no In response to the decision taken in CMC (O) meeting held on 13.01.2011, a letter was sent to the unit dated 15.02.2011. In response to this unit reply on 09.03.2011 stating that fresh renewal consent application and fresh authorization under HWM was under process. on 25.05.2011 the unit apply for fresh renewal consent and fresh authorization under HWM. In CMC (O) meeting held on 28.09.2011, it was decided that inspection be conducted and inform to DJB regarding ground water extraction. A letter was sent to DJB on 08.11.2011 Earlier CMC (O) Meeting Decisions: A decision was taken in CMC (O)meeting held on 16.03.2009 and asked the unit to file permission from central ground water authority for extracting the ground water. Call on 29.04.2009 Meeting held on 11.05.2009, the unit was aksed to file permission from DJB for ground water extraction as per new orders. Call on 24.06.2009 Meeting on 24.06.2009 , the unit was asked to file full compliance within o1 month. Call on 26.08.2009. Meeting on 13.01.2011, the unit was aksed to apply for fresh renewal of consent and fresh authorization under HWM Rules immediately. Inform DJB regarding ground water extraction.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for inspection.	03-10-2012 Inspection be conducted.
33	37186 25-05-2011	ANGRA H.P. CENTRE VINAY MARG, CHANKYAPURI	SOUTH	Orange Operate	FILLING STATION CUM SERVICE STATION OF CARS. Automobile Servicing And Repair Station With Washing Activity			25-09-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 08.03.2011 issued by DTU submitted. (b) Effluent analysis report dated -08.03.2011 - issued by - DTU - submitted. (2)ECS - N/A	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.

						• Date of commissioning of project ---- • Built Up Area ---- 220 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day	(3)D.G.Set: ...N/A... (4) Inspection details: conducted on 08.06.2011 During inspection following were observed: - the premises being used for filling station cum service station. - ETP has been installed and ssame found in operation.- no channelization provided to channelize the emission generated from spray painting. - Uit found operatio withoput any CTO. (5) SCN u/s 31(A)/5 of EPA details : issued on 27.06.2011 in response to above said letter a reply was received from the unit on 08.07.2011 informing that they have already applied for CTO on 25.05.2011 and authorization under HWM rules and they have stopped the job of spray painting and will atart after channelise the emission generated from the spray painting. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : CMC (O) meeting held on 28.09.2011 it was decided that ask the unit to submit the BG of Rs 50,000 each under Air Act and HWM rules valid for one month. if unit submit BG CTO and HWM be issued. Inform to DJB regarding ground water extraction. unit had submitted a reply on 24.02.2012 and inform that bank guarantee of Air act of rs 50,000 has been submitted on 28.02.2012, and request for issuing consent to operate. but the copy of Bank Guarantee is unavailable.		
34	37193 26-05-2011	MICKY PRINT-O-PACK D-142-143, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	PRINTING PRESS INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 343.61 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 300 liters/day	19-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch, 2011..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 17-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 45 KVA KVA. Noise monitoring report dated 01-02-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: conducted on 03.08.10 & following observations were made: 1. the unit has installed an ETP (batch type) which was found in operational condition. 2. The unit is not complying with the provisions of HWM Rules wrt storage of sludge. 3. Source of water is DJB & outside tankers. As decided by the CMC (O) in its meeting held on 28.09.11, letter was issued on 14.11.11 for submission of NMR of D.G.Set of 45 KVA mentioned in the earlier noise montioring report from approved laboratory of DPCC. Unit has submitted its reply on 29.11.11 & 30.11.11 along with an affidavit stating that at present there was only one DG set (82.5 KVA capacity) in the firm. earlier they are planning to install DG set (40 KVA capavity) but as per their machinery	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Consent to Operate and authorization under HWM Rules.	03-10-2012 Consent to Operate and Authorization under HWM Rules granted.

								requirement they has install the DG set of 82.5.		
								EARLIER CMC DECISION 26.05.10 (In CTE File) Issue consent to establish. Subsequently, inspection be conducted. 09.11.10 (In CTE File) Issue SCN u/s 21/22 of the Air Act and u/s 25/26 of the Water Act for not obtaining consent to operate. 28.09.11 Ask the unit to submit noise monitoring report of D.G.Set of 45 KVA mentioned in the earlier noise montioring report from approved laboratory of DPCC.		
35	37209 27-05-2011	BEDI MOTORS KEMAL ATTATURK MARG (NEAR RACE COURSE) NEW DELHI	NEW DELHI	Orange Operate	FILLING STATION CUM SERVICE STATION OF CARS Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 371.25 (in sq. meter) • Water Consumption ---- 2500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 2000 liters/day		21-09-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 25.01.2011 issued by DTU submitted. (b) Effluent analysis report dated 25.01.2011 issued by DTU submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 23-02-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: an inspection was carried out by representative of DPCC on 02.12.2010 and as per inspectin following are the observation. - unit found operating and engaged in petrol pump cum service station (washing cars)- tata authorised. - ETP found installed by same in lying defunct. No dry or wet sludge found. waste water generated is being by passed or discharged with out any treatment. -bore well connection exist. DC set 50 KVa found with acoustic enclosure but stack height is inadequate. (5) SCN u/s 31(A)/33(A)/5 of EPA details : as per approval in CMC meeting held on 21.01.2011, SCN was issued on 25.05.2011 under water and air act. - in response of SCN a reply was submitted by unit on 06.06.2011 and infored that the they have applied for HWM rule on 27.05.2011 and adequacy report of ETP and Noise monitoring report is submitted with application for consent to operate. -As per CMC meeting held on 28.09.2011 a letter was issued to the unit on 23.11.2011 for submission of bank guarantee of rs. 50,000 under each water and air act and HWM rule valid for one year and submit its reply on an affidavit. -unit has submit a letter on 27.02.2012 along with bank guarantee of Rs 50,000/- each under air and water act. again a letter was issued to the unit on 30.03.2012 regarding reply on affidavit for HWM. (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.
36	37213 27-05-	P.K. INDUSTRIAL CORPORATION 16, PH-II, BADLI INDUSTRIAL	Badli Industrial Estate	Orange Renewal	HEAT TREATMENT JOB WORK. Heat Treatment (Hardening/			17-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 04.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 25-05-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.	03-10-2012 Renewal of Consent to Operate and Authorization under HWM Rules granted.

	2011	ESTATE			Tampering of Steel)	• Date of commissioning of project ---- • Built Up Area ---- 200 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 1300 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day	(2)ECS - N/A (b) Stack monitoring report dated 13-05-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 12-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection conducted on 13.09.2012 during the inspection following were observed: a) Unit has installed ETP to treat the effluent generated from process but sampling could not be undertaken as unit does not operate ETP daily. b) Wet sludge observed in sludge drying bed. c) Unit has also provided hood and channelization system over gas carbonizing furnace to channelization the emissions generated from process. d) As reported generation of waste is very low due to adoption of new technology i.e. case carbonizing therefore ETP is operated once in a week.		
37	37216 30-05-2011	NATIONAL PRODUCTS A-32, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MFG. OF CONSUMABLES OF ELECTRONICS INDUSTRIES. Wire Drawing (Without Pickling/ Galvanizing)	• Date of commissioning of project ---- • Built Up Area ---- 100 (in sq. meter) • Water Consumption ---- 800 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 350 liters/day (b) Trade Effluent ---- 200 liters/day	21-09-2012 (1)ETP ---- N/A (2)ECS -stack attached to wet scrubber (a) Stack monitoring report dated 27-03-2011 issued by IP COLLEGE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no In CMC (O) meeting held on 30.05.2011 it was decided that an inspection to be conducted.	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to expedite the inspection.	03-10-2012 Expedite the inspection.
38	37229 31-05-2011	SOPHISTICA INDUSTRIES PVT LTD. Y- 1 & 2,PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Operate	READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- • Built Up Area ---- 1393.54 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 100 liters/day	19-09-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch,2011..... issued byGGSIU..... submitted. (b) Effluent analysis report dated 13-03-2011 issued by IP COLLEGE submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (a) Stack monitoring report dated 30-05-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 63 KVA. Noise monitoring report dated 26-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. The unit has 2 D.G. Set(s) of 125 KVA and 63 KVA. Noise monitoring report dated 26-05-2011 issued by DPCC	Decision / Recommendation of Screening Committee on 25-09-2012 Recommended to put up file administratively.	03-10-2012 File be put up administratively.

							submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: as decided by the CMC (O) dated 28.09.11, inspection of the unit was carried out by DPCC officials on 03.01.12 & following were observed: 1. The unit was found operational & enaged in the activity of Mfg. of readymade garments with washing. 2. Two DG set of 125 KVA & 62.5 KVA exist with acoustic enclosure. But DG set of 62.5 KVA lying without adequate stack height. 3. One Diesel fired boiler exists with adequate stack height. 4. Washing facility available but as reported only samples are washed. During the inspection some samples were found being washed. 5. ETP installed but non-operational. 6. Bore well exists. (5) Closure directions u/s 31(A) & 33(A) details : was issued on 11.01.2010. Consent to operate under Green category was also refused on 11.01.2010 A complaint was received on 31.01.12 against Y-1, Phase-II, Okhla Industrial Area, Delhi-20 regarding Water & Air pollution. EARLIER CMC DECISION 59th CMC(Green) Consent refused and issue closure direction on the basis of findings of inspection. 136th (In CTE File) Ask the unit to submit Bank Guarantee of Rs. 1 Lakh each under Air Act and Water Act valid for one year and also submit adequacy report of ETP in closed condition of the unit from empanelled consultant of DPCC. 147th (In CTE File) Ask the unit to submit corrected Bank Guarantee. If unit submits the Bank Guarantee, closure directions be revoked and issue consent to establish 13.01.2010(In CTE File) Ask the unit to submit adequacy report from empanelled consultant of DPCC. If unit submits the adequacy report, consent to establish be issued 17.06.2011 (In CTE File) Adequacy report submitted on 13.05.2011. Closure direction revoked and issue consent to establish. 28.09.11 (In CTO file) Inspection be conducted		
--	--	--	--	--	--	--	---	--	--