



CONSENT MANAGEMENT

Agenda No 1 - Annexure II - 32 cases of Consent to Operate and Consent to Operate (Renewal) under orange category w.e.f. 31.08.2011 to 01-08-2011 (in reverse chronology) excluding the cases of redevelopment areas recommended by Screening Committee as (2c category) on 03.08.2012.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activitiy / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Decision / Recommendation of Screening Committee
1	37804 04-08-2011	MALHOTRA STEEL TUBES C-145 B, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	mfg. of deep well hard pumps parts with electroplating. Electroplating Industries	- Date of commissioning of project ---- - Built Up Area ---- 550 (in sq. meter) - Water Consumption ---- 600 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day		02-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 26.07.2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 21-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	03-08-2012 Recommended for inspection.
2	37806 05-08-2011	VICTORIA FOODS (P) LTD. B-32,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	Manufacturing of Wheat Flour, Maida, Suzi, DAliya and rawa etc. Flour Mills	- Date of commissioning of project ---- - Built Up Area ---- 2800 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 0 liters/day		11-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated 29.07.2011 issued by DTU submitted. (b) Stack monitoring report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 500,125 KVA. Noise monitoring report	03-08-2012 Recommended for grant of Renewal of Consent to Operate.

								dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	
3	37825 08-08-2011	KALAKRITI PRINTS PVT. LTD F-29/5, PH-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	PRINTING OF CLOTHS. Cotton And Silk Printing By Screen Printing with trade effluent discharge	• Date of commissioning of project ---- 01-01-1990 • Built Up Area ---- 557 (in sq. meter) • Water Consumption ---- 4500 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 180 liters/day (b) Trade Effluent ---- 4000 liters/day		12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...January,2008..... issued byJAMIA MILIA ISLAMIA..... submitted. (b) Effluent analysis report dated 01-06-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 140 KVA and 82.5 KVA. Noise monitoring report dated 13-05-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC(O) in its meeting held on 24.06.2009, a letter was issued to the unit on 20.07.2009 asking the unit to submit its reply on affidavit. Further, representations was recieved from the unit on 03.08.09 & 04.08.09 along with the affidavit. EARLIER CMC DECISION 16.03.2009 Ask the unit to increase the capacity of settling tank and add activated carbon filter as suggested in the adequacy report. Call on 29.04.2009 11.05.2009 Reiterate CMC decision taken earlier. Call on 24.06.2009 24.06.2009 Ask the unit to confirm its reply on an affidavit. Call on 26.08.2009	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
4	37826	REGENT AUTOMOBILES LTD.	Okhla Industrial Area	Orange Renewal	SERVICING OF AUTOMOBILES CARS.			26-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...25.07.2011..... issued	03-08-2012 Recommended to issue a letter asking the unit to rectify the deficiencies in the

	08-08-2011	D-12, PH-I, OKHLA INDUSTRIAL AREA			Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 1400 (in sq. meter) • Water Consumption ---- 10000 liters/day • Ground Water ---- 5000 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 9200 liters/day	byDTU..... submitted. (b) Effluent analysis report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (2)ECS - N/A (a) Stack monitoring report dated 25-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-05-2011 issued by SHRIRAM INSTITUTE submitted. Noise monitoring report within Limit - No. The D. G. Set monitored is not meeting the permissible limit as per the G.S.R.371 (E) dated 17th May 2002 and amended till date.	acoustic system provided so as to bring down the noise level as per the notification and submit fresh noise monitoring report from approved laboratory of DPCC.
5	37857 11-08-2011	GALAXY AUTOMOBILES PVT. LTD. 69/1A, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Renewal	REPAIRING AND SERVICING OF CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 3044 (in sq. meter) • Water Consumption ---- 13000 liters/day • Ground Water ---- 10000 liters/day • Waste Water generation (a) Domestic Effluent ---- 2400 liters/day (b) Trade Effluent ---- 8000 liters/day	30-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 16.10.2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 10-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 500 KVA and 100 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no	
6	37860	PRAN PRINTERS B-157, OKHLA INDUSTRIAL AREA PHASE-1 11-08-2011	Okhla Industrial Area	Orange Operate	PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 333 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day	13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated15.04.11..... issued byDTU..... submitted. (b) Unit has submitted incomplete test report. The unit has not mentioned the parameters i.e. total metal & Bio assay test in the test report. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 63 KVA and 10 KVA. Noise monitoring report dated 28-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: during the inspection of M/s YAARTI, B-157, Ph-I, OIA. It was observed that M/s Pran printer was engaged in the activity of printing at ground floor having two DG Set among which DG Set of 15 KVA was found without acoustic enclosure. (5) SCN u/s 31(A) & 5 of EPA details : issued on 28.03.11. Unit has submitted its reply on 05.04.11 & 19.04.11 along with an affidavit. As approved, letter was issued on 10.06.11 for submission of Bank Guarantee of Rs. 50,000/-each under Air Act & HWM Rules and application for CTO & authorization under HWM Rules. Unit has submitted above said Bank Guarantee on 05.07.11. However, the BG is not in proper format. As approved, letter was issued on 11.08.11 for submission of corrected Bank Guarantee. Unit has submitted its reply on 20.09.11 requesting for some time to submit the corrected BG.	03-08-2012 Recommended to put up file administratively.

								Unit has submitted its replies on 03.05.12 along with the corrected BGs & informing that they have sold the machines where water treatment was required. They have now purchased new machines which are alcohol based and no water treatment is required. As such ETP plant is no more required by them. The unit has also requested to mark the record the discontinuation of the use of the above plant by them.	
7	37862 12-08-2011	MAHAVIR INDUSTRIES F-1715, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	DALL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2011 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 40 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 25 liters/day (b) Trade Effluent ---- 0 liters/day		12-07-2012 (1)ETP ---- N/A (2)ECS - Cyclone (a) AR dated 11.08.2011 issued by DTU submitted. (b) Stack monitoring report dated 11-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Note: Old record is not traceble.	03-08-2012 Recommended for grant of Consent to Operate.
8	37865 12-08-2011	BERLIA STEELS PVT. LTD. 59, S.S.I INDUSTRIAL AREA, G.T. KARNAL ROAD	S.S.I Industrial Area	Orange Renewal	Mfg. of Fans, Pums Cooler kit, Geysers etc. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 140.68 (in sq. meter) • Water Consumption ---- 900 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 500 liters/day		11-07-2012 (1)ETP ---- N/A (2)ECS - Cyclon (a) AR dated 28.07.11 issued by DTU submitted. (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes	03-08-2012 Recommended for inspection.
9	37866 12-08-2011	GORI METAL INDUSTRIES E-38, SMA, INDL. AREA, G.T. KARNAL ROAD	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF M.S. BOLTS, HINGES, ALUMINIUM FITTINGS AND INJECTION MOULDING PRODUCTS.			11-07-2012 (1)ETP ---- N/A (a) AR dated 26.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF	03-08-2012 Recommended for grant of Renewal of Consent to Operate (except S.S. Pickling) and Authorization under HWM Rules.

					Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 400 (in sq. meter) • Water Consumption ---- 1200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 800 liters/day		ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No Note: Old record is not traceble.	
10	37868 12-08-2011	HIMGIRI CARS PVT. LTD. C-1, PEERAGARHI, UDYOG NAGAR INDUSTRIAL AREA	Udyog Nagar Industrial area	Orange Operate	Servicing of Automobiles. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 836 (in sq. meter) • Water Consumption ---- 10300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 5000 liters/day		03-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 14.02.2012 issued by DTU submitted. (b) Effluent analysis report dated 12-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack attached with Paint Booth (b) Stack monitoring report dated 11-08-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 11-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: Conducted on 13.06.2011, during the inspection no wet sludge and chemical dosing tanks were found with ETP which revealed that ETP is not operating regularly and unit generated Hazardouse waste nad does not comply with HWM Rules. (5) SCN u/s 33(A) & u/s 5 of EPA issued on 01.01.2011 A letter has been issued to the unit on 19.08.2011/ 14.09.2011for the submission of B.G of Rs. 50,000 each	03-08-2012 Recommended to put up file administrativley.

							under Water & HWM Rules and application for CTO and authorisation along with adequacy report of ETP within 30 days.	
11	37872 16-08-2011	SUGOI MOTORS (PVT) LTD 27-A, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE REPAIR AND MAINTENANCE OF CAR. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 2000 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day	. 29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 30.03.2011 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details: conducted on 16.09.2010 that observed that ETP found installed but in non-operational condition, neither fresh nor dry sludge found. No channelisation system provided for disposal of treated filtered effluent from SDBs. (5) SCN u/s 31(A)/33(A)/5 of EPA details : issued on 20.01.2011 for refusal of consent under air act and SCN under water act issued on 20.01.2011 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	03-08-2012 Recommended to put up file administratively.
12	37873 16-08-2011	DEUTSCHE MOTOREN (PVT) LTD 27B, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	Najafgarh Road Industrial Area	Orange Operate	SERVICE, REPAIR, AND MAINTENANCE OF BMW CARS. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 8500 (in sq. meter) • Water Consumption ---- 5500 liters/day • Ground Water ---- 5500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 5000 liters/day	30-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 12.04.2010 issued by GGSIPU submitted. (b) Effluent analysis report dated 04-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit.	03-08-2012 Recommended to put up file administratively.

								(2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 22-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit . (4) Inspection details :conducted on 16.09.2010 and observed that ETP found installed but in non-operational condition, neither wet nor dry sludge found and 1 DG set of 160 kVA found with acoustic enclosure. (5) SCN u/s 33A)/5 of EPA details : issued on 02.02.2011 under water act (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	
13	37893	NATIONAL STEELS 21/27-X, BLOCK-A, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Operate	MANUFACTURING OF HAND PUMPS AND HAND PUMP PARTS (WITH ELECTROPLATING AND GALVANIZING). Electroplating Industries Galvanising	• Date of commissioning of project ---- • Built Up Area ---- 481 (in sq. meter) • Water Consumption ---- 1300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 800 liters/day		29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31.12.2009 issued by Guru Gobind Singh indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit. (3)D.G.Set: ...N/A... (4) Inspection details:No	03-08-2012 Recommended for inspection.

								(5) SCN u/s 31(A)/33(A)/5 of EPA details :No	
								(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
14	37898 19-08-2011	HOTEL DURGA DELUXE (A UNIT OF SARASWATI HOTELS PVT. LTD.) 5/40, SARASWATI MARG, W.E.A.,KAROL BAGH	CENTRAL	Orange Operate	Guest House Hotel With Atleast 20 Bed Rooms	• Date of commissioning of project ---- • Built Up Area ---- 216 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1500 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 10-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes	03-08-2012 Recommended to put up administratively.
15	37899 19-08-2011	KAPOOR FOUNDRY B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	Job work of Dry Powder Coating. Phosphating & Powder Coating	• Date of commissioning of project ---- • Built Up Area ---- 171 (in sq. meter) • Water Consumption ---- 100 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 0 liters/day		03-08-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	03-08-2012 Recommended for inspection.
16	37900 19-08-2011	AMIT INDUSTRIES B-49, PHASE-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	MNG OF PARTS OF DOMESTIC APPLIANCES. Powder Coating without phosphating	• Date of commissioning of project ---- • Built Up Area ---- 100.33 (in sq. meter) • Water Consumption ---- 150 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 100 liters/day (b) Trade Effluent ---- 0 liters/day		27-07-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:No	03-08-2012 Recommended for inspection.

							(5) SCN u/s 31(A)/33(A)/5 of EPA details :No	
							(6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
17	37907	CITY CAR CARE 10/57, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	SERVICING OF VEHICLES (CAR WASHING AND SPRAY PAINTING). Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 418 (in sq. meter) • Water Consumption ---- 1100 liters/day • Ground Water ---- 1100 liters/day • Waste Water generation (a) Domestic Effluent ---- 50 liters/day (b) Trade Effluent ---- 1000 liters/day	29-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated16.03.2010 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 12-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EA details :no	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
18	37911	R. S. KATHURIA CYECLE AND AUTO IND 9/52, KIRTI NAGAR INDUSTRIAL AREA	Kirti Nagar Industrial Area	Orange Renewal	Manufacturing of Bicycle Spokes with electroplating. Electroplating Industries	• Date of commissioning of project ---- • Built Up Area ---- 804 (in sq. meter) • Water Consumption ---- 1700 liters/day • Ground Water ---- 1200 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 1000 liters/day	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 06.08.2008 issued by guru Gobind Indraprastha University submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which	03-08-2012 Recommended for SCN u/s 33(A) of the Water Act and also for refusal of the consent since not meeting the prescribed standards.

							are within limit .	
							(4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No	
19	37913 23-08-2011	JASMINE GRAPHICS A-42, 3RD FLOOR, GATE NO.4, PH-II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	DYEING OF SUIT SALWAR AND DUPATTAS. Readymade Garment (With Washing/Dyeing)	• Date of commissioning of project ---- • Built Up Area ---- 83.6 (in sq. meter) • Water Consumption ---- 2200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 125 liters/day (b) Trade Effluent ---- 2000 liters/day	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within limit . (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details:NO (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules since meeting the prescribed standards.
20	37926 25-08-2011	RAVE SCANS PVT. LTD. A-27, NARAINA INDUSTRIAL AREA PHASE - II	Naraina Industrial Area Phase - II	Orange Renewal	SCANNING, PROCESSING, OFFSET PRINTING AND PLATE MAKING (WITH TRADE EFFLUENT DISCHARGE). Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 646 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 400 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 350 liters/day	27-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated on 29.11.2007 issued by GGSIPU submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - number of parameters analyzed which are within limit. (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 250	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : NO	
21	37930 25-08-2011	MODEST GRAPHICS PVT. LTD. C-52 & 53, DDA SHED, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 194 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated29.07.2011..... issued byDTU..... submitted. (b) Effluent analysis report dated 29-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No, sulphide exceeds the prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	03-08-2012 Recommended to issue SCN u/s 33(A) of the Water Act and for refusal of consent since not meeting the prescribed standards.
22	37931 25-08-2011	ASTHA PACKAGING 122, DSIDC COMPLEX, PHASE - I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING WITH WASHING. Printing Press (With Trade Effluent Discharge)	• Date of commissioning of project ---- • Built Up Area ---- 297.289728 (in sq. meter) • Water Consumption ---- 1000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 500 liters/day		13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedMarch,2011..... issued by ...GGSIPU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.

								(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-04-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records not available.	
23	37933 25-08-2011	MODEST PRINT PACK (P) LTD. A-199, PH-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 3200 (in sq. meter) - Water Consumption ---- 1300 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 700 liters/day (b) Trade Effluent ---- 500 liters/day		12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR datedJune,2009..... issued by ...GGSIU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes As decided by CMC (O) in its meeting held on 15.06.2009, reminder was issued on 02.07.2009 to submit the affidavit and adequacy report of ETP. Unit has submitted its reply on 17.07.2009 alongwith the adequacy report and affidavit. EARLIER CMC DECISION 09.04.2009 Ask the Unit to submit the affidavit for source of water supply and adequacy report of ETP from one of the empanalled consultants of DPCC. Call on 19.05.2009 15.06.2009 Issue reminder	03-08-2012 Recommended for grant of Renewal of Consent to Operate and Authorization under HWM Rules.
24	37935 25-08-2011	BANSAL UDYOG D-15, S.M.A INDUSTRIAL AREA , G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	OFFSET PRINTING INCLUDING WASHING. Printing Press (With Trade Effluent Discharge)	- Date of commissioning of project ---- - Built Up Area ---- 486 (in sq. meter) - Water Consumption ---- 1500 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 200 liters/day (b) Trade Effluent ---- 1000 liters/day		03-08-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 17.06.2008 issued by .GGSIU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes	03-08-2012 Recommended to put up administratively.

								(2)ECS - N/A (b) Stack monitoring report dated 28-07-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 17-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No .	
25	37936 25-08-2011	SHRI KRISHNA ENGINEERING WORKS B-86, G.T. KARNAL ROAD INDUSTRIAL AREA	G.T. Karnal Road Industrial Area	Orange Renewal	MFG. OF ALUMINIUM KITCHEN WARE WITH ANODIZING. Anodising	• Date of commissioning of project ---- • Built Up Area ---- 508 (in sq. meter) • Water Consumption ---- 700 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 300 liters/day (b) Trade Effluent ---- 200 liters/day		11-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 28.06.2008 issued by GGSIU submitted. (b) Effluent analysis report dated 22-07-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no	03-08-2012 Recommended to put up file administrativley.
26	37940 26-08-2011	MADHU CHAWLA DESIGN TREND PVT. LTD C-50, PHASE-II, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	READYMADE GARMENTS WITH WASHING. Readymade Garment (With Washing)	• Date of commissioning of project ---- 01-10-1971 • Built Up Area ---- 250 (in sq. meter) • Water Consumption ---- 5000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 500 liters/day (b) Trade Effluent ---- 4000 liters/day		13-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...August,2008..... issued by ...Jamia Milia Islamia... submitted. (b) Effluent analysis report dated 19-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA, 62.5 KVA and 75 KVA. Noise monitoring report dated 05-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Old records not available.	03-08-2012 Recommended for grant of Renewal of Consent to Operate.

27	37951	PUNKIT INDUSTRIES D-1631, DSIDC, NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Renewal	DAL MILL. Dal Mills	• Date of commissioning of project ---- 01-01-2006 • Built Up Area ---- 350 (in sq. meter) • Water Consumption ---- 300 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 220 liters/day (b) Trade Effluent ---- 0 liters/day	11-07-2012 (1)ETP ---- N/A (2)ECS - bag filter (a) AR dated 9.06.2011 issued by GGSIU submitted. (b) Stack monitoring report dated 28-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...Nil....	03-08-2012 Recommended for grant of Consent to Operate.
28	37967	AMP MOTORS (P) LTD. A-5, MOHAN CO-OPERATIVE INDUSTRIAL AREA	Mohan Co-operative Industrial Area	Orange Operate	AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing And Repair Station With Washing Activity	• Date of commissioning of project ---- • Built Up Area ---- 3667 (in sq. meter) • Water Consumption ---- 4000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 1000 liters/day (b) Trade Effluent ---- 3000 liters/day	12-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated ...March,2011..... issued byGGSIPU..... submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Cyclone, Bag Filter / Bag House (a) AR dated March,2011 issued by GGSIU submitted. (b) Stack monitoring report dated 25-07-2011 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: was conducted by DPCC officials on 30.04.10 and following were observed: a) The unit is yet to be established. b) Finishing work, installation of machinery and ETP work is in progress. c) One borewell exist. As decided by CMC (O) in its meeting held on 16.06.2010, a letter was sent on 16.07.10 to DJB regarding ground water extraction. EARLIER CMC DECISION 16.03.2010 Issue Consent to Establish.	03-08-2012 Recommended for grant of Consent to Operate and Authorization under HWM Rules.

							Subsequently, inspection be conducted. 16.06.2010 Inform to DJB regarding groundwater extraction.	
29	37971 30-08-2011	BEST HEALTH FOOD PROCESSORS A-154/155, DSIDC NARELA INDUSTRIAL AREA	Narela Industrial Area	Orange Operate	FLOUR MILL. Flour Mills	• Date of commissioning of project ---- • Built Up Area ---- 600 (in sq. meter) • Water Consumption ---- 500 liters/day • Ground Water ---- 500 liters/day • Waste Water generation (a) Domestic Effluent ---- 400 liters/day (b) Trade Effluent ---- 0 liters/day	03-08-2012 (1)ETP ---- N/A (2)ECS - Bag filter (a) AR dated 28.04.2008 issued by DTU submitted. (b) Stack monitoring report dated 04-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil...	03-08-2012 Recommended for grant of Consent to Operate.
30	37973 30-08-2011	BAHADUR SINGH & SONS PVT LTD A-28,LAWRENCE ROAD INDUSTRIAL AREA	Lawrence Road Industrial Area	Orange Renewal	PROCESS FOOD PRODUCTS (NAMKEEN AND SWEET). Restaurant/ Eating House/ Dhaba With Minimum Seating Capacity Of 36/ Sweet Shops/ Halwais And Other Such Establishments (With Annual Average Production Of More Than 1tonne/Day)	• Date of commissioning of project ---- • Built Up Area ---- 9676.38 (in sq. meter) • Water Consumption ---- 51000 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 800 liters/day (b) Trade Effluent ---- 50000 liters/day	10-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated 12.08.2008 issued by DCE submitted. (b) Effluent analysis report dated 24-08-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 26-08-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details:no A letter issued to the unit on 13.12.2011 for the submission of following: 1) File CGWA clearance. 2) Install Rain Water Harvesting System. 3) Install Solar Water Harvesting System in view of use of boilers and waste water recycling system. Unit submitted its reply on 21.02.2012 along with photographs of Rain Harvesing System and Quotaion for solar water harvesting system.	03-08-2012 Recommended for inspection.

31	37977	ALBION CONSULTING PVT. LTD.	Okhla Industrial Area	Orange Operate	Manufacturing gold, Silver, Platinum and studded jewellery. Electroplating Industries	• Date of commissioning of project ---- 01-04-1988 • Built Up Area ---- 418.06368 (in sq. meter) • Water Consumption ---- 200 liters/day • Ground Water ---- 0 liters/day • Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day	24-07-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated01.08.2011..... issued by ...DTU..... submitted. (b) Effluent analysis report dated 01-08-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . 1 number of parameters analyzed which are within limit / beyond prescribed limit. Tempreture is exceeding the prescribed standard. (2)ECS - N/A (3)D.G.Set: ...125 KVA... (a) Noise monitoring report not submitted. (4) Inspection details:conducted by DPCC officials on 05.01.2011. The following were observed: 1. Unit was operational without applying CTO. 2. Electroplating is done by electroplating pens. 3. Ultrasonic m/c is used to clean the articles. 4. Waste water generated from cleaning & electroplating were discharged into sewer w/o any treatment. 5. No ETP has been installed. 6. Dry waste collected through branches & vacuum and then send it to authorized recyclers for refining purpose as reported. 7. One another unit M/s Digital graphics India Pvt Ltd is at ground floor & engaged in the activity offset printing. 8. M/s Digital Graphics India Pvt. Ltd having ETP but not in operational condition. 9.HWM Rules are not followed by both units. 10. One D.G Set of 125 KVA is used by both the units having no acoustic enclosure & inadequate stack height. (5) SCN u/s 31(A)/33(A)/5 of EPA issued on 06.04.2011 As decided by CMC (O) in its meeting	03-08-2012 Recommended to put up file administratively.
----	-------	-----------------------------	-----------------------	----------------	--	--	---	---

							held on 17.06.2011, letter was issued ot M/s Albion Consulting Pvt. Ltd for submission of Bank Guarantte of Rs. 50,000/- each under Air Act, Water Act and HWM Rulesvalid for one year along with an affidavit stating that unit will not carry put any water polluting activity & will not use DG set. As decided by CMC (O) in its meeting held on 17.06.2011, letter was issued on 29.07.2011 to M/s Digital Graphics India Pvt Ltd for submission of Bank Guarantee under Air Act, Water Act and HWM Rules & an affidavit. M/s Digital Graphics India Pvt Ltd has submitted Bank Guarantees on 19.09.2011 EARLIER CMC DECISION: 30.07.10 Inspection be conducted. 07.02.2011 Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Albion Consulting Pvt. Ltd. Issue SCN u/s 31(A) of the Air Act, u/s 33(A) of the Water Act & u/s 5 of the EPA to M/s Digital Graphics India Pvt. Ltd. 17.06.2011 Reply received from both the units. Ask the unit namely M/s Albion Consulting Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year along with an affidavit stating that unit will not carry out any water polluting activity and will not use D.G. Set. Ask the unit namely M/s Digital Graphics India Pvt. Ltd. to submit bank guarantee of Rs. 50,000 each under Air Act, Water Act and HWM Rules valid for one year	
32	37978 30-08-2011	HARDWARE CENTER E-1,S.M.A.CO INDUSTRIAL AREA,G.T. KARNAL ROAD	S.M.A Industrial Area	Orange Renewal	MFG. OF ALUMINIUM AND HARDWARE DOOR AND WINDOW FITTING. Pickling-Others (Except SS pickling)	• Date of commissioning of project ---- • Built Up Area ---- 450 (in sq. meter) • Water Consumption ---- 4300 liters/day • Ground Water ---- 4300 liters/day • Waste Water generation (a) Domestic Effluent ---- 250 liters/day (b) Trade Effluent ---- 4000 liters/day	11-07-2012 (1)ETP ---- Oil and Grease Trap (a) AR dated .23.06.2011 issued by DTU submitted. (b) Effluent analysis report dated 23-06-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	03-08-2012 Recommeded to put up file administratively.

								(3)D.G.Set: ...Nil....	
Note: Old record is not traceble.									