

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – DELHI
OFFICE OF DELHI POLLUTION CONTROL COMMITTEE
4TH FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006
visit us at : <http://dpcc.delhigovt.nic.in>

F.No. DPCC/EC/6500/2/1/2014

/1129

Dated: 03/06/2014

ENVIRONMENT CLEARANCE NO. DPCC/SEAC/Extn-6500/SEIAA/73/2014

To,

M/s Reliance Prolofic and Commercial Pvt. Ltd.

A3, Mohan Co-op Industrial Estate,

Mathura Road, New Delhi-110044

Sub: Construction of Commercial building "Hyper Market" at plot no A, Block A, Community Centre, Vikaspuri Building, New Delhi.-reg.

Sir,

This has reference to your application submitted on 21.05.2014 for seeking extension of Environmental Clearance under the Environmental Impact Assessment Notification, 2006 amended as on date. The State Level Expert Appraisal Committee (SEAC), Delhi, constituted vide GOI Notification No. S.O. 1888(E) dated 30.07.2008 and re-constituted vide GOI Notification no. 1845(E) dated 08.08.2011. The matter was discussed in the meeting of SEAC on dated 22.05.2014 as per prescribed procedure in the light of provisions under EIA Notification, 2006 as amended to date.

It is inter-alia noted that the proposal is for extension of Environmental Clearance for Construction of Commercial building "Hyper Market" at plot no A, Block A, Community Centre, Vikaspuri Building, New Delhi granted by MoEF on 13.06.2008 to M/s Majestic Agrotech Pvt. Ltd. As per Environmental Clearance granted, the project involves construction of commercial building on a plot area of 13628.00 sq.mt. The total built-up area is 44015.04 sq.mt. (3 basements + G+ 5 floors) The total water requirement is 410 KLD (freshwater requirement: 120 KLD). Capacity of STP proposed is 500 KLD. Treated water will be used in Flushing (93 KLD), Horticulture (10 KLD), vapor absorption machines (140 KLD). Total solid waste generation will be 1.5 MT/day. The power requirement is 2680 kVA. Total parking space is 525 ECS (Surface-20, Basement 1-160, Basement 2-170, Basement 3-175). Total cost of the project is Rs. 379 Crores.

Now the project proponent M/s Reliance Prolofic and Commercial Pvt. Ltd. applied for CTO under Air and Water Act to DPCC on 20.01.2014 and stated that the company name of the project has been changed from M/s Majestic Agrotech Pvt. Ltd. to M/s Reliance Prolofic and Commercial Pvt. Ltd. and submitted copy of Memorandum of Articles dated 20.04.2009 regarding change of name in ROC and a copy of




efficacy report of 125 KLD STP. The project site was inspected on 23.04.2014 by DPCC officials and observed that construction was going on and expected to be completed by June 2014.

Project proponent M/s Reliance Prolofic and Commercial Pvt. Ltd. submitted an application to SEIAA on 21.05.2014 for Revalidation of Environmental Clearance dated 13.06.2008 along with Form I and IA. Project proponent submitted an affidavit stating that there is no change in any data, information/ area/ plan submitted earlier for obtaining EC dated 13.06.2008. Project proponent further stated that due to recession period they were compelled to stop the work after a certain level on the above mentioned site to channelize the resources to other critical projects. Since the work was initiated the committee recommends to SEIAA for extension of validity of EC issued to the project for another period of 5 years from the date of expiry of earlier EC in the name of M/s Reliance Prolofic and Commercial Pvt. Ltd.

The State Level Environment Impact Assessment Authority, (SEIAA) in its 24th meeting held on 23.05.2014 hereby accords the extension of Environmental Clearance for another period of 5 years from the date of expiry of earlier EC to the above said project as per provisions of Environment Impact Assessment Notification, 2006 and its subsequent amendments, subject to the compliance of all the terms and conditions as mentioned in the earlier EC granted by MoEF vide 21-932/2007-IA.III dated 13.06.2008 in the name of M/s Reliance Prolofic and Commercial Pvt. Ltd.


" Any appeal against this environmental clearance shall lie with the National Green Tribunal (NGT), if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal (NGT) Act, 2010".



(Sandeep Mishra)
Member Secretary (SEIAA)

Copy to:

1. Sh. Kaushal Kumar Mathur, Chairman, State Level Environment Impact Assessment Authority, 4, Defence Enclave, Vikas Marg, Delhi - 110092.
2. The Secretary (Environment) cum Chairman (DPCC), Department of Environment, Government of NCT Delhi, Secretariat Building, 6th Level, C-Wing, I.P. Estate, New Delhi.
3. The Director, Impact Assessment III- Division, Ministry of Environment & Forests, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi-110003.
4. The Additional Director/Conservator of Forests, Ministry of Environment & Forests, Regional Office (NZ), Bays No.24-25, Sector 31 A, Dakshin Marg, Chandigarh - 160030.
5. SEE (IT) - (DPCC) for necessary action regarding uploading the EC on the website.



(Sandeep Mishra)
Member Secretary (SEIAA)