



CONSENT MANAGEMENT

Decisions taken in the meeting of the Committee headed by Chairman DPCC on 19.04.2012 w.r.t. Agenda Item No. 2 - 6 cases of Consent to Operate and Consent to Operate (Renewal) under Orange Category (Category 2d cases) w.e.f. 06.03.2012 to 15.03.2012 and w.e.f. 05.03.2012 to 01.02.2012 (in reverse chronology) excluding the cases of redevelopment areas.

S. No.	Enquiry Counter I.D. No	Industry Name	Industrial Area	Category	Activity / Product	Consent / Authorization Status	Earlier Committee Decision	Remarks / Action Taken / ATR	Recommendation of Screening Committee	Decision
1	DPCC/EC/2/1/2012/747 02-02-2012	PARSVNATH METRO MALL PRATAP NAGAR METRO STATION	CENTRAL	Orange Operate	COMMERCIAL/OFFICE COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes	Consent Application No. 1 Application Date 18-03-2008 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 31-10-2008 Consent Expiry Date 30-10-2009 Consent Application No. 2 Application Date 26-12-2008 Category Orange Consent Apply For Operate Consent Status Pending - Date of commissioning of project -- -- 12-05-2006 - Built Up Area ---- 2550.465 (in sq. meter) - Water Consumption ---- 15400 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 7680 liters/day (b) Trade Effluent ---- 0 liters/day		22-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated 29.03.2011 issued by G.G.S.I.P.U submitted. (b) Effluent analysis report dated 02-02-2012 issued by DPCC submitted. Effluent Test Report within Limit - Yes 8 number of parameters analyzed which are within limit prescribed limit. (2)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 20-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit. The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 20-01-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit prescribed limit.	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Consent to Operate granted.
2	DPCC/EC/2/1/2012/796 13-02-2012	SPIRIT GLOBAL PVT. LTD. COMMERCIAL COMPLEX AT PLOT NO-9, JASOLA, DISTRICT CENTRE	SOUTH	Orange Operate	COMMERCIAL COMPLEX (OFFICE). Shopping Malls, Housing / Commercial/ Office Complexes	Consent Application No. 1 Application Date 16-07-2007 Category Orange Consent Apply For Establish Consent Status Pending - Date of commissioning of project -- -- 05-08-2005 - Built Up Area ---- 20420.56 (in sq. meter) - Water Consumption ---- 151000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 45000 liters/day (b) Trade Effluent ---- 0 liters/day		23-03-2012 (1)ETP ---- Other ETP Name : STP (a) AR dated06.05.11 issued byDTU..... submitted. (b) Effluent analysis report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No. TSS is not meeting the prescribed standards (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 1010, 1010, 500 KVA. Noise monitoring report dated 20-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - No. Ambient Noise level is not meeting the prescribed standard of 65 dBA for commercial area. (b) Stack monitoring reports (for more than 1000 KVA) dated 15.12.11 issued by DTU submitted by the unit but the same could not be created. Adequate stvack height has not been	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Issue show cause notice for refusal of consent and show cause notice for closure of the unit as the unit has failed to obtain environmental clearance as the built up area exceeds 20000 sqm.

provided with the 2 DG sets of capacity above 1000 KVA. Nox is also not meeting with the prescribed standard w.r.t one DG set.

(4) Inspection details : conducted on 03.08.10 & following were observed:
 1. Commercial complex has about 80 percent occupancy.
 2. Application for CTO has not been submitted.
 3. STP is operated in batches.
 4. No sludge was found. Sludge drying bed has not been provided.
 5. By-pass facility exists to drain out effluent directly w/o treatment.
 6. No facility to re-use the treated effluent.
 7. No Oil & Grease removal facility exists in the STP.
 8. Open area is not connected with rain water harvesting.
 9. Solar lightening system has not been provided.
 10. Energy saving lights such as CFL have not been provided in the basement.
 11. No space left for Green Belt.
 12. Doors of DG Sets room to be treated acoustically

(5) SCN u/s 33(A) details : issued on 27.12.10

(6) Closure directions u/s 33(A) details : issued on 17.02.11

As decided by the CMC(O) in its meeting held on 17.06.11, unit has submitted a letter on 20.07.11 along with an affidavit regarding submission of E.D. of Rs. 54.56 Lakh and B.G of Rs. 54.56 lakhs as per the outcome of appeal filed by DPCC in the division bench of Hon ble High Court against the judgement dated 30.09.10. Accordingly, Revocation of closure direction u/s 33 (A) of the Water Act issued on 27.07.11 and a letter was issued on 27.07.11 to apply for consent to operate within 15 days and obtain environmental clearance from SEIAA within 2 months.

The unit applied for CTO under orange category on 13-02-2012. However, no response has been received w.r.t environmental clearance to be obtained from SEIAA. Further, as per CTO application, total waste water discharge is 45 KLD. However, in the enclosed adequacy report it has been mentioned that the plant is adequate to treat the 40 KLD of the waste water.

EARLIER CMC DECISION
 16.02.2009 (In CTE File)
 Sh. A.N. Singh, Scientist, DOE to study the reply w.r.t. SIT deficiencies and submit the file administratively within a week.
 21.01.10 (In CTE File)
 Inspection be conducted to know the present status to decide the next course of action w.r.t. closure
 09.11.10 (In CTE File)
 Issue SCN u/s 33(A) of the Water

								Act and also ask the unit to submit completion certificate clearly indicating the built up area. 17.06.11 (In CTE File) IIT, Delhi has not disputed with the area shown in the sanctioned plan submitted by the unit. However, the IIT, Delhi has recorded in its report that 420 sqm area is not shown in the sanctioned plan. Therefore, the total built up area is 20420.56 sqm. Ask the unit to obtain environmental clearance from SEIAA within 02 months and till that time application for consent to establish shall be kept pending. The unit shall also apply for consent to operate within 15 days. The construction of the project was started in 2005 with project cost of Rs. 54.56 Crores and commissioned also in 2007 without consent to establish, consent to operate and environmental clearance and even without having Sewage Treatment Plant(STP), therefore, liable to pay environmental damages and bank guarantee. The environmental damages and bank guarantee has not been imposed earlier in this case and the similar other construction projects have filed the petition before Hon ble High Court in which DPCC has filed the LPA against the order of High Court. Ask the unit to submit an affidavit stating that the unit shall pay Rs. 54.56 Lakh as environmental damages (1 percent of the project cost) and Rs. 54.56 Lakh as bank guarantee (1 percent of the project cost) in the spirit of the court order in respect of the matter of the construction matter pending before the Hon ble Court. If the unit submits the affidavit with regard to environmental damages and bank guarantee, closure directions be revoked.	
3	DPCC/EC/2/1/2012/895 24-02-2012	GROVER STEEL WORKS B-55, PHASE II, MAYAPURI INDUSTRIAL AREA	Mayapuri Industrial Area	Orange Renewal	BRIGHT STEEL BARS. Pickling- Others (Except SS pickling)	Consent Application No. 1 Application Date 29-10-2004 Category Orange Consent Apply For Establish Consent Status Approved 02-12-2004 Consent Issue Date 01-12-2005 Consent Expiry Date 01-12-2005 Consent Application No. 2 Application Date 05-01-2006 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 01-05-2006 Consent Expiry Date 04-01-2009 Consent Application No. 3 Application Date 02-01-2009	22-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 31-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. (b) Effluent analysis report dated 31-12-2011 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes. (2)ECS - (b) Stack monitoring report dated 23-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes. (3)D.G.Set: nil (4) Inspection details :No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No ATR/Remarks: GW: nil Trade effluent: 100 LPD domestic effluent: 80 LPD	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Renewal of consent to operate and authorization under HWM Rules granted.

Category Orange
Consent Apply For Operate(Renewal)
Consent Status Pending

HWM Application No. **1**
Application Date 04-04-2006
Authorisation Status Approved
Authorisation Issue Date 22-05-2006
Authorisation Expiry Date 21-05-2008

HWM Application No. **2**
Application Date 30-04-2008
Authorisation Status Pending

HWM Application No. **3**
Application Date 24-05-2010
Authorisation Status Pending

- Date of commissioning of project -- --
- Built Up Area ---- 365 (in sq. meter)
- Water Consumption ---- 200 liters/day
- Ground Water ---- 0 liters/day
- Waste Water generation (a) Domestic Effluent ---- 80 liters/day (b) Trade Effluent ---- 100 liters/day

4	DPCC/EC/2/1/2012/896	ROHIT ENTERPRISES B-97/3, NARAINA INDUSTRIAL AREA, PHASE-I	Naraina Industrial Area Phase - I	Orange Operate	job work of electroplating. Electroplating Industries	Consent Application No. 1 Application Date 08-05-2008 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 15-03-2010 Consent Expiry Date 14-03-2011 Consent Application No. 2 Application Date 04-03-2009 Category Orange Consent Apply For Operate Consent Status Pending HWM Application No. 1 Application Date 08-05-2008 Authorisation Status Pending HWM Application No. 2 Application Date 04-03-2009 Authorisation Status Pending HWM Application No. 3	22-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated 02.02.2009 issued by GGSIU submitted. (b) Effluent analysis report dated 16-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit-yes (2)ECS - (b) Stack monitoring report dated 16-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Earlier CMc Decision Decision dated 12.02.2010/15.022010 Issue Consent to Establish GW: Nil	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Consent to operate and authorization under HWM Rules granted.
---	----------------------	---	--------------------------------------	----------------	--	---	--	--	--

						Application Date 15-07-2010 Authorisation Status Pending - Date of commissioning of project -- -- - Built Up Area ---- 38 (in sq. meter) - Water Consumption ---- 700 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 150 liters/day (b) Trade Effluent ---- 400 liters/day			
5	DPCC/EC/2/1/2012/901 24-02-2012	ACG HOSPITALITY PVT. LTD 1A SUB DISTT. CENTRE, HARI NAGAR	SOUTH WEST	Orange Operate	3 STAR CATEGORY HOTEL. Hotel With Atleast 20 Bed Rooms	Consent Application No. 1 Application Date 26-11-2008 Category Orange Consent Apply For Establish Consent Status Approved Consent Issue Date 18-12-2008 Consent Expiry Date 17-12-2009 - Date of commissioning of project -- -- 01-01-2011 - Built Up Area ---- 2738 (in sq. meter) - Water Consumption ---- 45000 liters/day - Ground Water ---- 0 liters/day - Waste Water generation (a) Domestic Effluent ---- 15000 liters/day (b) Trade Effluent ---- 7000 liters/day	22-03-2012 (1)STP: Yes (a) AR dated 20.12.2011 issued by DTU submitted. (b) Effluent analysis report dated 20-12-2011 issued by DTU submitted. Effluent Test Report within Limit - Yes (Note: According to test report phosphate parameter submitted by unit is as PO4 not as P.) (2) ECS : N/A (3)D.G.Set: (a) The unit has 2 D.G. Set(s) of 380 KVA each. Noise monitoring report dated 23-12-2011 issued by DPCC submitted. Noise monitoring report within Limit -Yes. Stack ht is not adequate . (4) Inspection details: Pending as approved on 11.2.11 on file. (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has not submitted compliance of CTE conditions. Unit mentioned 18 KLD effluent discharge in to sewer. Builtup area increased from 2250 sqm(as CTE) to 2736 sqm(as CTO). Boiler shows in CTO no deatails/SMR submitted.	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Consent to Operate granted since the unit has submitted the compliance report.
6	DPCC/EC/2/1/2012/903 27-02-2012	STANDARD ELECTROPLATERS 46, DSIDC SHED, PHASE-I, OKHLA INDUSTRIAL AREA	Okhla Industrial Area	Orange Renewal	ELECTROPLATING AS JOB WORK. Electroplating Industries	Consent Application No. 1 Application Date 21-03-2000 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 27-03-2000 Consent Expiry Date 20-03-2003 Consent Application No. 2 Application Date 17-03-2003 Category Orange Consent Apply For Operate Consent Status Approved Consent Issue Date 17-04-2003 Consent Expiry Date 20-03-2006	22-03-2012 (1)ETP ---- ETP - Physiochemical (a) AR dated06.03.09 issued byDTU..... submitted. (b) Effluent analysis report dated 16-02-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . number of parameters analyzed which are within beyond prescribed limit. (2)ECS - N/A (a) Unit has submitted incomplete SMR as in place of Sulphuric Acid Mist, SPM has been mentioned issued by DELHI COLLEGE OF ENGINEERING. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA . Noise monitoring report dated 16-02-2012 issued by DELHI COLLEGE OF ENGINEERING	28-03-2012 Cases be referred to Committee as per 2 (d)	19-04-2012 Ask the unit to submit analysis report for Sulphuric Acid Mist the missing parameter from approved laboratory of DPCC. If unit submits the same and parameter is found within the prescribed limit, issue renewal of consent and authorization under HWM Rules.

Consent
Application No. **3**
Application Date 28-06-2006
Category Orange
Consent Apply For Operate(Renewal)
Consent Status Pending

Consent
Application No. **4**
Application Date 09-03-2009
Category Orange
Consent Apply For Operate(Renewal)
Consent Status Pending

HWM Application No. **1**
Application Date 09-03-2009
Authorisation Status Pending

HWM Application No. **2**
Application Date **27-02-2012**
Authorisation Status Pending

- Date of commissioning of project -- --
- Built Up Area ---- 112 (in sq. meter)
- Water Consumption ---- 1400 liters/day
- Ground Water ---- 1400 liters/day
- Waste Water generation (a) Domestic Effluent ---- 200 liters/day
- (b) Trade Effluent ---- 1000 liters/day

submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.
As per the Noise Monitoring report adequate stack height has not been provided with the DG set.