



CONSENT MANAGEMENT

Decisions taken by the Committee for 2(c) Category cases headed by Chairman DPCC in its 4th meeting on 29.04.2015 w.r.t. Agenda Item No 2 - 21 Pending Consent to Operate cases under Orange Category of Mahipalpur area of the period 01.01.2015 to 28.4.2015 (Annexure II).

[Generate Excel](#)

S. No.	Date of Application	Enquiry Counter I.D. No	Industry Name & Address	Industrial Area / District	Category	Activitiy / Product	Decision
1	10-04-2015	DPCC/EC/2/1/2015/10518	HOTEL CLASSIC DIPLOMAT (NEW AGE HOTELS & RESORTS LIMITED) PLOT NO. A 4(KHASRA NO.340, 341 & 342), NH-8, MAHIPALPUR NEW DELHI	NEW DELHI	Orange Operate	Guest house/ Restaurant Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses.
2	20-04-2015	DPCC/EC/2/1/2015/10590	HOTEL THE CLASS A-282,MAHIPALPUR EXTN., N.H-8,	NEW DELHI	Orange Operate	17 ROOMS GUEST HOUSE. Hotels with less than 20 bed rooms neither having kitchen nor laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency and noise monitoring report of D.G. Set(s).
3	20-04-2015	DPCC/EC/2/1/2015/10591	HOTEL CHANAKYA INN L-20/324, STREET NO 07, NEAR IGI AIRPORT, MAHIPALPUR,	NEW DELHI	Orange Operate	18 ROOMS GUEST HOUSE. Hotels with less than 20 bed rooms neither having kitchen nor laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses and noise monitoring report of D.G. Set(s).
4	20-04-2015	DPCC/EC/2/1/2015/10592	HOTEL LOHIAS A-53, MAHIPALPUR EXTN. NH-8,	NEW DELHI	Orange Operate	30 ROOMS HOTEL AND 38 SEATING RESTAURANT.	29-04-2015 Issue Show Cause Notice for Refusal of

			JAIPUR-GURGAON ROAD			Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
5	20-04-2015	DPCC/EC/2/1/2015/10593	HOTEL WAVES A-272, MAHIPALPUR, N.H.-8, NEAR IGI AIRPORT	NEW DELHI	Orange Operate	33 ROOMS GUEST HOUSE AND 38 SEATING RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
6	20-04-2015	DPCC/EC/2/1/2015/10594	HOTEL IMPRESS A-25, KHASRA NO-393, MAHIPALPUR EXTN., N.H-8	NEW DELHI	Orange Operate	33 ROOMS GUEST HOUSE AND 44 SEATING RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
7	20-04-2015	DPCC/EC/2/1/2015/10595	HOTEL VENUS NATIONAL HIGHWAY-8, A-BLOCK, MAHIPALPUR EXTN., NEAR IGI AIRPORT	NEW DELHI	Orange Operate	GUEST HOUSE AND RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer with Boiler	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying

							agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
8	20-04-2015	DPCC/EC/2/1/2015/10596	HOTEL LE SEASONS (A UNIT OF INDRASON HOSPITALITIES PVT. LTD A-1A, A-BLOCK, MAHIPALPUR EXTN. N.H. -8	NEW DELHI	Orange Operate	38 ROOMS GUEST HOUSE AND 44 SEATING RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
9	20-04-2015	DPCC/EC/2/1/2015/10597	HOTEL ALPINE TREE (A UNIT OF MNB HOTEL PVT. LTD.) A-65 MAHIPALPUR EXTN. N.H.-8,	NEW DELHI	Orange Operate	24 ROOMS GUEST HOUSE. Hotels with atleast 20 bed rooms without kitchen or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
10	20-04-2015	DPCC/EC/2/1/2015/10598	AGGARWAL SWEET A-320,MAHIPALPUR EXTN., N.H.-8	NEW DELHI	Orange Operate	32 SEATING RESTAURANT. Restaurants/Eating Houses/ Dhabas and other such establishments (Having Seating Capacity less than 36) / Sweet shops / Halwais and other establishments (with annual average production of less than one tonne/day) /Banquet Halls / Party Lawns (with Floor Area less than 100 m2) with or without sewer connection	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses and photographs of Oil and Grease Trap.
11	22-04-2015	DPCC/EC/2/1/2015/10625	LA-SAPPHIRE HOTEL	NEW	Orange	38 ROOMS GUEST HOUSE AND 40	29-04-2015

			A-23, NH-8, MAHIPALPUR	DELHI	Operate	SEATING RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
12	22-04-2015	DPCC/EC/2/1/2015/10626	HOTEL DELHI 37 A-147, MAHIPALPUR EXTN., N.H.-8	NEW DELHI	Orange Operate	22 ROOMS GUEST HOUSE AND 30 RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
13	22-04-2015	DPCC/EC/2/1/2015/10627	HOTEL INTERNATIONAL INN A-78, MAHIPALPUR EXTN., NH-8	NEW DELHI	Orange Operate	39 ROOMS GUEST HOUSE. Hotels with atleast 20 bed rooms without kitchen or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
14	22-04-2015	DPCC/EC/2/1/2015/10628	HOTEL TRANSIT A-58, ROAD NO-4, MAHIPALPUR EXTEN, N.H.-8	NEW DELHI	Orange Operate	39 ROOMS GUEST HOUSE. Hotels with atleast 20 bed rooms without kitchen or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the

							DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
15	22-04-2015	DPCC/EC/2/1/2015/10629	HOTEL STAR A-288, MAHIPALPUR EXTN., N.H.-8	NEW DELHI	Orange Operate	34 ROOMS GUEST HOUSE AND 24 SEATING RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
16	22-04-2015	DPCC/EC/2/1/2015/10630	HOTEL ERA A-247/1, MAHIPALPUR EXTN, N.H.-8	NEW DELHI	Orange Operate	21 ROOMS GUEST HOUSE. Hotels with atleast 20 bed rooms without kitchen or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
17	23-04-2015	DPCC/EC/2/1/2015/10631	HOTEL THE R-BLUES A-79, NH-08, MAHIPALPUR	NEW DELHI	Orange Operate	HOTEL. Hotels with less than 20 bed rooms neither having kitchen nor laundry and not connected to public/municipal/DJB sewer	29-04-2015 Reply along with photographs of septic tank received. Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency and noise monitoring report of D.G. Set(s) from empanelled laboratories of DPCC.
18	27-04-2015	DPCC/EC/2/1/2015/10650	HOTEL TAURUS (A UNIT OF TAURUS INTERNATIONAL PROJECTS PVT. LTD)	NEW DELHI	Orange Operate	HOTEL. Hotels with atleast 20 bed rooms	29-04-2015 Issue Show Cause Notice for Refusal of

			KHASRA NO-A,383 AND 384 NH-08, MAHIPALPUR EXTN.			with kitchen and/or laundry and not connected to public/municipal/DJB sewer	Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & final adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
19	28-04-2015	DPCC/EC/2/1/2015/10658	HOTEL VISHAL RESIDENCY MAHIPALPUR EXTENSION, NEAR RADISSON HOTEL, NH-8	NEW DELHI	Orange Operate	46 ROOMS COVER GEUST HOUSE AND 30 SEATS COVER RESTAURANT. Hotels with atleast 20 bed rooms with kitchen and/or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
20	28-04-2015	DPCC/EC/2/1/2015/10668	HOTEL RAMHAN PALACE A-125, MAHIPALPUR EXTN.	NEW DELHI	Orange Operate	HOTEL. Hotels with atleast 20 bed rooms without kitchen or laundry and not connected to public/municipal/DJB sewer	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).
21	28-04-2015	DPCC/EC/2/1/2015/10670	BARICHI RESTAURANT A-279/3, MAHIPALPUR EXTENSION	NEW DELHI	Orange Operate	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m2) not connected to public/municipal/DJB	29-04-2015 Issue Show Cause Notice for Refusal of Consent to Operate since unit has not submitted copies of valid MCD & Delhi Police licenses, details about water supplier including source / bills, requisite permission of the competent authority for extraction / drawl of water by the water supplying agency, requisite effluent analysis report of STP & adequacy report of STP from the DPCC empanelled consultants and noise monitoring report of D.G. Set(s).

