

DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/11th Meeting /2017/ 7590-94 Dated: 19-1-18

Subject: Minutes of the 11th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 21.12.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the **11th Meeting** of the aforementioned Committee, held on 21.12.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 11th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 21.12.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 21.12.2017 are enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.12.2017 to 19.12.2017.

Decisions were taken online in these cases and list of 76 no. of units including decisions taken in these cases are at Annexure - I.

Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.03.2012 to 31.03.2014.

Decisions were taken online in these cases and list of 30 no. of units including decisions taken in these cases are at Annexure - II. The remaining cases of this agenda could not be taken up by the Committee due to paucity of time and it was decided to take up the same in the next CMC meeting.

Agenda Item No 3: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.07.2016 to 31.12.2016 (in reverse chronology).

This agenda could not be taken up by the Committee due to paucity of time and it was decided to take up this agenda in the next CMC meeting.

Table Agenda Item No. 1: 08 cases were taken up by the Committee with the permission of Chairman of the Committee.

Decisions were taken online in these cases and list of 08 no. of units including decisions taken in these cases are at Annexure - III.

[Handwritten signatures and initials at the bottom of the page, including names like Anil Kumar, Sameer, Shantani, and others.]

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I, II & III**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary,
DPCC



(Dr. Chandra Prakash)
SEE, CMC-II



(Dr. B.M.S. Reddy)
SEE, CMC- III



(M. Arif)
SEE, CMC- IV


(B.L. Chawla)
SEE, CMC-I


(Satender Kumar)
SEE, CMC- V


(M.S. Rawat)
EE, CMC-V



(Shyam Sunder)
EE, CMC- I


(on leave)
(Surender Singh)
EE, CMC- V


(Ramesh Chandra)
EE, CMC-II


(R.K. Sharma)
EE, CMC-III


(Dr. Siddhartha Gautam)
EE, CMC-IV


(on leave)
(Amit Chaudhary)
EE, CMC-III

(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-II



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 11th meeting on 21.12.2017 w.r.t. Agenda Item No 1 - 76 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.12.2017 to 19.12.2017 (Annexure 1).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	MCDONALDS FAMILY RESTAURANT	TDI-WEST SIDE MALL, ALNKAR, LAJPAT NAGAR	01-12-2017		QUICK SERVICE RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Installed (Physiochemical) Effluent Analysis Report dated 30.10.2017 issued by DPCC Laboratory submitted. Number of parameters tested within limit- Yes. (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Water Consumption: 5000 Liters/Day (Source - DJB) Status of Inspection : Case of the unit for Consent to Operate application, was taken up by cell incharge on 06.09.2016 and it was decided that Inspection be carried out and file be put up administratively. A public complaint was received against Sagar Ratna Restaurants in Delhi and as decided Show Cause Notice u/s 33 (A) of Water Act & 31 (A) of Air Act was issued to M/s Sagar Ratna Restaurant, II Floor , 3CS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, New Delhi. On 18.04.2016 there after inspection of the unit i.e. M/s Sagar Ratna Restaurant was carried out by the representative of the DPCC on 07.06.2016 and it was found that to M/s Sagar Ratna Restaurant was closed down since 18 months back from the same premises and other restaurants M/s Dosa Chutny was operating in its place. There are total five restaurants were also operating in the said food court. i.e. Moti Mahal, Darya, China Wall, Mc Donalds & Cream Bell Ice cream Kiosk. -And as decided, Show Cause Notice u/s 33 (A) of Water Act & 31 (A) of Air Act were issued to all the above 5 restaurants on 26.07.2016.	Effluent Analysis Report dated 30.10.2017 issued by DPCC Laboratory submitted. Number of parameters tested within limit- Yes.	20-12-2017 Unit has submitted application for Consent to Establish on 01.12.2017 along with required documents/ test reports. As per Consent application in column 20 mentioned D.G. Set - N/A	21-12-2017 Consent to Establish granted.

									M/s McDonalds Family Restaurant has Submitted its reply with respect to SCN dated 26.07.2016 and applied for Consent to Operate on 12.08.2016 however they have not submitted application for Consent to Establish. As decided inspection of the unit, was carried out by the representative by DPCC on 11.05.2017 and following observation were made. -Unit found operational and engaged in the activity of quick service restaurant. With seating capacity of 95, however as per MCD license submitted by the unit seating capacity mentioned 105 seats. -Unit has installed individual OGT in kitchen with size (0.54mX0.38mX0.43m). as informed further discharged waste water through common OGT cum settling tank installed at ground floor of the premises (size 3.1mX1.3mX1.2m), the said common OGT cum settling tank installed for units located in the food court (i.e. Moti Mahal, China Wall, Darya & Dosa N Chutney). -Unit is connected with 1 DG set of capacity 625KVA located at the basement in acoustically treated common room and adequate stack height which are commonly used by other shops of mall at ground floor. -No channelization system provided for the kitchen emissions. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 26.07.2016 Modified Directions u/s 33(A) of Water Act & u/s 31(A) of Air Act was issued to unit on 26.07.2017 with directions that unit shall install an ETP since as per MCD License seating capacity of unit is 105 seats & submit full details of ETP & latest effluent analysis report from approved laboratory of DPCC, provide proper channelization system in kitchen for kitchen emissions and also also submit fresh application for Consent to Establish along with required Documents/ Test Reports i.e Effluent Analysis report of ETP & Noise Monitoring report of D.G. Set . Unit submitted its replies on 25.08.2017 & 28.09.2017 w.r.t Modified Directions				
--	--	--	--	--	--	--	--	--	--	--	--	--	--

										dated 26.07.2017 and informed that they have installed ETP of 10 KL capacity which under testing and stabilizing , channelization for Kitchen emissions has also been provided in the Kitchen, restaurant is operating with seating capacity of 95 seats but as per MCD License allowed maximum seating capacity is 105 seats & requested for 30 days time for obtaining fresh Effluent Analysis report for the said ETP. The unit has resumed its commercial operation in order to test the effluent sample after stabilization of the ETP. Also, unit has requested to grant one month time to test the effluent sample. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		
2	MCDONALDS FAMILY RESTAURANT	FOOD COURT TDI WEST SIDE MALL ALANKAR LAJPAT NAGAR	01-12-2017		QUICK SERVICES RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 30-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Status of Inspection : Case of the unit for Consent to Operate application, was taken up by cell incharge on 06.09.2016 and it was decided that Inspection be carried out and file be put up administratively. A public complaint was received against Sagar Ratna Restaurants in Delhi and as decided Show Cause Notice u/s 33 (A) of Water Act & 31 (A) of Air Act was issued to M/s Sagar Ratna Restaurant, II Floor , 3CS Alankar Complex Building, Fircoz Gandhi Marg, Lajpat Nagar, New Delhi. On 18.04.2016 there after inspection of the unit i.e. M/s Sagar Ratna Restaurant was carried out by the representative of the DPCC on 07.06.2016 and it was found that to M/s Sagar Ratna Restaurant was closed down since 18 months back from the same premises and other restaurants M/s Dosa Chutny was operating in its place. There are total five	Effluent analysis report dated 30-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	20-12-2017 Unit has submitted application for Consent to Operate on 01.12.2017 with required documents/ test reports and informed in undertaking submitted along with Consent application that they have installed proper Oil & Grease Trap cum Settling Tank for holding the effluent arising from kitchen and washing activities for atleast 4 hours duration and same has been processed further through their ETP at ground floor. However, details and schematic diagram of Oil & Grease Trap cum Settling Tank & ETP is yet to be submitted by the unit. As per Consent application in column 20 mentioned D.G. Set - N/A	21-12-2017 Ask the unit to submit details and schematic diagram of Oil & Grease Trap cum Settling Tank & ETP. If unit submits the same and found satisfactory, Consent to Operate granted.

										restaurants were also operating in the said food court. i.e. Moti Mahal, Darya, China Wall, Mc Donalds & Cream Bell Ice cream Kiosk. And as decided, Show Cause Notice u/s 33 (A) of Water Act & 31 (A) of Air Act were issued to all the above 5 restaurants on 26.07.2016 (Relevant Papers/ Notesheet of common file placed at C/29 to C/48). M/s McDonalds Family Restaurant has Submitted its reply with respect to SCN dated 26.07.2016 and applied for Consent to Establish & Consent to Operate on 12.08.2016. As decided by the cell in charge, Consent to Establish was issued to unit on 26.10.2016. -As decided inspection of the unit, was carried out by the representative by DPCC on 11.05.2017 and following observation were made. -Unit found operational and engaged in the activity of quick service restaurant. As per copy of MCD license submitted by the unit no of seat is 47, however as informed and undertaking submitted by the unit actual seating capacity of the restaurant is not more than 25 if all the seating divided between different food joints operating in the court. It was also observed during inspection seating of the said restaurant is jointly operating in the food court. (25 seats as informed). -Unit has installed OGT in kitchen with size (0.54mX0.38mX0.43m). as informed further discharged waste water through common OGT cum settling tank installed at ground floor of the premises (size 3.1mX1.3mX1.2m), the said common OGT cum settling tank installed for units located in the food court (i.e. Moti Mahal, Cinna Wall, Darya& Dosa & Chutney). -Unit is connected with 2 DG set (380 & 125), located at the basement in acoustically treated common room and adequate stack height which are commonly used by the food court at IInd Floor (i.e. Moti Mahal, Cinna Wall, Darya & Dosa & Chutney). -No channelization system provided for the kitchen emissions. During inspection of the						
--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--

										above food court on 04.05.2017 & 11.05.2017 it was found that M/s Darya, Moti Mahal, China Wall, Dosa & Chutny and Mc Donald at Ind floor of the premises are having No. of seats (22, 24,24,20 &25) total Seats 115, however as per MCD license provided by the unit seating capacity of restaurants mentioned i.e. 25,48,25,25 &47 total seats 170. As observed during inspection on 04.05.2017 & 11.05.2017, Waste water generated from all above 5 restaurants is being discharged through common Oil & Grease Trap cum settling tanks only, however seating capacity of all restaurants is more than 100 seats, hence as per RESDH policy, its required to installed common Effluent treatment plant or required individual oil & grease trap cum settling tank for holding the effluent arising from kitchen and washing activities for at least 4 hour duration. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 26.07.2016 Modified Directions u/s 33(A) of Water Act & u/s 31(A) of Air Act was issued to unit on 26.07.2017 with directions that either unit shall install a common ETP to treat the wastewater being discharged from all five Restaurants in the Food Court (i.e. M/s Mcdonalds, M/s Darya, M/s Dosa N Chutney, M/s Moti Mahal and M/s China Wall) & submit full details of common ETP & latest effluent analysis report from approved laboratory of DPCC or install individual Oil & Grease Trap cum Settling Tank for holding the effluent arising from kitchen and washing activity for atleast 4 hours duration & submit full details of Oil & grease Trap cum Settling Tank & latest effluent analysis report from approved laboratory of DPCC, provide proper Channelization system in Kitchen for kitchen emissions and also submit fresh application for Consent to Operate along with required Documents/ Test Reports. Unit submitted its replies on 25.08.2017 & 28.09.2017 w.r.t Directions dated 26.07.2017 along with copy of MCD License and informed that individual Oil & Grease Trap cum Settling Tank has already been provided in the Kitchen, channelization for Kitchen emissions has also been provided in the Kitchen			
--	--	--	--	--	--	--	--	--	--	---	--	--	--

									& requested for 30 days time for obtaining fresh Effluent Analysis report for the said Oil & Grease Trap cum Settling Tank. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
3	SOUTH INDIAN CAFE	140, SHANKAR ROAD MARKET, NEW RAJENDER NAGAR	01-12-2017		EATING HOUSE (SNACKS AND VEG FOOD) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-14.86 sq mt Date of Establishment/ Commencement- 01.04.2017 Status of Ground Water Extraction-No 1.Water consumption-500 L/day Source- DJB (Water Bill not submitted) Status of Inspection- Yes (31.08.2017) MCD health license valid upto 25.10.2017. Police license valid upto 31.03.2015. No. of Seats- 28 Based on complaint, Unit was inspected on 31.08.2017 and based on violations(unit was operational without consent, without ETP & OGT, without ECS, without Health and Police license), SCN for closure issued on 19.09.2017. Reply was submitted on 08.10.2017, 20.11.2017 and 05.12.2017 and request a time to install pollution control measures and to apply fot Consent etc. First MCD license was issued on 10.11.2009. However commissioning shown on 01.04.2017 in the application therefore consent fee is lacking. Health license, Police license, Aadhar card, PAN card are in different names. Details of Oil and Grease Trap etc are not mentioned in project report.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-14.86 sq mt Date of Establishment/ Commencement- 01.04.2017 Status of Ground Water Extraction-No 1.Water consumption-500 L/day Source- DJB (Water Bill not submitted) Status of Inspection- Yes(31.08.2017) MCD health license valid upto 25.10.2017. Police license valid upto 31.03.2015. No. of Seats- 28 Based on complaint, Unit was inspected on 31.08.2017 and based on violations(unit was operational without consent, without ETP & OGT, without ECS, without Health and Police license), SCN for closure issued on 19.09.2017. Reply was submitted on 08.10.2017, 20.11.2017 and 05.12.2017 and request a time to install pollution control measures and to apply fot Consent etc. First MCD license was issued on 10.11.2009. However commissioning shown on 01.04.2017 in the application therefore consent fee is lacking. Health license, Police license, Aadhar card, PAN card are in different names. Details of Oil and Grease Trap etc are not mentioned in project report.	21-12-2017 Earlier decision was reviewed. Issue letter for deficiencies.
4	PRASADAM	G-57 & 50, GROUND FLOOR, VIKAS MARG, LAXMI NAGAR	01-12-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP - Oil and Grease trap of design capacity of 1200 L/D. 2. ECS - No. 3. D.G Set - NIIL 4. Water Consumption - 1100 L/D 5. Domestic Trade Effluent - NIL 6. Trade Effluent Discharge - 470 L/D 7. Municipal Corporation of East Delhi - Not provided. 8. Police Licence of Delhi - Not provided.	N/A	20-12-2017 Ask the unit to submit Police License and Municipal Corporation of East Delhi License. Also ask the unit to submit hard copy of the concerned application.	21-12-2017 Ask the unit to submit Police License and Municipal Corporation of East Delhi License. Also ask the unit to submit hard copy of the concerned application. If unit submits the same and found satisfactory, Consent to Establish granted.
5	ADE - E - HAANDI RESTAURANT	37/1, OLD RAJINDER NAGAR	01-12-2017		EATING HOUSE / CAFETERIA. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-19 sq mt Date of Establishment/ Commencement- 01.03.2015 Status of Ground Water Extraction-No 1.Water consumption-600	Effluent Analysis Report-No Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Expedite inspection.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									(3)D.G.Set: ...N/A...			
									Status of Ground Water extraction :NIL			
									Status of Inspection :NO			
									SCN u/s 31(A)/33(A)/5 of EPA details :NO			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details :NO			
9	RADIANCE MOTEL	KHASRA NO. 268/2, 269, 270, 271/2, TANIA FARM COMPLEX, VILLAGE SATBARI, MEHRAULI	02-12-2017		Eating House, Guest House and Party Lawn for Marriages and Other Social Functions. Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)STP - Yes (a) Effluent analysis report dated 23-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 125 KVA. Noise monitoring report dated 29-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : yes Water Consumption: 19 kl/ Function and on rest days 600 l/day. Trade Effluent- 9 KL/function and other days 500 L/ Day Domestic Effluent- 6 KL/function and other days 70 L/ Day D.G Set- 125 KVA Status of Inspection :Yes By NGT subcommittee SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details :Nil	(1) Effluent analysis report dated 23-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 29-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-12-2017 Unit applied for Consent to operate for the activity of Eating House , Guest House and Party Lawn for Marriages and Other Social functions on 02.12.2017. Unit submitted Effluent analysis report and Noise Monitoring Report and same found under prescribed limits. it is recommended inspection may be carried out to know the current status before deciding CTO.	21-12-2017 Take action as decided in file.
10	BIKANERVALA INTERNATIONAL	A-80, CENTRAL MARKET, LAJPAT NAGAR-II	04-12-2017		RESTAURANT AND SWEET SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction : Nil Water consumption: 3500 Liters/Day (source - DJB) Status of Inspection : A a public complaint was received against the unit on 18.09.2017 regarding illegal	.	20-12-2017 Unit has not submitted any representation/ reply w.r.t to SCN dated 08.12.2017. Also, Unit has not submitted hardcopy of application for Consent to Establish alongwith required documents and operating without obtaining Consent to Operate.	21-12-2017 Take action as decided in file.

									encroachment, grabbing & blocking of Public land, back-lane and besides creating nuisance & spreading filths, garbage etc. on the road, choking the underground sewage and creating unhygienic conditions thereby contributing to the menace of various diseases & panic of dengue and other life threatening diseases amongst the residents. As decided, an inspection of the Addressee unit was carried out by the Officials of DPCC on 24.11.2017 and following are brief of observations made during the inspection:- -Unit found in operation and engaged in the activity of Sweet Shop cum Restaurant with seating capacity of 118 seats (Upper GF-36, 1st Floor), basement of the premises is being used as sweet shop. However, as per MCD license of the unit, seating capacity is 48 seats. -Unit has provide Oil & Grease Trap cum Settling Tank with size about 0.75x1.10x1m (Two Tank) 1x1.1x1m (One Tank) located at rear of the premises in public land which is not cleaned properly. -ETP lying rear of the premises (back road/ public land) in non operational & disconnected condition. -Unit has provided Channelization system with Stack with Kitchen at Upper G.F., 1st & 2nd Floor. -Two D.G. Set installed at roof top without stack. -Two bin system provided to segregate the solid waste (wet & dry solid waste). SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 08.12.2017 A Letter was also issued to SDMC on 08.12.2017 to take necessary action regarding encroachment of public road by the unit by installing Oil & Grease Trap cum Settling Tank and ETP at back road of the premises. Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
11	PETALS GUEST HOUSE	24/4, SHAKTI NAGAR	04-12-2017		GUEST HOUSE. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and	Orange Operate	Non-SPI		Hardcopy not submitted. CTE granted on 01.06.2017.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If	

					above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							any deficiencies are found, query letter be issued.
12	INSTYLE MOTEL SERVICES PVT. LTD.	KH. NO 8/9, 5/21/1/2, 8/10, AIRPORT ROAD, SAMALKHA	04-12-2017		MOTEL FOR 32 ROOMS. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)STP- Bio-logical (Yes) 25 KLD (a)Effluent analysis report dated 06-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set (s) of 380 KVA and 250 KVA. Noise monitoring report dated 01-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set (s) of 380 KVA and 250 KVA. Noise monitoring report dated 01-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption -50 KLD Trade Effluent- 10 KLD Domestic Effluent- 15 KLD Status of Inspection : last inspection on 10.05.2013 SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details : No	Effluent Analysis Report- a)Effluent analysis report dated 06-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Report- (a) The unit has 2 D.G. Set(s) of 380 KVA and 250 KVA. Noise monitoring report dated 01-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-12-2017 Unit applied for Consent To Operate Renewal for the activity of MOTEL FOR 32 ROOMS on 04.12.2017. Unit submit Noise Monitoring Report and Effluent Monitoring Report and same found within prescribed limit. It is recommended CTO Renewal may be granted and inspection thereafter.	21-12-2017 Consent to Operate(Renewal) granted.
13	COLOUR SOLUTION	I-281,SECTOR-2,BAWANA INDUSTRIAL AREA,DELHI	04-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-12-2017 Authorisation Status Pending	Status of Pollution Control System Devices- 1. ETP-Yes 2. ECS-Yes 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 11.08.2016 Status of Ground Water Extraction-No 1.Water consumption-4300 L/day Source- Outside Tankers (Water Bill not submitted) Status of Inspection-Yes (14.12.2017) CETP receipt not submitted. Rent agreement not submitted. ETP capacity and units detail not submitted. Being complaint case, unit was inspected and based on violations , SCN for closure issued. Further, closure direction u/s 33(A) of Water Act,1974 & u/s 5 of EP Act was issued on 13.10.2017.	Effluent Analysis Report-Not submitted Emission Monitoring Report -Not submitted Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 File be put up administratively.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

	FOOD N BEVERAGES				Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Proposed 2. Channelisation-Proposed 3. D.G. set- No Plot Area-45.72 sq mt Date of Establishment/ Commencement- 04.07.2016 Status of Ground Water Extraction-No 1.Water consumption-3000 L/day Source- Outside (Water Bill not submitted) Status of Inspection- No MCD health license valid upto 31.03.2017. Police license not submitted. No. of Seats- 46	Noise Monitoring report-N/A		Subsequently, inspection be conducted.
16	DAWERTEX PRIVATE LIMITED	A-199, GROUND FLOOR, PHASE-I, OKHLA INDUSTRIAL AREA	05-12-2017		Manufacturing of Zinc Zip Slider, Buckles and components using die casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		SS Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -N/A Status of Ground Water extraction : NIL Water consumption:500 ltr/day, Domestic: 500 ltr/day, Trade: Nil (source of Water DJB) Status of Inspection : Inspection of the unit was carried out by officials/ representatives of DPCC on 01.09.2017 and following observations were made: -Unit found operational and engaged in the activity of Offset Printing without any trade effluent discharge at ground floor. -Unit is not complying with the provisions of Hazardous waste management rules, 2016. i.e Display board not provided, Leak proof containers not provided for Hazardous waste, Storage containers not marked with specified label, kept in isolated Area, pucca floor, covered area and also not maintained Hazardous waste record in form-3. -Unit is operating without Consent from DPCC. SCN u/s 31(A)/33(A)/5 of EPA details : issued on 25.09.2017 Unit has submitted representations on 13.11.2017 along with hard copy of application for Consent to Establish with requisite documents and 14.11.2017 w.r.t SCN dated 25.09.2017 and stated that: -They have applied for Consent to Establish. -They will also apply for Consent to operate and Hazardous under HWM Rules in next 10 working days. Unit has also requested to revoke Show Cause Notice at the earliest.		05-12-2017 Unit has not applied for Authorization under HWM Rules, 2016 so far and also not submitted hard copy of application of Consent to operate along with required document.	21-12-2017 Consent to Establish granted.

									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
17	MUSICAL RESTAURANT PRIVATE LIMITED	201, SECOND FLOOR, DDA COMMERCIAL COMPLEX, AUROBINDO PLACE, HAUZ KHAS	05-12-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Water Consumption -8000 liters per day (Source DJB) Trade Effluent- 2500 liters per day Domestic Effluent- 2500 liters per day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :No Month and year of Commencement of Production- 12.08.2016	a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-12-2017 Unit applied for Consent to Operate for the activity of eating house with capacity of 98 seats on 05.12.2017. unit Installed OGT but not provide dimensions and photograph of OGT. unit also submit Effluent Analysis Report of OGT and same found within limit. It is recommended that CTO may granted if unit submit Size / Dimensions and photograph of OGT.	21-12-2017 Cosnent to Establish and Consent to Operate granted if unit submits Size / Dimensions and photograph of Oil and Grease Trap cum Settling Tank.
18	M & S PROCESSORS	C-75, MAYAPURI PHASE-II INDUSTRIAL AREA	05-12-2017		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		source of water : DJB, Cat-II (Billed Enclosed) consumption of water : 20000 Liters/Day(12000 from ground water and 8000 from DJB) Status of Ground Water extraction :Yes, Copy of CGWA Provided. Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no		19-12-2017 -unit has submitted hard copy of Consent to establish Application. -Consent to establish may be granted.	21-12-2017 Consent to Establish granted.
19	THE VEGAS CAFE(A UNIT OF GURUJI ENTERPRISES)	2527 HUDSON LANEGROUND FLOOR KINGSWAY CAMP HRB NAGAR	05-12-2017		Restaurant cum bar Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to /	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-140 sq mt Date of Establishment/ Commencement- 24.10.2016 Status of Ground Water Extraction-No 1.Water consumption-1000 L/day	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-140 sq mt Date of Establishment/ Commencement- 24.10.2016 Status of Ground Water Extraction-No	21-12-2017 Earlier decision was reviewed. Inspection be conducted.

					Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Source- DJB (Water Bill submitted) Status of Inspection- Yes (14.12.2017) MCD health license valid upto31.03.2018. Police license submitted. No. of Seats- 48 RTI against this unit was treated as complaint and it was inspected by officials of DPCC on 14.12.2017and based on deficiencies, SCN u/s 31(A) of Air Act and 33 (A) of Water act was issued on 17.08.2017 and Closure directions issued on 23.11.2017.Unit has submitted requisite ECS and undertaking and temporarily de-sealing letter issued on 06.12.2017.		1.Water consumption-1000 L/day Source- DJB (Water Bill submitted) Status of Inspection- Yes(14.12.2017) MCD health license valid upto31.03.2018. Police license submitted. No. of Seats- 48 RTI against this unit was treated as complaint and it was inspected by officials of DPCC on 14.12.2017 and based on deficiencies, SCN u/s 31 (A) of Air Act and 33(A) of Water act was issued on 17.08.2017 and Closure directions issued on 23.11.2017.Unit has submitted requisite ECS and undertaking and temporarily de-sealing letter issued on 06.12.2017.	
20	CLAY ONE	WZ-5, A-10, FIRST FLOOR, KAILASH PARK, NAJAFGARH ROAD	06-12-2017		RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		source of water : DJB, Cat-II (Billed Enclosed) consumption of water : 3500 Litre/Day Status of Ground Water extraction :nil Year of commissioning : 01/01/2013 Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1) Effluent analysis report -Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report -The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 20-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	19-12-2017 -Consent to Operate may be granted.	21-12-2017 Consent to Operate granted.
21	KILL THE BILL (A UNIT OF DEE HOSPITALITY PVT. LTD)	F-14/15,FIRST FLOOR,SHIVAM HOUSE,MIDDLE CIRCLE,CONNAUGHT PLACE,NEW DELHI	06-12-2017		Eating House with 186 Seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		source of water : NDMC Connection (Bill Enclosed) consumption of water : 5500 Liters/Day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	.	19-12-2017 -unit has submitted hard copy of Consent to Operate Application. -Consent to Operate may be granted. Remarks/ATR on 21-12-2017 -An inspection was carried out by DPCC, Officials on 19.12.2017 During inspection following observations were made: 1. During inspection unit found operational and same found engaged in the activity of eating house with 186 seating capacity. 2. ETP installed and same was found in working condition without maintaining of log book. 3. no DG set installed by the unit. 4. No Channelization of kitchen observed but exhaust system in provided in unit. 5. Oil & grease trap found installed but functioning improperly.	21-12-2017 Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act and u/s 31 (A) of Air Act.
22	RIVANSHI HOSPITALITY PVT. LTD. (DEVAM)	PLOT NO.4, DWARKA LINK ROAD, SAMALKHA	06-12-2017		FARM HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: . Yes as filled in application from (2x250 and	.	20-12-2017 Unit applied for Consent to Establish for the activity of farm house on 06.12.2017 as per application form details w.r.t water pollution devices is not filled and 3 number of D.G set of capacity 2x250 and 1x150) KVA installed in the premises. Unit not submit Hard Copy of Consent application form and all required documents. It is recommended CTE may granted if unit submit hard copy of consent application along with all required document with undertaking. And also	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

					Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				1x150) KVA Status of Ground Water extraction : Nil Water Consumption -3500 liter per day Trade Effluent- 3000 liter per day Domestic Effluent- 300 liter per day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details : No Month and year of Commencement of production- 25.02.2018		provide details w.r.t water pollution devices.	
23	MANOJ KUMAR SACHDEVA	B-101, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA DELHI-110039	06-12-2017		Manufacturing of Plastic Granules From Scrap (Without Washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 10.12.2017 Status of Ground Water Extraction-No 1.Water consumption-200 L/day Source- Corporation /DJB (Water Bill not submitted) Status of Inspection- No	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Consent to Establish granted.
24	NAVEEN AUTOMOBILES	37, PATPARGANJ INDUSTRIAL AREA	06-12-2017		Service Station for Repair and Servicing of Cars which includes Repairing, Washing, Denting and Painting of Cars etc. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 04-05-2010 Authorisation Status Approved Authorisation Issue Date 01-10-2010 Authorisation Expiry Date 03-05-2015 HWM Application No. 2 Application Date 06-10-2015 Authorisation Status Pending	1. ETP- Yes 2. ECS- No 3. DG Set- N/A 4. Domestic Effluent- 400L/D 5. Trade Effluent- 4000L/D 6. Water Consumption- 5000L/D	Emission monitoring report submitted by DPCC on 21.11.2017 and all the paramteres are within the prescribed limit.	20-12-2017 Recommended for inspection	21-12-2017 Inspection be conducted.
25	TOSC INTERNATIONAL PVT. LTD.	H-1429, H-1441, DSIDC, NARELA INDUSTRIAL AREA	07-12-2017		PHARMACEUTICAL FORMULATION. Pharmaceuticals Formulation With Washing Operation	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 27-09-2004 Authorisation Expiry Date 26-09-2006	Status of Pollution Control System Devices- 1. ETP-Yes 2. ECS- N/A 3. D.G. set- Yes, 1 x 82.5 KVA Plot Area-700 sq mt Date of Establishment/ Commencement- 01.11.2005 Status of Ground Water Extraction-No 1.Water consumption-800 L/day Source- DSIIDC (Water Bill	Effluent Analysis Report- Yes, dated- 01-11-2017, issued by DPCC. Parameters are within prescribed limits Emission Monitoring Report- N/A Noise Monitoring report-Yes, Dated- 02-11-2017 issued by DPCC. Noise level is within prescribed limits.	21-12-2017 .	21-12-2017 Inspection be conducted.

								HWM Application No. 2 Application Date 15-12-2005 Authorisation Status Pending HWM Application No. 3 Application Date 03-09-2012 Authorisation Status Approved Authorisation Issue Date 13-03-2013 Authorisation Expiry Date 02-09-2017 HWM Application No. 4 Application Date 07-12-2017 Authorisation Status Pending	submitted) Status of Inspection- No Unit has submitted Form 1 for Hazardous Waste (Management and Handling) Rules on 22.11.2017.			
26	MOHMAYA CAFE (A UNIT OF WORLD FOOD ART)	2527, FIRST FLOOR, HUDSON LANE, KINGSWAY CAMP	07-12-2017		RESTAURANT (48 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- No Plot Area-140 sq mt Date of Establishment/ Commencement- 05.04.2017 Status of Ground Water Extraction-No 1.Water consumption-2000 L/day Source- DJB (Water Bill not submitted) Status of Inspection- Yes (27.07.2017) MCD health license valid upto 31.03.2017. Police license valid upto 31-03-2018. No. of Seats- 48 A RTI against this unit was treated as complaint and it was inspected by officials of DPCC on 27.07.2017 and based on deficiencies, SCN u/s 31(A) of Air Act and 33 (A) of Water act was issued on 17.08.2017 and Closure directions issued on 31.10.2017.Unit has submitted requisite ECS and undertaking and temporarily desealing letter issued on 23.11.2017.	Water Effluent Analysis Report- Yes, dated- 04-12-17 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Expedite inspection.
27	WOOD BOX CAFE (A UNIT OF PRIYA TRADERS)	PLOT NO: 2521, HUDSON LANE, GTB NAGAR, DELHI	07-12-2017		RESTAURANT HAVING 34 SETS Restaurants /Eating houses/ Dhabas and other such	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap- Yes 2. Channelisation (Hood and Sunction)-Yes 3. D.G. set- No	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Consent to Establish granted. Subsequently, inspection be conducted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									premises.			
									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
29	DELHI APARTMENTS PVT. LTD.	NIKUNJ HOTEL COMPLEX, NH-8, SAMALKA	08-12-2017		MOTEL. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		source of water : Ground water (copy of CGWA permission provided) consumption of water : 45000 LPD Status of Ground Water extraction :yes Year of commissioning: 01.10.2016 Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 380 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 28-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	19-12-2017	21-12-2017 Consent to Operate granted.
30	THE RITZ (A UNIT OF TRISTAR HOSPITALITIES)	PLOT NO-27-A, AND 27-B, GF,FF AND SF, INDUSTRIAL AREA NAJAFGARH ROAD SHIVAJI MARG	08-12-2017		BENQUETS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		source of water : outside (copy of bill not enclosed) consumption of water : 4000 L/day Status of Ground Water extraction :nil Year of commissioning : 25/12/2015 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	-hard copy of CTE application submitted. - Consent to Establish maybe granted.	19-12-2017	21-12-2017 Consent to Establish granted.
31	LOCAL (A UNIT OF DELHI CAFE AND BAR PVT. LTD.)	SHOWROOM NO 11, GROUND AND MEZZANINE FLOOR, ATMA RAM MANSION SCINDIA HOUSE, CONNAUGHT PLACE	08-12-2017		RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with	Orange Operate	Non-SPI		source of water : NDMC (Billed Enclosed) consumption of water : 14000 LPD Status of Ground Water extraction :nil	1) Noise monitoring report -The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 27-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-12-2017 - Unit has submitted hard copy of CTO application. - hard copy of CTO application submitted.	21-12-2017 Issue show cause notice for refusal of consent, show cause notice u/s 33(A) of Water Act and u/s 31(A) of Air Act.

					minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 - Unit found operational and engaged in the activity of Restaurant cum Bar. - ETP installed but the quality of water is not good (muddy) with maintenance of log book. - One DG set of 250 KVA installed with acoustic enclosure but inadequate stack. - Channelized kitchen without adequate stack. - Oil and Grease trap installed and same was found in defunct condition.	2) Effluent analysis report -Effluent analysis report dated 07-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes		
32	SIDH ENTERPRISES PLOT NO B-28 SECTOR -2 DSIDC BAWANA INDUSTRIAL AREA DELHI -110039	SIDH ENTERPRISES PLOT NO-28 POCKET B SECTOR 2 DSIDC INDUSTRIAL AREA BAWANA DELHI 110039	08-12-2017		JOB WORK IN DRY PROCESSING OF READYMADE GARMENTS WITH SPRAY WITHOUT WASHING AND DYEING AND WITHOUT BOILER Spray Painting, Paint Baking, Paint Stripping Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Establish	Non-SPI		Hardcopy not submitted. Earlier CTE granted with Oil fired boiler valid upto 27.06.2018. Now, unit has again applied for CTE for the activity without Boiler use.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted. Earlier CTE granted with Oil fired boiler valid upto 27.06.2018. Now, unit has again applied for CTE for the activity without Boiler use.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also earlier granted consent to establish be made infructuous.
33	KITCHNER ROAD SERVICE STATION	ROAD NO-41, SAHEED LALA JAGAT NARAYAN MARG, NEAR T.V. TOWER PITAMPURA	08-12-2017		SERVICE STATION FOR VEHICLES. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-06-2011 Authorisation Status Approved Authorisation Issue Date 09-10-2013 Authorisation Expiry Date 12-06-2016 HWM Application No. 2 Application Date 08-12-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Physiochemical (1000L/D) (2)ECS - N/A (3)D.G.Set: -1 of 30 KVA Status of Ground Water extraction : Nil Source of Water: 1200 L per day, Source: DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :N/A Water (Effluents) : Test reports within norms (issued by DPCC on 06.11.2017) Noise : Test reports within norms (issued by DPCC on 14.11.2017)	19-12-2017 Consent to Operate (Renewal) may be granted.	21-12-2017 Inspection be conducted.
34	SHIVAM BETELNUT PVT. LTD.	PLOT NO- 282-283, POCKET-F, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	08-12-2017		MFG. OF PAN MASALA. Supari (Betelnut) and Pan Masala Grinding	Green Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-N.A. 2. ECS- Proposed 3. D.G. set- 250 KVA (Proposed) Plot Area- 200 plus 250 (500 sq.mt.) Establishment Date- 01.01.2014 Status of Ground Water Extraction-Yes	Water(Effluent) report-N.A. Emission monitoring report -issued by DPCC lab on 06.12.2017. Parameters within limit. Noise Test Report-N.A.	20-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Inspection of the unit already conducted on 15.12.2017 and following are the observations- 1. Unit found engaged in the activity of Mfg. of Pan Masala, Gutka with paper packaging material. However, unit found non operational. 2. ECS(bag house)installed with grinding section and lying in working condition. 3. One borewell connection exist without permission from DJB/ CGWA.	21-12-2017 Earlier decision was reviewed. Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.

									1. Water consumption- 300 L/day. a) Source of water- DSIIDC (copy of water bill submitted) . Status of Inspection- Yes (10.02.2017) 1. Unit found in operation & engaged in Mfg. of Pan Masala, Gutka and its packing in pouches. 2. Significant processs emissions observed in the working hall and pulverisation section. 3. No ECS/ control measures adopted except fan with duct. 4. Back side road & green belt near Ganga Toli mandir found covered with fine dust of Katha etc. 5. Unit is using plastic coated sheet (inside) for making pouches in violation of Plastic Rules, 2016. 6. Sample of pouch sheet & sealed pouch taken during inspection from Director of the unit. 7. Borewell exist. No permission shown during inspection. Unit is operational without consent to operate and D.G. set found during inspection. However, not shown in CTE application form. Direction for closure was issued to the unit on 06.03.2017. Unit has submitted a representation on 16.03.2017 & 15.03.2017 wherein unit has requested to revoke the closure directions and submitted an undertaking and a security bond of Rs. 5 lakh. Inspection of the unit was conducted on 15.12.2017 and following are the observations- 1. Unit found engaged in the activity of Mfg. of Pan Masala, Gutka with paper packaging material. However, unit found non operational. 2. ECS(bag house)installed with grinding section and lying in working condition. 3. One borewell connection exist without permission from DJB/ CGWA.		Unit also submitted Environment Compensation Security and undertaking.	
35	DECODE SOCIAL DINING (A UNIT OF BIGSHARK HOSPITALITY PRIVATE LIMITED)	PLOT NO-1, BLOCK J-2, BK DUTT MARKET RAJOURI GARDEN	08-12-2017		RESTAURANT 49 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and /	Orange Establish	Non-SPI		source of water : DJB, Cat-II (Billed Enclosed) consumption of water : 4000 LPD Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A		19-12-2017 -unit has submitted hard copy of CTE Application. -Consent to Establish may be granted.	21-12-2017 Consent to Establish granted.

					or Laundry without Boiler				Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no			
36	ALSTEN ENTERPRISES	A-118, MANGOLPURI INDUSTRIAL AREA, PHASE-II,	09-12-2017		Mfg. of Footwear Upper using adhesive Manufacturing of Footwear Uppers using Adhesive	Green Operate	Non-SPI		(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 200 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details: N/A	N/A	21-12-2017 Only first page of undertaking is uploaded. However hard copy of the same is submitted. Recommendation: CTO may be granted.	21-12-2017 Inspection be conducted. Also implement the decision dated 13.10.2017.
37	SPECTRO ANALYTICAL LABS LTD	E-41, PHASE-II, OKHLA INDUSTRIAL AREA	09-12-2017		IN HOUSE TESTING LABORATORY (WITH TRADING ACTIVITY) In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 250 KVA (Proposed) Status of Ground Water extraction : Nil Water Consumption: 3000 Liters/Day (Source - Others) Date of commencement: 30.12.2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		20-12-2017 .	21-12-2017 Consent to Establish granted.
38	G.C. COSMETICS PVT. LTD	41/2, BLOCK-II, WHS, KIRTI NAGAR INDUSTRIAL AREA	11-12-2017		PERFUMERY AND COSMETIC/COSMETIC GOODS. Perfumes and Cosmetics	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-10-2012 Authorisation Status Approved Authorisation Issue Date 12-12-2012 Authorisation Expiry Date 22-10-2017 HWM Application No. 2 Application Date 11-12-2017 Authorisation Status Pending	Water consumption : 500 LPD Source of water : Delhi Jal Board(Bill enclosed) Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31 (A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 10-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	19-12-2017 .	21-12-2017 Inspection be conducted.
39	INDUS FLAVOUR	2510, GROUND FLOOR, HUDSON LANE KINGSWAY CAMP	11-12-2017		RESTAURANT (48 SEATS). Restaurants /Eating	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and grease Trap- Yes 2. Channelisation- Yes	Effluent Analysis Report-Yes, Dated- 15-11-2017 issued by DPCC. Parameters are within prescribed limits.	21-12-2017 .	21-12-2017 Inspection be conducted.

					houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				3. D.G. set- No Plot Area-133.78 sq mt Date of Establishment/ Commencement- 04.10.2016 Status of Ground Water Extraction-No 1.Water consumption-3500 L/day Source- Outside (Water Bill not submitted) Status of Inspection- No MCD health license valid upto 31.03.2018 (name and address on the license not legible) Police license valid upto 31-03-2018. No. of Seats- 48 Some of documents submitted are not legible. Details(Dimensions etc) of Oil and Grease Trap not submitted.	Emission Monitoring Report -N/A Noise Monitoring report-N/A		
40	V.S AUTOMOBILES	B-26, OKHLA INDUSTRIAL AREA, PHASE-II,	11-12-2017		Service and repair station of cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 82.5 KVA (Proposed) Status of Ground Water extraction : Nil Water Consumption: 3000 Liters/Day (Source - Others) Date of commencement: 20.01.2018 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil		20-12-2017 Unit has not submitted hardcopy of application for Consent to Establish along with required documents. Remarks/ATR on 20-12-2017 Hardcopy of application for Consent to Establish submitted on 20.12.2017 along with required documents.	21-12-2017 Consent to Establish granted.
41	SOUTH INDIAN CAFE	140, SHANKAR ROAD MARKET, NEW RAJENDER NAGAR	11-12-2017		EATING HOUSE (SNACKS AND VEG FOOD) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted. CTE applied on 01.12.2017. Based on complaint, Unit was inspected on 31.08.2017 and based on violations(unit was operational without consent, without ETP & OGT, without ECS, without Health and Police license), SCN for closure issued on 19.09.2017. Reply was submitted on 08.10.2017, 20.11.2017 and 05.12.2017 and request a time to install pollution control measures and to apply fot Consent etc. As per CTE application, first MCD license was issued on 10.11.2009. However commissioning shown on 01.04.2017 in the application therefore consent fee is lacking. Health license, Police license, Aadhar card, PAN card are in different names. Details of Oil and Grease Trap etc are not mentioned in project report.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted. CTE applied on 01.12.2017. Based on complaint, Unit was inspected on 31.08.2017 and based on violations(unit was operational without consent, without ETP & OGT, without ECS, without Health and Police license), SCN for closure issued on 19.09.2017. Reply was submitted on 08.10.2017, 20.11.2017 and 05.12.2017 and request a time to install pollution control measures and to apply fot Consent etc. As per CTE application, first MCD license was issued on 10.11.2009. However commissioning shown on 01.04.2017 in the application therefore consent fee is lacking. Health license, Police license, Aadhar card, PAN card are in different names. Details of Oil and Grease Trap etc are not mentioned in project report.	21-12-2017 Earlier decision was reviewed. Issue letter for hardcopy including discrepancies.
42		PALLA ROAD,MAIN G.T KARNAL ROAD,ALIPUR	11-12-2017		PARTY LAWN		Non-SPI		Status of Pollution Control System Devices-	Effluent Analysis Report-N/A	20-12-2017 .	21-12-2017

	PLUS ONE HOSPITALITY PVT. LTD				Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish			1. ETP- Proposed 2. ECS- Proposed 3. D.G. Set- No Plot Area-9000 sq mt Date of Establishment/ Commencement- 01.07.2017 Status of Ground Water Extraction-No 1.Water consumption-7000 L/day Source- Tankers (Water Bill not submitted) Status of Inspection- Yes (10.11.2017) and observations/ deficiencies are as follows: 1. Premises in party lawn are part of complex having the Retreat Resort (Motel), Splash (Water Park) and having 2 party lawns of 500- 1000 person capacity each. 2. No ETP installed and waste water is being collected in underground tanks and discharge in open drain through private tankers without any treatment from both lawns. 3. DG sets (7 No.) installed near parking area for complete complex with acoustic enclosure however stack height of 5 DG sets found inadequate. 4. Both lawns have separate kitchen area with washing and cooking facility. No channelization system provided for kitchen emission. 5. Parking area found unpaved and emitting fine dust during parking and walking 6. Last party was held on 09.11.2017 in Lawn No. 1, and waste water was lifted through tanker. Units premises in question is a part of M/s Retreat Motel and Resort(A unit of M/s Jingal Bell Amusement Park Pvt. Ltd. and based on inspection dated 10.11.2017, SCN u/s 31(A) of Air Act and u/s 33(A) of Water Act has been issued on 08.12.2017 to M/s Retreat Motel and Resort (A unit of M/s Jingal Bell Amusement Park Pvt. Ltd) to submit the bank guarantee security amount of Rs. 10 Lac as the closure direction to M/s Jingal Bell Amusement Park Pvt. Ltd. were revoked on the basis of undertaking that they have closed these two lawns. Reply of SCN submitted on 19.12.2017 from M/s Plus One Hospitality Pvt. Ltd. and stated that there are two lawns inside the complex and they have taken the premises on rent wef 01.07.2017 etc, ETP installed and applied for testing etc. MCD Permission not submitted.	Emission Monitoring Report -N/A Noise Monitoring report-N/A	Remarks/ATR on 20-12-2017 Reply from M/s Retreat Motel also received stating that Security bond of Rs. 10 Lac was valid for one year and expired on 29.05.2016. We have given the lawns on rent to M/s Plus One Hospitality Pvt. Ltd. and there is no connection between both.	Issue letter for deficiencies. Seek inforamtion from NDMC regarding permission of functions.
43	GOYAL AUTO PRODUCTS P. LTD.	KH. NO. 874, NALA ROAD, RITHALA	11-12-2017		Manufacturing of Auto Parts (Aluminium Pressure Die Casting)	Orange Operate	Non-SPI		(1)ETP - N/A (2)ECS - Wet Scrubber (Stack attached to suction	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on	20-12-2017 CTO may be granted.	21-12-2017 Ask the unit to submit certificate, in

					Aluminium Pressure Die Casting				hood over furnace) (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 50 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details: N/A	01.08.2017) Water (Effluents) : N/A Noise : N/A	Remarks/ATR on 21-12-2017 Recommendation: Ask the unit to submit document to prove conformity with Master Plan of Delhi 2021 in redevelopment area.	original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
44	RAMESHWAR FOODS	A-94/4, WAZIRPUR INDUSTRIAL AREA	11-12-2017		Restaurant- Mfg. of Sweets and Snacks Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap of 1000L/D (2)ECS - N/A (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 1000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details: N/A	N/A	20-12-2017 Hard copy of documents is not submitted. Remarks/ATR on 21-12-2017 Hard copy of documents are submitted by the unit but the documents not signed by the applicant. Undertaking is not as per the format. Recommendation: Unit may be asked to submit the signed copy of documents along with the proper undertaking format.	21-12-2017 Ask the unit to submit signed copy of document along with proper undertaking. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
45	RISHIRAJ ALUMINIUM PVT. LTD.	PLOT NO 21, KHASRA NO 13/16, NEW MANDOLI INDUSTRIAL AREA	11-12-2017		MANUFAVTURING OF ALUMINIUM WIRE ROD. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only) Wire Drawing (without Pickling/ Galvanizing)	Orange Operate	Non-SPI		1. ETP- N/A. 2. ECS- Stack attached to exhaust of furnace (venturi and wet scrubber). 3. D.G Set- 125 KVA & 320 KVA. 4. D.G Set Test Report- Yes. 5. OLMs- Not installed. 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by industry Department- No. 8. Display Board- No. 9. Fuel Used : HSD.	Emission monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit.	20-12-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	21-12-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate and proof of existence of the unit prior to 07.02.2007 as the submitted rent agreement is incomplete. Also inspection be conducted.
46	D.R. METALS (PROP. RAJ KUMAR SHARMA)	K. NO 25/17, GALI NO 6, MASTER MOHALLA, LIBASPUR INDUSTRIAL AREA	11-12-2017		MFG. OF PRESSURE COOKER WITH BUFFING. Process Involving Buffing	Green Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP- N/A 2. ECS- Yes(Stack attached to exhaust of buffing section) 3. D.G. Set- No Plot Area-173 sq mt Date of Establishment/ Commencement- 01.04.2015 Status of Ground Water Extraction-No 1.Water consumption-200 L/day Source- MCD (Water Bill not submitted) Status of Inspection- No	Effluent Analysis Report-N/A Emission Monitoring Report -Yes, dated 29.11.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
47	LOKNATH PRASAD GUPTA	PLOT NO 406, F.I.E. PATPARGANJ INDUSTRIAL AREA	12-12-2017		PAAN MASALA (MOUTH FRESHNER) Pan Masala (Mixing Only)	Green Operate	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- No	N/A	20-12-2017 Recommended for inspection.	21-12-2017 Since, directions for closure u/s 5 of EP Act has been issued due to disposal of solid waste and burning

									4. Trade Effluent- 500L/D 5. Water Consumption- 500L/D			of garbage as noticed during a complaint investigation made by Chairman, CPCB. Inspection of the unit has been conducted on 13.12.2017 and during the inspection it has been found that the said activity is not carried out but doing the activity of tobacco related product and packing. Issue show cause notice for refusal of consent, show cause notice u/s 33 (A) of Water Act and u/s 31(A) of Air Act. Also seek compliance report from concerned agencies.
48	MANGLAM INDUSTRIES	KH. NO. 81 AND 82, HANUMAN GALI NO.-2, MANDOLI IND. AREA	12-12-2017		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- stack attached to hood over pit furnace (ventury wet scrubber) 3. D.G Set- nil 4. D.G Set Test Report- NA 5. OLMS- Not installed. 6. Proof prior to 2007- Rent agreement of 1994. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke	Emission monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit.	20-12-2017 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	21-12-2017 Unit was desealed for vacating the premises. Instead of vacating, unit has applied for consent to operate. Issue show cause notice for refusal of consent.
49	GLINTAC INDIA	K-13/3/2-4/1-306, KARAWAL NAGAR INDUSTRIAL AREA	12-12-2017		MFG. OF LED LIGHT AND FANCY LIGHT WITH POWDER COATING. Powder Coating without phosphating	Green Establish	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- 62.5 KVA 4. D.G Set Test Report- NA 5. OLMS- Not installed. 6. Documents in original for boundary in original by industry Department- N/A 7. Display Board- No 8. Fuel Used : N/A	N/A	20-12-2017 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	21-12-2017 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.
50	FRIENDS RESTAURANT	27A, OLD RAJINDER NAGAR	12-12-2017		EATING HOUSE. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelization -Yes 3. D.G. set- No Plot Area-74 sq mt Date of Establishment/ Commencement- 07.05.2015 Status of Ground Water Extraction-No 1.Water consumption-1000 L/day Source-DJB (Water Bill submitted) Status of Inspection- Yes (31.08.2017) MCD health license valid upto 31.03.2018 Police license valid upto 31-03-2018. No. of Seats- 36 A Complaint was received against M/s Friendss Restaurant, and an inspection was consucted by DPCC Officials on 31.08.2017 and following observations/deficiencies	Effluent Analysis Report-Yes, Dated- 08-12-2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Inspection be conducted.

									were found in the unit are as follows: 1. Unit found operational. 2. No ETP/O> found installed. 3. Hood and chimney provided over burner but stack height is inadequate. 4. No valid MCD and Delhi Police License. 5. Unit is operating without any valid Consent from DPCC. SCN for closure u/s 31 of Air (Prevention & Control of Pollution) Act, 1981, u/s 33 of Water (Prevention & Control of Pollution) Act, 1974 was issued to the unit on 19-09-2017. Unit submitted a representation on 01/10/2017 and asked that they required a time of 30 -45 days more to submit the consent applications. Unit has submitted CTE application dated 29.11.2017. File was put up administratively and it was approved to reinspect the unit to know its present status.			
51	EXCELLENT TRADING COMPANY	PLOT NO-2, KHASRA NO-15/4, MANDOLI INDUSTRIAL AREA	12-12-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT DISCHARGE AND BINDING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-12-2017 Authorisation Status Pending	1. ETP- N/A 2. ECS- N/A 3. D.G Set- nil 4. D.G Set Test Report- N/A 5. OLMS- N/A 6. Proof prior to 2007- Rent agreement of 2007. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : nil	Nil	20-12-2017 Ask the unit to submit Hard copy of the consent aplication and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	21-12-2017 Ask the unit to submit Hard copy of the consent aplication and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.
52	DENIM DOCKS	KH NO. 24/11,MASTER MOHALLA,LIBASPUR	13-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-12-2017 Authorisation Status Pending	Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conductd.
53	DP WASH HOUSE	PLOT NO.11,12,KH NO. 11/24,AMBHEY GARDEN,LIBASPUR	13-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-12-2017 Authorisation Status Pending	Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conductd.
54	LOTUS AUTOMOBILES	76/26, ANDHERIA MOD, MG. ROAD MEHRAULI	13-12-2017		Petrol Pump with car washing unit.		Non-SPI	1	Status of Pollution Control System	Effluent analysis report dated 23-11-2017 issued by DPCC submitted.	20-12-2017 Unit has applied for Consent to Operate (Renewal) on 13.12.2017 for the	21-12-2017

					Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal		HWM Application No. 20-11-2006 Application Date 20-11-2006 Authorisation Status Pending HWM Application No. 2 Application Date 27-12-2012 Authorisation Status Approved Authorisation Issue Date 07-03-2013 Authorisation Expiry Date 26-12-2017	(1)ETP :Physiochemical (Capacity -1800 litres/day) Effluent analysis report dated 23-11-2017 issued by DPCC submitted. Effluent Test Report within Limit -Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set (s) of 50 KVA. Noise monitoring report dated 29-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water Consumption:2000 litres/day Trade Effluent Discharge:1400 litres/day Domestic Effluent Discharge: 500 Litres/day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :N/A	Effluent Test Report within Limit. The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 29-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	activity of Petrol Pump with car washing unit. Effluent analysis report dated 23-11-2017 issued by DPCC submitted. Effluent Test Report are within Limit. The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 29-11-2017 issued by DPCC submitted. Noise monitoring report are within Limit . Hardcopy of Consent application is yet to be received.	Inspection be conducted.
55	THE SOLITAIRE BANQUET (A UNIT OF THE SOLITAIRE HOSPITALITY)	SHOPS OF WEDDING MALL, L. S. C. PLOT NO-1, SHARDA NIKETEN, PITAM PURA, DELHI	13-12-2017		BANQUET HALL SERVICE PROVIDER Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Physiochemical (4000L/D) (2)ECS - N/A (3)D.G.Set: - N/A Status of Ground Water extraction : Nil Source of Water: 3700 L per day from Others and 800 L/D from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31 (A)/33(A)/5 of EPA details: N/A	N/A	19-12-2017 Project report not uploaded, however, hard copy of same is submitted. Recommendation: Consent to Establish may be granted.	21-12-2017 Consent to Establish granted.
56	SHIV GANGA AUTOMOBILES	L-15, UDYOG NAGAR INDUSTRIAL AREA	14-12-2017		REPAIRING AND SERVICING OF AUTOMOBILES (TWO WHEELERS) (with Washing Activity). Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2017 Authorisation Status Pending	Source of water: Ground water water consumption:800 litre/day (extracted from ground water) Status of Ground Water extraction :800 litre/day (proof of ground water extraction not provided). Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no	1. Effluent analysis report: (a) Effluent analysis report dated 06-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	19-12-2017 -CTO may be granted.	21-12-2017 Inspection conducted. During inspection, ETP found operational and unit is complying with HW Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									SCN u/s 31(A)/33(A)/5 of EPA details :no			
									Closure directions u/s 31 (A)/33(A)/5 of EPA details :no			
57	ALLURE RESTRO BAR	65, DESH BANDHU GUPTA ROAD, PAHARGUNJ	14-12-2017		RESTAURANT WITH BAR. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted. CTE granted on 24.10.2017.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Inspection be conducted.
58	VEERAN PLASTIC INDUSTRIES	7, DSIDC SHED, SCHEME-III, PHASE-II, OKHLA INDUSTRIAL AREA	14-12-2017		PLASTIC TUBES WITH FLEXO PRINTING (FOR INDUSTRIAL PACKING USE ONLY). Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 200 Liters/Day(Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31 (A)/33(A)/5 of EPA details :Nil		20-12-2017 Hardcopy of application for Consent to Operate & Authorization under HWM Rules, 2016 is yet to be received. Also, inspection to be conducted w.r.t checking of compliance of Hazardous Waste Management Rules 2016.	21-12-2017 Inspection be conducted.
59	S.K. JAIN AND BROS HELMET INDIA PVT. LTD.	PLOT NO 237, FIE, PATPARGANJ INDUSTRIAL AREA	14-12-2017		MFG. OF PLASTIC PRODUCTS (HELMETS) WITH SPRAY PAINTING. Spray Painting, Paint Baking, Paint Stripping Plastic Processed Goods	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 19-12-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set- No 4. Domestic effluent- 200L/D 5. Water Consumption- 500L/D	N/A	20-12-2017 Ask the unit to submit hard copy and recommended for inspection.	21-12-2017 Since, directions for closure u/s 5 of EP Act has been issued due to disposal of solid waste and burning of garbage as noticed during a complaint investigation made by Chairman, CPCB. Inspection of the unit has been conducted on 13.12.2017 and during the inspection, deficiencies were obsered. Issue show cause notice for refusal of consent, show cuase notice u/s 33(A) of Water Act and u/s 31(A) of Air Act. Also seek compliance report from concerned agencies w.r.t. diretions for closure u/s 5 of EPA Act as unit was found violating the provisions of HW Rules.
60	AGGARWAL POLYMERS	PLOT NO-83, POCKET-H, SECTOR-3, DSIDC INDUSTRIAL AREA, BAWANA	14-12-2017		REPROCESSING OF PLASTIC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP-N/A 2. ECS-Yes 3. D. G. set- No Plot Area-150 sq mt Date of Establishment/ Commencement- 01.08.2017 Status of Ground Water Extraction-No 1.Water consumption-350	Effluent Analysis Report- N/A Emission Monitoring Report- Yes, Dated- 06-12-2017, issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Inspection be conducted.

									L/day Source-DSIIDC (Water Bill submitted) Status of Inspection- No Hardcopy of CTE application dated 03.10.2017 submitted in this office.			
61	SHAGUN CARES INC.	SHED NO. C-27, DSIIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI,	14-12-2017		MFG, OF MEDICAL AND SURGICAL ORTHOPEDIC IMPLANTS AND INSTRUMENTS, BORN TUMER AND JOINT REPLACEMENT SOLUTIONS Manufacturing of Ferrous and Non-Ferrous Metal Products (without using any Heating Equipment) with Buffing Plastic Processed Goods Medical and surgical instruments (assembly)	Green Establish	Non-SPI		Extraction of Ground Water: Nil D.G Set: Nil Status of Pollution Control System (1)ETP -N/A (2) ECS- N/A SCN u/s 31(A)/33(A)/5 of EPA details :No Modified Direction u/s 31 (A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :No		19-12-2017 -Unit has submitted hard copy of CTE application. -Consent to Establish may be granted.	21-12-2017 Consent to Establish granted.
62	SANDEEP GARMENTS	PLOT NO.5,GALI NO.9,PEEPALWALI GALI,SAMAIPUR EXT. INDUSTRIAL AREA	15-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-12-2017 Authorisation Status Pending	Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report-N/A Noise Monitoring report-N/A	21-12-2017	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
63	CAFE MERAKI	C- 43, 44, 45, DDA MARKET, DEFENCE COLONY, NEW DELHI- 110024	15-12-2017		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 2200 Liters/Day (Source - DJB) Status of Inspection : Various complaints were received in common file of Defence Colony against the Addressee unit regarding non-compliance in every respect especially Noise Pollution i.e playing of loud music till mid night and violating the law. As decided, an inspection of the Addressee unit was carried out by the Officials/Representatives of DPCC on 30.10.2017 and following are brief of observations made during the inspection:- -Unit found in operation and engaged in the activity of Eating House/ Restaurant		20-12-2017 Hardcopy of application for Consent to Establish is yet to be received and unit is operating without obtaining Consent to Operate.	21-12-2017 File be put up adminitratively.

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

					Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- ETP/ Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : A complaint received against the polluting Eating Joints / Kiosks in DDA Market, Complex No. 1, Chittranjan Park through Public Grievance Monitoring System. As decided, an inspection of the Addressee unit was carried out by the Representatives of DPCC on 01.11.2016 and following were observed:- -Unit found in operation and engaged in the activity of Eating Kiosk of Roll Centre (Take Away). -No Oil & Grease Trap cum Settling Tank provided for treatment of wastewater. -Channelization system not provided in kitchen. -Washing is done in open area outside the shop. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 05.12.2016 Unit submitted its reply on 20.12.2016 w.r.t SCN dated 05.12.2016 and informed that: -They are in process of installing Oil & Grease Trap -Installation of Channelization system in kitchen is in process -They will not carrying out the washing activity without complete Oil & Grease Trap in future. Modified Directions were issued to unit on 17.11.2017. Unit submitted its representation on 19.12.2017 w.r.t Modified Directions dated 17.11.2017 along with copy of fee receipt of application for CTE & CTO, photographs of Channelization system & Oil & Grease Trap cum Settling Tank and informed that -They have installed Oil &	Remarks/ATR on 20-12-2017 Unit has submitte4d hardcopy of Consent application on 20.12.2017.
--	--	--	--	--	---	--	--	--	--	---

									Grease Trap cum Settling Tank of size - 3 feet x 2 feet x 2 feet for holding effluent discharged from kitchen & washing activity. -They have installed Channelization system in kitchen with proper hood and duct system with adequate stack height. -They have submitted application for CTE & CTO. Closure directions u/s 31 (A)/33(A)/5 of EPA details :Nil			
65	KOLKATA HOT KATI ROLL	SHOP NO. - 8, GROUND FLOOR, MARKET NO. 1, C.R. PARK, NEW DELHI	15-12-2017		FAST FOOD (DHABA) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : A complaint received against the polluting Eating Joints / Kiosks in DDA Market, Complex No. 1, Chittranjan Park through Public Grievance Monitoring System. As decided, an inspection of the Addressee unit was carried out by the Representatives of DPCC on 01.11.2016 and following were observed:- -Unit found in operation and engaged in the activity of Eating Kiosk of Roll Center (Take Away). -No Oil & Grease Trap cum Settling Tank provided for treatment of wastewater. -Channelization system not provided in kitchen. -Washing is done in open area outside the shop. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 05.12.2016 Unit submitted its reply on 20.12.2016 w.r.t SCN dated 05.12.2016 and informed that: -They are in process of installing Oil & Grease Trap -Installation of Channelization system in kitchen is in process	. 20-12-2017 hardcopy of application for Consent to Operate along with required documents is yet to be received. Remarks/ATR on 20-12-2017 Unit submitted hardcopy of Consent application on 20.12.2017.	21-12-2017 Consent to Operate granted.	

									-They will not carrying out the washing activity without complete Oil & Grease Trap in future. Modified Directions were issued to unit on 17.11.2017. Modified Directions were issued to unit on 17.11.2017. Unit submitted its representation on 19.12.2017 w.r.t Modified Directions dated 17.11.2017 along with copy of fee receipt of application for CTE & CTO, photographs of Channelization system & Oil & Grease Trap cum Settling Tank and informed that -They have installed Oil & Grease Trap cum Settling Tank of size - 3 feet x 2 feet x 2 feet for holding effluent discharged from kitchen & washing activity. -They have installed Channelization system in kitchen with proper hood and duct system with adequate stack height. -They have submittted application for CTE & CTO. Closure directions u/s 31 (A)/33(A)/5 of EPA details :Nil			
66	MAMA S	4A/63, SHANKAR ROAD MARKET, OLD RAJINDER NAGAR	15-12-2017		EATING HOUSE WITH 40 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats) connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted. A Complaint was received against M/s Mamas Food, and an inspection was conducted by DPCC Officials on 31.08.2017 and following observations/deficiencies found in the unit are as follows: 1. Unit found operational and engaged in the activity of only Kitchen work without permission from DPCC. 2. No ETP/O&GT found and waste water is directly discharged into sewer. 3. ECS found installed but its stack height is inadequate. 4. MCD License not shown at the time of inspection. 5. Unit is operating without any valid Consent from DPCC. SCN for closure u/s 31 of Air (Prevention & Control of Pollution) Act, 1981, u/s 33 of Water (Prevention & Control of Pollution) Act, 1974 was issued to the unit on 19-09-2017. Closure directions u/s 31 of Air Act, 1981, u/s 33 of Water Act, 1974 was issued to the unit on 23-11-2017 since no reply was received from the the unit in response of above issued SCN. Unit had submitted a representation on 30-11-	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted. A Complaint was received against M/s Mamas Food, and an inspection was consucted by DPCC Officials on 31.08.2017 and following observations/deficiencies found in the unit are as follows: 1. Unit found operational and engaged in the activity of only Kitchen work without permission from DPCC. 2. No ETP/O&GT found and waste water is directly discharged into sewer. 3. ECS found installed but its stack height is inadequate. 4. MCD License not shown at the time of inspection. 5. Unit is operating without any valid Consent from DPCC. SCN for closure u/s 31 of Air (Prevention & Control of Pollution) Act, 1981, u/s 33 of Water (Prevention & Control of Pollution) Act, 1974 was issued to the unit on 19-09-2017. Closure directions u/s 31 of Air Act, 1981, u/s 33 of Water Act, 1974 was issued to the unit on 23-11-2017 since no reply was received from the the unit in response of above issued SCN. Unit had submitted a representation on 30-11-2017 and also enclosed a Environmental Compensation Security for Rs 2 Lacs. Desealing letter was issued to the unit om 20.12.2017.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents including discrepancies. Also inspection be conducted.

									2017 and also enclosed a Environmental Compensation Security for Rs 2 Lacs. Desealing letter was issued to the unit om 20.12.2017.			
67	NU KHANA KHAZANA (DHABA)	4A/59-60, SHANKAR ROAD MARKET, OLD RAJINDER NAGAR	15-12-2017		DHABA WITH 12 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats) connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted. A Complaint was received against M/s Mama Food, and an inspection was consuected by DPCC Officials on 31.08.2017 and following observations/deficiencies found in the unit are as follows: 1. Unit found operational and engaged in the activity of only Kitchen work without permission from DPCC. 2. No ETP/O> found and waste water is directly discharged into sewer. 3. ECS found installed but its stack height is inadequate. 4. MCD License not shown at the time of inspection. 5. Unit is operating without any valid Consent from DPCC. SCN for closure u/s 31 of Air (Prevention & Control of Pollution) Act, 1981, u/s 33 of Water (Prevention & Control of Pollution) Act, 1974 was issued to the unit on 19-09-2017. Closure directions u/s 31 of Air Act, 1981, u/s 33 of Water Act, 1974 was issued to the unit on 23-11-2017 since no reply was received from the the unit in response of above issued SCN. Unit had submitted a representation on 30-11-2017 and also enclosed a Environmental Compensation Security for Rs 2 Lacs. Desealing letter was issued to the unit om 20.12.2017.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted. A Complaint was received against M/s Mama Food, and an inspection was consuected by DPCC Officials on 31.08.2017 and following observations/deficiencies found in the unit are as follows: 1. Unit found operational and engaged in the activity of only Kitchen work without permission from DPCC. 2. No ETP/O> found and waste water is directly discharged into sewer. 3. ECS found installed but its stack height is inadequate. 4. MCD License not shown at the time of inspection. 5. Unit is operating without any valid Consent from DPCC. SCN for closure u/s 31 of Air (Prevention & Control of Pollution) Act, 1981, u/s 33 of Water (Prevention & Control of Pollution) Act, 1974 was issued to the unit on 19-09-2017. Closure directions u/s 31 of Air Act, 1981, u/s 33 of Water Act, 1974 was issued to the unit on 23-11-2017 since no reply was received from the the unit in response of above issued SCN. Unit had submitted a representation on 30-11-2017 and also enclosed a Environmental Compensation Security for Rs 2 Lacs. Desealing letter was issued to the unit om 20.12.2017.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents including discrepancies. Also inspection be conducted.
68	FASHION FACTORY INTERNATIONAL	B-253,PHASE-I OKHLA INDUSTIRLA AREA	16-12-2017		Manufacturing of Lather Begs/goods and woven garments with small unit of washing unit. Readymade Garment (with Washing)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - Yes Effluent Analysis report of ETP issued from DPCC Laboratory dated 01.09.2017 submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 900 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent Analysis report of ETP issued from DPCC Laboratory dated 01.09.2017 submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	20-12-2017 Hardcopy of application for Consent to Operate along with required documents/ test reports is yet to be received.	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									Closure directions u/s 31 (A)/33(A)/5 of EPA details : Nil			
69	DISTRIKT (A UNIT OF JSG HOSPITALITY)	GROUND FLOOR G-1 GF MODEL TWON PART-3	16-12-2017		RESTURANT 95 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents including discrepancies. Also inspection be conducted.
70	SPEZIA BISTRO (A UNIT OF ASPEN ENTERPRISES)	2525 FIRST FLOOR HUDSONE LANE KINGSWAY CAMP	17-12-2017		Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- Oil and Grease trap of design capacity of 2500 L/D. 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 500 L/D which is disposed through public sewer. 5. Trade effluent discharge- 2000 L/D which is disposed through public sewer . 6. Water consumption- 2000 L/D whose source is Corporation . 7. Municipal Corporation of Delhi Licence -Not provided 8. Police Licence of Delhi - Not provided	Analysis Report of Water effluent was submitted by DPCC on 13.11.2017 and all the parameters are within the prescribed limit as per the record.	20-12-2017 Inspection be Conducted	21-12-2017 Expedite inspection.
71	JAI SHIV PLASTIC	I-77,POCKET-H,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI	17-12-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Hardcopy not submitted. CTE granted on 26.04.2017. SCN u/s 31, 33 & 5 was issued on 09.11.2017. Reply submitted on 06.12.2017 along with receipt of test report fee for Air and Water.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
72	BHAVYA POLYMERS	I-79,POCKET-H,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI-110039	17-12-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Hardcopy not submitted. SCN u/s 31, 33 & 5 was issued on 09.11.2017. Reply submitted on 06.12.2017 along with receipt of test report fee for Air and Water.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 Hardcopy not submitted.	21-12-2017 Earlier decision was reviewed. Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
73	MADAAN PLASTIC INDUSTRY	A-71, NARAINA INDUSTRIAL AREA PHASE - I	18-12-2017		MANUFACTURING OF PVC FOOTWEAR. PVC Footwear (Using Scrap) PVC Footwear (Using Fresh Raw Material)	Orange Establish	Non-SPI		Source of Water : DJB, Cat-II (Copy of bill provided) & ground water (copy of permission CGWA provided) Water consumption : 3000 Liters/Day (1000 Liters/Day from DJB & 2000 Liters/Day from ground water Status of Ground Water extraction :Yes Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2	1)Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 06-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes b) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 06-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	19-12-2017 -Consent to Establish may be granted.	21-12-2017 Consent to Establish granted.

									Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31 (A)/33(A)/5 of EPA details :No			
74	PATEL AUTO SERVICE PVT. LTD.	10-B, RAJENDRA PLACE	18-12-2017		AUTOMOBILES / VEHICLES SERVICE AND REPAIRS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 05-07-2004 Authorisation Status Pending HWM Application No. 2 Application Date 14-03-2008 Authorisation Status Pending HWM Application No. 3 Application Date 28-06-2010 Authorisation Status Approved Authorisation Issue Date 28-01-2013 Authorisation Expiry Date 27-06-2015 HWM Application No. 4 Application Date 18-12-2017 Authorisation Status Pending	Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.
75	SHIV SHAKTI	KH NO. 24/12,MASTER MOHALLA,LIBASPUR	18-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2017 Authorisation Status Pending	Hardcopy not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-12-2017 .	21-12-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Also inspection be conducted.
76	RADISSION MARINA HOTEL	G-59, CONNNAUGHT CIRCUS	19-12-2017		HOTELS. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		water consumption:50000 litres/day Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - Scrubber, Scrubber (3)D.G.Set Noise Report : D.G. Sets of 625 KVA and	1. Effluent analysis report: (a) Effluent analysis report dated 07-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 625 KVA and 380 KVA. Noise monitoring report dated 21-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-12-2017 -Consent to Operate (Renewal) may be granted.	21-12-2017 Consent to Operate (Renewal) granted.

[illegible]



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 11th meeting on 21.12.2017 w.r.t. Agenda Item No 2 - 30 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.03.2012 to 31.03.2014 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	ALLIED POLY BAGS (P) LTD	A-4/3, PHASE-II, MAYAPURI INDUSTRIAL AREA	03-04-2012	DPCC/EC/2/1/2012/1272	MFG. OF POLYTHENE PACKING BAGS/ROLLS Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Printing Press (Without Trade Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-08-2000 Authorisation Status Pending HWM Application No. 2 Application Date 20-08-2004 Authorisation Status Approved Authorisation Issue Date 21-10-2004 Authorisation Expiry Date 20-10-2006 HWM Application No. 3 Application Date 03-04-2012 Authorisation Status Pending HWM Application No. 4 Application Date 05-03-2017 Authorisation Status Pending			16-04-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA. Noise monitoring report dated 03-04-2012 issued by DPCC submitted. Noise monitoring report within Limit - Yes (4) Inspection details: conducted on 04.02.2009 (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -File yet to be put up.	21-12-2017 Consent application dated 03.04.2012 be made infructuous since unit has again applied for consent.
2	R.K. ENTERPRISES	PLOT NO A/26B, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA	19-04-2012	DPCC/EC/2/1/2012/1417	OFFSET PRINTING WITHOUT EFFLUENT DISCHARGE Printing Press (Without Trade Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006			15-04-2015 (1)ETP ---- N/A (2) ECS--- No (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not submitted (8) Ground Water: Yes 150 L/day (as per application form) (9) Water Consumption: 150L/day (Local Hydrants as per affidavit)	21-12-2017 Implement the decision dated 19.05.2015.

								HWM Application No. 2 Application Date 12-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 08-08-2008 Authorisation Status Pending HWM Application No. 4 Application Date 12-08-2010 Authorisation Status Pending HWM Application No. 5 Application Date 11-08-2015 Authorisation Status Pending HWM Application No. 6 Application Date 08-09-2016 Authorisation Status Pending HWM Application No. 7 Application Date 19-09-2017 Authorisation Status Pending			Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -Letter yet to be issued.	
3	GUPTA PLASTIC	PLOT NO 139, PKT-P, SEC-5, BAWANA INDUSTRIAL AREA	20-04-2012	DPCC/EC/2/1/2012/1428	PLASTIC DANA AND PLASTIC BAGS Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing	Orange Operate	Non-SPI				07-05-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:nil (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no	21-12-2017 Consent application dated 20.04.2012 be made infructuous since unit has again applied for consent..

					Activity) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</
--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

								HWM Application No. Application Date Authorisation Status	05-07- 2017 Pending				
5	R.K. MOULDERS	PLOT NO. 50/17A, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	26-04-2012	DPCC/EC/2/1/2012/1483	MFG. OF CLUTCH PLATE Aluminium Pressure Die Casting	Orange Renewal	Non-SPI					15-04-2015 (1)ETP ---- N/A . (2)ECS - No one stack is attached to hood of die casting furnace. (b) Stack monitoring report dated 27-03-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: not Submitted (8) Ground Water: Nil, water consumption 580 Litre/ Day (Public Hydrant) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -Remainder yet to be issued.	21-12-2017 Consent application dated 26.04.2012 be made infructuous since unit has again applied for consent..
6	SHAKTI PLASTICS	H-1207,DSIDC, NARELA INDUSTRIAL AREA	30-04-2012	DPCC/EC/2/1/2012/1507	MANUFACTURING OF PLASTIC DANA (WITHOUT PROCESSING) AND PLASTIC BAGS Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI					08-05-2012 (1)ETP ---- N/A (2)ECS - no(channelization system is not provided) (3)D.G.Set: ...no... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 Not inspected. Case were taken up in different meetings and decided that Case be deferred till the outcome of the High Court case related to Plastic Bags. Now Matter wrt plastic bag issue is pending in NGT. Unit applied for CTO on 30.04.2012 with 5 year consent fee which lapsed on 29.04.2017. Not applied for renewal of CTO. Recommendation / Action Taken Details (EE/AEE) on 12-12-2013 file was put up administratively and Case was deferred till the outcome of the High Court case related to Plastic Bags Recommendation / Action Taken Details (EE/AEE) on 09-09-2013 Case be deferred till the outcome of the High Court case related to Plastic Bags Recommendation / Action Taken Details (EE/AEE) on 28-01-2013 It has decided to Wait for the finalization of notification regarding ban on manufacturing of plastic bag in NCT of Delhi Recommendation / Action Taken Details (EE/AEE) on 26-10-2012 Fic Recommendation / Action Taken Details (EE/AEE) on 26-07-2012 As decided by the Screening Committee file was put up administratively and it was decided to wait for the finalization of notification regarding ban on manufacturing of plastic bag in NCT of Delhi.	21-12-2017 Consent application dated 30.04.2012 be made infructuous since unit has again applied for consent..
7	PREMIER PAINT & COLOUR INDUSTRIES	PLOT NO.17/7, NEW ROHATAK ROAD, ANAND PARBAT INDUSTRIAL AREA	04-05-2012	DPCC/EC/2/1/2012/1528	MFG.OF DRY COLOURED DISTAMPURE Cement Paint Powder and Distemper	Orange Renewal	Non-SPI	HWM Application No. Application Date	1 04-05- 2012			15-04-2015 (1)ETP ---- N/A (2)ECS - Stack attached to hood of dry distemper mixing unit (b) Stack monitoring report dated 09-04-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes	21-12-2017 Consent application dated 04.05.2012 be made infructuous since unit has again applied for consent..

								Authorisation Status Pending				(3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not submitted (8) Ground Water: 100 Litre/ Day (MCD) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .
8	DELHI ANODIZING WORKS	18/23, GALI NO. 28, ANAND PARBAT INDUSTRIAL AREA	11-05-2012	DPCC/EC/2/1/2012/1599	JOB WORK OF ANODIZING ON ALUMINIUM GOODS Anodising	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 03-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 30-09-2008 Authorisation Status Pending HWM Application No. 4 Application Date 11-05-2012 Authorisation Status Pending HWM Application No. 5 Application Date 10-05-2017 Authorisation Status Pending			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated May, 2008 issued by Guru Gobind Singh Indrprastha University submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Stack Connected to Anodizing (b) Stack monitoring report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not submitted (8) Ground Water: 300 Litre/ Day (MCD) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.
9	PRINTEX	18/24, GALI NO.28, ANAND PARBAT INDUSTRIAL AREA	14-05-2012	DPCC/EC/2/1/2012/1604	JOB WORK OF ANODIZING ON ALUMINIUM GOODS.	Orange Renewal	Non-SPI	HWM Application No. 1			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated My, 2008 issued byGuru Gobind Singh Indrprastha University submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

					Anodising			Application Date06-07-2004 Authorisation StatusApproved Authorisation Issue Date04-08-2004 Authorisation Expiry Date03-08-2006 HWM Application No.2 Application Date03-08-2006 Authorisation StatusPending HWM Application No.3 Application Date14-05-2012 Authorisation StatusPending HWM Application No.4 Application Date14-05-2017 Authorisation StatusPending			OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS -Stack connected to Anodizing. (b) Stack monitoring report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Ground Water: 300 Litre/ Day(MCD) (8) MCD License: Not submitted Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .
10	BAJAJ ENTERPRISES	54, IST FLOOR,STREET NO. 30, RAILWAY LINE SIDE, ANAND PARBAT INDUSTRIAL AREA	21-05-2012	DPCC/EC/2/1/2012/1657	ANODISING NAME PLATES Anodising	Orange Renewal	Non-SPI	HWM Application No.1 Application Date08-07-2004 Authorisation StatusApproved Authorisation Issue Date06-08-2004 Authorisation Expiry Date05-08-2006 HWM Application No.2 Application Date04-08-2006 Authorisation StatusPending HWM Application No.3 Application Date21-10-2008 Pending		15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated ..06.06.2008 issued byGuru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - Nil, One stack attached to anodising section. (b) Stack monitoring report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Ground water: Nil, Water consumption 230 L/day and it source DJB. (8) MCD License: Not submitted Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

								Authorisation Status				
								HWM Application No. 4 Application Date 21-05-2012 Authorisation Status Pending				
								HWM Application No. 5 Application Date 18-05-2017 Authorisation Status Pending				
11	DELITE ELECTROPLATERS (INDIA)	18/24, GALI NO. 28, ANAND PARBAT, INDUSTRIAL AREA, NEW ROHTAK ROAD	21-05-2012	DPCC/EC/2/1/2012/1665	ELECTROPLATING (JOB WORK). Electroplating Industries	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 03-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 21-05-2012 Authorisation Status Pending HWM Application No. 4 Application Date 17-05-2017 Authorisation Status Pending			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated 15.05.2008 issued by Guru Gobind Singh Indraprasha University submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 17-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) MCD License: Not submitted (8) Ground Water: Nil, Water consumption65 L/day (DJB) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.
12	ROCKSEA PAPER PRODUCTS	A/38, NARAINA INDUSTRIAL AREA PHASE - I	30-05-2012	DPCC/EC/2/1/2012/1767	POLYTHENE CARRY BAGS. Polythene, Plastic	Orange Renewal	Non-SPI	HWM Application No. 1			21-06-2012 (1)ETP ---- N/A (2)ECS - N/A	21-12-2017 Expedite inspection.

					and PVC Goods through Extrusion Moulding (without use of Scrap) Printing Press (Without Trade Effluent Discharge)			Application Date 30-05-2006 Authorisation Status Pending HWM Application No. 2 Application Date 16-09-2008 Authorisation Status Pending HWM Application No. 3 Application Date 30-05-2012 Authorisation Status Pending			(3)D.G.Set: ...N/A... (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :NO (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :NO Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -Inspection yet to be conducted.	
13	KWALITY ELECTROPLATERS	M-13, GALI NO-1 ANAND PARBAT INDUSTRIAL AREA	08-06-2012	DPCC/EC/2/1/2012/1814	ELECTROPLATING JOB WORKS. Electroplating Industries	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-11-2008 Authorisation Status Pending HWM Application No. 2 Application Date 08-06-2012 Authorisation Status Pending			15-04-2015 It is a case of Redevelopment Area. (1)ETP ---- ETP - Physiochemical (a) AR dated May, 2008 issued by GGSIPU submitted. (b) Effluent analysis report dated 09-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (a) Stack monitoring report dated 19-06-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil (7) Water Consumption: 250 Lt/day (DJB) (8) MCD license not submitted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.
14	ASHOK ENGINEERING WORKS	45/1, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	14-06-2012	DPCC/EC/2/1/2012/1884	ELECTROPLATING (JOB WORK). Electroplating Industries	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2			15-04-2015 This is a case of redevelopment area. (1)ETP ---- ETP - Physiochemical (a) AR dated 30.06.2008 issued by Guru Gobind Singh Indraprastha University submitted. (b) Effluent analysis report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - N/A (a) Stack monitoring report dated 11-04-2012 issued by DELHI COLLEGE OF ENGINEERING submitted for the stack connected to electroplating unit. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:No	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

								Application Date02-08-2006 Authorisation StatusPending HWM Application No.3 Application Date17-09-2008 Authorisation StatusPending HWM Application No.4 Application Date14-06-2012 Authorisation StatusPending HWM Application No.5 Application Date26-07-2017 Authorisation StatusPending			(5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) Water Consumption: 350 Lt/day (DJB. Connection no. 476298) (8) MCD license not submitted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017	
15	SHIV ENTERPRISES	D 26/5, STREET NO. 4-C, ANAND PARBAT INDUSTRIAL AREA	22-06-2012	DPCC/EC/2/1/2012/1957	ELECTROPLATING Industries	Orange Renewal	Non-SPI	HWM Application No.1 Application Date04-08-2006 Authorisation StatusPending HWM Application No.2 Application Date06-11-2008 Authorisation StatusPending HWM Application No.3 Application Date22-06-2012 Authorisation StatusPending			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated May, 2008 issued by Guru Gobind Singh Indrpratha University submitted. (b) Effluent analysis report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No . (2)ECS - Stack attached to the Electroplating Area. (b) Stack monitoring report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not Submitted (8) Ground Water: 200 Litre/ Day (MCD Corporation or GW) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.
16	VIKAS ELECTROPLATERS	M-11, STREET NO. 1, ANAND PARBAT INDUSTRIAL AREA	25-06-2012	DPCC/EC/2/1/2012/1972	NICKEL CHROME PLATING. Industries	Orange Renewal	Non-SPI	HWM Application No.1 Application Date09-07-2004			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated 22.05.2008 issued by Guru Gobind Singh Indraprastha university submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - No .	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

								Authorisation Approved Status Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 04-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 07-11-2008 Authorisation Status Pending HWM Application No. 4 Application Date 25-06-2012 Authorisation Status Pending HWM Application No. 5 Application Date 24-06-2017 Authorisation Status Pending			(2)ECS - No one stacked attached to lectroplating Area (a) Stack monitoring report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set:Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption: 0.280 Kilo liter / day (DJB as per affidavit) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017	
17	SUPER SHINE PLATERS	M-11, GALI NO.1, ANAND PARBAT INDUSTRIAL AREA	25-06-2012	DPCC/EC/2/1/2012/1974	NICKEL CHROME JOB WORK. Electroplating Industries	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 04-08-2006 Authorisation Status Pending			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated May 2008 issued by Guru Gobind Singh Indrprastha University submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes . (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack monitoring report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not submitted (8) Ground Water: Nil, Water consumption 300 L/day (DJB)	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

								HWM Application No. 3 Application Date 07-11-2008 Authorisation Status Pending HWM Application No. 4 Application Date 25-06-2012 Authorisation Status Pending HWM Application No. 5 Application Date 24-06-2017 Authorisation Status Pending				Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 ,	
18	SHRI RAM JI PRODUCTS	A-11A, STREET NO.4, ANAND PARBAT INDUSTRIAL AREA	29-06-2012	DPCC/EC/2/1/2012/2020	JOB WORK OF ANODIZING Anodising	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 04-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 21-10-2008 Authorisation Status Pending HWM Application No. 4 Application Date 29-06-2012			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated 07.06.2008 issued by University School of Environment Management, Guru Gobind Singh Indraprastha university submitted. (b) Effluent analysis report dated 30-03-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - No, One stack attached to Electroplating section. (b) Stack monitoring report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Ground water: 350 L/day (DIB) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 ,	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.	

								Authorisation Pending Status				
19	D.R. NATIONAL POWDER COATING	D-23A, GALI NO.1, ANAND PARBAT INDUSTRIAL AREA	04-07-2012	DPCC/EC/2/1/2012/2067	POWDER COATING (WITHOUT PHOSPHATING). Powder Coating without phosphating	Orange Renewal	Non-SPI				15-04-2015 It is a case of Redevelopment Area. (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 11-06-2012 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil (7) Water Consumption: 60 Lt/day (Source is public hydent) (8) MCD license not submitted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	21-12-2017 Inspection be conducted.
20	GENERAL FORGINGS	P-5, GALI NO.10, ANAND PARBAT INDUSTRIAL AREA	11-07-2012	DPCC/EC/2/1/2012/2127	STEEL FORGING OF AUTOMOBILE PARTS (EXCEPT PNEUMATIC HAMMER AND MORE THAN 4 T HAMMER Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI				15-04-2015 (1)ETP ---- N/A (2)ECS - stack connected to furnace (a) Stack monitoring report dated 04-07-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no (7) MCD License: Not submitted (8) Water Consumption : 200 L/day (No specific information w.r.t source is provided in the Affidavit) Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -Letter of above said documents yet to be issued.	21-12-2017 Consent application dated 11.07.2012 be made infructuous since unit has again applied for consent..
21	BRIJ SONS	M-16, ST. NO. 6, ANAND PARBAT INDUSTRIAL AREA	13-08-2012	DPCC/EC/2/1/2012/2359	ANODISING (JOB WORK) Anodising	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 04-08-2006 Authorisation Status Pending			15-04-2015 (1)ETP ---- ETP - Physiochemical (a) AR dated11.09.2008 issued by Guru Gobind Singh university, Delhi submitted. (b) Effluent analysis report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - No. One stack attached to Electroplating Area (a) Stack monitoring report dated 21-05-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: Nil (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption: 300 L/day (Corporation Water as per affidavit)	21-12-2017 Case be referred to II(a) category Committee and take necessary action in this regard.

								HWM Application No. 3 Application Date 01-04-2009 Authorisation Status Pending HWM Application No. 4 Application Date 13-08-2012 Authorisation Status Pending				Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 .	
22	J.P. POLYMERS	H-34, ROHTAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	23-08-2012	DPCC/EC/2/1/2012/2435	PLASTIC PACKING MATERIAL (USE FOR PACKING PURPOSE ONLY) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing without trade effluent discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-08-2009 Authorisation Status Approved Authorisation Issue Date 30-12-2009 Authorisation Expiry Date 29-12-2011 HWM Application No. 2 Application Date 16-06-2015 Authorisation Status Pending				14-09-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: no (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 -Unit has applied fresh application of Consent to Operate (Renewal) dated 18.08.2017.	21-12-2017 Consent application dated 23.08.2012 be made infructuous since unit has again applied for consent..
23	JMC- CHEC (JV)	CBD GROUND, NEAR KARKARDOOMA COURT, SHAHDARA	13-09-2012	DPCC/EC/2/1/2012/2631	MIXING OF CONCRETE. Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI					09-10-2012 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...6... 250KVA, 2x 125 KVA & 3x 62.5KVA Recommendation / Action Taken Details (EE/AEE) on 20-12-2017 The inspection of the unit was conducted on 08.12.2017 and following were the observations: 1. RMC plant found closed and dismantled and shifted to other site outside Delhi. 2. As informed that the concrete batching and casting has been closed since last one year.	21-12-2017 Consent to establish dated 13.09.2012 be made infructuous since unit has shifted outside Delhi as per inspection report.
24	MARGO EXPORT INTERNATIONAL	19 OPP. GALI NO. 4, ANAND PARBAT INDUSTRIAL AREA, OLD ROHTAK ROAD	14-09-2012	DPCC/EC/2/1/2012/2644	SHEET METAL WORK AND RUBBER MOULDING RING. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI					15-04-2015 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Ground Water: 60 Litre/ Day (DJB)	21-12-2017 Inspection be conducted.

											(8) MCD License: not submitted	
											Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Letter of above mentioned documents yet to be issued.	
25	PRINCE DIE CASTING	69/6A, NAJAFGARH ROAD INDUSTRIAL AREA	28-09-2012	DPCC/EC/2/1/2012/2744	ALUMINIUM DIE CASTING OF AUTO, ELECTRICAL AND HARDWARE PARTS. Aluminium Pressure Die Casting	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 16-09-2004 Authorisation Expiry Date 15-09-2006 HWM Application No. 2 Application Date 13-10-2006 Authorisation Status Pending			12-10-2012 (1)ETP ---- N/A (2)ECS - STACK CONNECTED TO oil fired furnace (b) Stack monitoring report dated 11-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details:no (5) SCN u/s 31(A)/33(A)/5 of EPA details :no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :no Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 .	21-12-2017 Inspection be conducted.
26	LAKHOTIA PACKWELL	S-21A, GALI NO 12, ANAND PARBAT INDUSTRIAL AREA	28-09-2012	DPCC/EC/2/1/2012/2749	MFG.OF PLASTIC TUBES (ROLLS) AND GRAVURE PRINTING. Gravure printing (Dry process) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-12-2008 Authorisation Status Pending HWM Application No. 2 Application Date 28-09-2012 Authorisation Status Pending			15-04-2015 It is a case of redevelopment area. (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil (7) Water Consumption: 40 Lt/day (Municipal) (8) MCD license not submitted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017	21-12-2017 Inspection be conducted.
27	JENNIS AUTO INDUSTRIES	PLOT NO. M-17B, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA	11-10-2012	DPCC/EC/2/1/2012/2824	MFG.OF RUBBER OIL SEAL. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI				15-04-2015 It is a case of redevelopment area. (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: Nil (5) SCN u/s 31(A)/33(A)/5 of EPA details : Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil (7) Water Consumption: 130 L/day (Municipal Authority) (8) MCD License not submitted. Recommendation / Action Taken Details (EE/AEE) on 12-10-2017 Letter of above mentioned documents yet to be issued.	21-12-2017 Consent application dated 11.10.2012 be made infructuous since unit has again applied for consent..

28	BOMBAY RUBBER INDUSTRIES	29/20,GALI NO. 6, ANAND PARBAT INDUSTRIAL AREA, NEW ROHTAK ROAD	11-10-2012	DPCC/EC/2/1/2012/2831	Mfg. of Rubber Goods/ Materials for Re Treading Services. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI				15-04-2015 It is a case of Redevelopment Area. (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: Nil. (5) SCN u/s 31(A)/33(A)/5 of EPA details : Nil (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil (7) Water Consumption: 400 Lt/day (Corp/ Ground water) (8) MCD license not submitted. Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 -As decided in the meeting dated 15.04.2017 a letter regarding submission of requisite documents was issued to the unit on 11.140.2017.	21-12-2017 Inspection be conducted.
29	ALLIED INDUSTRIES	29/29, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA, NEW ROHTAK ROAD	11-10-2012	DPCC/EC/2/1/2012/2832	MFG OF RUBBER GOODS VIZ RUBBER SHEET (UNCURED) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI				15-04-2015 (1)ETP ---- N/A (2)ECS - Suction Hood with stack connected to Mixing mill. (b) Stack monitoring report dated 18-09-2012 issued by DELHI COLLEGE OF ENGINEERING submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection details:No (5) SCN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7) Ground water:Yes (8) Water Consumption : 300 L/day (Source Corporation and Ground water) (9) MCD License: Not submitted Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 -As decided in the meeting dated 15.04.2015 a letter regarding submission of requisite documents was issued to the unit on 11.10.2017.	21-12-2017 Inspection be conducted.
30	SHAKTI ENTERPRISES	32A, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA	18-10-2012	DPCC/EC/2/1/2012/2878	MFG. OF RUBBER GOODS (WITHOUT BOILER). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI				15-04-2015 This is under the Anand Parbat Redevelopment Area. (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD License: Not submitted (8) Ground Water: 60 Litre/ Day (Public Hydent) Recommendation / Action Taken Details (EE/AEE) on 11-10-2017 As decided in the meeting dated 15.04.2015. A letter regarding requisite documents was issued to the unit on 11.10.2017. Ask the unit to apply a fresh application of CTO(R) Application as application dated 18.10.2012 will be expired on 17.10.2017.	21-12-2017 Inspection be conducted.



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 11th meeting on 21.12.2017 w.r.t. Table Agenda Item No 1 - 08 Cases taken up by the Committee with the permission of Chairman of the Committee (Annexure III).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	MANISHA ENTERPRISES	F-24, PH-II, 2ND FLOOR, MAYAPURI INDUSTRIAL AREA	16-07-2015	DPCC/EC/2/1/2015/11313	JOB WORK OF WASHING OF COTTON CLOTHES, BLANKETS, BED SHEETS ETC. (LAUNDRY WORK) WITHOUT BOILER. Readymade Garment (with Washing)	Orange Renewal	Non-SPI				02-03-2016 (1)ETP ---- ETP installed. (a) AR dated July, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 19.01.2015 issued by DPCC submitted and parameters were found within prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 27-01-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes. (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) Water Consumption : 7000 Lt/day (Outside) Unit has submitted an undertaking stating that earlier unit has proposed dyeing activity but unit is not doing dyeing activity. Remarks/ATR on 20-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 15-12-2017 - An inspection was conducted by DPCC officials on 11.09.2017 and during inspection following observation were made - Unit found operational and engaged in the activity of job work of washing of cotton clothes (laundry work without boilers) - ETP found installed and same was found operational - One DG set of 160 KVA found installed and same was with acoustic enclosure and adequate stack height . - Log book of ETP found maintained. - Applied for CTO. - Consent to Operate may be granted.	21-12-2017 Consent to Operate(Renewal) granted.
2	MAGIC AUTO PVT. LTD.	449-450 , PATAPRGANJ INDUSTRIAL AREA	10-05-2017		Service,Repairing, Washing with Denting Painting Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-05-2017 Authorisation Status Pending	1. ETP - Yes of capacity 10000 Liter/Day 2. ECS - Fuel Stack attached to the Paint booth. 3. D.G Set - No. 4. Water Consumption - 10000 liters/day. 5. Quantity of Domestic Effluent Generated - 2400 Liters/Day which is disposed through Public Sewer. 6 Quantity of Trade Effluent Generated - 7000 Liters/Day which is disposed through Public Sewer. 7. fuel used- HSD.	N/A	22-05-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 20-12-2017 As per committee decision, an inspection by the DPCC officials were carried out on 13.10.2017 and following were observed 1. The unit was found in operation. Washing of vehicles and denting,painting activity was going on. 2. ETP based on physio chemical treatment was found installed and operative. Flocks formation seen in the flocculator i.e settling cum mixing tank indicating operation of ETP. 3. Stack provided with denting,painting shop i.e paintbooth were found increased about 8 feet from the roof top. 4. HW were found stored in plastic drums provided at isolated storage site about 200 kg of dry sludge and semi dry sludge besides paint booth shop residue. 5. Dry and wet sludge seen in the SDBs(2 no.s) indicating operation of vehicle washing effluent was found stored in a collection tank after 2 chambered O & G before lifting to mixing and settling unit of ETP.	21-12-2017 Consent to Establish granted. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Issue letter to M/s MGF Automobiles and landlord of the premises regarding earlier generated hazardous waste.
3	CHINA PEARLS	SHOP NO. 10-13, A-31, FRONT SIDE, KAILASH COLONY MARKET	15-06-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (5000 liters per day) Dimension Not provided. (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Water Analysis Report: Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Report: Noise monitoring report dated 27-04-2017 issued by DPCC submitted.	06-07-2017 Unit has applied for CTO (Renewal) on 15.06.2017 for the activity of Restaurant of seating capacity of 64 and unit has installed Oil and Grease Trap of Capacity 5000 liters per day(Dimension not provided) Unit submitted Water analysis Report and Noise monitoring report and same found in permissible limit. Recommendation / Action Taken Details (EE/AEE) on 14-12-2017	21-12-2017 Consent to Operate(Renewal) granted.

					to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water Counsumption- 5 kilo liters per day (DJB) Trade Effluent- 4 kilo liters per day (disposal in Sewer) Domestic Effluent- 0.4 kilo liters per day (disposal in Sewer) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A month and year of commencement of production- 12.10.2004	Noise monitoring report within Limit - Yes	As decided Inspection of the unit were carried out by Officials of DPCC on 24.11.2017 and following observations were made: - Unit found in operation with the activity of restaurant/eating house with seating capacity 64 Nos of seats. - Unit has installed Oil and Grease Trap cum Settling Tank size (1.0mx0.5mx1.4m, 1.0mx0.5mx1.2m and 1.0mx5.0mx1.0m) approx. - Unit has provided channelization system with kitchen with stack height 2 m above the roof level. - Unit has installed DG set of capacity 62.5 Kva with acoustic enclosure and stack 3 m above the building height. - Unit has provided two bins system to segregate the solid waste (wet and dry) at source and as informed disposed the same to SDMC.	
4	PINE PHARMA PVT. LTD.	D-91/2, PHASE-I, OKHLA INDUSTRIAL AREA	20-07-2017		MFG. OF DRUGS AND MEDICINES (HAEMODIALYSIS FLUID LIQUID AND POWDER) Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-07- 2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-04- 2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption: 700 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A) of EPA details : Nil Closure directions u/s 31(A)/33(A) of EPA details : Nil	Effluent analysis report dated 20-04- 2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit has submitted application for Authorization under HWM Rules. 2016 on 20-07-2017 with next 5 years fee however they have not submitted condonation fee for the same and also not submitted hardcopy of Consent application along with required documents/ test reports so far. Recommendation / Action Taken Details (EE/AEE) on 14-12-2017 As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 08.11.2017 and following observations were made:- -Unit found in operation and engaged in the activity of Manufacturing of Drugs and Medicines (Haemodialysis Fluid Liquid and Powder). -Unit has installed ETP and same found operational. - Log Book of ETP maintained. -Recoed of Hazardous Waste is maintained in form-3 -Unit is complying with the provisions of Hazardous Waste management rules, 2016.	21-12-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
5	ESS KAY ENTERPRISES	E-14, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	21-07-2017		PRINTING OF POUCHES Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-04- 2008 Authorisation Status Pending HWM Application No. 2 Application Date 25-07- 2017 Authorisation Status Pending	Water consumption: 150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 3. No D.G Set found installed within		08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 -Again as decided in the meeting held on 22.09.2017 an inspection was carried out by representatives of DPCC. During inspection following observations were made: 1. Unit found operational and engaged in the activity of printing lamination stitching & pouching. 2. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 3. No D.G Set found installed within the premises. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017 -Consent to Operate and Authorization under HWM rules may be granted to the unit.	21-12-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									the premises. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017			
6	ESS KAY ENTERPRISES	H-8, DSIIDC INDUSTRIAL COMPLEX, NANGLOI	21-07-2017		MANUFACTURING OF PRINTING LAMINATION, SLITTING AND POUCHING. Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-07-2017 Authorisation Status Pending	water consumption:150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017		08-08-2017 -Unit has submitted hard copies of the CTO application. Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 -As decided in the meeting held on 22.09.2017 an inspection was carried out by representatives of DPCC. During inspection following observations were made: 1. Unit found operational and engaged in the activity of printing lamination stitching & pouching, no any plastic processing and manufacturaing activity was observed. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017 -Consent to operate & Authorization may be granted to the unit.	21-12-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
7	CAPITAL CARS PVT LTD.	PLOT NO-1,PATPARGANJ INDUSTRIAL AREA	14-10-2017		AUTOMOBILE WORKSHOP CUM SERVICE STATION WITH WASHING ACTIVITY AND PAINT BOOTH. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 11-09-2012 Authorisation Status Approved Authorisation Issue Date 08-11-2012 Authorisation Expiry Date 10-09-2017 HWM Application No. 2 Application Date 14-10-2017 Authorisation Status Pending	1. ETP- Yes 2. ECS- No 3. DG Set- one of capacity 200 KVA installed. 4. Trade Effluent-6000L/D and its modes of disposal sewer or drain 5. Domestic Effluent-500L/D and its modes of disposal sewer or drain 6. Water Consumption-6500L/D and its source outside. -Directions for Closure u/s 33 (A) of Water Act, 1974 and Directions for Closure u/s 5 of the Environmental Protection Act, 1986 on 27.10.2017. However, no reply has been received till date.	Emission Monitoring Report submitted by DPCC on 27.09.2017 in which all the parameters are within the prescribed limit. Noise Monitoring Report submitted by DPCC on 21.09.2017 in which all the parameters are within the prescribed limit.	03-11-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-12-2017 The inspection of the unit was conducted on 13.12.2017 and following were the observations: 1. The unit was found operative. 2. Rectification w.r.t. operation of ETP made erection of stack with paint booth shop has been found. 3. Log book w.r.t. ETP operation has been found made. 4. HW room was found provided and a barrel of 200 L found filed up with the HW with label as per form 8 found pasted. 5. Details of HW as per the form 3 found maintained.	21-12-2017 Ask the unit to submit Environmental Compensation Security (ECS) and an undertaking in view of office order dated 02.08.2017. If unit submits the same and found satisfactory, Consent to Establish, Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
8	ALKAUSER FOODS PVT. LTD.	SHOP NO 27,28,30,31,32,33,34, VASANT PLACE MARKET, SECTOR-6, R.K. PURAM	22-11-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen	Orange Establish	Non-SPI		water consumption:4050 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no		20-12-2017 -Unit has submitted hard copy of Consent to Establish application. -Consent to Establish may be granted.	21-12-2017 Consent to Establish granted.

					and / or Laundry without Boiler				Closure directions u/s 31(A)/33(A)/5 of EPA details :no					
--	--	--	--	--	------------------------------------	--	--	--	--	--	--	--	--	--