



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/13th Meeting /2018/8707-12 Dated: 23/3/18

Subject: Minutes of the 13th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 14.03.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 13th Meeting of the aforementioned Committee, held on 14.03.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
- ✓ 2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.
3. Laboratory (Air), DPCC, for taking necessary action as per Sl. No (iv) of general decision of the minutes.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 13th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, held on **14.03.2018 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 14.03.2018 is enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.10.2012 to 10.03.2018.

Decisions were taken online in these cases and list of 210 no. of units including decisions taken in these cases are at Annexure - I. 12 cases out of 210 cases (listed at Sl. No 1 to 12) were taken up by the Committee as per directions of Chairman of the Committee. Due to paucity of time, all the cases of this agenda could not be taken up and Committee decided to take up the remaining cases in the next CMC meeting.

The following General Decisions were taken in the meeting:-

- (i) The Committee observed that there are Consent/ Authorization applications pending since long, in such cases it was decided that if the unit has applied again for Consent/Authorization, earlier application(s) be made infructuous however if unit has not applied for further Consent/Authorization, inspection be carried out to know the present status of the unit before taking necessary action in such cases.
- (ii) The issue regarding increasing of air pollution in multiple fold in Delhi, the Committee has decided that all the unit which are using diesel as a fuel will switch over to Piped Natural Gas(PNG) as a fuel by 15.03.2018 where PNG is available.
- (iii) The cases of M/s Café Coffee Day / Coffeeday Global Limited left over during this period which could not updated due to internet problems, it has been decided to grant Consent if the submitted documents found in order.
- (iv) It was observed in some of the stack monitoring repots of Emission Control System (ECS) issued by Laboratory (Air), DPCC, the stack height above roof level is shown as "NA" i.e. Not Applicable. However it is mandatory to mention the stack height above roof as prescribed in emission standards. It was also observed that in case of noise monitoring report of D.G. Set(s), the stack height of D.G. Set is not clearly mentioned above roof level / ground level where D.G. Set is installed. Therefore Laboratory (Air) is directed to clearly mention the stack height above roof level and also from ground level in the stack monitoring report and noise monitoring report also. It should also be clearly mentioned the location of the ECS and D.G. Set where it is installed / placed i.e. basement, ground floor, intermediate floors or roof where D.G. Set is located.

[Handwritten signatures and initials at the bottom of the page, including "Santana", "Bull", "Vij", "Smit", and others.]

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.


If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.


The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary,
DPCC


(Dr. Chandra Prakash)
SEE, CMC-II


(Pankaj Kapil)
SEE, EIA Cell



(Dr. B.M.S. Reddy)
SEE, CMC- III


(M. Arif)
SEE, CMC- IV


(B.L. Chawla)
SEE, CMC-I



(Satender Kumar)
SEE, CMC- V


(M.S. Rawat)
EE, CMC-V


(Shyam Sunder)
EE, CMC- I



(S.K. Goyal)
EE, EIA Cell


(Surender Singh)
EE, CMC- V


(Ramesh Chandra)
EE, CMC-II


(R.K. Sharma)
EE, CMC-III


(Dr. Siddhartha Gautam)
EE, CMC-IV


(Amit Chaudhary)
EE, CMC-III


(Sunil Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-II



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 13th meeting on 14.03.2018 w.r.t. Agenda Item No 1 - 210 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.10.2017 to 10.03.2018 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GURUDWARA HARGOBINDSAR SAHIB	G.T. ROAD, KARNAL ROAD, NANGLI POONA	30-04-2014	DPCC/EC /2/1/2014/7682	A PARTY LAWN FOR SOCIAL FUNCTIONS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) not connected to public/municipal/DJB sewer	Orange Operate	Non-SPI				12-05-2014 (1)ETP ---- Oil and Grease Trap (a) AR dated 28.10.2010 issued by DTU submitted. (b) Effluent analysis report dated 24-04-2014 issued by DELHI TEST HOUSE submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 180 KVA. Noise monitoring report dated 06-03-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 .	14-03-2018 Consent to Operate granted.
2	METRO TRANSIT PRIVATE LIMITED	CLUSTER BUS DEPOT, VILLAGE- KAIR, NEAR GOVERNMENT COLLEGE	29-07-2016	DPCC/EC /2/1/2016 /15636	BUS REPAIR AND MAINTENANCE WASHING PARKING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-07-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise	Effluent analysis report dated 16-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise	30-08-2016 Unit has also applied for Authorization under HWM Rules on 29.07.2016. Recommendation	14-03-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									Report within Limit - Yes	monitoring report dated 13-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes	/ Action Taken Details (EE/AEE) on 12-03-2018 Inspection of the unit was carried out by official of DPCC on 09.03.2018 and following observations were made: - During inspection unit found operational and engaged in the activity of Bus repairing, servicing and washing. - ETP installed in the premises found operational. - Log book of the ETP maintained. - The unit is having three borewell which were found closed/sealed (cemented). - Unit is having two DG sets of 125 & 62.5 KVa with acoustic enclosure and adequate stack height. - Unit is complying with HWM Rules, 2016.	
3	HOTEL BLESSINGS	5202-06, PART OF 5198, BASANT ROAD, PAHARGANJ	27-02-2017	DPCC/EC /2/1/2017 /17133	GUEST HOUSE (31 ROOMS) WITH STAFF KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		No. of Rooms - 31 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1200 L/day Discharge - 1100 L/day ETP/OGT -Yes ECS - attached to boiler DG set - 1 x 75 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 01/09/2008 Unit is having kitchen facility.	Effluent Analysis Report issued by DPCC on 30.03.2017. Emission Monitoring Report issued by DPCC on 06.04.2017. Noise Monitoring reports issued by DPCC on 31.03.2017.	11-10-2017 Applied for CTO on 01.06.2017 and CTO case taken up in committee on 03.10.2017 and decided to defer the case and to be taken in a separate meeting. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 .	14-03-2018 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.
4	SIKKA PROMOTERS PVT. LTD	6 VEER SAVARKAR BLOCK,SHAKARPUR	30-11-2017		GUEST HOUSE CUM EATING HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and	Orange Operate	Non-SPI		1. ETP - Oil and Grease trap of design capacity of 6000 L/D. 2. ECS - No. 3. D.G Set - NIIL 4. Water Consumption - 1500 L/D 5. Domestic Trade Effluent - 400 L/D	N/A	05-12-2017 Recommended to ask the unit to submit Police Licence of Delhi . Recommendation / Action Taken	14-03-2018 Consent to Operate granted.

					above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				6. Trade Effluent Discharge - 900 L/D 7. Municipal Corporation of East Delhi - provided , which is valid upto 31.03.2018. 8. Police Licence of Delhi - Not provided.		Details (EE/AEE) on 14-03-2018 The unit has submitted a representation in which they have stated that they have removed the washing facility.	
5	COLOUR SOLUTION	I-281,SECTOR-2,BAWANA INDUSTRIAL AREA,DELHI	04-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-12-2017 Authorisation Status Pending	Status of Pollution Control System Devices- 1. ETP-Yes 2. ECS-Yes 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 11.08.2016 Status of Ground Water Extraction-No 1.Water consumption-4300 L/day Source- Outside Tankers (Water Bill not submitted) Status of Inspection- Yes(14.12.2017) CETP receipt not submitted. Rent agreement not submitted. ETP capacity and units detail not submitted. Being complaint case, unit was inspected and based on violations , SCN for closure issued. Further, closure direction u/s 33(A) of Water Act,1974 & u/s 5 of EP Act was issued on 13.10.2017. Unit inspected on 14.12.2017. Unit found in operation. ETP installed but found in non-operational condition.	Effluent Analysis Report- Not submitted Emission Monitoring Report -Not submitted Noise Monitoring report- N/A	21-12-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 .	14-03-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									Mixing and settling tank found empty and dry. Trade effluent being discharged without any treatment using bypass arrangement. One Coal fired boiler exists however not in used condition.			
6	KILL THE BILL (A UNIT OF DEE HOSPITALITY PVT. LTD)	F-14/15,FIRST FLOOR,SHIVAM HOUSE,MIDDLE CIRCLE,CONNAUGHT PLACE,NEW DELHI	06-12-2017		Eating House with 186 Seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		source of water : NDMC Connection (Bill Enclosed) consumption of water : 5500 Liters/Day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	19-12-2017 -unit has submitted hard copy of Consent to Operate Application. -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided in the meeting dated 08.02.2018, an inspection was carried out by DPCC officials on 09.03.2018 and following observations were made: 1. During inspection unit found operational and same found engaged in the activity of eating house with 186 seating capacity. 2. ETP installed and same was found operational. 3. No DG set installed by the unit. 4. Channelization of kitchen observed with adequate stack height of the chimney. 5. Oil & grease trap found installed. -consent to operate may be granted.	14-03-2018 Consent to Operate granted.
7	PLUS ONE HOSPITALITY PVT. LTD	PALLA ROAD,MAIN G.T KARNAL ROAD,ALIPUR	11-12-2017		PARTY LAWN Restaurants/Eating Houses / Dhabas and other such	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D.G. Set- No	Effluent Analysis Report- N/A Emission Monitoring Report -N/A	20-12-2017 . Recommendation	14-03-2018 Consent to Establish granted.

						establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler					Plot Area-9000 sq mt Date of Establishment/ Commencement- 01.07.2017 Status of Ground Water Extraction-No 1.Water consumption-7000 L/day Source- Tankers (Water Bill not submitted) Status of Inspection- Yes(10.11.2017) and observations/ deficiencies are as follows: 1. Premises in party lawn are part of complex having the Retreat Resort (Motel), Splash (Water Park) and having 2 party lawns of 500-1000 person capacity each. 2. No ETP installed and waste water is being collected in underground tanks and discharge in open drain through private tankers without any treatment from both lawns. 3. DG sets (7 No.) installed near parking area for complete complex with acoustic enclosure however stack height of 5 DG sets found inadequate. 4. Both lawns have separate kitchen area with washing and cooking facility. No channelization system provided for kitchen emission. 5. Parking area found unpaved and emitting fine dust during parking and walking 6. Last party was held on 09.11.2017 in Lawn No. 1, and waste water was lifted through tanker. Units premises in question is a part of M/s Retreat Motel and Resort(A unit of M/s Jingal Bell Amusement Park Pvt. Ltd. and based on inspection dated 10.11.2017, SCN u/s 31(A) of Air Act and u/s 33(A) of Water Act has been issued on 08.12.2017 to M/s Retreat Motel and Resort (A unit of M/s Jingal Bell Amusement Park Pvt. Ltd) to submit the bank gurantee security amount of Rs. 10 Lac as the closure direction to M/s Jingal Bell Amusement	Noise Monitoring report- N/A	/ Action Taken Details (EE/AEE) on 14-03-2018 Unit has submitted an representation on 28-12-2017, stating that unit was on rent to Jingle Bell Amusement Park Pvt Ltd. and had paid charges to MCD in the year 2000 to use the land for commercial use. The whole premises of Jingle Bell Amusement Park is CLU (Commercial Land Use) passed from MCD therefore, unit does not need any permission in CLU passed land.
--	--	--	--	--	--	---	--	--	--	--	--	------------------------------	---

									Park Pvt. Ltd. were revoked on the basis of undertaking that they have closed these two lawns. Reply of SCN submitted on 19.12.2017 from M/s Plus One Hospitality Pvt. Ltd. and stated that there are two lawns inside the complex and they have taken the premises on rent wef 01.07.2017 etc, ETP installed and applied for testing etc. MCD Permission not submitted.			
8	YUM YUM CHA (A UNIT OF TUSAJ LIFESTYLE PVT LTD .)	FLAT NO 69 FIRST FLOOR AND SECOND FLOOR KHAN MARKET	20-12-2017		RESSTAURANT HAVING SEATING CAPACITY 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (a) Effluent analysis report dated 22-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	14-03-2018 Consent to Establish may be granted	14-03-2018 Consent to Establish granted.
9	THE TOURIST(A UNIT OF HILARIOUS HOSPITALITY PVT LTD)	SHOWROOM NO 1 FIRST AND SECOND FLOOR SCINDIA HOUSE CONNAUGHT CIRCUS	20-12-2017		RESSTAURANT HAVING SEATING CAPACITY 98 Restaurants /Eating houses/ Dhabas and other such establishments(having	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated 29-12-2017 issued	(a) Effluent analysis report dated 29-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring	14-03-2018	14-03-2018 Consent to Establish granted.

					seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 12-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - No (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	report dated 12-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - No		
10	PLUS ONE HOSPITALITY PVT. LTD	PALLA ROAD,MAIN G.T KARNAL ROAD,ALIPUR	19-01-2018		PARTY LAWN Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. Set- No Plot Area-9000 sq mt Date of Establishment/ Commencement- 01.07.2017 Status of Ground Water Extraction-No 1.Water consumption-4400 L/day Source- Tankers (Water Bill not submitted) Status of Inspection- Yes(10.11.2017) and observations/ deficiencies are as follows: 1. Premises in party lawn are part of complex having the Retreat Resort (Motel), Splash (Water Park) and having 2 party lawns of 500-1000 person capacity each. 2. No ETP installed and	Effluent Analysis Report-Issued by DPCC lab on 11.01.2018 Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018	14-03-2018 Consent to Establish and Consent to Operate granted. Subsequently, inspection be conducted.

									waste water is being collected in underground tanks and discharge in open drain through private tankers without any treatment from both lawns. 3. DG sets (7 No.) installed near parking area for complete complex with acoustic enclosure however stack height of 5 DG sets found inadequate. 4. Both lawns have separate kitchen area with washing and cooking facility. No channelization system provided for kitchen emission. 5. Parking area found unpaved and emitting fine dust during parking and walking 6. Last party was held on 09.11.2017 in Lawn No. 1, and waste water was lifted through tanker. Units premises in question is a part of M/s Retreat Motel and Resort(A unit of M/s Jingal Bell Amusement Park Pvt. Ltd. and based on inspection dated 10.11.2017, SCN u/s 31(A) of Air Act and u/s 33(A) of Water Act has been issued on 08.12.2017 to M/s Retreat Motel and Resort (A unit of M/s Jingal Bell Amusement Park Pvt. Ltd) to submit the bank gurantee security amount of Rs. 10 Lac as the closure direction to M/s Jingal Bell Amusement Park Pvt. Ltd. were revoked on the basis of undertaking that they have closed these two lawns. Reply of SCN submitted on 19.12.2017 from M/s Plus One Hospitality Pvt. Ltd. and stated that there are two lawns inside the complex and they have taken the premises on rent wef 01.07.2017 etc, ETP installed and applied for testing etc. MCD Permission not submitted.			
11	NICHE(A UNIT OF SHREE BHAGWATI CONSULTANTS AND FARMS DEVELOPMENT PVT LTD)	M-115 AND M-16 SECOND FLOOR OUTER CIRCLE CONNAUGHT PLACE	22-01-2018		RESTAURANT HAVING SEATING CAPACITY OF 95 Restaurants /Eating houses/ Dhabas and	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap		14-03-2018 Consent to Establish may be granted.	14-03-2018 Consent to Establish granted.

					other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
12	LORD OF THE DRINKS (A UNIT OF RSVK RESTAURANT PVT. LTD.)	G-72, FIRST FLOOR, CONNAUGHT PLACE	30-01-2018		RESTAURANT CUM BAR (195 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption:5500 Liters/Day source of water: NDMC groundwater status:NO Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set -The unit has 1 D.G. Set(s) of 200 KVA.	1. Effluent analysis report Effluent analysis report dated 13-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2.Noise monitoring report The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 18-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	07-02-2018 . Remarks/ATR on 14-03-2018 As decided in the file, an inspection was carried out by DPCC officials on 09.03.2018 and during inspection following observations were made: - During inspection unit found operational and engaged in the activity of restaurant & bar. - ETP found installed and same was found in operational condition. - 1 D.G. set of 200KVA with acoustic enclosure with adequate stack height. - Biodegradable & non-biodegradable waste were segregated in separate dustbins i.e blue & green, as per MSW rules,2016. - Kitchen is provided with proper channelization with adequate stack height. -Consent to	14-03-2018 Consent to Operate granted.

											operate may be granted	
											Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 File yet to be put up administratively.	
13	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	SHOP NO-32, 33 GROUND FLOOR, GRANDLAY CINEMA COMPLEX, COMMUNITY CENTRE, NEW FRIENDS COLONY	01-02-2018		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	A Public complaint was received on 03.10.2017 regarding non installation of any water pollution control device in the said unit. As decided on file, inspection to be carried out.	13-03-2018 . Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
14	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	O-12 B, LAJPAT NAGAR - II	01-02-2018		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	13-03-2018 . Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

15	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	SHOP H.S 11, KAILASH COLONY MARKET	01-02-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	13-03-2018 A public complaint was received on 03.10.2017 regarding non installation of any water pollution control device in the said unit. As per approval on file inspection to be carried out. Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
16	MURLI DAL MILL	PLOT NO.1 PLOT C SECTOR-1 BAWANA	01-02-2018		DAL MILL Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Stack attached to Dal Mill Sections 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement- 15.04.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-500 L/day Source- DSIIDC (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 25-07-2017 and issued by DPCC. Parameters are within prescribed limit. Noise Monitoring Report - N/A	13-03-2018 .	14-03-2018 Consent to Operate granted.
17	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	D-34, GF, FF, SF, LAJPAT NAGAR-II	01-02-2018		RESTAURANT (SEATING 48) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB)	.	13-03-2018 . Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
18	OM INTERNATIONAL	7/7, D.B. GUPTA ROAD, PAHARGANJ, NEW DELHI-110055	01-02-2018		GUEST HOUSE (36 ROOMS FOR 72 PERSONS) WITH MEALS AND LAUNDRY Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		No. of Rooms - 36 Kitchen - Yes Laundry - Yes Boiler/HWG - No Water consumption - 6000 L/day, DJB subbmited. Discharge - 6000 L/day ETP/OGT- Yes ECS - Yes DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 01/09/2017 Plot Area- 278.54 sq. mt. Unit has Kitchen facility.	Status of Test Report Effluent Analysis Report- Issued by DPCC lab on 23.08.2017. Meeting the norms. Emission Monitoring Report- Issued by DPCC lab on 22.01.2018. Meeting the norms. Noise Monitoring reports- Issued by DPCC lab on 25.10.2017. Meeting the norms.	13-03-2018	14-03-2018 Inspection be conducted.
19	MOSAIC BANQUET	A-2, WAZIRPUR INDUSTRIAL AREA, DELHI	01-02-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - Physiochemical of capacity 5000 L/day (2)ECS - N/A (3)D.G.Set: - Yes (Unit having 2 DG set of capacity 380KVA each Status of Ground Water extraction : Nil Source of Water: 5000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : Water (Effluents) :Test reports within norms (issued by DPCC on 04.09.2017) Noise : Test reports within norms (issued by DPCC on 20.09.2017)	12-03-2018 CTO may be granted	14-03-2018 Consent to Operate granted.
20	UNIQUE CHICKEN CORNER	14 COMMUNITY CENTRE NEW FRIENDS COLONY	01-02-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water	.	13-03-2018 Hardcopy of application for CTE along with required documents is yet to be received. Also, unit ha snot applied for CTO since unit is already in operation since 01.04.2017.	14-03-2018 Consent to Establish granted.

					Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				extraction : Nil Water Consumption: 380 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Remarks/ATR on 13-03-2018 CTE may be granted and Show Cause Notice for Closure may be issued for not applying for CTO.	
21	BIKANERVALA INTERNATIONAL	A-80, CENTRAL MARKET, LAJPAT NAGAR-II	01-02-2018		RESTAURANT AND SWEET SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes Effluent analysis report dated 11-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set: 50 and 180 KVA The unit has 2 D.G. Set(s) of 50 KVA and 180 KVA. Noise monitoring report dated 17-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption: 3500 Liters/Day (source - DJB) Status of Inspection : A a public complaint was received against the unit on 18.09.2017 regarding illegal encroachment, grabbing & blocking of Public land, back-lane and besides creating nuisance & spreading filths, garbage etc. on the road, choking the underground sewage and creating unhygienic conditions thereby contributing to the menace of various diseases & panic of dengue and other life threatening diseases amongst the residents. As decided, an inspection of the Addressee unit was	The unit has 2 D.G. Set(s) of 50 KVA and 180 KVA. Noise monitoring report dated 17-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 11-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-03-2018 . Remarks/ATR on 13-03-2018 CTO may be granted.	14-03-2018 Consent to Operate granted.

carried out by the Officials of DPCC on 24.11.2017 and following are brief of observations made during the inspection:-

-Unit found in operation and engaged in the activity of Sweet Shop cum Restaurant with seating capacity of 118 seats (Upper GF-36, 1st Floor), basement of the premises is being used as sweet shop. However, as per MCD license of the unit, seating capacity is 48 seats.

-Unit has provide Oil & Grease Trap cum Settling Tank with size about 0.75x1.10x1m (Two Tank) 1x1.1x1m (One Tank) located at rear of the premises in public land which is not cleaned properly.

- ETP lying rear of the premises (back road/public land) in non operational & disconnected condition.

-Unit has provided Channelization system with Stack with Kitchen at Upper G.F., 1st & 2nd Floor.

- Two D.G. Set installed at roof top without stack.

- Two bin system provided to segregate the solid waste (wet & dry solid waste).

SCN u/s 31(A)/33(A)/5 of
EPA details : Issued on
08.12.2017

A Letter was also issued to SDMC on 08.12.2017 to take necessary action regarding encroachment of public road by the unit by installing Oil & Grease Trap cum Settling Tank and ETP at back road of the premises, however, no reply has been received from SDMC so far.

Unit submitted a

									representation on 26.12.2018 w.r.t SCN dated 08.12.2017 and informed that: -That they have applied for additional MCD licence of 48 seats so total seating capacity comes to 96 seats after adding the already existing MCD licence of 48 seats. The seating capacity is increased to 118 seats only incase of a party. -ETP is in operation. -Stack height of D.G. Set has been increased above roof. They have also informed that application for CTE dated 04.12.2017 and are in process for submitting CTO application. Now, Unit has applied for Consent to Operate on 01.02.2018 however hard copy is yet to be received. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
22	SGF (A UNIT OF RADHE RADHE FOOD)	E-1 KAMLA NAGAR, NEAR GEETA BHAWAN, NEW DELHI - 110007	01-02-2018		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		StStatus of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-17.5 sq mt Date of commencement- 01.03.2017 Status of Ground Water Extraction: No 1. Water consumption: 250 L/day. a) Source of water: Outside (water bill not submitted) MCD License Valid upto 31.03.2018.	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
23	KEE DIAGNOSTICS PRIVATE LIMITED	THIRD FLOOR, A-8, NARAINA INDUSTRIAL AREA PHASE-II	02-02-2018		MANUFACTURING REAGENTS AND DIAGNOSTICS KITS. Pharmaceuticals Formulation With Washing Operation	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 27-02-2013	water consumption: 1000 Litre/day Status of Pollution Control System (1)ETP - N/A	1. Effluent analysis report: (a) Effluent analysis report dated 16-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report	09-03-2018 -Consent to Operate may be granted.	14-03-2018 Inspection be conducted.

								Authorisation Status Pending HWM Application No. 2 Application Date 02-02-2018 Authorisation Status Pending	(2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
24	KRISHNA METAL FORGING INDUSTRIES	17/23, STREET NO. 11, ANAND PARBAT INDUSTRIAL AREA	02-02-2018		FORGING. Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006 HWM Application No. 2 Application Date 10-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 08-09-2008 Authorisation Status Pending	Source of Water:DJB Water Consumption:120 LPD Status of Ground Water extraction:Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :N/A Status of Inspection :NO SCN u/s 31(A)/33(A)/5 of EPA details :NO Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	(1)Stack monitoring report: (a) Stack monitoring report dated 14-11-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (2)Noise monitoring report: (a)Noise monitoring report dated 20-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	12-03-2018	14-03-2018 Consent to Operate(Renewal) granted.
25	HOTEL AEROSTAY	KHASRA NO.804, K-65 MATA CHOCK,VASANT KUNJ ROAD,MAHIPALPUR	02-02-2018		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to /	Orange Operate	Non-SPI		Source of Water: DJB (Ground Water Cess provided) Water Consumption: 2000 Liters/Day Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not	- Effluent analysis report 1). Effluent analysis report dated 16-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2). Effluent analysis report dated 30-01-2018 issued	12-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Establish granted. Licenses from MCD and Fire Department are prerequisite for operating the unit. Hence, ask the unit to submit valid MCD license and Fire license. If unit submits the same and found in order, Consent

					Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	by DPCC submitted. Effluent Test Report within Limit - Yes		to Operate be granted. If any deficiencies are found, query letter be issued.
26	BELMOND HOTELS PRIVATE LIMITED	KH. NO-5,6,7,8,9,10,11, AND 14/1087 /1088/1089/1090, MAIN CHATTARPUR ROAD, VILLAGE-SHAHOORPUR, SATBARHI	02-02-2018		MOTEL Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)STP --Installed (a) Effluent analysis report dated 25-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 180 KVA and 625 KVA. Noise monitoring report dated 25-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 180 KVA and 625 KVA. Noise monitoring report dated 25-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : NIL Water Consumption :76660 Liters/Day(Source : others) Status of Inspection : Inspection was carried out on 24.01.2018 SCN u/s 31(A)/33(A)/5 of EPA details : issued on 22.11.2017 Modified Direction Issued on 13.03.2018 and grant 30 days time for removing the deficiencies. Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	Effluent analysis report dated 25-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 2 D.G. Set(s) of 180 KVA and 625 KVA. Noise monitoring report dated 25-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 CTE may be granted and Inspection may be carried out as per the modified Directions.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.

27	FIVE ELEMENTS (A UNIT OF SANDOZ HOSPITALITY PVT. LTD.)	B-1/631, JANAKPURI, (NEAR METRO PILLAR NO-567), MAIN NAJAFGARH ROAD	02-02-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Cat-I) Water Consumption: 9500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: 1 D.G. set of 62.5 KVA capacity installed (As per undertaking) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	09-03-2018 - Consent to Establish may be granted to the unit. Remarks/ATR on 09-03-2018 -Earlier, on 16.02.2017 an inspection of the unit was conducted by DPCC officials. During inspection following deficiencies were observed: 1. Coal is being used in Tandoor. 2. Compost plant installed but found non-operational. 3. ETP installed but found in defunct condition. No wet/dry sludge observed. 4. Channelization done in kitchen but adequate stack not provided. 5. No segregation of Municipal waste observed at site. - As approved, a Show Cause Notice u/s 31(A) and 33(A) was issued to the unit on 02.01.2018. - Unit has submitted a reply w.r.t. Show Cause Notice on 05.02.2018 wherein they informed that they have rectified all the deficiencies which were observed during the earlier inspection dated 16.02.2017.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
28	ESTOCORP (INDIA) PVT LTD	B-56, PH-I, OKHLA INDUSTRIAL AREA	02-02-2018		Mfg. of Readymade Garments and Home Furnishing Items with washing. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-08-2006 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within	Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. Stack monitoring report dated 08-01-2018 issued	13-03-2018 . Remarks/ATR on 13-03-2018 Inspection may be carried out.	14-03-2018 Inspection be conducted.

								HWM Application No. 2 Application Date 07-10-2009 Authorisation Status Pending	limit- Yes. (2)ECS - N/A Stack monitoring report dated 08-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption : 9100 Liters/Day (Source- DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.		
29	MANOJ CHAUHAN	PLOT NO-A-8/1, THIRD FLOOR, JHILMIL INDUSTRIAL AREA, DELHI-95	02-02-2018		COPPER WIRE DRAWING BY ANNEALING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No 4.Water Consumption - 150 Liter/day and the source is Delhi Jal Board / Corporation. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 25 liter/day and mode of disposal is drain.	N/A	12-03-2018 Recommended to Grant CTE and subsequently inspection be conducted.	14-03-2018 Consent to Establish granted.
30	AIRPORT HOTEL SINON	PLOT NO.1250/1,KHASRA NO.1024,GALI NO.6 MAHIPALPUR EXTN.	02-02-2018		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 5000 LPD Status of Ground Water extraction : YES (CGWA permission not provided) MCD license: No Fire Safety Certificate : NO Status of Pollution Control	.	12-03-2018 .	14-03-2018 Consent to Establish granted.

					into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				System (1)ETP: YES (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
31	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	A-1, COMMERCIAL COMPLEX, DEFENCE COLONY, RING ROAD	03-02-2018		RESTAURANT (35 SEATING) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	13-03-2018 . Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
32	DOMINOS PIZZA (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP NO F-9, FF, MALIK PLAZA, SEC 4, DWARKA	03-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No	- Effluent analysis report: Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

									SCN u/s 31(A)/33(A)/5 of EPA details : No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
33	DOMINOS PIZZA (A UNIT OF JUBILANT FOODWORKS LTD)	UNIT NO-130, 104, FF, PLOT NO-59 AGGARWAL GOOD LUCK PLAZA, SEC-20, DWARKA	03-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Cat II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	- Effluent analysis report: Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.
34	RDS FIESTA (A UNIT OF TERA HOTEL)	B-1/636 JANAK PURI, MAIN NAJAFGARH ROAD	03-02-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Cat II) Water Consumption: 3500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: The unit has 1 D.G. Set of 180 KVA -Earlier, on 16.02.2017 an inspection of the unit was conducted by DPCC officials. During inspection following deficiencies were observed: 1. ETP installed but was in under maintenance, however no wet/dry sludge observed.	-Effluent analysis report: Effluent analysis report dated 23-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -Noise monitoring report: Noise monitoring report dated 01-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Operate granted. Subsequently, inspection be conducted.

									2. D.G. set has proper acoustic enclosure but inadequate stack provided. 3. Two Tandoor found installed. - As approved, a Show Cause Notice u/s 31(A) and 33(A) was issued to the unit on 02.01.2018. - Unit has submitted a reply w.r.t. Show Cause Notice on 15.01.2018 wherein they informed that they have applied for Consent to Establish in DPCC. - Further, unit again submitted a reply on 05.02.2018 informing that they have also applied for Consent to Operate in DPCC.			
35	ALLURING EVENTS AND ENTERTAINMENT PVT. LTD. (LUTHRA FARM)	KH NO. 1010, 1011 AND 1038, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	03-02-2018		Party Lawn for Marriage And Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Yes Plot Area- 12141 sq mt Date of Establishment/ Commenceent- 01.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14.10.2016 and findings are as follows- 1. Party lawn is operational and preparations for party functions including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed yo treat the waste water generated from party lawns. 4. 2 borewell connection exisit and in use without permission from Competent Authority. 5. Kitchen emission not channelised. SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018	14-03-2018 Inspection be conducted.

									requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to establish valid upto 19.02.2018.			
36	PRIME BALAJI DX	8574, ARAKASHAN ROAD, PAHARGUNJ	05-02-2018		GUEST HOUSE (54 ROOMS WITH 118 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes stack attached to boiler. 3. D.G. set- 160 KVA Plot Area-345 sq mt Date of commencement- 26.07.2008 Status of Ground Water Extraction: No 1. Water consumption: 40 kL/day a) Source of water: DJB CAAt -II (water bill submitted) MCD license valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 28.12.2017. Meeting the norms. Noise Monitoring report- Issued by DPCC lab on 08.01.2018. Meeting the norms.	13-03-2018 .	14-03-2018 Inspection be conducted.
37	CITY STAR GUEST HOUSE	8718, DESH BANDHU GUPTA ROAD, PAHARGUNJ	05-02-2018		GUEST HOUSE (29 ROOMS WITH 58 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes stack attached to boiler. 3. D.G. set- 410 KVA Plot Area-255 sq mt Date of commencement- 24.05.20193 Status of Ground Water Extraction: No 1. Water consumption: 30 kL/day a) Source of water: DJB CAAt -II (water bill submitted) MCD license valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 28.12.2017. Meeting the norms. Noise Monitoring report- Issued by DPCC lab on 08.01.2018. Meeting the norms.	13-03-2018 .	14-03-2018 Inspection be conducted.
38	HOTEL CHANCHAL DELUXE	8575, ARAKASHAN ROAD, PAHARGUNJ	05-02-2018		GUEST HOUSE (44 ROOMS WITH 87 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes stack attached to boiler. 3. D.G. set- 45 KVA Plot Area-240 sq mt Date of commencement- 26.07.2008	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 28.12.2017. Meeting the norms. Noise Monitoring report-	13-03-2018 .	14-03-2018 Inspection be conducted.

					(single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler				Status of Ground Water Extraction: No 1. Water consumption: 40 kL/day a) Source of water: DJB CAT -II (water bill submitted) MCD license valid upto 31.03.2018	Issued by DPCC lab on 08.01.2018. Meeting the norms.		
39	HOTEL CHANCHAL CONTINENTAL	8524, ARAKASHAN ROAD, PAHARGUNJ	05-02-2018		GUEST HOUSE (44 ROOMS WITH 80 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes stack attached to boiler. 3. D.G. set- 45 KVA Plot Area-255 sq mt Date of commencement- 26.07.2008 Status of Ground Water Extraction: No 1. Water consumption: 40 kL/day a) Source of water: DJB CAT -II (water bill submitted) MCD license valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 28.12.2017. Meeting the norms. Noise Monitoring report- Issued by DPCC lab on 08.01.2018. Meeting the norms.	13-03-2018	14-03-2018 Inspection be conducted.
40	PGS TIMES SQUARE	S-35-A, SECOND FLOOR AND THIRD FLOOR GREEN PARK MAIN MARKET	05-02-2018		RESTAURANT (48 SEAT). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes Oil and Grease Trap analysis report dated 25-01-2018 issued by DPCC, is submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : issued on 22.12.20107 Unit has submitted representation on 19.01.2018 w.r.t. SCN dated 22.12.2017 and stated that : - Oil and Grease Trap is in	Oil and Grease Trap analysis report dated 25-01-2018 issued by DPCC, is submitted. Number of parameters analyzed which are within limit - Yes	13-03-2018 Inspection may be carried out as decided in file by MS.	14-03-2018 Inspection be conducted.

									working condition as per norms of DPCC. - Consent to Establish has been received. - Submission of Consent to Operate, is in process.			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :			
41	SHUBHAM ENTERPRISES	129, DSIIDC SHED, OKHLA INDUSTRIAL AREA, PHASE-I	05-02-2018		PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	13-03-2018 Remarks/ATR on 13-03-2018 CTE may be granted and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Consent to Establish granted.
42	SAKSHI INDUSTRIES	52/14, PRAHALADPUR BANGER	05-02-2018		MANUFACTURING OF ALUMINIUM AUTO PARTS WITH RUBBER AND USING BOILER Use of Boiler (excluding Electric / Coal Fired) Mfg. of Auto parts with induction hardening (cooling by water) without trade effluent discharge	Orange Operate	Non-SPI		.	.	28-02-2018 Letter may be issued to ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger.	14-03-2018 Letter be issued to ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger. Also inspection be conducted.
43	HOTEL LE COMFORT	KH. 921,MAHIPALPUR BAYPASS ROAD MAHIPALPUR	05-02-2018		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: Yes (Water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Not provided	-	13-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 File be put up administratively.

					into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A			
44	GRD ENTERPRISES UNIT-I	M-78, SECTOR-3, DSIIDC BAWANA INDUSTRIAL AREA	05-02-2018		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area-250 sq mt Date of commencement- 02.02.2018 Status of Ground Water Extraction: No 1. Water consumption: 30000 L/day.(Outside) a) Source of water: DSIIDC (water bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
45	MANS ENTERTAINMENTS	A-19, VISHAL ENCLAVE, RAJOURI GARDEN	05-02-2018		RESTAURANT CUM BAR. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 3000 litre/day Status of Pollution Control System (1)ETP - ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 2 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 30-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 ~Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.
46	MEN IN THE KITCHEN (A UNIT OF AVA ENTERPRISES)	SHOP NO-101, 103 AND 106, 108, KRISHNA TOWER-II, PLOT NO-1, POCKET-7, SECTOR-12, DWARKA	06-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP/OGT -Details not provided (a) Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes All parameters analyzed which are within limit - yes. (2)ECS -N.A (3)D.G.Set: ...50kva... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels	Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes All parameters analyzed which are within limit - yes.	12-03-2018 Hard copy of CTE application not received so far. Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									are within limit / beyond limit.			
									Status of Ground Water extraction :Yes Water consumptin: 3720 ltr/day (Source: Ground water) Month and Year of Commencement of Production : 01-10-2015 Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil			
47	KWALITY OFFSET PRINTERS	A-34/2-3 NARAINA INDUSTRIAL AREA PHASE - I	06-02-2018		PAPER PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 12-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-05-2010 Authorisation Status Approved Authorisation Issue Date 18-10-2010 Authorisation Expiry Date 19-05-2015	Source of Water: DJB & Ground Water Water Consumption: 2500 Liters/Day (DJB) & 500 Liters/Day (Ground Water) Status of Ground Water extraction : Yes (Permission from CGWA provided) Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: The unit has 4 D.G. Set(s) of 125 KVA,125 KVA,200 KVA and 200 KVA capacity. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	- Noise monitoring report : a. Noise monitoring report of 4 D.G. Set(s) of 125 KVA,125 KVA,200 KVA and 200 KVA dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b. Noise monitoring report of 4 D.G. Set(s) of 125 KVA,125 KVA,200 KVA and 200 KVA dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes c. Noise monitoring report of 4 D.G. Set(s) of 125 KVA,125 KVA,200 KVA and 200 KVA dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes d. Noise monitoring report of 4 D.G. Set(s) of 125 KVA,125 KVA,200 KVA and 200 KVA dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

								HWM Application No. 4 Application Date 05-05-2015 Authorisation Status Approved Authorisation Issue Date 14-06-2016 Authorisation Expiry Date 04-05-2020				
48	S P INDUSTRIES	PLOT NO. A-6/D, JHILMIL INDUSTRIAL AREA	06-02-2018		MANUFACTURING OF SANITARY GOODS WITH BUFFING (WITHOUT ELECTROPLATING AND CASTING) Process Involving Buffing	Green Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No 4. Water Consumption - 50 Liter/day and the source is Can water Supply. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 20 liter/day and mode of disposal is sewer.	N/A	12-03-2018 recommended to grant CTE and subsequently Inspection be conducted	14-03-2018 Consent to Establish granted.
49	DAWER POLY SOLUTIONS PVT. LTD.	A-39, MAYA PURI INDUSTRIAL AREA, PHASE-II	07-02-2018		MFG. OF PACKING MATERIAL WITH PRINTING (WITHOUT USING PLASTIC SCRAP AS A RAW MATERIAL). Printing without Trade Effluent Discharge Plastic Processed Goods	Orange Establish	Non-SPI		Source of Water: Outside Water Consumption: 400 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.
50	GARGSON MFG CORPORATION	109, PKT-B, SEC-1, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	07-02-2018		MFG.OF PLASTIC MOULDED GOODS (CURTAIN AND HARDWARE GOODS) (without using plastic scrap as a raw material) Manufacturing of	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 100 sq mt Date of commencement- 06.02.2018 Status of Ground Water	Effluent analysis report- N/A Emission Analysis Report -N/A Noise Test Report- No	09-03-2018 .	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.

					Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)				Extraction: No 1. Water consumption: 200 L/day. a) Source of water: DSIIDC (water bill submitted)			
51	ABHINAV PRINTERS	PLOT NO. B-5, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	07-02-2018		PRINTING BY OFFSET PRINTING MACHINE(WITHOUT EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2 Application Date 14-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 15-01-2013 Authorisation Status Pending HWM Application No. 4 Application Date 07-02-2018 Authorisation Status Pending	Source of Water:DJB Water Consumption:120 LPD Status of Ground Water extraction :NO Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	.	12-03-2018 -Consent to Operate(renewal) may be granted to the unit.	14-03-2018 Inspection be conducted.
52	HERITAGE HOME	1603-04, MAIN BAZAR, PAHARGANJ	07-02-2018		GUEST HOUSE (20 ROOMS FOR 44 PERSONS) WITH MEALS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- Yes, 1x125 KVA Plot Area-294.31 sq mt Date of commencement- 15.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.

					(single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				Status of Ground Water Extraction: No 1. Water consumption: 300 L/day.(Outside) a) Source of water: DJB (water bill submitted) MCD license valid upto 31.03.2018 Police license submitted.			
53	CELEBRATION RESTAURANT/BANQUET	A-16/3, WAZIRPUR INDUSTRIAL AREA	07-02-2018		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 05-05-2005 Authorisation Status Pending HWM Application No. 2 Application Date 17-10-2006 Authorisation Status Pending	(1)ETP ---- Physiochemical (5000L/D) (2)ECS - N/A (3)D.G.Set: -The unit has 2 D.G. Set(s) of 160 KVA,125 KVA Status of Ground Water extraction : Nil Source of Water: 3500 L per day, Source: DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :N/A Water (Effluents) : Test reports within norms (issued by DPCC on 16.01.2018) Noise : Test reports within norms (issued by DPCC on 30.01.2018)	07-03-2018 CTO(R) may be granted Remarks/ATR on 13-03-2018 As per Noise monitoring report of DPCC dated 30.01.2018 One D.G Set of 40KVA installed without acoustic enclosure with inadequate stack height and two D.G Set of 160 KVA and 125 KVA have inadequate stack height.	14-03-2018 Consent to Operate granted after submission of compliance report w.r.t D.G. Set.
54	HOTEL STAR INN	A-206,STREET NO. 9,ROAD NO.-4 MAHIPALPUR	07-02-2018		HOTEL/GUEST HOUSE HAVING KITCHIN AND RESTAURANT Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB CAT II(bill enclosed) Water Consumption: 3000 LPD Status of Ground Water extraction : no MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP:installed (2)ECS: N/A (3)D.G.Set: N/A	.	13-03-2018 .	14-03-2018 File be put up administratively.
55	DEUTSCHE MOTOREN (PVT) LTD	31, SHIVAJI MARG, MOTI NAGAR	09-02-2018		Automobile servicing/repairs and accidental jobs with washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 5500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: Installed	1. Effluent analysis report dated 06-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report dated 27-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

									(3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
56	HOTEL GEET DELUXE	8569-70 ARAKASHAN ROAD PAHAR GANJ	10-02-2018		GUEST HOUSE WITH 39 ROOMS AND 68 LODGERS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes, stack attached boiler. 3. D.G. set- 125 KVA Plot Area-167.22 sq mt Date of commencement- 12.08.2008 Status of Ground Water Extraction: No 1. Water consumption: 200 L/day a) Source of water: DJB Cat -II (water bill submitted) MCD license valid upto 31.03.2018.	Effluent Analysis Report- N/A Emission Monitoring Report -issued by DPCC lab on 08.01.2018.Meeting the norms. Noise Monitoring report- issued by DPCC lab on 06.11.2017. Meeting the norms.	13-03-2018	14-03-2018 Inspection be conducted.
57	TATA STARBUCKS PVT. LTD.	M-33, FIRST FLOOR, G.K.-I	10-02-2018		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - No Oil and Grease Trap- Yes Effluent analysis report dated -08.09.2017 issued by - DPCC is submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption -1.5 Kilo litre per day (Source- Corporation) Trade Effluent Discharge - 1.0 Kilo litre per day Domestic Effluent Discharge - 0.2 Kilo litre	Oil and Grease Trap- Yes Effluent analysis report dated -08.09.2017 issued by - DPCC is submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-03-2018 Inspection may be carried out.	14-03-2018 Inspection be conducted.

									per day (Dispose - Sewer)			
									Status of Inspection : NIL			
									SCN u/s 31(A)/33(A)/5 of EPA details : NIL			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL			
58	SAPPHIRE FOODS PRIVATE LIMITED	03 KFC DELHI KAMALA NAGAR PLOT NO38UA BUNGLOW ROAD KAMALA NAGAR NEW DELHI	10-02-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No 2. ECS- N/A 3. D.G. set- No Plot Area-230 sq mt Date of commencement- 07.04.2016 Status of Ground Water Extraction: No 1. Water consumption: 1500 L/day.(Outside) a) Source of water: Outside (water bill not submitted) MCD License not submitted. Police license not submitted.	Effluent Analysis Report- No Emission Monitoring Report -N/A Noise Monitoring report- issued by DPCC on 01.02.2018. Parameters are within prescribed limit.	09-03-2018	14-03-2018 Consent to Establish and Consent to Operate granted.
59	MITTAL ENTERPRISES	PLOT NO. 485 F.I.E. PATPARGANJ DELHI	10-02-2018		Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-02-2018 Authorisation Status Pending	1. ETP - No 2. ECS- No 3. Water Consumption- 100L/D 4. Domestic Effluent- 80L/D 5. Trade Effluent- N/A 6. DG Set- N/A	-No Effluent Report found in the last six months from the date of application. -No Stack Monitoring Report found in the last six months from the date of application.	13-03-2018 Recommended for inspection.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
60	PRADEEP PERFORATING WORKS	PLOT NO: 271, BLOCK-C, SECTOR-3, DSIIDC BAWANA INDUSTRIAL AREA, DELHI	10-02-2018		MFG. OF MELAMINE CROCKERY Moulding using UF/PF Powder with buffing	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150sq mt Date of commencement- 03.2018 Status of Ground Water Extraction: No 1. Water consumption: 200 L/day a) Source of water: Outside (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018	14-03-2018 Consent to Establish granted.

61	MEHRAN ENTERPRISES	PLOT NO: S-45, PHASE-I, BADLI INDUSTRIAL AREA, DELHI	10-02-2018		MFG. OF MELAMINE CROCKERY Moulding using UF/PF Powder with buffing	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-180 sq mt Date of commencement- 03.2017 Status of Ground Water Extraction: No 1. Water consumption: 200 L/day a) Source of water: Outside (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
62	SHUBHAM FOOD INDUSTRIES	B-58, LAWRENCE ROAD, INDUSTRIAL AREA, DELHI-110035	11-02-2018		DALL MIL AND FLOUR MILL Dal Mills	Green Establish	Non-SPI		(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: No. Status of Ground Water extraction : Nil Source of Water: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 Incomplete hardcopy submitted by	14-03-2018 Ask the unit to submit complete hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
63	PAINTWELL INDUSTRIES	9, DSIDC SHEDS, SCHEME-I, OKHLA INDUSTRIAL AREA, PHASE-II	12-02-2018		POWDER COATING WITHOUT PHOSPHATING. Powder Coating without phosphating	Green Operate	Non-SPI	HWM Application No. 1 Application Date 13-07-2005 Authorisation Status Pending HWM Application No. 2 Application Date 10-09-2009 Authorisation Status Pending HWM Application No. 3 Application Date 10-09-2009 Authorisation Status Pending HWM Application No. 4	ETP- N/A OGT- N/A Stack attached to Cyclone. Stack Monitoring report issued on 30.01.2018 by DPCC submitted. Number of parameters under limits- Yes Total Water Consumption- 200 L/day (Source- DJB) Ground Water Consumption- N/A Trade Effluent Discharge- Nil Domestic Effluent Discharge- 180 L/day (Dispose in- Sewer) DG Set- N/A Hazardous Waste Generated- Nil SCN issued- Nil	Stack Monitoring report issued on 30.01.2018 by DPCC submitted. Number of parameters under limits- Yes	14-03-2018 .	14-03-2018 Consent to Operate granted.

								Application Date 16-07-2010 Authorisation Status Approved Authorisation Issue Date 30-09-2010 Authorisation Expiry Date 15-07-2015				
64	RAKESH MAHAJAN	1/536/J-3, GALI NO 4-A, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA	12-02-2018		MFG.OF AL. KITCHEN WARES AND UTENSILS, PRESSURE COOKER, LPG GAS STOVES, ELECTRICAL APPLIANCES WITH BUFFING (W/O ELECTROPLATING) Process Involving Buffing	Green Renewal	Non-SPI		1. ETP - No. 2. ECS - Stack attached to Buffing. 3. D.G Set - No 4.Water Consumption - 200 Liter/day and the source is corporation. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 100 liter/day and mode of disposal is sewer.	Emission Monitoring Report was submitted by DPCC on 23.08.2017 and all the parameters are within the prescribed limit.	12-03-2018 Recommended for Inspection.	14-03-2018 Consent to Operate(Renewal) granted.
65	N.K. GOEL	1/536-D/16, GALI NO. 4A, FRIENDS COLONY INDUSTRIAL AREA	12-02-2018		MFG. OF AL. KITCHEN WARES AND UTENSILS, PRESSURE COOKER, LPG GAS STOVES, ELECTRICAL APPLIANCES WITH BUFFING (W/O ELECTROPLATING) Process Involving Buffing	Green Renewal	Non-SPI		1. ETP - No. 2. ECS - Stack attached to Buffing. 3. D.G Set - No 4.Water Consumption - 200 Liter/day and the source is corporation. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 100 liter/day and mode of disposal is sewer.	Emission Monitoring Report was submitted by DPCC on 23.08.2017 and all the parameters are within the prescribed limit as per the report.	12-03-2018 Recommended for Inspection.	14-03-2018 Consent to Operate(Renewal) granted.
66	TATA STARBUCKS PVT. LTD.	M-11, G.F. G.K.-II, M-BLOCK MKT.	12-02-2018		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent Analysis Report issued by DPCC Laboratory dated 08.09.2017 submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Effluent Analysis Report issued by DPCC Laboratory . dated 08.09.2017 submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-03-2018 Remarks/ATR on 13-03-2018 Inspection may be carried out.	14-03-2018 Inspection be conducted.

									Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
67	TATA STARBUCKS PVT. LTD.	1/83, G.F. WEST PUNJABI BAGH, CLUB ROAD	12-02-2018		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 2500 Liters/Day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: The unit has 1 D.G. Set of 125 KVA	- Noise monitoring report: a). Noise monitoring report dated 20-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Operate granted.
68	DIVYA JAIN	27(27/4), GALI NO-3, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95	12-02-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No 4.Water Consumption - 40 Liter/day and the source is DJB/Corporation. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 20 liter/day and mode of disposal is drain.	N/A	12-03-2018 Consent to Establish be granted, subsequently inspection be conducted.	14-03-2018 Consent to Establish granted.
69	PREM GUPTA	KHASRA NO.53/1(0-14), 53/10(0-6), PRAHLADPUR BANGAR INDUSTRIAL AREA DELHI.	12-02-2018		MANUFACTURING OF ALL TYPES DECORATIVE PLYWOOD VENEERS (PESTING , PRESSING AND FINISHING PROCESS) WITHOUT TRADE EFFLUENT Saw Mill	Green Establish	Non-SPI		.	.	28-02-2018 Letter may be issued to ask the hardcopy of consent application and to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger.	14-03-2018 Ask the unit to submit hard copy of consent application and certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger.
70	R.P.L. (INDIA) PHARMACEUTICALS PVT. LTD.	D-8/5 AND 8/6, OKHLA INDUSTRIAL AREA, PHASE-I	12-02-2018		PHARMACEUTICAL FORMULATION	Orange Establish	Non-SPI		Status of Pollution Control System	N/A	13-03-2018 Earlier Unit has obtained Consent	14-03-2018 Consent to Establish granted.

					Medicines / Pharmaceutical Formulation- without Boiler				(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Unit having 2 DG Sets- 62.5 KVA and 125 KVA Test reports not submitted. Status of Ground Water extraction : Nil Water consumption- 1850 Liters/Day (Source- Municipal) Trade Effluent Discharge- 900 L/day Domestic Effluent Discharge- 950 L/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		to Operate (Renewal) valid upto 04.12.2018 for the activity of mfg. of Medicine and Drugs on the premises D-8/6 OIA Phase-I. Now, they have submitted application for Consent to Establish for the activity of Pharmaceutical formulation on the premises D-8/5 and D-8/6. Remarks/ATR on 13-03-2018 CTE may be granted and Show Cause Notice for Closure may be issued for not applying for CTO.	
71	HOTEL KELVISH	KHASRA NO - 86/1	12-02-2018		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: not mentioned Water Consumption: 3000 LPD Status of Ground Water extraction : not mentioned MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A	.	13-03-2018 .	14-03-2018 File be put up administratively.
72	THE VILLAIN CAFE A UNIT OF AARN FOODS	30,NWA, CLUB ROAD PUNJABI BAGH	12-02-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (As mentioned in the undertaking) Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A	-	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

					36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
73	DUNKIN DONUTS RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, S-36 GREEN PARK, MAIN MARKET	13-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Status of Ground Water extraction : Nil Water consumption: 500 ltr/day, source : DJB Month and Year of Commencement of Production : 25-07-2012 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	(a) Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Remarks/ATR on 13-03-2018 CTE may be granted subject to submission of hard copy of application and full details and Show Cause Notice for Closure may be issued for not applying for CTO.	12-03-2018 HArd copy of CTE application not received so far.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
74	CAFE 27 AND KITCHEN	HS-26, IIND FLOOR, KAILASH COLONY MARKET	13-02-2018		RESTAURANT (48 SEAT COVER) Restaurants /Eating	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A	Effluent analysis report dated 02-01-2018 issued by DPCC submitted. Number of parameters	13-03-2018 .	14-03-2018 Inspection be conducted.

					houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				OGT cum settling tank: Effluent analysis report dated 02-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption:-3500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)details : Issued on 22.12.2017 Unit submitted a representation on 23.01.2018 w.r.t SCN dated 22.12.2017 and informed that they have applied for Noise Monitoring Report & Water Analysis Report on 15.12.2017 and will apply for CTO after obtaining the said reports and also they are under process to full fill the compliance required by DPCC. Closure directions u/s 31(A)/33(A)details : Nil	analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Remarks/ATR on 13-03-2018 Inspection may be carried out.	
75	ANIL ENTERPRISES	A-93/9, WAZIRPUR INDUSTRIAL AREA	13-02-2018		MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Cyclone (Stack attached to exhaust hood over pit furnace) (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 10 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 24.01.2018) Water (Effluents) : N/A Noise : N/A	07-03-2018 CTO(R) may be granted	14-03-2018 Consent to Operate(Renewal) granted.

76	VEE AAR PACKERS	PLOT NO-315, FIE PATPARGANJ INDUSTRIAL AREA	13-02-2018		OFFSET PRINTING PRESS AND BOX MAKING. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP - No 2. ECS- No 3. Water Consumption- 50L/D 4. Domestic Effluent- 30L/D 5. Trade Effluent- N/A 6. DG Set- N/A	-No Effluent Report found in the last six months from the date of application. -No Stack Monitoring Report found in the last six months from the date of application.	13-03-2018 Recommended for inspection.	14-03-2018 Consent to Establish granted.
77	PRINTECH INTERNATIONAL	PLOT NO. A-6/D, JHILMIL INDUSTRIAL AREA, SHAHDARA	13-02-2018		OFFSET PRINTING PRESS AND BOOK BINDING Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No 4. Water Consumption - 50 Liter/day and the source is drinking water suppliers. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 50 liter/day and mode of disposal is sewer.	N/A	12-03-2018 Recommended to grant CTE and subsequently Inspection be conducted.	14-03-2018 Consent to Establish granted.
78	LANDMARK LIFESTYLE CAR PVT. LTD.	PLOT NO-10A,SHIVAJI MARG	14-02-2018		Service Statio of jeep cars with washing activity. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-11-2017 Authorisation Status Pending	Source of Water: DJB Water Consumption: 5800 LPD Status of Ground Water extraction : YES Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set : YES Status of Inspection :nil SCN u/s 31(A)/33(A)/5 of EPA details :nil Closure directions u/s 31(A)/33(A)/5 of EPA details :nil	(1)D.G.Set Noise Report : (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 01-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate may be granted to the unit. Remarks/ATR on 14-03-2018 - An inspection was carried out by DPCC officials, during inspection, following observations were made: 1). Unit found operational and engaged in the activity of Service Station of Jeep Cars. 2). one D.G. set having capacity 97 KVA with acoustice enclosure with adequate stack height. 3). Paint booth installed having adequate stack height 4). HWM guidelines are being followed. 5). ETP found installed and same was found in operational condition.	14-03-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

											- Consent to Operate may be granted to the unit.	
79	LALLY AUTOMOBILES P LTD.	C-87, WAZIRPUR INDUSTRIAL AREA	14-02-2018		BODY SHOP (AUTOMOBILE) Automobile Repair and Servicing (without Washing) with oil fired Paint Booth	Orange Establish	Non-SPI		(1)ETP - N/A (2)ECS - Paint Booth (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 500 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 CTE may be granted CA certificate not submitted by unit.	14-03-2018 Consent to Establish granted.
80	SAMARA INDIA (P) LTD.	B-18, PHASE-I, MAYAPURI INDUSTRIAL AREA	14-02-2018		AUTO MOBILE WORKSHOP WITH WASHING WITH BURNER. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-08-2006 Authorisation Status Pending HWM Application No. 2 Application Date 13-10-2009 Authorisation Status Pending HWM Application No. 3 Application Date 08-02-2013 Authorisation Status Approved Authorisation Issue Date 16-04-2013 Authorisation Expiry Date 07-02-2018 HWM Application No. 4 Application Date 14-02-2018 Authorisation Status Pending	Source of Water: outside Water Consumption:6000m LPD Status of Ground Water extraction :NO Status of Pollution Control System (1)ETP - yes (2)ECS - N/A (3)D.G.Set : yes Status of Inspection :nil SCN u/s 31(A)/33(A)/5 of EPA details :nil Closure directions u/s 31(A)/33(A)/5 of EPA details :nil	1) Effluent analysis report (a) Effluent analysis report dated 23-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) Stack monitoring report (b) Stack monitoring report dated 01-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes (3) Noise monitoring report (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 25-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to oprate may be granted to the unit.	14-03-2018 Inspection be conducted.

81	SAMARA INDIA (P) LTD.	PLOT NO.22- 23, PATPARGANJ INDUSTRIAL AREA	14-02-2018		CAR SERVICE WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 13-10-2009 Authorisation Status Pending HWM Application No. 2 Application Date 21-07-2010 Authorisation Status Infructuous HWM Application No. 3 Application Date 08-02-2013 Authorisation Status Approved Authorisation Issue Date 25-04-2013 Authorisation Expiry Date 07-02-2018 HWM Application No. 4 Application Date 14-02-2018 Authorisation Status Pending	1. ETP- Yes 2. ECS- No 3. Water Consumption- 5000L/D 4. Domestic Effluent- 700L/D 5. Trade Effluent- 3500L/D 6. DG Set- 40KVA	-No Emission Monitoring Report found in the last six months from the date of application -No Stack Monitoring Report found in the last six months from the date of application.	12-03-2018 Recommended for inspection.	14-03-2018 Consent to Establish granted.
82	A S FOODS (34 CHOWRINGHEE LANE)	PROP. NO. 354, GROUND FLOOR, BLOCK - C, PKT - 8, SECTOR - 8, ROHINI	14-02-2018		Fast Food Outlet (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet	Orange Establish	Non-SPI		1. ETP - Oil and Grease trap of 300 Litres/day 2. ECS - N/A 3. D.G. Set - N/A 4. Status of Ground water extraction : Nil 5. Source of water - 100 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s	N/A	12-03-2018 CTE may be granted.	14-03-2018 Consent to Establish granted.

					Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				31(A)/33(A)/5 of EPA details - Nil		
83	R.K. BERI & SONS	B-292 OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI -110020	14-02-2018		Manufacturing of industrial knives Hardening by Oil Quenching without use of any salt / chemical and without trade effluent discharge and with annealing in electrically heated furnace Light Engineering work	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 06-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report- N/A (2)ECS - N/A Stack analysis report- N/A (3)D.G.Set: ...N/A... Noise monitoring report- N/A Status of Ground Water extraction : Nil Water Consumption- 180 L/day (Source- Outside Jar & Tanker) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 100 L/day (Disposed off in Sewer) Status of Inspection : An inspection of the unit was carried out by officials/representatives of DPCC on 01.09.2017 and following observations were made: -Unit found Operational and engaged in the activity of Manufacturing of paper cutter knives with heat treated by Oil Quenching at back side of premises B-292 and premises B-293, Okhla Industrial Area, Phase-I, New Delhi. -Unit is operating without consent from DPCC. SCN u/s 21(A) : Issued on 25.09.2017 Reply received on 25.10.2017 stating that: -The Unit is situated at B-292 (Backside) & B-293, Okhla Industrial Area, Phase-I, New Delhi and	13-03-2018 Remarks/ATR on 13-03-2018 Expedite Inspection.	14-03-2018 Consent to Establish granted.

									Engaged in the activity of Manufacturing of Industrial Knives using Heat treatment & Hardening by Oil Quenching. -The Unit have started the process of making isolated storage room with pucca floor for storage of hazardous waste, labeling on containers and display board as per HWM Rules, 2016. -The Unit is also in process of arranging documents required to file CTE, CTO & Authorization under HWM Rules, 2016. The Unit also requested to be granted 15-20 days days time. SCN u/s 33(A)/5 of EPA details : Issued on 18.01.2018 unit submitted its representation on 20.02.2018 w.r.t SCN dated 18.01.2018 and informed that -Isolated storage room with pucca floor for storage of leak proof container and display board have been provided. -Unit has applied for CTE Also unit is in process of applying for CTO and requested to withdraw SCN & grant 20 to 30 days time for submission of CTO and Authorization along with required documents. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
84	SAMARA INDIA (P) LTD.	PLOT NO.22- 23, PATPARGANJ INDUSTRIAL AREA	14-02-2018		CAR SERVICE WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-10-2009 Authorisation Status Pending HWM Application No. 2	1. ETP- Yes 2. ECS- No 3. Water Consumption- 5000L/D 4. Domestic Effluent- 700L/D 5. Trade Effluent- 3500L/D 6. DG Set- 40KVA	-No Emission Monitoring Report found in the last six months from the date of application -No Stack Monitoring Report found in the last six months from the date of application. Remarks/Recommendation	12-03-2018 Recommended for inspection.	14-03-2018 Consent to Establish granted. Also inspection be conducted.

								Application Date 21-07-2010 Authorisation Status Infructuous				
								HWM Application No. 3 Application Date 08-02-2013 Authorisation Status Approved Authorisation Issue Date 25-04-2013 Authorisation Expiry Date 07-02-2018				
								HWM Application No. 4 Application Date 14-02-2018 Authorisation Status Pending				
85	KUKKI DA DHABA	G-4,5,6,7, GF, SHARDA CHAMBER-11, PLOT NO 15D BLOCK, CENTRAL MARKET, PRASHANT VIHAR	14-02-2018		RESTAURANT (EATING HOUSE) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP - Oil and Grease Trap (500L/Day) (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 500 L per day, Source: DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.
86	SHIV METAL INDUSTRIES	B-71, WAZIRPUR INDUSTRIAL AREA	15-02-2018		Annealing and Re Rolling of S.S. Sheets. Stainless steel	Green Operate	Non-SPI		(1)ETP - N/A (2)ECS - Yes (Stack attached to exhaust hood over anealling furnace)	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on	12-03-2018 CTO may be granted	14-03-2018 Inspection be conducted.

					rerolling and anealling (with capacity less than 25 MT/ day)				(3)D.G.Set: No. Status of Ground Water extraction : Nil Source of Water: 200 Litres per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	30.01.2018) Water (Effluents) : N/A Noise :N/A		
87	PRECIOUS MOMENTS (UNIT OF PRECIOUS BANQUETS PVT. LTD.)	FIRST AND SECOND FLOOR, B-1/627, MAIN NAJAFGARH ROAD, JANAKPURI	15-02-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 2500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA Status of Inspection : Yes -Earlier, on 16.02.2017 an inspection of the unit was conducted by DPCC officials. During inspection following deficiencies were observed: 1. Coal is being used in Tandoor. 2. D.G. sets have acoustic enclosure but stack is inadequate. 3. No channelization done in kitchen. 4. No segregation of Municipal waste observed. 5. ETP not installed. - As approved, a Show Cause Notice u/s 31(A) and 33(A) was issued to the unit on 02.01.2018. - Unit has submitted a reply w.r.t. Show Cause Notice on 16.01.2018 wherein they informed that they have rectified all the deficiencies which were observed during the earlier inspection dated 16.02.2017.	- Effluent analysis report: Effluent analysis report dated 23-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes - Stack analysis report: N/A - Noise monitoring report: a. The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b. The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Operate granted. Subsequently, inspection be conducted.

88	UMANG PALACE (UNIT OF JUNEJA BUILDERS PVT. LTD.)	GROUND FLOOR, FIRST FLOOR B-1/3, MAIN NAJAFGARH ROAD, JANAKPURI	15-02-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 3000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA Status of Inspection : -Earlier, on 16.02.2017 an inspection of the unit was conducted by DPCC officials. During inspection following deficiencies were observed: 1. Coal is being used in Tandoor. 2. D.G. set has acoustic but inadequate stack. 3. ETP found in scrap condition. 4. Channelization done in kitchen but adequate stack found improper. 5. No segregation of MSW observed. - As approved, a Show Cause Notice u/s 31(A) and 33(A) was issued to the unit on 02.01.2018. - Unit has submitted a reply w.r.t. Show Cause Notice on 12.01.2018 wherein they informed that they have rectified all the deficiencies which were observed during the earlier inspection dated 16.02.2017.	1) Effluent analysis report: Effluent analysis report dated 31-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report: a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - No b) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - No	12-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Operate granted. Subsequently, inspection be conducted.
89	NAVEEN IMPEX	KHASRA NO-45/24-25, VILLAGE PRAHALADPUR BANGAR RE-DEVELOPMENT INDUSTRIAL AREA	15-02-2018		MANUFACTURING OF COPPER INGUTS AND ALUMINIUM INGUTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		.	.	28-02-2018 Letter may be issued to ask the hardcopy of consent application and to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area	14-03-2018 Consent to Operate granted with the condition that unit shall submit fresh stack monitoring report and shall install On Line Monitoring System (OLMS) within 30 days.

[illegible]

										was received only on 20.02.2018. Unit has submitted its request for resealing its premises in order to rectify the deficiencies regarding stack height etc and to get the stack monitoring report. Unit has also submitted the authentic documentary proof confirming its location within boundary of redevelopment area of Prehaladpur Banger. The case was considered by the Competent Authority, MS, DPCC and decided to request the SDM to desal the unit so that unit can rectify the deficiency and to submit fresh stack monitoring report etc. Unit has submitted representation on 12.03.2018 alongwith stack monitoring fee receipt assuring to submit the report shortly and requested for consent to operate. unit has not installed OLMS in the stack.	
90	HOTEL AIR LIFT	PLOT NO. 11 KH.NO. 398/2MIN BLOCK A ROAD NO.2 MAHIPALPUR EXTN.	15-02-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 3000 LPD Status of Ground Water extraction :yes(CGWA permission not provided) MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP:yes (2)ECS: N/A (3)D.G.Set: N/A	12-03-2018 .	14-03-2018 File be put up administratively.

									Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
91	EXTREME AUTOMOBILES LLP	B -80, NARAINA INDUSTRIAL AREA, PHASE-II	15-02-2018		Show Room Cum Service Station Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 2500 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.
92	UNIPACK INDUSTRIES	KHASRA NO 53/9/1 AND 53/2, PEHLADPUR BANGER	15-02-2018		MFG. OF PAPER GUM Paper Gum using fuel for heating without effluent discharge	Green Establish	Non-SPI		.	.	28-02-2018 Letter may be issued to ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger. Also inspection be conducted.	14-03-2018 Ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger. Also inspection be conducted.
93	OM FLEX INDIA	B-196, OKHLA INDUSTRIAL AREA, PHASE-I	16-02-2018		MANUFACTURING OF FLEXIBLE PACKAGING WITHOUT ANY TRADE EFFLUENT DISCHARGE Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water	N/A	13-03-2018 . Remarks/ATR on 13-03-2018 CTE may be granted.	14-03-2018 Consent to Establish granted.

					Printing without Trade Effluent Discharge				extraction : Nil Water Consumption- 400 L/day (Source- Outside) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 200 L/day (Dispose in- Sewer) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
94	KUKKI DA DHABA	G-4,5,6,7, GF, SHARDA CHAMBER-11, PLOT NO 15D BLOCK, CENTRAL MARKET, PRASHANT VIHAR	16-02-2018		RESTAURANT (EATING HOUSE) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - Oil and Grease Trap (500L/Day) (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 500 L per day, Source: DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	No	07-03-2018 Unit is not submitted OGT test report	14-03-2018 Consent to Establish and Consent to Operate granted.
95	KANGNA BANQUETS	SHOP NO. 1,2 AND 5 KHASRA NO.951 TO 953 P, Z-BLOCK EXTN. MAIN NAJAFGARH ROAD, UTTAM NAGAR	17-02-2018		BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal	Orange Operate	Non-SPI		water consumption: 4000 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP - ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA	1. Effluent analysis report: (a) (a) Effluent analysis report dated 08-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	14-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.

					/ DJB Sewer and having Kitchen and / or Laundry without Boiler				details :no			
96	SUMIT SALES CORPORATION	PLOT NO 11,POCKET-D,SECTOR-4 BAWANA INDUSTRIAL AREA	17-02-2018		PRINTING OF PLASTIC PRODUCTS AND FEXIBLE PACKAGING Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-02-2018 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150 sq mt Date of commencement- 14.01.2012 Status of Ground Water Extraction: No 1. Water consumption: 200 L/day a) Source of water: DSIIDC (water bill submitted) Applied Form- I under HWM rules	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Inspection be conducted.
97	SHL DYEING AND PROCESSING	B-97, MAYAPURI PHASE-I, INDUSTRIAL AREA	17-02-2018		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 30000 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	09-03-2018 -Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.
98	IMPERFECTO (A UNIT OF BEL CIBO HOSPITALITY PVT. LTD.)	GROUND FLOOR, SECOND FLOOR SHOP NO. A-201 TO 232, B-204 TO 204D & AH-01, ANSAL PLAZA MALL, KHEL GAON,	17-02-2018		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) -	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP OGT--Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : NIL Month and Year of Commencement of Production : 29-05-2017	.	13-03-2018 Grant CTE subject to submission of hard copy application and full details and issue Show Cause Notice for Closure for not applying for CTO.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Water Consumption: 4000ltr/day (Source: DJB)			
									Status of Inspection : NIL			
									SCN u/s 31(A)/33(A)/5 of EPA details : NIL			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL			
99	FLYOVER INN	PLOT NO. 4/29 - A, RISHI NAGAR, SHAKUR BASTI,	17-02-2018		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		tatus of Pollution Control System (1)OGT is installed (2)ECS - N/A (3)D.G.Set: -Yes having 1 DG set of capacity 62 KVA Status of Ground Water extraction : Nil Source of Water: 3000 litres/day from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.
100	URBAN BANQUET (A UNIT OF INDIFLAOUR FOOD AND BEVERAGE PVT. LTD.)	LGF, MANGLAM PARADISE MALL, MANGLAM PLACE, SECTOR-3, ROHINI	18-02-2018		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - Physiochemical of capacity 5000 L/day (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 5000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Water (effluent) - test report within limits (issued by DPCC on 31.01.2018)	07-03-2018 CTO may be granted	14-03-2018 Ask the unit to submit Environmental Compensation Security and an Undertaking as per office order dated 02.08.2017 thereafter file be put up administratively.
101	NEW VASU GARDEN	KHASRA NO 40, VILLAGE - SHAHOORPUR CHATTARPUR MAIN ROAD, CHANDANHULLA VILLAGE	18-02-2018		SOCIAL FUNCTION (LAWN FOR MARRAIGE PARTY). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Installed (b) Effluent analysis report dated 31-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit: Yes.	(b) Effluent analysis report dated 31-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit: Yes.	12-03-2018 . Remarks/ATR on 13-03-2018 Inspection may be carried out.	14-03-2018 Inspection be conducted.

					Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : NIL Water Consumption : 7000 ltr/day, (Source: tankers) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
102	NIHARIKA PLASTIC IND	PLOT NO-160, SEC-2, PKT-N, DSIDC BAWANA INDL. AREA	18-02-2018		MANUFACTURING OF PLASTIC GRANULES WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- Yes 3. D.G. set- N/A Plot Area-100 sq mt Date of commencement- 04.2012 Status of Ground Water Extraction: No 1. Water consumption: 700 L/day.(Outside) a) Source of water: DSIIDC (water bill submitted)	Effluent Analysis Report- issued by DPCC lab on 20.09.2017. Meeting the norms. Emission Monitoring Report - issued by DPCC lab on 04.10.2017. Meeting the norms. Noise Monitoring report- N/A	13-03-2018	14-03-2018 Inspection be conducted.
103	SAPPHIRE FOODS (KFC RESTAURANT)	FIRST FLOOR AND SECOND FLOOR, J23/A1, CENTRAL MARKET, LAJPAT NAGAR	18-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 28-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 08-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Status of Ground Water extraction : Nil Trade Effluent Discharge- 1.5 Kilo L/day (Dispose in- Sewer) Domestic Effluent	Effluent analysis report dated 28-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 08-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	13-03-2018 Remarks/ATR on 13-03-2018 Inspection may be carried out.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.

[illegible]

									settling tank. -One DG Set (250 KVA capacity) at rooftop with acoustic enclosure with stack height of about 1m from acoustic eclosure. -two bins system not provided to segregate the solid waste (Wet & dry solid waste). SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.11.2017 Unit has submitted representation on 18.01.2018 and requested to grant time for complete the installation of OGT. Now, they have submitted application for CTO on 18.02.2018 with required documents and submitted a representation along with photographs and size of OGT on 12.03.2018 and informed that they have installed OGT cum Settling Tank of capacity 2000L. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
104	AGGARWAL METALS	B-68/2, WAZIRPUR INDUSTRIAL AREA	19-02-2018		Mfg. of Home Appliances with Buffing Process Involving Buffing	Green Operate	Non-SPI		(1)ETP - N/A (2)ECS - cyclone (stack attached to exhaust of buffing section) (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 5 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 14.11.2017) Water (Effluents) : N/A Noise : N/A	07-03-2018 CTO may be granted	14-03-2018 Consent to Operate granted.
105	QURESHIS	SHOP NO.-8, NARMADA SHOPPING COMPLEX, ALAKNANDA GREATER KAILASH-II	19-02-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil	.	13-03-2018 Hard Copy of Consent Application is yet to be received. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details and issue	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

					Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Water Consumption: 2000 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Show Cause Notice for Closure for not applying for CTO.	
106	CAFETERIA AND CO. (A UNIT OF JUMBO RESTAURANTS PVT. LTD.)	G-14, SINGLE STOREY, VIJAY NAGAR	19-02-2018		RESTAURANT (98 SEAT). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Brief of the cases 1. ETP- Yes 2. ECS- N/A 3. D.G. set- 100 KVA 4. Plot area- 200 sq.yd. 5.Status of Ground Water Extraction-No a)Water consumption- 6500 L/day. b) Source of water:DJB (copy of water bill submitted) No. of seats 98 seats. MCD license valid upto 31.03.2018 Police license submitted.	Status of Test Report Effluent analysis report -Issued by DPCC lab on 12.02.2018. Parameters within limit. Emission monitoring report -N/A Noise monitoring report -N/A	13-03-2018 .	14-03-2018 Inspection be conducted.
107	BIKANERWALA FOODS	10181-82,1ST FLOOR,ARYA SAMAJ ROAD, KAROL BAGH NEW DELHI-11005	20-02-2018		Restaurant with bakery Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- N/A 3. D.G. set- 1X320 KVA Plot Area-464.51 sq mt Date of commencement- 17.02.2017 Status of Ground Water Extraction: No 1. Water consumption: 15 KL/day.(Outside) a) Source of water: DJB (water bill submitted) Cat II. NDMC license submitted.	Effluent Analysis Report- Yes issued by DPCC on 13.10.2017. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report- issued by DPCC on 05.01.2018. Parameters are within prescribed limit.	09-03-2018 .	14-03-2018 Consent to Establish and Consent to Operate granted.
108	SOUTH INDIAN CORNER	SHOP NO. C-26, G.F. CSC NO.2, DDA MARKET, SECTOR-13, ROHINI	20-02-2018		Dhaba Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor	Orange Establish	Non-SPI		(1)ETP - OGT of capacity 250 L/Day (2)ECS - N/A (3)D.G.Set: Nil. Status of Ground Water extraction : Nil Source of Water: 300 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of	N/A	07-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.

					area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A			
109	CONNELL BROS. COMPANY INDIA PVT LTD	2ND FLOOR, ANUPAM TOWER, THE TIMES OF INDIA BUILDING, PLOT NO- 23A, SHIVAJI MARG, NAJAFGARH ROAD	20-02-2018		product development and testing at lab scale for cosmetic and food products In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 300 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	09-03-2018 -Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
110	SINGH FABRIC DYEING	C-204/2, PHASE-II, MAYAPURI INDUSTRIAL AREA	20-02-2018		JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 18000 Liters/Day (2000 Liters/Day (DJB) and 16000 Liters/Day (Outside)) Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: 1 D.G. set of capacity 125 KVA installed Status of Inspection : No	-	09-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

									SCN u/s 31(A)/33(A)/5 of EPA details : No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
111	ORIENT CRAFT LIMITED	B-16, PH-II, OKHLA INDUSTRIAL AREA	20-02-2018		Manufacture and Export of Readymade Garments with washing. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-04-2006 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)ECS - N/A Stack monitoring report dated 26-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 28-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 28-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Status of Ground Water extraction : Nil Water Consumption- 12 Kilo L/day (Source- Corporation, Tanker and Mineral Water) Trade Effluent Discharge- 2 Kilo L/day (Dispose in- Sewer) Domestic Effluent Discharge- 7 Kilo L/day (Dispose in- Sewer) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Stack monitoring report dated 26-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 28-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 28-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	13-03-2018 . Remarks/ATR on 13-03-2018 Expedite Inspection.	14-03-2018 Inspection be conducted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
112	NEERAJ TRADERS	PLOT NO. 28, POCKET-H, SECTOR-2, DSIIDC INDUSTRIAL COMPLEX, GROUND FLOOR, BAWANA INDUSTRIAL ESTATE, DELHI-110039	20-02-2018		Mfg. of Electrical Items (Cooler Fans, Pumps, Motors and Exhaust Fans etc) Electrical and Electronic Goods involving use of varnish Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150 sq mt Date of commencement- 15.02.2018 Status of Ground Water Extraction: No 1. Water consumption: 100 L/day a) Source of water: Outside (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
113	RAM DALL AND FLOUR MILL	PLOT NO 275, POCKET-D. SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	20-02-2018		DALL MILL Dal Mills	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes, Stack attached to bag house (Proposed) 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 15.03.2018 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-500 L/day Source- DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
114	LUCAS INDIAN SERVICES LTD	E-42/1,OKHLA INDUSTRIAL AREA, PHASE-2, NEW DELHII-110020	21-02-2018		SERVICING AND REPAIRING OF AUTO ELECTRICAL SPARE PARTS Automobile Repair and Servicing (without Washing)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Consumption of water: 0.03 KLD Source of Water: DJB Status of Inspection : Nil	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Unit submitted a representation on 05.03.2018 w.r.t to Letter dated 29.01.2018 along with photographs of ETP and informed that - -They have installed the ETP for washing of Bikes. -They have already obtained CTE. -They have applied for Effluent Analysis Report of ETP. -They will submit application for CTO	13-03-2018 A Letter was issued to unit on 29.01.2018 to submit application for CTO and Authorization under HWM Rules. Unit submitted a representation on 05.03.2018 w.r.t to Letter dated 29.01.2018 along with photographs of ETP and informed that - -They have installed the ETP for washing of Bikes. -They have already obtained CTE. -They have applied for Effluent Analysis Report of ETP. -They will submit application for CTO	14-03-2018 Inspection be conducted.

									SCN u/s 31(A)/33(A)/5 of EPA details : Nil		as soon as they receive the Test report of ETP.	
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Also, unit has requested to grant 30 days time to submit application for CTO.	
											Expedite Inspection.	
115	VARUN ENTERPRISES	M/S VARUN ENTERPRISES, KHASRA NO. 16/1/2 AND 17/2/2,NEAR SHANI BAZAAR, JAWAHAR NAGAR INDUSTRIAL AREA, DELHI-94	21-02-2018		stitching, cutting, finishing, packing only to make Automobile steering wheel cover, foot mats, seat covers at very small scale Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber) Rexine items (stitching only)	Green Establish	Non-SPI		1. ETP- N/A 2. ECS-N/A 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- N/A 6.. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	14-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.
116	HOTMESS (A UNIT OF ROSEWOOD CAFE PVT. LTD)	M-11,MIDDLE CIRCLE ,CONNAUGHT PLACE,NEW DELHI	21-02-2018		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water:Outside Water Consumption:8500 LPD Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP -ETP - Bio-logical (2)ECS - N/A (3)D.G.Set:N/A Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL	1) Effluent analysis report a) Effluent analysis report dated 08-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 -consent to operate may be granted.	14-03-2018 Consent to Operate granted.
117	ZABARDAST INDIAN KITCHEN (A UNIT OF DESTINATION CAFE (P) LTD)	E-13/29,GROUND FLOOR,HARSHA BHAWAN,CONNAUGHT PLACE,NEW DELHI	21-02-2018		Eating House 90 Seats. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/	Orange Operate	Non-SPI		water consumption: 6500 litre/day Year of commissioning:28.04.2017 Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A	1.Effluent analysis report: (a) Effluent analysis report dated 08-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.

					DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
118	GAUTAM METAL INDUSTRIES	PLOT NO.-108, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA	21-02-2018		DALL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Yes, Stack attached to Bag House of Dal Mill 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 01.03.2012 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source-DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report -N/A Emission Monitoring Report submitted on 22.11.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report -N/A	13-03-2018 .	14-03-2018 Consent to Operate(Renewal) granted.
119	PARTAP FOOD INDUSTRIES	PLOT NO.121, PKT-A, SEC-4 DSIIDC BAWANA INDL. AREA	21-02-2018		DALL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes, Stack attached to bag house. 3. D.G. set- N/A Plot Area-150 sq mt Date of commencement- March.2008 Status of Ground Water Extraction: No 1. Water consumption: 500 L/day a) Source of water: DSIIDC (water bill submitted).	Effluent Analysis Report- N/A Emission Monitoring Report -issued by DPCC lab on 22.11.2017. Parameters are within limits. Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Operate(Renewal) granted.
120	JAIN DHATU UDYOG	PLOT NO.-109, POCKET-C, SECTOR-3, DSIDC BAWANA INDUSTRIAL AREA	21-02-2018		DALL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Yes, Stack attached to Bag House of Dal Mill 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 01.03.2012 Status of Ground Water Extraction-No 1.Water consumption- 300 L/day Source-DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report -N/A Emission Monitoring Report submitted on 22.11.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report -N/A	13-03-2018 .	14-03-2018 Consent to Operate (Renewal) granted.

					rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				extraction :yes(CGWA permission not provided) MCD license: No Fire Safety Certificate : NO			
									Status of Pollution Control System (1)ETP: yes (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
124	736 A. D. (A UNIT OF MEHAR)	PLOT NO: G-15 AB, SECOND FLOOR, VIJAY NAGAR, SINGLE STOREY, DELHI	21-02-2018		RESTAURANT SERVICE PROVIDER Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 128 sq mt Date of commencement- 28.12.2015 Status of Ground Water Extraction: No 1. Water consumption: 1200 L/day.(Outside) a) Source of water: DJB (water bill submitted)Cat I MCD License valid upto 31.03.2016	Effluent analysis report- N/A Emission Analysis Report -N/A Noise Test Report- No	09-03-2018	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
125	HOTEL SANVI PALACE	268,MATA CHOWK MAIN VASANT KUNJ ROAD MAHIPALPUR	21-02-2018		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB CAT IIA (bill enclosed) Water Consumption: 3000 LPD Status of Ground Water extraction :no MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A	.	13-03-2018 - Consent to Establish may be granted to the unit.	14-03-2018 File be put up administratively.
126	HOTEL AVALON PALACE	PLOT NO. 1398,VILLAGE MAHIPALPUR BYPASS ROAD	21-02-2018		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed)	Orange Establish	Non-SPI		Source of Water:DJB Water Consumption: 5000 LPD Status of Ground Water extraction : yes (CGWA permission not provided) MCD license: No	.	12-03-2018	14-03-2018 File be put up administratively.

					(excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Fire Safety Certificate : NO Status of Pollution Control System (1)ETP: (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -Consent to Establish may be granted to the unit.			
127	FLEXON GRAPHICS	318, 1ST FLOOR PATPARGANJ INDUSTRIAL AREA, DELHI-110092	22-02-2018		Manufacturing of Aluminium Plates for Flexon Printing Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI		1. ETP- No 2. ECS- No 3. Water Consumption- N/A 4. Domestic Effluent- N/A 5. Trade Effluent- N/A 6. DG Set- N/A	-No Effluent Report found in the last six months from the date of application. -No Stack Monitoring Report found in the last six months from the date of application.	12-03-2018 Ask the unit to submit hard copy and inspection to be conducted.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
128	PARK MEADOWS	KHASRA NO. 445, 446 & 447, VILL. - HIRANKI, NEW DELHI-110036	22-02-2018		Hospitality Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP - ETP - Physiochemical of 10000L/D (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 5000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	12-03-2018 Hard copy of Consent application is not submitted. CTE may be granted	14-03-2018 Consent to Establish granted.
129	BALDEV INDUSTRIES	103, DSIIDC, PHASE-I, OKHLA INDUSTRIAL AREA	22-02-2018		MFG. OF COSMETIC ITEMS WITH TRADE EFFLUENT DISCHARGE.	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP ---- ETP - Yes	Stack monitoring report dated 30-01-2018 issued by DPCC submitted. Number of parameters	13-03-2018 As decided earlier Inspection to be carried out.	14-03-2018 Expedite inspection.

					Perfumes and Cosmetics (With Effluent Discharge) Use of Furnace (excluding Cupola / Arc/Induction Furnace)			Application Date 22-02-2018 Authorisation Status Pending	Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)ECS - N/A Stack monitoring report dated 30-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (3)D.G.Set- ...N/A... Status of Ground Water extraction : Nil Water Consumption- 700 L/day (Source-Outside Water) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	analyzed which are within limit- Yes Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	Remarks/ATR on 13-03-2018 Expedite Inspection.	
130	A S FOODS (34 CHOWRINGHEE LANE)	PROP. NO. 354, GROUND FLOOR, BLOCK - C, PKT - 8, SECTOR - 8, ROHINI	22-02-2018		Fast Food Outlet (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Oil and Grease trap of 330 Litres/day 2. ECS - N/A 3. D.G. Set - N/A 4. Status of Ground water extraction : Nil 5. Source of water - 100 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	N/A	12-03-2018 CTO may be granted	14-03-2018 Consent to Establish and Consent to Operate granted.
131	AMAN MOTORS	BLOCK-A, SHED NO-17, JHILMIL INDUSTRIAL AREA	22-02-2018		AUTOMOBILE WORKSHOP FOR WASHING AND REPAIRING.	Orange Operate	Non-SPI	HWM Application No. 1	1. ETP - Yes, ,design capacity of 2000 Liters/day 2. ECS - No. 3. D.G Set - Nil.	Analysis Report of water effluent was submitted by DPCC on 04.12.2017 and all the parameters are	12-03-2018 Recommended for Inspection.	14-03-2018 Inspection be conducted.

					Automobile Servicing and Repair Station with Washing Activity			Application Date 22-02-2018 Authorisation Status Pending	4. Water Consumption - 1.2 K L/Day and the source is Outside water. 5. Trade Effluent Discharge - 0.9 KL/Day and its mode of disposal is Public sewer 6. Domestic Trade Discharge - 0.15 KL/Day and the mode of disposal is Public sewer.	within the prescribed limit as per the report.		
132	NCC LIMITED	MSCS, REDEVELOPMENT OF GPRA COLONY, NAUROJI NAGAR	22-02-2018		Ready Mix concrete Bulk Cement Terminal (Storage) (100 Tonne and Above Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		- Total Plot Area : 10000 sqm - Total built up area : 2000 sqm - Proposed Date of commissioning of activity : 15-03-2018 - Total Water Consumption : 180000 l/day - Source of water supply : Others - Status of Ground Water extraction : nil - Status of Pollution Control System (1)ETP - N/A - Effluent analysis report dated - N/A submitted. (2)ECS - N/A - Stack analysis report dated - N/A (3)D.G.Set: Nil (a)Noise monitoring report of - N/A - (b) Stack monitoring report (for more than 1000 KVA) dated - N/A Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil - Environmental Clearance(EC) issued to the project namely Redevelopment of General Pool Residential Accommodation (GPRA) at Nauroji Nagar, New Delhi, to M/s NBCC India Ltd by MoEF & CC GoI, issued on 27.11.2017 and subsequently Consent to Establish issued by DPCC, on 17-01-2018 - As per project Report NCC has been awarded the contract for Redevelopment of GPRA Colony at Nauroji Nagar by	N/A	13-03-2018 - Consent to Establish may be granted.	14-03-2018 Consent to Establish granted with the condition as mentioned in the office order dated 27.12.2017.

									NBCC. To fulfill the requirement of concrete the NCC planned to install two numbers of batching plant of capacity 60 Cubic Meter /hour/ batching plant will have 4 nos of cement silos of 200 MT capacity each and one silo of fly ash of 150 MT capacity. - Copy of letter of award dated 09.10.2017, issued by NBCC India Ltd submitted.			
133	SHIV SONS ENTERPRISES	C-6, WAZIRPUR INDUSTRIAL AREA	22-02-2018		MFG. OF STAINLESS STEEL UNTENSILS WITH BUFFING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		(1)ETP - N/A (2)ECS - cyclone (stack attached to exhaust of buffing section) (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 100 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	No	07-03-2018 CTE may be granted and CA certificated not submitted by unit	14-03-2018 Consent to Establish granted.
134	SUNDER STEELS	C-6/1 WAZIRPUR INDUSTRIAL AREA	22-02-2018		BUFFING OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Cyclone (Stack attached to exhaust hood over pit furnace) (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 20 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 16.02.2018) Water (Effluents) : N/A Noise : N/A	07-03-2018 CTO(R) may be granted	14-03-2018 Consent to Operate(Renewal) granted.
135	HOTEL RAMA KRISHNA	A-67/1,MAHIPALPUR EXTN.NH-8	22-02-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Ground Water Cess provided) Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	- Effluent analysis report (a). Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Establish granted. Licenses from MCD and Fire Department are prerequisite for operating the unit. Hence, ask the unit to submit valid MCD license and Fire license. If unit submits the same and found in order, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
136	STREET KITCHEN	15 A/63 (G FLOOR) WEA, KAROL BAGH, NEW DELHI	22-02-2018		RESTAURANT HAVING 48 SEATS Restaurants /Eating	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- No/A 2. ECS- N/A	Effluent Analysis Report- No Emission Monitoring	09-03-2018 .	14-03-2018 Consent to Establish granted.

					houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				3. D.G. set- No Plot Area-130 sq mt Date of commencement- 09.01.2018 Status of Ground Water Extraction: No 1. Water consumption: 1000 L/day.(Outside) a) Source of water:DJB(water bill submitted) Cat II. MCD License submitted valid upto 31.03.2016.	Report -N/A Noise Monitoring report- N/A		
137	ON THE ROCKS (A UNIT OF GOLDLINES ENTERPRISES)	SHOP NO 179-182, RAJENDRA BHAWAN, DDA SHOPPING COMPLEX, RAJENDRA PLACE	22-02-2018		RESTAURANT (EATING HOUSE) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area-100 sq mt Date of commencement- 07.10.2016 Status of Ground Water Extraction: No 1. Water consumption: 0.6 KL/day.(Outside) a) Source of water: DJB (water bill submitted) Cat II. MCD license submitted valid upto 31.03.2017	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	09-03-2018 Remarks/ATR on 13-03-2018 SCN u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to you on 15.01.2018 based on the deficiencies observed during inspection dated 29.12.2017. Unit have submitted a representation 24.01.2018 stating that they have rectified all the deficiencies observed during inspection and have applied for CTE and soon will apply for CTO.	14-03-2018 Consent to Establish granted with the direction to apply for consent to operate within 15 days.
138	MANJEET METAL INDUSTRIES	I-16, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	23-02-2018		ALUMINUM CASTING THROUGH PIT FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mt Date of commencement- 17.02.2018 Status of Ground Water Extraction: No 1. Water consumption: 500 L/day a) Source of water: DSIIDC (water bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
139	SHIV SERVICE STATION	SECTOR-1, PH-I, DWARKA, PAPPANKALA	23-02-2018		Filling Cum Service Station. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved	Status of Pollution Control System (1)ETP - ETP - Physiochemical (a) Effluent analysis report dated 05-02-2018 issued by DPCC submitted. Effluent Test Report within limit : Yes.	(a) Effluent analysis report dated 05-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit : Yes. (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise	12-03-2018 Remarks/ATR on 13-03-2018 Expedite Inspection.	14-03-2018 Inspection be conducted.

								Authorisation Issue Date 27-03-2006 Authorisation Expiry Date 26-03-2008 HWM Application No. 2 Application Date 28-04-2008 Authorisation Status Pending HWM Application No. 3 Application Date 22-04-2010 Authorisation Status Approved Authorisation Issue Date 03-04-2013 Authorisation Expiry Date 21-04-2015 HWM Application No. 4 Application Date 03-02-2015 Authorisation Status Pending	Limit - Yes. All parameters analyzed which are within limit : Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. All parameters analyzed which are within limit: Yes. Status of Ground Water extraction : NIL Water Consumption: 5500 ltr/day (Source : DJB) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	monitoring report dated 07-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. All parameters analyzed which are within limit: Yes.		
140	GAURAV ENTERPRISES	B-3/2, 1ST FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-95.	23-02-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No 4. Water Consumption - 200 Liter/day and the source is purchase water. 5. Trade effluent discharge - nil. 6. Domestic effluent discharge - 150 liter/day and mode of disposal is sewer.	N/A	12-03-2018 Recommended to grant CTE and subsequently Inspection be conducted.	14-03-2018 Consent to Establish granted.
141	SWAD DESH VIDESH KA (A UNIT OF MT HOSPITALITY PVT LTD)	GROUND FLOOR FLAT NO 6 AND 8, CHIRANJIV TOWER 43, NEHRU PLACE	23-02-2018		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having	Orange Establish	Non-SPI		As per Consent Application, Status of Pollution Control System (1)ETP - N/A	N/A	13-03-2018 Hard Copy of the Consent Application is yet to be received.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory,

					seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Oil and Grease Trap- Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption- 1200 L/day (Source- Municipal) Trade Effluent Discharge- 500 L/day Domestic Effluent Discharge- 550 L/day (Dispose in- Sewer) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details and issue Show Cause Notice for Closure for not applying for CTO.	Consent to Establish be granted. If any deficiencies are found, query letter be issued.
142	AUTO INDUSTRIES	A-108, WAZIRPUR INDUSTRIAL AREA	24-02-2018		FORGING OF NON FERROUS/FERROUS ALLOY MAINLY AUTO PARTS 460-485 KG/DAY.(WITHOUT USING PNEUMATIC HAMMEARA AND MORE THAN 4 T HAMMER). Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Furance (Stack attached to exhaust hood over pit furnace) (3)D.G.Set: -Yes (Unit is having 1 DG set of capacity 140KVA Status of Ground Water extraction : Nil Source of Water: 1000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 26.12.2017) Water (Effluents) : N/A Noise : Test reports within norms (issued by DPCC on 05.01.2018)	07-03-2018 CTO(R) may be granted Remarks/ATR on 13-03-2018 As per Noise Monitoring Report of DPCC dated 05.01.2018 One D.G Set of 140 KVA installed with inadequate stack height.	14-03-2018 Issue letter for deficiencies. Also inspection be conducted.
143	PUNJABI DHABA	GROUND FLOOR SHOP NO -6/16 C S C-5 NEAR DDA MARKET BEHIND VEERA JAIN HOSPITAL, SEC 11 ROHINI	24-02-2018		DHABA Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without	Orange Establish	Non-SPI		(1)ETP - OGT of capacity 500 L/Day (2)ECS - N/A (3)D.G.Set: Nil. Status of Ground Water extraction : Nil Source of Water: 400 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.

144	SHREE SAINATH INDUSTRIES	M/S SHREE SAINATH INDUSTRIES KH. NO. 8/18/5, GALI NO.6 , LONI ROAD, JAWAHAR NAGAR INDUSTRIAL AREA, DELH-110094	24-02-2018		Boiler zip lock Pouches from fresh reliance dana-through Extrusion Molding along with printing (if required) w/o trade effluent Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Light Engineering work	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS-N/A 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- N/A 6.. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	14-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.
145	PARVESH KUMAR JAIN	PLOT NO-B-35/4, JHILMIL INDUSTRIAL AREA, DELHI-95	24-02-2018		COPPER WIRE DRAWING BY ANNEALING Copper Wire Drawing without Super Enamelling, pickling (Dry Process Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 50 L/Day, source is DJB/Corporation. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 25 L/Day and the mode of disposal is Drain.	N/A	12-03-2018 Recommended for CTE and subsequently inspection be conducted.	14-03-2018 Consent to Establish granted.
146	ARUN PLASTIC	PLOT NO-251, POCKET-I, SECTOR-5, DSIDC INDUSTRIAL AREA, BAWANA	24-02-2018		MFG. OF GRANULES/DANA FROM REPROCESSING OF PLASTIC/PVC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150 sq mt Date of commencement- 15.03.2018 Status of Ground Water Extraction: No 1. Water consumption: 350 L/day.(Outside) a) Source of water: DSIIDC (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
147	PARAM DI HATTI	SHOP NO-3, J-1/162, RAJOURI GARDEN	25-02-2018		EATING HOUSE WITH 20 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to /	Orange Operate	Non-SPI		Source of Water: DJB Water Consumption: 500 Liters/Day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no	.	14-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.

					Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
148	GANPATI PLASTIC UDYOG	PLOT NO-83, POCKET-B, SECTOR-4, DSIDC INDUSTRIAL AREA, BAWANA	25-02-2018		MFG. OF GRANULES/DANA FROM REPROCESSING OF PLASTIC/PVC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150 sq mt Date of commencement- 15.03.2018 Status of Ground Water Extraction: No 1. Water consumption: 350 L/day a) Source of water: DSIIDC (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
149	MOTI MAHAL DELUX (A UNIT OF M/S M.G. ENTERPRISES)	H-17/240-241, SECTOR-7, ROHINI	25-02-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP - OGT of capacity 1000 L/Day (2)ECS - N/A (3)D.G.Set: Nil. Status of Ground Water extraction : Nil Source of Water: 1400 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	07-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.
150	RAYMONDS PLASTICS	PLOT NO-126, POCKET-C, SECTOR-5, DSIDC INDUSTRIAL AREA, BAWANA	25-02-2018		MFG. OF GRANULES/DANA FROM REPROCESSING OF PLASTIC/PVC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-203.73 sq mt Date of commencement- 15.03.2018 Status of Ground Water Extraction: No 1. Water consumption: 350 L/day a) Source of water: DSIIDC (water bill not submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Establish granted.
151	SIALKOT SHOP	C-106/4, NARAINA INDUSTRIAL AREA, PHASE-I	26-02-2018		Engineering Works (With Buffing) Process Involving Buffing Light Engineering work	Green Operate	Non-SPI		Source of Water: DJB, CAT-II Total Plot Area : 178 Square meter Electricity Load 38 kW (TPDDL) Water Consumption : 1000 liter per day Source of Water : Delhi Jal Board (Copy of bill enclosed) Status of Ground Water extraction : Nil	1. Emission Monitoring Report (a) Emission Monitoring Report of Stack attached to exhaust of Buffing Section dated 16.02.2018 report are found within limit-yes	14-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.

									Status of Pollution Control System (1)ETP - N/A (2)ECS - Installed (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
152	CANTINO HOSPITALITY PVT. LTD.	SHOP NO 5, GROUND FLOOR, FIRST FLOOR AND SECOND FLOOR, HUDSON LANE, KINGSWAY CAMP	26-02-2018		RESTAURANT (48 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-45.72 sq mt Date of commencement- 03.07.2017 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day.(Outside) a) Source of water: Outside (water bill not submitted) MCD license valid upto 31.03.2018.	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018	14-03-2018 Consent to Establish granted.
153	HOTEL PALACE HEIGHTS (A UNIT OF KOLBROS)	D-26/28, CONNAUGHT PLACE	26-02-2018		HOTEL AND RESTAURANT(14 ROOMS FOR THE STAY OF GUESTS AND 1 NO OF RESTAURANT WITH SEATING CAPACITY 64 Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Renewal	Non-SPI		water consumption: 15000 litre/day Status of Pollution Control System (1)ETP ---- ETP - Biological (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 07-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 22-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 07-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. Noise monitoring report (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 19-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate (Renewal) may be granted. Remarks/ATR on 14-03-2018 -Unit has provided MCD License which is valid up to 31.03.2018. - consent to operate (renewal) may be granted.	14-03-2018 Consent to Operate(Renewal) granted.
154	ANUGRAH AGRO	GI-39, LAWRENCE ROAD INDL. AREA	26-02-2018		PROCESSING AND MANUFACTURING OF DALL AND BESAN.	Green Renewal	Non-SPI		(1)ETP - N/A (2)ECS - cyclone and Bag House	Test reports Air (Emissions) : Test reports within norms	07-03-2018 CTO(R) may be granted	14-03-2018 Consent to Operate(Renewal)

					Dal Mills				(3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	(issued by DPCC on 15.02.2018) Water (Effluents) : N/A Noise :N/A		granted.
155	RAM DAS SINGHAL	C-6, WAZIRPUR INDUSTRIAL AREA	26-02-2018		SHOT BLASTING ON ALUMINIUM PARTS Shot Blasting	Green Establish	Non-SPI		(1)ETP - N/A (2)ECS - Dust Collector (stack attached to exhaust of buffing section) (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 10 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	No	07-03-2018 CTE may be granted and Original CA certificate not submitted by unit.	14-03-2018 Consent to Establish granted.
156	CONCORDE MOTORS (INDIA) LIMITED	G-14, MANUFACTURERS COOPERATIVE INDUSTRIAL ESTATEMLTD UDYOG NAGAR PEERAGARHI CHOWK	27-02-2018		Service Station of cars with washing and paint booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 27-02-2018 Authorisation Status Pending	water consumption: 6500 litre/day Status of Pollution Control System (1)ETP -ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : DMF AND ACF (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate may be granted.	14-03-2018 Inspection conducted. ETP found operational and unit is complying HW Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
157	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, S-27, GREEN PARK, MAIN MARKET	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels	.	12-03-2018 Hard copy of CTE application not received so far. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

					Laundry without Boiler				are within limit / beyond limit. Status of Ground Water extraction :Nil Water Consumption: 500 ltr/day (Source: DJB) Month and Year of Commencement of Production : 08-06-2010 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
158	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO-30, COMMUNITY CENTER, PREET VIHAR	27-02-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP- YES 2. ECS- NO 3. DG SET- 62.5 KVA 4. Water Consumption- 500 L/day 5. Trade Effluent Discharge- 450 L/day 6. Domestic Effluent Discharge- 5 L/day	N/A	13-03-2018 Ask the unit to submit the hard copy of the consent application with all the requisite documents.	14-03-2018 Consent to Establish granted.
159	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, BUILDING NO-12, BLOCK NO-F-14,MODEL TOWN	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No	-	09-03-2018 -Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted.

								SCN u/s 31(A)/33(A)/5 of EPA details : No			
								Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
160	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PVR, ANUPAM SAKET, COMMUNITY CENTER, ASHOK VIHAR, SAKET	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Status of Ground Water extraction : Nil Water Consumption :500 ltr/day (Source: DJB) Month and Year of Commencement of Production : 29-11-2005 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	12-03-2018 Hard copy of CTE application not received so far. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
161	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP NO- M-83, GREATER KAILASH-II	27-02-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and /	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	13-03-2018 . Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

					or Laundry without Boiler				Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
162	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP NO- 6 , GF, COMMERCIAL SHOPPING COMPLEX, SHANTI NIKETAN	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : NIL Water Consumption: 500ltr/day (Source: DJB) Month and Year of Commencement of Production : 10-11-2004 Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	.	13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
163	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	J2/20, RAJOURI GARDEN, NEW DELHI	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		source of water: DJB water utilization : 500 LPD ground water status: No Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS : N/A (3)D.G.Set: N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	.	09-03-2018 -Consent to Establish may be issued to unit.	14-03-2018 Consent to Establish granted.
164	DELHI PAINTS CORPORATION	A-21, PHASE I, MAYAPURI INDUSTRIAL AREA	27-02-2018		MANUFACTURING OF PRINTING INK AND WAX POLISH (WITHOUT FLEXOGRAPHIC INK) Ink and Printing Ink (Excluding Flexographic Ink) without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-11-2004 Authorisation Status Approved Authorisation Issue Date 10-11-2004	water Consumption: 50 Litre/day ground water status: Nil Status of Pollution Control System (1)ETP : Installed (2)ECS : N/A	.	09-03-2018 -Inspection may be conducted as the unit engaged in the hazardous generating activity.	14-03-2018 Inspection be conducted.

								Authorisation Expiry Date 09-11-2006 HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 11-02-2013 Authorisation Status Approved Authorisation Issue Date 16-06-2014 Authorisation Expiry Date 10-02-2018 HWM Application No. 4 Application Date 26-02-2018 Authorisation Status Pending	(3)D.G.Set: N/A SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		
165	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 16, GF, COMMUNITY CENTRE, OKHLA- I	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of	. 13-03-2018 Hardcopy of application for CTE is yet to be received. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									EPA details : Nil			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
166	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO. G-24, FF, SOUTH EXT, PART- I	27-02-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	13-03-2018 Hardcopy of application for CTE is yet to be received. Remarks/ATR on 13-03-2018 Grant CTE.	14-03-2018 Consent to Establish granted.
167	MANOJ KUMAR AGGARWAL	B-46/1, 3RD FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-110095.	27-02-2018		COPPER AND ALUMINIUM WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process Wire Drawing (without Pickling/ Galvanizing)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 200 L/Day, source is purchase water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is sewer.	N/A	12-03-2018 Recommended to grant to CTE and subsequently Inspection be Conducted.	14-03-2018 Consent to Establish granted.
168	GAGAN METALS	1/359-C,GALI NO.3,FRIENDS COLONY INDUSTRIAL AREA	27-02-2018		COPPER AND ALUMINIUM WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process Wire Drawing (without Pickling/ Galvanizing)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 200 L/Day, source is Corporation. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is Sewer.	N/A	12-03-2018 Recommended to Grant CTE and subsequently Inspection be Conducted.	14-03-2018 Consent to Establish granted.
169	R.A. ENTERPRISES	29-B-30, GALI NOT.6, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA, DELHI-110095.	27-02-2018		COPPER AND ALUMINIUM WIRE DRAWING, ELECTRIC CABLES Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 220 L/Day, source is Purchase water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade	N/A	12-03-2018 Recommended to grant CTE and subsequently Inspection be Conducted.	14-03-2018 Consent to Establish granted.

					Wire Drawing (without Pickling/ Galvanizing) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)				Discharge - 150 L/Day and the mode of disposal is Sewer.			
170	RICH GRAPHICS AND PRINTERS	D-142-143, PHASE-I, OKHLA INDUSTRIAL AREA	27-02-2018		PRINTING PRESS (JOB WORK) WITH TRADE EFFLUENT DISCHARGE Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 24-07-2017 Authorisation Status Rejected Authorisation Refused Date 09-02-2018	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 80 KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : An inspection of the unit was carried out by Officials/ Representatives of DPCC on 08.11.2017 and following observations were made:- -Unit found Operational and Engaged in the activity of Offset Printing with Trade Effluent Discharge. -Unit has Installed ETP at Rooftop in dismantle Condition. -Trade Effluent generated from the activity of Plate making by CTP is being discharged without any treatment. -Unit is not complying with the Provisions of HWM Rules, 2016. -Unit is having 1 DG set of Capacity 80 KVA with acoustic enclosure but having stack height of Nil mtr from acoustic level. -No wet sludge observed at site however dry sludge stored in PVC Container at Roof Top. SCN u/s 31(A)/33(A)/5 of EPA details : Issued to unit	.	13-03-2018 Remarks/ATR on 13-03-2018 Grant CTE .	14-03-2018 Consent to Establish granted.

									the premises & restoration of electricity/ water supply and allow time to get the Effluent testing of ETP and Noise Monitoring of D.G Set and submit the application for Consent to Operate.			
									In view of above and as decided, Permission for restoration of power supply, water supply & de-sealing of the unit was issued on 12.03.2018.			
171	THOMSON PRESS (INDIA)LTD.	B-315, PH-I, OKHLA INDUSTRIAL AREA	28-02-2018		GRAPHIC DESIGNING, SCANNING, COMPOSING AND DIGITAL PRINTING Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-02-2018 Authorisation Status Pending	As per Online Consent Application, Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 07-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Status of Ground Water extraction : N/A Water Consumption- 1000 L/day (Source- Municipal) Trade Effluent Discharge- N/A Domestic Effluent Discharge- 600 L/day (Dispose in- Sewer) Hazardous Waste Generated- 0.02 kg/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 07-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	13-03-2018 Hard Copy of the Consent Application is yet to be received. Remarks/ATR on 13-03-2018 Expedite Inspection.	14-03-2018 Inspection be conducted.
172	SUPREME CORRUGATORS PVT LTD	M/S SUPREME CORRUGATORS PVT LTD, AT PLOT NO. 8/3/1 &19/2,3 /18/2,22/1,23/1 , GALI NO. 8 &9 , JAWAHAR NAGAR INDUSTRIAL AREA, DELHI- 110094	28-02-2018		manufacturing of corrugated box Plain , printed , laminated , sheets, and all type of paper packaging with printing without effluent Printing without Trade	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS-N/A 3. D.G Set- Yes (82 KVA) 4. D.G Set Test Report- No 5. OLMS- N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified	14-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.

					Effluent Discharge Cardboard or corrugated box and Paper products(paper or pulp mfg excluded) Labels/ Stickers (without trade effluent discharge) Light Engineering work				6.. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : N/A		redevelopment area clearly mentioning the name and address of the unit in the said certificate.	Also inspection be conducted.
173	TATA STARBUCKS PVT. LTD.	SHOP NO. 45, 1ST & 2ND FLOOR, KHAN MARKET	28-02-2018		Coffee House/ Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 1000 litre/day Year of commissioning: 20.12.2017 Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 05-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 05-02-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.
174	PARASNATH STEEL	A-98/3, G F WAZIRPUR INDUSTRIAL AREA	28-02-2018		HOT RE-ROLLING OF S.S. SHEETS (WITHOUT PICKLING). Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Yes (Stack attached to furnace) (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 200 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 27.10.2017) Water (Effluents) : N/A Noise : N/A	07-03-2018 CTO(R) may be granted	14-03-2018 Consent to Operate(Renewal) granted.
175	ARISTO CRATIC CAR SERVICES PVT. LTD.	A-290, PHASE-I, OKHLA INDUSTRIAL AREA	28-02-2018		SERVICING, REPAIRING AND WASHING OF CARS (WITH PAINTBOOTH). Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-02-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Yes Effluent analysis report dated 22-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A Stack monitoring report	Effluent analysis report dated 22-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-03-2018 . Remarks/ATR on 13-03-2018 Expedite Inspection.	14-03-2018 Inspection be conducted.

dated 05-02-2018 issued
by DPCC submitted.
Number of parameters
analyzed which are within
limit - Yes

(3)D.G.Set Noise Report :
1

The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-02-2018 issued by DPCC submitted.
Number of parameters analyzed which are within limit - Yes

Status of Ground Water extraction : Nil

Water Consumption- 2800 L/day (Source- Outside)
Trade Effluent Discharge- 1800 L/day (Disposed in- Sewer)
Domestic Effluent Discharge- 500 L/day (Disposed in- Sewer or drain or river)

Status of Inspection : An inspection of the Unit was carried out by DPCC Representatives on 26.12.2017 and following observations were made:

- Unit found operational and engaged in the Activity of Servicing, Repairing and Washing of Cars (with Paint Booth).
- Unit is not complying with provisions of Hazardous Waste Management Rules, 2016 i.e. Display Board not provided, Leak Proof Containers not Provided for Hazardous Waste, Storage Containers not marked with specific label, not kept in isolated area, not being stored on pucca floor and in covered area, starting/ending date not indicated on containers and also not maintained record of Hazardous Waste Management in Form-3.
- ETP installed and same found not functional.
- No wet and dry sludge observed at site.
- No flow meter installed at inlet and outlet of ETP.
- Logbook of ETP not maintained.

									-As informed unit is in operation since one month back. -Paint Booth and DG Set under Commissioning. -Unit is operating without having CTO and Authorization. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 15.01.2018 Unit has submitted a Representation w.r.t SCN on 13.02.2018 and informed that they have rectified deficiencies observed during inspection and are in process to submit the application for CTO and requested to grant time for the same. Now they have applied for CTO with test reports and required documents. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
176	RINU TAYAL	B-46/1, BASEMENT FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-110095.	28-02-2018		COPPER AND ALUMINIUM WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water consumption - 200 Liters/Day and source is purchase water. 5. Trade Effluent Discharge - nil. 6. Domestic effluent discharge - 150 Liters/Day which is disposed through sewer.	N/A	12-03-2018 Recommended to grant CTE and subsequently inspection be conducted.	14-03-2018 Consent to Establish granted.
177	REGENT INDUSTRIES	PLOT NO-A-5/14, 2ND AND 3RD FLOOR, JHILMIL INDUSTRIAL AREA, DELHI-95	28-02-2018		MFG. OF COPPER WINDING WIRE Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 120 L/Day, source is DJB/Corporation. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 25 L/Day and the mode of disposal is Drain.	N/A	12-03-2018 Recommended to grant CTE and subsequently Inspection be Conducted.	14-03-2018 Consent to Establish granted.
178	BAGGA LINK MOTORS LTD	389/395, FIE, PATPARGANJ INDUSTRIAL AREA	28-02-2018		SERVICE STATION OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 23-08-2004 Authorisation Status Approved Authorisation Issue Date 25-10-2004	1. ETP- Yes 2. ECS- Yes(Stack attached to paint booth) 3. Water Consumption-9000L/D 4. Domestic Effluent-800L/D	Stack Monitoring Report and Noise Monitoring Report has been submitted.	12-03-2018 Ask the unit to submit the hard copy and recommended for inspection. Remarks/ATR on 14-03-2018 As per the	14-03-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Directions for closure be made infructuous as per office order dated 02.08.2017.

								Authorisation Expiry Date24-10-2006 HWM Application No.2 Application Date07-12-2006 Authorisation StatusPending HWM Application No.3 Application Date10-01-2011 Authorisation StatusApproved Authorisation Issue Date03-12-2012 Authorisation Expiry Date09-01-2016 HWM Application No.4 Application Date28-02-2018 Authorisation StatusPending	5. Trade Effluent- 8000L/D 6. DG Set- N/A		committee decision on 06.12.2017 Consent to Establish was issued to the unit on 12.12.2017 and an inspection by the DPCC officials was conducted on 13.12.2017 and following were observed: 1. The service station was found operative. 2. ETP was found in operation. Flocs formation in the chemical mixing tank was seen in sufficient quantity indicating operation of ETP. In sludge drying bed, dry as well as wet sludge was found in two chambered SDB. 3. The portion towards green/railway line side where previously dumping/burning of garbage was seen has been found cleaned and laid with new earth top on which M/s Bagga Link Motors Ltd. has also planted with english grass. 4. The process emissions from spray painting channelized and ducted through a stack and exhaust system about 30 feet from the ground level. 5. HW room with proper display and singage found installed near washing area. 6. Log book of ETP found maintained.	
179	HIMGIRI AUTO (INDIA) PVT. LTD.	B-38, JHILMIL INDUSTIAL AREA	01-03-2018		Repairing Denting and Painting Automobile Repair and Servicing (without Washing) with oil fired Paint	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 500 L/Day, source is outsource. 5. Trade Effluent Discharge	N/A	13-03-2018 Recommended for CTE and subsequently inspection be conducted.	14-03-2018 Consent to Establish granted.

					Booth				- Nil 6. Domestic Trade Discharge - 400 L/Day and the mode of disposal is sewer.			
180	ANSHUMAN GUEST HOUSE	KHASRA NO. 384/3,PLOT NO.A-120/1 A BLOCK ROAD NO. 3	02-03-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption: 2000 LPD Status of Ground Water extraction :NIL (CGWA permission not provided) MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP: installed (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No -Consent to Establish may be granted to the unit.	.	12-03-2018	14-03-2018 File be put up administratively.
181	HOTEL CLASSIC PARK	E-52, KHASRA NO 552, NEAR CORPORATION BANK, MAHIPALPUR EXTN	02-03-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB(CAT II) Water Consumption: 3000 LPD Status of Ground Water extraction :YES (CGWA permission not provided) MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP : yes (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :NO SCN u/s 31(A)/33(A)/5 of EPA details :NO Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	1) Effluent analysis report a) Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018	14-03-2018 Consent to Establish granted. Licenses from MCD and Fire Department are prerequisite for operating the unit. Hence, ask the unit to submit valid MCD license and Fire license. If unit submits the same and found in order, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

182	HOTEL VIVA PALACE	L-74,STREET NO.7,MAHIPALPUR EXTN.	03-03-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Ground Water Cess provided) Water Consumption: 10000 Liters/Day Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	1. Effluent analysis report (a) Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Establish granted. Licenses from MCD and Fire Department are prerequisite for operating the unit. Hence, ask the unit to submit valid MCD license and Fire license. If unit submits the same and found in order, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
183	AIRPORT HOTEL SINON	PLOT NO.1250/1,KHASRA NO.1024,GALI NO.6 MAHIPALPUR EXTN.	03-03-2018		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water:DJB Water Consumption: 5000 LPD Status of Ground Water extraction : YES(CGWA permission not provided) MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1) Effluent analysis report a) Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 .	14-03-2018 Consent to Establish granted. Licenses from MCD and Fire Department are prerequisite for operating the unit. Hence, ask the unit to submit valid MCD license and Fire license. If unit submits the same and found in order, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
184	M.S. ENTERPRISES	A-115(GROUP) BACKSIDE(1ST FLOOR & TOP FLOOR),WAZIRPUR INDUSTRIAL AREA	04-03-2018		Stainless Steel Utensils (With Buffing) only Job Works Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		1. ETP - N/A 2. ECS - N/A 3. D.G. Set - N/A 4. Status of Ground water extraction : Nil 5. Source of water - 20 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	N/A	12-03-2018 CTE may be granted	14-03-2018 Consent to Establish granted.
185	R.K. BERI & SONS	B-292 OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI -110020	04-03-2018		Manufacturing of industrial knives Hardening by Oil	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP ---- N/A	.	13-03-2018 Hard Copy of Consent Application is yet	14-03-2018 Consent to Establish granted. Subsequently, inspection be

									Rules, 2016. The Unit also requested to be granted 15-20 days days time. SCN u/s 33(A)/5 of EPA details : Issued on 18.01.2018 unit submitted its representation on 20.02.2018 w.r.t SCN dated 18.01.2018 and informed that -Isolated storage room with pucca floor for storage of leak proof container and display board have been provided. -Unit has applied for CTE Also unit is in process of applying for CTO and requested to withdraw SCN & grant 20 to 30 days time for submission of CTO and Authorization along with required documents. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
186	CHENNAI JUNCTION	G-3, PLOT NO-7, GROUND FLOOR L.S.C. PANKAJ PLAZA BLOCK SURAJMAL VIHAR	04-03-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP- NO 2. ECS-NO 3. DG SET- NIL 4. Water Consumption- 1500 L/day 5. Trade Effluent Discharge- 1200 L/day 6. Domestic Effluent Discharge- 400 L/day	N/A	13-03-2018 Ask the unit to submit the hard copy of the requisite documents and subsequently inspection be conducted.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
187	QAFILA RESTAURANT	HS-26, FIRST FLOOR, KAILASH COLONY MARKET,	04-03-2018		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36)	Orange Establish	Non-SPI		As per Online Consent Application, Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	N/A	13-03-2018 Hard Copy of the Consent Application is yet to be received. Remarks/ATR on	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query

					/ Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption- 2500 L/day (Source- Municipal) Trade Effluent Discharge- 1600 L/day Domestic Effluent Discharge- 300 L/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		13-03-2018 Grant CTE subject to submission of hard copy application and full details and issue Show Cause Notice for Closure for not applying for CTO.	letter be issued.
188	NAVEEN FOUNDRY WORKS	PLOT NO 9/102, GALI NO 9, ANAND PARBAT INDUSTRIAL AREA	05-03-2018		Small Foundry (pit furnace) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI		water consumption:30 litre/day Year of commissioning:01.04.1980 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	09-03-2018 .	14-03-2018 Consent to Operate(Renewal) granted. Subsequently, inspection be conducted.
189	PRIYANKA FOOD JUNCTION	B-35, GROUND FLOOR, GURU NANAKPURA LAXMI NAGAR	05-03-2018		RESTAURANT (20 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less	Orange Operate	Non-SPI		1. ETP-No 2. ECS- No 3. Water Consumption - 2000 L/day 4. Domestic Effluent Discharge - 300 L/day 5. Trade Effluent Discharge - 1700 L/day 6. DG Set - NIL 7. Stack Height - 3.5 meters.	N/A	13-03-2018 Ask the unit to submit the hard copy along with all the requisite documents.	14-03-2018 Inspection be conducted.

					than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
190	ALLURING EVENTS AND ENTERTAINMENT PVT. LTD. (LUTHRA FARM)	KH NO. 1010, 1011 AND 1038, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	05-03-2018		Party Lawn for Marriage And Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Yes Plot Area- 12141 sq mt Date of Establishment/ Commenceent- 01.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14.10.2016 and findings are as follows- 1. Party lawn is operational and preparations for party functions including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed yo treat the waste water generated from party lawns. 4. 2 borewell connection exisit and in use without permission from Competent Authority. 5. Kitchen emission not channelised. SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to	.	13-03-2018	14-03-2018 Inspection be conducted.

									establish valid upto 19.02.2018. Status of Test Report Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A			
191	MANOJ KUMAR TAYAL	B-46/1, 1ST FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-110095.	05-03-2018		COPPER AND ALUMINIUM WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process Wire Drawing (without Pickling/ Galvanizing)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 200 L/Day, source is purchase water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is Sewer.	N/A	13-03-2018 Recommended to grant CTE and subsequently inspection be conducted.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
192	MAHADEV CABLE INDUSTRIES	PLOT NO-151, POCKET-G, SECTOR-3, DSIDC INDUSTRIAL AREA, BAWANA	05-03-2018		MANUFACTURING OF WELDING CABLE (WITH BOILER) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot) with Boiler Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 500 sq mt Date of Establishment/ Commencement- 15.04.2018 Status of Ground Water Extraction-No 1.Water consumption-350 L/day Source-Outside (Bill not submitted)	.	12-03-2018 .	14-03-2018 Consent to Establish granted.
193	M.G. ENTERPRISES	PLOT NO A-86, KESHOPUR INDUSTRIAL AREA, VIKASPURI	06-03-2018		Die Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		water consumption:20 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	09-03-2018 -Consent to Operate may be granted.	14-03-2018 Consent to Operate granted.
194	MODERN DYEING PVT. LTD.	C-2/12, PHASE-II, MAYAPURI INDUSTRIAL AREA	06-03-2018		JOB WORK OF WASHING OF READYMADE	Orange Establish	Non-SPI	HWM Application 1	source of water: DJB water utilization : 24000 LPD	.	09-03-2018 -Consent to Establish may be	14-03-2018 Consent to Establish granted.

					GARMENTS WITH SPRAY AND GAS FIRED BOILER Readymade Garment with Electric/ Gas fired boiler (with Washing) Spray Painting, Paint Baking, Paint Stripping			No. Application Date 01-10-2008 Authorisation Status Pending HWM Application No. 2 Application Date 10-05-2012 Authorisation Status Approved Authorisation Issue Date 18-07-2012 Authorisation Expiry Date 09-05-2017	ground water status: Nil Status of Pollution Control System (1)ETP : Installed (2)ECS : N/A (3)D.G.Set: N/A SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		issued to unit.	
195	S. L. METALS	1/359-D, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA	06-03-2018		COPPER AND ALUMINUM WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2 Application Date 07-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 15-03-2010 Authorisation Status Approved Authorisation Issue Date 20-06-2013	1. ETP - No 2. ECS - No 3. D.G Set - No 4. Water Consumption - 200 L/Day and the source is corporation. 5. Trade Effluent Discharge - nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is sewer.	N/a	12-03-2018 Inspection be conducted.	14-03-2018 Inspection be conducted.

								Authorisation Expiry Date	14-03-2015			
								HWM Application No.	4			
								Application Date	13-03-2015			
								Authorisation Status	Pending			
196	JAPAN ART PRESS	A-11, NARAINA INDUSTRIAL AREA PHASE - II	06-03-2018		Printing (Without Trade Effluent Discharge). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No.	1	water consumption:600 litre/day Status of Ground Water extraction :nil	09-03-2018 -Consent to Operate may be granted.	14-03-2018 Inspection be conducted.
							Application Date	07-07-2004	Status of Pollution Control System			
							Authorisation Status	Approved	(1)ETP - N/A			
							Authorisation Issue Date	03-08-2004	(2)ECS - N/A			
							Authorisation Expiry Date	02-08-2006	(3)D.G.Set: N/A			
									Status of Inspection :no			
							HWM Application No.	2	SCN u/s 31(A)/33(A)/5 of EPA details :no			
							Application Date	12-07-2006	Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
							Authorisation Status	Pending				
							HWM Application No.	3				
							Application Date	05-08-2010				
							Authorisation Status	Approved				
							Authorisation Issue Date	16-05-2013				
							Authorisation Expiry Date	04-08-2015				
							HWM Application No.	4				

water consumption:600 litre/day

Status of Ground Water extraction :nil

Status of Pollution Control System

(1)ETP - N/A

(2)ECS - N/A

(3)D.G.Set: N/A

Status of Inspection :no

SCN u/s 31(A)/33(A)/5 of EPA details :no

Closure directions u/s 31(A)/33(A)/5 of EPA details :no

09-03-2018

-Consent to Operate may be granted.

14-03-2018

Inspection be conducted.

								Application Date 08-03-2018 Authorisation Status Pending				
197	AGGARWAL & ASSOCIATES	PLOT NO. 135, POCKET - G, SECTOR - 2, BAWANA INDUSTRIAL AREA	06-03-2018		Printing (without trade effluent discharge) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS-N/A 3. D.G. set-N/A Plot Area-142 sq mt Date of Establishment/ Commencement- 01.04.2018 Status of Ground Water Extraction-No 1.Water consumption-140 L/day Source-DSIIDC (Bill submitted) Inspection status- No	.	12-03-2018 .	14-03-2018 Consent to Establish granted.
198	HOTEL SARAVANA BHAVAN(A UNIT OF THANIGAI MURUGAN RESTAURANTS (P) LTD)	P-13/90, IST FLOOR, CANNUAGHT PLACE	06-03-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		source of water: DJB water utilization : 4500 LPD ground water status: No Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS : N/A (3)D.G.Set: N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	.	09-03-2018 -Consent To Establish may be issued to unit.	14-03-2018 Consent to Establish granted.
199	COLD SMITHS RETAIL SERVICES PRIVATE LIMITED (NIRULA S)	E-128, AMAR COLONY, LAJPAT NAGAR-IV,	06-03-2018		RESTAURANT SERVICES Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption- 900 L/day (Source- 300 L/day DJB and Others- 600 L/day) Date of Commecment- 02.04.2018	.	13-03-2018 Hard Copy of Consent Application not yet received. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy application and full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
200	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 7, LSC, (NEAR SAMACHAR APPARTMENTS) MAYUR VIHAR EXT	07-03-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP- YES 2. ECS- NO 3. DG SET- 62.5 KVA 4. Water Consumption- 500 L/day 5. Trade Effluent Discharge- 450 L/day 6. Domestic Effluent Discharge- 5 L/day	N/A	13-03-2018 Ask the unit to submit the hard copy of the consent application with all the requisite documents.	14-03-2018 Consent to Establish granted.
201	SKYLARK OFFSET PVT. LTD.	C-65/3, PH-II, OKHLA INDUSTRIAL AREA	07-03-2018		PRINTING PRESS (without Trade Effluent Discharge). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 07-08-2006 Authorisation Status Pending HWM 3	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 400 Liters/Day (Source - Other) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		13-03-2018 Hard Copy of Consent Application not yet received. Remarks/ATR on 13-03-2018 Expedite inspection.	14-03-2018 Inspection be conducted.

								Application No. Application Date 08-08-2008 Authorisation Status Pending HWM Application No. 4 Application Date 19-07-2010 Authorisation Status Approved Authorisation Issue Date 30-05-2013 Authorisation Expiry Date 18-07-2015 HWM Application No. 5 Application Date 07-03-2018 Authorisation Status Pending				
202	BURGERKING (A UNIT OF BURGER KING INDIA PVT. LTD)	PLOT NO-F-15, VIJAY BLOCK, LAXMI NAGAR, SAHADRA, NEW DELHI	08-03-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Physio-chemical, capacity of 7000 Liters/Day. 2. ECS - No 3. D.G Set- 01, capacity of 125 KVA. 4.Source of water supply - Municipal Authority (8400 Liters/Day). 5. Quantity of waste generated -6000 Liters/Day (900 Liters/Day for Domestic and 6000 Liters/day for Industrial),which is disposed through public sewer. 6. Fuel - HSD. 7. East Delhi Municipal Licence -yes, which was valid up to 31.03.2017. -The inspection of the unit was conducted on 25.01.2018 and following were the observations: 1. The unit/outlet found in operation. The outlet	N/A	13-03-2018 Ask the unit to submit the hardcopy of the requisite documents.	14-03-2018 Wait for reply. Case deferred.

									consists of 120 seats capacity in ground floor and first floor. 2. The waste water generated from washing of utensils being used for preparation of foods and storage of food stuffs. 3. The washing area is at ground floor backside for the treatment of trade effluent generated during washing process. 4. The treatment unit consists of stainless steel, compacted unit for screening of large chunks of discarded food items and small chamber for grease separation. The other ETP unit consists of reaction cum settling tank, clear water storage tank DMF, ACF followed by one SDB in the basement. 5. ETP found defunct as septic condition prevails in the reaction cum settling tank. 6. Channelization system for dispersion of process emissions found installed and being dispersed through a common duct above the building roof. -Show cause notice for refusal of consent and show cause notice for closure of the unit was issued to the unit on 09.03.2018. However, reply awaited.			
203	SAAV HOSPITALITY	PLOT NO 2, SHAMBHU DAYAL MARG, OUTER RING ROAD, ADJACENT TO NSIC/OKHLA METRO STATION, KALKAJI ROAD	08-03-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		As per Online Consent Application, Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set: Unit is having 1 DG Set- 250 KVA Status of Ground Water extraction : N/A Water Consumption- 15000 L/day (Source- Muncipal) Trade Effluent Discharge- 10000 L/day Domestic Effluent Discharge- 2500 L/day (Dispose in- Sewer)	.	13-03-2018 Hard Copy of the Consent Application is yet to be received. Remarks/ATR on 13-03-2018 Grant CTE subject to submission of hard copy of application with full details.	14-03-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
204	L.R. DASS AND SONS	A-36, SHAHZADA BAGH INDUSTRIAL AREA	08-03-2018		REPROCESSING OF PLASTIC WASTE. Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes, Stack attached to suction hood. 3. D.G. set- No Plot Area-150 sq mt Date of commencement- 01.01.2018 Status of Ground Water Extraction: No 1. Water consumption: 500 L/day.(Outside) a) Source of water: Outside (water bill not submitted)	Effluent Analysis Report- No Emission Monitoring Report -Report issued by DPCC lab on 01.03.2018. Meeting the norms. Noise Monitoring report- N/A	13-03-2018 .	14-03-2018 Consent to Operate granted. Ask the unit to apply for registration on-line under Plastic Rules,
205	ASHVIN INDUSTRIES	B-259, PHASE-I, OKHLA INDUSTRIAL AREA	08-03-2018		MANUFACTURING OF AUTO ELECTRICAL AND ELECTRONIC PARTS Electrical and Electronic Goods involving use of varnish	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : nil water consumption : 400 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-03-2018 Unit has obtained Consent to Operate (Renewal) for the activity of mfg. of Auto Electric parts (without varnishing) valid upto 20.12.2027 under green category. Now they have submitted application for CTE for the activity of mfg. of auto electrical and electric parts with varnishing.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.
206	DOLAT TRADERS	1/342/A-1, GALI NO.1, FRIENDS COLONY INDUSTRIAL AREA	08-03-2018		COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE AND MFG. OF SUBERSIBLE WIRE.	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-09-2005	1. ETP - No. 2. ECS - Stack attached to Super Enamelling . 3. D.G Set - 2 no.s of capacity 82.5 KVA each. 4. Water Consumption -	Noise Monitoring Report was submitted by DPCC on 22.08.2017 and all the parameter are within the prescribed limit as per the record.	12-03-2018 Recommended for CTE and subsequently inspection be conducted	14-03-2018 Inspection be conducted.

					Copper Wire Drawing with Super Enamelling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)			Authorisation Status Pending HWM Application No. 2 Application Date 21-05-2010 Authorisation Status Approved Authorisation Issue Date 23-05-2013 Authorisation Expiry Date 20-05-2015 HWM Application No. 3 Application Date 20-04-2015 Authorisation Status Pending	150 L/Day, source is purchase water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 50 L/Day and the mode of disposal is Sewer.	Emission Monitoring Report was submitted by DPCC on 22.08.2017 and all the parameter are within the prescribed limit as per the record.		
207	THE BILLIARDIERS (REGD). (VEDA RESTAURANT)	H-26, TROPICAL BUILDING, CONNAUGHT CIRCUS, NEW DELHI-100001	09-03-2018		RESTAURANT AND BAR Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: NDMC connection Water Consumption: 3200 Liters/Day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: The unit has 1 D.G. Set(s) of 125 KVA	- Effluent analysis report: a). Effluent analysis report dated 29-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes - Noise monitoring report: a). Noise monitoring report dated 19-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 - Consent to Operate may be granted to the unit.	14-03-2018 Consent to Operate granted.
208	OKAYA POWER LIMITED	H-19, UDYOG NAGAR, ROHTAK ROAD	10-03-2018		TRADING AND BATTERY CHARGING. Battery Charging without trade effluent discharge	Orange Establish	Non-SPI		Source of Water:OTHER Water Consumption: 100LPD Status of Ground Water extraction :NIL Status of Pollution Control System (1)ETP: (2)ECS: N/A (3)D.G.Set: N/A	.	12-03-2018 -Consent to Establish may be granted to the unit.	14-03-2018 Consent to Establish granted. Subsequently, inspection be conducted.

									Status of Inspection : No			
									SCN u/s 31(A)/33(A)/5 of EPA details : No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
209	T. R. SAWHNEY MOTORS PVT. LTD.	A-191, PHASE-I, OKHLA INDUSTRIAL AREA	10-03-2018		SERVICING, REPAIRING AND WASHING OF CARS WITH PAINT BOOTH. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-03-2014 Authorisation Status Pending <				

									(2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
--	--	--	--	--	--	--	--	--	---	--	--	--