



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/14th Meeting /2018/9502-06 Dated: 9-5-

Subject: Minutes of the 14th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 27.04.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 14th Meeting of the aforementioned Committee, held on 27.04.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
- ✓ 2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC and take necessary action in view of general decisions of the said minutes.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 14th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, held on **27.04.2018 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 27.04.2018 is enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal upto 25.04.2018.

Decisions were taken online in these cases and list of 314 no. of units including decisions taken in these cases are at Annexure - I. 88 cases out of 314 cases (listed at Sl. No 1 to 88) were taken up by the Committee as per directions of Chairman of the Committee. Due to paucity of time, all the cases of this agenda could not be taken up and Committee decided to take up the remaining cases in the next CMC meeting.

In case of M/s Polygama Recycling LLP, C-15, DSIIDC Industrial Complex, Rohtak Road, Nangloi, New Delhi-110041, Committee decided to grant registration under Plastic Rules, 2016 with the condition that unit shall submit the certificate of registration from Industries Department, Govt. of NCT of Delhi within 03 months.

The Chairman of the Committee decided that in case of Hotels/Restaurants/Guest Houses operating in Mahipalpur, Consent to Establish / Consent to Operate shall be granted to all Hotels/Restaurants/Guest Houses who have submitted requisite documents including valid MCD and Fire licenses and complying with the environment norms.

The following General Decisions were taken in the meeting:-

- (i) DPCC has issued directions to units which are using diesel/oil as a fuel to switch over to Piped Natural Gas(PNG) by 15.03.2018 where PNG supply is available. It has come to the notice of Committee that IGL has still in process to provide meter to the consumer for supply of PNG. Therefore, Chairman of the Committee has decided to grant Consent with the condition that units shall switch over diesel/oil to PNG by 30.09.2018.

[Handwritten signatures and initials at the bottom of the page]

- (ii) A number of consent applications of activity of Plastic Bag Mfg. are pending. Chairman of the Committee has decided to grant Consent under Water Act and Air Act and registration under Plastic Rules, 2016 in case of Plastic Bag Mfg. units where samples of plastic bags found to be more than 50 microns with the condition that unit shall submit the certificate of registration from Industries Department, Govt. of NCT of Delhi within 03 months.
- (iii) A number of applications for registration under Plastic Rules, 2016 are pending in want of certification of registration from Industries Department. Chairman of the Committee decided to grant registration under Plastic Rules, 2016 to such units with the condition that unit shall submit the certificate of registration from Industries Department, Govt. of NCT of Delhi within 03 months.
- (iv) As per the office order dated 17.04.2017, regarding categorization based on the CPCB guidelines / categorization, some of the activities have been categorized from Orange to Green or Green to White (where no consent fee is required). It was apprised to the Committee that those units which have submitted consent fee earlier as per old categorization but now due to new categorization, the consent of such units are not being generated consent online as per earlier categorization. Chairman of the Committee decided to grant the Consent to such units under earlier categorization for which units have submitted consent fee. Therefore, IT Cell is directed to take necessary action in the online software accordingly.
- (v) As per the office order dated 17.04.2017, regarding categorization based on the CPCB guidelines / categorization, some of the activities have been categorized into White category where unit can apply only online in the form of prescribed undertaking and no consent fee is applicable for such activities. In this regard, Committee has decided that Incharge, CMC-I with the consultation of Incharges of other CMCs shall examine the matter and accordingly put up the matter of issuance of one time registration / certificate to white category cases.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

(S.M. Ali)
Member Secretary,
DPCC

(Satender Kumar)
SEE, CMC-V

(R.K. Sharma)
EE, CMC-III

(Dr. Chandra Prakash)
SEE, CMC-II

(M.S. Rawat)
EE, CMC-V

(Dr. Siddhartha Gautam)
EE, CMC-IV

(Dr. B.M.S. Reddy)
SEE, CMC-III

(Shyam Sunder)
EE, CMC-I

(Amit Chaudhary)
EE, CMC-III

(M. Arif)
SEE, CMC-IV

(Surender Singh)
EE, CMC-V

(Sunil Kumar)
EE, CMC-IV

(B.L. Chawla)
SEE, CMC-I

(Ramesh Charan)
EE, CMC-I

(K. Kumar)
EE, CMC-I



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 15th meeting on 27.04.2018 w.r.t. Agenda Item No 1 - 314 Pending Cases of Consent to Establish and Consent to Operate / Renewal upto 25.04.2018 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	WIPRO LIMITED	A-23, JOKD CORPORATE PARK MICE, MATHURA ROAD	02-12-2015	DPCC/EC/2/1/2015/12536	IT/ITES- Business Process Outsourcing Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Green Operate	Non-SPI				29-01-2016 DG Set- Yes (4 Nos.) Noise Monitoring Report - Not submitted Groundwater - Yes Water consumption - 80000 litres / day (Source - Groundwater & outside) A letter has been issued to Dy. Commissioner (South-East) on 19.11.2015 regarding closure / stoppage of borewell w.r.t. survey / inspection carried out in the matter of Manoj Mishra Case. Remarks/ATR on 17-04-2018 As approved on para 36 at N/-7 in file, inspection of the unit was carried out by officials of DPCC on 22.03.2018 and following observation were made: - During inspection unit found functional and engaged in the activity of IT/ITES (Information technology enabled services) - STP installed to treat waste water from the unit was functional. - Record/Logbook of the STP maintained properly. - Flow meter has also installed at outlet of STP. - DG set installed in the premises 4 Nos. having capacity of 1010 x 1, 500 x2 and 320 x 1 KVA installed in the separate acoustic enclosures with adequate stack height. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Unit was granted consent to Establish on 26.02.2015. Subsequently unit applied for CTO under green category, however the unit was categorized under Orange category with the approval of Member Secretary.	27-04-2018 Consent to Operate granted.

											Accordingly, category of the unit has been changed from Green category to Orange category. unit has submitted the necessary documents i.e Test report of STP, stack and noise monitoring of DG set.	
2	COLOR COMBINATION	H-19, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	29-03-2016	DPCC/EC/2/1/2016/14122	Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 01-07-2017 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Proposed (10KLD) 2. ECS- N/A 3. D.G. set- No Status of Ground Water Extraction:No 1. Water consumption: 10000 L/day. a) Source of water: Other source (copy of Other source not bill submitted) Status of Inspection: Yes Inspection was conducted on 12.01.16 by the officials of DPCC and inspection findings are as follows: 1. Unit found operating & engaged in the activity of Dyeing & washing of jeans without consent from DPCC. 2. One Coal fired boiler is in use causing air pollution. No ECS installed. 3. No ECS/Channelization provided over spray paint booths. 4. No ETP installed waste water is being discharged directly into sewer without any treatment. 5. HWM rules not complied with. 6. One borewell connection exists without permission from DJB/CGWA. Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 24.02.2016 Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorization issued on 29.04.2016 Reply received on 31.05.2016/14.06.2016 stated that ETP has been installed, coal fired boiler is converted into oil fired boiler, not doing any type of dyeing and engaged in washing of ready made garments only. Further stating that they are approaching the lab for getting test reports of ETP & boiler. Requested few days time to apply for Consent to Operate.	Test Reports: Air (Emission)-N/A Water (Effluent)-N/A Noise Test Report- N/A	24-06-2016 - Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 .	27-04-2018 Consent to Establish granted.
3	VAIDEHI INDUSTRIES	PLOT NO-86, POCKET-O, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	04-04-2016	DPCC/EC/2/1/2016/14179	Blending, Physical Mixing of Pigments and Additives Paint and Varnishes (Blending, Mixing)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-04-2016	1. ETP- N/A 2. ECS- N/A 3. D.G. set- N.A 4. Plot area- 100 Sq.meter 5.Establishment date- Feb, 2016 6.Status of Ground Water Extraction-No	Effluent analysis report - N.A Emission monitoring report - N.A	20-04-2017 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE)	27-04-2018 Inspection conducted. Unit is complying with HWM Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Pending Status	a) Water consumption- 100 L/day. b) Source of water: DJB (copy of water bill not submitted) SCN u/s 31(A) of Air & u/s 5 of EPA issued on 29.05.2015 issued in name of SHREE SAI PRINTERS in common file of plastic reporeprocessing case. Replied on 15.06.2015 stated that no unit in the name of Shree Sai Printers exists & no activity is going on in the unit related to wire drawing, PVC compound & electric cables. CTE applied on 13.08.2015 under orange category in the name of M/s Vaidehi Industries. Modified Direction u/s 31(A) of Air Act & u/s 5 of EPA giving 45 days time to apply for consent / authorization issued on 14.03.2016 to M/s Vaidehi Industries. Replied on 11.04.2016 stating that applied for CTO & under HWM rules	Noise monitoring report - N/A	on 13-03-2018	
4	RISHI BUILDCON PVT. LTD.	51/20 MIN, 51/19 MIN, 51/13 MIN, 51/13 MIN, 51/27, 51/14 MIN, 51/14 MIN, 51/14 MIN, 51/15 MIN, 50/10 MIN, 51/6, 51/7, 51/8, 51/9, 51/2, 51/1 MIN, VILLAGE BAKOLI	08-11-2016	DPCC/EC/2/1/2016/16384	HOTEL/MOTEL WITH PARTY LAWN Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- not connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. STP- Yes (photographs enclosed) 2. ECS- N/A 3. D.G. set- 1 x 125 KVA Plot Area-42,232 sq mt Date of Establishment/ Commencement- 01.10.2010 Status of Ground Water Extraction-No 1. Water consumption- 7800 L/day Source- Ground water (Bill not submitted) Inspection status- No MCD license issued on 24.11.2011 & valid upto 31.03.2017. Police license valid upto 31.03.2017. Consent to operate expired on 16.10.2014.	Effluent Analysis Report submitted on 27.09.2016 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report - N/A Noise Monitoring report submitted on 26.09.2016 issued by DPCC. Parameters are within prescribed limits.	28-07-2017 Recommendation / Action Taken Details (EE/AEE) on 27-04-2018	27-04-2018 Consent to Operate(Renewal) granted. Subsequently, inspection be conducted.
5	HINDUSTAN CONSTRUCTION CO. LTD	MUNIRKA ELEVATED CORRIDOR PROJECT NELSON MANDELA ROAD (OPP ONGC OFFICE)	17-11-2016	DPCC/EC/2/1/2016/16411	Munirka Elevated Corridor Ready Mix Concrete Plants (without trade effluent discharge)	Orange Operate	Non-SPI		Source of water:Outside (copy of bill enclosed) Water consumption: 5000 litre/dayStatus of Pollution Control System (1)ETP -Sedimentation Tank (2)ECS - N/A (3)D.G.Set: 2 D.G Sets of 125 & 30 KVA installed Status of Ground Water extraction :No Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Noise Monitoring report: (a) The unit has 2 D.G. Sets of 125 KVA and 30 KVA. Noise monitoring report dated 26-07-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ambient air monitoring report: (a) The unit has submitted ambient air monitoring report dated 27-10-2016 issued by Shri Ram Institute for Industrial Research submitted. Noise monitoring report within Limit - Yes	23-12-2016 Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 - As per office order w.r.t RMC Plants dated 27.12.2017, an inspection was carried out by DPCC officials on 04.04.2018. During inspection, following observations were made: 1. Unit found operational and engaged in the activity of Readymix Concrete Plant without trade effluent discharge. 2. Construction material i.e. concrete aggregates 10 and 20 mm and sand are fully covered. 3. Nozzle system provided to suppress the dust emissions. 4. Conveyor belt is covered which is used for transportation of the	27-04-2018 Consent to Operate granted.

											material. 5. Settling tank exists and its water is used for gardening and sprinkling purpose.	
6	BIKANERVALA FOODS PVT LTD	SHOP NO 102, FIRST AND SECOND FLOOR, ITL TWIN TOWER, B 9 SUBHASH PALACE PITAM PURA	21-11-2016	DPCC/EC/2/1/2016/16420	SHOP / RESTAURANT WITH 48 SEATING. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP: Oil and Grease Trap of capacity 1.5 KLD is provided (2)ECS: N/A (3)D.G.Set:Nil (4)Source of Water Supply:5 KLD from outside source (5)Date of commencement of production:04.05.2015(existing) Earlier, the unit was inspected on 16.09.2016 with reference to complaint received through PGMS. Show Cause Notice u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 18.10.2016 for not providing Oil & grease trap, not providing adequate stack height with channelization system and operating the unit without obtaining consent to Operate.The unit submitted its reply on 20.12.2016 along with an undertaking and informed that they have provided proper Oil & Grease trap and adequate Stack height with channelization system and also applied for Consent to Operate on 15.11.2016	Effluent analysis report issued by DPCC Lab dated 18-10-2016 is submitted and parameters are within limit.	06-07-2017 - Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 Inspection was carried out on 12.03.2018 and following were observed 1. Unit found operational and engaged in the activity of shop/restaurant with 48 seats. 2. Unit has installed one OGT at ground floor, same is found operational. 3. Channelization is provided in kitchen area with adequate stack height. 4. Ground floor is used for shop, kitchen and seating area. 5. First floor is used for storage.	27-04-2018 Consent to Operate granted.
7	CHICKEN BITE	G3, G/F, PLOT NO. 4, SURAJ MAL VIHAR, PREET VIHAR	29-11-2016	DPCC/EC/2/1/2016/16478	Fast food takeaway joint Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - Channelization system with kitchen (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Status of Inspection : Inspection of the unit was conducted on 30.06.2016 by the officials of DPCC and the following were observed:- 1. The unit was found in operation. 2. No oil and grease provided. The waste water generated from washing process being discharged into public sewer without any treatment. 3. One number of tandoor and two number of LPG burners found installed in the kitchen. 4. Channelization provided but duct and stack provided found inadequate in height. SCN u/s 31(A)/33(A)/5 of EPA details : Show Cause Notice was issued on 25.07.2016. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure was issued	N/A	08-12-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 02-02-2017 Inspection of the unit was conducted on 13.01.2017 by the DPCC officials and following were observed: 1. Restaurant found operative. 2. Oil & grease trap (portable) found installed and in working condition. 3. Stack has been found installed and about 6 feet from roof top. Suction & hood arrangement found installed over the tandoor and connected to the stack provided. Recommendation: Consent to operate may be granted.	09-12-2016 Inspection be conducted.

									on 18.10.2016 Temporary Revocation of direction was issued on 25.11.2016.			
8	MAHAVEER INDUSTRIES	PLOT NO S-19 BADLI INDUSTRIAL AREA	10-01-2017		MANUFACTURING OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes (Stack attached to exhaust hood over pit furnace) 3. D.G. set- N/A Plot Area-150 sq mt Date of Commencement- 01.04.2016 Status of Ground Water Extraction-No 1. Water consumption- 20 L/day. Source- Outside (bill not submitted) Status of Inspection- No	Effluent analysis report - N/A Emission monitoring report -Yes, issued by DPCC on 04.01.2017. Parameters are within prescribed limit. Noise Test Report-N/A	18-01-2017 - Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 show cause notice for refusal of consent issued on 15.11.2017, unit submitted representation on 18.11.2017 stating that they are using aluminium slab and ingot for manufacturing of aluminium circle.	27-04-2018 Consent to Operate granted.
9	SUPER WASH	J-218, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA	23-01-2017	DPCC/EC/2/1/2017/16875	JOB WORK OF WASHING OF READYMADE GARMENTS (WITH OIL FRIED BOILER). Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack attached to boiler) 3. D.G. set- No Plot Area- 150 sq.mt. Commencement Date- 11.08.2015 Status of Ground Water Extraction-No 1. Water consumption- 11000 L/day. a) Source of water- Outside (copy of water bill not submitted) Status of Inspection- Yes (21.09.2015) Show Cause Notice u/s 31 (A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 19.10.2015. Modified directions u/s 31 (A) of Air act, u/s 33 (A) of Water act and u/s 5 of EPA giving 45 days time to comply with the pollution control norms & to apply for consent & authorisation issued on 16.02.2016. Directions for Closure issued on 23.09.2016. Reply received on 26.10.2016 .2016 wherein the unit submitted the Security Bond of Rs. 5 lakhs along with the undertaking. Temporarily Directions for closure revoked issued on 22.11.2016 for 30 days for necessary testing/compliances & to apply for Consent to operate/authorization. Inspection conducted on 15.02.2017 Inspection findings are- 1. Unit found operating, engaged in the activity of washing of jeans. 2. ETP found installed (Batch process)and working. Wet sludge seen. 3. Diesel fired boiler found in use. 4. One borewell connection exist without permission from CGWA/DJB.	Water(Effluent) report-Yes, Report issued on 17.09.2016 by FICCI. Parameters are within prescribed limit. Emission monitoring report -Yes, Report issued on 16.08.2016 by FICCI. Parameters are within prescribed limit. Noise Test Report-N.A.	22-02-2017 - Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 .	27-04-2018 Consent to Operate granted.
10	KHUSHI WASHING	B-2317 DSIIDC INDUSTRIAL AREA	21-02-2017	DPCC/EC/2/1/2017/17086	Jobs work of Washing of Readymade garments (With oil fired boiler)	Orange Operate	Non-SPI	HWM 1	Status of Pollution Control system Devices-	Effluent Analysis Report submitted on 19.10.2016	05-04-2017 .	27-04-2018

		NARELA			Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping			Application No. Application Date Authorisation Status	20-02-2017 Pending	1. ETP-Yes 2. ECS-Yes 3. D.G. set- N/A Plot Area- 200 sq mt Date of Establishment/ Commenceent-23.08.2017 Status of Ground Water Extraction-No 1. Water consumption- 14000 l/day Source- Outside (Bill not submitted) Earlier, inspection was conducted by DPCC Lab w.r.t. NGT orders for lifting the effluent sample of unit. During visit by DPCC Lab officials, unit found operating and violating the norms as ETP was non-operational, etc. SCN for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 and u/s 5 of EPA was issued on 03.08.2016. Inspection was conducted on 28.03.2017 and following are the observation: 1. Unit is found operating & engaged in the activity of washing of Jeans. 2. ETP found installed but not in working condition and no wet & dry sludge seen. 3. One diesel fired boiler found exist with adequate stack height. 4. One borewell found exist without permission from DJB/ CGWA. 5. HWM rules are not complied with. Applied Authorization under HWM Rules on 21.02.2017.	issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 14.12.2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	Recommendation / Action Taken Details (EE/AEE) on 27-04-2018	Inspection conducted. ETP found operational unit is complying HWM Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
11	BALA PLASTIC INDUSTRIES	A-87/4, WAZIRPUR INDUSTRIAL AREA	20-03-2017		Manufacturing of Polythene Cover, Rolls and Plastic Packaging Material. Using fresh raw material with printing. Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. Application Date Authorisation Status	1 17-09-2015 Pending	ETP : N/A ECS :N/A D.G.Set:N/A Source of water supply :0.14 KLD from DJB		06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Unit was reinspected on 24.04.2018 by DPCC officials and following were observed: -Unit found in operation and engaged in the activity of manufacturing of plastic packing material with printing. -Thickness of sheets is measured with micrometer and it is found 60 to 70 micron. -HWM found as per rules. -As reported unit has applied for registration under plastic waste management Rules on 02.04.2018.	27-04-2018 Consent to Establish granted.
12	K. D. B UDOYG	A-110, PHASE II, MANGOLPURI INDUSTRIAL AREA	07-04-2017		ROTO GRAVURE PRINTING ON PLASTIC / POLYTHENE TUBES (PRINTED PACKAGING MATERIALS). Plastic Processed Goods Roto and Flexo Printing without trade effluent discharge	Orange Renewal	Non-SPI	HWM Application No. Application Date Authorisation Status	1 14-07-2004 Approved	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 200 L per day. Source- DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA	N/A	22-05-2017 Consent may be granted. Recommendation / Action Taken Details (EE/AEE) on 17-04-2018 An inspection was carried out on 16.03.2018 and found that: -Unit found operational and	27-04-2018 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

								Issue Date 2004 Authorisation 03-08- Expiry Date 2006 HWM Application No. 2 Application Date 10-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 09-04-2009 Authorisation Status Pending HWM Application No. 4 Application Date 09-04-2012 Authorisation Status Pending HWM Application No. 5 Application Date 07-04-2017 Authorisation Status Pending	details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A engaged in the activity of mfg. of packaging material. - Thickness of packaging material found 55 to 60 microns (measured by micrometer). - Unit has applied for registration under Plastic Rules. - Hazardous Waste Management found as per rules.	
13	DK BIKE SPARES & SERVICES LLP	61 NAJAFGARH ROAD (MOTI NAGAR DLF INDUSTRIAL AREA)	21-04-2017		Repairing and Servicing of motor bikes with greecing and washing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-04-2017 Authorisation Status Pending Source of water: NDMC Connection (copy of bill provided) Water Consumption: 3000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A -Inspection was carried out by representatives of DPCC on 22.05.2017. During inspection following observations were made: 1.During inspection unit found	1. Effluent analysis report: (a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 23-05-2017 . Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 - As per decision dated 09.02.2018, an inspection was carried out by DPCC officials on 05.04.2018. During inspection, following observations were made: 1. During inspection unit found operational. 2. ETP installed and was operational. 3. ETP log book found maintained. 4. No D.G. set. 5. HWM guidelines found followed. 6. Applied for CTO on	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									operational & engaged in the activity of repairing & servicing of motor bikes with grease & washing. 2. ETP found installed and same was found in defunct condition. 3. ETP log book not maintained. 4. No. D.G Set found installed within the premises. 5. HWM guidelines being not followed. 6. Applied for CTO on 03.04.2017		03.04.2017. - Consent to Operate may be granted to the unit.	
14	SINTEX SERVICE STATION	883, RITHALA INDUSTRIAL AREA, DELHI	28-04-2017		WASHING AND REPAIRING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-06-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (AR report dated 30.05.2014 from DTU) (2)ECS - Adequate stack Height provided with paint booth. (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 800 L per day, Source-Others Status of Inspection : 15.09.2016 SCN u/s 31(A)/33(A): Yes, dated 18.10.2016 Closure directions u/s 31(A)/33(A)/5 of EPA details: No	The unit has submitted ETP effluent analysis report dated 17-01-2017 and Paint booth stack monitoring report dated 06-04-2017	23-05-2017 The unit has submitted its reply on 07-11-2016 w.r.t SCN issued on 18.10.2016 u/s 33(A) of Water Act SCN for refusal of Consent and submitted that ETP is in operational condition and functional well within prescribed limit. No regular washing is going on workshop so that no water is being treated regularly. Paint booth for denting and painting have been installed. Proper drums for storage of hazardous waste are provided. Photographs of hazardous waste drums, paint booth and water meter for ETP are enclosed. The unit has also submitted that they have applied in Industry department for issuing Certificate regarding the unit located within the boundary of the notified redevelopment area with name and address, as soon as Industry department will issue they will submit in DPCC. No certificate from Industry department has been submitted by the unit so far. The old CTO application dated 15-01-2016 vide I.D. DPCC/EC/2/1/2014/8085 is pending. Remarks/ATR on 25-04-2018 An inspection was carried out by DPCC representatives on 17.04.2018 and following were observed: - Unit found Operational and engaged in the activity of washing and Repairing of Cars. - Unit installed ETP and Same found operational condition. Logbook found maintained. - Unit having 1 Paint booth with proper channelization having adequate stack height (2m roof level) - Unit is Complying with HWM Rules 2016. Remarks/ATR on 25-04-	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

											2018 An inspection was carried out by DPCC representatives on 02.02.2018 and following were observed: - Unit found Operational and engaged in the activity of washing and Repairing of Cars. - Unit installed ETP and Same found operational condition. Logbook found maintained. - Unit having 1 Paint booth with proper channelization having adequate stack height (2m roof level) - Unit is Complying with HWM Rules 2016. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 In response of SCN dated 06.03.2018, unit has submitted its reply on 14.03.2018 and submitted the certificate from the Industries department, Govt. of NCT of Delhi regarding its location within the boundary of the notified redevelopment area. Unit has also stated that ETP is installed and now fully functional (Photographs enclosed) and hazardous waste i.e used oil & ETP sludge is being stored in a separate room (photographs of Hazardous waste storage drums and rooms are also enclosed).	
15	MAHA GAURI STEEL	A-14, GROUP WAZIRPUR INDUSTRIAL AREA	06-05-2017		MFG. OF STAINLESS STEEL KITCHEN UTENSILS (WITH BUFFING). Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: (Dust collector and cyclone) Stack attached to exhaust of buffing section ETP: N/A D.G.Set: Nil Source of water: 0.06 KLD from other DJB	Air (Emissions) : Test reports within norms (issued by DPCC on 01.05.2017) Water (Effluents) : N/A Noise : N/A	01-09-2017 Earlier, the Consent to Operate was issued to the unit under orange category for Mfg. of stainless steels kitchen utensils(with buffing) which expired on 30/01/2014. In application form, details of cyclone type ECS is not given but emission monitoring report is submitted and uploaded. CTO expired on 30.01.2014 under Orange category. Fee Balance: Rs.2800 Recommendation: Letter may be issued to submit the balance fee. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Unit has submitted its reply on 05.04.2018 w.r.t SCN dated 01.03.2018 for discrepancies observed during the inspection carried out by DPCC representation on 11.12.2017 and informed that the blower motor was	27-04-2018 In view of inspection conducted on 26.04.2018. Consent to Operate (Renewal) granted.

										send to repair at the time of inspection dated 11.12.2017 and the unit was not operational and not operative at the time of inspection. at present ECS is duly operative with blower motor and is working properly. In view of above a inspection may be carryout.	
16	GODWIN LODGE	8501/15, ARAKSHAN ROAD, PAHARGANJ	23-05-2017		GUEST HOUSE (26 ROOMS WITH 73 BEDS) W/O KITCHEN AND LAUNDRARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	07-06-2017 Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Status of Pollution Control system Devices- 1. Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 140 KVA Plot Area- 251 sq mt Date of Establishment/ Commencement-15.01.2010 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 26 No of Beds- 73 Effluent Analysis Report -N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	27-04-2018 Consent to Establish granted.
17	GRAND GODWIN	8502/41, ARAKSHAN ROAD, PAHARGANJ	23-05-2017		GUEST HOUSE (39 ROOMS WITH 94 BEDS) W/O KITCHEN AND LAUNDRARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	07-06-2017 Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 263 sq mt Date of Establishment/ Commencement-17.05.2005 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 39 No of Beds- 94 Effluent Analysis Report -N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	27-04-2018 Consent to Establish granted.

										Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.		
18	G.D. FOODS MFG. (INDIA) PVT. LTD.	32 , S.S.I INDUSTRIAL AREA	02-06-2017		Manufacturing of Foods Products Pickles, Chutney & Murabba	Orange Renewal	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Representation received from the unit on 12.03.2018 on receiving the decision from DPCC website for refusal of consent for change of activity and stated that they have not changed the activity as mentioned in the application for renewal of consent and requested to grant the consent for the same activity.	27-04-2018 Consent to Operate(Renewal) granted.
19	HARI PIORKO GUEST HOUSE	4775, 4769, 4781 (PART)	07-06-2017		GUEST HOUSE (60 ROOMS WITH 111 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 679.52 sq mt Date of Establishment/ Commencement-14.11.2010 Status of Ground Water Extraction-No 1.Water consumption- 4000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 60 No of Beds- 111	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 14.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018 . 27-04-2018 Consent to Establish granted.	
20	HARI PIORKO INN	4778 A AND B, 4779, 4781, MAIN BAZAR, PAHARGANJ	07-06-2017		GUEST HOUSE (35 ROOMS WITH 65 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 190.56 sq mt Date of Establishment/ Commencement-17.12.2014 Status of Ground Water Extraction-No 1.Water consumption- 3000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 35 No of Beds- 65	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 14.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018 . 27-04-2018 Consent to Establish granted.	
21	GOLDEN WINGS	135-136-137, KRISHNA STREET, PAHARGANJ	13-06-2017		GUEST HOUSE WITH 20 BEDS (NOS. OF ROOMS-20). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. Oil and Grease Trap- N/A 2. ECS- Proposed 3. D.G. Set- No Plot Area- 210 sq mt Date of Commencement- 01.01.2015 Status of Ground Water Extraction-No 1.Water consumption- 1000 L/d. Source- DJB (Water Bill submitted) MCD License submitted and valid upto 31-03-2018 Police License submitted and Valid upto 31-03-2018 Status of Inspection-No No. of Beds- 20 No. of Rooms- 20	Effluent monitoring report -N/A Stack monitoring report- N.A Noise monitoring report N.A	27-04-2018 . 27-04-2018 Consent to Establish granted.	
22	MY INN	901, GALI CHANDIWALI, PAHARGANJ	13-06-2017		GUEST HOUSE WITH 56 BEDS (NOS. OF ROOMS-39).	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. Oil and Grease Trap- N/A	Effluent monitoring report -N/A	27-04-2018 . 27-04-2018 Consent to Establish granted.	

					Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler				2. ECS- Stack attached to Boiler 3. D.G. Set- 1 x 35 KVA Plot Area- 257.62 sq mt Date of Commencement- 01.07.2015 Status of Ground Water Extraction-No 1. Water consumption- 1500 L/d. Source- DJB (Water Bill submitted) MCD License submitted and valid upto 31-03-2015 Police License submitted and Valid upto 31-03-2017 Status of Inspection-No No. of Beds- 56 No. of Rooms- 39	Stack monitoring report- N/A Noise monitoring report N/A		
23	GRAND GODWIN	8502/41, ARAKSHAN ROAD, PAHARGANJ	19-06-2017		GUEST HOUSE (39 ROOMS WITH 94 BEDS) W/O KITCHEN AND LAUNDRY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 263 sq mt Date of Establishment/ Commencement-17.05.2005 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 39 No of Beds- 94 Effluent Analysis Report -N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018	27-04-2018 Consent to Operate granted.
24	GODWIN LODGE	8501/15, ARAKSHAN ROAD, PAHARGANJ	19-06-2017		GUEST HOUSE (26 ROOMS WITH 73 BEDS) W/O KITCHEN AND LAUNDRY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 140 KVA Plot Area- 251 sq mt Date of Establishment/ Commencement-15.01.2010 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 26 No of Beds- 73 Effluent Analysis Report -N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018	27-04-2018 Consent to Operate granted.
25	SWASTIK ENTERPRISES	B-23, LAWRENCE ROAD INDUSTRIAL AREA	26-06-2017		MFG. AND PRINTING OF PLASTIC BAGS. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	H/W Application No. 1	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil	N/A	07-07-2017 Hard copy is not submitted by the unit. Only first page of undertaking is uploaded.	27-04-2018 Consent to Operate (Renewal) granted. Application for

								Application Date: 08-08-2011 Authorisation Status: Pending HWM Application No.: 2 Application Date: 21-07-2017 Authorisation Status: Pending	Status of Ground Water extraction : Nil Source of water supply : 400 KLD from outside source Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	The unit has not applied for Authorization under Hazardous Waste Management rule, however unit has applied for authorization under HWM on 08-08-2011. Recommendations: The unit may be asked to submit the hard copy and apply for authorization under HWM rule. Recommendation / Action Taken Details (EE/AEE) on 13-04-2018 An inspection was carried out by DPCC officials on 12.04.2018 and found that: -Unit found operational and engaged in the activity of mfg. of packaging material. - Unit is manufacturing the plastic tubes through extruder. On measuring the thickness it is found 55 microns. - Unit has applied for registration under Plastic Rules. - Hazardous Waste Management found as per rules.	Authorization under HW Rules be kept in abeyance.
26	GIRIRAJ STEEL & CO.	A-102/6, WAZIRPUR INDUSTRIAL AREA	05-07-2017		Circles Cutting and Mfg. of S.S Utensils with Buffing	Green Establish	Non-SPI		ETP: N/A ECS: Proposed D.G.Set:Nil Source of water:0.03 KLD from outside Date of commencement of production:14.08.2017 Earlier,Revocation / withdrawal of deemed consent and Directions for closure were issued vide office letter dated 11.06.2015 in the name of M/s Shiva Steel, A-102/6, Wazirpur Industrial Area, Delhi-110052 engaged in the activity of Pickling and Cold Re-Rolling of S.S.Sheets. Earlier, landlord of the premises submitted security bond of Rs.1,00,000 (rupees 1 lakh) and an undertaking for storing the hazardous waste generated by M/s Shiva steel, non carrying of S.S. Pickling activity in future, and intent to rent out the premises to M/s Giriraj Steel & Co vide letter dated 13.04.2017 and requested to revoke the directions of closure and direct the officials for de-sealing and restoration of electricity. Earlier,Unit has submitted CTE application under Green category for the activity of Manufacturing of Stainless Steel utensils (without buffing activity) on 10.04.2017. Unit vide its letter dated 10.07.2017 informed that unit is planning to add buffing activity and submitted fresh CTE application for the activity of Manufacturing of Stainless Steel	11-08-2017 Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As per our policy CTE may be granted to the tenant unit and an order may be issued to de seal the premises and restoration of electricity/water connection to enable the tenant unit i.e M/s Giriraj steel to establish its plant and machinery in the premises.	27-04-2018 Consent to Establish granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.

									utensils (with buffing activity) on 05.07.2017.			
27	HARI PIORKO INN	4778 A AND B, 4779, 4781, MAIN BAZAR, PAHARGANJ	07-07-2017		GUEST HOUSE (35 ROOMS WITH 65 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 190.56 sq mt Date of Establishment/ Commencement-17.12.2014 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 35 No of Beds- 65	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 14.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018 .	27-04-2018 Consent to Operate granted.
28	HARI PIORKO GUEST HOUSE	4775, 4769, 4781 (PART)	07-07-2017		GUEST HOUSE (60 ROOMS WITH 111 BEDS) W/O KITCHEN AND LAUNDARY. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. set- Yes, 1 x 125 KVA Plot Area- 679.52 sq mt Date of Establishment/ Commencement-14.11.2010 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day Source-DJB (Bill submitted) Inspection status- No No of Room- 60 No of Beds- 111	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.06.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - submitted on 14.06.2017 issued by DPCC. Parameters are within prescribed limits.	14-03-2018 .	27-04-2018 Consent to Operate granted.
29	HARI PIORKO GRAND	4776, 4777, 4781 (PART), MAIN BAZAR, PAHARGANJ	21-07-2017		GUEST HOUSE (34 ROOMS WITH 48 BEDS) W/O KITCHEN AND LAUNDARY). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Rooms- 34 Kitchen - No Laundry - Boiler/HWG - No Water consumption - 4000 L/day Discharge - 3500 L/day ETP/OGT - No ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 10/06/2016 Unit is having Kitchen facility.	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring reports - No	09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 .	27-04-2018 Consent to Establish granted.
30	LOVELY WASH CARE COMPANY	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	03-08-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending	Hardcopy not submitted.	.	09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 .	27-04-2018 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
31	SATISH KUMAR	B-26, LAWRENCE ROAD INDUSTRIAL AREA	19-08-2017		MFG. AND PRINTING OF PLASTIC BAGS Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 06-10-2006 Authorisation Status Pending HWM Application 2	ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water.	.	01-09-2017 unit has not submitted hardcopy of Consent application Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Unit has submitted the balance consent fee i.e Rs 900 through net banking on 30.01.2018 (checked from software).	27-04-2018 Consent to Establish granted.

								No. Application Date 04-02-2011 Authorisation Status Pending HWM Application No. 3 Application Date 07-09-2017 Authorisation Status Pending				
32	CAFE BROWNIE	8502/41, ARAKASHA ROAD, PAHARGANJ	20-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Seats- 25 Kitchen - Yes Boiler/HWG - Water consumption - 100 L/day Discharge - 100 L/day ETP/OGT - Yes ECS - No DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 18/12/2013	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017 . Remarks/ATR on 26-04-2018 . Remarks/ATR on 26-04-2018 Unit was inspected on 22.03.2018 and observation are as follows Installed oil and grease trap found functional. Channelization system provided for kitchen emissions, having valid license from MCD and Delhi Police. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 .	27-04-2018 Consent to Operate granted.
33	THE INDIAN GRILL	8501/15, ARAKASHA ROAD, PAHARGANJ	20-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Seats - 25 Kitchen - Yes Boiler/HWG - Water consumption - 500 L/day Discharge - 400 L/day ETP/OGT - No ECS - No DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 18/12/2013	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	01-09-2017 . Remarks/ATR on 26-04-2018 Unit was inspected on 22.03.2018 and observation following Installed oil and grease trap found functional. Channelization system provided for kitchen emissions, having valid license from MCD and Delhi Police. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 .	27-04-2018 Consent to Operate granted.
34	SAFFRON RESTAURANT PVT. LTD.	8647, GROUND FLOOR, ARAKASHA ROAD, PAHARGANJ	21-08-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into	Orange Operate	Non-SPI		Hard copy not submitted.	.	01-09-2017 . Remarks/ATR on 26-04-2018 unit inspected on 22.03.2018. Oil and grease trap installed and functional. Provided channelization system for kitchen	27-04-2018 Consent to Operate granted.

				Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler						emissions. No D.G set in premises on unit, obtained Delhi police and MCD license.	
35	SATISH KUMAR	B-26, LAWRENCE ROAD INDUSTRIAL AREA	21-08-2017	MFG. AND PRINTING OF PLASTIC BAGS Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 2 Application Date 04-02-2011 Authorisation Status Pending HWM Application No. 3 Application Date 07-09-2017 Authorisation Status Pending	ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water Date of Commencement of production in Consent to Establish application is 21.08.2015, Whereas Date of Commencement of production in Consent to Operate application is 19.08.2017.		01-09-2017 Unit has not submitted hardcopy of Consent application Recommendation / Action Taken Details (EE/AEE) on 13-04-2018 An inspection was carried out by DPCC officials on 12.04.2018 and found that: -Unit found operational and engaged in the activity of mfg. of packaging material with flexoprinting. - Unit is manufacturing the plastic tubes through extruder. On measuring the thickness it is found 62 microns. - Unit has applied for registration under Plastic Rules. - Hazardous Waste Management found as per rules.	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
36	HARI PIORKO GRAND	4776, 4777, 4781 (PART), MAIN BAZAR, PAHARGANJ	29-08-2017	GUEST HOUSE (34 ROOMS WITH 48 BEDS) W/O KITCHEN AND LAUNDARY). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		01-09-2017 . Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 .	27-04-2018 Consent to Operate granted.
37	MAGIC AUTO PVT. LTD.	MAGIC AUTO PVT. LTD.	30-08-2017	Repairing Servicing with washing activity of car Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		01-09-2017 . Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Unit has submitted its representation on 06.04.2018 w.r.t SCN issued on 04.04.2018 and stated that: -DDA has already permitted DMRC & authorized DMRC to use lease/Sub-lease/license/Concession the land for raising revenue from property development. -Ministry of Urban Development, GOI has also permitted that Property Development on acquired land shall also be considered	27-04-2018 Consent to Establish granted.

											as part of the Project. -M/s Magic Auto Pvt. Ltd. is a license & allowed to open/run vehicle/showroom/workshop/ at the licensed premises & space allotted to M/s Magic Auto is a part of operational depot of Delhi Metro Airport Express Line where inspection, maintenance & stabling of rolling stock is being carried out on regular basis. -License obtained from DMRC, the land use and activity is same and Property Development as ministry of UD, GOI and does not violates the MPD-2021. Copy enclosed: -License agreement between M/s Magic Auto Pvt. Ltd. & DMRC limited for licensing of Bare space for commercial utilization. -Space licensed to M/s Magic Auto Pvt. Ltd by property Business Cell for Commercial. - Copy of approval letter submitted by unit regarding allotment of land to DMRC by DDA.	
38	LIFTECH INDIA PVT. LTD.	B-69/2 WAZIRPUR INDUSTRIAL AREA	06-09-2017		SERVICE STATION Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-10-2017 Authorisation Status Pending	Unit has not submitted hard copy of CTO application.	.	13-09-2017 . Remarks/ATR on 26-04-2018 Activity changed successfully, Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 17-04-2018 Unit has submitted its reply on 16.03.2018 w.r.t SCN dated 01.03.2018 and informed that Unit were unaware that paint booth is to be chosen individually, unit have not tried to hide or conceal any information from DPCC. Paint booth was not selected by mistake, Unit requested to change its activity in our record and grant Consent to Operate with paint booth. Approval has been taken from competent Authority to change the activity of unit, same is in process.	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
39	FIRE AND ICE RESTAURANT	4776 AND 4777, FF, MAIN BAZAR, PAHARGANJ	12-09-2017		EATING HOUSE WITH 49 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		No. of Seats - 49 Kitchen - Yes Boiler/HWG - No Water consumption - 600 L/day Discharge - 100 L/day ETP/OGT - Yes ECS - No	Status of Test Report Effluent Analysis Report- No Emission Monitoring Report- No	13-10-2017 . Remarks/ATR on 26-04-2018 Unit was inspected on	27-04-2018 Consent to Operate granted.

				Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				DG set - No MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 31.08.2012	Noise Monitoring reports - No	22.03.2018 and observation following Oil and grease trap found functional. Channelization system provided for kitchen emissions. Unit is having valid license from MCD and Delhi Police. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018	
40	THE LALIT NEW DELHI (A UNIT OF BHARAT HOTEL LIMITED)	BARAKHAMBHA AVENUE, CONNAUGHT PLACE	20-09-2017	Hotel Five Star. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		water consumption:500000 Liters/Day Status of Pollution Control System (1)ETP - Oil and Grease Trap,ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 4 D.G. Sets of 500 KVA,1500 KVA,1500 KVA and 1250 KVA Status of Ground Water extraction :300000 Liters/Day Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 07-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 07-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 11-09-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3.Noise monitoring report: (a) The unit has 4 D.G. Set(s) of 500 KVA,1500 KVA,1500 KVA and 1250 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 4 D.G. Set(s) of 500 KVA,1500 KVA,1500 KVA and 1250 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-09-2017 Decision will be taken after NGT inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Decision dated 13.12.2017 has been brought into the notice of Member Secretary, DPCC. Accordingly, Hotel has been asked to submit its compliance into review of last consent as well as NGT inspection if any. -Hotel has submitted its reply on 26.09.2017 along with hard copy of CTO (R) application and also informed the following: -They are replacing all existing mercury, solution, sodium vapor, incandescent, halogen and CFL bulbs with LED, Conversion work is completed almost 80 percent. -The installed ETP is properly maintained to treat the generated effluent. -They have also installed Emission Control System and maintain them properly. - The installed D.G Sets have proper acoustic enclosure & adequate stack height. -they are using treated water for cooling tower, gardening and delivery cleaning. -They are having 3 borewells registered with CGWA. -They have installed online monitoring system for STP treated water, for monitoring of parameters, BOD, COD, TSS, PH, etc. (copy provided)	27-04-2018 Consent to Operate(Renewal) granted.
41	HINDUSTAN CONSTRUCTION COMPANY LIMITED	M/S HINDUSTAN CONSTRUCTION COMPANY, CC-66 PROJECT OFFICE, NEAR DISTRICT HEALTH CENTRE, OPP. GOVT. GIRLS S.S.SCHOOL, DELHI GATE, NAJAFGARH	21-09-2017	Ready Mix Concrete Plants (without trade effluent discharge) Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Water Consumption: 14.03 KL/DAY (Source:Water Tanker) D.G Set : No Electricity load: 25KW Inspection of the area of Metro Construction near Najafgarh was carried out on 11.08.2017. Show Cause Notice u/s 33(A) of Water Act & u/s 31(A) of Air Acts details- yes issued to the unit on 18.08.2017. Notice for submission of Rs.5,00,000 as compensation and to take rectification	Ambient Air Analysis reports from DEMC Laboratory submitted. The results show that Respirable Suspended Particulate Matter are exceeding the NAAQS Limits.	14-12-2017 Inspection of the area of Metro Construction near Najafgarh was carried out on 11.08.2017. The Project of Metro has been taken by M/s HCC and following were the observations: 1.2 RMC Plant were operating without obtaining Consent from DPCC. 2. Dust Pollution was observed near road area. 3.Green Net around the	27-04-2018 Consent to Establish granted.

									measures to control dust pollution issued to the unit on 30.08.2017.		surrounding areas was provided at some places. 4. Wind breaking wall were provided at some places i.e. Near Govt. Girls School, Near Hanuman Mandir. Height of Barricades 1.5 meter, which is inadequate in height. Based on the deficiencies observed, Show Cause Notice u/s 33(A) of Water Act & u/s 31(A) of Air Acts issued to the unit on 18.08.2017. Notice for submission of Rs.5,00,000 as compensation and to take rectification measures to control dust pollution issued to the unit on 30.08.2017. Unit submitted its reply w.r.t the abovementioned Show Cause Notice on 04.09.2017 mentioning about the rectification measures being taken. Ambient Air Analysis reports of DEMC Laboratory Near the construction area submitted. The results show that Respirable Suspended Particulate Matter are exceeding the NAAQS Limits. Unit has applied for Consent to Establish on 21.09.2017 for the activity of Ready Mix Concrete Plants (without trade effluent discharge) with production capacity of 0.00048 Million Standard m3 per day. It is recommended that Consent to Establish may be granted to the unit.	
									Month & Year of Commencement :01.07.2017		Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided by consent committee headed by MS, DPCC on 08.02.2018 an inspection of the unit is carried out on 23.04.2018 and following were the observations: 1. At the time of inspection Structure work completed and finishing work is going on. 2. 1 No RMC Plant Operational . 3. Green Net around the surrounding areas was provided . 4. wheel washed before leaving the construction provided 5. Wind breaking wall were provided. 6. One non of DG set of Capacity 125 KVA installed with stack height of 4.5 meter approx from acoustic enclosure. It is recommended CTE may be Granted to the unit.	
42	NAZEER FOODS	G-2,3,4,5, SAGAR	25-10-2017		EATING HOUSE.	Orange	Non-SPI		1. ETP - No.	N/A	28-11-2017	27-04-2018

	PVT. LTD.	DEEP COMPLEX, SAINI ENCLAVE, KARKARDOOMA		Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Renewal			2. ECS - Stack attached to Kitchen. 3. D.G Set - No. 4. Water Consumption - 1000 L/D and Source is Outside water. 5. Domestic Trade Effluent - 300 L/D which is disposed through Public Sewer. 6. Trade Effluent Discharge - 450 L/D which is disposed through Public Sewer. 7. Municipal Corporation of Delhi - provided , which is valid upto 31.09.2017 8. Police Licence of Delhi - provided , which was valid upto 31.03.2013.	Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 The unit submitted its reply on 20.02.2018 stating that they have rectified all the deficiencies observed during inspection along with the photographs. The file was put up and the decision of fresh inspection was taken in the file. Therefore fresh inspection was done on 22.03.2018 as per approval in the file and following were the observations: 1. The unit was found in operative condition. 2. Preparation for cooking was going on for the evening. 3. In the kitchen process emission generated during the operation and preparation of food has informed , channelized through hoods, common duct and stack arrangement . 4. In the kitchen, below the washing area/ sink cum platform, oil and grease as seen in the previous inspection found installed and necessary modification in the cover opening has been made. 5. Thin layer of oil and grease trap were were floating indicating the operation of oil and grease trap . 6. No thick scum deposition was found reportedly due to daily cleaning of Oil and Grease deposition and is disposed to MCD dhallon. As per approval in the file, the decision taken by the competent authority is that no commercial operation till CTO is granted and they may operate once CTO is granted.	Consent to Operate (Renewal) granted.	
43	FNP WEDDING AND EVENTS (INDIA(PVT. LTD. (UDMAN)	KH NO- 369, 370, 377, 378, 395/1/2, 400, 401, 468/1, 471, HN-8, RNAGPURI, NEAR SHIV MURTI	03-11-2017	MOTEL. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Source of Water: Outside (As per undertaking) Water Consumption: 28770 Liters/Day Status of Ground Water extraction : N/A Fire Safety Certificate: issued on 01.11.2017 MCD License: valid up to 31.03.2019 Status of Pollution Control System (1)ETP: Installed (STP) (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Set(s) of 125	1. Effluent analysis report: a). Effluent analysis report dated 08-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes b). Effluent analysis report dated 20-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: a). Stack monitoring report dated 03-11-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	26-04-2018 -Unit has mistakenly choose the south west Delhi district but the area comes under New Delhi district.	27-04-2018 Consent to Establish and Consent to Operate granted. Earlier Consent to Establish dated 08.08.2017 be made infructuous since unit has again applied for consent to establish afresh.

								KVA and 250 KVA. -Show cause notice u/s 31 (A) & 33 (A) was issued on: 06.02.2017 -Unit has submitted Reply dated 27.02.2017 requested to grant time for STP installation. -as per approval a Modified direction u/s 31 (A) & 33 (A) was issued to the unit on 17.05.2017 -Again as per decision a Closure Direction u/s 31 (A) & 33 (A) issued to the unit on 13.07.2017. - In the line of DPCC policy for withdrawal of directions unit submitted a reply on 04.09.2017 along with Environment Compensation Security of Rs. 2,00,000/- with an undertaking as per office order F.No. DPCC/CMC-1/Revocation/2017/1323-1333 dated 02.08.2017.After directions, unit inspected & found non-operational. - a letter for restoration of power supply, water supply and resealing of the unit was issued on 04.09.2017 as per office order dated 02.08.2017. -As per decision taken in the file by Competent Authority, a Show cause notice u/s 5 of the Environment (protection) Act was issued to the unit on 28.03.2018 to explain the details of Plot area, built up area, effluent discharge and occupancy capacity etc. and also about the operation of the unit without obtaining Environmental Clearance which is prerequisite condition under EIA notification. -Unit has submitted a letter on 26.04.2018 and provided the following information: Land area-6.39 acres, built up area- 15000 sq. ft. approx, Occupancy-45 rooms and also informed that they do not qualify the criteria for taking Environmental Clearance.	b). Stack monitoring report dated 20-09-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. Noise monitoring report: a). Noise monitoring report dated 22-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 22-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
44	R.S. METAL	A-23, WAZIRPUR INDUSTRIAL AREA	08-11-2017	Mfg. of Stainless Steel Utensils with Buffing Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Operate	Non-SPI	ECS: (cyclone) Stack attached to exhaust of buffing unit ETP: N/A D.G.Set: Nil Source of water: 0.05 KLD from other source Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : Test reports within norms (issued by DPCC on 08.08.2017) Water (Effluents) : N/A Noise : N/A	04-12-2017 CTO applied on 08.04.2009 under Orange category and same is being infructuous on 20.03.2014. Calculated Fee-Rs. 5600 Balance Fee- Rs. 3600 Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Unit was inspected by DPCC officials on 20.04.2018 and following were observed. - Unit found operational and engaged in the activity of buffing/polishing of S.S. Utensils.	27-04-2018 Consent to Operate granted.	

										- Unit has installed emission control system, same is found operational.	
45	GOLDEN WINGS	135-136-137, KRISHNA STREET, PAHARGANJ	16-11-2017	GUEST HOUSE WITH 20 BEDS (NOS. OF ROOMS-20). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Hardcopy not received.	.	06-12-2017 Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Status of Pollution Control system Devices- 1. ETP/Oil & Grease trap-N/A 2. ECS- Yes, Stack attached to boiler 3. D.G. set- Yes, 1x 30 KVA Plot Area-210 sq mt Date of Establishment/ Commencement-01.01.2015 Status of Ground Water Extraction-No 1. Water consumption- 1000 L/day Source-DJB (Bill submitted) Inspection status- No MCD license valid upto 31.03.2018 and Delhi Police license not submitted. No of Rooms- 20 No of Beds- 20 Effluent Analysis Report -N/A Emission Monitoring Report submitted on 31.10.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 29.08.2017 and issued by DPCC. Parameters are within prescribed limits.	27-04-2018 Consent to Operate granted.
46	ACE INDIA	A-76, PH-II MANGOLPURI INDL AREA	18-11-2017	LIGHT ENGG. WORKS FOR MFG ELECTRICAL APPLIANCES WITH BUFFING. Process Involving Buffing	Green Operate	Non-SPI		ECS: (Bag filter) Stack attached to bag filter outlet of flour mill ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : Test reports within norms (issued by DPCC on 21.11.2017) Water (Effluents) : N/A Noise : N/A	04-12-2017 CA certificate is not as per column no 5 of application form. Also CETP certificate is not uploaded and submitted. Capital investment is rs 3826558 in application form whereas in undertaking it is Rs 2175650. Recommendation: A letter may be issued to submit the CETP certificate in the name of unit and CA certificate as per column no 5 of application form and accordingly submit the balance consent fee. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Unit has submitted its reply and submitted that stack height increased upto 2.5 meters above roof level (photographs enclosed) and ECS in working condition. Unit has also submitted ECS of Rs 2 Lakhs and undertaking for revocation of direction for closure.	27-04-2018 Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.
47	CROSSROADS	PLOT NO 17A/1,	29-11-2017	RESTAURANT AND BAR SERVICES.	Orange	Non-SPI		Unit was inspected on	.	06-12-2017	27-04-2018

	BAR AND RESTAURANT (A UNIT OF ATUL CONSTRUCTIONS PRIVATE LIMITED)	WEA, GURDWARA ROAD, KAROL BAGH			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Operate			04.09.2017 and ETP found non-operational. SCN issued on 09.10.2017. Unit submitted reply on 31.10.2017,applied for Conset to Esatblish on 29.11.2017. As approved on file, unit is yet to be inspected.		. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Inspection was conducted on 09.01.2018 and findings are as follows: 1. Unit found operational and engaged in the activity of Restaurant and Bar with 90 seating capacity. 2. Oil and Grease Trap and ETP found installed and working. 3. Channelization provided over Choolah burner with adequate stack height. 4. MCD and Police license valid upto 31.03.2018. 5. As informed DG set is being used by Hotel.	Consent to Operate granted.
48	TOSC INTERNATIONAL PVT. LTD.	H-1429, H-1441, DSIDC, NARELA INDUSTRIAL AREA	07-12-2017		PHARMACEUTICAL FORMULATION. Pharmaceuticals Formulation With Washing Operation	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 27-09-2004 Authorisation Expiry Date 26-09-2006 HWM Application No. 2 Application Date 15-12-2005 Authorisation Status Pending HWM Application No. 3 Application Date 03-09-2012 Authorisation Status Approved Authorisation Issue Date 13-03-2013 Authorisation Expiry Date 02-09-2017 HWM Application No. 4 Application Date 07-12-2017 Authorisation Pending	Status of Pollution Control System Devices- 1. ETP-Yes 2. ECS- N/A 3. D.G. set- Yes, 1 x 82.5 KVA Plot Area-700 sq mt Date of Establishment/ Commencement- 01.11.2005 Status of Ground Water Extraction-No 1.Water consumption-800 L/day Source- DSIDC (Water Bill submitted) Status of Inspection- No Unit has submitted Form 1 for Hazardous Waste (Management and Handling) Rules on 22.11.2017. Effluent Analysis Report- Yes, dated- 01-11-2017, issued by DPCC. Parameters are within prescribed limits Emission Monitoring Report- N/A Noise Monitoring report- Yes, Dated- 02-11-2017 issued by DPCC. Noise level is within prescribed limits.	21-12-2017 . Remarks/ATR on 13-03-2018 Inspection already conducted on 05.03.2018 and findings are- 1. Unit found operating and engaged in pharmaceuticals formulation. 2. ETP found installed and working. Dry and wet sludge seen. 3. HWM rules are complied with. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Inspection is yet to be conducted.	27-04-2018 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	

								Status				
49	GOYAL AUTO PRODUCTS P. LTD.	KH. NO. 874, NALA ROAD, RITHALA	11-12-2017		Manufacturing of Auto Parts (Aluminium Pressure Die Casting) Aluminium Pressure Die Casting	Orange Operate	Non-SPI		(1)ETP - N/A (2)ECS - Wet Scrubber (Stack attached to suction hood over furnace) (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 50 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) :Test reports within norms (issued by DPCC on 01.08.2017) Water (Effluents) : N/A Noise : N/A	20-12-2017 CTO may be granted. Remarks/ATR on 25-04-2018 Inspection of the Unit is carried out on 17.04.2018 and following Observation are- - Unit is found operational and engaged in the activity of Auto parts.(Aluminium Pressure Die Casting.) - No Water activity Observed during Inspection. - Unit having 2 Die Casting machines with proper suction hood having adequate stack height 2m from roof level. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 In response of letter dated 01.03.2018 Unit has submitted certificate, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area on 09.03.2018.	27-04-2018 Consent to Operate granted.
50	ALLURE RESTRO BAR	65, DESH BANDHU GUPTA ROAD, PAHARGUNJ	14-12-2017		RESTAURANT WITH BAR. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted. CTE granted on 24.10.2017.	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	21-12-2017 . Remarks/ATR on 26-04-2018 Unit was inspected on 22.03.2018 by DPCC officials and observation following Oil and grease trap installed & found functional. Provided Channelization system for kitchen emissions. No DG Set in the Unit. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 .	27-04-2018 Consent to Operate granted.
51	DURATUF GLASS INDUSTRIES PVT. LTD -II	S-68,69,PH-I,BADLI INDUSTRIAL ESTATE,DELHI-42	20-12-2017		Manufacturing of Toughened/Safety Glass Glass Processing (Cutting, Grinding, Polishing etc.) with Trade Effluent Discharge and without Furnace	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP Yes - Physiochemical (2)ECS - Yes Stack attached with glass polishing/grinding section. (3)D.G.Set: ...N/A... Plot area-960 Commencement date- 14-10-2016 Status of Ground Water extraction : No Status of Inspection : No	Effluent Analysis Report- Yes, issued by DPCC lab. Meeting the norms. Emission Monitoring Report- Yes, issued by DPCC lab. Meeting the norms. Noise Monitoring report- N/A	26-04-2018 .	27-04-2018 Consent to Operate granted.
52	SHRI MARUTI WASHING	J-132,SECTOR-4,BAWANA INDUSTRIAL AREA	21-12-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with	Orange Establish	Non-SPI	HWM Application 1	Status of Pollution Control system Devices- 1. ETP- Yes	Effluent Analysis Report- issued by DPCC lab on 11.01.2018. Parameters	26-04-2018 .	27-04-2018 Consent to Establish granted.

				Boiler Spray Painting, Paint Baking, Paint Stripping			No. Application Date 12-04-2018 Authorisation Status Pending	2. ECS- Stack attached to boiler are within limit. 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement-11.11.2017 Status of Ground Water Extraction-No 1. Water consumption- 4400 L/day Source- DSIIDC (Bill not submitted) Inspection status- No Applied Form-I under HWM Rules Inspection was conducted by DPCC officials on 20.04.2018 and findings are follows 1. Unit not found operating, activity of unit is jeans & spray paint. 2. ETP found installed & in working condition. 3. Channelisation provided over spray paint section with suction & hood arrangement followed by stack. 4. HWM Rules are complied with. 5. Presently a new diesel boiler is used. Another old boiler lying ideal not in use. 6. As telephonically informed by owner Sh. Ankur they are in process to installed PNG Connection. 7. No responsible person available during inspection.	Emission Monitoring Report- issued by DPCC lab on 22.03.2018. Parameters are within limit. Noise Monitoring report- N/A		
53	GREAT WALL RESTAURANT	F-14/55, MODEL TOWN - II,	28-12-2017	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS-Proposed 3. D.G. set- N/A Plot Area- 170 sq mt Date of commencement- 01.2017 Status of Ground Water Extraction-No 1. Water consumption- 1 kL/day. a) Source of water-outside (copy of bill not submitted) MCD licensce valid upto 31.03.2017		12-03-2018	27-04-2018 Consent to Establish granted.
54	MAMAS BUOI (A UNIT OF FOOD STUDIO)	2624 3RD FLOOR, HUDSON LANE, KINGSWAY CAMP	28-12-2017	RESTAURANT (48 SEAT). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. Oil &Grease trap-Proposed 2. ECS- Proposed 3. D.G. set- Proposed Plot Area-208.48sq mt Date of Establishment/ Commencement-28.09.2016 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source-Outside (Bill not submitted) Inspection status- No MCD license valid upto 31.03.2017 and Delhi Police license valid upto 31.03.2018 No of Seats-48	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring Report - N/A	12-03-2018	27-04-2018 Consent to Establish granted.
55	NORTH DELHI MOTORCYCLES	KH. NO. 873/4,(G.F AND F.F) NEAR NALA WALA ROAD, RITHALA INDUSTRIAL AREA	28-12-2017	Repairing and Dry Service of Two Wheelers Automobile Repair and Servicing (without Washing)	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A	N/A	09-01-2018 Unit was inspected on 13.11.2017 and it was found that - The unit is found	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

Application Date 28-12-2017
 Authorisation Status Pending
 (3)D.G.Set: -N/A
 Status of Ground Water extraction : Nil
 Source of Water: 500 L per day.
 Source-DJB
 Status of Inspection : No
 SCN u/s 31(A)/33(A)/5 of EPA details : Yes , 29.11.2017
 Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A

operational and engaged in the activity of manufacturing of Servicing of motorcycle with washing at backside of premises without any treatment.
 - ETP was not installed and the effluent is being discharged without any treatment.
 - Unit is neither Complying with the Hazardous Waste Management Rules nor obtained Authorisation under Hazardous Waste Management Rules.

A SCN u/s 31 (A) and 33 (A) was issued to the unit on 29.11.2017.

Now unit has submitted its reply on 14.12.2017 they changed their activity from Servicing of motorcycle with washing to Servicing of motorcycle without washing. That is why they do not need ETP and now they are complying with Hazardous Waste Management Rules and applied for Authorisation under Hazardous Waste Management Rules.

An inspection may be carried out again to verify the facts.

Remarks/ATR on 25-04-2018

Unit was inspected on 17.04.2018 and it was found that-
 - Unit found in operational and engaged in the activity of Repairing and Dry Service of Two wheeler.
 - Unit is Complying HWM Rules 2016.
 - No Water activity Observed during Inspection.

Remarks/ATR on 25-04-2018

Unit was inspected on 13.11.2017 and it was found that-
 - Unit found in operational and engaged in the activity of Repairing and Dry Service of Two wheeler.
 - Unit is Complying HWM Rules 2016.
 - No Water activity Observed during Inspection.

Recommendation / Action Taken Details (EE/AEE) on 14-03-2018

In response of Letter dated 01.03.2018 Unit submitted Original certificate from Industries Department, Govt. of NCT of Delhi/SDM regarding its location within the boundary of the notified redevelopment area clearly mentioning the name and

										address of the unit on 12.03.2018	
56	MY INN	901, GALI CHANDIWALI, PAHARGANJ	29-12-2017	GUEST HOUSE WITH 56 BEDS (NOS. OF ROOMS-39). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. Oil and Grease Trap- N/A 2. ECS- Stack attached to Boiler 3. D.G. Set- 1 x 35 KVA Plot Area- 257.62 sq mt Date of Commencement- 01.07.2015 Status of Ground Water Extraction-No 1. Water consumption- 1500 L/d. Source- DJB (Water Bill submitted) MCD License submitted and valid upto 31-03-2015 Police License submitted and Valid upto 31-03-2017 Status of Inspection-No No. of Beds- 56 No. of Rooms- 39	Effluent monitoring report -N/A Emission Monitoring Report : Yes, issued by DPCC dated 31-10-2017 and the parameters are within prescribed limit. Noise monitoring report : Yes, issued by DPCC dated 14-12-2017 and the parameters are within prescribed limit.	27-04-2018	27-04-2018 Consent to Operate granted.
57	BIKANERVALA FOODS PVT. LTD.	D-158, GF, AGGARSAIN MARG, KAMLA NAGAR	08-01-2018	EATING HOUSE WITH 40 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- Yes (Stack attached to exhaust of Die casting section) 3. D.G. set- No Plot Area- 161.68 sq mt Date of Establishment/ Commencement-18.12.2016 Status of Ground Water Extraction-No 1. Water consumption-0.5 KL/day Source-Outside (Bill not submitted) Inspection status- No Rent agreement not submitted. NDMC license submitted and valid upto 31.03.2018. Police license not submitted.	Effluent Analysis Report - N/A Emission Monitoring Report -Yes, issued by DPCC on 08.01.2017. Parameters are within prescribed limits. Noise Monitoring reports - N/A	12-03-2018	27-04-2018 Consent to Establish granted.
58	EXCELLENT MOTORS	T-4/13, PHASE-I, MANGOLPURI INDUSTRIAL AREA	09-01-2018	SERVICING, REPAIRING AND WASHING OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	H/W Application No. 1 Application Date 09-01-2018 Authorisation Status Pending	(1)ETP ----Other of 3000 L/D (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Source of Water: 2800 L per day, Source-Others Status of Inspection : Yes SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Water (effluent) - test report within limits (issued by DPCC on 10.07.2017)	05-02-2018 CETP certificate is not in the name of unit. Also inspection is Carried out on 01.02.2018 and following Observation are. 1. Unit is found Operational and Engaged in the activity of Servicing, Repairing and washing of two wheeler. 2. Unit has Installed ETP at Ground Floor and Same found Operational but Unit is not maintained ETP log Book. 3 Basement of the Premises is used for storage and parking of two wheeler. 4 Ground floor is used for servicing and washing of two wheeler. 5 Unit is not Complying with HWM Rules 2016. Recommendation / Action Taken Details (EE/AEE) on 13-04-2018 In response of SCN dated 01.03.2018 unit has submitted its reply that they have rectified all the deficiencies observed during the inspection. Subsequently as approved on file, an inspection was	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

										carried out by DPCC officials on 05.04.2018 and found that: -Unit found operational and engaged in the activity of Servicing, repairing and washing of two wheelers. -Unit has installed one RO plant a ground floor. - Basement of premises used for parking of new vehicles, storage of spare parts, customer lounge. -Ground floor is used for Servicing, repairing and washing of two wheelers. - Unit has installed ETP at ground floor and found operational. Unit has maintained log book of ETP. - Unit is complying with HWM Rules 2016.		
59	ESTATE TODAY PROPERTIES PVT. LTD HOTEL CITY PARK	3/4, KP BLOCK PITAM PURA	11-01-2018		Hotel 4 Star. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		Status of Pollution Control System (1)ETP - Yes 135000 L/Day(Bio-logical) (2)ECS - Boiler (3)D.G.Set: - Yes , Unit having 5 D.G. Set having Capacity 200, 200, 200, and 600 KVA Status of Ground Water extraction : Nil Source of Water: 135000 L per day, Source-DJB Status of Inspection : Yes An inspection was carried out by representatives of DPCC on 28.03.2018. During inspection following observations were made: -The Hotel having Banquet halls (2 No) restaurant cum bar and cafe (1 no.) and kitchen for food preparation found in operation. -Hotel has installed STP to treat the waste water generated from various sources/process in the premises and same found in operation. -One OGT is also existing near STP. -Filter press is used for dewatering of sludge. -Laundry is operating in basement. -PNG fired hot water generator(2 no.) and steam boiler(2 no) PNG/HSD) fired are existing in basement with adequate stack height above roof level. -Green bags are being used to collect kitchen waste and other biodegradable waste. -Hotel is having licenses from Excise department, Police department, food safety department, North MCD etc. -RWH pits (2 no.) are existing. -As reported treated waste water is reused for gardening and floor washing etc.. Unit is suggested to keep the record for the same. SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Test reports Water (Effluents) : Test reports within norms (DPCC lab report dated 24.11.2017) Noise : Noise monitoring report of D.G. set is within norms (issued by DPCC on 15.12.2017) Air (ECS): Emission Monitoring report within norms. (DPCC lab report dated 18.12.2017.	10-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.
											27-04-2018	

60	URBAN BANQUET (A UNIT OF INDIPLAVOUR FOOD AND BEVERAGE PVT. LTD.)	LGF, MANGLAM PARADISE MALL, MANGLAM PLACE, SECTOR-3, ROHINI	12-01-2018		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: No. Status of Ground Water extraction : Nil Source of Water: 5000 Litres per day, Source-DJB Trade Effluent Discharge- 3000 Litres/Day Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	29-01-2018 CTE may be granted Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 A letter seeking Environmental Compensation Security and an undertaking as per office order dated 02.08.2017 was issued on 26.03.2018 and unit has submitted its reply on 26.04.2018 along with Environmental Compensation Security and undertaking.	Consent to Establish granted.
61	HARYANA PANEER BHANDAR	169, GALI ABDUL HAKIM, TILAK BAZAR	12-01-2018		MANUFACTURING OF SWEETS AND SNACKS. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 80 sq mt Date of commencement- 04.03.1990 Status of Ground Water Extraction-No 1. Water consumption- 800 L/day. a) Source of water-DJB (copy of bill not submitted)	.	12-03-2018 .	27-04-2018 Consent to Establish granted.
62	HARYANA PANEER BHANDAR	169, GALI ABDUL HAKIM, TILAK BAZAR	12-01-2018		MANUFACTURING OF SWEETS AND SNACKS. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 80 sq mt Date of commencement- 04.03.1990 Status of Ground Water Extraction-No 1. Water consumption- 800 L/day. a) Source of water-DJB cat II(copy of bill submitted) MCD license valid upto 31.03.2007	.	12-03-2018 .	27-04-2018 Consent to Operate granted.
63	CLARIDGES HOTEL PVT. LTD.	12, AURANGZEB ROAD	15-01-2018		Hotel Industry. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		water consumption:240000 litre/day source of water: NDMC Connection Plot area: 11,902.011 sqm year of establishment: November, 1956 Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Other ETP Name : STP (2)ECS - Installed (3)D.G.Set Noise Report : 2 D.G. Set of 1000 KVA and 1000 KVA. Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s	1. Effluent analysis report (a) Effluent analysis report dated 19-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 19-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring reports: (a) Stack monitoring report dated 26-12-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 1000 KVA and 1000 KVA. Noise monitoring report dated 21-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 1000 KVA and 1000 KVA. Noise monitoring report dated	17-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.

									31(A)/33(A)/5 of EPA details :no	21-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
64	ERA RESTAURANT (A UNIT OF ZEDX HOSPITALITY PVT. LTD.)	H-36, GROUND & MEZZANINE FLOOR, CONNAUGHT PLACE	16-01-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	-	09-03-2018 Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
65	RELIANCE INDUSTRIES LIMITED	RELIANCE INDUSTRIES LIMITED (DELHI AFS), THIMAYVA MARG, TERMINAL 1, IGI AIRPORT, NEW DELHI - 110037	18-01-2018		The unit shall receive Aviation Turbine Fuel(ATF) through trucks and store the same in tank. ATF shall then be dispatched through re-fuellers to the airport for fuelling the aircrafts. No manufacturing is involved at this unit Petroleum Products/ Crude Oil Storage and Transfer Excluding Cross-Country Pipeline	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 18-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption :1100 ltr/day (Source of Water-DJB) Month and Year of Commencement of Production :17-01-2018 Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	-	06-02-2018 Hard copy not received so far. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 The unit had applied earlier for CTE & CTO and were issued CTE and CTO on 05.04.2017 and 26.09.2017 respectively. Again the unit applied for CTE with an enhanced capacity of storage tanks of Fuel. The Activity of the unit is same. The case was placed before CMC held on 07.02.2018 headed by MS DPCC in category II (b) that File be put up administratively. Now, the case may be either placed before CMC meeting. CTE may be granted.	27-04-2018 Consent to Establish granted.
66	THE PARK HOTEL	15, PARLIAMENT STREET	22-01-2018		HOTEL Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry with Boiler	Orange Renewal	Non-SPI		Source of Water: NDMC connection Water Consumption: 255000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Installed (2)ECS : Installed (3)D.G.Set : The unit has 3 D.G. Set(s) of 380 KVA,380 KVA and 625 KVA. -A show cause notice u/s 31 (A) & u/s 33 (A) issued to the unit on 09.01.2018. -Unit has submitted a reply on 22.01.2018 w.r.t above	1. Effluent analysis report dated 14.09.2017 issued by DPCC submitted. Effluent analysis report within Limit - Yes 2. Stack analysis report dated 15-09-2017 issued by DPCC submitted. Stack analysis report within Limit - Yes 3. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-02-2018 . Remarks/ATR on 26-04-2018 - As per decision of the meeting dated 07.02.2018, an inspection was carried out by DPCC officials. During inspection, following observations were made: 1. Unit found operational and engaged in the activity of Restaurant (Five Star). 2. STP and ETP based on biological process found installed in working condition (STP of 140 KL and ETP of 100 KL) both with MBR base. 3. Gas based boiler found installed with 100 Kg/Day	27-04-2018 Consent to Operate (Renewal) granted.

									mentioned Show Cause Notice wherein they informed that they have submitted a fresh application for Renewal of Consent to Operate on 22.01.2018.		capacity. 4. Solid Waste Management guidelines are being followed as per MSW Rules, 2016. And Compost plant found installed in operational condition. 5. D.G. set of capacity 380 KVA, 380 KVA and 625 KVA found installed with acoustic enclosure and adequate stack height. 6. 72 panels of Solar System installed with 7 KL/H capacity. Remarks/ATR on 26-04-2018 - As per decision of the meeting dated 07.02.2018, an inspection was carried out by DPCC officials. During inspection, following observations were made: 1. Unit found operational and engaged in the activity of Restaurant (Five Star). 2. STP and ETP based on biological process found installed in working condition (STP of 140 KL and ETP of 100 KL) both with MBR base. 3. Gas based boiler found installed with 100 Kg/Day capacity. 4. Solid Waste Management guidelines are being followed as per MSW Rules, 2016. And Compost plant found installed in operational condition. 5. D.G. set of capacity 380 KVA, 380 KVA and 625 KVA found installed with acoustic enclosure and adequate stack height. 6. 72 panels of Solar System installed with 7 KL/H capacity. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Inspection yet to be conducted.	
67	AUTO ENGINEERS SERVICE CENTRE	DERWAL NAGAR (MODEL TOWN-I) OPP. ALPNA CINEMA	22-01-2018		SERVICE STATION (WASHING AND REPAIR OF FOUR WHEELER). Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-01-2004 Authorisation Status Pending HWM Application No. 2 Application Date 01-09-2006 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- N/A 3. D.G. set-Yes,1X50 KVA Plot Area-240 sq mt Date of commencement- 01.01.1971 Status of Ground Water Extraction: No 1. Water consumption: 5200 L/day a) Source of water: DJB (water bill submitted) Cat II.	Effluent Analysis Report- issued by DPCC lab on 09.01.2018. Parameters are within limits. Emission Monitoring Report -N/A Noise Monitoring report- issued by DPCC lab on 08.01.2018. Parameters are within limits	13-03-2018 . 27-04-2018 Inspection be conducted.	

								HWM Application No. 3 Application Date 08-12-2010 Authorisation Status Approved Authorisation Issue Date 07-03-2013 Authorisation Expiry Date 07-12-2015 HWM Application No. 4 Application Date 31-12-2015 Authorisation Status Pending			
68	TRIUMPH MOTORS (UNIT KHUSHI TRADEX PVT LTD)	D-34,S.M.A INDL AREA,G.T.KARNAL RD,AZADPUR	23-01-2018	REPAIRING,SERVICING,DENTING,PAINTING AND WASHING Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- 1X65 KVA Plot Area- 2550 sq mt Date of commencement- 15.01.2018 Status of Ground Water Extraction-No 1. Water consumption- 600 KL/day. a) Source of water- Outside (Bill not submitted)	Effluent Analysis Report issued by DPCC on 17.11.2017. Parameters are within prescribed limit. Emission Monitoring Report -N/A Noise Monitoring report- issued by DPCC on 24.01.2018. Parameters are within prescribed limit.	09-03-2018 . Remarks/ATR on 26-04-2018 Status of Pollution Control system/Devices- 1. ETP- Yes proposed 2. ECS- channelisation over paint booth proposed 3. D.G. set- 1X65 KVA Plot Area- 2550 sq mt Date of commencement- 15.01.2018 Status of Ground Water Extraction-yes 1. Water consumption- 600 KL/day. a) Source of water- borewell Inspection conducted on 11.01.2018 and following are observations: 1. Unit found operating, engaged in car service station. Only mechanical repair work of car is going on. ETP, Paint booth and washing bay is under installation. 2. Unit has not applied for consent/authorization. 3. One borewell found exist. SCN for closure issued on 28.03.2018 Reply received on 11.04.2018 stated that applied for test reports to DPCC and shall submit application of CTO after getting the report. Earlier, same unit was operational at C-13, SMA at nearby plot in violation of conditions of desecrating orders and unit was asked to deposit an amount of Rs. Two Lac as environmental compensation security vide	27-04-2018 Issue reminder for submission of Rupees Two Lakh as already sought in respect of violation observed at previous location of same unit. Issue show cause notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act for operating without consent/authorization.

										letter dated 28.03.2018. However unit has not deposited the requisite amount of Rs 2 Lac till date. Now same unit has been shifted and operational at present address D-34, SMA.		
69	DISTRIKT (A UNIT OF JSG HOSPITALITY)	GROUND FLOOR G-1 GF MODEL TWON PART-3	23-01-2018		RESTURANT 95 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set-300 KVA Plot Area- 42.7354 sq mt Date of Establishment/ Commencement- 2017 Status of Ground Water Extraction-No 1.Water consumption- 400 L/day Source- Outside (Bill not submitted)	Effluent Analysis Report- Report submitted on 12.01.2018 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N.A Noise Monitoring report- Report submitted on 11.01.2018 issued by DPCC. Parameters are within prescribed limits.	13-03-2018 .	27-04-2018 Consent to Establish and Consent to Operate granted.
70	WAREHOUSE CAFE (A UNIT OF SUKHIA BAR AND GRILL PRIVATE LIMITED)	D-19 AND 20, FIRST FLOOR, INNER CIRCLE, CONNAUGHT PLACE	30-01-2018		RESTAURANT CUM BAR (98 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption:5500 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP - ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : 1 -An inspection was carried out by officials of DPCC on 01.02.2018, during inspection following observations were made: 1. Unit found operational and engaged in the activity of restaurant & bar. 2. ETP found installed & same was found in defunct condition. 3. One D.G Set of capacity 200 KVA installed with acoustic enclosurebut with inadequate stack height. 4. Channelization is provided in the kitchen. 5. dustbins provided in the kitchen as per MSW rules 2016 .	1. Effluent analysis report: (a) Effluent analysis report dated 13-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 22-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	07-02-2018 . Remarks/ATR on 26-04-2018 File is being put up administratively and as per directions, an inspection was carried out by DPCC officials on 13.03.2018. During inspection, following observations were made: 1. Unit found operational and engaged in the activity of Restaurant & Bar. 2. ETP found installed and same was found in operational condition. 3. D.G. set of 200 KVA capacity found installed with acoustic enclosure and adequate stack height. 4. Channelization is provided in the kitchen. 5. Dustbin provided in the kitchen as per MSW rules, 2016. Remarks/ATR on 14-03-2018 . Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 File yet to be put up administratively.	27-04-2018 Consent to Operate granted.
71	ALLURING EVENTS AND ENTERTAINMENT PVT. LTD. (LUTHRA FARM)	KH NO. 1010, 1011 AND 1038, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	03-02-2018		Party Lawn for Marriage And Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Yes Plot Area- 12141 sq mt Date of Establishment/ Commenceent- 01.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14.10.2016 and findings are as follows- 1. Party lawn is operational and preparations for party functions	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 . Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not	27-04-2018 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.

								including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed to treat the waste water generated from party lawns. 4. 2 borewell connection exist and in use without permission from Competent Authority. 5. Kitchen emission not channelised. SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit requested for two months time to complete the work. Direction for closure u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to establish valid upto 19.02.2018.		applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to establish valid upto 19.02.2018.	
72	SAKSHI INDUSTRIES	52/14, PRAHALADPUR BANGER	05-02-2018		MANUFACTURING OF ALUMINIUM AUTO PARTS WITH RUBBER AND USING BOILER Use of Boiler (excluding Electric / Coal Fired) Mfg. of Auto parts with induction hardening (cooling by water) without trade effluent discharge	Orange Operate	Non-SPI			28-02-2018 Letter may be issued to ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Letter issued on 21.03.2018. No reply received.	27-04-2018 Issue show cause notice for refusal of consent.
73	DATTA RUBBER INDUSTRIES	S-83, PH-1, BADLI INDUSTRIAL ESTATE	08-02-2018		Mfg. of Rubber Auto Parts. Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI	ETP- N/A ECS- Stack attached to rubber moulding machine DG Set-125 KVA Plot area- 468 sq mtr Date of Establishment - 01.01.1967 Status of Ground Water- N/A Water Consumption - 1200L/Day Source DJB(Bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report-Yes, Issued by DPCC dated 30.01.2018. All the parameters are within prescribed limit Noise Monitoring Report- Yes, Issued by DPCC dated 24.01.2018. All the parameters are within prescribed limit	25-04-2018 . Remarks/ATR on 26-04-2018 ETP- N/A ECS- Stack attached to rubber moulding machine DG Set-125 KVA Plot area- 468 sq mtr Date of Establishment - 01.01.1967 Status of Ground Water- N/A Water Consumption - 1200L/Day Source DJB(Bill submitted) MSME certificate submitted. Effluent Analysis Report- N/A Emission Monitoring Report- Yes, Issued by DPCC dated 30.01.2018 meeting the norms Noise Monitoring Report- Yes, Issued by DPCC dated	27-04-2018 Consent to Operate(Renewal) granted.

										24.01.2018 meeting the norms	
74	TATA STARBUCKS PVT. LTD.	G-10 AND 11, G.F. HB TWIN TOWERSNETAJI SUBHASH PALACE, PITAMPURA	12-02-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Yes (Physicochemical) (b) Effluent analysis report dated - 13.09.2017- issued by - DPCC - submitted. (2)ECS - N/A (3)D.G.Set N/A Status of Ground Water extraction : Nil Source of Water: 2.5 KLD from DJB Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	ETP- Effluent report dated 13.09.2017 Parameters- within limit.	16-04-2018 Consent to operate may be granted	27-04-2018 Consent to Operate granted.
75	PREM GUPTA	KHASRA NO.53/1(0-14), 53/10(0-6), PRAHLADPUR BANGAR INDUSTRIAL AREA DELHI.	12-02-2018	MANUFACTURING OF ALL TYPES DECORATIVE PLYWOOD VENEERS (PESTING , PRESSING AND FINISHING PROCESS) WITHOUT TRADE EFFLUENT Saw Mill	Green Establish	Non-SPI		.	.	28-02-2018 Letter may be issued to ask the hardcopy of consent application and to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Hard copy submitted but the other documents like boundary certificate in original of redevelopment area not submitted. Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-836.36 sq mt Date of Establishment/ Commencement- 15.02.2018. Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source-Outside (Bill not submitted) Inspection status- No Effluent Analysis Report-N/A Emission Monitoring Report- N/A Noise Monitoring report-N/A	27-04-2018 Issue show cause notice for refusal of consent.
76	SHARMA AUTO PRODUCTS	PLOT NO.2 SECTOR-1,POCKET-A,DSIDC COMPLEX BAWANA INDUSTRIAL AREA	13-02-2018	MFG. OF AUTO RUBBER PARTS AND BREAK PARTS Rubber moulded goods excluding	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A	Effluent Analysis Report- N/A Emission Monitoring	25-04-2018 .	27-04-2018 Consent to Operate granted.

					production of tyres and tubes (without reclamation and devulcanisation of rubber)				3. D.G. set- N/A Plot Area-239 sq mt Date of Establishment/ Commencement-11.2007 Status of Ground Water Extraction-No 1.Water consumption- 225 L/day Source-DSIIDC (Bill submitted) Inspection status- No	Report- N/A Noise Monitoring report- N/A	Remarks/ATR on 26-04-2018 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- No 3. D.G. set- N/A Plot Area-239 sq mt Date of Establishment/ Commencement-11.2007 Status of Ground Water Extraction-No 1.Water consumption- 225 L/day Source-DSIIDC (Bill submitted) Inspection status- No MSME certificate submitted.	
77	SHIV METAL INDUSTRIES	B-71, WAZIRPUR INDUSTRIAL AREA	15-02-2018		Annealing and Re Rolling of S.S. Sheets. Stainless steel rerolling and annealing (with capacity less than 25 MT/ day)	Green Operate	Non-SPI		(1)ETP - N/A (2)ECS - Yes (Stack attached to exhaust hood over annealing furnace) (3)D.G.Set: No. Status of Ground Water extraction : Nil Source of Water: 200 Litres per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 30.01.2018) Water (Effluents) : N/A Noise :N/A	12-03-2018 CTO may be granted Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 Inspection of the unit was conducted by DPCC officials/representatives on 13.03.2018 and following were observed: - Unit found operational and engaged in the activity of annealing and re-rolling of S.S. sheets. - Unit having 2 cutters, 2 rolling machines and 1 annealing machine. - Unit has installed one annealing furnace with adequate stack height.	27-04-2018 Consent to Operate granted.
78	URBAN BANQUET (A UNIT OF INDIFLAVOUR FOOD AND BEVERAGE PVT. LTD.)	LGF, MANGLAM PARADISE MALL, MANGLAM PLACE, SECTOR-3, ROHINI	18-02-2018		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - Physiochemical of capacity 5000 L/day (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 5000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Water (effluent) - test report within limits (issued by DPCC on 31.01.2018)	07-03-2018 CTO may be granted Remarks/ATR on 27-04-2018 A letter seeking Environmental Compensation Security and an undertaking as per office order dated 02.08.2017 was issued on 26.03.2018 and unit has submitted its reply on 26.04.2018 along with Environmental Compensation Security and undertaking. Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 A letter seeking Environmental Compensation Security and an undertaking as per office order dated 02.08.2017 was issued on 26.03.2018 and no reply has been received till date. A reminder may be issue to the unit to submit Environmental Compensation Security and Undertaking as per office order dated 02.08.2017.	27-04-2018 Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.
79	CAFETERIA AND CO. (A UNIT OF JUMBO RESTAURANTS PVT. LTD.)	G-14, SINGLE STOREY, VIJAY NAGAR	19-02-2018		RESTAURANT (98 SEAT). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		Brief of the cases 1. ETP- Yes 2. ECS- N/A 3. D.G. set- 100 KVA 4. Plot area- 200 sq.yd.	Status of Test Report Effluent analysis report - Issued by DPCC lab on 12.02.2018. Parameters within limit.	13-03-2018 Recommendation / Action Taken Details (EE/AEE)	27-04-2018 Consent to Operate granted.

					Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				5. Status of Ground Water Extraction-No a) Water consumption- 6500 L/day. b) Source of water: DJB (copy of water bill submitted) No. of seats 98 seats. MCD license valid upto 31.03.2018 Police license submitted.	Emission monitoring report -N/A Noise monitoring report - N/A	on 17-04-2018 Inspection was conducted by DPCC officials on 19.03.2018 and findings are follows 1. Unit found in operation. 2. Oil and Grease trap installed in the back lane and found functional. 3. Channelization system provided for kitchen emissions.	
80	SPIRIT GLOBAL CONSTRUCTIONS PVT. LTD.	MULTI LEVEL PARKING WITH COMMERCIAL DEVELOPMENT AT PITAMPURA NEW DELHI	21-02-2018		MULTI LEVEL PARKING WITH COMMERCIAL DEVELOPMENT AT PITAMPURA NEW DELHI Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (10 KLD) (2)STP- Yes 20 KLD (3)ECS - N/A (4)D.G.Set: 2 one of 500 KVA and one of 250 KVA both with acoustic enclosure Status of Ground Water extraction : Nil Source of Water: 2250 L per day, Source- Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	16-04-2018 This case was could not be taken up in the last CMC meeting as the file was selected in the planning cell module. Same was changed by IT cell. Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
81	BHARTI RUBBER OVERSEAS	F-304, SECTOR-3, DSIIDC, BAWANA INDUSTRIAL AREA	21-02-2018		MFG. OF RUBBER SHEETS Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		.	.	12-04-2018 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category.	27-04-2018 Consent to Establish granted.
82	DUM MARO DUM (A UNIT OF HSN HOSPITALITY LLP)	PROPERTY NO. 2510, SECOND AND THIRD FLOOR, HUDSON LINES, KINGSWAY CAMP	24-02-2018		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard Copy not submitted.	.	26-04-2018 .	27-04-2018 Consent to Establish granted.
83	SHREE GANESH PLASTIC	PLOT NO. 231, POCKET-B, SEC-3, DSIIDC INDUSTRIAL COMPLEX BAWANA	27-02-2018		Mfg. of PVC granules using Scrap Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set-No Plot Area-117.30 sq mt Date of Establishment/ Commencement- 01.01.2018 Status of Ground Water Extraction-No 1. Water consumption- 160 L/day Source- DSIIDC (Bill submitted)	Effluent analysis report - N/A. Emission monitoring report -N/A. Noise monitoring report - N/A	12-04-2018 .	27-04-2018 Consent to Establish granted.
84	MAIDENS HOTEL	7, SHAM NATH MARG	28-02-2018		Hotel (Four Star) Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		Unit applied for consent to operate renewal and unit is already inspected.	.	27-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.
85	ALLURING EVENTS AND ENTERTAINMENT PVT. LTD. (LUTHRA FARM)	KH NO. 1010, 1011 AND 1038, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	05-03-2018		Party Lawn for Marriage And Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Yes Plot Area- 12141 sq mt	.	13-03-2018 . Recommendation / Action Taken Details (EE/AEE)	27-04-2018 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.

				Party Lawns (with minimum Floor area 100 m ²) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler				Date of Establishment/ Commenceent- 01.09.2016 Status of Ground Water Extraction-No 1. Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14.10.2016 and findings are as follows- 1. Party lawn is operational and preparations for party functions including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed yo treat the waste water generated from party lawns. 4. 2 borewell connection exist and in use without permission from Competent Authority. 5. Kitchen emission not channelised. SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to establish valid upto 19.02.2018. Status of Test Report Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	on 27-04-2018 Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- Yes Plot Area- 12141 sq mt Date of Establishment/ Commenceent- 01.09.2016 Status of Ground Water Extraction-No 1. Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14.10.2016 and findings are as follows- 1. Party lawn is operational and preparations for party functions including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed yo treat the waste water generated from party lawns. 4. 2 borewell connection exist and in use without permission from Competent Authority. 5. Kitchen emission not channelised. SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07.11.2016. Unit submitted for representation on 24.11.2016 wherein unit requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14.02.2017 as unit has not applied for Consent. Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc. Unit granted consent to establish valid upto 19.02.2018. Status of Test Report Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	
86	SHIVA UTENSILS INDUSTRIES PVT. LTD.	A-135 WAZIRPUR INDUSTRIAL AREA	10-03-2018	MFG. OF UTENSILS WITH PRESSING, BUFFING AND PACKAGING Manufacturing of Stainless Steel utensils (without buffing activity) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI	Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone (3)D.G.Set(s): 2 of 180 KVA and 125 KVA both with Acoustic enclosure Status of Ground Water extraction : Nil	Status of Test Report Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	10-04-2018 Consent to Establish may be granted	27-04-2018 Consent to Establish granted.

								Source of Water: 1000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A			
87	QDS (A UNIT FOOD WORLD HOSPITALITY PVT. LTD.)	LAJPAT NAGAR-II BLOCK-I, FIRST AND SECOND FLOOR, LAJPAT NAGAR	12-03-2018		RESTAURANT (48 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ----- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 3500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		14-03-2018 Hardcopy of application for Consent to Establish with required documents is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE received on 19.03.2018 along with required documents. Remarks/ATR on 17-04-2018 Hardcopy of application for CTE received on 19.03.2018 along with required documents.	27-04-2018 Consent to Establish granted.
88	GREAT WALL RESTAURANT	F-14/55, MODEL TOWN - II,	15-03-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set-N/A Plot Area-170 sq mt Date of Establishment/ Commencement-02.01.2017 Status of Ground Water Extraction-No 1.Water consumption- 1000 L/day Source- Others (Bill not submitted) Inspection status- No	Effluent Analysis Report- issued by DPCC lab on 13.03.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 .	27-04-2018 Consent to Operate granted.
89	DELICIA FOODS	C-20 LAWRENCE ROAD INDL AREA	19-03-2018		MANUFACTURING OF CONFECTIONERY / FOOD ITEMS. Bakery Products and Confectionery with Trade Effluent/Emission Discharge with Boiler Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Orange Operate	Non-SPI	ETP ----- ETP - Bio-logical of 4 KLD ECS - N/A D.G.Set: 1 of 200 KVA Status of Ground Water extraction : Nil Source of Water: 2500 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Air (Emissions) : Test reports of stack attached to oven no. 1, 2, 3 and 4 are within norms (issued by DPCC on 26.12.2017) Water (Effluents) : Test report of outlet of ETP is within norms (issued by DPCC on 20.12.2017) Noise : Test report within norms (issued by DPCC on 05.01.2018)	17-04-2018 CA certificate is not as per column no. 5 of application form. Also in undertaking unit has mentioned stack height of stack attached to D.G. set is 3 m, however, test report shows that stack height is 1 m above the roof level.	27-04-2018 Ask the unit to submit CA certificate in prescribed format and provide adequate stack height with the D.G. Set. If unit submits the same, Consent to Operate be granted.
90	BIG YELLOW DOOR(A UNIT OF WEEZUKX)	GROUND FLOOR SHOP NO H 8B VIJAY NAGAR	19-03-2018		RESSTAUANT HAVING SEATING CAPACITY 34 Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- OGT-Yes 2. ECS- N/A 3. D.G. set-No Plot Area-84 sq mt Date of Establishment/ Commencement-24.11.2011 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- DJB (Bill submitted) Inspection status- No MCD License valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 .	27-04-2018 Consent to Establish granted.
											27-04-2018

91	BIG YELLOW DOOR(A UNIT OF WEEZUKX)	GROUND FLOOR SHOP NO H 8B VIJAY NAGAR	19-03-2018	RESSTAURANT HAVING SEATING CAPACITY 34 Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- OGT-Yes 2. ECS- N/A 3. D.G. set-No Plot Area-84 sq mt Date of Establishment/ Commencement-24.11.2011 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- DJB (Bill submitted) Inspection status- No MCD License valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	Consent to Operate granted.
92	BIG YELLOW DOOR(A UNIT OF WEEZUKX)	2521 SECOND FLOOR HUDSONE LINES KINGSWAY CAMP	19-03-2018	RESSTAURANT HAVING SEATING CAPACITY 34 Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		17-04-2018	27-04-2018 Consent to Establish granted.
93	BIG YELLOW DOOR(A UNIT OF WEEZUKX)	2521 SECOND FLOOR HUDSONE LINES KINGSWAY CAMP	19-03-2018	RESSTAURANT HAVING SEATING CAPACITY 34 Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		17-04-2018	27-04-2018 Consent to Operate granted.
94	DUNKIN DONUTS RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, HINDUSTAN TIMES HOUSE, 18-20 K.G MARG, PLOT NO. 54-55, BLOCK NO. 148	20-03-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP- Yes (oil and grease trap) 2. ECS - No 3. D.G. Set- 62.5 KVA 4. Water Consumption: 500 L/day 5. Trade Effluent Discharge: 450 L/day 6. Domestic Effluent Discharge: 50 L/day	N/A	24-04-2018 Recommended for inspection.	27-04-2018 Consent to Establish granted.
95	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	UPPER GROUND FLOOR, BF-4, JANAKPURI, JAILROAD	20-03-2018	Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Unit has 1 D.G. set of 45 KVA (as per undertaking). Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	17-04-2018 - Consent to Establish may be granted to the unit.	27-04-2018 Consent to Establish granted.
96	AKASHDEEP PRINTERS	B-292, PH-1, OKHLA INDUSTRIAL AREA	20-03-2018	Printing with Trade Effluent Discharge Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application 1	Status of Pollution Control System	Effluent analysis report dated 06-03-2018 issued by DPCC submitted.	17-04-2018 Unit has submitted Environmental compensation	27-04-2018 Consent to Operate granted.

No.		(1)ETP -Installed (Physio chemical) Effluent analysis report dated 06-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Number of parameters analyzed which are within limit - Yes.	security of RS. 2 lakhs along with undertaking on 24.01.2018 and informed that the unit would not operate till Consent to Operate is granted by DPCC as per office order dated 02.08.2017.	Application for Authorization under HW Rules be kept in abeyance. Direction for closure be made infructuous in view of office order dated 02.08.2017.
Application Date	19-04-2005				
Authorisation Status	Pending	(2)ECS - N/A	The unit has 1 D.G. Set(s) of 62 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Unit has also submitted letter on 30.01.2018 and informed that the unit has installed ETP for treating trade effluent from plate making activity, an isolated storage for hazardous waste with leak proof container with proper labeling and record maintenance has been placed. An acoustic enclosure with stack height 2m above the roof level has been provided for DG set. The unit also informed that they have applied for Consent to Establish for the activity of printing with trade effluent discharge on 30.01.2018. Unit has requested to allow time to get effluent testing of ETP and noise monitoring report of DG set and submit the application for Consent to Operate.	
HWM Application No.	2	(3)D.G.Set: 62.5 KVA The unit has 1 D.G. Set(s) of 62 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.			
Application Date	20-03-2018				
Authorisation Status	Pending	Water Consumption: 600ltr/day (Source:others) Status of Ground Water extraction : Nil Status of Inspection : Inspection of the unit was carried by DPCC officials on 01.09.2017 and following observation were made: -Unit found operational and engaged in the activity of Offset Printing with trade effluent discharge (with plate making). - Unit has not installed an Effluent Treatment Plant (ETP) to treat waste water generated from plate making is being discharged into drain without any treatment. - Unit has applied for CTE for the activity of Printing without trade effluent discharge, however during inspection trade effluent generated from plate making being discharged into drain without treatment. - Unit having 1 DG set (60 KVA) without acoustic enclosure and adequate stack height. - Unit is not complying with the provision of Hazardous Waste Management Rules, 2016. (Display board not provided, each hazardous waste container not marked with specified label, not indicated the date of storage on hazardous waste container, container not stored in an isolated area & pucca floor and daily record of hazardous waste not found maintained in form-3). - Contacted person not provided any documentary proof w.r.t year of establishment of the unit. SCN u/s 31(A)/33(A)/5 of EPA details : SCN was issued on 25.09.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : issued on 15.01.2018 as unit has not comply with the		As per approval on file, letter for permission of de-sealing of premises/unit and restoration of power supply, water supply of unit was issued to unit on 06.02.2018 for the purpose of effluent testing of ETP and noise monitoring of DG set and applying for Consent to Operate. However, unit shall not operate commercially till the CTO is granted by DPCC. As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 26.03.2018 and following observations were made: -Unit found not in operation at the time of inspection. -Unit has installed ETP to Treat the waste water generated from washing/plate making activity. -Dry sludge stored in plastic containers. -Unit is complying with the provisions of HWM Rules, 2016 and maintained the record of Hazardous waste in form-03 since after the inspection of the unit by DPCC Officials in September 2017. -Unit has provided acoustic enclosure with D.G. Set (62.5 KVA) with stack height	

									modified direction issued on 01.12.2017.		3m above the roof level. Unit submitted hardcopy of application for CTO and Authorization under HWM Rules on 26.03.2018.	
97	BERRY ART PRESS	A-9, PHASE I, MAYAPURI INDUSTRIAL AREA	20-03-2018		OFFSET PRINTING AND BOOK BINDING (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge Book binding, embossing and photograms etc.(without printing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 26-06-2006 Authorisation Status Pending HWM Application No. 3 Application Date 23-06-2010 Authorisation Status Approved Authorisation Issue Date 04-04-2013 Authorisation Expiry Date 22-06-2015 HWM Application No. 4 Application Date 20-03-2018 Authorisation Status Pending	Source of Water: Not mentioned Water Consumption: 800 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 180 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Noise monitoring report: a). Noise monitoring report dated 13-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 - Unit has applied for Consent to Operate (Renewal). Remarks/ATR on 27-04-2018 - An inspection of the unit was carried out by DPCC officials on 19.04.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of Printing without Trade Effluent Discharge and book binding etc. 2. ETP does not found installed as the unit is non water polluting. 3. Exhaust system is provided for emission control. 4. Unit has installed a D.G. set of 180 KVA with acoustic enclosure and with adequate stack height. 5. Hazardous Waste Management guidelines are being followed.	27-04-2018 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
98	WHITE HOUSE PARTY PALACE (UNIT KL ARORA & SON HUF)	B-1/629, JANAKPURI	21-03-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 2500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G.Set: Unit has installed 1 D.G. set of 125 KVA.	-	17-04-2018 - Consent to Establish may be granted to the unit.	27-04-2018 Consent to Establish granted.

								- An inspection of the unit was carried out by DPCC officials on 16.12.2017. During inspection following deficiencies were observed: 1. No ETP installed. 2. No channelization was done in kitchen. 3. Coal is being used in Tandoor. 4. No segregation of Municipal waste was observed. - On the basis of inspection, a Show Cause Notice u/s 33(A) and 31(A) was issued to the unit on 02.01.2018. - As neither the unit submitted any reply w.r.t. above mentioned Show Cause Notice nor applied for CTE/CTO, Directions for Closure u/s 33(A) and 31(A) was issued to the unit on 13.03.2018. - Unit submitted a reply in this regard on 22.03.2018 along with Environmental Compensation Security of Rs. 2,00,000/- with an undertaking as per office order F.No.DPCC/CMC-I/Revocation/2017/396-400 dated 02.08.2017. - Accordingly, a letter as per above mentioned office order for the Restoration of Power Supply, Water Supply and De-sealing of the unit was issued to the unit on 03.04.2018.			
99	Y.C. KURELE / BULBUL RESORT AND HOTEL	59/18, MAIN ROHTAK ROAD MUNDKA	21-03-2018		PARTY LAWN FOR MARRIAGES, BANQUET AND MOTEL FACILITY Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI	Source of Water: Not mentioned Water Consumption: 16000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (STP) (2)ECS: Nil (3)D.G.Set Noise Report: The unit has 3 D.G. Set(s) of 35 KVA,320 KVA and 320 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: a). Effluent analysis report dated 16-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 22-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 22-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes c). Noise monitoring report dated 22-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 - Consent to Operate (Renewal) may be granted to the unit.	27-04-2018 Consent to Operate(Renewal) granted.
100	J.R. SOOD & CO. PVT. LTD.	PLOT NO-10, SHIVAJI PLACE, DISTRICT CENTRE, RAJA GARDEN	21-03-2018		COMMERCIAL COMPLEX Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI	Source of Water: DJB (Cat-II) Water Consumption: 50000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil	1. Noise monitoring report: a). Noise monitoring report dated 14-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 14-12-2017 issued	17-04-2018 -	27-04-2018 Inspection conducted and ETP found operational and provided adequate stack height with D.G. Set. Consent to Operate granted.

								(2)ECS: Nil (3)D.G.Set Noise Report : The unit has 3 D.G. Set(s) of 380 KVA(acoustic enclosure),1250 KVA and 1250 KVA. - An inspection of the unit was carried out by DPCC officials on 20.02.2018. During inspection following deficiencies were observed: 1. STP installed but same was found in defunct condition. 2. By pass arrangement observed. 3. Rain water harvesting system not found operational. 4. D.G. set has inadequate stack height. - On the basis of inspection, a Show Cause Notice u/s 33(A) and 31(A) was issued to the unit on 26.03.2018.	by DPCC submitted. Noise monitoring report within Limit - Yes c). Noise monitoring report dated 14-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
101	HALDIRAM MARKETING PVT. LTD.	C-9, MALVIYA NAGAR	21-03-2018		Sale of Sweets and Namkeens and Eating House	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 24000 ltr/day(Source: DJB) Month and Year of Commencement of Production : 25-03-2018 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	17-04-2018 It is recommended that CTE may be granted.	27-04-2018 Consent to Establish granted.
102	GOKUL GARDEN BANQUETS PVT. LTD.	WZ-306-T, DATA RAM MARG, SECTOR-7, DWARKA, PALAM	21-03-2018		BANQUET HALL	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 125 KVa Status of Ground Water extraction : Nil Water Consumption : 3000 ltr/day (source: others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	17-04-2018 Hard copy not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
											27-04-2018

103	ECO PLAST RECYCLING COMPANY	SECTOR-2, K-93, DSIIDC BAWANA INDUSTRIAL AREA	21-03-2018		Reprocessing of Plastic (With Washing) Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI		Hard copy not submitted. Inspection was conducted by DPCC officials on 06.04.2018 and findings are follows 1. Unit found in operational condition. Plant and machinery installed and under trial. 2. ETP installed and in working condition. 3. Channelization system installed process emissions. 4. As informed, trial work will be completed within 10-15 days.		17-04-2018		Consent to Operate granted. Ask the unit to apply for registration under Plastic Waste Rules.
104	SAKSHI INDUSTRIES	PLOT F-1753-54, NARELA	22-03-2018		DALL MIL Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes 3. D.G. set- N/A Plot Area- 350 sq mt Date of Establishment/ Commencement-21.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 200 l/day Source- DSIIDC Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- Issued by DPCC lab on 07.09.2017. Parameters are within limit. Noise Monitoring report- N/A	25-04-2018		27-04-2018 Consent to Operate granted.
105	RANA MOTORS (P) LTD	B-242, OKHLA INDUSTRIAL AREA PHASE -I, NEW DELHI	22-03-2018		Automobile Servicing, Repairing with Washing and Paint Booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP: Nil (2)ECS - N/A (3)D.G.Set: 1 DG Set (125 KVA) (a)Noise monitoring report- N/A Status of Ground Water extraction : Nil Water Consumption: 8000 L/day (Source- DJB) Domestic Effluent Discharge: 3000 L/day Trade Effluent Discharge- 4000 L/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		17-04-2018 hardcopy yet to be received.		27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
106	KFC (A UNIT OF SAPPHIRE FOODS INDIA PVT. LTD.)	GROUND FLOOR, F-25, PREET VIHAR	22-03-2018		EATING HOUSE / RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP - Yes (biological) 2. ECS - No 3. D.G Set- NIL 4. Trade Effluent Discharge - 1500 L/day 5. Domestic Effluent Discharge - 500 L/day	N/A	19-04-2018 Recommended for inspection.		27-04-2018 Inspection be conducted.
107	PALM GROVE A MULTICUISINE RESTAURANT	PLOT NO: 7361, RAM NAGAR, QUTAB ROAD, DELHI	22-03-2018		RESTAURANT HAVING 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		17-04-2018		27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
108	A AND D ENTERPRISES	PLOT NO 215, GROUND FLOOR, POCKET-H, SECTOR-	22-03-2018		MFG. OF SECONDARY NYLON DANA (WITHOUT WASHING)	Orange Establish	Non-SPI		Hard copy not submitted.		17-04-2018		27-04-2018 Ask the unit to submit hardcopy of

		1, DSIIDC, BAWANA INDUSTRIAL AREA			Reprocessing of Waste Plastic / PVC (without Washing Activity)						consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
109	ROZY RESTAURANT	J-23A, 3RD FLOOR, LAJPAT NAGAR - II,	22-03-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil and Grease Trap cum Settling Tank installed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 2800 Liters/Day (Source - DJB) Status of Inspection : An inspection of the unit was carried out by Officials/ Representatives of DPCC on 30.10.2017 and during inspection, It was found that another unit M/s Rozy Restaurant is operating at Ground Floor and Third Floor of the said premises. Accordingly, an inspection of M/s Rozy Restaurant was also carried out by Officials/ Representatives of DPCC on 30.10.2017 and following observations were made:- -Unit was inspected during other unit at the premises namely M/s Sapphire Foods (KFC Restaurant) and it was found that M/s Rozy Restaurant was existing at Third Floor of the premises building with 46 seats but not in operation due to weekly holiday. -As informed, outlet of the said restaurant also existing at Ground Floor of the premises building. -No Oil and Grease Trap cum Settling Tank installed to treat the wastewater generated from the kitchen. -No Channelization system provided in Kitchen except Tandoor and also, no stack is provided with Channelization system of Tandoorand -Three D.G. Set (s) lying on rooftop of the premises which are used by the said restaurant. All D.G. Set(s) without acoustic enclosure and stack. -Two Bins System not provided to segregate the solid waste (Wet and Dry solid waste). Only one container exists in Kitchen to collect/ store the Kitchen waste.	17-04-2018 Hardcopy of application for CTE is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.

SCN u/s 31(A)/33(A)/5 of EPA
details : Issued on 21.11.2017

Unit submitted a representation
on 04.12.2017 w.r.t SCN dated
21.11.2017 and informed that:

- They have already installed Oil & Grease Trap to treat the waste water generated from the kitchen and modified it.
- They have done the channelization with proper stack height in the kitchen & tandoor.
- They have done the proper stack height with acoustic enclosure.
- They have also provided two bins system to segregate the solid waste (wet & dry solid waste).

Unit has not provided size and details with schematic diagram/photographs of Oil and Grease Trap cum settling tank for holding the waste water generated from kitchen and also not applied for Consent to Establish as well as Consent to Operate.

As decided in file, another inspection of the unit was carried out by the Officials of DPCC on 15.01.2018 and following Observations were made:

- Unit found closed due to weekly off but representatives of the Unit were available there.
- Unit installed Oil and Grease Trap cum settling tank (size 0.55 m x 0.52 m x 0.50 m) three tanks, under the sink.
- Unit has also installed ETP at roof top and same found in defunct and disconnected condition.
- No channelization system provided in kitchen except Tandoor.
- Three DG Sets lying on roof top premises, which are used by the said restaurant without acoustic enclosure and stack height.
- Two bin system provided to segregate the solid waste and sent to SDMC as informed.

Unit has informed that they are in process to conduct the effluent analysis report thereafter submit the application for CTO.

As decided, Another inspection of the unit was carried out by the Officials of DPCC on 03.04.2018 and following Observations were made:

- Unit found in operation and engaged in the activity of restaurant at ground floor and second floor with seating

								capacity of 48 seats. -Unit installed Oil and Grease Trap cum settling tank (size 0.55 m x 0.52 m x 0.50 m) three tanks, under the sink and also installed three PVC tanks (3 x 300 Liters capacity) at roof top for settling the effluent generated from the Kitchen. -Channelization system provided in kitchen with adequate stack height. -Two bin system provided to segregate the solid waste (wet and dry solid waste) and sent to SDMC as informed. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
110	BIKANERVALA FOODS PVT. LTD.	D-158, GF, AGGARSAIN MARG, KAMILA NAGAR	22-03-2018		EATING HOUSE WITH 40 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control system Devices- 1. ETP/OGT- Yes 2. ECS- N/A 3. D.G. set- Proposed Plot Area-161.68 sq mt Date of Establishment/ Commencement-18.12.2017. Status of Ground Water Extraction-No 1. Water consumption- 500 L/day Source- Other (Bill not submitted) Inspection status- No No. of seats- 40 seats MCD license valid upto 31.03.2018 Police License valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	27-04-2018 Consent to Establish and Consent to Operate granted.
111	BIKANERVALA FOODS PVT. LTD.	GF, ZB-9, 10 AND 11/487, MAIN G.T. ROAD, DILSHAD GARDEN IND. AREA	22-03-2018		EATING HOUSE WITH 120 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	1. ETP - No. 2. ECS - No 3. D.G Set - one, of 180 KVA installed. 4. Water Consumption - 2000 L/Day 5. Trade Effluent Discharge - 1500 L/Day 6. Domestic Trade Discharge - 300 L/Day 7. Municipal Corporation of East Delhi which is valid up to 31.03.2018. 7. Police License - valid till 31.03.2018. The inspection of the unit was conducted on 15.03.2018 and following were the observations: 1. The unit was found in operation. The activity being carried out by the unit as eating house as well as selling of sweets and namkeens. 120 seats restaurants/eating house being operated for Indian fast foods as well as continental type/Chinese food/ south Indian food are also served besides the take away. 2. The waste water generation source found from dish/utensils washing being used for preparation of the said food items in the kitchen as well as floor washing. 3. ETP consists of oil and grease trap 3 chambered in which 3rd chamber is being used as	Noise Monitoring report submitted by DPCC on 19.02.2018 in which all the parameters are within the prescribed limit. Analysis report of water effluent submitted by DPCC on 19.02.2018 in which all the parameters are within the prescribed limit.	24-04-2018 Recommended to issue direction for refusal of consent.	27-04-2018 Issue show cause notice for refusal of consent.

									collection tank found installed at side lane. Other ETP units consists of tube settler/ reaction cum settling tank followed by dual media filter and ACF unit, chemical feeding drum with automatic control pumping mechanism for chemical dosing followed by mechanical. 4. During inspection ETP was found defunct and entire trade effluent after oil and grease trap is being by-passed to the sewage. 5. No proper display of each and every units found written. NO flow diagram of ETP found displayed. 5. Log book of ETP operation not found maintained. 6. No chemical in the chemical dosing tank found. 7. Kitchen emissions were found channelized and dispersed above the building roof through common hood suction and duct arrangement. The show cause notice u/s 33(A) of Water Act and show cause notice for refusal of consent was issued to the unit on 26.03.2018. No reply from the unit has been received till date.			
112	BIKANERVALA FOODS PVT. LTD.	PLOT NO 14-15, FF, COMMUNITY CENTRE, MALVIYA NAGAR EXT (SAKET)	22-03-2018		EATING HOUSE WITH 110 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Bio-logical Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit -Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Water consumption :1500 ltr/day (Source : DJB) Month and Year of Commencement of Production:13-11-2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 Remarks/ATR on 26-04-2018 Inspection of the unit was carried out by DPCC official on 26.04.2018 and following are the observations : - Unit found operational at the time of inspection. -ETP installed at the back side of unit found operational. -DRV and wet sludge observed during inspection. -1 DG set of 180 KVA installed with adequate stack height. -Logbook of ETP maintained.	27-04-2018 Consent to Operate granted.
113	ASHVIN INDUSTRIES	B-259, PHASE-I, OKHLA INDUSTRIAL AREA	22-03-2018		MANUFACTURING OF AUTO ELECTRICAL AND ELECTRONIC PARTS Electrical and Electronic Goods involving use of varnish	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-03-2018	Status of Pollution Control System (1)ETP: N/A (2)ECS - N/A	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number	17-04-2018 Inspection to be carried out. Remarks/ATR on 26-04-2018	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

							Authorisation Status	Pending	(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed within limits- Yes. Status of Ground Water extraction : Nil Domestic Effluent Discharge: 400 L/day (Source- DJB) Trade Effluent Discharge- Nil Discharge into- Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	of parameters analyzed within limits- Yes.	As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 25.04.2018 and following observation were made: -Unit found operational and engaged in the activity of MANUFACTURING OF AUTO ELECTRICAL AND ELECTRONIC PARTS. -Unit is complying with the provisions of HWM Rules, 2016. -Unit having 1 DG set 125 KVA capacity with acoustic enclosure and having stack height of 2.5 m from acoustic enclosure.	
114	RIVANSHI HOSPITALITY PVT. LTD. (DEVAM)	PLOT NO.4, DWARKA LINK ROAD, SAMALKHA	22-03-2018	FARM HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 05-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed which are within limit prescribed limit-Yes (2)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes (b) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes (c) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes -Water Consumption -3500 liter per day -Trade Effluent- 3000 liter per day -Domestic Effluent- 300 liter per day Status of Inspection : 30.11.2017 Inspection of the unit was carried out by officials of DPCC on 30.11.2017 and following observation were made :	Effluent analysis report dated 05-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed which are within limit prescribed limit-Yes (2)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes (b) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes (c) The unit has 3 D.G. Set(s) of 250 KVA,320 KVA,and 500 KVA. Noise monitoring report dated 08-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit-Yes	26-04-2018 As decided SCN delivered to Unit by hand. Further unit submitted its representation on 24.04.2018 w.r.t. SCN issued on 08.01.2018 and stated that : -Unit is engaged in the activity of Party Lawn. - Unit has already applied CTE/CTO. - ETP installed and operational. - Two Bin system for segregation of solid waste already provided. - DG sets 250 KVA x 1, 125KVA x 2 installed with acoustic enclosure & adequate stack height. Subsequent inspection of the unit was carried out by officials of DPCC on 25.04.2018 and following observations were made : - During inspection unit found operational and engaged in the activity of Banquet Hall and Party Lawn. - STP installed in the premises for the the treatment of waste water found non functional. -Sludge drying bed was completely dry without having any sludge. -One more Banquet hall also added for the capacity of 1000 capacity person. - It is chemical based plant and not adequate to meet the standards for unsewered area. Hence, SCN for refusal of Consent may be issued and file be put up for further necessary action.	27-04-2018 File be put up administratively.	

									- During inspection unit found operational and engaged in the the activity of Part Lawn without having consent obtained from DPCC. - ETP installed in the premises found functional. - Three Nos. of DG sets installed in the premises having capacity 250 KVA x 1 125KVA x 2. -Two Bin system provided for the solid waste management. -RWHS 2 in Nos installed in the premises found functional. SCN u/s 31(A)/33(A)/5 of EPA details : 08.01.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
115	ALPS PRINTERS	C-30, DDA SHEDS, OKHLA INDUSTRIAL AREA PH-I	22-03-2018		DIE CUTTING, PASTING AND AQUOUS COATING Varnish Coating without Furnace	Green Operate	Non-SPI	HWM Application No. 1 Application Date 22-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption- 100 L/day (Source- Municipal) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 80 L/day (Dispose in- Sewer) Generating Hazardous Waste- 0.02 Kg/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	.	26-04-2018 Inspection to be carried out w.r.t HWM Rules, 2016.	27-04-2018 Inspection be conducted.
116	A.B. ELECTRONICS	PLOT NO 89, POCKET-M, SECTOR-1, DSIDC, BAWANA INDUSTRIAL AREA	22-03-2018		MFG. OF RUBBER AUTO PARTS Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		Hard copy not submitted.	.	26-04-2018	27-04-2018 Consent to Establish granted.
117	KRISHNA METAL INDUSTRIES	PLOT NO-10/5, BLOCK-B, JHILMIL INDUSTRIAL AREA, DELHI-95	22-03-2018		MFG. OF SANITARY BATHROOM FITTINGS Process Involving Buffing Brass fittings/Brass work(without casting / buffing)	Green Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 50 L/Day, source is DJB. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 25 L/Day and the mode of disposal is drain.	N/a	17-04-2018 Consent to Establish be granted and subsequently inspection be conducted.	27-04-2018 Consent to Establish granted.
118	JINDAL POLYMERS	PLOT NO. 81-82, POCKET-A, SECTOR-2, DSIDC INDUSTRIAL AREA, BAWANA	22-03-2018		MANUFACTURING OF MICROCELLULAR SHEETS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		Hard copy not submitted.	.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
119	KRISHNA SALES CORPORATION	PLOT NO-10/5, FIRST FLOOR, BLOCK-B, JHILMIL	22-03-2018		MFG. OF SANITARY BATHROOM FITTINGS Brass fittings/Brass work(without casting /	Green Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a.	N/a	17-04-2018 Recommended for Inspection	27-04-2018 Consent to Establish granted.

		INDUSTRIAL AREA, DELHI-95			buffing) Light Engineering work Process Involving Buffing				4. Water Consumption - 50 L/Day, source is DJB/corporation water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 25 L/Day and the mode of disposal is drain.			
120	SAGAR RATNA RESTAURANTS PVT. LTD.	PLOT NO.32, POCKET C-9, SECTOR-7, ROHINI	23-03-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (5000 L/Days) (Physiochemical) (2)ECS - Nil (3)D.G.Set: Yes of capacity 62.5 KVA Status of Ground Water extraction : Nil Source of Water: 2000 L per day, Source-DJB Status of Inspection : Yes on 28.03.2018 and 28.06.2017 SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Water (Effluents) : Test report is within norms (issued by DPCC on 17-11-2017) Noise : Noise monitoring reports of both D.G. sets are within norms (issued by DPCC on 30-01-2017)	16-04-2018 Inspection was carried out on 28.06.2017 and SCNs for refusal of consent and under 33(A) of Water Act were issued on 17.10.2017. Unit submits its reply on 01.11.2017. A inspection was again carried out by the officials of DPCC on 23.03.2018 and following were observed 1. ETP installed at top floor found in non-operational. Blackish wastewater with bad smell observed in tank of ETP. 2. No chemicals observed in dosing tanks. 3. Unit has installed inadequate Oil and Grease Trap. 4. By pass arrangement is existing in Oil & Grease trap at ground floor. 5. No sludge drying beds are existing, temporary arrangement with ghee tins. 6. Any license issued by North MCD not shown. 7. Unit has provided hood and channelization system over cooking ranges with stack height above road level.	27-04-2018 Reply received and informed that unit has rectified the deficiencies. Consent to Operate granted. Also inspection be conducted.
121	SHREE RATHNAM RESTAURANTS PVT. LTD.	251/3, POST OFFICE BLOCK, KRISHNA NAGAR,	23-03-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Oil and Grease trap of design capacity of 1000 L/D. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 2200 L/D 5. Domestic Trade Effluent - 100 L/D 6. Trade Effluent Discharge - 2000 L/D 7. Municipal Corporation of East Delhi - Not provided. 8. Police Licence of Delhi - Not provided. The show cause notice u/s 31 (A) of Air Act and u/s 33 (A) of Water Act was issued to the unit on 19.03.2018. The unit submitted its reply on 06.04.2018 stating that they have rectify all the deficiencies observed during the inspection conducted on 25.01.2018.	N/A	19-04-2018 Recommended for inspection.	27-04-2018 Inspection be conducted.
122	NANDI GREENS (A UNIT OF NANDI CATERERS PVT. LTD.)	KH. NO. 43, 46 AND 48, VILLAGE- SULTANPUR, NEAR GHITORNY METRO STATION, MG ROAD	23-03-2018		HOTELS AND RESORTS, NO. OF ROOMS 4, BANQUET HALL-2 NO., PARTY LAWN-2 NO UNIT Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not	Orange Establish	Non-SPI		Status of Pollution Control System (1)STP -installed (as mentioned in undertaking) (2)ECS - N/A (3)D.G.Set: 125 Kva.	.	26-04-2018 .	27-04-2018 Inspection be conducted.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : NIL Water Consumption : 50000 lt/day (Source:others) Month and Year of Commencement of Production: 25-06-2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Unit has valid MDC and Delhi Police License.			
123	APSARA ICE CREAM PARLOUR & FAST FOOD	B-1/113-115, SECTOR-17, ROHINI	23-03-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 600 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	17-04-2018 Consent to Operate may be granted.	27-04-2018 Consent to Operate granted.
124	MAMAS BUOI (A UNIT OF FOOD STUDIO)	2624 3RD FLOOR, HUDSON LANE, KINGSWAY CAMP	23-03-2018		RESTAURANT (48 SEAT). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS-N/A 3. D.G. set- N/A Plot Area-208.48 sq mt Date of Establishment/ Commencement-28.09.2016 Status of Ground Water Extraction-No 1.Water consumption- 3000 L/day Source- DSIIDC (Bill submitted) Inspection status- No No. of seats-48 seats MCD health license valid upto 31.03.2018.	Effluent Analysis Report-Issued by DPCC lab on 20.03.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 .	27-04-2018 Consent to Operate granted.
125	JAY PEE STAINLESS PRIVATE LIMITED	C-18/3, WAZIRPUR INDUSTRIAL AREA	23-03-2018		MANUFACTURING OF UTENSILS WITH BUFFING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 1000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	10-04-2018 Consent to Establish may be granted	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
												27-04-2018

126	UNIK ENTERPRISES	PLOT NO. 203, SECTOR-2, POCKET-J, BAWANA INDUSTRIAL AREA	23-03-2018		Assembling of Cycle with Spray Painting Denting and Painting of Vehicles	Orange Establish	Non-SPI		Hard copy not submitted.		17-04-2018 Remarks/ATR on 26-04-2018 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Proposed 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-01.04.2018 Status of Ground Water Extraction-No 1. Water consumption- 100 L/day Source- Outside (Bill not submitted) Inspection status- No Effluent Analysis Report-N/A Emission Monitoring Report-N/A Noise Monitoring report-N/A	Consent to Establish granted.
127	O.K. INDUSTRIES	B-73, NARAINA INDUSTRIAL AREA PHASE - II	24-03-2018		MANUFACTURING OF ALUMINIUM KITCHEN WARE (WITHOUT PLATING). Spray Painting, Paint Baking, Paint Stripping Process Involving Buffing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 03-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 23-08-2012 Authorisation Status Approved Authorisation Issue Date 16-10-2012 Authorisation Expiry Date 22-08-2017 HWM Application No. 4	Source of Water: MCD Supply (As per undertaking) Water Consumption: 800 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS - Installed (3)D.G.Set: Unit has a D.G. set of 180 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Stack monitoring report: a). Stack monitoring report dated 01-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes	17-04-2018 - Unit has submitted a hard copy of the Consent to Operate (Renewal) application.	27-04-2018 Inspection be conducted.

								Application Date 24-03-2018 Authorisation Status Pending			
128	OM FLEX INDIA	B-196, OKHLA INDUSTRIAL AREA, PHASE-I	24-03-2018	MANUFACTURING OF FLEXIBLE PACKAGING WITHOUT ANY TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI		HWM Application No. 1 Application Date 24-03-2018 Authorisation Status Pending Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Domestic Effluent Discharge: 200 L/day (Source- Others) Trade Effluent Discharge: Nil Discharge into: Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		17-04-2018 Hardcopy of application for CTO along with required documents is yet to be received. Remarks/ATR on 26-04-2018 an inspection of the unit was carried out by the team of both EEs of CMC-II and Trainee of CMC-II on 13.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. of Flexible packaging with printing (without trade effluent discharge). -Mfg. of Plastic carry bag was not observed. -Final product (packaging material) of thickness less than 50 micron was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016.	27-04-2018 Consent to Operate granted. Ask the unit to apply for Registration under Plastic Waste Management Rules, 2016.
129	FARM MANUFACTURING COMPANY	A-18, G.T. KARNAL ROAD INDUSTRIAL AREA	24-03-2018	MFG.OF OIL SEAL OF DIFFERENT SIZE AND O RINGS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI			Hard copy not submitted.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents including VOC report or SSI / MSME Certificate. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
130	HARI HAR PRESS	A-29/2, NARAINA INDUSTRIAL AREA PHASE - I	24-03-2018	Printing (Without Trade Effluent Discharge). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI		HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2	Source of Water: DJB Water Consumption: 300 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	13-04-2018	27-04-2018 Inspection be conducted.

								Application Date 12-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 28-09-2010 Authorisation Status Approved Authorisation Issue Date 16-05-2013 Authorisation Expiry Date 27-09-2015 HWM Application No. 4 Application Date 24-03-2018 Authorisation Status Pending				
131	FOUR ON FORTY FOUR (A UNIT OF SHIVA ENTERPRISES)	112, FIRST FLOOR, AGGARWAL CITY MALL, ROAD NO.44, PITAMPURA	24-03-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Nil (2)ECS - Nil (3)D.G.Set: No Status of Ground Water extraction : Nil Source of Water: 4000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air - N/A Water - N/A Noise - N/A	16-04-2018 CTE may be granted	27-04-2018 Consent to Establish granted.
132	JAIN SHRI ENTERPRISES	B-3/2, 2ND FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-110095.	24-03-2018		COPPER WIRE DRAWING AND WIRE AND CABLES Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Establish	Non-SPI		1. ETP - No, 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 220 L/Day, source is purchase water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is Sewer.	N/a	17-04-2018 Ask the unit to submit hard copy of the application and if the unit submit the same, recommended to grant CTE.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
133	CAFE CHILLM	SHOP NO.7 & 8, PLOT NO.38 BUNGLOW ROAD KAMLA NAGAR	25-03-2018		RESTAURANT 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- OGT-Yes 2. ECS- N/A 3. D.G. set-No Plot Area-65.85 sq mt Date of Establishment/ Commencement-24.03.2013 Status of Ground Water Extraction-No 1.Water consumption- 4000 L/day	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 .	27-04-2018 Inspection be conducted.

									Source- DJB (Bill submitted) Inspection status- No MCD License valid upto 31.03.2017 Police License valid upto 31.03.2017			
134	T & T MOTORS PVT. LTD.	F-85, OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI-110020	26-03-2018		AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	H/W Application No. 1 Application Date 26-03- 2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (5000 L/day) Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A Stack monitoring report dated 12-03-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (3)D.G.Set Noise Report : 1 The unit has 2 D.G. Set(s) of 160 KVA (not in use) and 250 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes Status of Ground Water extraction : Nil Domestic Effluent Discharge: 3500 L/day (Source- DJB) Trade Effluent Discharge: 3000 L/day Discharge into- Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes Stack monitoring report dated 12-03-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes The unit has 2 D.G. Set(s) of 160 KVA (not in use) and 250 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes	17-04-2018 Inspection to be carried out.	27-04-2018 Inspection be conducted.
135	ESSEX FARM (P) LIMITED	4, AUROBINDO MARG	26-03-2018		Restaurant and Banquet Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI	H/W Application No. 1 Application Date 17-05- 2010 Authorisation Status Infructuous	Status of Pollution Control System (1) ETP ---- ETP - Bio-logical Effluent analysis report dated 31-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes - Number of parameters analyzed which are within limit prescribed limit - Yes (2) ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 140 KVA (not in use),180 KVA and 180 KVA. Noise monitoring report dated 13-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit prescribed limit - Yes	Effluent analysis report dated 31-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes - Number of parameters analyzed which are within limit prescribed limit - Yes D.G.Set Noise Report : 2 (a) The unit has 3 D.G. Set(s) of 140 KVA (not in use),180 KVA and 180 KVA. Noise monitoring report dated 13-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit prescribed limit - Yes (b)The unit has 3 D.G. Set(s) of 140 KVA (not in use),180 KVA and 180 KVA. Noise monitoring	17-04-2018 Unit has submitted hard copy of Consent application on 28.03.2018 along with requisite documents. Remarks/ATR on 26-04- 2018 Inspection needs to be carried out to check the functioning of ETP.	27-04-2018 Inspection be conducted.

								(b)The unit has 3 D.G. Set(s) of 140 KVA (not in use),180 KVA and 180 KVA. Noise monitoring report dated 13-02-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit - Yes Water Consumption - 10280 Liters/Day Domestic Effluent - 3280 Liters/Day Trade Effluent - 7500 Liters/Day Status of Inspection : 17.04.2018 Inspection of the unit was carried out by officials of DPCC on 17.04.2018 and following observation were made : - During inspection unit found operational and engaged in the the activity of Banquets and Resturants. - ETP installed in the premises and same found operational. - Logbook of ETP Maintained - Two Bin system provided for the the segregation of wet and Dry waste. - Unit is having 3 DG sets 140 KVA (not in use), 180x2 KVA with acoustic enclosures and adequate stack heights. SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	report dated 13-02-2018 issued by DPCC submitted.Number of parameters analyzed which are within limit prescribed limit - Yes			
136	CONCORDE MOTORS INDIA LIMITED	A-24/4, MOHAN CO-OPERATIVE INDUSTRIAL AREA, MATHURA ROAD	27-03-2018		AUTOMOBILE SERVICING AND REPAIRING STATION (WITH WASHING AND PAINT BOOTH) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 62.5 Kva (Proposed as mentioned in undertaking). Status of Ground Water extraction : Nil Water Consumption : 11000 ltr/day (Source : Others) Month and Year of Commencement of Production: 10-04-2018 Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	17-04-2018 Hard copy not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	
137	ARIHANT MARKETING (INDIA)	PLOT NO A-17, LAWRENCE ROAD INDUSTRIAL AREA	27-03-2018		MINERALISED WATER/WATER TREATMENT PLANT. Mineralised Water/Water Treatment Plant	Green Operate	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : 12300 L per day	Air : N/A Water: Test report of outlet of WRP within norms (issued by DPCC on	17-04-2018 Hard copy not submitted. Only first page of undertaking is uploaded.	27-04-2018 Case deferred.

									Source of Water: NIL Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	27.02.2018) Noise: N/A		
138	CLASSIC PRINTERS	A-31/1, MAYAPURI INDUSTRIAL AREA, PHASE-I	27-03-2018		OFFSET PRINTING JOB WORK (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge Paper stationery items, cutting & book binding	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 26-06-2006 Authorisation Status Pending HWM Application No. 3 Application Date 23-06-2010 Authorisation Status Approved Authorisation Issue Date 04-04-2013 Authorisation Expiry Date 22-06-2015 HWM Application No. 4 Application Date 21-03-2018 Authorisation Status Pending	Source of Water: Not mentioned Water Consumption: 800 Liters/Day Status of Ground Water extraction: N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set Noise Report: The unit has 1 D.G. Set(s) of 125 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Noise monitoring report: a). Noise monitoring report dated 13-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 Remarks/ATR on 27-04-2018 - An inspection of the unit was carried out by DPCC officials on 19.04.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of Printing without Trade Effluent Discharge, stationary items and book binding etc. 2. Hazardous Waste Management guidelines are being followed. 3. Exhaust system is provided for emission control. 4. Unit has installed a D.G. set of 125 KVA with acoustic enclosure and with adequate stack height.	27-04-2018 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
139	PUNJAB PRINTING PRESS	B-34/12, G.T. KARNAL ROAD INDUSTRIAL AREA	27-03-2018		OFFSET PRINTING WITH LAMINATION (W/O TRADE EFFLUENT) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 22-04-2018 Authorisation Status Pending	Hard copy not submitted.	.	17-04-2018 Remarks/ATR on 26-04-2018 Inspection conducted on 26.04.2018 and findings are- 1. Unit found operating, engaged in offset printing and lamination work. 2. HWM rules are complied with.	27-04-2018 Consent to Establish granted.

										Remarks/ATR on 25-04-2018 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-334.5 sq mt Date of Establishment/ Commencement-April 2014 Status of Ground Water Extraction- No 1. Water consumption- 200 L/day Source- DJB (Bill submitted) Inspection status- No Effluent Analysis Report-N/A Emission Monitoring Report-N/A Noise Monitoring report-N/A	
140	J.R.R. EXPORT	C-154, PHASE-I, OKHLA INDUSTRIAL AREA	27-03-2018	MFG. OF READYMADE GARMENTS Readymade Garment (with Washing) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 02-02-2018 issued by DPCC submitted, Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A Stack monitoring report dated 05-02-2018 issued by DPCC submitted, Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes. (b) The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes. Status of Ground Water extraction : Nil Water usage- 1200 L/day (Source- DJB) Domestic Effluent Discharge: 150 L/day Trade Effluent Discharge: 1000 L/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 02-02-2018 issued by DPCC submitted, Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes Stack monitoring report dated 05-02-2018 issued by DPCC submitted, Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes. The unit has 2 D.G. Set(s) of 82.5 KVA and 125 KVA. Noise monitoring report dated 16-03-2018 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes.	17-04-2018 hardcopy yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to operate be granted. If any deficiencies are found, query letter be issued. Also inspection be conducted.

								Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
141	SANCHIT METAL	PLOT NO. A - 131, GROUP WAZIRPUR, INDL. AREA, DELHI	27-03-2018		S.S. UTENSILS (With Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 90 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	13-04-2018 Consent to Establish may be grant	27-04-2018 Consent to Establish granted.
142	THE VILLAIN CAFE A UNIT OF AARN FOODS	30,NWA, CLUB ROAD PUNJABI BAGH	27-03-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: Delhi Jal Board (Corporation) (As per undertaking) Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: a). Effluent analysis report dated 09-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-04-2018 - Unit has submitted hard copy of Consent to Operate application. - Consent to Operate may be granted to the unit.	27-04-2018 Consent to Operate granted.
143	FIVE ELEMENTS (A UNIT OF SANDOZ HOSPITALITY PVT. LTD.)	B-1/631, JANAKPURI, (NEAR METRO PILLAR NO-567), MAIN NAJAFGARH ROAD	27-03-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: DJB (Cat-I) Water Consumption: 9500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G.Set Noise Report: The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. - An inspection of the unit was carried out by DPCC officials on 16.12.2017 and following deficiencies were observed: 1. Coal is being used in Tandoor. 2. Compost plant installed but found non-operational. 3. ETP installed but found in defunct condition. No wet/dry sludge observed. 4. Channelization done in kitchen but adequate stack not provided. 5. No segregation of Municipal waste observed at site. - On the basis of inspection, a Show Cause Notice u/s 33(A) and 31(A) was issued to the unit on 02.01.2018. - Unit submitted a reply on 05.02.2018 and informed that	1. Effluent analysis report: a). Effluent analysis report dated 09-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 20-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 - Consent to Operate may be granted to the unit.	27-04-2018 Consent to Operate granted.

									they have rectified all the discrepancies which were observed during inspection and also applied Consent to Establish. - As per approval, Modified Directions u/s 33(A) and 31(A) was issued to the unit on 13.03.2018.			
144	SHAKTI SHIVA MAGNETS PVT. LTD.	G-1-114, PH-II, MAYAPURI INDUSTRIAL AREA	28-03-2018		MANUFACTURING OF COPPER WINDING AND COPPER WIRES. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-03-2004 Authorisation Status Approved Authorisation Issue Date 17-09-2004 Authorisation Expiry Date 16-09-2006 HWM Application No. 2 Application Date 08-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 12-07-2011 Authorisation Status Approved Authorisation Issue Date 17-10-2012 Authorisation Expiry Date 11-07-2016	Source of Water: Not mentioned Water Consumption: 200 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Installed (Scrubber) (3)D.G.Set: The unit has 2 D.G. sets of 200 KVA & 80 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Stack analysis report: a). Stack analysis report dated 19.09.2017 issued by DPCC submitted and parameters within limit- Yes	17-04-2018	27-04-2018 Inspection be conducted.
145	KWALITY OFFSET PRINTERS	A-34/1-2-3 NARAINA INDUSTRIAL AREA PHASE - I	28-03-2018		PAPER PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 12-07-	Source of Water: DJB (Cat-II) Water Consumption: 3000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: Nil (3)D.G.Set Noise Report: The unit has 4 D.G. Sets of 125 KVA, 125 KVA, 200 KVA and 200 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s	1. Noise monitoring report: a). Noise monitoring report dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes c). Noise monitoring report dated 10-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes d). Noise monitoring report dated 10-01-2018 issued by DPCC submitted. Noise	17-04-2018 - Unit has submitted hard copy of the Consent to Operate application.	27-04-2018 Inspection conducted. Unit is complying with HW Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Date 2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-05-2010 Authorisation Status Approved Authorisation Issue Date 18-10-2010 Authorisation Expiry Date 19-05-2015 HWM Application No. 4 Application Date 05-05-2015 Authorisation Status Approved Authorisation Issue Date 14-06-2016 Authorisation Expiry Date 04-05-2020	31(A)/33(A)/5 of EPA details : No	monitoring report within Limit - Yes		
146	SOUTH INDIAN CORNER	SHOP NO. C-26, G.F. CSC NO.2, DDA MARKET, SECTOR-13, ROHINI	28-03-2018		Dhaba Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 300 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	10-04-2018 Consent to Operate may be granted.	27-04-2018 Consent to Operate granted.
147	VED PRINTERS AND PACKERS	PLOT NO.24, SECTOR-2,POCKET-1,DSIDC BAWANA INDUSTRIAL AREA	28-03-2018		mfg of printed card board boxes Printing without Trade Effluent Discharge Cardboard or corrugated box and Paper products(paper or pulp mfg excluded)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-03-2018 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-16.10.2007 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- DSIIDC (Bill submitted) Inspection status- No Applied under Form I HWM Rules.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 . Remarks/ATR on 26-04-2018 . Remarks/ATR on 26-04-2018 Inspection conducted on 03.04.2018 and findings are as follows- 1. Unit found operating, engaged in the activity of printed corrugated box. 2. HWM rules are complied with.	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
148	SUVIDHA RESTAURANT	PLOT NO: 7361, RAM NAGAR, , PAHAR GANJ, DELHI	28-03-2018		RESTAURANT SERVICE PROVIDER Restaurants /Eating houses/ Dhabas and	Orange Operate	Non-SPI		Hard copy not submitted.	.	17-04-2018 .	27-04-2018 Consent to Establish granted. Also

					other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler						inspection be conducted.	
149	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 7, LSC, (NEAR SAMACHAR APPARTMENTS) MAYUR VIHAR EXT	28-03-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- YES 2. ECS- NO 3. DG SET- 62.5 KVA 4. Water Consumption- 500 L/day 5. Trade Effluent Discharge- 450 L/day 6. Domestic Effluent Discharge- 5 L/day	N/A	19-04-2018 Ask the unit to submit the hard copy of the consent application with all the requisite documents and also inspection be conducted.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
150	BANSIWAL SERVICE STATION	SAN MARTIN MARG , CHANAKYAPURI	28-03-2018		PETROL PUMP CUM SERVICE STATION Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI		Source of Water: Outside (As per undertaking) Water Consumption: 1400 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	13-04-2018 -	27-04-2018 Inspection be conducted.
151	S.S. VATIKA	PLOT NO.01, PHASE-1, OM VIHAR, OPP. METRO PILLAR NO.696, MAIN NAJAFGARH ROAD, UTTAM NAGAR	28-03-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Receipt of payment enclosed) Water Consumption: 2000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA. - As per decision in meeting dated 06.12.2017, a Show Cause Notice was issued to the unit on 15.09.2017. - As the unit did not send any reply w.r.t. the above said Show Cause Notice, Directions for Closure u/s 33(A) and 31(A) was issued to the unit on 03.01.2018. - Unit submitted a reply on 18.01.2018 along with Environmental Compensation Security of Rs. 2,00,000/- with an undertaking as per office order F.No. DPCC/CMC-I/Revocation/2017/1323-1333 dated 02.08.2017. - Accordingly, as per above	1. Effluent analysis report: a). Effluent analysis report dated 05-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 20-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 - Consent to Operate may be granted to the unit.	27-04-2018 Consent to Operate granted.

								mentioned office order, a letter for Restoration of Power Supply, Water Supply and De-sealing of the unit was issued to the unit on 05.04.2018.				
152	STREET KITCHEN	15 A/63 (G FLOOR) WEA, KAROL BAGH, NEW DELHI	29-03-2018		RESTAURANT HAVING 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard copy not submitted.	.	17-04-2018 Remarks/ATR on 25-04-2018 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- Yes Plot Area-130 sq mt Date of Establishment/ Commencement-09.01.2018. Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- DJB (Bill submitted) Inspection status- No MCD licesnce valid Police Licesnce valid. Effluent Analysis Report- issued by DPCC lab on 13.03.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report-N/A	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
153	KLR METALINKER	KHASRA NO. 61, NEW MANDOLI INDUSTRIAL AREA,	29-03-2018		MFG OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Wet Scrubber) 3. D.G Set- yes(62.5 KVA) 4. D.G Set Test Report- yes 5. OLMS- Not installed. 6. Proof prior to 2007- Yes (Rent Agreement of 15.01.2005). 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Diesel.	Emission monitoring report was submitted on 14.03.2018 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 14.03.2018 by DPCC and all the parameters are within the prescribed limit.	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, OLMS etc. Also inspection be conducted.
154	SUSHIL KUMAR BAFNA	PLOT NO-340/2/30-A, GALI NO-1, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95	29-03-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 140 L/Day, source is DJB/corporation water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 20 L/Day and the mode of disposal is drain.	N/a	17-04-2018 Recommended to grant CTE and subsequently inspection be conducted.	27-04-2018 Consent to Establish granted. Subsequently, inspection be conducted.
155	SURABI (A UNIT OF MANAKCHAND CELEBRATORS)	M-58,M-59,GROUND MEZZANINE & FIRST FLOOR CONNAUGHT PLACE	29-03-2018		RESTURANT 96 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
												27-04-2018

156	KFC (A UNIT OF SAPPHIRE FOODS INDIA PVT. LTD.)	C-1/133, LAL SAI MARG, JANAKPURI	30-03-2018		EATING HOUSE / RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: outside Water Consumption: 2600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Bio-logical) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	17-04-2018 - Consent to Establish may be granted to the unit.	Consent to Establish granted.
157	KFC(A UNIT OF SAPPHIRE FOODS INDIA PVT. LTD.)	GROUND FLOOR OF PROPERTY W-2/14, WEST PATEL NAGAR	30-03-2018		EATING HOUSE / RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: outside Water Consumption: 2600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	17-04-2018 - Consent to Establish may be granted to the unit.	27-04-2018 Consent to Establish granted.
158	DSS TAKARA BIO (INDIA) PVT. LTD.	A-5 MOHAN CO-OPERATIVE INDL. AREA	30-03-2018		LABORATORY REAGENTS AND KITS. Laboratory Reagents and Kits	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-01-2013 Authorisation Status Approved Authorisation Issue Date 02-04-2014 Authorisation Expiry Date 06-01-2018 HWM Application No. 2 Application Date 18-04-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 22-03-2018 issued by DPCC submitted.Number of parameters analyzed which are within prescribed limit - Yes Effluent analysis report dated 17-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within prescribed limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 63 KVA. Noise monitoring report dated 23-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes (b) The unit has 2 D.G. Set(s) of 63 KVA and 125 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Effluent analysis report dated 22-03-2018 issued by DPCC submitted.Number of parameters analyzed which are within prescribed limit - Yes Effluent analysis report dated 17-01-2018 issued by DPCC submitted.Number of parameters analyzed which are within prescribed limit - Yes (2)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 63 KVA. Noise monitoring report dated 23-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes (b) The unit has 2 D.G. Set(s) of 63 KVA and 125 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 Unit has submitted hard Copy of Consent Application on 02.04.2018 along with requisite documents. Remarks/ATR on 26-04-2018 Unit has submitted following documents vide letter dated 23.04.2018 - Photographs of Hazardous waste Display Board and Container - Hazardous waste application, undertaking, bills, Process flow chart.	27-04-2018 Inspection conducted. Unit is complying with HWM Rules. Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

									-Number of parameters analyzed which are within prescribed limit - Yes Water Consumption - 3000 Liters/Day Domestic Effluent - 1000 Liters/Day Trade Effluent - 2000 Liters/Day Status of Inspection : 17.04.2018 Inspection of the unit was carried out by officials of DPCC on 17.04.2018 and following observation were made : - During inspection unit found operational and engaged in the the activity of Laboratory Reagents and Kits. - ETP installed in the premises and same found operational. - Logbook of ETP Maintained SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	-Number of parameters analyzed which are within prescribed limit - Yes		
159	V.S AUTOMOBILES	B-26, OKHLA INDUSTRIAL AREA, PHASE-II,	30-03-2018		Repairing Servicing Denting Painting of Cars with Burner Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water usage: 6000 L/day (Source- Others) Domestic Effluent Discharge: 800 L/day Trade Effluent Discharge: 5000 L/day Discharge into: Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes	17-04-2018 Hardcopy yet to be received. Remarks/ATR on 26-04-2018 An SCN was issued on 16.02.2018. Unit submitted its representation on 05.03.2018 w.r.t SCN dated 16.02.2018 along with required documents/ photographs and informed that they have rectified all the deficiencies observed during inspection. As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 25.04.2018 and following observations were made- -Unit found in operation and engaged in the activity of Repairing, Servicing and Denting Painting of Cars with Burner. -ETP installed and same found functional. -Wet/ dry sludge was observed. -Logbook of ETP maintained. -Unit has installed flow meter at outlet of ETP. -Unit having 1 paint booth with electric panel for heating. No diesel Burner provided and also provided	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

										Channelization system with Stack height 3m above roof level. -Unit is complying with the provisions of HWM Rules, 2016. -No D.G. Set was observed at the premises.	
160	OLD WORLD HOSPITALITY PRIVATE LIMITED	B-179, OKHLA INDUSTRIAL AREA PHASE-I, NEW DELHI	30-03-2018		Mfg. of Food Items Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Biological (2)ECS - N/A (3)D.G.Set: 50 KVA and 125 KVA Status of Ground Water extraction : Nil Water Consumption: 4000 Liters/Day (Source - DJS) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	17-04-2018 Hardcopy of application for CTE along with required documents is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE along with required documents received on 09.04.2018.	27-04-2018 Consent to Establish granted.
161	ROCKSEA PAPER PRODUCTS	A/38, NARAINA INDUSTRIAL AREA PHASE - I	30-03-2018		POLYTHENE CARRY BAGS. Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 30-05-2006 Authorisation Status Pending HWM Application No. 2 Application Date 16-09-2008 Authorisation Status Pending HWM Application No. 3 Application Date 30-05-2012 Authorisation Status Pending HWM Application No. 4	Source of Water: DJS (Cat-II) Water Consumption: 200 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	17-04-2018 -	27-04-2018 Inspection be conducted.

								Application Date 30-03-2018 Authorisation Status Pending				
162	KALEVA WORLD	GD 21, PITAMPURA METRO STATION, PITAMPURA, NEW DELHI	30-03-2018		Restaurant and Sweet shop Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: 1 of 80 KVA with acoustic enclosure Status of Ground Water extraction : Nil Source of Water: 6000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	10-04-2018 Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
163	SHRI HARI ENTERPRISES	M-25, KH.NO-30, NEW MANDOLI INDUSTRIAL AREA ,DELHI	30-03-2018		MANUFACTURING OF COPPER INGOTS WITH MELTING PROCESS WITH USE OF FURNACE OTHER THAN CUPOLA FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Cyclone Wet Scrubber) 3. D.G Set- yes(62.5 KVA) 4. D.G Set Test Report- yes 5. OLMS- Not installed. 6. Proof prior to 2007- Yes (Rent Agreement of 05.09.2006). 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : diesel.	Emission monitoring report was submitted on 21.03.2018 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 21.03.2018 by DPCC and all the parameters are within the prescribed limit.	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, OLMS etc. Also inspection be conducted.
164	BSES TRANSFORMER WORKSHOP DWARKA SECTOR 11	DWARKA SECTOR 11 NEW DELHI 110075	31-03-2018		66 GRID SUB STATION/Repairing and servicing of distribution transformer workshop (Transformer Assembly / Repairing) Transformer Assembly / Repairing	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status Water Consumption - 5000 Liters/Day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	26-04-2018 Hard Copy of Consent application yet to be received. Remarks/ATR on 26-04-2018 Inspection of the unit was carried out by DPCC officials on 26.04.2018 and following observations were made : -During Inspection unit found operational and engaged in the activity of repairing and servicing of transformers. -Transformers coil repairs at workshop if found repairable otherwise send to manufactures. -Transformers oil top up if required or changed with new one and waste oil stored in isolated area. - Unit is complying with HWM rules -2016. Remarks/ATR on 26-04-2018	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

										Inspection needs to be carried out to check the compliance with Hazardous waste rules.	
165	PRABHAT PLASTIC IND.	21, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	31-03-2018		Manufacturing of S.S. Kitchen Sink. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		Hard copy not submitted.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
166	ADVANCE PANELS AND SWITCH GEARS R. LTD.	A-257, DSIDC NARELA INDUSTRIAL AREA	31-03-2018		Mfg. of Electronic goods i.e. LT/HT control Panels, LT/HT Switchgears, Motor Starters etc. With Powder Coating. Powder Coating without phosphating	Green Renewal	Non-SPI		Hard copy not submitted.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
167	SIKKA LOCOMOTIVE PVT. LTD.	B-72/4, WAZIRPUR INDUSTRIAL AREA, NEW DELHI	31-03-2018		AUTOMOBILE REPAIR AND WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP - Physiochemical of capacity 4 KLD (2)ECS - N/A (3)D.G.Set: - 1 of capacity 125 KVA with Acoustic enclosure Status of Ground Water extraction : Nil Source of Water: 4000 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A 17-04-2018 Hard copy of Consent application not submitted. Unit was directed to deposit environmental compensation of Rs. 50000/- levied for violation w.r.t dust pollution control measures. If unit submits the same, Consent to Establish granted.	27-04-2018
168	CIBO BISTRO (A UNIT OF JOSNIKA FOODS AND BEVERAGES PVT. LTD.)	H-37/66-68, GROUND FLOOR / MEZZANINE FLOOR, CONNAUGHT PLACE	01-04-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: NDMC Water Consumption: 3600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	13-04-2018	27-04-2018 Consent to Establish granted.
169	BOMBAY BRASSERIE (A UNIT OF JOSNIKA FOODS AND BEVERAGES PVT. LTD.)	H-37/66-68, 1ST FLOOR, CONNAUGHT PLACE	01-04-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: NDMC Water Consumption: 3600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	13-04-2018	27-04-2018 Consent to Establish granted.

								Closure directions u/s 31(A)/33(A)/5 of EPA details : No				
170	IRISH HOUSE (A UNIT OF JOSNIKA FOODS AND BEVERAGES PVT. LTD.)	H-102/103, 2ND FLOOR, CONNAUGHT PLACE	01-04-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: NDMC Water Consumption: 3600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	13-04-2018 -	27-04-2018 Consent to Establish granted.
171	L.A. HOTELS & RETREATS PVT. LTD.	A-2, COMMUNITY CENTRE PITAMPURA ROAD NO. 43, MANGOLPURI INDUSTRIAL AREA PHASE - II	02-04-2018		HOTEL Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System ETP ---- ETP - Bio-logical of 25 KLD ECS - N/A D.G.Set: 1 of 250 KVA Status of Ground Water extraction : Nil Source of Water: 17000 L per day, Source-DJB and 3000 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Air (Emissions) : Test report of stack attached to boiler is within norms (issued by DPCC on 14.11.2017) Water (Effluents) : Test report of outlet of STP is within norms (issued by DPCC on 14.09.2017) Noise : Test report within norms (issued by DPCC on 29.09.2017)	16-04-2018 CTO may be granted.	27-04-2018 Consent to Operate granted.
172	L.A. HOTELS & RETREATS PVT. LTD.	A-1, COMMUNITY CENTRE PITAMPURA ROAD NO. 43, MANGOLPURI INDUSTRIAL AREA PHASE - II	02-04-2018		HOTEL Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System ETP ---- ETP - Bio-logical of 25 KLD ECS - N/A D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 15000 L per day, Source-DJB and 2000 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Air (Emissions) : Test report of stack attached to boiler is within norms (issued by DPCC on 14.11.2017) Water (Effluents) : Test report of outlet of STP is within norms (issued by DPCC on 14.09.2017) Noise : N/A	16-04-2018 CTO may be granted.	27-04-2018 Consent to Operate granted.
173	FAIR DEAL INDUSTRIES	D-56, PH-I, OKHLA INDL. AREA	03-04-2018		Manufacturing of PVC sheet including Vacuum Metalizing and Coating unit Vacuum Metalising without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 31-08-2012 Authorisation Status Approved Authorisation Issue Date 19-10-2012 Authorisation Expiry Date 30-08-2017 HWM Application No. 2 Application Date 03-04-2018	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report of stack attached to channelization of Vacuum Metalising and Coating Section dated 30-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 400 Liters/DAY (Source - Others)	Stack monitoring report of stack attached to channelization of Vacuum Metalising and Coating Section dated 30-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. -During inspection unit found operational and engaged in the activity of Mfg. of PVC Sheet including Vacuum Metalizing and Coating. -Unit has provided Channelization system with Vacuum Metalizing and Coating section.	17-04-2018 Hardcopy of application for CTO(R) is yetto be received Remarks/ATR on 26-04-2018 As decided, an inspection of the unit was carried out by Officials of DPCC on 19.04.2018 and following observations were made- -Unit has provided Channelization system with Vacuum Metalizing and Coating section.	27-04-2018 Issue show cause notice for refusal of consent.

								Authorisation Pending Status	Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	-Unit having 1 Diesel Fired Burner for heating of Coating Section with inadequate stack. -Unit is complying with the provision of Hazardous Waste Management Rules, 2016. After perusal of the record submitted by the unit, it was found that unit has not submitted stack monitoring report of stack attached to Diesel Fired burner for heating of Coating Section and also stack height found inadequate during inspection.		
174	AZAR INDUSTRIES	34, DSIDC SHED, PH-I OKHLA INDL. AREA	03-04-2018		CORRUGATED BOXES AND OFFSET PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE Cardboard or corrugated box and Paper products(paper or pulp mfg excluded) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 40 KVA with 2m stack height above the roof level. Status of Ground Water extraction : Nil Water usage- 400 L/day (Source- DJB) Domestic Effluent Discharge- 320 L/day Trade Effluent Discharge- Nil Discharge into- Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	. 17-04-2018 Hardcopy of application for CTE along with required documnts is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE along with required documents received on 17.04.2018.	27-04-2018 Consent to Establish granted.	
175	DEUTSCHE MOTOREN (PVT) LTD	31, SHIVAJI MARG, MOTI NAGAR	03-04-2018		Automobile servicing/repairs and accidental jobs with washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-04-2018 Authorisation Status Pending	Source of Water: DJB (Cat-II) Water Consumption: 5500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Installed (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: a). Effluent analysis report dated 06-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: a). Stack monitoring report dated 27-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes	13-04-2018 - Unit has submitted hard copy of Consent to Operate application. - Consent to Operate may be granted to the unit.	27-04-2018 Inspection conducted. ETP found operational and unit is complying with HW Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
176	1 OAK (UNIT OF MAK HOSPITALITIES)	GROUND FLOOR, C-49-54, DDA SHOPPING COMPLEX, DEFENCE COLONY	03-04-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical	Effluent analysis report dated 19-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within	17-04-2018 .	27-04-2018 Issue letter to take rectification measures to meet the noise level for D.G. Set and submit fresh noise

to / Discharging Effluent into
Public/Municipal/ DJB Sewer and having
Kitchen and / or Laundry without Boiler

Effluent analysis report dated
19-03-2018 issued by DPCC
submitted. Number of
parameters analyzed which are
within limit - Yes.

(2)ECS - N/A

(3)D.G.Set: 62.5 KVA
The unit has 1 D.G. Set(s) of
62.5 KVA. Noise monitoring
report dated 13-04-2018 issued
by DPCC submitted. Number of
parameters analyzed which are
within limit - No.

Status of Ground Water
extraction : Nil

Water Consumption:

Status of Inspection : An
inspection of the unit was
carried out by Officials/
Representatives of DPCC on
30.10.2017 and following
observations were made-

-Unit found in operation and
engaged in the activity of Eating
House/ Restaurant with seating
capacity of 49 seats.

-Unit has installed ETP & same
found not in operation & defunct
condition.

-Restaurant having one Wood
Fired Oven Outside the
premises.

-No flow meter provided at Inlet
& Outlet of ETP & also Logbook
of ETP not
maintained.

-Unit has provided
Channelization system in
Kitchen with stack height about
one meter above the roof level.
No Channelization system
provided over Tandoor.

-Two Bins System not provided
to segregate the solid waste
(Wet & Dry solid waste). Only
one container exists in Kitchen
to collect/ store the Kitchen
waste.

-Unit having one D.G. Set (62.5
KVA capacity) with acoustic
enclosure without stack.

SCN u/s 31(A)/33(A)/5 of EPA
details : Issued on 24.11.2017

Unit submitted its
representations on 03.01.2018
& 22.01.2018 along with
undertaking for not using wood
in wood fired oven, photographs
of ETP, Wood Fired Oven,
Channelization over Tandoor,
Flowmeter at inlet & outlet of
ETP & Blue & Green Dustbins
and informed that-

-ETP is now fully operational.

limit - Yes.

One D.G Set of 62.5KVA
capacity installed with
acoustic enclosure but
without stack. However
they have not disclosed
the said D.G set in the CTO
application but Noise
monitoring report of D.G
Set dated 13.04.2018
shows online which is not
meeting the prescribed
standard i.e. Noise Level at
1.0 m away from the
enclosure surface in dB
(A).

monitoring report, log book of ETP.
If unit submits the same and found
satisfactory, Consent to Operate
granted.

-Flowmeter with inlet & Outlet of ETP have been provided.

-Logbook of ETP is now being maintained.

-Stack height of Channelization system has been raised to 2m above roof level.

-Channelization system has been provided over tandoor.

-Two bins system has been provided in kitchen for segregation of wet & dry solid waste.

-Stack height has been provided with D.G. Set with stack height 2m above acoustic enclosure of D.G. Set.

-Wood Fired Oven has been closed now and will not be used in future.

They have applied for Fresh CTE for C-49-54, DDA SHOPPING COMPLEX, DEFENCE COLONY New Delhi as directed in the SCN dated 24.11.2017 and applied for Effluent analysis report of ETP & Noise Monitoring Report of D.G. Set and also requested to grant 30 days time to submit application for Consent to Operate after obtaining the said reports

Unit submitted hardcopy of application for CTO on 05.04.2018 along with required documents/ test reports.

As directed, inspection of the unit was carried out by the Officials/ Representatives of DPCC on 01.04.18 to check the existence of Hooka Facility accordingly report w.r.t same was sent to CMC III for taking further necessary action.

During inspection following observation made w.r.t the pollution aspect:

- Unit found operational and engaged in the activity of Restaurant with seating capacity of 49 seats
- Unit installed ETP and same found operational
- No flow meter provided at inlet and outlet of ETP
- Channelization system provided in the kitchen with stack height 2m above the roof level
- Tandoor shifted in the kitchen under the channelization system
- Wood fired oven located outside the premises found in non operational condition
- Two bins system provided in the kitchen to segregate the solid waste (Wet and Dry solid waste) and dispose the same through SDMC as informed

Date	2018	Yes. Number of parameters analyzed within limits- Yes
Authorisation Status	Pending	Status of Ground Water extraction : Nil
		Water Consumption: 500 Liters/Day (Source - DJB)
		Status of Inspection : An inspection of the unit was carried out by Officials/ Representatives of DPCC on 08.11.2017 and following observations were made:-
		-Unit found Operational and Engaged in the activity of Offset Printing with Trade Effluent Discharge.
		-Unit has Installed ETP at Rooftop in dismantle Condition.
		-Trade Effluent generated from the activity of Plate making by CTP is being discharged without any treatment.
		-Unit is not complying with the Provisions of HWM Rules, 2016.
		-Unit is having 1 DG set of Capacity 80 KVA with acoustic enclosure but having stack height of Nil mtr from acoustic level.
		-No wet sludge observed at site however dry sludge stored in PVC Container at Roof Top.
		SCN u/s 31(A)/33(A)/5 of EPA details : Issued to unit on 24.11.2017
		Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued to unit on 16.02.2018 along with Refusal of Consent and Authorization under HWM Rules.
		Unit submitted representations on 28.02.2018, 05.03.2018 & 06.03.2018 w.r.t Directions for Closure dated 16.02.2018 along with an Environmental Compensation Security (ECS) of Rs 2,00,000/- (Rupees Two Lakhs Only) & an undertaking as per Office Order dated 02.08.2017, photographs of display boards, Hazardous waste drum, stack attached to D.G. Set & all the components of ETP and copy of record of hazardous waste in form-3, Receipt of request slip for testing of ETP & D.G. Set and copy of receipt of application for CTE and informed that :-
		-They have stopped the activity/ work w.r.t Closure Directions and premises of unit was sealed by SDM on 28.02.2018 and unit would not operate till Consent

to Establish & Consent to Operate is granted.

-Adequate ETP has been installed in the premises and same is functional properly.

-Unit is complying with the provisions of HWM Rules, 2016 i.e. provide display board, hazardous waste keep in leak proof containers, containers marked with specific label and kept in isolated area and also maintained record of Hazardous Waste in form-3 etc.

-Adequate Stack height of D.G. Set has been provided.

also requested to de-seal the premises & restoration of electricity/ water supply and allow time to get the Effluent testing of ETP and Noise Monitoring of D.G Set and submit the application for Consent to Operate.

In view of above and as decided, Permission for restoration of power supply, water supply & de-sealing of the unit was issued on 12.03.2018.

Unit submitted its representations on 05.04.2018 and 09.04.2018 along with photographs of display board and hazardous waste drums, hard copy of application for Authorization under HWM Rules, 2016, and application for Consent to Operate along with required documents and informed that they have applied for CTO and Authorization under HWM Rules, 2016 and requested to revoke the Directions dated 16.02.2018.

As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 17.04.2018 and following observations were made-

-Unit found not in operation during inspection.

-Unit has installed ETP and same consist of Collection Tank, Reaction cum Settling Tank, Sludge Drying Bed, Chemical Dosing Tank and Rectified the deficiencies observed during earlier inspection.

-Unit is complying with the provision of Hazardous Waste Management Rules, 2016.

-Record of Hazardous Waste maintained in form-3.

-Unit is having 1 D.G. Set of capacity 82.5 KVA with acoustic enclosure and adequate stack height 2m above the roof level.

179	UNIPACK INDUSTRIES	KHASRA NO 53/9/1 AND 53/2, PEHLADPUR BANGER	04-04-2018		MFG. OF PAPER GUM Paper Gum using fuel for heating without effluent discharge	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached with electrically heated kettle mixture 3. D.G. set-No Plot Area-400 sq mt Date of Establishment/ Commencement-01.09.2014 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day Source- Outside (Bill not submitted) Inspection status- No Letter issued on 21.03.2018. Unit has submitted representation on 05.04.2018 along with certificate in original of boundary proof from Dept. of Industries, ownership proof, type of fuel used and manufacturing process, raw material details.	Effluent Analysis Report- N/A Emission Monitoring Report- issued by DPCC lab. Meeting the norms. Noise Monitoring report- N/A	26-04-2018		Consent to Establish and Consent to Operate granted.	
180	VIKAS FOOTCARE	PLOT NO. 133-134, POCKET-N, SECTOR-5, DSIDC INDUSTRIAL AREA, BAWANA	04-04-2018		MANUFACTURING OF MICROCELLULAR SHEETS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		Hard copy not submitted.	.	26-04-2018		27-04-2018	Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
181	ENPEECON	KHASRA NO. 16-17, GALI NO. 6, NEAR HARNANDI DHARAMKANTA MUNDKA	04-04-2018		READY MIX CONCRETE WITHOUT TRADE EFFLUENT DISCHARGE Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Source of Water: Outside tankers Water Consumption: 4000 Liters/Day Status of Ground Water extraction: N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: 1 D.G. set of 125 KVA (As per undertaking) Status of Inspection: No SCN u/s 31(A)/33(A)/5 of EPA details: No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	-	17-04-2018		27-04-2018 Consent to Establish granted.	
182	DOGRA PRESS	D-149-150, POCKET-D, SECTOR-3, DSIIDC, BAWANA	05-04-2018		Offset Printing Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-02-2018 Authorisation Status Pending	Status of Pollution Control System Devices- 1. ETP- N/A 2. ECS-N/A 3. D.G. set- No Plot Area- 300 sq mt Date of Establishment/ Commencement-01.09.2016 Status of Ground Water Extraction-No 1. Water consumption-1000 L/day Source- DSIIDC(Bill submitted) Inspection status- No Applied under Form I of HWM Rules.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018		27-04-2018 Inspection be conducted.	
183	SANSKRITI BY MEHAK (A UNIT	KH. NO. 882/1, 882/2, 885, 886/1,	05-04-2018		BANQUET HALL	Orange Establish	Non-SPI		water consumption:2500 litre/day	.	17-04-2018		27-04-2018	

	OF SANYUKT HOSPITALITY LLP)	886/2, 888/1, 888/2 AND 889 VILLAGE MUNDKA		Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Source of water: corporation Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by DPCC, Officials on 15.12.2017, during inspection following observations were made: 1. Unit found operational and engaged in activity of Banquet hall. 2. ETP/STP not installed. 3. Not applied for consent. 4. D.G Set has acoustic enclosure but not provided with adequate stack height. -A show cause notice u/s 31 (A) & 33 (A) was issued to the unit on 13.02.2018. -Again as per approval direction for closure u/s 31 (A) & 33 (A) was issued to the unit on 05.04.2018 -Unit has submitted a reply on 06.04.2018 and informed that they have applied CTE and they will apply CTO application as soon as possible and they also requesting to grant 2 months time for the same.			Consent to Establish granted.
184	AMRIT HOTEL	855, S.P. MUKHERJEE MARG,	05-04-2018	GUEST HOUSE WITH 44 ROOMS AND 66 BEDS (WITHOUT KITCHEN, LAUNDRY AND BOILER) Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- 1 x 5 KVA (Proposed) Plot Area-309.3 sq mt Date of Establishment/ Commencement- 15.11.2017 Status of Ground Water Extraction-No 1.Water consumption-2000 L/day Source- DJB (Water Bill submitted) MCD health license valid upto 31.03.2017. Police license valid upto 31-03-2017. No. of Rooms- 44 No. of Beds- 66 No meals and snacks are served to guests.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- issued by DPCC lab on 20.03.2018.	17-04-2018	27-04-2018 Consent to Operate granted.
185	NEW ROYAL HOTEL	1643, S.P. MUKHERJEE MARG,	05-04-2018	GUEST HOUSE WITH 92 ROOMS AND 128 BEDS (WITHOUT KITCHEN, LAUNDRY AND BOILER) Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- 20 KVA Plot Area-447.32 sq mt Date of Establishment/ Commencement-10.09.1982 Status of Ground Water Extraction-No 1.Water consumption-2000 L/day Source- DJB (Water Bill submitted) Status of Inspection- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- issued by DPCC lab on 20.03.2018.	26-04-2018	27-04-2018 Consent to Operate granted.

									MCD health license valid upto 31.03.2017, Police license valid upto 31-03-2017. No. of Rooms- 92 No. of Beds- 128 Earlier the unit mentioned date of commencement (Proposed 15-11-2017) and now showing 10.09.1982.			
186	DHINGRA AUTOMOBILES	K-54, UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD	05-04-2018		REPAIRING SERVICING WITH WASHING OF TWO WHEELERS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-11-2005 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 05-02-2009 Authorisation Status Pending HWM Application No. 3 Application Date 18-09-2012 Authorisation Status Approved Authorisation Issue Date 26-11-2012 Authorisation Expiry Date 17-09-2017 HWM Application No. 4 Application Date 05-04-2018 Authorisation Status Pending	Water consumption:2000 litre/day Source of water: DJB, Cat-II (Copy of bill provided) Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 2 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 22-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 28-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	17-04-2018	27-04-2018 Inspection conducted. ETP found operational and unit is complying with HW Rules. Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
187	AZIZAA BANQUET HALL (ROSHNI HOTELS PVT LTD)	B-7,GF,FF,G.T.KARNAL ROAD INDUSTRIAL AREA	05-04-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into	Orange Operate	Non-SPI		Hardcopy not submitted	.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

188	SLK SOLUTION AND CO	B 126/2 PHASE-1, MAYAPURI INDUSTRIAL AREA	05-04-2018	Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler MANUFACTURING OF PLASTIC PACKAGING MATERIAL WITH FLEXO PRINTING (without use of Scrap) without trade effluent discharge. Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	Source of Water: DJB (Cat-II) Water Consumption: 50 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	13-04-2018 -	27-04-2018 Inspection be conducted.
189	DOMINOS PIZZA (A UNIT OF JUBILANT FOODWORKS LTD)	UNIT NO-130, 104, FF, PLOT NO-59 AGGARWAL GOOD LUCK PLAZA, SEC-20, DWARKA	05-04-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: DJB (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction: N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set Noise Report: The unit has 1 D.G. Set(s) of 45 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: a). Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 27-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	26-04-2018 Unit has submitted the hard copy of Consent application on 16.04.2018 along with requisite documents.	27-04-2018 Consent to Operate granted.
190	DOMINOS PIZZA (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP NO F-9, FF, MALIK PLAZA, SEC 4, DWARKA	05-04-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---Installed Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -Number of parameters analyzed which are within limit-Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within limit-Yes Water Consumption-500 Liters/Day Domestic Effluent-50 Liters/Day Trade Effluent-450 Liters/Day	Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -Number of parameters analyzed which are within limit-Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within limit-Yes	26-04-2018 Unit has submitted the hard copy of Consent application on 16.04.2018 along with requisite documents.	27-04-2018 Consent to Operate granted.

									Status of Inspection : Nil			
									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
191	LANDMARK LIFESTYLE CARS PVT LTD	B-238, OKHLA INDL AREA, PHASE-1, N.D. 20	05-04-2018		SERVICE STATION OF JEEP CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction : 5000 Liters/Day Water Consumption: 5800 Liters/Day (Source Ground Water-5000 and other - 800 Liters/Day) Date of Commencement: 20-04-2018 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		17-04-2018 Hardcopy of application for CTE along with required documents is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE along with required documents received on	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
192	SIKKA CARS PVT. LTD	B-65/2, WAZIRPUR INDUSTRIAL AREA	05-04-2018		AUTOMOBILE REPAIR AND WASHING WITH PAINT BOOTH Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-04-2018 Authorisation Status Pending	(1)ETP - Physiochemical of capacity 9 KLD (2)ECS - N/A (3)D.G.Set: - Nil Unit has installed one Paint booth Status of Ground Water extraction : Nil Source of Water: 4400 L per day, Source-other Status of Inspection : The unit was inspected by DPCC officials on 16.04.2018 and following were observed: - The unit found in operation and engaged in activity of Service & repairing of cars including denting, painting of cars. - Unit has installed effluent treatment plant to treat the effluent generated from process, the same found in operational, No Flow meter found installed at outlet of ETP. - Unit has provided a plastic tank around 200 L capacity as sludge drying bed instead of a proper sludge drying bed with a media. - At present unit is discharging effluent into a drain after passing the same through filter without adding any chemicals into ETP tank. - Unit is having one bore-well, permission not shown, flow meter not installed. - Unit is having one paint booth	Status of Test Report Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 27.12.2017) Water (Effluents) : Test reports within norms (issued by DPCC on 28.12.2017) Noise : N/A	17-04-2018 Hardcopy of Consent application not submitted. Unit was directed to deposit Environment Compensation of Rs. 50000 on 27.03.2018 by DPCC officials which is not submitted by the unit	27-04-2018 Ask the unit to submit environmental compensation of Rs. 50000/- levied for violation w.r.t dust pollution control measures. If unit submits the same, Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									at roof top. - At present unit is storing used/waste oil in drums in open area and no record of same is being maintained. SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A			
193	SHENORA COSMETICS	A-13, PHASE-I, MAYAPURI INDUSTRIAL AREA	06-04-2018		Mfg. of Perfumery and Cosmetics Perfumes and Cosmetics	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 30-11-2012 Authorisation Status Approved Authorisation Issue Date 17-01-2013 Authorisation Expiry Date 29-11-2017 HWM Application No. 2 Application Date 14-12-2017 Authorisation Status Pending	water consumption:200 litre/day Status of Ground Water extraction :nil Source of water: corporation Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		17-04-2018	27-04-2018 Inspection be conducted.
194	GANPATI PLASTIC UDYOG	PLOT NO-83, POCKET-B, SECTOR-4, DSIDC INDUSTRIAL AREA, BAWANA	06-04-2018		MFG. OF GRANULES/DANA FROM REPROCESSING OF PLASTIC/PVC WASTE Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Stack attached to extruder 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-15.03.2018 Status of Ground Water Extraction-No 1.Water consumption- 350 L/day Source- DSIIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- issued by DPCC lab on 22.03.2018. Noise Monitoring report- N/A	17-04-2018	27-04-2018 Consent to Operate granted. Ask the unit to apply for registration under Plastic Rules. Also inspection be conducted.
195	JUGAL KISHORE CHHABRA	PLOT NO. 7, BLOCK-G, LAWRENCE ROAD INDUSTRIAL AREA	06-04-2018		COOLING WATER SUPPLIER Manufacturing of Ice without Trade Effluent Discharge	Green Operate	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	16-04-2018 CTO may be granted.	27-04-2018 Case deferred.
196	ASHA FINE ART PRESS	307/1, OPP. RAM KANTA SHAHZADA BAGH INDUSTRIAL AREA OLD ROHTAK ROAD	06-04-2018		POLY PRINTING PRESS (without mfg. of plastic bags) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation 30-07-	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes 3. D.G. set- N/A Plot Area-70 sq mt Date of Establishment/ Commencement-23.11.1984 Status of Ground Water Extraction-No	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring report- N/A	26-04-2018	27-04-2018 Inspection be conducted.

								Issue Date 2004 Authorisation 29-07- Expiry Date 2006 HWM Application No. 2 Application Date 04-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 01-06-2010 Authorisation Status Approved Authorisation Issue Date 19-09-2010 Authorisation Expiry Date 31-05-2015 HWM Application No. 4 Application Date 18-09-2015 Authorisation Status Pending	1. Water consumption- 150 L/day Source- DJB (Bill not submitted) Inspection status- No			
197	ORBIT OVERSEAS	1539, DSIIDC INDUSTRIAL AREA, NARELA, DELHI	07-04-2018		MANUFACTURING OF WASHING OF READYMADE GARMENTS WITH SPRAY AND BOILER Readymade Garment with Electric/ Gas fired boiler (with Washing) Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-Stack attached to boiler 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement-25.04.2018 Status of Ground Water Extraction-No 1. Water consumption- 30000 L/day Source- DSIIDC (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	27-04-2018 Consent to Establish granted.
198	BHASIN SERVICE STATION	DR. K.S. KRISHNA ROAD (NEAR PUSA GATE)	08-04-2018		Petrol Pump Service Station. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-02-2004 Authorisation Status Approved Authorisation Issue Date 30-06-2006 Authorisation Expiry Date 29-06-2008	Hard copy not submitted.	.	26-04-2018	27-04-2018 Inspection be conducted.

								HWM Application No. 2 Application Date 30-06-2008 Authorisation Status Pending HWM Application No. 3 Application Date 01-09-2010 Authorisation Status Approved Authorisation Issue Date 12-12-2013 Authorisation Expiry Date 31-08-2015 HWM Application No. 4 Application Date 27-08-2015 Authorisation Status Pending				
199	DURATUF HOSPITALITY PVT. LTD	25 AND G.F OF 26,PASCHIM VIHAR EXT.,OPP.ORDNANCE DEPOT,ROHTAK ROAD,	08-04-2018		GUEST HOUSE AND EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Water consumption:250 litre/day Source of water: outside Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 02.12.2017. During inspection following deficiencies were observed: 1. D.G. set has proper acoustic enclosure but with inadequate stack height. 2. Coal is being used in Tandoor. 3. There is no provision to decompose Municipal Solid Waste. 4. ETP found installed but was found in defunct condition. - On the basis of inspection, a Show Cause Notice was issued to the unit on 23.01.2018. - As the unit did not send any reply w.r.t. the above said Show	1. Effluent analysis report: 17-04-2018	(a) Effluent analysis report dated 19-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	27-04-2018	Issue show cause notice for refusal of consent and show cause notice for closure of the unit.

									Cause Notice, Directions for Closure u/s 33(A) and 31(A) was issued to the unit on 15.03.2018.			
200	EVERGREEN SWEET HOUSE (A UNIT OF KYANA FOODS)	50, GF, FF, SF, NWA CLUB ROAD, WEST PUNJABI BAGH	08-04-2018		SWEET SHOP CUM EATING HOUSE (MFG. SWEETS AND FOODS) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water consumption:2500 litre/day Source of water: MCD water Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	-	17-04-2018 -Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
201	SYMPHONY CELEBRATORS PVT. LTD.	D-11, UDYOG NAGAR INDUSTRIAL AREA	09-04-2018		Banquet and Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Water consumption:4000 litre/day Source of water: delhi Jal Board Status of Pollution Control System (1)ETP - ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 3 D.G. Sets of 380 KVA,380 KVA and 500 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1.Effluent analysis report : (a) Effluent analysis report dated 09-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2.Noise monitoring report: (a) The unit has 3 D.G. Set(s) of 380 KVA,380 KVA and 500 KVA. Noise monitoring report dated 06-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 3 D.G. Set(s) of 380 KVA,380 KVA and 500 KVA. Noise monitoring report dated 06-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 3 D.G. Set(s) of 380 KVA,380 KVA and 500 KVA. Noise monitoring report dated 06-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 -Consent to Operate (renewal) may be granted.	27-04-2018 Consent to Operate(Renewal) granted.
202	YOUWE & CARS	D 12 OKHLA INDUSTRIAL AREA PHASE 1	09-04-2018		Repairing,Washing with Denting Painting With Paint Booth with Burner. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	H/W Application No. 1 Application Date 09-04-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil	Effluent analysis report dated 02-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes	17-04-2018 Unit has submitted representation w.r.t SCN regarding rectification of deficiencies observed during inspection and also submitted application for CTO on 09.04.2018. Inspection to be carried to verify the facts. Remarks/ATR on 26-04-2018 As decided, an inspection of the unit was carried out by representatives of DPCC on 25.04.2018 and following	27-04-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Water usage: 5000 L/day (Source- Others) Domestic Effluent Discharge- 800 L/day Trade Effluent Discharge- 4000 L/day Discharge into- Sewer Status of Inspection : During inspection of other Unit at adjoining plot no. D-11 namely M/s Instacar, inspection of the Unit was carried out by the Officials of DPCC on 26/12/2017 at D-12 Okhla Industrial Area and the following observations were made: -During inspection of unit found operational and engaged in the activity of Automobiles Repairing, Washing with Denting Painting with Paint Booth with Burner. -Unit is not complying with the provisions of Hazardous waste management rules, 2016. i.e. Storage containers not marked with specified label, not kept in isolated Area, starting/ending date not provided in the container and also not maintained Hazardous waste record in form-3. -Unit has installed ETP and same found functional. -No flow meter installed at inlet and outlet of ETP. -Log book of ETP maintained. -Unit is not complying with the HWM Rules 2016. -Unit is operating without Consent and Authorization. SCN u/s 31(A)/33(A)/5 of EPA details : Issued Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	observation were made: -Unit found operational and engaged in the activity of Repairing, Servicing with Washing of Cars. -Unit has installed ETP and same found operational. -Logbook of ETP maintained. -Wet/dry sludge was observed. -Unit is complying with the provisions of HWM Rules, 2016.	
203	HOTEL SKY VIEW	HOUSE NO - 219 KHASRA NO- 548	09-04-2018	Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----- N/A Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a) Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water	26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

								extraction : Nil				
								Status of Inspection :Nil				
								SCN u/s 31(A)/33(A)/5 of EPA details :Nil				
								Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil				
204	TRIMURTI FRAGRANCES PRIVATE LIMITED	PLOT NO.306, F.I.E., PATPARGANJ,	09-04-2018		Manufacturing of Pan Masala Pan Masala (Mixing Only)	Green Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- 400 KVA 4. Domestic trade effluent- 150L/D 5. Water Consumption- 300L/D	N/A	17-04-2018 Ask the unit to submit hard copy and recommended for inspection.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
205	G.D. INDUSTRIES	A-37, 2ND FLOOR, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI-95.	09-04-2018		SPRAY PAINT ON PLASTIC GOODS Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - N/a , 3. D.G Set - N/a. 4. Water Consumption - 220 L/Day, source is purchase water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 50 L/Day and the mode of disposal is Sewer.	N/a	17-04-2018 As the unit to submit hard copy of the application and if the unit submit the same, Recommended to grant CTE	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
206	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO. 303, F.I.E., PATPARGANJ	09-04-2018		MANUFACTURING OF PAN MASALA Pan Masala (Mixing Only)	Green Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- N/A 4. Domestic trade effluent- 150L/D 5. Water Consumption- 300L/D	N/A	17-04-2018 Ask the unit to submit hard copy and recommended for inspection.	27-04-2018 Consent to Establish granted.
207	ASHOKA PLASTIC	F-1842, NARELA INDUSTRIAL AREA	10-04-2018		Reprocessing of waste plastic making dana with washing Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Inspection be conducted.
208	CANTINO HOSPITALITY PVT. LTD.	SHOP NO 5, GROUND FLOOR, FIRST FLOOR AND SECOND FLOOR, HUDSON LANE, KINGSWAY CAMP	10-04-2018		RESTAURANT (48 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. ETP- Yes (oil and grease trap) 2. ECS- Yes Channelization over kitchen section 3. D.G. set- No Plot Area- 45.72 sq mt Date of Establishment/ Commencement-03.07.2017 Status of Ground Water Extraction-No 1.Water consumption-3000 L/day Source- Outside (Bill not submitted) Inspection status- No MCD license valid upto 31.03.2018 (no. of seats 48) Police license not submitted.	Effluent Analysis Report- issued by DPCC lab on 20.03.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018 .	27-04-2018 Consent to Operate granted.
209	KAINOOSH (A UNIT OF RIGHT HOSPITALITY INC.)	16 SHIVAJI MARG, NAJAFGARH ROAD INDL AREA	10-04-2018		BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (Bill enclosed) Water consumption: 1000 liters/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP : Installed (Biological) (2)ECS : N/A (3)D.G.Set: 2 D.G sets installed	.	17-04-2018 - Unit has submitted hard copy of the consent application.	27-04-2018 Consent to Establish granted.

									with 125KVA & 150KVA of capacity. - An inspection of the unit was carried out by DPCC officials on 13.11.2017. During inspection following deficiencies were observed: 1. ETP found installed but was found in defunct condition. 2. No wet/dry sludge observed. 3. No log book provided. 4. Coal is being used in Tandoor. 5. There is not provision to decompose Municipal Solid waste. - On the basis of inspection, a Show Cause Notice was issued to the unit on 23.01.2018. - The unit did not submitted any reply w.r.t. the above said Show Cause Notice. - Accordingly, Directions for Closure u/s 33(A) and 31(A) was issued to the unit on 15.03.2018.			
210	ROYAL GREEN GARDEN	KH. NO. 896, SHANTI MARKET, MAIN NAJAFGARH ROAD, UTTAM NAGAR NEAR METRO PILLAR NO. 760	10-04-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption:2000 litre/day Source of water: outside Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report : (a) The unit has 2 D.G. Set(s) of 62.5 KVA (not in use) and 63 KVA. Noise monitoring report dated 20-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018 -Consent to Operate may be granted.	27-04-2018 Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.
211	QDS RESTAURANT (A UNIT OF QDS RESTAURANT PVT. LTD.)	A-47, GROUND FLOOR, GURU NANAKPURA, LAXMI NAGAR	10-04-2018		RESTAURANT (76 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- NO 2. ECS-NO 3. DG SET- NIL 4. Water Consumption- 3500 L/day 5. Trade Effluent Discharge- 3000 L/day 6. Domestic Effluent Discharge- 500 L/day	N/A	19-04-2018 Ask the unit to submit the hard copy along with the requisite documents. Also recommended for inspection.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
212	QDS (A UNIT FOOD WORLD HOSPITALITY PVT. LTD.)	LAJPAT NAGAR-II BLOCK-I, FIRST AND SECOND FLOOR, LAJPAT NAGAR	10-04-2018		RESTAURANT (48 SEAT) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 03-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A	Effluent analysis report dated 03-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	17-04-2018 Hardcopy of application for CTO along with required documents/test reports is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTO along with required documents/test received on 16.04.2018.	27-04-2018 Consent to Establish and Consent to Operate granted.

									(3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 3500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
213	METRO FOODS	WZ-246-B/9, MAIN NAJAFGARH ROAD, UTTAM NAGAR	10-04-2018		RESTAURANT (40 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB Water consumption: 2600 liters/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP : N/A (2)ECS : N/A (3)D.G.Set: N/A Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		17-04-2018	27-04-2018 Consent to Operate granted.
214	SNV MOTORS PVT. LTD.	B-49, MAYAPURI INDUSTRIAL AREA, PHASE-I	11-04-2018		AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 11-04-2018 Authorisation Status Pending	Source of Water: CETP Mayapuri Water consumption: 2500 liters/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Installed (Physiochemical) (2)ECS - N/A (3)D.G.Set: Installed having 20 KVA of capacity Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		17-04-2018	27-04-2018 Inspection conducted. ETP found operational and unit is complying with HW Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
215	HARYANA INDUSTRIES	G-234, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA	11-04-2018		MFG. OF PVC COMPOUND (without using plastic scrap as a raw material) Reprocessing of Waste Plastic / PVC (with Washing Activity) Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity)	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 150 sq mt Date of Establishment/ Commencement-18.10.2010 Status of Ground Water Extraction-No 1. Water consumption-100 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	27-04-2018 Consent to Establish granted.

27-04-2018

216	MODERN DYEING PVT. LTD.	C-2/12, PHASE-II, MAYAPURI INDUSTRIAL AREA	11-04-2018	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND GAS FIRED BOILER Readymade Garment with Electric/ Gas fired boiler (with Washing) Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-10-2008 Authorisation Status Pending HWM Application No. 2 Application Date 10-05-2012 Authorisation Status Approved Authorisation Issue Date 18-07-2012 Authorisation Expiry Date 09-05-2017 HWM Application No. 3 Application Date 11-04-2018 Authorisation Status Pending	Source of Water: DJB Water consumption: 24000 liters/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		17-04-2018 Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Inspection was conducted.	Inspection conducted. Unit is complying with HWM Rules. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
217	RICHA INTERNATIONAL	H-1351, DSIIDC INDUSTRIAL AREA NARELA, DELHI	11-04-2018	Job Work in Washing of Readymade Garment with Electric/ Gas fired boiler and Spray Paint Readymade Garment with Electric/ Gas fired boiler (with Washing) Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement-20.04.2018 Status of Ground Water Extraction-No 1.Water consumption- 9800 L/day Source- DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	27-04-2018 Consent to Establish granted.
218	BURGER KING (A UNIT OF BURGER KING INDIA PVT. LTD.	13/29 AND 13/30, AZMAL KHAN ROAD, W.E.A KAROL BAGH, NEW DELHI	12-04-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP/OGT- Proposed 2. ECS- Proposed 3. D.G. set- Yes Plot Area-26.012 sq mt Date of Establishment/ Commencement-19.08.2017. Status of Ground Water Extraction-No 1.Water consumption- 3360 L/day Source- Other (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	25-04-2018	27-04-2018 Consent to Establish granted.
219	BURGER KING A UNIT OF BURGER KING INDIA PVT. LTD.	UNIT G-3A, GROUND FLOOR, DILSHAD GARDEN METRO STATION, SAHADRA	12-04-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP- Yes (physio-chemical) 2. ECS- No 3. DG Set- Nil 4. Water Consumption : 3360 L/day 5. Trade Effluent Discharge : 2000 L/day	N/A	24-04-2018 Recommended for inspection.	27-04-2018 Inspection be conducted.

220	R.K. DELICACIES PVT. LTD.	GROUND AND MEZANINE FLOOR HALL, YASHWANT PLACE, CHANAKYAPURI	12-04-2018		SWEET SHOP CUM EATING HOUSE WITH 70 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		6. Domestic Effluent Discharge: 800 L/day Water consumption:1000 litre/day Source of water: NDMC Connection (Copy of bill provided) Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	17-04-2018 -Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
221	KHOSLA PRINTING PRESS	A-24, NARAINA INDUSTRIAL AREA PHASE - II	12-04-2018		Offset Printing Press (Without Trade Effluent Discharge) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 13-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 15-09-2010 Authorisation Status Approved Authorisation Issue Date 23-05-2013 Authorisation Expiry Date 14-09-2015 HWM Application No. 4	Water consumption:250 litre/day Source of water: DJB, Cat-II (Copy of bill provided) Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	17-04-2018	27-04-2018 Inspection be conducted.

								Application Date 30-09-2015				
								Authorisation Status Pending				
222	A INDIA PRINT HOUSE	A-10, PHASE-I, MAYAPURI INDUSTRIAL AREA	12-04-2018		OFFSET PRINTING WORKS (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006 HWM Application No. 2 Application Date 04-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 28-06-2010 Authorisation Status Approved Authorisation Issue Date 04-04-2013 Authorisation Expiry Date 27-06-2015 HWM Application No. 4 Application Date 12-04-2018 Authorisation Status Pending	water consumption: 800 litre/day source of water: tanker Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 13-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	16-04-2018	27-04-2018 Inspection be conducted.
223	IKK PUNJAB (A UNIT OF SUPERLICIOUS FOODWORKS LLP)	J-2/17, (GROUND AND FIRST FLOOR), B.K.DUTT MARKET, RAJOURI GARDEN	12-04-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption:9500 Liters/Day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 1 D.G Set of capacity 62 KVA installed Status of Ground Water	-consent to establish may be granted.	16-04-2018	27-04-2018 Consent to Establish granted.

									extraction : nil Status of Inspection : nil SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no			
224	SHRI MARUTI WASHING	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	12-04-2018		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-04-2018 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Stack attached to boiler 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement-11.11.2017 Status of Ground Water Extraction-No 1. Water consumption- 4400 L/day Source- DSIIDC (Bill not submitted) Inspection status- No Applied Form-I under HWM Rules	Effluent Analysis Report- issued by DPCC lab on 11.01.2018. Parameters are within limit. Emission Monitoring Report- issued by DPCC lab on 22.03.2018. Parameters are within limit. Noise Monitoring report- N/A	17-04-2018 . Remarks/ATR on 26-04-2018 Inspection was conducted by DPCC officials on 20.04.2018 and findings are follows 1. Unit not found operating. activity of unit is jeans & spray paint. 2. ETP found installed & in working condition. 3. Channelisation provided over spray paint section with suction & hood arrangement followed by stack. 4. HWM Rules are complied with. 5. Presently a new diesel boiler is used. Another old boiler lying ideal not in use. 6. As telephonically informed by owner Sh. Ankur they are in process to installed PNG Connection. 7. No responsible person available during inspection. Applied Form-I under HWM Rules	27-04-2018 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance. Direction for closure be made infructuous in view of office order dated 02.08.2017.
225	KONCEPT AUTOMOBILES PVT. LTD.	D-192, OKHLA INDUSTRIAL AREA, PHASE-I	12-04-2018		AUTOMOBILES WORKSHOP CUM SERVICE STATION INCLUDING WASHING AND WITHOUT DENTING AND PAINTING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-04-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - No. Status of Ground Water extraction : Nil Water usage- 3800 L/day (Source- Others) Domestic Effluent Discharge- 400 L/day Trade Effluent Discharge- 3000 L/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - No.	17-04-2018 Inspection to be carried out w.r.t HWM Rules, 2016.	27-04-2018 Inspection be conducted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		
226	SHREE BALAJI FOOTWEAR INDUSTRIES	D-42,43 & 44, GROUND AND FIRST FLOOR, KH. NO-75/5, NARESH PARK EXTENSION INDUSTRIAL AREA, DELHI-41	12-04-2018		MFG. OF EVA CHAPPALS AND ASSEMBLING OF SANDALS EVA Footwear and EVA Compound Manufacturing of Footwear Uppers using Adhesive	Green Establish	Non-SPI		Water consumption:100 litre/day Source of water: outside Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : nil -An inspection was carried out by DPCC Officials on 02.04.2018, during inspection following observations were made: 1.Unit found operational and engaged in the activity of manufacturing of footwear. 2.Unit was operating without Consent from DPCC. 3. Unit found using EVA and PU material for manufacturing. 4. Hazardous component (MEK, adhesive used in the process) found being used without following Hazardous Waste Management guidelines. 5. No measures taken for the fumes generating from the process. -Closure Directions u/s 31(A) 33(A) was issued to the unit on 05.04.2018. - Unit submitted a reply on 13.04.2018 along with Environmental Compensation Security of Rs. 2 lac with an undertaking as per office order F.No. DPCC/CMC-1/Revocation/2017/396-400 dated 02.01.2017. - A letter for restoration of Power Supply, Water Supply and De-sealing of the unit was issued to the unit on 24.04.2018.	27-04-2018	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.
227	FIG AND MAPPLE (A UNIT OF RADISH HOSPITALITY PVT. LTD.)	M-27, SECOND FLOOR, M- BLOCK MARKET, GREATER KAILASH-II	13-04-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 62 KVA Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA	17-04-2018 Hardcopy of application for CTE along with required documents is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE along with required documents received on 17.04.2018.	27-04-2018 Consent to Establish granted.

								details : A Public Complaint received on 14.03.2018 regarding increasing Pollution from Restaurants running in South Delhi along with a list in which the name of the unit was also mentioned. As decided, an SCN was issued to unit on 03.04.2018 but no reply has been received so far Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
228	SATYAM ENTERPRISES	A-74/2, WAZIRPUR INDUSTRIAL AREA	13-04-2018		COLD RE-ROLLING AND ANNEALING OF S.S. SHEETS. Cold Re-Rolling without Pickling of S .S. Sheets (with capacity less than 25 MT/ day) Stainless steel rerolling and annealing (with capacity less than 25 MT/ day)	Green Operate	Non-SPI	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 50 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : Test reports of Stack attached to hood over exhaust of furnace within norms (issued by DPCC on 12.04.2018) Water (Effluents) : N/A Noise : N/A	17-04-2018 Hard copy of Consent application not submitted. Remarks/ATR on 26-04-2018 Consent to Operate may be granted. Remarks/ATR on 20-04-2018 Hard copy of Consent application submitted	27-04-2018 Consent to Operate granted.
229	SINGLA SWEETS	231-232, SERVICE CENTER, DWARKA SECTOR-9	13-04-2018		SWEET SHOP RESTAURANT AND BANQUET HALL SERVICE PROVIDER Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 22-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes Water Consumption - 1500 Liters/Day Domestic Effluent - 250 Liters/Day Trade Effluent - 1150 Liters/Day Status of Inspection : Earlier inspection of the unit was carried out by DPCC officials on 21.11.2017 and following observations were made: - Unit found operational and engaged in the activity of Sweet shop, Restaurant, Banquet hall with seating capacity above 100 seats. -ETP installed but same found non operation. -All waste water is directly discharge into sewer through bypass line. - 1 Dg set with capacity 200 kva with acoustic enclosure without stack	Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 22-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes -Number of parameters analyzed which are within prescribed limit - Yes	17-04-2018 Unit has submitted its reply on 12.03.2018 along with Environmental compensation security of Rs 200000 and undertaking and stated that: -Installed ETP is now operational. - adequate Stack height provided for installed DG set as per DPCC guidelines. As per the approval of MS, DPCC in file on para 47 at N/11, Permission for the restoration of power supply, water supply and de-sealing of the unit was issued on 26.03.2018. As per policy, Inspection of the unit was carried out by DPCC officials on 16.04.2018 and following observations were made: - During inspection unit found open but was not operating commercially . - ETP installed and same found operational. - Two bins system provided for segregation of solid waste - Unit is having 1 DG set of 200 KVA with acoustic enclosure and having adequate stack height. Hard copy of Consent application not received so far. Remarks/ATR on 26-04-2018 Inspection needs to be conducted to know the functioning of ETP. Hard Copy of Consent application received on 19.04.2018	27-04-2018 Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017. Earlier Consent to Operate dated 22.12.2016 be made infructuous.

								SCN u/s 31(A)/33(A)/5 of EPA details :SCN was issued to unit on 08.12.2017.		
								Closure directions u/s 31(A)/33(A)/5 of EPA details : issued to unit on 28.02.2018		
230	CAFE MERAKI	C- 43, 44, 45, DDA MARKET, DEFENCE COLONY, NEW DELHI-110024	13-04-2018		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ----- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 2200 Liters/Day (Source - DJB) Status of Inspection : Various complaints were received in common file of Defence Colony against the Addressee unit regarding non-compliance in every respect especially Noise Pollution i.e playing of loud music till mid night and violating the law. As decided, an inspection of the Addressee unit was carried out by the Officials/Representatives of DPCC on 30.10.2017 and following are brief of observations made during the inspection:- -Unit found in operation and engaged in the activity of Eating House/ Restaurant with seating capacity of 38 seats. However, as per MCD license of the unit, seating capacity is 30 seats. -Unit has installed Oil & Grease Trap cum Settling Tank (Size 0.5mx0.9mx0.30m) which is not adequate size for holding the effluent arising from kitchen & washing activity for at least four hours as per RESDH policy. -Unit installed Channelization system in Kitchen over one Gas Burner/ Range & Tandoor with inadequate stack height. However, not Channelization system provided over one Gas Burner/ Range. -Two Bins System not provided to segregate the solid waste (Wet & Dry solid waste). Only one container exists in Kitchen to collect/ store the Kitchen waste. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 24.11.2017 Unit submitted its reply on 12.12.2017 w.r.t to SCN dated 24.11.2017 and informed that : -They are engaged in the	17-04-2018 Now, Unit has submitted application for CTO online on 13.04.2018 but they have not submitted hard copy of application for CTE and CTO so far. Remarks/ATR on 26-04-2018 As directed, inspection of the unit was carried out by the Officials/ Representatives of DPCC on 09.04.18 to check the existence of Hukkah Facility accordingly report w.r.t same was sent to CMC III for taking further necessary action. During inspection following observation were made w.r.t the pollution aspect: - Unit found operational and engaged in the activity of Restaurant with seating capacity of 38 seats. - Unit has installed Oil and Grease Trap cum settling tank (size 0.5mx0.9mx0.3m) which is inadequate in the capacity - Unit had provided channelization system over one gas range with 2.5ft height (inadequate). However, channelization not provided over Tandoor and one gas range. - Two bins system provided in the kitchen to segregate the solid waste (Wet and Dry solid waste) and dispose the same through SDMC as informed Unit submitted a another representation w.r.t SCN dated 24.11.2017 along with photographs of Oil & Grease Trap cum Settling Tank and Channelization system in kitchen and informed that - -They have already applied for CTE. -They have installed Oil & Grease Trap cum Settling Tank with capacity about 3000 Liters/Day with Size 62inchesx36inchesx36inches for treatment of wastewater generated from kitchen. -They have also increased height of channelization system in kitchen 2m above roof level.	27-04-2018 Seek clarification w.r.t seating capacity.

									activity of Eating House and restricted there seating capacity to 30 seats as per MCD License.		-They have filled CTO application online on 13.04.2018.	
									-They are in process of replacing existing Oil & Grease Trap with new Oil & Grease Trap cum Settling Tank as per RESDH policy for holding the effluent arising from kitchen & washing activity for 4 hour retention time.		They have also committed to comply with all the norms of DPCC and requested to withdraw SCN and Grant CTE & CTO.	
									-They have provided channelization system over all the burners and work of increasing the stack height of the duct of Channelization system above roof level has been started.		Unit having MCD License for 30 seats but during inspection, seating capacity was observed to be 38 seats and also unit has not submitted Effluent analysis report of wastewater generated from the unit.	
									-They have provided two bins system for disposal of wet and dry solid waste.			
									-They have requested to grant 15-20 days time to get all the work of Channelization system and installation of Oil & grease Trap cum Settling Tank and apply for Consent.			
									As directed, inspection of the unit was carried out by the Officials/ Representatives of DPCC on 01.04.18 to check the existence of Hukkah Facility accordingly report w.r.t same was sent to CMC III for taking further necessary action.			
									During inspection following observation were made w.r.t the pollution aspect: - Unit found operational and engaged in the activity of Restaurant with seating capacity of 38 seats. - Unit has installed Oil and Grease Trap cum settling tank (size 0.5mx0.9mx0.3m) which is inadequate in the capacity - Unit had provided channelization system over one gas range with 2.5ft height (inadequate). However, channelization not provided over Tandoor and one gas range. - Two bins system provided in the kitchen to segregate the solid waste (Wet and Dry solid waste) and dispose the same through SDMC as informed			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
231	UNIVERSAL OVERSEAS LTD.	A-66, NARAINA INDUSTRIAL, AREA PHASE - I	14-04-2018		READYMADE GARMENTS WITHOUT WASHING, DYEING AND BLEACHING Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Renewal	Non-SPI		water consumption: 300 litre/day source of water: outside Status of ground water extraction:nil status of pollution control system 1) ETP: N/A 2) ECS: N/A 3) D.G Set: N/A	.	17-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.

									Status of inspection: No Show cause notice u/s 31 (A) & 33 (A) issued: No			
232	SEEMA ENTERPRISES	PLOT NO-458-466, GROUND AND FIRST FLOOR, GALI NO-8, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA, DELHI-95	14-04-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 130 L/Day, source is DJB/Corporation 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 15 L/Day and the mode of disposal is drain.	N/a	17-04-2018 Recommended to grant CTE and subsequently inspection be granted.	27-04-2018 Consent to Establish granted. Subsequently, inspection be conducted.
233	DEEPAK METAL INDUSTRIES	C-520, DSIDC INDL ESTATE ,NARELA INDUSTRIAL AREA	14-04-2018		CIRCLE CUTTING, MFG.OF S.S.UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- Yes stack attached to exhaust of buffing section 3. D.G. set-N/A Plot Area-350 sq mt Date of commencement- 01.01.1991 Status of Ground Water Extraction- No 1. Water consumption- 150 L/day a) Source of water- other (water bill not submitted) .	Effluent Analysis Report- N/A Emission Monitoring Report -issued by DPCC lab on 01.03.2018. Parameters are within limits. Noise Monitoring report- N/A	26-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.
234	KISHAN CHAND GIAN CHAND	PLOT NO 37,38, PHASE-II, BADLI INDUSTRIAL AREA	14-04-2018		MANUFACTURING OF BREAD. Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Green Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes 2. ECS- N/A 3. D.G. set-N/A Plot Area-826 sq mt Date of commencement- 14.11.2012 Status of Ground Water Extraction- No 1. Water consumption- 4000 L/day a) Source of water- other (water bill not submitted) .	Effluent Analysis Report- issued by DPCC lab on 27.03.2018. Parameters are within limits. Emission Monitoring Report -N/A	25-04-2018 .	27-04-2018 Consent to Operate(Renewal) granted.
235	KSG FOOD WORKS PRIVATE LIMITED	J 2/B, LAJPAT NAGAR-II,	14-04-2018		Cooking Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----- N/A (2)ECS - Scrubber, Scrubber (3)D.G.Set: 82.5 KVA Status of Ground Water extraction : Nil Water Usage- 10000 L/day (Source- DJB) Domestic Effluent Discharge- Nil Trade Effluent Discharge- 10000 L/day Discharge into- Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	17-04-2018 Hardcopy of application for CTE along with required documnts is yet to be received. Remarks/ATR on 26-04-2018 Hardcopy of application for CTE along with required documnts received on 17.04.2018.	27-04-2018 Consent to Establish granted.
236	QURESHIS	SHOP NO.-8, NARMADA SHOPPING	15-04-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and	Orange Operate	Non-SPI		Status of Pollution Control System	.	17-04-2018 Hardcopy of application for CTO along with required	27-04-2018 Consent to Establish and Consent to

		COMPLEX, ALAKNANDA GREATER KAILASH-II			other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 2000 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 03.04.2018 Reply w.r.t SCN is still awaited. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		documents is yet to be received. Remarks/ATR on 26-04-2018 unit submitted a representation on 18.04.2018 w.r.t SCN dated 03.04.2018 sent through common file of complain of south delhi and informed that - -They have installed Oil & Grease Trap cum Settling Tank -They have installed proper Channelization system in kitchen with adequate stack height of 2m above building height. -They have applied for CTE and CTO. They have obtained valid MCD License. -They dont have any D.G. Set Also, they have requested to withdraw the SCN. Hardcopy of application for CTO along with required documents received on 19.04.2018.	Operate granted.
237	GREEN GARDEN	SECTOR-7, (NEAR FLYOVER) DWARKA	16-04-2018		Party Lawn Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption : 2000 ltr/day (Source : others) Month and Year of Commencement of Production:05-10-2017 Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL		26-04-2018 Unit Submitted hard copy of consent application on 20.04.2018.	27-04-2018 Consent to Establish granted.
238	HOTEL SARAVANA BHAVAN(A UNIT OF THANIGAI MURUGAN RESTAURANTS (P) LTD)	P-13/90, 1ST FLOOR, CANNUGAHT PLACE	16-04-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: NDMC Water Consumption: 4500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System	1. Effluent analysis report: a). Effluent analysis report dated 16-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes b). Effluent analysis report	17-04-2018 -	27-04-2018 Consent to Operate granted.

									(1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	dated 23-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - No		
239	STEC SUGGIN JV	DMRC CC126 PROJECT, NEAR KAKROLA MODAL NURSERY, GHASIPURA, NANGLI VIHAR, BESIDE NAJAFGARH DRAIN, NAJAFGARH ROAD, NEW DELHI	16-04-2018		Ready Mix Concrete Production Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Status of Pollution Control System Water Consumption: 19 KL/DAY (Source:outside) Domestic Effluent-0.82 liter/Days(as per undertaking) Trade Effluent- Nil Plot Area- 19245 sq.Meter. Ready Mix Plant Capacity- 190Cu. meter/Day, D.G Set : 1x200 KVA(as per Consent Application) Electricity load: 250KW Month & Year of Commencement of production :16.04.2018	Nil	27-04-2018 Unit applied for Consent to Establish on 16.04.2018 for the activity of Ready Mix Concrete Production with Plant Capacity- 190 Cu. meter/Day. Total Water Consumption is 19KL/Day. Hard copy of Consent Application received on 23.04.2018.It is recommended CTE may be granted.	27-04-2018 Consent to Establish granted.
240	VENETIAN BANQUET(A UNIT OF MAS HOSPITALITY)	UNDER RAJA GARDEN FLYOVER,RAJA GARDEN ,NEW DELHI-110027	16-04-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB (As per undertaking) Water Consumption: 8500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G.Set: Nil -an inspection was carried out by DPCC, Officials on 27.02.2018. During inspection following deficiencies were made:- 1. No ETP Installed. 2. There are two DG sets of capacity 125 KVA and 250 KVA without having adequate stack. 3.Compost plant exist but was not operational. 4. Channelization done in kitchen but adequate stack not provided.	-	17-04-2018 ,	27-04-2018 Consent to Establish granted.
241	NUTRITIOUS NATION FOODS PVT. LTD	M-45GROUND FLOOR,GREATER KAILASH-II	16-04-2018		TAKE AWAY FOOD OUTLET Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water	-	26-04-2018 Hardcopy of Application for CTE along with required documents is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									extraction : Nil Water Consumption: 500 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : A Public Complaint received on 14.03.2018 regarding increasing Pollution from Restaurants running in South Delhi along with a list in which the name of the unit was also mentioned. As decided, an SCN was issued to unit on 03.04.2018. Unit submitted a representation on 23.04.2018 w.r.t SCN dated 03.04.2018 along with copy of payment receipt of Consent application and informed that they have applied for CTE & CTO and installed Oil & Grease Trap for treating effluent generated from washing of utensils Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		
242	GALAXY AUTOMOBILES PVT. LTD.	5, RAJASTHAN UDYOG NAGAR	17-04-2018		REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-05-2009 Authorisation Status Pending HWM Application No. 2 Application Date 20-04-2010 Authorisation Status Approved Authorisation Issue Date 16-03-2011 Authorisation Expiry Date 19-04-2015 HWM Application No. 3 Application Date 20-04-2015 Authorisation Status Pending	Hard copy not submitted.	26-04-2018 . Remarks/ATR on 26-04-2018 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set-1x125 KVA Plot Area-2284 sq mt Date of Establishment/ Commencement-01-10-2009 Status of Ground Water Extraction- No 1. Water consumption- 6500 L/day Source- DSIIDC (Bill submitted) Inspection conducted on 26.04.2018 and findings are as follows- 1. Unit found in operation. 2. ETP installed and in working condition. 3. Paint booth have channelization system with adequate stack. 4. HWM rules are complied with. 5. DG set is with acoustic enclosure and adequate stack. Effluent Analysis Report-Yes, issued by DPCC lab. Meeting the norms. Emission Monitoring Report- Yes, issued by DPCC lab. Meeting the norms. Noise Monitoring report-Yes,	27-04-2018 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

										issued by DPCC lab. Meeting the norms.	
243	D.P INDUSTRIES	72, RAJASTHAN UDYOG NAGAR G.T KARNAL ROAD, DELHI	17-04-2018		RE ROLLING FERROUS AND NON FERROUS METAL Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day) Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes stack attached to furnace. 3. D.G. set- N/A Plot Area-2100 sq mt Date of Establishment/ Commencement- 20.04.2018. Status of Ground Water Extraction-Yes (Borewell permission shown) 1. Water consumption- 8000 L/day Source- DJB (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	25-04-2018 . <

									- A letter for restoration of Power Supply, Water Supply and De-sealing of the unit was issued to the unit.			
246	AVON INDUSTRIAL CUTTERS	C-26, OKHLA INDUSTRIAL AREA, PHASE-1	17-04-2018		MANUFACTURING OF INDUSTRIAL BLADES Hardening by Oil Quenching without use of any salt / chemical and without trade effluent discharge and with annealing in electrically heated furnace	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----N/A (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 300 Liters/Day (Source - Others) Date of commencement: 01.06.2018 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		26-04-2018 Hardcopy of application for CTE along with required documents is yet to be received.	27-04-2018 Consent to Establish granted.
247	BOMBAY WIRE INDUSTRIES	PLOT NO A-73, (NEW NO.421-D) GALI NO. 7, FRIENDS COLONY INDL. AREA	17-04-2018		COPPER WIRE DEAWING AND SUPER ENAMELLED WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-01-2013 Authorisation Status Approved Authorisation Issue Date 11-03-2013 Authorisation Expiry Date 13-01-2018 HWM Application No. 2 Application Date 17-04-2018 Authorisation Status Pending	1. ETP - No. 2. ECS - Stack attached to Super Enamelling . 3. D.G Set - yes, 1 no of 125 KVA. 4. Water Consumption - 200 L/Day, source is MCD water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is public sewer.	Noise Monitoring Report was submitted by DPCC on 18.01.2018 and all the parameters are within the prescribed limit as per the report. Emission Monitoring Report was submitted by DPCC on 26.12.2017 and all the parameters are within the prescribed limit as per the report.	26-04-2018 Recommended for Inspection.	27-04-2018 Inspection be conducted.
248	LARSEN AND TOUBRO LIMITED	LARSEN AND TOUBRO LTD., C/O LAND OF DELHI TRANSCO LIMITED (DTL), NEAR JAIN TEMPLE, ADJACENT TO SARAI KALE KHAN BUS STAND	18-04-2018		Ready Mix Concrete Plant Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Unit has submitted representation on 26.04.2018 and informed that they have applied for grant of CTE for another RMC plant at the location C/o Land of Delhi Transco Limited (DTL), Near Jain Temple, Adjacent to Sarai Kale Khan Bus Stand, New Delhi-110001 and requested to treat this RMC Plant as 2nd RMC Plant at the Location.		26-04-2018	27-04-2018 Consent to Establish granted.
249	OVER THE TOP (A VENTURE OF	B-1/633, 3RD FLOOR, JANAKPURI,	18-04-2018		RESTAURANT AND BAR (48 SEATS)	Orange Establish	Non-SPI		Water Consumption: 2000 Liters/Day		25-04-2018	27-04-2018

	INFINITY HOSPITALITY)	NAJAFGARH ROAD			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil -An inspection was carried out by DPCC, Officials on 16.12.2017, during inspection following observations deficiencies were observed: 1. ETP not installed however oil & grease trap installed but was non-functioning. 2. Restaurant has license of 48 seats , but during inspection about 90 seats observed. 3. Channelization done in kitchen but stack is inadequate. 4. No compost plant observed. -As per deficiencies observed during inspection, a Show Cause Notice u/s 33(A) of water Act, 1974 and u/s 31(A) of the Air Act, 1981 was issued on 02.01.2018. -Unit had submitted a representation on 12.01.2018 and informed that unit is under process the application of Consent to Establish and Consent to Operate and requesting for grant two month time for completing the process. -again as per approval a Modified Directions u/s 33(A) of water Act, 1974 and u/s 31(A) of the Air Act, 1981 was issued on 13.03.2018.			Consent to Establish granted.
250	YARAN DI GLASSY	SHOP NO. - 173, RAJENDRA BHAWAN, RAJENDRA PLACE	18-04-2018		orange Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018	27-04-2018 Consent to Establish granted.
251	MANISH BANSAL	A-83/3, WAZIRPUR INDUSTRIAL AREA	18-04-2018		Buffing of S.S. Utensils. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Cyclone (3)D.G.Set - Nil Status of Ground Water extraction : Nil Source of Water: 300 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) :Test reports of Stack attached to exhaust of buffing section (issued by DPCC on 13.04.2018) Water (Effluents) : N/A Noise : N/A	23-04-2018 Consent to Operate (renewal) may be granted.	27-04-2018 Consent to Operate(Renewal) granted.
252	MASTER AUTO SPARES	PLOT NO-15 SECTOR-D, BAWANA II BHORGARH	18-04-2018		SPRING Manufacturing of Auto parts using Adhesive	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018	27-04-2018 Inspection be conducted.
253	POCT SERVICES PRIVATE LIMITED	PROPERTY BEARING NO. 3, POCKET-H, SECTOR-5, BAWANA INDUSTRIAL AREA	19-04-2018		MANUFACTURING OF DIAGNOSTIC REAGENTS Manufacturing of Diagnostic Kit without Boiler or Furnace	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- 1x50 KVA Plot Area-250 sq mt Date of Establishment/ Commencement-14.10.2015 Status of Ground Water	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018	27-04-2018 Consent to Establish granted. Subsequently, inspection be conducted.

								Extraction-Yes (Borewell permission shown) 1. Water consumption- 100 L/day Source- DSIIDC (Bill submitted) Inspection status- No			
254	ROZY RESTAURANT	J-23A, 3RD FLOOR, LAJPAT NAGAR - II,	19-04-2018		RESTAURANT	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP - Oil and Grease Trap cum Settling Tank installed Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 2800 Liters/Day (Source - DJB) Status of Inspection : An inspection of the unit was carried out by Officials/ Representatives of DPCC on 30.10.2017 and during inspection, It was found that another unit M/s Rozy Restaurant is operating at Ground Floor and Third Floor of the said premises. Accordingly, an inspection of M/s Rozy Restaurant was also carried out by Officials/ Representatives of DPCC on 30.10.2017 and following observations were made:- -Unit was inspected during other unit at the premises namely M/s Sapphire Foods (KFC Restaurant) and it was found that M/s Rozy Restaurant was existing at Third Floor of the premises building with 46 seats but not in operation due to weekly holiday. -As informed, outlet of the said restaurant also existing at Ground Floor of the premises building. -No Oil and Grease Trap cum Settling Tank installed to treat the wastewater generated from the kitchen. -No Channelization system provided in Kitchen except Tandoor and also, no stack is provided with Channelization system of Tandoor and -Three D.G. Set (s) lying on rooftop of the premises which are used by the said restaurant. All D.G. Set(s) without acoustic encloser and stack. -Two Bins System not provided to segregate the solid waste	Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	26-04-2018 Hardcopy of application for CTO along with required documents/ test reports is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.

(Wet and Dry solid waste). Only one container exists in Kitchen to collect/ store the Kitchen waste.

SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 21.11.2017

Unit submitted a representation on 04.12.2017 w.r.t SCN dated 21.11.2017 and informed that:

- They have already installed Oil & Grease Trap to treat the waste water generated from the kitchen and modified it.
- They have done the channelization with proper stack height in the kitchen & tandoor.
- They have done the proper stack height with acoustic enclosure.
- They have also provided two bins system to segregate the solid waste (wet & dry solid waste).

Unit has not provided size and details with schematic diagram/photographs of Oil and Grease Trap cum settling tank for holding the waste water generated from kitchen and also not applied for Consent to Establish as well as Consent to Operate.

As decided in file, another inspection of the unit was carried out by the Officials of DPCC on 15.01.2018 and following Observations were made:

- Unit found closed due to weekly off but representatives of the Unit were available there.
- Unit installed Oil and Grease Trap cum settling tank (size 0.55 m x 0.52 m x 0.50 m) three tanks, under the sink.
- Unit has also installed ETP at roof top and same found in defunct and disconnected condition.
- No channelization system provided in kitchen except Tandoor.
- Three DG Sets lying on roof top premises, which are used by the said restaurant without acoustic enclosure and stack height.
- Two bin system provided to segregate the solid waste and sent to SDMC as informed.

Unit has informed that they are in process to conduct the effluent analysis report thereafter submit the application for CTO.

As decided, Another inspection of the unit was carried out by the Officials of DPCC on 03.04.2018 and following Observations were made:

								-Unit found in operation and engaged in the activity of restaurant at ground floor and second floor with seating capacity of 48 seats. -Unit installed Oil and Grease Trap cum settling tank (size 0.55 m x 0.52 m x 0.50 m) three tanks, under the sink and also installed three PVC tanks (3 x 300 Liters capacity) at roof top for settling the effluent generated from the Kitchen. -Channelization system provided in kitchen with adequate stack height. -Two bin system provided to segregate the solid waste (wet and dry solid waste) and sent to SDMC as informed. -No D.G. Set of the unit was observed during inspection. As informed, they have removed the same. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
255	K.D. RAMLAL AND CO.	C-16, SMA INDUSTRIAL AREA	19-04-2018	S.S. Hot Re Rolling. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Establish	Non-SPI		Hard copy not submitted.	26-04-2018	27-04-2018	Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
256	MACSEN CONSULTANCY INDIA PVT. LTD.	DHAULA KUAN, METRO STATION, DHAULAKUAN	19-04-2018	RESTAURANTS 250 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical Effluent analysis report dated 15-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	26-04-2018	27-04-2018	Inspection of the unit is need to be carried out to know the functioning of STP. Consent to Establish and Consent to Operate granted.
257	M.K. GARDEN	KH. NO. 115 MIN,	19-04-2018	Party Lawn	Orange	Non-SPI		Status of Pollution Control	26-04-2018	27-04-2018	

		117 MIN, 120 MIN, VILLAGE BHATTI AND KH. NO. 931, 2197/932 MIN, VILLAGE FATEHPUR BERI		Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Establish			System (1) ETP - Physiochemical - Yes Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G.Set: ...N/A... (a) Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Water Consumption - 3000 Liters/Day Status of Inspection : 21.03.2018 Inspection of the unit was carried out by officials of DPCC and following observation were made: -During inspection unit found operational and engaged in the activity of Farm House without having any STR. SCN u/s 31(A)/33(A)/5 of EPA details : 09.04.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Unit Submitted its representation on 18.04.2018 w.r.t SCN issued on 09.04.2018 and stated that Unit has applied for CTE and asked for 2 months time for CTO.	Consent to Establish granted.
258	R.M. INDUSTRIES	B-10/11(GROUP), WAZIRPUR INDUSTRIAL AREA, DELHI-110052	19-04-2018	Manufacturing of Casserole Plastic and Stainless Steel (With Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity) Plastic Processed Goods	Green Establish	Non-SPI		(1) ETP - N/A (2) ECS - N/A (3) D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 20 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	26-04-2018 Consent to Establish may be granted	27-04-2018 Consent to Establish granted.
259	GURNOOR MOTORS PVT. LTD	331, FIE, PATPARGANJ INDUSTRIAL AREA,	19-04-2018	AUTOMOBILE REPAIR AND WASHING WITH PAINT BOOTH Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		1. ETP- Yes 2. ECS- Stach attached to Paint Booth 3. DG Set- 125 KVA 4. Water Consumption- 4400L/D 5. Domestic Effluent- 200L/D 6. Trade Effluent- 3900L/D	N/A	25-04-2018 Ask the unit to submit hard copy and recommended for inspection.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also inspection be conducted.
260	MOTI MAHAL DELUX (A UNIT OF M/S M.G. ENTERPRISES)	H-17/240-241, SECTOR-7, ROHINI	20-04-2018	RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ECS: N/A OGT: Yes(1200 L per day) D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 1400 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA	Air : N/A Water: N/A Noise: N/A	26-04-2018 CTO may be granted.	27-04-2018 consent to operate granted.

									details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A				
261	J.J. IMPEX (DELHI) PVT.LTD	F-39 ,PH-2, OKHLA INDUSTRIAL AREA	20-04-2018		Automobile Workshop cum Service Centre. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 15-04-2010 Authorisation Status Approved Authorisation Issue Date 06-09-2010 Authorisation Expiry Date 14-04-2015 HWM Application No. 3 Application Date 13-04-2015 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP Effluent analysis report dated 16-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A Stack monitoring of Stack Attached to Paint Booth (2 Nos) report dated 16-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 82.5 KVA,100 KVA and 100 KVA. Noise monitoring report dated 19-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. Status of Ground Water extraction : 13000 Liters/Day Water Consumption: 13350 Liters/Day (Source - DIB - 350 Liters/Day and Ground Water - 13000 Liters/Day) Status of Inspection : An inspection of the Unit was carried out by the Officials/Representatives of DPCC on 25.04.2018 and following was observed: -Unit found operational and engaged in the activity of Automobile workshop cum service center. -Unit has installed ETP consists of Collection tank, filter, 2 aeration tank, alum dosing tank, carbon filter and sand filter and same found operational. -Proper Oil grease separator not provided. -Sludge drying bed/filter press not provided with ETP. -No Wet/Dry sludge observed at site, however, mud mixed with oil lying in 5 drums and 1 MS container in open area. -Unit is not complying with provisions of HWM Rules, 2016. -Unit having 2 paint booth with diesel fired burner with stack height 5m above roof level, as	Effluent analysis report dated 16-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Stack monitoring of Stack Attached to Paint Booth (2 Nos) report dated 16-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 3 D.G. Set(s) of 82.5 KVA,100 KVA and 100 KVA. Noise monitoring report dated 19-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes.	26-04-2018	27-04-2018	Issue show cause notice for refusal of consent / authorization and show cause notice u/s 5 of EP Act.

								informed they are approach to IGL to switch over the same to PNG. -Unit having 1 bore-well for ground water extraction. Copy of Registration Certificate of Bore-Well from CGWA provided. SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
262	STYLISH HOTELS PVT. LTD	PLOT NO. 7, 3RD FLOOR, CENTRAL MARKET, SECTOR-6, DWARKA	20-04-2018		RESTAURANT UNIT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of 82.5 KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water Consumption - 3300 Liters/Day (Source-Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	.	26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
263	ANANT SAI PACKAGING	D-1641, DSIIDC, NARELA INDUSTRIAL AREA	20-04-2018		Manufacturing of Woven and Non Woven Bags with Printing. Printing without Trade Effluent Discharge Canvas bags and holdalls making (cutting, stitching, assembling)	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes stack attached to furnace. 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement-10.07.2018. Status of Ground Water Extraction-Yes (Borewell permission shown) 1.Water consumption- 70 L/day Source- DJB (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	25-04-2018 .	27-04-2018 Consent to Establish granted. Subsequently, inspection be conducted.
264	B.L.K. FOOTWEAR INDUSTRIES	PLOT NO. 129, SECTOR-3, POCKET-B, BAWANA DSIIDC INDUSTRIAL AREA	20-04-2018		Mfg. of Slippers Manufacturing of Footwear Uppers using Adhesive	Green Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- proposed 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-07.05.2018. Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018 .	27-04-2018 Consent to Establish granted.
265	YOU MEE (A	SHOP NO-27,	21-04-2018		Eating House	Orange	Non-SPI	Status of Pollution Control	.	26-04-2018	27-04-2018

	UNIT OF LITE BITE FOODS PVT. LTD.)	GROUND FLOOR, M BLOCK MARKET, GREATER KAILASH II, NEW DELHI		Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Establish			System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 2400 Liters/Day (Source - DJB) Date of commencement: 20.03.2018 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Hardcopy of application for CTE along with required documents is yet to be received.	Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
266	METRO RESTAURANT	G-5, APRA PLAZA, SECTOR-10, PLOT NO 14, DWARKA	21-04-2018	EATING HOUSE (20 SEATS) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap - Yes Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a) Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water consumption - 1000 Liters/Day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
267	SREENATH POLYMERS	C-52, SECTOR 2,DSIIDC, BAWANA,	21-04-2018	REPROCESSING OF WASTE PLASTIC WITHOUT WASHING ACTIVITY Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-01.07.2017 Status of Ground Water Extraction- No 1. Water consumption- 100 L/day Source- DSIIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018	27-04-2018 Consent to Establish granted.
268	LAMBA ENTERPRISES PVT. LTD.	8, INDUSTRIAL AREA, TILAK NAGAR,	21-04-2018	Service station of bikes with washing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application 21-04-	Source of Water: DJB (Cat-I) Water Consumption: 2500 Liters/Day Status of Ground Water extraction : N/A	1. Effluent analysis report: a). Effluent analysis report dated 27-02-2018 issued by DPCC submitted. Effluent Test Report within	25-04-2018 - Consent to Operate may be granted to the unit.	27-04-2018 Inspection conducted. ETP found operational and unit is complying with HW Rules. Consent to Operate granted. Application for

								Date Authorisation Status	2018 Pending	Status of Pollution Control System (1)ETP: Installed (Physiochemical,Oil and Grease Trap,Other DMF and ACF) (2)ECS: Nil (3)D.G.Set: The unit has 1 D.G. Set of 40 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 02-04-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes		Authorization under HW Rules be kept in abeyance.
269	K.D. RAMLAL AND CO.	C-16, SMA INDUSTRIAL AREA	21-04-2018		S.S. Hot Re Rolling. Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Operate	Non-SPI			Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
270	PARANTHA CORNER (MOOLCHAND PARANTHA)	SHOP NO:4-5-6, MOOLCHAND METRO STATION,LAJPAT NAGAR	21-04-2018		PARANTHA Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI			Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (Proposed) (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 550 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : A Public Complaint received on 14.03.2018 regarding increasing Pollution from Restaurants running in South Delhi along with a list in which the name of the unit was also mentioned. As decided, an SCN was issued to unit on 03.04.2018. Unit submitted a representation on 26.04.2018 w.r.t SCN dated 03.04.2018 along with undertaking, project report and consent to Establish application and informed that some information in consent application were wrongly mentioned and submitted corrected information. Unit has also informed that they are in process of installation of Oil and Grease trap cum settling tank with capacity of 350-400 Litre and treatment capacity of 1200 Litres/day. Channelization and ducting has been installed for kitchen emissions. The height of ducting	.	26-04-2018 Hardcopy of application for CTE along with required documents is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

								is 2m above the roof level. Unit has informed that they will apply for Consent to operate within 3-4 days. The unit has requested for grant of Consent to Establish.			
271	TALLI STATION RAJOURI GARDEN	J-2/11, SECOND FLOOR, B.K. DUTT MARKET, RAJOURI GARDEN	21-04-2018		RESTAURANT AND BAR Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	-	25-04-2018 - Consent to Establish may be granted to the unit.	27-04-2018 Consent to Establish granted. Also inspection be conducted.
272	TALLI STATION (A UNIT OF TALLY STATION HOSPITALITY RAJENDRA PLACE PVT. LTD.)	UNIT NO 167, PLOT NO 9, 13, 14 AND 15, RAJENDRA BHAWAN, RAJENDRA PLACE	21-04-2018		RESTAURANT AND BAR Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Source of Water: DJB (As per undertaking) Water Consumption: 1400 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
273	WAH BHAI WAH	A-1/168-169, GF, SECTOR-4, ROHINI	21-04-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- Yes Oil and grease trap 2. ECS- Yes channelisation provided over kitchen section 3. D.G. set- N/A Plot Area-78 sq mt Date of Establishment/ Commencement-26.02.2018 Status of Ground Water Extraction- No 1. Water consumption- 1400 L/day Source- DJB (Bill not submitted) Inspection status- No No. of seats- 45 MCD and Police license not submitted.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018 CTE may be granted.	27-04-2018 Consent to Establish granted. Also inspection be conducted.
274	SREENATH POLYMERS	C-52, SECTOR 2,DSIIDC, BAWANA,	21-04-2018		REPROCESSING OF WASTE PLASTIC WITHOUT WASHING ACTIVITY Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI	ECS: N/A OGT: Yes(500L/day) D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 500 L per day from DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	26-04-2018 CTE may be granted.	27-04-2018 Consent to Establish granted.
								Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement-01.07.2017 Status of Ground Water Extraction- No 1. Water consumption- 100 L/day	Effluent Analysis Report- N/A Emission Monitoring Report- No Noise Monitoring report- N/A	26-04-2018	27-04-2018 Consent to Establish and Consent to Operate granted. Ask the unit to apply for registration under Plastic Rules. Also inspection be conducted.

									Source- DSIIDC (Bill submitted) Inspection status- No			
275	WAH BHAI WAH	A-1/168-169, GF, SECTOR-4, ROHINI	21-04-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ECS: N/A OGT: Yes(500L/day) D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 500 L per day. Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	26-04-2018 CTO may be granted.	27-04-2018 Consent to Establish and Consent to Operate granted.
276	PUNJAB PRINTING PRESS	B-34/12, G.T. KARNAL ROAD INDUSTRIAL AREA	22-04-2018		OFFSET PRINTING WITH LAMINATION (W/O TRADE EFFLUENT) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-04-2018 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-334.5 sq mt Date of Establishment/ Commencement-April 2014 Status of Ground Water Extraction- No 1. Water consumption- 200 L/day Source- DJB (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	26-04-2018 . Remarks/ATR on 26-04-2018 Inspection conducted on 26.04.2018 and findings are- 1. Unit found operating, engaged in offset printing and lamination work. 2. HWM rules are complied with.	27-04-2018 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
277	MANOJ FOOD PRODUCTS	PLOT NO 32 AND 35, POCKET-M, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	22-04-2018		DALL MILL Dal Mills	Green Operate	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
278	SANJAY TRADING COMPANY	PLOT NO 107 AND 124, POCKET-B, SECTOR-3, DSIIDC, BAWANA INDUSTRIAL AREA	22-04-2018		DALL MILL Dal Mills	Green Operate	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
279	SHIVA INDUSTRIES	PLOT NO. 3, SEC-1, PKT-N, BAWANA INDUSTRIAL AREA	22-04-2018		DALL MILL. Dal Mills	Green Renewal	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
280	SINGHLA FOOD PRODUCTS	PLOT NO.5, PKT-C, SEC-3, DSIIDC BAWANA IND. AREA	22-04-2018		DALL MILL. Dal Mills	Green Renewal	Non-SPI		Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate(Renewal) be granted. If any deficiencies are found, query letter be issued.
281	ANAND HELMETS	KH. NO.182, KARAWAL NAGAR INDUSTRIAL AREA, DELHI-110094.	23-04-2018		MANUFACTURING OF HELMETS AND AUTO ACCESSORIES Spray Painting, Paint Baking, Paint Stripping Plastic Processed Goods	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 23-04-2018	1. ETP- N/A 2. ECS- Yes (Wet Scrubber) 3. D.G Set- No 4. D.G Set Test Report- N/A	Emission monitoring report was submitted on 16.04.2018 by DPCC and all the parameters are within the prescribed limit.	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified

					Helmets			Authorisation Pending Status	5. OLMS- Not installed. 6. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Nil		clearly mentioning the name and address of the unit in the said certificate.	redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.
282	DOLAT METAL WORKS	PLOT NO H-106, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	23-04-2018		MFG. OF PLASTIC GRANULES (REPROCESS) W/O WASHING Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		Hard copy not submitted.		26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. Also ask the unit to apply for registration under Plastic Rules and inspection be conducted.
283	PERFECT ENTERPRISES	5/31, KIRTI NAGAR INDUSTRIAL AREA	23-04-2018		JOB WORK OF POWDER COATING W/O PHOSPHATING Powder Coating without phosphating	Green Establish	Non-SPI		Source of Water: DJB (as per undertaking) Water Consumption: 100 Liters/Day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		25-04-2018 - Consent to Establish may be granted to the unit.	27-04-2018 Consent to Establish granted.
284	SAMBOOKAS HOSPITALITY	SHOP NO 6-7, HUDSON LINES, NEAR TPDDL OFFICE	23-04-2018		RESTAURANT (EATING HOUSE) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
285	SHIV KUMAR POLISHER	PLOT NO-176, POCKET-N, SECTOR-1, DSIDC INDUSTRIAL AREA, BAWANA	23-04-2018		BUFFING ON METAL Buffing on Metal	Green Establish	Non-SPI		Hard copy not submitted.		26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
286	GURU INDUSTRIES	K-100, KARAWAL NAGAR INDUSTRIAL AREA, DELHI-110094,	23-04-2018		MANUFACTURING OF AUTO ACCESSORIES WITH POWDER COATING Powder Coating without phosphating Light Engineering work	Green Establish	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- N/A 6. Documents in original for boundary in original by industry Department- No	N/A	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also inspection be conducted.

								8. Display Board- No			
								9. Fuel Used : Nil			
287	BIKANERVALA FOODS PVT. LTD	1ST FLOOR, RAJIV GANDHI HANDICRAFT BHAWAN, BABA KHARAK SINGH MARG	24-04-2018		RESTAURANT CUM EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: DJB (A per undertaking) Water Consumption: 2000 Liters/Day Status of Ground Water extraction : Status of Pollution Control System (1)ETP: Installed (Biological) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: a). Effluent analysis report dated 23-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	25-04-2018	27-04-2018 Consent to Establish and Consent to Operate granted.
288	SARASWATI DALL MILL	PLOT NO 158, POCKET-L, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	24-04-2018		DALL MILL Dal Mills	Green Operate	Non-SPI	Hard copy not submitted.	.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
289	NUTRITIOUS NATION FOODS PVT. LTD	M-45GROUND FLOOR,GREATER KAILASH-II	24-04-2018		TAKE AWAY FOOD OUTLET Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : A Public Complaint received on 14.03.2018 regarding increasing Pollution from Restaurants running in South Delhi along with a list in which the name of the unit was also mentioned. As decided, an SCN was issued to unit on 03.04.2018. Unit submitted a representation on 23.04.2018 w.r.t SCN dated 03.04.2018 along with copy of payment receipt of Consent application and informed that they have applied for CTE & CTO and installed Oil & Grease Trap for treating effluent generated from washing of utensils	.	26-04-2018 Hardcopy of application for CTO is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
290	ALLIED INDUSTRIES	29/29, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA, NEW ROHTAK ROAD	24-04-2018		MFG OF RUBBER GOODS VIZ RUBBER SHEET(UNCURED) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Water consumption:100 Liters/Day Source of water: DJB, Cat-II (Copy of bill provided) Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - Other ETP Name : STP (2)ECS - Installed (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Emission Monitoring Report: Unit has submitted Emission Monitoring Report on 26.03.2018, all the parameters are found within limit-Yes	25-04-2018 - It is the case of Redevelopment area.	27-04-2018 Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.
291	PROPOSED MULTIPLEX AT SITE NO. 1 (VISHAL CINEMA) BY AJAY ENTERPRISES PVT LTD	DISTRICT CENTRE NAJAFGARH ROAD RAJAURI GARDEN NEW DELHI	24-04-2018		Multiplex Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Water consumption:64000 Liters/Day Source of water: DJB, Cat-II (Copy of bill provided) Status of Ground Water extraction :Nil Built-up area of the unit :12608.69 (in sq. meter) Status of Pollution Control System (1)ETP - Other ETP Name : STP (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	25-04-2018 -Consent to Establish may be granted	27-04-2018 Consent to Establish granted.
292	THE TASTE	G-2, GROUND FLOOR, MANISH PLAZA-II, PLOT NO 10, SECTOR-10, DWARKA	24-04-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap - Yes Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water Consumption - 1100 Liters/Day	.	26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

								Domestic Effluent - 100 Liters/Day Trade Effluent - 1000 Liters/Day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		
293	YUM YUM CHA (A UNIT OF TUSAJ LIFESTYLE PVT LTD.)	FLAT NO 69 FIRST FLOOR AND SECOND FLOOR KHAN MARKET	24-04-2018		RESTAURANT HAVING SEATING CAPACITY 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Hard copy not submitted.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
294	CARNATIC CAFE (A UNIT OF KRISHNARPAN HOSPI PVT LTD)	M-21 GF GREATER KAILASH MARKET PART II	24-04-2018		Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 3500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : A Public Complaint received on 14.03.2018 regarding increasing Pollution from Restaurants running in South Delhi along with a list in which the name of the unit was also mentioned. As decided, an SCN was issued to unit on 03.04.2018. Unit submitted a representation on 09.04.2018 w.r.t SCN dated 03.04.2018 along with copy of MCD License and photograph of ETP and informed that- -Unit is fully operational with ETP of capacity 5 KLD. -Seating capacity of unit is 48 seat. -ETP is fully operational. -They are in process of applying for CTE & CTO within 30 days. They have requested to grant 30 days time to apply for CTE & CTO.	26-04-2018 Hardcopy of application for CTE along with required documents is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
295	VIJAY KUMAR SHARMA	PLOT NO-1/536-E, SECOND FLOOR, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95	24-04-2018		MFG. OF WIRE AND CABLES AND COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 130 L/Day, source is DJB/corporation water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 15 L/Day and the mode of disposal is drain.	N/a	26-04-2018 Recommended to grant the Consent and subsequently inspection be conducted.	27-04-2018 Consent to Establish granted, Subsequently, inspection be conducted.
296	NOBLE AUTO INDUSTRIES	PLOT NO.-52/75, A-5, GALI NO.28, NAI BASTI, ANAND PARBAT INDUSTRIAL AREA	25-04-2018		MFG. OF RUBBER PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Water consumption:100 Liters/Day Source of water: DJB, Cat-II (Copy of bill provided) Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	25-04-2018 -It is a case of redevelopment area.	27-04-2018 Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.
297	MAHAJAN PACKERS	PLOT NO. B-48, LAWRENCE ROAD, INDUSTRIAL AREA	25-04-2018		PACKAGING AND PRINTING (SMALL BOXES) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-04-2018 Authorisation Status Pending	ECS: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 300 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	26-04-2018 Hardcopy of the application along with requisite document not received.	27-04-2018 Inspection conducted and unit is complying with HW Rules. Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
298	LAKOZY MOTORS PVT. LTD.	B 26 OKHLA INDUSTRIEL AREA,PHASE -2	25-04-2018		REPAIRING AND SERVICING OF CARS WITH PAINT BOOTH WITH BURNER. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-04-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP Effluent analysis report dated 28-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 28-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. 2)ECS - Nil 3)D.G.Set: Nil. 4)Status of Ground Water	.	26-04-2018 Hardcopy of application for CTO along with required documents/ test reports is yet to be received.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

									extraction : Nil 5)Water Consumption - 5.84 KLD (Source - DJB) Trade Effluent Discharge - 5.5 KLD Domestic Effluent Discharge - 0.34 KLD 6)Date of Commencement - 01.04.2017 (Proposed) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
299	MAHARAJA PRINT AND PACK	I-2285, DSIIDC, NARELA INDUSTRIAL AREA	25-04-2018		OFFSET PRINTING WITH LAMINATION WITHOUT TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Hard copy not submitted.	-	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
300	JAI ENTERPRISES	C-16, S. M. A. INDUSTRIAL AREA	25-04-2018		BUFFING ON STAINLESS STEEL UTENSILS. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		Hard copy not submitted.	-	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
301	UNITED ENGINEER SERVICE STATION	OPR. NEHRU PLACE BUS TERMINAL	25-04-2018		PETROL PUMP COM SERVICE STATION. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-12-2006 Authorisation Status Approved Authorisation Issue Date 13-03-2007 Authorisation Expiry Date 12-03-2009 HWM Application No. 2 Application Date 10-05-2010 Authorisation Status Approved Authorisation Issue Date 22-08-2013 Authorisation Expiry Date 09-05-2015 HWM 3	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 28-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 2000 Liters/Day(Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 28-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-03-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	26-04-2018 Hardcopy of application for CTO(R) along with required documents/ test reports is yet to be received.	27-04-2018 Inspection be conducted.

								Application No. Application Date Authorisation Status	25-04-2018 Pending	Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
302	LUTYENS COCKTAIL HOUSE (A UNIT OF ENRICHED RESTAURANT PVT. LTD.)	22-A, JLG HOUSE, JANPATH	25-04-2018		RESTAURANT CUM BAR (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI			water consumption: 4000 litre/day source of water:corporation Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 22-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes 2. Effluent Analysis report: (a) Effluent Analysis report dated 13-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	27-04-2018	27-04-2018 Consent to Operate granted.
303	ANKIT POLYMERS	PLOT NO. 183-198, POCKET-M, SECTOR-1, DSIDC INDUSTRIAL AREA, BAWANA	25-04-2018		MICROCELLULAR SHEET Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI			Hard copy not submitted.	.	26-04-2018	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents.
304	AMAARA FARMA (A UNIT OF AMR EVENTS)	KH. 240, 242, 243, 235, 241, A-12, MAIN CHATTARPUR ROAD, VILLAGE-BHATTI KLAN	25-04-2018		Banquet hall / Party lawn Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI			Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water Consumption - 20100 Liters/Day Domestic Effluent - 630 Liters/Day Trade Effluent - 19500 Liters/Day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	.	26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

305	KAWATRA TENT AND CATERERS PVT LTD.	DISTRICT CENTER CHUNK-D,SHIVAJI PLACE RAJA GARDEN	25-04-2018		PARTY LAWN Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 4000 litre/day source of water:outside Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		25-04-2018 -Consent to Establish may be granted.	27-04-2018 Consent to Establish granted.
306	METRO RESTAURANT	G-5, APRA PLAZA, SECTOR-10, PLOT NO 14, DWARKA	25-04-2018		EATING HOUSE (20 SEATS) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap - Yes Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water consumption - 1000 Liters/Day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		26-04-2018 Dimensions of OGT not given and also Hard Copy of Consent application not submitted so far	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
307	LKG AUTOMOTIVE PVT. LTD.	A-48, SECTOR-4, DSIIDC, BAWANA INDUSTRIAL AREA	25-04-2018		MFG. OF AUTO RUBBER PARTS Spray Painting, Paint Baking, Paint Stripping Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018 ,	27-04-2018 Consent to Establish granted.
308	MEN IN THE KITCHEN (A UNIT OF AVA ENTERPRISES)	SHOP NO-101, 103 AND 106, 108, KRISHNA TOWER-II, PLOT NO-1, POCKET-7, SECTOR-12, DWARKA	25-04-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap - Yes Oil and Grease Trap report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A Stack analysis report dated -	Oil and Grease Trap report dated 28-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 02-04-2018 issued by DPCC submitted. Noise	26-04-2018 Hard Copy of Consent application not received so far.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.

									N/A - issued by - N/A - submitted.	monitoring report within Limit - Yes		
									(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 02-04-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes			
									Water Consumption - 3720 Liters/Day			
									Status of Inspection : Nil			
									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
309	JAY PEE STAINLESS PRIVATE LIMITED	C-18/3, WAZIRPUR INDUSTRIAL AREA	25-04-2018		MANUFACTURING OF UTENSILS WITH BUFFING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Operate	Non-SPI		(1)ETP - N/A (2)ECS - Cyclone (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 1000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : Stack attached to exhaust of buffing section (issued by DPCC on 24.04.2018) Water (Effluents) : N/A Noise : N/A	26-04-2018 Hard copy of Consent application not submitted	27-04-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
310	NEW STYLE INDUSTRIES	PLOT NO-1/536/C-8, GALI NO-4, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95	25-04-2018		MFG. OF ALUMINIUM DOOR WINDOW FITTINGS. Aluminium Doors/Windows/ Fittings/Furniture, Aluminium Wares, Aluminium Products(without buffing,anodizing/ casting) Powder Coating without phosphating Process Involving Buffing	Green Establish	Non-SPI		1. ETP - No. 2. ECS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 50 L/Day, source is DJB/corporation water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 25 L/Day and the mode of disposal is drain.	N/a	26-04-2018 Recommended to grant Consent to Establish and subsequently inspection be conducted.	27-04-2018 Consent to Establish granted. Subsequently, inspection be conducted.
311	AMBIKA HOME APPLIANCES	KHASRA NO. 270, KARAWAL NAGAR INDUSTRIAL AREA	25-04-2018		MFG. OF KITCHENWARE (UTENSILS), PRESSURE COOKER AND CORRUGATED BOXES Cardboard or corrugated box and Paper products(paper or pulp mfg excluded) Process Involving Buffing	Green Establish	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- N/A 6. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Nil	N/A	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	27-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.
312	HEAVENLY CREATION BAKERY	4929/P-18, EAST OLD SEELAMPUR	25-04-2018		bakery products Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Green Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- N/A 4. Watr Consumption- N/A 5. Domestic Effluent- N/A	N/A	26-04-2018 Ask the unit to submit hard copy if found satisfactory Consent to Establish may be granted.	27-04-2018 Ask the unit to submit NOC from High Power Committee under Department of Industries constituted in reference to Honble Supreme Court order for household industries.

313	MAMA S	4A/63, SHANKAR ROAD MARKET, OLD RAJINDER NAGAR	25-04-2018	EATING HOUSE WITH 40 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	6. Trade Effluent- N/A Hard copy not submitted.	.	26-04-2018 .	27-04-2018 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.
314	RAJIV AUTOMOBILES	PLOT NO 193, FIE, PATPARGANJ INDUSTRIAL AREA	25-04-2018	AUTOMOBILE REPAIR AND SERVICE W/O WASHING Automobile Repair and Servicing (without Washing)	Orange Establish	Non-SPI	1. ETP - No 2. ECS- No 3. DG Set- Nil 4. Water Consumption- 0.2KL/D 5. Domestic Effluent- 0.15KL/D 6. Trade Effluent- Nil	N/A	26-04-2018 Ask the unit to submit hard copy and inspection to be conducted.	27-04-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also inspection be conducted.