



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/15th Meeting /2018/ 9783-87 Dated: 30/5/18

Subject: Minutes of the 15th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 16.05.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the **15th Meeting** of the aforementioned Committee, held on 16.05.2018 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC and take necessary action in view of general decisions of the said minutes.


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 15th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, held on **16.05.2018 and 17.05.2018 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 16.05.2018 & 17.05.2018 are enclosed as Annexure "A" & "B" respectively.

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal from 15.05.2013 to 15.05.2018.

Decisions were taken online in these cases and list of 492 no. of units including decisions taken in these cases are at Annexure - I. Due to paucity of time, all the cases of this agenda could not be taken up and Committee decided to take up the remaining cases in the next CMC meeting.

Decisions taken w.r.t. M/s Mahatta Towers Pvt. Ltd., Star City, 01A, Mayur Place, Mayur vihar, Phase-I Extn, Delhi [Consent to Establish Dated 22.12.2008 and Consent to Operate Dated 19.07.2017] was reviewed and it was decided that "Consent to Establish and Consent to Operate be granted subject to outcome of the inspection.

Decisions taken w.r.t. M/s J.S. Automobiles, 160, FIE, Patparganj Industrial Area, Delhi [Consent to Operate Dated 09.11.2017] was reviewed and it was decided that "Consent to Operate be granted subject to outcome of the inspection. Application for Authorization under HW Rules be kept in abeyance.

Case of M/s Era Restaurant (A unit of Zedx Hospitality Pvt. Ltd.), H-36, Ground & Mezzanine Floor, Connaught Place, New Delhi-110001 [Consent to Operate Dated 07.05.2018] was considered and it was decided to grant Consent to Operate.

[Handwritten signatures and initials]

In pursuance to Hon'ble National Green Tribunal Order dated 19.09.2017, 30.11.2017 and 08.01.2018 in OA No. 108/2013 titled "Legal Aid, National Green Tribunal Bar Association Vs NCT of Delhi & Ors", and OA No. 518/2015 titled "Deepak Enterprises Vs. Govt. of NCT Delhi & Ors" regarding groundwater regulation and management and stand on permitting highly polluted industries in Delhi, a meeting was convened under the chairmanship of Secretary (Environment), Govt. of Delhi, on 02.02.2018 in Delhi Secretariat, New Delhi-110002.

0002

In the said meeting, it was decided to direct the industries to use only treated water from STPs/CETPs for industrial purpose. Delhi Jal Board has to provide portable water for drinking purpose only.

Committee deliberated the issue and it was decided to impose the below condition to the above effect while issuing the consent to the water polluting industries.

"The Consentee shall use only treated water from STPs/CETPs for industrial purpose."


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.


The meeting ended with a vote of thanks to the Chair.



(S.M. Ali)
Member Secretary,
DPCC



(Dr. Chandra Prakash)
SEE, CMC-II



(Dr. B.M.S. Reddy)
SEE, CMC-III



(M. Arif)
SEE, CMC-IV



(B.L. Chawla)
SEE, CMC-I



(Satender Kumar)
SEE, CMC-V



(M.S. Rawat)
EE, CMC-V



(Shyam Sunder)
EE, CMC-I



(Surender Singh)
EE, CMC-V


(Ramesh Chandra)
EE, CMC-II


(R.K. Sharma)
EE, CMC-III


(Dr. Siddhartha Gautam)
EE, CMC-IV


(Amit Chaudhary)
EE, CMC-III


(Suril Kumar)
EE, CMC-IV


(K. Kumar)
EE, CMC-II



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, L.S.B.T. Building, Kashmiri Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 16th meeting on 16.05.2018 AND 17.05.2018 w.r.t. Agenda Item No 1 - 492 Pending Cases of Consent to Establish and Consent to Operate / Renewal from 15.05.2013 to 15.05.2018 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	SIPANI POLYMERS	PLOT NO 162, POCKET-1, SECTOR-3, DSIDC, BAWANA INDUSTRIAL AREA	23-05-2013	DPCC/EC/2/1/2013/4387	Mfg. of PVC Tubes and Sheet (Without Manufacturing of PVC Bags and use of plastic scrap). Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI				10-06-2013 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA, Noise monitoring report dated 21-05-2013 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Expedite inspection.
2	J.P. ENTERPRISES	A-77/1, G.T. KARNAL ROAD INDUSTRIAL AREA	24-05-2013	DPCC/EC/2/1/2013/4413	JOB WORK OF CUTTING AND CEILING OF PLASTIC TUBES (USE FOR PACKAGING PURPOSE ONLY). Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI				10-06-2013 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:Nil Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Inspection be conducted.
3	JEWEL PLASTICS	A-77/1, G.T. KARNAL ROAD INDUSTRIAL AREA	17-06-2013	DPCC/EC/2/1/2013/4600	MFG. OF PLASTIC PRODUCTS WITH PRINTING (USE FOR PACKAGING PURPOSE ONLY). Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 11-09-2006 Authorisation Status Pending HWM Application No. 2 Application Date 24-07-2006 Authorisation Status Pending			17-07-2013 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 75 KVA, Noise monitoring report dated 13-06-2013 issued by DPCC submitted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Inspection be conducted.

								HWM Application No. 3 Application Date 17-06-2013 Authorisation Status Pending				
4	ESS KAY INDUSTRIES	H-96, SECTOR-2, DISDC BAWANA INDUSTRIAL AREA	23-08-2013	DPCC/EC/2/1/2013/9203	MPG. OF PULPER PROOF CAPS WITH PRINTING. Sheet Metal Printing with Oil fired Oven or Furnace	Orange Renewal	Non-SPE	HWM Application No. 1 Application Date 25-05-2011 Authorisation Status Approved Authorisation Issue Date 23-01-2013 Authorisation Expiry Date 24-05-2016			16-09-2013 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Inspection be conducted.
5	MAPPLE EXPRESS (A UNIT OF M/S NINTH DIMENSION HOTELS AND RESORTS PVT. LTD.)	A-60, KAILASH COLONY	10-09-2013	DPCC/EC/2/1/2013/9374	Guest House with 36 Rooms. Hotels with atleast 20 bed rooms having kitchen and/or laundry and connected to public/municipal/DIS sewer	Orange Operate	Non-SPE				29-10-2013 (1)ETP ---- ETP - Physicochemical (a) AR dated 06.09.2013 issued by DTU submitted. (b) Effluent analysis report dated 06-09-2013 issued by DELHI COLLEGE OF ENGINEERING submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 250 KVA and 250 KVA. Noise monitoring report dated 04-09-2013 issued by DPCC submitted. Noise monitoring report within Limit - Yes (3) Inspection details: Inspection was carried out on 23.010.2013 and following were observed:- 1. Unit is a guest room having capacity of 36 rooms. 2. ETP installed in the premises found functional. 3. Log book of ETP maintained. 4. Wet & Dry sludge observed. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 10.05.2018 and following observations were made:	17-05-2018 Consent to Operate granted.

https://www.dpcc.delhi.govt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

											unit submitted the CTO application on 04.02.2014	
											Recommendation / Action Taken Details (EE/AEE) on 14-03-2018	
8	GENERAL EQUIPMENTS CO.	H-1260, NARELA INDUSTRIAL AREA	25-02-2014	DPCC/EC/2/1/2014/7015	MANUFACTURING OF PVC RUBBER CABLES AND HOSES. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Operate	Non-SPI				11-03-2014 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 07-12-2013 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Inspection be conducted. Also get the copy of consent application during inspection.
9	PANDEY BROTHERS	B-19 & B-19/1, WAZIRPUR INDUSTRIAL AREA	27-02-2014	DPCC/EC/2/1/2014/7040	MANUFACTURING OF AUTOMOTIVE LEAF SPRINGS. Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired furnace	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-02-2014 Authorisation Status Pending			10-03-2014 (1)ETP ---- N/A (2)ECS - furnace Stack monitoring report dated 21-12-2013 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 21-12-2013 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided in the meeting as inspection was conducted DPCC representatives on 13.03.2018 and following were observed: -Unit is found in operation during inspection and engaged in the activity of Mfg. of automotive leaf springs. -Ground floor is used for pressing, cutting, shotpeening and other process for mfg. of automobile leaf science. -Ground floor is also used for office. -Unit has installed one D.G set of 63 KVA at ground floor with acoustic enclosure and adequate stack height.	16-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

												-Unit has installed two furnace at ground floor with adequate stack height. -Unit is complying with HWM rules, 2016.	
10	S S FLOY PACK	128, POKHET-C, BASEMENT & GROUND FLOOR, DSIIIC, SECTOR-5, BAWANA, DELHI	04-03-2014	DPCC/EC/2/1/2014/7086	Manufacturing of HDPE/PP, Non Woven Bags Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity) Plastic Processed Goods	Orange Establish	Non-SPI					03-04-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D/G Set: ...Nil Recommendation / Action Taken Details (EE/AEE) on 28-03-2018 Inspection was conducted by DPCC officials on 09.03.2018 and findings are as follows- 1. Unit found in operation and engaged in the embossing work on plastic items. 2. M/s S. S. Polypack has closed and shifted somewhere else in the end of 2016. No plant and machinery w.r.t. plastic bag manufacturing activity exists in the premises.	16-05-2018 Consent to Establish dated 04.03.2014 be made infructuous since unit does not exist.
11	MINOCHA METALS (P) LTD	409, FIE, PATPARGANJ INDUSTRIAL AREA	25-04-2014	DPCC/EC/2/1/2014/7619	Mfg. Units of Brake Shoes. Asbestos Based Products Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-03-2007 Authorisation Status Pending				13-05-2014 (1)ETP ---- N/A (2)ECS - N/A (a) AR dated August, 2010 issued by GDSIPU submitted. (b) Stack monitoring report dated 08-04-2014 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - No (3)D/G Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 22-04-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks:- As per DPCC norms, Asbestos is measures in fibre/cc unit but in the report submitted by the unit it was measured in mg/nm3 unit. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 As per committee decision an inspection of the unit was conducted on 12.04.2018 and following were observed: 1. The unit was found in operative condition. Mfg. of brake shoes was going on. Different processes being used i.e shoot blasting of Al. casting to prepare rough surface before adhesive coating. Clamping moulding of brake shoe lining on the moulding hydraulic machine. 2. The mixture of moulding is	17-05-2018 Issue show cause notice for refusal of consent.

											prepared in plug shear mixture in which different chemicals/raw materials i.e. resins, zinc powder, calcium, natural rubber, Bazo4, silica, Al(OH)3 etc besides cellulose fiber(at present cardboard cellulose fibres). 3. After moulding, break shoe linear the same was being cut in a size through the cutting machine. After baking of complete set of break shoe lining, the grinding process is also being taken place as well as before baking, grinding and smoothing of the cut pieces of break shoe linear takes place. 4. The dust emissions although found channelised and control through hood, duct suction followed by dust collecting system but the same was found not much effective as the hoods on some of the grinders were not effective. Leakage of fine particles exist/ emitting to the surroundings. 5. The dust collecting system consists of 32 bags and 2 big bags for collection of grinded materials(break shoe material). 6. The stacks provided for the ovens were found inadequate in height w.r.t oven provided in the basement. 7. The emissions from the bag house also channelized and dispersed through a stack of height about 1 feet mummy level. 8. Although asbestos fibres are found stored in plastic bags in large quantity but the representative of the units informed that they have discontinued the use of asbestos since last six months. At present, they are using cellulose fiber. As informed by the person contacted.	
12	JAIN CELLO CORPORATION	PLOT NO.13, SECTOR-3, POCKET-K, DSIDC INDUSTRIAL ESTATE BAWANA INDUSTRIAL AREA	21-09-2014	DPCC/BC/2/1/2014/7890	ROTO PRINTING PAPERS AND POLYTHENE TUBE AND FILM. Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing Use of Boiler (excluding Electric / Coal Fired)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-04-2011 Authorisation Status Approved Authorisation Issue Date 13-11-2013 Authorisation Expiry Date 12-04-2016		09-06-2014 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 18-04-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 25-04-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes	16-05-2018 Expedite inspection.	

											Ground Water: Nil	
											Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	
13	PANNA LAL TRIVINDER KUMAR	B-48, LAWRENCE ROAD INDUSTRIAL AREA	21-09-2014	DPCC/EC/2/1/2014/7906	MFG. OF ACHAR AND MURABA. Pickles, Chutney & Murabba	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-09-2006 Authorisation Status Pending			09-06-2014 (1)ETP ---- Other ETP Name : ETP (a) AR dated 25.03.2011 issued by DTU submitted. (b) Effluent analysis report dated 02-04-2014 issued by DELHI TEST HOUSE submitted. Effluent Test Report within Limit - No. (2)ECS - N/A (3)D.G.Set: ...Nil Ground Water: Nil Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As decided an inspection was conducted by DPCC representatives on 08.03.2018 and following were observed: -Unit is found operational and engaged in the activity of mfg. Achar and Muraba. -Unit installed one ETP and same is found operational. -Unit is maintaining a log book of ETP. -Ground floor is used for mfg. of Achar and Muraba. -Ground floor is also used for office area.	16-05-2018 Consent to Operate(Renewal) granted.
14	MELODY ICE FACTORY & COLD STORE	PLOT NO.G3-57, LAWRENCE ROAD INDUSTRIAL AREA	22-09-2014	DPCC/EC/2/1/2014/7911	Mfg. of Ice Manufacturing of Ice	Orange Renewal	Non-SPI				10-06-2014 (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Ground Water: Nil Recommendation / Action Taken Details (EE/AEE) on 17-04-2018 Unit has not submitted reply so far.	16-05-2018 Issue show cause notice for refusal of consent.
15	ADARSH INDUSTRIES	C-19, PHASE-1, OKHLA INDUSTRIAL AREA	27-09-2014	DPCC/EC/2/1/2014/7968	ICE Slab and Cold Storage and Refrigeration Chilling Plants and Cold Storages (Integrated) (Excluding meat/ food processing) without trade effluent Manufacturing of Ice	Orange Renewal	Non-SPI				09-06-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 22-05-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water - Nil. Recommendation / Action Taken Details (EE/AEE)	17-05-2018 File be put up administratively.

											on 16-05-2018 An inspection of the unit was carried out during inspection of M/s Himalaya Industries, at adjoining premises of the unit, by the Officials/Representatives of DPCC on 09.05.2018 and following observations were made: -Unit found in operational and engaged in the activity of Mfg. of Ice Slab and Cold Storage and Refrigeration. -Unit having 1 Borewell for ground water extraction and having Certificate of Registration dated 10.07.1998 of CGWA and also voluntary disclosure of existing borewell to DJB by letter dated 22.10.2014. -Unit having 1 DG Set (82.5 KVA) with acoustic enclosure and stack height 2m above the building height. As informed, 160 KVA DG Set has been removed. -Unit has not taken adequate measures i.e. sprinkler system etc. to check the menace of ammonia leakage etc. A letter was issued to unit on 08.07.2015 to submit permission for ground water extraction from DJB and copy of letter sent to DC (South-East) and Member Water DJB. No reply received.	
16	BROTHER SALES CORPORATION	D-219, SECTOR 9, BAWANA INDUSTRIAL AREA	13-06-2014	DPCC/BC/2/1/2014/8149	MANUFACTURING OF AUTO RUBBER PARTS. Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Orange Renewal	Non-SPI				15-07-2014 (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 23-05-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil Ground Water: Nil (Purchased from outside) Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Unit submitted representation on and 22.05.2015 and 25.06.2015 for providing adequate stack height and not extracting ground water and submitted bill from DSIDC.	16-05-2018 Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SS1/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.
17	ALPINE POLYFLEX	A-129, PHASE-II, MANGOLPURI INDUSTRIAL AREA	03-07-2014	DPCC/BC/2/1/2014/8314	Mfg. of Microcellular Sheet.	Orange Operate	Non-SPI				23-07-2014 (1)ETP ---- N/A	16-05-2018 Case deferred.

Rubber moulded goods
excluding production of
tyres and tubes (without
reclamation and
devulcanisation of rubber)
with Boiler

(2)ECS - N/A
Stack monitoring report
dated 13-06-2014 issued by
SOPHISTICATED
INDUSTRIAL MATERIAL
ANALYTIC LABS PVT. LTD.
submitted. Stack Test Report
within Limit - Yes

(3)D.G.Set: ...Nil

As decided inspection of the
unit was conducted on
27.05.2014 and on the basis
of deficiencies observed
during inspection Show
Cause Notice was issued to
the unit on 25.06.2014. i.e.
unit has not provided hood
and channelization system,
followed by stack over roof of
kneader and rolling machine.

Unit submitted the
application for CTO along
with the stack monitoring
report of the Thermic Fluid
heater.

Ground Water: Nil
(Corporation water)

Remarks/ATR on 15-05-2018

A reminder for submission of
VOC parameter or SEI/MSME
Registration along with noise
monitoring report mentioning
adequate stack height and
acoustic enclosure was
issued to the unit on
04.05.2018.

Also a letter seeking
compliance report w.r.t. the
directions issued for
switching over to clean fuel
(i.e Piped Natural Gas (PNG))
was issued to the unit on
04.05.2018.

No reply is received so far.

Recommendation / Action Taken Details (EE/AEE) on 26-04-2018

The unit is engaged in the
activity of EVA sheets (Micro
cellular sheets) with oil fired
boiler.

Earlier, the activity of the
unit is categorized as
category 1 as the unit has
selected the
activity as per DPCC
categorization Polythene,
Plastic and PVC goods
through extrusion moulding.

As the name of the unit
listed in the plastic bags
category units, Unit was
inspected on 16.04.2017 and
following was observed:

-Unit found operational and

												engaged in the activity of mfg. of micro cellular sheets. -Unit having 1 boiler with adequate stack height (diesel is used as fuel) -Unit having 1 DG set of capacity 125 kva with inadequate stack height without acoustic enclosure. -Activity of mfg. of plastic bag not observed in the premises. Directions u/s 31(A) issued to the unit on 04.12.2017 for switching over to clean fuel i.e. PNG. No reply received from the unit so far w.r.t switching over to clean fuel i.e. PNG and VOC emission report or MSME registration.	
18	GOYAL INSULATION	ZB-24/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	16-07-2014	DPCC/EC/2/1/2014/8465	COPPER WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-05-2005 Authorisation Status Pending HWM Application No. 2 Application Date 16-05-2011 Authorisation Status Pending HWM Application No. 3 Application Date 10-05-2018 Authorisation Status Pending			26-08-2014 (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A (4) Inspection details: No. (5) SDN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A letter was issued to the unit on 26.03.2018 asking to apply for consent afresh. Reply not received till date.	17-05-2018	Consent application dated 16.07.2014 be made infructuous. Issue show cause notice for closure of the unit.
19	BANKEY LAL INTERPRISES	ZB-23/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	16-07-2014	DPCC/EC/2/1/2014/8467	COPPER AND ALUMINIUM WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 05-06-2007 Authorisation Status Pending HWM Application No. 2 Application Date 23-05-			26-08-2014 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details:nil Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A letter was issued to the unit on 26.03.2018 asking for apply a fresh consent application. Reply not received till date.	17-05-2018	Consent application dated 16.07.2014 be made infructuous. Issue show cause notice for closure of the unit.

								Date: 2011 Authorisation Status: Pending				
20	GOSAIN WIRE INDUSTRIES	A-91, WAZIRPUR INDUSTRIAL AREA (GROUP)	21-07-2014	DPCC/EC/2/1/2014/8518	Mfg. of Copper Wire Drawing with Annealing. Annealing using Electric Furnace/Oven Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date: 17-05-2006 Authorisation Status: Pending HWM Application No. 2 Application Date: 24-07-2008 Authorisation Status: Pending HWM Application No. 3 Application Date: 22-07-2011 Authorisation Status: Approved Authorisation Issue Date: 14-01-2013 Authorisation Expiry Date: 21-07-2016 HWM Application No. 4 Application Date: 31-03-2018 Authorisation Status: Pending			01-07-2015 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil Ground Water: Nil Source of Water: 0.095 KLD from DIB(bill in the name of Shri Om Parkash enclosed) Remarks/ATR on 16-05-2018 The unit is inspected by officials of DPCC on 13.03.2018 and following were observed 1. Unit found operational and engaged in the activity of Mfg. of copper wire drawing with annealing. 2. Unit have one electric annealing furnace for softening of wire material. 3. As reported the slurry generated in the water tanks in which wire is passes is cleaned once in a year and slurry is stored in a leakproof container according to HWM Rules. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 .	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
21	ARISTO STAMPINGS	S25, F1E, PATPARIGANJ INDUSTRIAL AREA	22-07-2014	DPCC/EC/2/1/2014/8536	MFG. OF ELECTRICAL STAMPING AND TRANSFORMER. Transformer Assembly / Repairing	Orange Renewal	Non-SPI				19-05-2015 1)ETP -N/A (2)ECS - N/A (3)D.G.Set: - 62.5 KVA, NMR issued on 36.06.2014 by DPCC (4) Ground Water: Nil (5) Source of Water: 500 Lt/day from outside source Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 -An inspection of the unit was conducted on 05.03.2018 and following were observed:	17-05-2018 Consent applications be made infructuous since unit was found closed.

											1. The unit was found closed. No machinery was found exist at the time of inspection.	
22	INSULATED WIRE PRODUCTS	36/3-6, BEHIND JULFE BENGAL SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	19-08-2014	DPCC/EC/2/1/2014/8793	COPPER / AL. WIRE DRAWING WITH SUPER ENAMELLING. Copper Wire Drawing with Super Enamelling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-02-2004 Authorisation Status Approved Authorisation Issue Date 20-09-2004 Authorisation Expiry Date 19-09-2006 HWM Application No. 2 Application Date 19-08-2014 Authorisation Status Pending			17-09-2014 (1)ETP ---- N/A (2)ECS - Scrubber (3)Stack monitoring report dated 30-07-2014 issued by DELHI TEST HOUSE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-07-2014 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to the unit on 20.03.2018. No reply received till date.	17-05-2018 Consent application dated 19.08.2014 be made infructuous. Issue show cause notice for closure of the unit.
23	SHERUL INSULATIONS PVT. LTD.	PLOT NO 36/17, DILSHAD GARDEN (NORTH OF G.T. ROAD) INDUSTRIAL AREA SHAHDARA	26-12-2014	DPCC/EC/2/1/2014/9784	COPPER WIRE DRAWING WITH SUPER ENAMELLING AND SUBMERSIBLE WINDING WIRES. Copper Wire Drawing with Super Enamelling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-03-2009 Authorisation Status Pending HWM Application No. 2 Application Date 26-12-2014 Authorisation Status Pending			24-02-2015 (1)ETP : N/A (2)ECS : Wet Scrubber is installed (a) AR : Not submitted (b) Stack monitoring report dated 04-10-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring reports dated 23-12-2014 issued by DPCC for both the D.G Sets submitted. Noise monitoring reports within Limit - Yes (4) Inspection details:N/A (5) Ground Water:Nil Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to the unit on 14.03.2018. No reply received till date.	17-05-2018 Consent applications be made infructuous. Issue show cause notice for closure of the unit.
24	MANJUL LAMINATES PVT. LTD.	C-24, DSIDC PATPARIGANJ INDUSTRIAL AREA	20-02-2015	DPCC/EC/2/1/2015/10200	Mfg. Auto Parts Accessories Manufacturing of Auto parts using Adhesive	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-02-2015			19-05-2015 (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: - Nil (4) Ground Water: Nil (5) Source of Water: 0.06 KLD from outside	17-05-2018 Consent applications be made infructuous. Issue show cause notice for closure of the unit.

								Authorisation Pending Status				Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted by the DPCC officials on 05.05.2018 and following were observed: 1. The unit was found in operation. As per the person contacted informed that they are closing the unit. However one machine was found in operation as the person contacted it is the finishing work.	
25	S.S. LOYOG	PLOT NO 62, POCKET-P, SECTOR-1, DSIDC, BAIWANA INDUSTRIAL AREA	23-03-2018	DPCC/BC/2/1/2015/10398	DALL MILL, Del Mills	Orange Renewal	Non-SPI					30-03-2018 (1)ETP ---- N/A (2)ECS - Bag Filter / Bag House (a) AR dated 18.05.2012 issued by DTU submitted. (b) Stack monitoring report dated 29-12-2014 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...Nil (4) Inspection details:No (5) SDN u/s 31(A)/33(A)/S of EPA details :No (6) Closure directions u/s 31(A)/33(A)/S of EPA details :No Water Consumption: 40 L/Day (Source-DSIIDC) Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Issue reminder to DSIIDC. Also issue show cause notice for refusal of consent.
26	USHMA INDUSTRIES	PLOT NO.10 (PART), GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA, G.T. ROAD SHAHDARA	24-03-2018	DPCC/BC/2/1/2015/10410	COPPER WIRE DRAWING. Copper Wire Drawing without Super Shmelting, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-12-2006 Authorisation Status Pending HWM Application No. 2 Application Date 06-09-2011 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 05-09-2016				08-05-2018 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A (4) Inspection details:N/A (5) SDN u/s 31(A)/33(A)/S of EPA details : N/A (6) Closure directions u/s 31(A)/33(A)/S of EPA details :N/A (7) GW: N/A Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection is yet to be conducted.	17-05-2018 Expedite inspection.
													17-05-2018

27	ROYAL OFFSET	489, FIE, PATPARGANJ INDUSTRIAL ESTATE	21-04-2015	DPCC/EC/2/1/2015/10601	OFFSET PRINTING WITH LAMINATION. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-04-2015 Authorisation Status Pending			28-04-2015 (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: - Nil (4) Ground Water: Nil (5) Source of Water: 100 Lt/day purchased Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted on 05.05.2018 and following were observed: 1. The unit was found in operation. Printing, cutting and lamination work was being carried out. Two 4 color offset press was being used for printing. 2. No management of Hazardous Waste as per rule.	Issue show cause notice for refusal of authorization and issue show cause notice u/s 5 of EP Act.
28	PRINT WAYS (INDIA)	PLOT NO-30, POCKET-K, SECTOR-5, DSIIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	03-06-2015	DPCC/EC/2/1/2015/10973	Mfg. of Card Board and corrugated boxes with computer Designing, Printing and Lamination (Without Trade Effluent) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 08-06-2015 Authorisation Status Pending			16-07-2015 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...Nil (4) Inspection details:No (5) SDN u/s 31(A)/33(A)/5 of EPA details :No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No (7)Water Consumption: 200 lt/day (Source-ground water) voluntary disclosure submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Consent to Establish granted. Also inspection be conducted.
29	PRINT WAYS (INDIA)	PLOT NO-30, POCKET-K, SECTOR-5, DSIIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	08-06-2015	DPCC/EC/2/1/2015/11001	Mfg. of Card Board and corrugated boxes with computer Designing, Printing and Lamination (Without Trade Effluent) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2015 Authorisation Status Pending			16-07-2015 (1) ETP- nil (2) ECS - nil (3) D.G set:-nil (4) Inspection details:- No (5)SDN u/s 31(A)/33(A)/5 of EPA details :- Nil (6)Closure direction u/s 31(A)/33(A) /5 of EPA details :-No (7)Water consumption:-200 lt/day (voluntary disclosure submitted for ground water extraction to DGB) Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	16-05-2018 Inspection be conducted.
30	AJMI LTD	A-8, MOHAN CO-OPERATIVE INDUSTRIAL AREA, MATHURA ROAD	17-06-2015	DPCC/EC/2/1/2015/11073	Mfg. of Trading of Scientific Instruments. Powder Coating without phosphating	Orange Renewal	Non-SPI				14-07-2015 (1)ETP ---- N/A (2)ECS - Cyclone (a) Stack monitoring report dated 03-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 437.5 KVA. Noise monitoring report dated 08-	16-05-2018 Consent to Operate(Renewal) granted. Check the consent status of Nalmex House. If operating without consent, file be put up administratively for necessary action.

											04-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within limit - Yes Ground Water:- Nil Water Consumption:- 500 ltr/ day (source- own arrangement) Remarks:- Unit is required to submit the document i.e. Details of suppliers of water (Name, Address and Contact details of the Agency (ies) supplying water through tankers including bill) and its valid permission from concerned Agency(ies) for Extraction/Drawl of Ground Water. Remarks/ATR on 16-05-2018 Unit submitted its reply on 06.11.2017 regarding details of water supplier along with copy of recent water bills issued by water suppliers, and requested to issue CTO(renewal). Further, an inspection of the unit was carried out by officials of DPCC on 24.04.2018 and following observations were made : -Unit was engaged in the activity of Scientific instruments which involves the activity namely Drilling, Powder Coating and testing. -The activity of Phosphating has been outsourced. - Also unit has submitted an affidavit along with Photographs of the powder coating unit and copy of bill/invoice for phosphating and stated in affidavit that process of phosphating is not being conducted during the powder coating process in premises at Naimex House, A-8, Mohan Co-operative Industrial Estate, Mathura Road, New Delhi and also they have no intention to do the same in future. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Consent be granted subject to the submission of undertaking for not doing phosphating activity without prior permission of DPCC, Bills in lieu of phosphating activity from an outside agency and test report of powder coating section.	
31	HIMALAYA INDUSTRIES	C-20, PHASE I, OKHLA INDUSTRIAL AREA	18-06-2015	DPCC/EC/2/1/2015/11083	Manufacturing of Ice Slabs Manufacturing of Ice	Orange Renewal	Non-SPI				14-07-2015 (1)ETP ---- N/A (2)ECS - N/A	17-05-2018 Ask the unit to rectify the deficiencies observed during

								HWM Application No. 3 Application Date 22-06-2013 Authorisation Status Pending			machine (Black). 2. As informed no effluent (trade effluent) generated as sponge water if generated being used/ add to the ink tray to low the viscosity of printing ink as and when required. 3. HW found stored in a separate room meant of HW storage with two 50 Liters containers being used for storage of HW.	
33	KAMAL BHARDWAJ	340/14-A, GALI NO.18, FRIENDS COLONY INDUSTRIAL AREA	01-07-2015	DPCC/EC/2/1/2015/11200	MANUFACTURING OF AUTO PARTS (FRICTIONAL MATERIAL). Process Involving Buffing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-06-2011 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)SCS - DUST Collector (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: DIB (5) Ground Water: Nil	AR dated Oct 2010 issued by GGSIPU submitted. Stack monitoring report dated 16-06-2015 issued by DPCC submitted. Stack Test Report within Limit - Yes	20-09-2016 Inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
34	BROOKLYN ENGINEERS (I) PVT. LTD.	PLOT NO. 493, PATPARGANG INDUSTRIAL AREA	23-07-2015	DPCC/EC/2/1/2015/11364	Servicing and washing of vehicles (Four wheelers) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004 Authorisation Expiry Date 30-09-2006 HWM Application No. 2 Application Date 08-07-2010 Authorisation Status Pending HWM Application No. 3 Application Date 23-07-2015 Authorisation Status Pending		02-03-2016 (1)ETP ---- Installed (a) AR dated July 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 23-04-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)SCS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 30-06-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 10 KVA. Noise monitoring report dated 18-03-2015 issued by DPCC submitted. Noise monitoring report within Limit - No (4) Water Consumption: 2540 L/d Source : Corporation (5) Groundwater:Nil Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted on 05.05.2018 and following were observed: 1.The unit M/s Brooklyn Engineer was found closed as observed during the inspection. 2. At G.F a unit namely M/s Madhav Polymer was found in operation in the activity of making packing material	17-05-2018 Consent / authorization applications be made infructuous since unit was found closed. Issue show cause notice for closure to another unit.	

											having one tubing machine/tube blowing machine. 3. No D cutting facility was found as informed they are making file protector leaf from fresh PP granules. 4. The unit was found operating without consent. 5. M/s Madhav Polymer have 1 tube blowing machine, cutter cum heating to adjoin the tube was also found.	
35	DTC HASANPUR	HASANPUR DEPOT	28-07-2015	DPCC/BC/2/1/2015/11402	REPAIR AND MAINTENANCE OF BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-12-2003 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 04-12-2006 Authorisation Status Approved Authorisation Issue Date 20-02-2007 Authorisation Expiry Date 19-02-2009 HWM Application No. 3 Application Date 22-01-2009 Authorisation Status Pending HWM Application No. 4 Application Date 07-05-2015 Authorisation Status Pending	(1)ETP - Yes (2)BCS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption : 16 KLD Source of Water : Corporation or ground water (as per undertaking). AR dated June, 2015 issued by Steel Authority of India Limited submitted. Effluent analysis report dated 15.07.2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes Effluent analysis report dated 15-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes. The unit has 2 D.G. Set(s) of 60 KVA (not in use) and 125 KVA. Noise monitoring report dated 29-04-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	21-09-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 Show cause notice for refusal of authorization under Hazardous waste, show cause notice u/s 5 of EPA, show cause notice u/s 33(A) of Water Act, 1974 and show cause notice for refusal of consent under Air Act and Water Act was issued to the unit on 21.06.2017. The representations along with the photographs were submitted by the unit on 13.07.2017 informing that they have rectify all the deficiencies observed during the inspection conducted on 01.06.2017 and also requested to issue certificate of consent to operate.	17-05-2018 Inspection be conducted.	
36	GUPTA POLYMERS	O-52, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	30-07-2015	DPCC/BC/2/1/2015/11413	MPG. OF PRINTING OF POLYTHENE BAGS. Polythene, Plastic and PVC Goods through	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-11-			02-03-2016 1. ETP- N/A. 2. BCS-N/A. 3. Plot Area: 150sq meter 4. D.G. Set : Nil.	16-05-2018 Inspection be conducted.

					Extrusion Moulding (without use of Scrap) Printing without Trade Effluent Discharge				Date 2008 Authorisation Status Pending HWM Application No. 2 Application Date 30-07-2015 Authorisation Status Pending			5. Water consumption: 350L/day. a) Source of water: DSIIDC (copy of bill submitted) b) Ground water- Nil 6. Inspection details dated 06.07.2015: a. Unit M/s Gupta Polymer found operating without valid consent/registration from DPCC. unit is engaged in the activity of mfg. of plastic packaging bag with flexo printing. As per dpcc lab results of bag, thickness of bag is 10 microns. SCN u/s 31(A) of Air & u/s 5 of EPA issued on 06.08.2015 Replied on 25.08.2015 stated that applied for consent to operate, applied for registration under plastic rules. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	
37	COMPETENT AUTOMOBILES CO. LTD.	P NO. 3 GAZIPUR	11-08-2015	DPCC/EC/2/1/2015/11532	Authorized Maruti Service and Repair Unit (With Washing) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-10-2009 Authorisation Status Pending HWM Application No. 2 Application Date 13-05-2009 Authorisation Status Pending HWM Application No. 3 Application Date 27-02-2012 Authorisation Status Approved Authorisation Issue Date 24-05-2012 Authorisation Expiry Date 26-02-2017 HWM 4			02-03-2016 (1)ETP ---- ETP - Physicochemical (a) AR dated June 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - Paint Booths (a) AR dated Not submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G. Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 20-02-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 20-02-2015 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes (4) Water Consumption: 27115 L/D Source: Outside (5) Ground Water: Nil Recommendation / Action Taken Details (EE/AEE) on 17-05-2018	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	

								Application No.			On the basis of the inspection dated 04.09.2017 filed in the ATR, it was decided in the meeting held on to issue show cause notice for refusal of consent and show cause notice for refusal of authorization under HW Rules. Also issue show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act.
								Application Date	11-08-2015		However, it is submitted that on basis of this inspection that the unit was already issued show cause notice for refusal of consent, show cause notice for refusal of authorization under HW Rules, and show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act on 24.10.2017.
								Authorisation Status	Pending		The unit subsequently submitted its reply on 10.11.2017 stating they have rectify all the deficiencies observed during the inspection conducted on 04.09.2017.
											As decided on file, inspection of the unit was again conducted on 29.01.2018 and following were observed:
											1. The unit was found in operation. Servicing of vehicles was going on.
											2. ETP was found in operation. Treatment of trade effluent was going on. Significant formation of flocs was seen indicating the operation of ETP.
											3. The ETP consist of collection cum equalization tank, flash mixing tank, chemical dosing tank followed by the tube settler, clear water tank, multimedia filter and ACF. SDBs (4no.) also provided for back wash water.
											4. HW management was found as per rule wrt labeling display as per form B. Six 200L capacity barrels being used/ found stored in HW rooms for collection of HW mainly ETP sludge. HW i.e. burnt oil etc being stored in other location and reportedly disposed through authorized vendor.
											5. Paint booth shop was found in the basement. HSD fired burners being used to blow hot air during baking of painted body parts of vehicles.
38	AUTOMOBILES STERLING INDIA PVT. LTD.	B-1, JHILMSL INDUSTRIAL ESTATE, SHAHDARA	02-09-2015	DPCC/EC/2/1/2015/11691	SERVICE STATION OF CARS.	Orange Operate	Non-SPI	HWM Application No.	1		27-04-2016
					Automobile Servicing and Repair Station with			Application	02-09-		1) Status of Pollution Control System/Devices: (ETP: Yes) (D.G. Set)
											2) Status of Ground Water extraction: No Borewell
											16-05-2018
											Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

					Washing Activity with burner			Date2015 Authorisation StatusRevoked Authorisation Issue Date18-05-2016 Authorisation Expiry Date01-09-2020 Authorisation Revoked Date09-06-2017 HWM Application No.2 Application Date11-08-2017 Authorisation StatusPending		4) Source of Water: Tankers bill not Submitted 5) Status of Inspection: No 6) Air (Emission)- Test Report of ECS within norms 7) Water (Effluent)-Test Report of ETP within norms 8) Noise - Test Report of D.G. Set Noise within norms unit has submitted Adequacy Report Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved in the consent committee re-inspection of the unit was conducted on 10.03.2018 and following were observed: 1. The unit was found in operation. Servicing of the vehicles was going on. 2. ETP unit consist of collection tank(3 no.s) flex mixture, tube settler followed by sludge drying beds(2 no.s), filters(2 no.s- carbon filter and sand filter). Flux was seen in the flex mixture indicating operation of ETP. Dry and semi-wet sludge was seen in the sludge drying bed. 3. Hazardous waste was maintained as per the rule. 4. One D.G. set of 250 KVA was found installed with adequate stack height. 5. Stack attached to the spray paint booth was found adequate. 6. Paint soaked cotton rags along with waste oil was found stored in a hazardous waste room.	
29	SHRI SHAKTI ENTERPRISES	KHASRA NO. 47, NEW MANDOLI, INDUSTRIAL AREA	09-09-2015	DPCC/BC/2/1/2015/11739	Mfg. of Copper And Aluminum Ingots. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 01.06.2015. Reply received on 11.08.2015, informing stack monitoring conduction & requested Jamia Millia Islamia for adequacy report. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015. A representation was received from the unit on 15.09.2015 requesting for revocation of issued Closure directions by submitting Security Bond of Rs. 5,00,000/- that their unit is established prior to 7th Feb. 2007 and further stating that the other compliance have also done. Temporary Revocation of	AR dated Sep 2015 issued by JAMIA MILLIA ISLAMIA submitted. Stack monitoring report dated 03-08-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 15 KVA. Noise monitoring report dated 08-10-2015 issued by DPCC submitted.	02-07-2016 As approved in file inspection be conducted. Remarks/ATR on 17-05-2018 In response to the SCN issued, the unit has submitted a representation dated 02.04.2018 stating that they have applied for PNG connection however they have not submitted any proof of the agreement with IGL. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 13/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018. Inspection yet to be conducted.	17-05-2018 Inspection be conducted.

									Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OLMS, etc. A representation was received from the unit on 30.11.2015 informing the installation of OLMS. (1)ETP ---- N/A (2)ECS - Cyclone and Wet Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 Litres/ Day Source: Purchase (5) Ground Water: Nil			
40	SAUBHAGYA BANQUET	PLOT NO C-65, PREET VIHAR,	14-09-2015	DPCC/EC/2/1/2015/11783	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DDB sewer	Orange Operate	Non-SPI		(1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set - N/A (4) Water Consumption: 3000 L/ Day Source: Corporation and drinking Water suppliers (5) Ground Water: Nil	AR - Nil Effluent analysis report dated 16.03.2016 issued by DPCC submitted.	01-07-2016 Recommended for CTO. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	16-05-2018 Expedite inspection.
41	MANTUNGA PRAKASHAN (P) LTD.	184, P.I.E., PATPARGANJ INDUSTRIAL ESTATE,	17-09-2015	DPCC/EC/2/1/2015/11811	OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-07-2017 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Proposed 40 KVA. (4) Water Consumption: 300 Liters/ Day Source: Ground water and Purchase Water	N/A	23-09-2016 Recommended for inspection in view of HW Rules, 2016. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
42	PHOTOSONIC	C-122, OKHLA FLATTED FACTORY COMPLEX, PH-III	29-09-2015	DPCC/EC/2/1/2015/11927	SCREEN PRINTING. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-05-2006 Authorisation Status Pending HWM Application No. 2 Application Date 29-09-2015 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil Water Consumption:- Approx. 200 ltr/day (Source: (Outside), from a vendor or from central water storage facility provided in the PF Complex, as no water connection is provided by DDB to their unit).		22-04-2016 (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil Water Consumption:- Approx. 200 ltr/day (Source: (Outside), from a vendor or from central water storage facility provided in the PF Complex, as no water connection is provided by DDB to their unit). Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection is carried out by representatives of DPCC on 29.11.2017 and during inspection following were the brief of observations. 1 Unit found operational and	16-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

											engaged in the activity of SCREEN PRINTING. 2. Unit has no D.G set installed at the premises. 3. Unit found complying with Hazardous waste Rules. It is recommended that CTO and Authorization under HW may be granted.	
43	DELHI TRANSPORT CORPORATION	WAZIRPUR DEPOT, RING ROAD	05-10-2015	DPCC/EC/2/1/2015/11976	REPAIR AND MAINTENANCE OF CNG LOW FLOOR BUSES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-02-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 12-07-2005 Authorisation Status Pending HWM Application No. 3 Application Date 11-09-2008 Authorisation Status Pending HWM Application No. 4 Application Date 05-10-2015 Authorisation Status Pending	Status of Pollution Control System (1)ETP Unit has submitted empanelled Adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 29.05.2015 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Source of Water: 10 KLD from DGB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report dated 29.05.2015 issued by DPCC submitted. Report within Limit - Yes 2. Noise monitoring report dated 29-05-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 Unit has submitted a reply on 26.03.2018 w.r.t the SCNs issued on 01.03.2018 and stated that they have rectified the deficiencies observed during inspection.	16-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance. Subsequently, inspection be conducted.
44	DTC NETAJI SUBHASH PLACE	SUBHASH PLACE DEPOT,	05-10-2015	DPCC/EC/2/1/2015/11979	Repair and Maintenance of CNG Low Floor Buses. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-10-2003 Authorisation Status Pending HWM Application No. 2	Status of Pollution Control System (1)ETP Unit has submitted empanelled adequacy report. (a) AR dated Aug. 2015 issued by Steel Authority of India Limited submitted. (b) Effluent analysis report dated 17.06.2015 issued by DPCC submitted. (2)ECS - N/A	1. Effluent analysis report dated 17.06.2015 issued by DPCC submitted. Report within Limit - Yes 2. Noise monitoring report dated 24-06-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-07-2016 Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 Show cause notices were issued on 01.03.2018 and no reply has been received till date. A reminder may be issued.	16-05-2018 Issue reminder. Also inspection be conducted.

								Application No.	(3)D.G.Set Noise Report : 1				
								Application Date	13-07-2006	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 24-06-2015 issued by DPCC submitted.			
								Authorisation Status	Approved	Noise monitoring report within Limit - Yes			
								Authorisation Issue Date	13-03-2007	Status of Ground Water extraction : Nil			
								Authorisation Expiry Date	12-03-2009	Source of Water: 12 KLD from OJB			
										Status of Inspection :No			
								HWM Application No.	3	SCN u/s 31(A)/33(A)/5 of EPA details : No			
								Application Date	23-01-2012	Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
								Authorisation Status	Pending				
45	ASHOKA POLYMERS	A-123, GROUP INDUSTRIAL AREA, WAZIRPUR.	12-10-2015	DPCC/EC/2/1/2015/12071	MFG. OF PVC COMPOUND (FRESH AND REPROCESSING). Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity) Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		(1)ETP: N/A (2)ECS: N/A (3)D.G.Set: Nil (4)Source of water supply:0.12 KLD from municipal corporation (5)Date of commencement of production:June 2015	Stack monitoring report attached with hood provided for plastic extruder line issued by Shriram Institute For Industrial Research dated 25.09.2015 and parameters are within limits.	23-01-2018 Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided an inspection was conducted by DPCC representatives on 13.03.2018 and following were observed: -Unit is found operational and engaged in the activity of manufacturing of PVC compound (fresh and reprocessing). - Basement of the unit is used for storage and manufacturing of PVC compound(fresh and reprocessing). -Ground floor is used for office. -Unit has installed two extruders with channelization and adequate stack height.	16-05-2018 Consent to Operate granted. Ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.	
46	MAYBELL TRADINGS PVT. LTD.	PLOT NO 8-27, JHLMIL INDUSTRIAL AREA	28-10-2015	DPCC/EC/2/1/2015/12230	COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE. Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI	HWM Application No.	1	(1)ETP ---- N/A (2)ECS - Catalytic Converter. (3)D.G.Set Noise Report : 1 (4) Water Consumption: 170 L/ Day Source: Corporation (5) Ground Water: Nil	AR - Nil Stack monitoring report dated 18-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-09-2015 issued by DPCC submitted.	01-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved by the consent committee inspection of the unit was conducted on 10.03.2018 and following were observed: 1. The unit was found in operation. Wire drawing as well as super enamelling was going on (Horizontal and vertical type) beside a separate activity at first floor in which BOPP film is put on the copper wire to make it insulated. 2. No Emission control	16-05-2018 Issue show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act.

											system with the 2 nos of horizontal super enamelling machine(newly installed about 4 months ago). 3. Hazardous waste found stored in drums which are lubricating sludge with copper residue produce during the wire drawing process cooling/lubricating water. The waste is sold to recyclers. 3. Super enamelled residue i.e. Hazardous waste found stored in drum(1 no.) of 30 ltr.	
47	SANJAY GUPTA / SHIV SHAKTI INDUSTRIES	P-5, P-7, KH. NO 45, MAHAVIR GALLI, NEW MANDOLI REDEVELOPMENT AREA	29-10-2015	DPCC/EC/2/1/2015/12251	CASTING OF COPPER INGOT. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 21/22(A) of Air (Prevention & Control of Pollution) Act, 1981 and 25/26(A) of Water(Prevention & Control of Pollution) Act, 1974, was issued on 01.06.2015 for submission of application for CTE & CTO. As frequent complaints of Mandoli Industrial area for Air Pollution are being received, the file was processed for approval of Direction of Closure under Air (Prevention & Control of Pollution) Act, 1981, as approved Closure Directions was issued to the unit on 08.08.2015. A representation was received from the unit on 14.08.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and seeking time for compliance of other directions. Temporary Revocation of Direction of Closure for 45 days was issued on 18.09.2015 directing the unit to apply for installation of OLMS, adequacy report etc. The unit has submitted compliance and also applied for CTO. (1)ETP ---- N/A (2)ECS - Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 180 Uters/ Day Source: Out Source (5) Ground Water: Nil	AR dated 27.02.2012 issued by DTU submitted. Stack monitoring report dated 28-09-2015 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 35 KVA. Noise monitoring report dated 22-09-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite. Remarks/ATR on 17-05-2018 In response to the SCN issued, the unit has submitted a representation dated 10.04.2018 stating that they have applied for PNG connection and have enclosed with the copy of the agreement with IGL. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision on 13/02/2018, SCN for refusal of consent and SCN u/s 31(A) of Air Act was issued to the unit on 11/04/2018.	17-05-2018 Inspection be conducted.
48	M.T. ENTERPRISES	P-9 & 10, NEW MANDOLI INDL AREA	02-12-2015	DPCC/EC/2/1/2015/12546	Mfg. of Copper Ingots by Casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		A Notice u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued on 02.06.2015. Reply received on 08.07.2015, informing the submission of adequacy report and Air monitoring report but the letter	AR dated issued by submitted. Stack monitoring report dated 03-11-2015 issued by DPCC submitted.	01-07-2016 As approved on file inspection be expedite. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Expedite inspection.

								was without enclosures as claimed. As approved the Closure Directions u/s 31(A) of Air (Prevention & Control of Pollution) Act, 1981 was issued accordingly to the unit on 27.08.2015.		Inspection yet to be conducted.	
								A representation was received from the unit on 21.09.2015 requesting for revocation of issued Closure directions by submitting that there unit is established prior to 7th Feb. 2007 and further stating that the other compliance are in process.			
								Temporary Revocation of Direction of Closure for 45 days was issued on 06.10.2015 directing the unit to apply for installation of OUMS, adequacy report etc.			
								(1)ETP ---- N/A			
								(2)ECS - N/A			
								(3)D.G.Set Noise Report : 1			
								The unit has 1 D.G. Set(s) of 62 KVA.			
								(4) water Consumption: 200 Liter/ Day Source: outside			
								(5) Ground Water: Nil			
49	SHRI GANESH CORNER	U-74, MOTHER DAIRY ROAD, SHAKARPUR	07-12-2015	DPCC/EC/2/1/2015/12591	Eating House With 20 Seating Capacity. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DGB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DGB	Orange Establish	Non-SPE	(1)ETP - No (2)ECS - No (3)D.G.Set : No (4) Water Consumption:- 1000 Ltr/Day Source:- DGB (5) Ground Water:- Nil The inspection of the unit was carried out on 02.11.2015 and following were the observations: -The unit was found in operation. -The unit operating in two shop separated by a passage in the middle of the building. - In the right hand shop being used for the making Chole Bhature with eating table provided in the middle of shop and along right side wall and as observed at the time up to 20 person were eating. -In second shop kachori and milk butter (lassi) being prepared besides cooking of potato curry and chole curry. -The emission control system provided over food preparation/ cooking burners found inadequate. -Trade Effluent generated from dish washing/preparation moulds disposed without treatment.	No test report submitted.	26-12-2016 Inspection be Conducted. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided, letter to the unit was issued on 07.03.2018. Reply awaited.	16-05-2018 Issue cause notice for refusal of consent.

					Sewer and having Kitchen and / or Laundry without Boiler				Show cause Notice was issued on 01.12.2015. A reply had been received on 11.12.2015 for compilation of the deficiencies observed during the inspection by DPCC along with the photographs.			
50	SHRI GANESH CORNER	U-74, MOTHER DAIRY ROAD, SHAKARPUR	07-12-2015	DPCC/EC/2/1/2015/12593	Eating House With 20 Seating Capacity. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - No (2)ECS - No (3)D.G.Set : No (4) Water Consumption:- 1000 Ltr/Day Source:- DJB (5) Ground Water:- Nil The inspection of the unit was carried out on 02.11.2015 and following were the observations: -The unit was found in operation. -The unit operating in two shop separated by a passage in the middle of the building. - In the right hand shop being used for the making Chhole Bhature with eating table provided in the middle of shop and along right side wall and as observed at the time up to 20 person were eating. -In second shop kachori and milk butter (lassi) being prepared besides cooking of potato curry and chole curry. -The emission control system provided over food preparation/ cooking burners found inadequate. -Trade Effluent generated from dish washing/preparation moulds disposed without treatment. Show cause Notice was issued on 01.12.2015. A reply had been received on 11.12.2015 for compilation of the deficiencies observed during the inspection by DPCC along with the photographs. Application for the Consent to Operate vide Id No-12593 was applied on 07.12.2015.	No test report submitted.	26-12-2016 Recommended for inspection. Remarks/ATR on 28-03-2018 The unit submitted its reply on 21.03.2018 stating that they will remove their stuffs from the 2nd premise which may take time and also requested to grant them consent. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided, letter to the unit was issued on 07.03.2018. Reply awaited.	16-05-2018 Decision taken on 16.05.2018 in Consent to Establish application reviewed. Inspection be conducted.
51	SUPER METALS	A-6/2, JHLMIL INDUSTRIAL AREA	04-01-2016	DPCC/EC/2/1/2016/13117	MPQ. OF ALUMINIUM CIRCLE WITH CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-10-2006 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 300 Liters/ Day Source: Corporation (5) Ground Water: Nil	AR -- Nil Stack monitoring report dated 30-10-2015 issued by SHRIRAM INSTITUTE submitted. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 16-10-2015 issued by PCCI RESEARCH ANALYSIS CENTRE submitted.	12-07-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved in file inspection of the unit was conducted on 05.03.2017 and following were observed: 1. The unit was found in operating condition	16-05-2018 Issue show cause notice for refusal of consent.

											Aluminium casting and circle making work was not going during the inspection. 2. Hood, duct with suction arrangement has been found erected over the hot rolling machine. Hot rolling machine was found under repair and was found in over-hauled condition. Although the stack height with the hood duct and suction arrangement for pit furnace was found about 3 meter from building roof but the same was found below the adjoining building roof. PWD is being used as fuel in melting and casting furnace. 3. Aluminium cross reportedly being sold to recyclers and some quantity reportedly recycled within the premises.	
52	CHANDER TRADERS	L-8, KHASRA NO 77, HANUMAN GALI NO.2, NEW MANDOLI IND.AREA	09-01-2016	DPCC/EC/2/1/2016/13135	Mfg. of Aluminium and Zinc Ingots by casting. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		To comply with the directions of PGC, surprise inspection along with SDM concerned of the area was visited along with SDM on 09.05.2016 and for violation spot closure of direction u/s 31 (A) of Air Act, 1981 was issued and SDM concerned has also closed the unit effectively. On the basis of the compliance revocation of Closure directions has been issued on 11.7.2016. (1)ETP ---- N/A (2)ECS - Yes (3)D.G.Set: ...N/A... (4) Water Consumption: 100 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR dated Dec-2015 issued by JAMIA MILLIA ISLAMIA, submitted. Stack analysis report dated 28-9-2015 issued by DPCC submitted.	12-07-2016 Redevelopment Area. As approved on file unit be inspected after 06 months. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision on 13/02/2018, SCN for refusal of consent was issued to the unit on 11/04/2018. Inspection yet to be conducted.	17-05-2018 Inspection be conducted.
53	S.K. INDUSTRIES	C-9, DSIDC COMPLEX, FIE, PATARGANJ INDUSTRIAL AREA	06-01-2016	DPCC/EC/2/1/2016/13158	Mfg. of Self Inking stamp. Plastic Processed Goods Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-01-2016 Authorisation Status Pending	A survey conducted by DPCC/DSIDC in Industrial Area w.r.t Orders of Honorable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in Industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act, 1981 issued to the unit on 07.12.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2016/13158 applied on 06.01.2016 and requested to withdraw the above said notice. (1)ETP -- N/A (2) ECS -- N/A (Exhaust Fan) (3)D.G. Set: N/A	N/A	28-09-2016 Recommended for Inspection in view new HWM rules. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted on 09.05.2018 and following were observed: 1. The unit was found in operation. Mfg. of Self Inking Stamp activity was going on. 2. No management of Hazardous Waste as per the rule. However, the amount of hazardous waste generated was in very insignificant.	17-05-2018 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act.

									(4)Water Consumption: 50 L/d Source: Outside Supply (5) Ground water: Nil			
54	A-CUBE LAMINA	D-178, FLATTED FACTORY, COMPLEX, PHASE-III, OKHLA INDUSTRIAL AREA	18-01-2016	DPCC/EC/2/1/2016/13318	SELF ADHESIVE TAPE (BOPP) Self Adhesive Tapes	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-01-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set - N/A (4) Ground Water- Nil Water Consumption- 500 ltr/day Source- Corporation In compliance of the order dated 11.08.2015 of Honble NGT in application no. 300 of 2013 and OA. No. 06 of 2012 the matter of Manoj Mishra versus Union of India and others. As per survey by DPCC, an inspection of the premises was carried out by Officials / Representatives of DPCC on 14.08.2016 and premises was found locked. Letter was issued to DSIDC on 08.09.2015 seeking present status/operational status of the Unit, as premises found locked. Reply not received from DSIDC.	N/A	19-08-2016 Now, Unit has submitted application for CTE on 09.11.2015 and CTO on 18.01.2016. Also, applied for Hazardous Waste Management on 18.01.2016. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection is carried out by representatives of DPCC on 29.11.2017 and during inspection following were the brief of observations. 1. Unit found operational and engaged in the activity of SELF ADHESIVE TAPE 2. Unit has no D.G set installed at the premises. 3. Unit found complying with Hazardous waste Rules. It is recommended that CTO may be granted.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
55	AMAR AUTOS	B-29, JHILMSL INDUSTRIAL AREA	09-02-2016	DPCC/EC/2/1/2016/13572	SERVICING OF VEHICLES WITH WASHING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-02-2016 Authorisation Status Pending	(1)ETP - ETP (2)ECS - N/A (3)D.G.Set - N/A (4) Water Consumption: 1200 Liters/ Day Source: Purchase Water (5) Ground Water: Nil	AR - Nil Effluent analysis report dated 09-11-2015 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	12-07-2016 Inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Show cause notice for refusal of consent and show cause notice for refusal of authorization under HW Rules. Also issue show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act was issued to the unit on 09.03.2018. Reply awaited.	16-05-2018 Re-inspection be conducted.
56	GULSHAN KUMAR WASAN	PLOT NO.C-1, DSIDC PATPARGANG INDUSTRIAL AREA	11-02-2016	DPCC/EC/2/1/2016/13641	OFFSET PRINTING PRESS WITHOUT TRADE EFFLUENT. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 11-02-2016 Authorisation Status Pending	(1)ETP --- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: home (5) Ground Water: Nil	N/A	22-09-2016 Recommended for inspection in light of HW RULES, 2016. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted on 05.05.2018 and following were observed: 1. The unit was found in operation. Offset printing machine of 4 color was being used for printing purposes. 2. Hazardous waste was found store in an isolated area but the same was not marked with specified label and record was found maintained till december 2017.	17-05-2018 Issue show cause notice for refusal of authorization under HW Rules.
57	HIMALAYA FOOD CORNER	C-24, ACHARYA NIKETAN,	26-02-2016	DPCC/EC/2/1/2016/13786	Restaurant and Take	Orange	Non-SPI		(1)ETP - Oil and Grease trap	N/A	15-11-2016	16-05-2018

		MAYUR VIHAR, PHASE-I			Away	Establish			cum settling tank. (2)ECS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 500 L/Day Source: Corporation (5) Ground Water: Nil		Recommended for CTE. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided show cause notice for refusal of consent and show cause notice u/s 33 (A) of Water act was issued to the unit on 07.03.2018. Reply awaited.	Inspection be conducted.
58	CAFE DIVA (A UNIT OF RIGA FOODS PVT. LTD.)	N-8, FF, N BLOCK MARKET, GREATER KAILASH PART-I	02-03-2016	DPCC/EC/2/1/2016/13807	Eating House with 48 Seating Capacity Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m ²) connected to public/municipal/DJB sewer	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP installed (a) Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes Ground water- Nil Water consumption- 3000 ltrs/day, Source- DJB (Bill enclosed) MCD license and Delhi Police license valid upto 31.03.2016 Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 08.10.2015 and following was observed: -Unit has not installed ETP. - Channelization with kitchen found with inadequate stack height. - Wood fired oven exists with inadequate stack height. - Stack height with DG set found inadequate. SCN u/s 31(A) of Air Act and 33(A)of Water Act was issued to unit on 28.10.2015. Unit has submitted its representation w.r.t. SCN on 18.11.2015 and requested to complete all the formalities within 2 months. As approved on file Modified direction u/s 31(A) of Air Act and 33(A)of Water Act was issued to unit on 09.02.2016 to submit surety bond for an amount of five lakhs only for one year period	Effluent analysis report dated 18-12-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 23-12-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-07-2016 Unit has submitted application for consent to operate alongwith required documents and test reports on 02.03.2016. however they have not submitted reply w.r.t. Modified direction dated 09.02.2016 and also not submitted surety bond for an amount of five lakhs only for one year period and not informed regarding installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel in compliance of the said modified direction. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Unit submitted replied w.r.t to SCN for refusal of Consent to Operate issued on 18.01.2018 and stated that -Unit had installed ETP and applied for CTO on 02.03.2016 As approved, inspection of the unit was carried out by officials of DPCC on 13.03.2018 and following observation were made : -During inspection unit found operational and engaged in the activity of restaurants with 42 seats. -CTO applied. -OGT installed in the kitchen not adequate. As decided, Modified direction was issued to unit 03.04.2018 and unit submitted its replied w.r.t. modified direction on 24.04.2018 along with photographs of OGT and stated that: -Unit is engaged in the activity of restaurants with 42 seats. -CTO applied.	17-05-2018 Consent to Operate granted.

									within 15 days, installation of ETP, installation of flow meter at outlet and inlet of ETP, removal of wood fired oven as wood is not an approved fuel and submit application for CTO along with required documents and test report.		-OGT installed to meet the requirement of Restaurants. CTO may be granted.	
59	HIMALAYA FOOD CORNER	C-24, ACHARYA NIKETAN, MAYUR VIHAR, PHASE-I	03-03-2016	DPCC/EC/2/1/2016/13844	Take Away Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP - Oil and Grease trap cum settling tank. (2)BCS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 500 L/ Day Source: Corporation (5) Ground Water: Nil -MCD License valid up to 31.03.2016. -Police License valid up to 29.02.2016.	N/A	15-11-2016 Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided show cause notice for refusal of consent and show cause notice u/s 33 (A) of Water act was issued to the unit on 07.03.2018. Reply awaited.	16-05-2018 Inspection be conducted.
60	SOUND SPARES	B-20, JHILMIL INDUSTRIAL AREA, G.T. ROAD, SHAHDARA	03-03-2016	DPCC/EC/2/1/2016/13850	Copper Wire Drawing. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 31-12-2003 Authorisation Status Approved Authorisation Issue Date 24-09-2004 Authorisation Expiry Date 23-09-2006 HWM Application No. 2 Application Date 03-03-2016 Authorisation Status Pending	((1)ETP ---- N/A (2)BCS ---- N/A (3)D.G.Set ---- N/A (4) water Consumption: 100 Liters/Day Source: DJS (5) Ground Water: Nil	N/A	22-09-2016 Recommended for inspection in view of HW Rules, 2016. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 The inspection of the unit was conducted by the officials of DPCC on 10.03.2018 and following were the observation : 1. During the inspection 2 wire drawing machine (Cu wire) found installed in small portion in the middle of the plot . The plot has been divided into 2 parts . In one portion back side is vended out to M/s Amazon for godown purpose. As seen and as informed by the person contacted that activity has been closed temporarily due to some labour/financial problem. 2. It has been informed that Hazardous Waste (i.e cooling water sludge) which contain copper dust/ residue reportedly sold out to the recycler. At present no copper was found stored.	16-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
61	SATYAM ENTERPRISES	P-17 MAHAVER GALLI, NEW MANDOLI INDUSTRIAL AREA	03-03-2016	DPCC/EC/2/1/2016/13856	MFG. OF COPPER INGOTS BY CASTING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)BCS - Applied on 27.01.2016 (3)D.G.Set Noise Report : 1 (4) water Consumption: 300 Uter/ Day Source: outside (5) Ground Water: Nil	AR - Applied. Stack monitoring report dated 06-06-2016 issued by DPCC submitted. The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 29-04-2016 issued by DPCC submitted.	12-07-2016 Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 13/02/2018, SCN for refusal of consent was issued to the unit on 15/03/2018.	17-05-2018 Consent application be refused. File be put up administratively for decision on closure directions.
62	K & K INDUSTRIES	C-64/3, PHASE-II, OKHLA INDUSTRIAL AREA	14-03-2016	DPCC/EC/2/1/2016/13969	MFG. OF POLYTHENE BAGS WITH PRINTING	Orange Operate	Non-SPI	HWM 1	Status of Pollution Control System	N/A	08-08-2016 Unit has submitted	16-05-2018

					FOR PACKING OF EXPORTS GARMENTS (WITHOUT CARRY BAGS). Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Printing without Trade Effluent Discharge			Application No. (1)ETP ---- N/A Application Date 13-07-2009 (2)ECS - N/A Authorisation Status Pending (3)D.G.Set: ...N/A... HWM Application No. 2 Application Date 14-03-2016 Authorisation Status Pending		application for CTO and Authorisation on 14.03.2016. Earlier unit has applied for CTO and Authorisation on 13.07.2009 for the activity of Mfg. of plastic bags with printing which is pending. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As decided, an inspection of the unit was carried out by the team of both EEs of CMC-II and Trainee of CMC-II on 12.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. of Polythene Bags with printing for Industrial Packaging use only (without plastic carry bag). -Mfg. of Plastic carry bag was not observed. -Polythene bags of thickness less than 50 micron was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016.	Consent to Operate granted without Plastic Carry Bags. Application for Authorization under HW Rules be kept in abeyance. Ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.	
63	V.K.S. INDUSTRIES	488/12, DAMODAR PARK, DILSHAD GARDEN INDUSTRIAL AREA (NORTH OF GT ROAD) SHAHDARA	08-04-2016	DPCC/EC/2/1/2016/14235	COPPER WIRE DRAWING WITH SUPER ENAMELING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 29-01-2004 Authorisation Status Approved Authorisation Issue Date 20-09-2004 Authorisation Expiry Date 19-09-2006 HWM Application No. 2 Application Date 01-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 14-10-2011 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Yes (3)D.G.Set Noise Report : One D.G. Set having 125 KVA Capacity. (4) Water Consumption: 150 L/Day a) Source of Water : Outside. b) Ground Water : Nil	Emission Monitoring Report: Stack monitoring report dated 29-02-2016 issued by SHRIRAM INSTITUTE submitted. Stack Test Report within Limit - Yes Noise Monitoring Report: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-02-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes	28-09-2016 Recommended for Inspection. As per CHC meeting dt. 06.09.2016 unit may be asked the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

								HWM Application No. 4 Application Date 31-12-2016 Authorisation Status Pending				
64	GARG PACKAGING INDUSTRIES	PLOT NO 1/536-B/7, GALT NO 4, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	18-04-2016	DPCC/EC/2/1/2016/14336	OFFSET PRINTING PRESS AND BOX MAKING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-04-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS ---- N/A (3)D.G. Set ---- N/A (4) Water Consumption: 100 L/ Day Source: DGB (5) Ground Water: Nil	N/A	23-09-2016 RECOMMENDED FOR INSPECTION IN VIEW OF HW RULES, 2016. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
65	SACHDEVA ENTERPRISES	SHED NO-206, DSIDC COMPLEX, PHASE-1, OKHLA INDUSTRIAL AREA	02-05-2016	DPCC/EC/2/1/2016/14531	MANUFACTURING AND FLEXO PRINTING OF POLY BAGS. Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-09-2007 Authorisation Status Pending HWM Application No. 2 Application Date 02-03-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 1200 ltrs/day (Source outside- bill not provided) Status of Inspection : No SCN u/s 31(A) of the air Act: 19.04.2016 Closure directions u/s 31(A)/33(A)/5 of EPA details : No Letters dated 03.03.2016 & 31.03.2016 from South Delhi Municipal Corporation (SDMC) received in this office on 07.03.2016 & 04.04.2016 respectively. SDMC has enclosed a copy of Consent Order in the name of Sachdeva Enterprises, Shed No. 206, DSIDC Complex, Phase-I, Okhla Industrial Area, New Delhi-110020 Consent Order No. DPCC/CMC/2012/29469, Certificate No. O-017668 with dispatch no. 27485 dated 27.06.2012 and requested to verify the genuineness of the aforementioned Consent order. In this regard a letter has been issued to SDMC on 13.04.2016 informing that, as per online record of DPCC no such Consent Order No. DPCC/CMC/2012/29469, Certificate No. O-017668 with dispatch no. 27485 dated 27.06.2012 in respect of	Not Applicable	23-08-2016 - Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As decided, an inspection of the unit was carried out by the team of both EEs of CMC-II and Trainee of CMC-II on 14.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. and Flexo printing of Polybags (for Industrial packaging use only). -Polybags for Industrial packaging of thickness less than 50 micron was not observed. -Mfg. of Plastic carry bag was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016.	16-05-2018 Consent to Operate (Renewal) granted without Plastic Carry Bags. Application for Authorization under HW Rules be kept in abeyance. Ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.

									forementioned unit has been issued by DPCC and it was also informed that the said document (consent Order) which was enclosed with the letter dated 03.03.2016 seems to be forged one and requested to take necessary action in this regard. Show Cause Notice u/s 31(A) of the Air Act issued to the unit on 19.04.2016 w.r.t. letters dated 03.03.2016 & 31.03.2016 from SDMC. Unit has applied for Consent to Operate (Renewal) under Air & Water Acts on 02.05.2016 for the activity of Manufacturing and Flexo Printing of Poly Bags, Authorization under HWM Rules on 02.05.2016 and Registration for manufacturing of Plastic Carry Bags. Thereafter unit has submitted undertaking on 03.05.2016 informing that they are Manufacturing and Flexo Printing of Industrial bags used in Packing of Exports garments, Auto spare parts, Rice, Pulses and not manufacture any kind of plastic carry bag, including that of Polypropylene, Non-woven fabric type carry bags. Unit has submitted a reply w.r.t. Show Cause Notice on 03.05.2016 alongwith copy of Police complaint informing that unit has assigned Mr. Shekhar for renewal of MCD License & also given some signed documents for uploading and Mr Shekhar uploaded the forged DPCC consent to MCD website. The unit has also informed that they have registered a Police complaint and in Okhla Industries Association against Mr. Shekhar. The unit has informed that they have applied for Consent to Operate (Renewal) and Authorization under HWM Rules on 02.05.2016. Letter dated 01.06.2016 received from SDMC on 02.06.2016 w.r.t. DPCC letter dated 13.04.2016 and informing that SDMC has rejected the online application for renewal of license of M/s Sachdeva Enterprises since the DPCC consent order is the proprietary document of the DPCC, hence the copy of the alleged DPCC Consent, received in SDMC through online process is being forward to DPCC for taking necessary action.					
66	ABHINAV ADVERTISING	PLOT NO C-38/4, LAWRENCE ROAD INDUSTRIAL AREA	03-05-2016	DPCC/BC/2/1/2016/14555	OFFSET PRINTING MATERIAL (PRINTING PRESS).	Orange Operate	Non-SPE	HWM Application No.	1	Status of Pollution Control System (1)ETP ---- N/A	n/a	30-08-2016	16-05-2018	Inspection be conducted.

					Printing without Trade Effluent Discharge			Application Date 03-05-2016 Authorisation Status Pending	(2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 0.35 KLD from outside source. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		Recommendation / Action Taken Details (EE/AEE) on 17-04-2018 Unit has submitted its reply in response of SCN and mentioned that they have rectified all the deficiencies observed during the inspection.	
67	AVON ALLOYS PVT LTD	B-8, JHILMIL INDUSTRIAL AREA	24-05-2016	DPCC/EC/2/1/2016/14790	MANUFACTURING OF ALUMINIUM INGOTS AND ALUMINIUM WIRE RODS (LESS THAN 25 MT/DAY) Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Wet Scrubber (3)D.G.Set Noise Report : 2 (4)Water Consumption:1000 L/d, Source: DGB (5) Groundwater :Nil	AR - requested. Stack analysis report dated - 08.02.2016 - issued by - DPCC Lab - submitted - Yes, analyzed parameter is within prescribed limit. The unit has 01 D.G. Set(s) of 82.5 KVA . Noise monitoring report dated 08-02-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes, number of parameters analyzed which are within prescribed limit. The unit has 01 D.G. Set(s) of 380 KVA. Noise monitoring report dated 08-02-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes, parameters analyzed which are within limit / beyond prescribed limit.	12-07-2016 Recommended for CTO, followed by inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 The unit was inspected on 14.03.2018 and following were the observation 1. The unit was found in operation , Al. wire rod extrusion was going on. At G.F. Horizontal rectangular long furnace was being used for melting of Al. Ingot and Al. scrap and molten matter/metal being used during the extrusion of Al. wire rod through casting mechanism which consist of casting unit wire rod extruder (13 stands) and cooler. 2. At first floor of 4 no.s of vertical type melting crucibles (circular) like pit furnace type also found store. The hood provided were found installed but the hood over one of the crucible was not found effective as it was corroded and fume gases were escaping from corroded holes. 3. LDO reportedly being used as fuel but the fuel oil is seems to be adulterated wet scrubbing system found operative. 4. OLMS system found in operative condition. 5. PNG connection yet to be installed. As informed they have deposited desired amount to IGL company for PNG connection on 21.12.2017.	17-05-2018 Take action as decided on file.
68	THE OAKLAND	CC-27, NEHRU ENCLAVE, KALKAJI-110019	26-05-2016	DPCC/EC/2/1/2016/14827	GUEST HOUSE. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into	Orange Operate	Non-SPI		Status of Pollution Control System (1)STP - Yes (a) AR dated December, 2015 issued by Jamia Millia Islamia submitted. (b) Effluent analysis report dated 18-05-2016 issued by	Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated	23-08-2016 . Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, an inspection of the unit was carried out by	16-05-2018 Consent to Operate granted.

					Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler				DPCC submitted. Effluent Test Report within Limit - Yes (2)BCS - N/A (3)D.G.Set- Yes (a) The unit has 1 D.G. Set(s) of 100 KVA, Noise monitoring report dated 15-01-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 7000 ltrs/day , Source- DSB (Bill enclosed) MCD License valid up to 31.03.2017 SCN for closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to M/s Hotel Oakland on 28.05.2013 based upon the deficiencies observed during inspection 16.03.2013 but unit failed to submit any reply. Direction for closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to M/s Hotel Oakland on 08.08.2013. Thereafter unit submitted reply on 26.08.2013 regarding revocation of closure wherein mentioned that they have given the order for installation of ETP. As decided, temporary revocation of closure direction was issued to unit on 01.10.2013 for 45 days for submission of CTO with required documents. But unit failed to apply for CTO within the said period. An inspection of the unit was carried out by representatives of DPCC on 02.12.2014 and following were observed: - Unit found operational and engaged in the activity of Guest House with in house kitchen having capacity of 27 rooms. -ETP is under installation. - Not adequate channelization system provided in kitchen and effluent discharged in sewer without any treatment. -DG set installed with capacity of 100 KVA having acoustic enclosure with adequate stack height. -Delhi Police license and MCD license receipt obtained. - However, MCD license with the name of M/s Green Valley (A unit of Hospitality Pvt. Ltd.). As approved , reinforcement of direction u/s 33(A) of Water Act and 31(A) of Air Act was issued to unit on 01.01.2015 as unit has not applied for CTE	15-01-2016 Issued by DPCC submitted. Noise monitoring report within Limit - Yes the Officials/Representatives of DPCC on 08.09.2018 and following observations were made: -Unit found in operational and engaged in the activity of Guest House with in-house kitchen. -Unit has installed an ETP and same found in operational. -wet/dry sludge observed at site. -Unit has provided channelization system with kitchen with stack height 2m above the roof level. -Unit having 1 DG Set of 125 KVA capacity with acoustic enclosure and stack height 2.5m above the acoustic enclosure of DG Set. -2 bins systems provided for segregated of solid waste (wet and dry solid waste). Dispose the same through SDMC as informed.
--	--	--	--	--	--	--	--	--	--	---

									& CTO and not installed pollution control devices.. M/s The Oakland submitted its representation on 28.07.2015 & 10.08.2015 along with security bond of Rs One lakh, receipts of application of DCP license, copy of MCD license and pictures of STP and informed that they have applied for CTE on 04.08.2015 and requested to revoke the directions and grant 3 months for water testing and adequacy report. The unit submitted its representation on 19.08.2015 along with undertaking regarding electric & water meter readings and stated that they do not have have borewell (earlier borewell has been dismantled) and the unit has DG set which they will not use for commercial use till they get permanent revocation and requested to revoke the directions. As decided, temporary revocation of reinforcement of directions was issued to unit on 24.08.2015 for 45 days with condition that unit will only operated for installation of pollution control equipments & testing purpose and shall submit CTO with all required documents/ test reports. Unit has submitted application for Consent to Operate on 28.09.2016 with required document and test reports and as per remarks of Enquiry Counter Police License is not applicable. Case of the CTE application was taken up by Committee headed by MS, DPCC in its meeting held on 25.06.2016 and it was decided that file be put up administratively and accordingly file is under submission.			
69	NHP OFFSET PRESS	PLOT NO.116, F1.B PATRARGANJ INDUSTRIAL AREA, DELHI -110092	27-09-2016	DPCC/EC/2/1/2016/14845	OFFSET PRINTING PRESS (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-08-2004 Authorisation Status Approved Authorisation Issue Date 21-10-2004 Authorisation Expiry Date 20-10-2006 HWM Application No. 2 Application Date 27-10-	A survey conducted by DPCC/DSIIDC in Industrial Area w.r.t Orders of Honorable NGT dated 11.08.2015 in OA No. 300 of 2013 and OA No. 06 of 2012, in matter of Mishra Vs & Ors. in Industrial area not having CETP. Show Cause Notice u/s 21/22 of Air Act,1981 issued to the unit on 07.12.2015. Unit submitted a reply and said that they have applied for CTR in Orange category vide ID DPCC/EC/2/1/2016/14845 applied on 27.09.2016 and requested to withdraw the above said notice . (1)ETP ---- N/A	The unit has 1 D.G. Set(s) of 70 KVA. Noise monitoring report dated 20-05-2016 issued by DPCC submitted. Noise monitoring report within limit - Yes number of parameters analyzed which are within prescribed limit.	26-09-2016 Recommended for inspection. Remarks/ATR on 29-01-2018 1. Direction for closure u/s 33(A) of the water act and u/s 31(A) of the air act, u/s 5 of the environment act was given to BRG enterprises dated 09.01.2017. 2. Show Cause Notice for obtaining the status of Hazardous Waste was given to NHP Offset Press dated 09.01.2017. 3. Show Cause Notice under section 31(A) of the air act and 33(A) of water act,u/s 5 of the environment act was given to Laser Desk dated	16-05-2018 All consent and authorization applications be made infructuous. File be put up administratively for other action.

								Application Date 01-06-2016 Authorisation Status Pending				
71	M. N. ENTERPRISES	15/3 MANDOLI INDUSTRIAL AREA	01-06-2016	DPCC/EC/2/1/2016/14902	CASTING OF FERROUS / NON FERROUS METAL (EXCEPT CUPOLA FURNACE ONLY). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)BCS - Wet Scrubber (3)D.G.Set Noise Report : 1 (4) Water Consumption: 200 L/ Day Source: Out Source (5) Ground Water: Nil	AR- Nil Stack monitoring report dated 25-04-2016 issued by DPCC submitted, the analysed parameter are within the prescribed limit The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 12-04-2016 issued by DPCC submitted the analysed parameter is within the prescribed limit..	12-07-2016 Redevelopment Area case for CTO. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision on 12/02/2018, show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act is issued to the unit on 14/03/2018.	16-05-2018 File be put up administratively.
72	SHREE RATHNAM RESTAURANTS PVT. LTD.	G-78, PREET VIHAR	06-06-2016	DPCC/EC/2/1/2016/14945	RESTAURNAT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)ETP ---- Other ETP Name : ETP (2)BCS - Channelization to be provided (3)D.G.Set: ...N/A... (4) Water Consumption: 2200 L/ Day, Source: Corporation (5) Ground Water: Nil	N/A	10-08-2016 Recommended for CTE Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As approved in the consent committee inspection of the unit was conducted on 06.03.2018 and following were observed: 1. The restaurant was found in operation at ground floor having sitting capacity 140 seats. 2. At present, ETP was found installed but the same was found not in operation as trade effluent was by-passed through oil and grease trap. 3. The fume gases and fugitive emissions generated during tandoor ignition and preparation of food during kitchen is dispersed through hood suction, duct and stack arrangement(2 stacks). The stack height were found below the building roof. 3. Within the building hall one banquet hall at first floor with kitchen also found exist namely M/s Lajawab banquet(operating without consent). 4. At the top floor, residential complex of the land owner exist. M/s Lajawab banquet is operated by the land owners wife(Mrs. Anuradha). 5. It has been informed by the land owner will be close soon. At present the effluent of the banquet hall kitchen found connected to the oil and grease trap of M/s Shree Rathnam. 6. At second floor, restaurant has also been found which has been reported by the land lord and the same is inaugurated about 15 days	16-05-2018 Issue show cause notice for refusal of consent. Also issue show cause notice u/s 33(A) of Water Act and u/s 31(A) of Air Act to all units.

											ago. The owner of the restaurant is Mrs. Anuradha. 7. The restaurant having kitchen on the backside and flue gases emission have been channelised with the stack of about 8 feet approx from top of the roof. The trade effluent reportedly being discharged without treatment. The name of the restaurant is M/s Unlimited food factory live grill (UFP).	
73	OPTION PRINTOFAST	PLOT NO 64, FIE, PATPARGANJ INDUSTRIAL AREA	21-06-2016	DPCC/EC/2/1/2016/15146	OFFSET PRINTING AND BOOK BINDING (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Operate	Non-SPE	HWM Application No. 1 Application Date 21-06-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 125 KVA (4) Water Consumption: 100 L/Day, Source: Can Water Supply (5) Ground Water: Nil	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within prescribed limit.	14-07-2016 RECOMMENDED FOR INSPECTION. Remarks/ATR on 29-01-2018 The unit has submitted the reply of notices on 01.01.2017 and stating that : 1. All the clothes containing ink residue are properly kept in Hazardous waste container only.The Hazardous waste container is also stored in a isolated place (Photograph enclosed) 2. Display board has also been provided outside the main gate of the unit and records of storage of Hazardous waste is also maintained in prescribed form. 3. For our unit we are buying water for drinking and washroom from water suppliers and photocopy of the bills are submitted herewith. 4. we have increased the height of the 125 KVA D.G set as per the directions and now it is more than 20 ft. from the acoustic enclosure photograph of the same is also submitted. Remarks/ATR on 21-07-2017 The unit has submitted the reply of notices on 01.01.2017 and stating that : 1. All the clothes containing ink residue are properly kept in Hazardous waste container only.The Hazardous waste container is also stored in a isolated place (Photograph enclosed) 2. Display board has also been provided outside the main gate of the unit and records of storage of Hazardous waste is also maintained in prescribed form. 3. For our unit we are buying water for drinking and washroom from water suppliers and photocopy of the bills are submitted herewith.	16-05-2018 Inspection be conducted.

4. we have increased the height of the 125 KVA D.G set as per the directions and now it is more than 20 ft. from the acoustic enclosure photograph of the same is also submitted.

Remarks/ATR on 27-06-2017

The unit has submitted the reply of notices on 01.01.2017 and stating that :

1. All the clothes containing ink residue are properly kept in Hazardous waste container only. The Hazardous waste container is also stored in a isolated place (Photograph enclosed)
2. Display board has also been provided outside the main gate of the unit and records of storage of Hazardous waste is also maintained in prescribed form.

3. For our unit we are buying water for drinking and washroom from water suppliers and photocopy of the bills are submitted herewith.

4. we have increased the height of the 125 KVA D.G set as per the directions and now it is more than 20 ft. from the acoustic enclosure photograph of the same is also submitted.

Remarks/ATR on 28-01-2017

The unit has submitted the reply of notices on 01.01.2017 and stating that :

1. All the clothes containing ink residue are properly kept in Hazardous waste container only. The Hazardous waste container is also stored in a isolated place (Photograph enclosed)
2. Display board has also been provided outside the main gate of the unit and records of storage of Hazardous waste is also maintained in prescribed form.

3. For our unit we are buying water for drinking and washroom from water suppliers and photocopy of the bills are submitted herewith.

4. we have increased the height of the 125 KVA D.G set as per the directions and now it is more than 20 ft. from the acoustic enclosure photograph of the same is also submitted.

Recommendation / Action Taken Details (EE/AEE)

										on 27-12-2016 The inspection of the unit was conducted on 19.10.2016 and following are the observations: 1. The unit found in operation and engaged in activity of offset printing with lamination. 2. Hazardous Waste disposal not found proper. Cloth containing Ink residue found lying outside the drum. The Hazardous Waste was not store in isolated room. 3. As informed by the unit, one bore well exist which is used for washroom and can water for drinking. 4. One D.G. Set of 125 KVA with acoustic enclosure but in adequate stack height. As approved by the competent authority in DPCC, Show Cause Notice u/s 5 of the Environmental Act, 1986 and Show Cause Notice for refusal of consent under Air Act, 1981 and under Water Act, 1974 was issued on 08.12.2016.		
74	HOTEL AIRPORT ZONE	PLOT NO 118, DEFENCE ENCLAVE, MAHIPALPUR	23-06-2016	DPCC/EC/2/1/2016/15181	GUEST HOUSE HAVING 07 ROOMS Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-I) Water consumption: 500 litre/day Status of ground water extraction:Nil MCD License: no Fire safety Certificate:a copy of the letter dated 22.12.2016 has been provided by the unit wherein it was mentioned by Mr. Vipin Kental (Chief Fire Officer) that there is no requirement of fire safety certificate and the owner advised to provide fire extinguishers (as per IS: 2190) and the letter addressed to The Dy. Health Officer, SDMC. Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A -An inspection was carried out by DPCC, officials on 27.09.2017, during inspection unit found operational without applying consent from DPCC. -As per approval a closure direction u/s 31 (A) & 33 (A) was issued to the unit on 05.01.2018. -Unit has submitted a reply on 20.02.2018 along with Environmental Compensation Security amount of Rs. 5 Lakh & an undertaking & they have installed STP and also requested to revoke the closure direction.	-	13-03-2018 Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.

75	BROMFY PUBLIC HOUSE (A UNIT OF SKNG HOSPITALITY VENTURE)	4/3, ROOP NAGAR, OPPOSITE KAMLA NAGAR MARKET	28-06-2016	DPCC/EC/2/1/2016/15252	RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 35 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes (Photograph attached) 2. ECS-Proposed 3. D.G. set-No Plot Area-1450 Sq Mtrs Establishment Date- 10.06.2013 Status of Ground Water Extraction:No 1. Water consumption:5000 L/day. a) Source of water: DDB (copy of water bill submitted) Status of Inspection: Yes MCD license submitted valid upto 31.03.2014. Police license submitted valid upto 31.03.2014. A complaint has been received against the M/s Bromfy Public House Restaurant along with other restaurants in this office. SCN under Air & Water Act was issued on 07.01.2016 as the unit found operating without consent from DPCC & for the deficiencies observed during inspection on 18.11.2015. Direction for closure was issued on 16.06.2016 as unit has failed to submit any reply. Unit has applied for Consent to Establish on 28.06.2016. Vide letter dated 05.07.2016 unit has submitted that unit is permanently closed now and in future, unit will not do any commercial activity. Inspection of the unit was carried out by Enforcement team of DPCC on 16.08.2016 and it was found that another restaurant namely M/s Butler Cafe & House was in operation. M/s Butler Cafe & House applied for Consent to Establish on 09.08.2016. Inspection of the unit was again carried out by DPCC officials on 09.08.2015 and unit was closed/locked.	Water(Effluent) analysis report -N/A Emission monitoring report -N/A Noise monitoring report - N/A	28-07-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A complaint has been received against the M/s Bromfy Public House Restaurant along with other restaurants in this office. SCN under Air & Water Act was issued on 07.01.2016 as the unit found operating without consent from DPCC & for the deficiencies observed during inspection on 18.11.2015. Direction for closure was issued on 16.06.2016 as unit has failed to submit any reply. Unit has applied for Consent to Establish on 28.06.2016. Vide letter dated 05.07.2016 unit has submitted that unit is permanently closed now and in future, unit will not do any commercial activity. Inspection of the unit was carried out by Enforcement team of DPCC on 16.08.2016 and it was found that another restaurant namely M/s Butler Cafe & House was in operation. M/s Butler Cafe & House applied for Consent to Establish on 09.08.2016. Inspection of the unit was again carried out by DPCC officials on 09.08.2015 and unit was closed/locked. SCN for Refusal was issued to M/s Butler Cafe and House on 27.03.2018 in concerned file.	16-05-2018 Consent to Establish dated 28.06.2016 be made infructuous.
76	SATISH GOYAL	60-A, DILHAD GARDEN INDUSTRIAL AREA (NORTH OF G.T. ROAD)	28-06-2016	DPCC/EC/2/1/2016/15258	MFG. OF CARDBOARD BOXES WITH PRINTING AND PACKAGING. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-02-2009 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 31-03-2011	(1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set ---- N/A (4) water Consumption: 400 Liters/Day Source: corporation (5) Ground Water: Nil	N/A	26-09-2016 Recommended for inspection and as decided in the CMC meeting of II(b) category held on 06.09.2016, unit may be asked to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection is yet to be conducted.	17-05-2018 Expedite inspection.

								Authorisation Status	Pending				
								HWM Application No.	3				
								Application Date	28-06-2016				
								Authorisation Status	Pending				
77	SANTOSHI FOODS	B-1, SHOP NO 2, MODEL TOWN-II	29-06-2016	DPCC/EC/2/1/2016/15278	HOSPITALITY (RESTAURANT 48 SEATS) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 26 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI			Status of Pollution Control system/Devices: 1. ETP- Yes(Photograph and details of ETP submitted) 2. ECS- Kitchen emission Channelization 3. D.G. set- No Plot Area- 110 sq mt Date of commencement- 01.06.2015 Status of Ground Water Extraction: No 1. Water consumption: 3000 L/day. a) Source of water: Outside (copy of Outside water bill not submitted) Status of Inspection: No HCD license for 48 seats submitted. Police permission license submitted.	Effluent analysis report dated 01.03.2016 issued by DPCC Submitted. Parameters are within prescribed limit. Air (Emission)-N/A Noise Test Report- No	21-07-2016 - Remarks/ATR on 06-02-2018 - Remarks/ATR on 19-07-2017 - Recommendation / Action Taken Details (EE/AEE) on 07-02-2017 Recommended for grant of consent.	16-05-2018 Inspection be conducted.
78	VIKASH DHATU UDYOG	B-15/5, SHAHDARA, JHUMIL INDUSTRIAL AREA	29-06-2016	DPCC/EC/2/1/2016/15299	COPPER WIRE DRAWING WITH SUPER ENAMELING Copper Wire Drawing with Super Enameling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No.	1	(1)ETP ---- N/A (2)ECS - Catalytic Converter (3)D.G.Set: ...N/A... (4) Water Consumption: 100 L/ Day, Source: DSB (5) Ground Water: Nil	AR : N/A Stack monitoring report dated 29-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within prescribed limit.	20-07-2016 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 - Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Show cause notice for refusal of consent and for refusal of authorization. Also issue show cause notice u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act was issued to the unit on 09.03.2018. Reply awaited	16-05-2018 File be put up administratively.
								Application Date	28-09-2006				
								Authorisation Status	Pending				
								HWM Application No.	2				
								Application Date	29-06-2016				
								Authorisation Status	Pending				
79	AUTOMAT INDUSTRIES PVT. LTD.	18-19, DILSHAD GARDEN INDUSTRIAL AREA, NORTH OF G.T. ROAD, SHAHDARA	30-06-2016	DPCC/EC/2/1/2016/15311	Mfg. of Irrigation Sprinklers by Engrg. Works with paint booth. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI	HWM Application No.	1	(1)ETP ---- N/A (2) ECS ---- Paint Booth (3) D.G.Set Noise Report : 2 (4) water Consumption: 200 Liters/Day Source: Purchase (5) Ground Water: Nil	The unit has 1 D.G. Set(s) of 65.5 KVA. Noise monitoring report dated 28-06-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 28-06-2016 issued by	26-09-2016 Recommended for inspection and as decided in the CMC meeting of II(s) category held on 06.09.2016, unit may be asked to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the notified Redevelopment Area clearly mentioning the name &	17-05-2018 Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit.
								Application Date	28-04-2015				
								Authorisation Status	Pending				
								HWM	2				

								Application No. Application Date Authorisation Status	30-06-2016 Pending	MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes.	address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection of the unit was conducted by the officials of DPCC on 10.04.2018 and following were the observation : 1. The unit was found in operation in the activity of making agriculture sprinkling process involving different type of engineering work. 2. Hazardous waste generated from spray painting work is proper maintained though it was informed by the person contacted that they do spray painting job once in 3 to 4 months . 3. Hazardous Waste is in the form of paint with waste cotton , floor sweeping in paint booth shop and dry paint residue found stored in leak proof containers in an isolated room 4. The emissions from spray paint booth is found channelized.		
80	ANUP METALS	70, DAMODAR PARK, DILSHAD GARDEN, NORTH OF G.T. ROAD INDUSTRIAL AREA, SHAHDARA	30-06-2016	DPCC/EC/2/1/2016/15315	Copper Wire Drawing. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. Application Date Authorisation Status Authorisation Issue Date Authorisation Expiry Date HWM Application No. Application Date Authorisation Status HWM Application No. Application Date Authorisation Status	1 29-01-2004 Approved 20-09-2004 19-09-2006 2 19-08-2006 Pending 3 29-08-2008 Pending	(1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set ---- N/A (4) water Consumption: 120 Liters/Day Source: Purchase (5) Ground Water: Nil	N/A	26-09-2016 Recommended for inspection and as decided in the CMC meeting of II(b) category held on 06.09.2016, unit may be asked to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application, if any, submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection is yet to be conducted.	17-05-2018 Expedite inspection.

								HWM Application No. 4 Application Date 26-08-2011 Authorisation Status Pending				
S1	LOTUS TRENDS PVT. LTD.	B-38, LAWRENCE ROAD INDUSTRIAL AREA	29-07-2016	DPCC/EC/2/1/2016/15587	MFG. OF READYMADE GARMENTS WITHOUT WASHING AND DYEING WITH OIL FIRED BOILER. Readymade Garment with oil fired boiler (without Washing/Dyeing)	Orange Renewal	Non-SPI		(1)ETP ---- N/A (2)ECS - N/A,Stack monitoring report of boiler dated 22-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (3)D.G Set: ...The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 22-06-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/S of EPA details :N/A (6)Closure directions u/s 31(A)/33(A)/S of EPA details :N/A	Submitted	30-09-2016 Inspection be conducted to check trade effluent discharge after consent. Remarks/ATR on 26-04-2018 SCN u/s 31(A) of Air Act was issued on 09.04.2018 w.r.t inadequate stack height of boiler. Unit submitted its reply on 23.04.2018 that we have converted oil fired boiler to PNG and stack height 12 feet above roof level. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 An inspection was conducted by DPCC representatives on 08.03.2018 and following were observed: -Unit found operational and engaged in the activity of mfg. of ready made garments(without washing). -First floor of the premises is used for sampling and office. -Second floor of the premises used for storage of finished goods. -Third floor of the premises is used for finishing/packing of goods. -Fourth floor of the premises is used for cutting of garments in desired shape. -Borewell exists at the site. However permission of the same could not be shown during inspection. -Boiler exists at the top floor. However no stack is attached to the boiler (switch over to PNG as a fuel). -No trade effluent is discharged from the unit. -Unit having 1 D.G set of capacity 200 KVA with adequate stack height and with acoustic enclosure.	16-05-2018 Consent to Operate(Renewal) granted.
S2	SHREE RATHNAM RESTAURANTS PVT. LTD.	G-78, PREET VIHAR	04-08-2016	DPCC/EC/2/1/2016/15665	RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - Channelization provided (3)D.G Set: ...Nil (4)Status of Ground Water extraction :Nil (5) EDHC licence of eating	Effluent analyses report dated 24-06-2016 submitted and meeting norms.	18-10-2016 Recommended to issue SCN for Refusal of consent. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As approved in the consent committee inspection of the unit was conducted on	16-05-2018 Issue show cause notice for refusal of consent. Also issue show cause notice u/s 33(A) of Water Act and u/s 31(A) of Air Act to all units.

					and / or Laundry without Boiler				house valid upto 31-03-2019. (6) Applied for police licence as per receipt dated 04-11-2015. (7) A letter was issued on 12-08-2016 for obtaining a proof of land use w.r.t Master plan of Delhi-2021. No response received.		06.03.2018 and following were observed: 1. The restaurant was found in operation at ground floor having sitting capacity 140 seats. 2. At present, ETP was found installed but the same was found not in operation as trade effluent was by-passed through oil and grease trap. 3. The flue gases and fugitive emissions generated during tandoor ignition and preparation of food during kitchen is dispersed through hood suction, duct and stack arrangement(2 stacks). The stack height were found below the building roof. 4. Within the building hall one banquet hall at first floor with kitchen also found exist namely M/s Lajawab banquet(operating without consent). 5. At the top floor, residential complex of the land owner exist. M/s Lajawab banquet is operated by the land owners wife(Mrs. Anuradha). 6. It has been informed by the land owner will be close soon. At present the effluent of the banquet hall kitchen found connected to the oil and grease trap of M/s Shree Rathnam. 7. At second floor, restaurant has also been found which has been reported by the land lord and the same is inaugurated about 15 days ago. The owner of the restaurant is Mrs. Anuradha. 8. The restaurant having kitchen on the backside and flue gases emission have been channelized with the stack of about 8 feet approx from top of the roof. The trade effluent reportedly being discharged without treatment. The name of the restaurant is M/s Unlimited food factory live grill (UFF).	
E3	BUTLER CAFE AND HOUSE (A UNIT OF DO HOSPITALITY VENTURE)	4/3 ROOF NAGAR OPPOSITE KAMALA NAGAR MARKET	09-08-2016	DPCC/BC/2/1/2016/19701	RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- Yes (Photograph attached) 2. BCS-Yes (Photograph attached) 3. D.G. set-No Plot Area-1450 Sq Mtrs Establishment Date-10.06.2013 Status of Ground Water Extraction:No 1. Water consumption:5000 L/day. a) Source of water: DDB (copy of water bill submitted) Status of Inspection: Yes HCD license submitted valid upto 22.07.2016. Earlier, a complaint received against the M/s Bromfy Public	Effluent analysis report submitted on 30.08.2016 issued by DPCC. Parameters are within prescribed limit. Emission monitoring report -N/A Noise monitoring report - N/A	11-08-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 No reply has been received.	16-05-2018 Consent to Establish and Consent to Operate be made infructuous since no reply of SCN has been received and unit found closed.

									House Restaurant existing at this premises along with other restaurants in this office. SCN under Air & Water Act was issued on 07.01.2016 to M/s Bromfy Public House Restaurant as the unit found operating without consent from DPCC & for the deficiencies observed during inspection on 18.11.2015. Direction for closure was issued on 16.06.2016 to M/s Bromfy Public House Restaurant as unit has failed to submit any reply. M/s Bromfy Public House Restaurant has applied for Consent to Establish on 28.06.2016. Vide letter dated 05.07.2016, M/s Bromfy Public House Restaurant has submitted that unit is permanently closed now and in future, unit will not do any commercial activity. Inspection of the unit was carried out by Enforcement team of DPCC on 16.08.2016 and it was found that another restaurant namely M/s Butler Cafe & House was in operation. SCN was issued to M/s Butler Cafe & House on 01.09.2016 for the deficiencies observed during inspection dated 16.08.2016 and as unit found operating without consent from DPCC. In response to SCN, unit has submitted that Consent to Establish and Consent to Operate have been submitted on 09.08.2016 & 31.08.2016 respectively & requested for revocation of directions. Inspection of carried out on 04.11.2016 & 14.12.2016 and it was found that unit was locked/closed both the time of inspection and electricity connection found disconnected.		
84	M.S. GARMENTS PVT. LTD	A-39, JHILMIL INDUSTRIAL AREA SHAHDARA	11-08-2016	DPCC/EC/2/1/2016/15753	Manufacturing of Sequines (Decorative Goods). Plastic Processed Goods Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-04-2011 Authorisation Status Approved Authorisation Issue Date 01-01-2013 Authorisation Expiry Date 17-04-2016 HWM Application No. 2 Application Date 11-08-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)SCS ---- N/A (3)D.G.Set Noise Report : 1 (4) water Consumption: 100 Liters/Day Source: DGB (5) Ground Water: Nil The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 02-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	26-09-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved in the consent committee inspection of the unit was conducted on 05.03.2018 and following were observed: 1. The unit was found in operation in the work of making sequines. 2. The process of making sequines involves procurement of polyester films, coloring and lamination of film through rotogravure machine then sifting of films and punching of sequance. 3. The hazardous waste is being generated during roto graphic printing press in the form of paint residue and paint soaked rags.	16-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

											4. The hazardous waste storage room found constructed at the first floor at backside room. 5. The process emission generated from coating machine and lamination cum rota graphic machine has been Channelized through duct suction and stack arrangement (3 no.s). 6. The D.G. set has been found installed in a room at roof top with acoustic door. The capacity of D.G. set is 40 KVA, however, the connection with the battery has been found removed reportedly due to non-operation of D.G. set.	
85	DURGA ALLOYS	B-2, NEW HANDOI INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15787	MPG. OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - Wet Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 27-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision on 12/02/2018, SCN for refusal of consent was issued to the unit on 11/04/2018.	17-05-2018 Case deferred.
86	COVER GIRL LABORATORIES	T-2/207, PHASE-I, MANGOLPURI INDUSTRIAL AREA	12-08-2016	DPCC/EC/2/1/2016/15831	MPG.PERFUMERY AND COSMETICS Perfumes and Cosmetics	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-08-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	N/A	30-09-2016 N/A Remarks/ATR on 08-05-2018 As approved on file inspection of the unit was carried out on 07.05.2018 and the observation made are as follows: 1 Unit found in operation and engaged in the activity of manufacturing of cosmetics items i.e Lipstick and eye liner/maskara using Pigments (approved by drug and food dept.), castor oil, vegetarian wax (plant based), color, distilled water and preservatives. Process involves grinding, mixing, molding, freezing and packaging. 2. No trade effluent generated from the process. 3 Unit is complying with HWM rules 2016. Recommendation : consent to operate may be granted and application for authorization under HWM Rules be kept in abeyance. Recommendation / Action Taken Details (EE/AEE) on 17-04-2018 Unit has submitted its reply in response of SCN and mentioned that they have rectified all the deficiencies observed during the inspection.	16-05-2018 Consent to Operate granted. Application for Authorization under HWM Rules be kept in abeyance.
												17-05-2018

87	DOSA N CHUTNEY	FOOD COURT PVR 3 CS MALL 2ND FLOOR 13 FIROZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15839	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (not informed regarding installation of Oil and Grease Trap cum Settling Tank) (2)SCS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption-1200 liters/day. Source- DJS (Bill enclosed) MCD license and Delhi Police license valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of 3CS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.06.2016 and it was found that M/s China Wall was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC. Unit submitted its reply on 16.08.2016 and stated that they have applied for CTE and CTO and also stated w.r.t. SCN which was issued to M/s Cream Bell Ice Cream Kiosk that Kiosk of Ice Cream is a part of their outlet Dosa n Chutney and it does not have separate entry.	N/A	31-08-2016 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to unit on 15.03.2018. An inspection was conducted by officials/ Representatives of DPCC on 15.03.2018 and it was found that unit has closed down its activity and vacated the premises since about January 2018 as informed by representatives of PVR present at site at the time of inspection.	Consent to operate be made infructuous since unit was found closed.
88	MOTI MAHAL EXPRESS (A UNIT OF AP FOODS)	FOOD COURT PVR 3 CS MALL 2ND FLOOR 13 FIROZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15841	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (not informed regarding installation of Oil and Grease Trap cum Settling Tank) (2)SCS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption-1500 liters/day. Source- DJS (Bill enclosed) MCD license valid up to 31.03.2017 Unit submitted copy of receipt of Delhi Police license dated 03.07.2018 An inspection of the M/s Sagar Ratna in Food court of 3CS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on	N/A	31-08-2016 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to unit on 15.03.2018 but the same has been returned back undelivered with remark of postman i.e left. An inspection was conducted by officials/ Representatives of DPCC on 15.03.2018 and it was found that unit has closed down its activity and vacated the premises since about January 2018 as informed by representatives of PVR present at site at the time of inspection.	17-05-2018 Consent to Operate be made infructuous since unit was found closed.

									07.06.2016 and it was found that M/s China Wall was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC.			
									Unit submitted its reply on 16.08.2016 and stated that they have applied for CTE and CTO with Oil and Grease Trap but not informed regarding installation of Oil and Grease Trap cum Settling Tank.			
89	CHINA WALL (A UNIT OF A P FOOD)	FOOD COURT PVR 3 CS MALL 2ND FLOOR 1S FIRDOZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15843	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (2)SCS - N/A (3)O.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption-1200 liters/day, Source- DIB (Bill enclosed) MCD license and Delhi Police licence valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of 3CS Alankar Complex Building, Firdoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.06.2016 and it was found that M/s China Wall was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC. Unit submitted its reply on 16.08.2016 and stated that they have applied for CTE and CTO.	N/A	26-08-2016 Now unit has applied for CTE and CTO on 12.08.2016 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to unit on 15.03.2018 but the same has been returned back undelivered with remark of postman i.e left. An inspection was conducted by officials/ Representatives of DPCC on 15.03.2018 and it was found that unit has closed down its activity and vacated the premises since about January 2018 as informed by representatives of PVR present at site at the time of inspection.	17-05-2018 Consent to operate be made infructuous since unit was found closed.
90	DARYA (A UNIT OF A P FOOD)	FOOD COURT PVR 3 CS MALL 2ND FLOOR 1S FIRDOZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15846	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (2)SCS - N/A (3)O.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 1200 liters /day , Source- DIB (Bill enclosed) MCD license and Delhi Police licence valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of 3CS Alankar Complex Building,	N/A	24-08-2016 Now unit has applied for CTE and CTO on 12.08.2016 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued to unit on 26.03.2018 but the same has been returned back undelivered with remark of postman i.e left. An inspection was conducted by officials/ Representatives of DPCC on 15.03.2018 and it was found that unit has closed down its activity and vacated the premises since	17-05-2018 Consent to operate be made infructuous since unit was found closed.

									Firez Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.06.2016 and it was found that M/s Darya was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC.		about January 2018 as informed by representatives of PVR present at site at the time of inspection.	
91	INTERGRAPHIC REPRODUCTIONS PVT. LTD	A-11, DDA SHED PH-1, OKHLA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15887	OFFSET PRINTING PRESS WITHOUT TRADE EFFLUENT. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 16-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 16-11-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil Water consumption- 500 litres/day , Source-Outside (Bill enclosed)	N/A	08-09-2016 Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 04.04.2018 and following was observed: -Building under construction during inspection. -As informed, unit is closed and removed plant and machinery temporarily. -It was also informed that unit will be re-started after completion of construction of building.	16-05-2018 All consent and authorization applications be made infructuous.
92	GKB RX LENS PVT. LTD.	E-26, B-1, EXTENSION, MOHAN CO-OPERATIVE INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15933	MFG. OF OPHTHALMIC LENSES. Optical Glass (Surfacing/Grinding Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-12-2008 Authorisation Status Pending	Status of Pollution Control System (1)ETP installed. (a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 18-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption: 7960 ltrs/day , Source: outside (bill not enclosed)..	(a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 18-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2016 Unit has applied for Renewal of consent to operate on 16.08.2016. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 Unit has submitted representation on 19.04.2018 and intimated that due to management strategic decision their factory at E-26 B-1 extension Mohan Cooperative Industrial Estate, Mathura Road, New Delhi-110044 which was in the name of GKB Rx Lens Private Limited is being shifted to Haryana, wherein they will do necessary compliance accordingly and shifting work is in process.	17-05-2018 File be put up administratively.

									In compliance of the order dated 11.08.2015 of Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others.As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 27.08.2015 and following were observed: (a) ETP found installed and in working condition. Effluent samples collected during inspection by DPCC lab. (b) No permission shown for extraction of ground water. (c) Log book maintained and shown for operation of ETP. Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act on 07.09.2015 and Letter to DC for groundwater extraction on 07.09.2015. Unit submitted its representation on 24.09.2015 w.r.t SCN along with photographs of ETP, copy of receipt for water test report & adequacy report of ETP and requested to grant 60 days time to submit renewal of CTO. Modified direction was issued to unit on 18.04.2016 to apply for application of renewal of CTO with all required documents. Unit has applied for Renewal of consent to operate(CTR) on 16.08.2016. In the CTR application the unit has informed that they are not extracting any ground water.			
93	BUTLER CAFE AND HOUSE (A UNIT OF DO HOSPITALITY VENTURE)	4/3 ROOP NAGAR, OPPOSITE KAMALA NAGAR MARKET	31-08-2016	DPCC/EC/2/1/2016/16061	RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Status of Pollution Control system/Devices: 1. ETP- Yes (Photograph attached) 2. ECS-Yes (Photograph attached) 3. D.G. set-No Pot Area-1450 Sq Mtrs Establishment Date-10.06.2013 Status of Ground Water Extraction:No 1. Water consumption:5000 L/day. a) Source of water: DSB (copy of water bill submitted) Status of Inspection: Yes MCD license submitted valid upto 22.07.2016. Earlier, a complaint received against the M/s Bromfy Public House Restaurant existing at this premises along with other restaurants in this office. SCN under Air & Water Act was issued on 07.01.2016 to M/s Bromfy Public House Restaurant as the unit found	Effluent analysis report submitted on 30.08.2016 issued by DPCC. Parameters are within prescribed limit. Emission monitoring report -N/A Noise monitoring report - N/A	11-08-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 No reply has been received.	16-05-2018 Consent to Establish and Consent to Operate be made infructuous since no reply of SCN has been received and unit found closed.

								operating without consent from DPCC & for the deficiencies observed during inspection on 18.11.2016. Direction for closure was issued on 18.06.2016 to M/s Bromfy Public House Restaurant as unit has failed to submit any reply. M/s Bromfy Public House Restaurant has applied for Consent to Establish on 28.06.2016. Vide letter dated 05.07.2016, M/s Bromfy Public House Restaurant has submitted that unit is permanently closed now and in future, unit will not do any commercial activity. Inspection of the unit was carried out by Enforcement team of DPCC on 16.08.2016 and it was found that another restaurant namely M/s Butler Cafe & House was in operation. SCN was issued to M/s Butler Cafe & House on 01.09.2016 for the deficiencies observed during inspection dated 16.08.2016 and as unit found operating without consent from DPCC. In response to SCN, unit has submitted that Consent to Establish and Consent to Operate have been submitted on 09.08.2016 & 31.08.2016 respectively & requested for revocation of directions. Inspection of carried out on 04.11.2016 & 14.12.2016 and it was found that unit was locked/closed both the time of inspection and electricity connection found disconnected.			
94	ASHISH GARG	KHASRA NO 833/65, POLE NO 2033-2034, NEW MANDOLI INDUSTRIAL AREA	07-09-2016	DPCC/EC/2/1/2016/16098	MPG. OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- N/A (2)SCS - Scrubber, Cyclone (a) Stack monitoring report dated 22-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 19-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : No. Water is purchased from outside, bill enclosed. The unit has submitted copy of Income Tax Return for the financial year 01.04.2004 to 31.03.2006 submitted to Income Tax Department on 01.04.2006 as proof of establishment before	Stack monitoring report dated 22-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes . D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 19-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	04-11-2016 As per the decision taken on 30.09.2016 unit may be asked to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application. Remarks/ATR on 17-05-2018 In response to the SCN issued to the unit , the unit has submitted its reply stating that 1. The unit is in operative condition 2. SCS is in operative condition and have designed new sedimentation tank. 3. The hood provided over the pit furnace is effective and the leakage in the hood is welded. 4. They are using only Diesel as fuel. They have also enclosed with	17-05-2018 Case deferred.

								07.02.2016.			the certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit.	
								The unit has not installed online monitoring system.			They have not submitted proof of connection with IGL for PNG connection.	
											Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 12/02/2018 show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act, was issued to the unit on 11/04/2018	
95	ARISHANT MARKETING (INDIA)	PLOT NO A-17, LAWRENCE ROAD INDUSTRIAL AREA	15-09-2016	DPCC/EC/2/1/2016/16148	MINERALISED WATER/WATER TREATMENT PLANT. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		(1)ETP ---- Proposed (2)D.G.Set Noise Report : N/A (3)Status of Ground Water extraction : outside source (4)Status of Inspection : N/A (5)SCh u/s 31(A)/33(A)/S of EPA details : N/A (6)Closure directions u/s 31(A)/33(A)/S of EPA details : N/A (7) Activity is not mentioned clearly. (8) Commencement: 30.09.2016.	N/A	29-09-2016 Category of the unit is II (b). Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As decided inspection was conducted by DPCC representatives on 08.03.2018 and following were observed: -Unit found operational and engaged in the activity of mineralised water. -Unit has installed one RO plant a ground floor. -Ground floor is also used for packing of water. -Unit has one borewell and permission of the same shown during inspection(copy enclosed). -No mfg. of plastic glass observed during inspection.	16-05-2018 Case deferred.
96	NATIONAL SERVICE STATION	KHASRA NO 28, A BLOCK, WAZIRPUR	26-09-2016	DPCC/EC/2/1/2016/16220	SERVICING,REPAIRING AND WASHING OF LIGHT VEHICLES. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI		-ETP :proposed. -BGS :nil -Water source:2.2 KLD from outside source (water tank) -Ground water:nil -DG set:nil -Proposed Year of Commencement:January 2017		02-11-2016 Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Unit was inspected on 26.04.2018 and following were observed: 1. Unit found operating only with filling of fuel i.e. petrol and diesel and dry cleansing of cars. 2. Unit has informed that they have stopped washing activity and switched to dry cleansing and cleaning of Cars.	16-05-2018 Consent to Establish be made infructuous as the unit has stopped washing activity.
97	ROLLMATES	SHOP G-4, PLOT NO. 10, CHETAN COMPLEX, A-BLOCK MARKET, SURAJMAL VIHAR	02-11-2016	DPCC/EC/2/1/2016/16355	Eating House/Take away of Fast food Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP : Oil & Grease Trap (2)ECS - Channelization for emissions generated from kitchen Status of Ground Water	N/A	06-12-2016 Recommended for grant of Consent to Establish. Recommendation / Action Taken Details (EE/AEE) on 06-02-2017 Inspection of the unit was conducted on 13.01.2017 and following were the	16-05-2018 Re-inspection be conducted.

					Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler				extraction : Nil Status of Inspection : Inspection of the unit was conducted on 30.06.2016 by the officials of DPCC and the following were observed:- 1. The eating house was found in operation having 4 no LPG fixed burners and one tandoor in which charcoal is being used as a fuel. 2. The emissions from LPG fixed burners and tandoors were found channelized through hood and suction with inadequate stack height. 3. No oil and grease provided. The waste water generated from washing process being discharge into public sewer without treatment. SCN u/s 31(A)/33(A)/5 of EPA details : Show cause notice for closure of the unit was issued on 29.07.2016. Closure directions u/s 31(A)/33(A)/5 of EPA details : Directions u/s 31 (A) of Air act and 33 (A) of water Act was issued to the unit on 18.10.2016. Representations were received from the unit on 03.11.2016 and 21.11.2016 along with photographs of oil and grease trap, channelization, surety bond and undertaking. Revocations of directions u/s 31 (A) of Air Act and 33 (A) of water Act was issued to the unit on 25.11.2016 for 15 days for submitting application for consent to operate.	observed: 1. Restaurant found operative. 2. Oil grease trap found installed and was working. The oil and grease trap is portable type. 3. Stack height has been found increased and about 5 feet from roof level. Suction and hood arrangement also found installed over the tandoor and connected to the stack provide.		
98	ROLLMATES	SHOP G-4, PLOT NO. 10, CHETAN COMPLEX, A-BLOCK MARKET, SURAJMAL VIHAR	02-11-2016	DPCC/EC/2/1/2016/16356	Eating House/Take away of Fast food Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP : Oil & Grease Trap (2)ECS - Channelization for emissions generated from Kitchen Status of Ground Water extraction : Nil Status of Inspection : Inspection of the unit was conducted on 30.06.2016 by the officials of DPCC and the following were observed:- 1. The eating house was found in operation having 4 no LPG fixed burners and one tandoor in which charcoal is being used as a fuel. 2. The emissions from LPG fixed burners and tandoors were found channelized through hood and suction with	N/A	06-12-2016 Recommended for grant of Consent To Operate. Recommendation / Action Taken Details (EE/AEE) on 06-02-2017 Inspection of the unit was conducted on 13.01.2017 and following were the observed: 1. Restaurant found operative. 2. Oil grease trap found installed and was working. The oil and grease trap is portable type. 3. Stack height has been found increased and about 5 feet from roof level. Suction and hood arrangement also found installed over the tandoor and connected to the stack provide.	16-05-2018 Inspection be conducted.

									Inadequate stack height. 3. No oil and grease provided. The waste water generated from washing process being discharge into public sewer without treatment. SCN u/s 31(A)/33(A)/S of EPA details : Show cause notice for closure u/s 31 (A) of Air act and 33 (A) of the unit was issued on 29.07.2016. Closure directions u/s 31(A)/33(A)/S of EPA details : Directions u/s 31 (A) of Air act and 33 (A) of water Act was issued to the unit on 18.10.2016. Representations were received from the unit on 03.11.2016 and 21.11.2016 along with photographs of oil and grease trap, channelization, surety bond and undertaking. Revocations of directions u/s 31 (A) of Air Act and 33 (A) of water Act was issued to the unit on 29.11.2016 for 15 days for submitting application for consent to operate.			
99	CHICKEN BITE	G3, G/F, PLOT NO. 4, SURAJ MAL VIHAR, PREET VIHAR	02-11-2016	DPCC/EC/2/1/2016/16357	Fast food takeaway joint	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - Channelization system with kitchen (3)O.G.Set: ...N/A... Status of Ground Water extraction :N/A Status of Inspection : Inspection of the unit was conducted on 30.06.2016 by the officials of DPCC and the following were observed:- 1. The unit was found in operation. 2. No oil and grease provided. The waste water generated from washing process being discharged into public sewer without any treatment. 3. One number of tandoor and two number of LPG burners found installed in the kitchen. 4. Channelization provided but duct and stack provided found inadequate in height. SCN u/s 31(A)/33(A)/S of EPA details : Show Cause Notice was issued on 29.07.2016. Closure directions u/s 31(A)/33(A)/S of EPA details : Direction for closure was issued on 18.10.2016	N/A	08-12-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 02-02-2017 Inspection of the unit was conducted on 13.01.2017 by the DPCC officials and following were observed: 1. Restaurant found operative. 2. Oil & grease trap (portable) found installed and in working condition. 3. Stack has been found installed and about 6 feet from roof top. Suction & hood arrangement found installed over the tandoor and connected to the stack provided. Recommendation: Consent to Establish may be granted.	16-05-2018 Reinspection be conducted.

									Temporary Revocation of direction was issued on 25.11.2016.			
100	CHICKEN BITE	G3, G/F, PLOT NO. 4, SURAJ MAL VIHAR, PREET VIHAR	29-11-2016	DPCC/EC/2/1/2016/16478	Fast food takeaway joint Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - Channelization system with kitchen (3)O.G.Set: ...N/A... Status of Ground Water extraction :N/A Status of Inspection : Inspection of the unit was conducted on 30.06.2016 by the officials of DPCC and the following were observed:- 1. The unit was found in operation. 2. No oil and grease provided. The waste water generated from washing process being discharged into public sewer without any treatment. 3. One number of tandoor and two number of LPG burners found installed in the kitchen. 4. Channelization provided but duct and stack provided found inadequate in height. SCN u/s 31(A)/33(A)/5 of EPA details : Show Cause Notice was issued on 25.07.2016. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure was issued on 18.10.2016 Temporary Revocation of direction was issued on 25.11.2016.	N/A	08-12-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 02-02-2017 Inspection of the unit was conducted on 13.01.2017 by the DPCC officials and following were observed: 1. Restaurant found operative. 2. Oil & grease trap (portable) found installed and in working condition. 3. Stack has been found installed and about 6 feet from roof top. Suction & hood arrangement found installed over the tandoor and connected to the stack provided. Recommendation: Consent to operate may be granted.	16-05-2018 Reinspection be conducted.
101	J.V. INDUSTRIES PVT. LTD.	KHASRA NO. 29, NEW MANDOLI INDUSTRIAL AREA	14-12-2016	DPCC/EC/2/1/2016/16589	Mfg of Re-Rolling of Ferrous and Non Ferrous Metals Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day Stainless Steel Re-rolling (Hot) (with capacity less than 25 MT/ day)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Wet Scrubber (3)O.G.Set: ...Nil Ground Water :Nil. Source of water, outside 40 Litres/day. Proof of existence before 07.02.2007, Central Sales Tax Registration validity v.e.f 27.05.95 enclosed. Proof of location. The unit has provided location proof in form of GPS coordinates, Latitude 28.709428, Longitude 77.315930.	Emission Monitoring Report dated 10.10.2016 from DPCC Lab submitted for stack attached to furnace	28-12-2016 Inspection may be conducted. Remarks/ATR on 17-05-2018 In response to the SCN issued, the unit has submitted a representation dated 02.04.2018 stating that 1. The unit is in operative condition. 2. They are using only Diesel as a fuel. 3. They have installed the hood as per requirement. 4. They have repaired the motor as required for recycling of water at venturi scrubbing system. 5. They have installed ECS	17-05-2018 Inspection be conducted.

											on both D furnaces and their unit falls in Redevelopment area. They have not submitted proof of agreement with IGL for PNG connection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 12/02/2018 show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act, also asking the unit to submit clarification whether the unit has single identity unit or two different units. If, two different units, obtain status of consent from UP Pollution Control Board was issued to the unit on 11/04/2018.	
102	WINDSOR WOOD PRODUCT	KHASRA NO- 16/1 POLE 1895 SEWA DHAM ROAD, MANDOLI DELHI 110093	19-12-2016	DPCC/EC/2/1/2016/16608	MANUFACTURING SEWING MACHINE PLY WOOD TABLE TOP. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPE	HWM Application No. 1 Application Date 19-12-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - No (3)O.G.Set: No Source of water : 100 Liters/day Proof of possession before 07.02.2007: Unit has submitted rent agreement dated 29.12.2005, 06.11.2011, 07.12.2016. Proof of location within the redevelopment area: the unit has not submitted authentic proof of location of the unit within the redevelopment area. M/s Windsor wood Product Kh. no.16/1 Pole 1895, New Mandoli Industrial Area, Delhi-93 was sealed on 10.11.2016 in compliance of the directions of Honble NGT in OA No -510/2015 titled as Kamal Kishore Vs U.O.I & Ors. and in OA No 28/2016 titled as Mohd. Arif Vs U.O.I & Ors before Honble NGT regarding air pollution in Mandoli and decisions taken in the meeting held on 27.09.2016. Representation was received on 11.11.2016 and 17.11.2016 and the unit requested for de-sealing of the premises and grant of permission for vacating the premises. The unit also submitted a letter on 05.12.2016 along with Surety Bond of Rs. 5,00,000/ (Rs Five Lakhs), Undertaking and requested for de-sealing of the premises. As per decision of Competent	No test report submitted.	28-12-2016 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 In response to the SDN issued to the unit, the unit submitted representation dated 24.03.2018 along with the certificate, in original, from Industries Department / SDN regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit.	17-05-2018 File be put up administratively.

									Authority, letter for de-sealing of the unit for vacating the premises was issued on 06.12.2016.			
103	CHANDU PRESS	PLOT NO 469, FIE, PATPARGANG INDUSTRIAL AREA	20-12-2016	DPCC/EC/2/1/2016/16621	OFFSET PRINTING PRESS AND BOOK BINDING (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)SCS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : No Source of Water supply: Others	N/A	30-12-2016 Recommended for inspection in view of HW generating unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 An inspection of the unit was conducted on 05.05.2018 and following were observed: 1. The unit was found in operation. Printing and binding work was being carried out. 2. Two no. of 4 color and two no. of 2 color printing machine was found installed by the unit. 3. Hazardous Waste was found maintained as per rule. Hazardous Waste was being sold to authorized vendor to M/s Bharat Oil. 4. Log book was found maintained.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
104	SHRI SHYAM ENTERPRISES	M-17, MAHAVIR GALI, NEW MANDOLI INDUSTRIAL AREA	22-12-2016	DPCC/EC/2/1/2016/16649	MANUFACTURING OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)SCS - Wet scrubber and cyclone (3)D.G. Set: One D.G Set of 30 K.V.A Ground Water: Nil. Proof of possession before 07.02.2007: No Proof submitted. Proof of location within the redevelopment area: The unit has not submitted authentic proof of location of the unit within the redevelopment area. As decided in the meeting held on 27.09.2016 for compliance of orders of Honble NGT in OA No -510/2015 titled as Kamal Kishore Vs U.O.I and Ors. and in OA No 28/2016 titled as Mond. Arif Vs U.O.I and Ors, a list of 146 units operating without consent in Mandoli Redevelopment area, was forwarded to SDPI (Seemapuri) for effective closure/ sealing, BSES for disconnection of electricity, DJS for disconnection of water supply. Name of M/s Shree shyam Enterprises , M-17, Mahavir gali, New Mandoli Industrial Area, Delhi-93 also features in the above said list of 146 units.	Emission monitoring report dated 31.08.2016 from DPCC lab submitted. Control Measure (if any) : Cyclone and Wet scrubber Stack Height from ground level (m) : 12 Stack Height from roof level (m) : 7 Fuel used : LDO Particulate Matter (mg/ Nm3): 73 Noise Monitoring Report dated 19.08.2016 from DPCC Lab submitted. Noise monitoring report is within the limits.	29-12-2016 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding Establishment before 07.02.2007 and proof regarding location of the unit within the boundaries of redevelopment area. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 12/02/2018, letter was issued to the unit on 07/03/2018 asking the unit to of certificate, in original, from Industries Department w.r.t. location of unit within the boundary and status of installation of online monitoring system. Also link of OLMS including username and password after installation of OLMS.	16-05-2018 Issue show cause notice for refusal of consent. Also inspection be conducted.
105	SHUBHAM ENTERPRISES	M-9, KH NO. 37, VISHNU	23-12-2016	DPCC/EC/2/1/2016/16651	MPG. OF COPPER AND	Orange	Non-SPI		Status of Pollution Control	Emission monitoring report	28-12-2016	17-05-2018

		GALI, NEW MANDOLI REDEVELOPMENT AREA,			ALUMINUM INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Operate			System (1)ETP - N/A (2)ECS - Wet scrubber and cyclone (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Unit has submitted rent agreement dated 10.11.2006 and undertaking from the landlord that the agreement dated 10.11.2006 is the first agreement. Proof of location within the redevelopment area: The unit has not submitted authentic proof of location of the unit within the redevelopment area. M/s Shubham Metal M-9 Vishnu Gali, New Mandoli Industrial Area, Delhi-93 was sealed on 23.11.2016 in compliance of the directions of Honble NGT in OA No -510/2015 titled as Kamal Kishore Vs U.O.I & Ors. and in OA No 28/2016 titled as Mohd. Arif Vs U.O.I & Ors before Honble NGT regarding air pollution in Mandoli and decisions taken in the meeting held on 27.09.2016. Representation was received on 24.11.2016 and requested for de-sealing of the premises and grant of permission for vacating the premises. The unit also submitted a letter on 13.12.2016 along with Surety Bond of Rs. 5,00,000/ (Rs Five Lakhs). Undertaking and requested for de-sealing of the premises. As per decision of Competent Authority, letter for de-sealing of the unit for vacating the premises was issued on 14.12.2016.	dated 27.06.2016 and 27.12.2016 from DPCC lab submitted. Results of report dated 27.12.2016 are as follows: Control Measure (if any) : Wet scrubber and cyclone Stack Height from ground level (m) : 18 Stack Height from roof level (m) : 6 Fuel used : Diesel Particulate Matter (mg/ Nm3): 67	Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 12/02/2018 show cause notice for refusal of consent and show cause notice u/s 31(A) of Air Act, was issued to the unit on 11/04/2018	Case deferred.
106	UTOPIA (M/S RVN RESTAURANT & HOTEL PVT LTD.)	PLOT NO-7, KARKARDOOMA, COMMUNITY CENTRE	09-01-2017	DPCC/BC/2/1/2017/16763	RESTAURANT HAVING SEATING CAPACITY 48 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP: Oil and Grease Trap - Yes (oil and grease trap cum settling tank) (2)ECS - Channelization with Kitchen D.G. Set - one D.G. set with capacity of 63 KVA and its stack height 3.5 in meters above roof of the building. Source of water supply - 1500 Liters/Days (Water Tanker) Status of Inspection :Inspection of the unit was conducted on 23.08.2016 by the officials of DPCC and	Effluent Analysis Report dated 16.12.2016 from DPCC lab submitted. Results are as follows pH - 7.4 Total Suspended Solids (TSS) -132 mg/l Bio-chemicals oxygen demands (3 days at 27 degree Celsius) - 80 mg/l Oil and Grease - 9.0 mg/l Parameters are meeting the prescribed standards. Noise Monitoring Report dated 14.12.2016 from DPCC lab submitted. Ambient Noise Level (non-	15-02-2017 Recommended to inspect the unit. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	16-05-2018 Expedite inspection.

									following were observed : 1. The restaurant was found in operation having kitchen at ground floor. 2. Entire trade effluent generated from the kitchen was found being discharged without treatment. 3. Stack height of kitchen and D.G. Set were found inadequate. SCN u/s 31(A)/33(A)/5 of EPA details :Show Cause Notice was issued on 02.09.2016 and no reply was received. Closure directions u/s 31(A)/33(A)/5 of EPA details : Direction for closure was issued on 04.11.2016 Representations were received from the unit on 22.11.2016 along with copy of receipt of CTE application Id No-16428 on 21.11.2016 and a letter on 28.11.2016 along with Security Bond of Rs. 100,000/ (Rs. One Lakh), Undertaking, photographs of D.G set stack, Oil and Grease Trap and informed that the unit has rectified the deficiencies observed during inspection. Revocation of Closure Direction for 15 days was issued on 30.11.2016.	operational) - 59.6 Leq dB Ambient Noise Level (operational) - 63.8 Leq dB Noise Level at 1.0 m away from the enclosure surface (operational)- 74.2 dB Parameters are meeting the prescribed standards.		
107	SHREE SHIV SHAKTI PULSES MILLS	H - 1171, DSIIIC, NARELA, INDL. AREA, DELHI - 110040	17-01-2017		Del Mills Del Mills	Orange Establish	Non-SPI		Hard Copy not submitted.	-	22-02-2017 Recommendation / Action Taken Details (EE/AEE) on 06-03-2018 Unit submitted hard copy of Consent to establish application and same found complete. Therefore, decision taken on 23.02.2017 may be reviewed again.	16-05-2018 Consent to Establish granted.
108	SUNNY GRAPHICS PVT LTD.	B-15/2, PH-II,OKHLA INDUSTRIAL AREA	19-01-2017	DPCC/EC/2/1/2017/16842	OFFSET PRINTING INCLUDING WASHING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 16-07-2004 Authorisation Expiry Date 19-07-2006 HWM Application No. 2 Application Date 16-11-2006	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption - 900	Effluent analysis report dated 20-09-2016 issued by DPCC Laboratory submitted. Effluent Analysis report within limit - Yes. The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 06-09-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-02-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, show cause notice for refusal of consent and cancellation of authorisation under HW Rules and show cause notice u/s 5 of EP Act was issued to unit on 26.03.2018. Unit submitted a representation on 09.05.2018 w.r.t SCN dated 26.03.2018 along with an undertaking & copy of bills of plate making from outside units/ sources and informed that	17-05-2018 Inspection be conducted.

								Authorisation Status Pending Utters/Day Source of Water - DDB Status of Inspection : N/A HWM Application No. 3 Application Date 09-01-2017 Authorisation Status Pending SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		-They have stopped the plate making activity in their unit and same is being outsourced. -They will inform DPCC incase if the start the plate making activity again in future. -ETP is not in use and same has been removed from the premises of the unit. -Stack height of D.G. Set has been raised. -Hazardous waste record is being maintained in form-03 and hazardous waste is being stored on pucca floor in a isolated area. Unit has requested to treat their application for CTO with an activity of Offset Printing without washing and issue the same at the earliest.	
109	KAVITA METAL	E-3,ARJUN GALI, NEW MANDOLI INDUSTRIAL AREA,DELHI	20-01-2017	DPCC/EC/2/1/2017/16854	casting of non ferrous metal Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP - N/A (2)BCS - Cyclone and wet scrubber (3)D.G.Set: Nil Ground Water: Nil. Proof of possession before 07.02.2007: Unit has submitted Delhi Sales Tax, Assessment Order for the year 2004-2005 submitted. Proof of location within the redevelopment area: The unit has not submitted authentic proof of location of the unit within the redevelopment area. OLMS: Unit has not provided information regarding installation of online Monitoring system.	Emission Monitoring report dated 16.01.2017 from DPCC Lab submitted. Results are as follows Particulate Matter (mg/ Nm3) : 65 Remarks: fugitive emission observed from furnace.	15-02-2017 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS. Remarks/ATR on 17-05-2018 In response to the SCN issued, the unit has submitted a representation dated 19.04.2018 stating that they have installed the OLMS and it is in working condition since December 2017. They have applied for PNG connection and have attached with the copy of agreement with IGL. In respect of fuel tankers opposite to the units premises, the unit has stated that they do not belong to them . Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection of the unit was conducted by the officials of DPCC on 09/06/2017 and the following were the observation : 1. The unit was found in operative condition. Casting of non ferrous metal being carried out (copper scrap). 2. BCS system i.e wet scrubber was found installed which consist of cyclone separator and spray tower.	17-05-2018 Case deferred.

											Wet scrubber was found in operative condition. Two chambered sedimentation tank being used for scrubbing water setting etc. 3. One DG set of 62.5 KVA was found installed in acoustic enclosure with flexible exhaust pipe. 4. As informed and as seen during inspection HDS and LDO was being used as fuel in the casting process. 5. No CLMS was found installed. 6. Three fuel tankers in an open plots opposite to the unit with thick black oil in two tankers were found parked which has been handed over to the police personnel by SDM concerned. One truck registration no. displayed MH46AR8305 and other one HR 63002. As per committee decision on 12/02/2018, SCN to refusal of consent was issued to the unit on 11/04/2018.	
110	BAGGA LINK SERVICE LTD	G.F. 1141/2, RITHALA, DELHI	24-01-2017	DPCC/BC/2/1/2017/16898	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-11-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP ----Physiochemical,Oil and Grease Trap,Other ETP Name -- Filtration and Absorption (2)SCS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Status of Ground Water extraction :Nil Source of Water: 2.5 KLD from DGB. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Nil	23-02-2017 As per decision of committee on the previous consent application dated 16.12.2015 vide ID no 12772 inspection was carried out on 13.10.2016 and the observations are as follows: - The unit is operating in Rithala which is a redevelopment industrial area. - Batch type ETP is installed and the same was found in operational status. - Used oil is stored and sold to registered recyclers. - ETP sludge is stored in hazardous waste room. - DG set is provided with acoustic enclosure and adequate stack height. A letter to submit certificate, in original, from Industries department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit may be issued as unit has not submitted the same. Remarks/ATR on 26-04-2018 The unit has not submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Remarks/ATR on 25-04-	16-05-2018 Issue show cause notice for refusal of consent as the unit has not submitted requisite documents.

											2018 Inspection was carried out on 17.04.2017 and the observations are as follows: - Unit found operation and engaged in the activity of Services and repairing of bikes. - Unit installed ETP and same found in working /operational condition and also maintained logbook. - Unit is Complying HWM Rules 2016. - Unit having 1 D.G set with acoustic enclosure and having adequate stack height. Recommendation / Action Taken Details (EE/AEE) on 25-04-2018 Inspection was carried out on 27.12.2017 and the observations are as follows: - Unit found operation and engaged in the activity of Services and repairing of bikes. - Unit installed ETP and same found in working /operational condition and also maintained logbook. - Unit is Complying HWM Rules 2016. - Unit having 1 D.G set with acoustic enclosure and having adequate stack height.	
111	GOYAL GLOBAL PULSES (PRIVATE) LIMITED	PLOT NO J-3134, DSIIDC, NARELA INDUSTRIAL AREA	30-01-2017	DPCC/EC/2/1/2017/16928	DAL MILLS Dal Mills	Orange Operate	Non-SPI		Hard Copy not submitted.	-	22-02-2017 - Recommendation / Action Taken Details (EE/AEE) on 05-03-2018 unit has already submitted hard copy of Consent to Operate application and same found complete. Therefore, decision taken on 23.02.2017 may be reviewed again.	16-05-2018 Consent to Operate granted.
112	V.P. INTERNATIONAL	B-3, KH. NO 53, NEW MANOLI INDUSTRIAL AREA	13-02-2017	DPCC/EC/2/1/2017/17029	HOT RE-ROLLING OF COPPER INGOTS AND COPPER WIRE DRAWING (LESS THAN 5 MT PER DAY). Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone and wet scrubber (3)D.G.Set: The unit has 2 D.G. Set(s) of 1000 KVA and 50 KVA. Ground Water: Nil. Proof of possession before 07.02.2007: Rent agreement dated 01.04.2004 submitted. Proof of location within the redevelopment area: The unit has not submitted authentic proof of location of the unit within the redevelopment area.	Emission Monitoring report dated 28.11.2016 from DPCC Lab submitted. Results are as follows Particulate Matter (mg/ Nm3) : 39 Noise monitoring report dated 29-11-2016 issued by DPCC submitted. Noise level are within the prescribed limit.	17-02-2017 Inspection of the unit may be conducted. Also unit may be asked to submit proof regarding location of the unit within the boundaries of redevelopment area and status of installation of OLMS Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent & /s 31(A) of Air Act was issued to the unit on 15/03/2018.	17-05-2018 Case deferred.

									CLMS: Unit has not provided information regarding installation of online Monitoring system.			
113	SUNPROOF ELASTOMERS	641/3,RZ BLOCK,GALI NO.-4, ANAND PARBAT INDUSTRIAL AREA	17-02-2017		MANUFACTURING OF RUBBER MOULDED OIL SEALS Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)BCS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVIA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVIA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/S of EPA details : Closure directions u/s 31(A)/33(A)/S of EPA details :		22-09-2017 - Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 -as per the decision letter regarding submission of report for VOC emission or SSI Registration was issued to the unit on 08.11.2017. -Unit has submitted a reply on 20.11.2017 along with HSHS registration certificate having no. DL05A0000024 and requesting to grant consent to operate (renewal).	16-05-2018 Consent to Operate(Renewal) granted.
114	BARSHALA (A UNIT OF INDOSPINT BARS PRIVATE LIMITED)	UNIT NO-2, GROUND FLOOR, SEELAMPUR, METRO STATION	02-03-2017	DPCC/EC/2/1/2017/17161	RESTAURANT CUM BAR (99 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establiash	Non-SPI		1. ETP - No. 2. BCS - No. 3. D.G Set - No 4. Source of water - 3500 Litres/Day (Municipal Authority). 5. Domestic Effluent discharge - 700 Litres/day which is disposed through sewer. 6. Trade Effluent discharge -500 Litres/day which is disposed through sewer (sewer or drain or river) 6. Municipal Corporation of Delhi - Not provided but undertaking suggesting that unit has applied for MCD Licence dated 29.09.2016, whenever its get the same will be submit to DPCC. 7. Police Licence of Delhi - Not provided.	N/A	25-04-2017 Recommended to grant the Consent Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection be conducted.	16-05-2018 Expedite inspection.
115	FAIZAN METALS	M-13, KHASARA NO.29, NEW MANDOLI INDUSTRIAL AREA, VISHNU GALLI, DELHI-110093	10-03-2017	DPCC/EC/2/1/2017/17230	MELTING OF COPPER SCRAP WITH PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. BCS- Yes (Cyclone and Scrubber)	1. Emission Monitoring Report submitted by DPCC on 08.02.2017 and parameters are within the limit in the report submitted. 2. Noise Monitoring report submitted by DPCC on	05-04-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Expedite inspection.

									3. D/G Set- 30 KVA 4. OLMS- No information of user id and password provided. 5. Proof prior to 2007- Rent Agreement dated 28.11.2006 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- No 8. Fuel Used : HSD.	09.02.2017 and parameters are within the limit in the report submitted.	As per the committee decision on 09/02/2018, SCH for refusal of consent was issued to the unit on 15/03/2018. Inspection yet to be conducted.	
116	HOTEL MADHUBAN	A-187, ROAD NO.- 4, NATIONAL HIGHWAY-8, MAHIPALPUR	10-03-2017	DPCC/EC/2/1/2017/17247	GUEST HOUSE 9 ROOMS Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: others Water Consumption: 750 Liters/Day Status of ground water extraction: N/A HCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A	-	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
117	KOUTSA ENTERPRISES	F-24, KH. NO 17/S, MILAN GARDEN, MANDOLI, SHAHDARA	20-03-2017		Copper Wire Drawing with Super Enamelling (Dry Process) Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Wet Scrubber) 3. D/G Set- No. 5. Proof prior to 2007- No 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- No 8. Fuel Used : HSD.	1. Emission monitoring Report submitted by DPCC on 07.03.2017 and parameter is within the prescribed limit.	05-04-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCH for refusal of consent was issued to the unit on 13/03/2018. Inspection yet to be conducted.	16-05-2018 Expedite inspection.
118	RELIABLE AUTO WORKS	A-95/6 WAZIRPUR INDUSTRIAL AREA	23-03-2017		Automobiles Servicing and Repair Station with Washing Activity without burner(Paint Booth) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI		(1)ETP-ETP (Physicochemical type) of capacity 2 KLD/day (2)ECS: N/A (3)D.G.Set:N/A (4)Source of Water Supply:0.6 KLD from DJS. Earlier, directions for closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 11.01.2017. Unit has submitted its reply in response of directions for closure along with undertaking and security bond of Rupees 2,00,000/-. Temporary revocation was issued to the unit for 30 days on 08.02.2017. Now Unit has submitted its CTO application on 23.03.2017. However hard copies of the application have not received so far. Also one Enclosure as PAN Card is properly attached and rest of the enclosures are	-	06-04-2017 Recommendation / Action Taken Details (EE/AEE) on 15-05-2018 Unit was inspected by DPCC officials/representatives on 12.03.2018 and following were observed: - Unit is found operational and engaged in the activity of servicing and repairing of cars. - No washing activity observed during inspection. - Unit has installed ETP at ground floor, same is found non-operational. - Unit is not maintaining log-book of ETP. - Unit is not complying with HWM, Rules 2016.	16-05-2018 Issue show cause notice for refusal of consent / authorization. Also issue show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act.

								wrong. Further, in column no 22 unit has chosen wrong category for the type of hazardous waste generated. Unit has not applied for Authorization under HWM Rules. In the application unit has mentioned Gross capital investment as Rs. 3,50,000 however, previously in CTE it was Rs. 3,75,000. CA certificate not found enclosed.			
119	NEW LINE BUILD CAP PVT. LTD.	S-99, PH-I, BADLI INDUSTRIAL ESTATE	29-03-2017		Manufacturing of Tyre retreading Material Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI	-	-	29-09-2017 Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Status of Pollution Control system Devices- 1. ETP -No 2. BCS-No 3. D.G. set- No Plot Area- 800 sq mt Date of Establishment/ Commencement-01.04.2004 Status of Ground Water Extraction-No 1. Water consumption-500 L/day Source-Outside (Bill not submitted) Inspection status- No Inspection is yet to be conducted.	16-05-2018 Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. Also inspection be conducted.
120	FINE INDUSTRIES	M-17, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA	27-03-2017		AUTO PARTS (OIL SEALS). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI	water consumption: 100 litre/day Status of Pollution Control System (1)ETP - N/A (2)BCS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :NIL Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	-	21-09-2017 -Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration was sent to the unit on 06.11.2017. - Unit submitted a reply on 27.11.2017 along with printout of MSME Registration Certificate and also requesting to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.
121	R.S BEVERAGES	PLOT NO. 104,POCKET N-1,SECTOR-S,BAWANA INDUSTRIAL AREA,DELHI	27-03-2017		Package Drinking Water Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- Proposed 2. BCS-N/A 3. D.G. set- 1x125 KVA Plot Area-250 sq mt Date of Establishment/ Commencement- 27.05.2017 (Proposed) Status of Ground Water Extraction-No 1. Water consumption- 40000 l/day Source- DS/DC (bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 Recommendation / Action Taken Details (EE/AEE) on 18-04-2018 Inspection conducted on 13.04.2018 and findings are- 1. Unit found in operation and engaged in filtering and packing of drinking water (for Biseri) in 20 litres jars. 2. Two Borewells exist and unit is extracting ground water.	16-05-2018 Case deferred.

											3. As informed, they are paying fee in DDB w.r.t use of ground water. 4. ETP installed for bottle washing section.		
122	BURGERKING (A UNIT OF BURGER KING INDIA PVT. LTD)	PLOT NO-F-15, VIJAY BLOCK, LAXMI NAGAR, SAHADRA, NEW DELHI	29-03-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI			1. ETP - Physico-chemical, capacity of 7000 Liters/Day. 2. BCS - No 3. D.G Set- 01, capacity of 125 KVA, 4. Source of water supply - Municipal Authority (8400 Liters/Day). 5. Quantity of waste generated -6000 Liters/Day (800 Liters/Day for Domestic and 6000 Liters/day for Industrial), which is disposed through public sewer. 6. Fuel - HSD. 7. East Delhi Municipal Licence -yes, which was valid upto 31.03.2017	N/A	06-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided above, show cause notice for refusal of consent was issued to the unit on 09.03. 2018. Reply awaited.	16-05-2018 Inspection be conducted.
123	SHIVAM COMPU DATA FORMS PVT. LTD	487/1/2B AND C, BLOCK NO. 8 SHAHDARA INDUSTRIAL AREA DILSHAD GARDEN (NORTH OF GT ROAD)	29-03-2017		Printing without trade effluent discharge Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-03-2017 Authorisation Status Pending	1. ETP - No. 2. BCS - No. 3. D.G Set - No. 4. Water Consumption - 200 Liters/Day . 5. Source of water supply- Corporation or Ground water. 6. Disposal of treated effluent -100 Liters/Day, which is discharged through sewer.	N/A	06-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.	
124	THE BARBEQUE COMPANY (A UNIT OF SKY HOSPITALITY)	GROUND FLOOR, PROPERTY NO-4, UPPER GROUND FLOOR, HARGOVIND ENCLAVE	30-03-2017		RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 35 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - No. 2. BCS - No. 3. D.G Set - One D.G Set of capacity 125 KVA has been installed. (a) Stack Height above Ground Level (in meters)- 3.5 (b) Stack Height above roof of the building where D.G Set installed (in meters) -3.5 4. Source of Water Supply - 3500 Liters/Day (Municipal Authority). 5. Domestic effluent discharged -500 Liters/Day which is disposed through Sewer or Drain. 6. Industrial effluent discharged -3000 Liters/Day which is disposed through Sewer or Drain 7. Joint Police Commissioner Licence is valid upto 31.03.2017. 8. East Delhi Municipal Corporation Licence is valid upto 31.03.2017	Noise Monitoring report was submitted by DPCC on 29.03.2017 and parameters are within in the prescribed limit in the report submitted. Analysis report of water effluent was submitted by DPCC on 14.03.2017 and parameters are within in the prescribed limit in the report submitted.	07-04-2017 Recommended for the inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	16-05-2018 Expedite inspection.	
125	BARBEQUE-NATION (A UNIT OF BARBEQUE NATION HOSPITALITY LIMITED)	SHOP NO. 4 & 5, EROS CINEMA BUILDING, JANGPURA EXTENSION,	31-03-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physicochemical Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	10-08-2017 Consent to Establish order was granted and issued on 16.05.2017. It was mentioned in Consent order that the Consent is granted with condition that unit shall submit photographs and details of effluent treatment plant in view of the office order dated 04.11.2016	17-05-2018 Consent to Operate granted.	

				and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption: 3000 Liters/Day (source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		within 30 days but unit has not submitted the same so far. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter could not be issued. However, unit has submitted another representation w.r.t SCN dated 14.01.2018 along with detail of ETP, photographs of channelization system in kitchen & bins for segregation of wet & dry solid waste, copy of logbook of ETP and copy of agreement for collection of solid waste and informed that - -Effluent Treatment Plant is in working condition & ETP is under operation. -Installed Flow meter at inlet & outlet of ETP. -Maintained log book of ETP. -Channelization with proper stack height has been provided in kitchen. -Kept 2 bins in kitchen for disposal/segregation of solid waste (Wet & Dry Solid Waste).	
126	ASCO MOTORS	482 , INDUSTRIAL AREA, PATPARGANG (F.I.E.)	04-04-2017	SHOW ROOM AND SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-03-2012 Authorisation Status Approved Authorisation Issue Date 08-06-2012 Authorisation Expiry Date 08-03-2017 HWM Application No. 2 Application Date 04-04-2017 Authorisation Status Pending	Status of Pollution Control System 1. ETP: Yes ACP and DMF: Yes oil and grease trap: yes. 2. ECS: No. 3. D.G Set: No.	No Test Report Submitted.	06-04-2017 Inspection be conducted in view of hazardous Waste. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per committee decision a show cause notice for refusal of consent, show cause notice for authorization under HWY Rules, show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act were issued to the unit on 09.03.2018.	16-05-2018 File be put up administratively.
127	ROHIT SIGMAOS PVT. LTD.	PLOT NO 487/1,BLOCK NO-08 , SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD) DILSHAD GARDEN,	05-04-2017	APRINTING AND MANUFACTURING OF ADVERTISING MATERIALS Photograph Printing (Including Signboard Painting) without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-04-2017 Authorisation Pending	1. ETP- No. 2. ECS- No. 3. D.G Set- No 4. OLMS- Not Installed.	N/A	25-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Expedite inspection.

								Status	5. Proof prior to 2007- Consent which was granted on 19.06.2006. 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- Yes		Inspection yet to be conducted.	
128	SRI BHAGWATI OFFSET PRINTERS	28-29/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), SHAHDARA	10-04-2017		OFFSET PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 24-07-2007 Authorisation Status Pending HWM Application No. 2 Application Date 10-04-2017 Authorisation Status Pending	1. BTP- No. 2. ECS- No. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Acknowledgement Letter issued on 12.03.2007 by DPCC. 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- Yes	N/A	25-04-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
129	GIRIRAJ STEEL & CO.	A-102/6, WAZIRPUR INDUSTRIAL AREA	10-04-2017		Mfg. of S.S Utensils and Circles Cutting Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		BTP: N/A ECS: Proposed D.G.Set: Nil Source of water: 0.03 KLD from outside Date of commencement of production: 14.08.2017 Earlier, Revocation / withdrawal of deemed consent and Directions for closure were issued vide office letter dated 11.06.2015 in the name of M/s Shiva Steel, A-102/6, Wazirpur Industrial Area, Delhi-110052 engaged in the activity of Pickling and Cold Re-Rolling of S.S. Sheets. Earlier, landlord of the premises submitted security bond of Rs.1,00,000 (rupees 1 lakh) and an undertaking for storing the hazardous waste generated by M/s Shiva steel, non carrying of S.S. Pickling activity in future, and intent to rent out the premises to M/s Giriraj Steel & Co vide letter dated 13.04.2017 and requested to revoke the directions of closure and direct the officials for de-sealing and restoration of electricity. Earlier, Unit has submitted CTE application under Green category for the activity of Manufacturing of Stainless Steel utensils (without buffing activity) on 10.04.2017. Unit vide its letter dated 10.07.2017 informed that unit is planning to add buffing activity and submitted fresh CTE application for the activity of Manufacturing of Stainless		15-05-2018	16-05-2018 Consent to Establish dated 10.04.2017 be made infructuous since unit has again applied for consent to establish on 05.07.2017.

									Steel utensils (with buffing activity) on 09.07.2017.			
130	KANHA PRINT PACK PVT LTD	N-31, SEC-1, DSIDC INDL AREA, BAWANA, DELHI	16-04-2017		OFFSET PRINTING MATERIAL Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-04-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- No Plot Area-250sq mt Date of Establishment/ Commencement-16.04.2017 Status of Ground Water Extraction-Yes 1. Water consumption- 350 L/day Source-DSIDC (Bill submitted) Inspection status- Yes(22.03.2017) and findings are as follows: 1. Unit found operational and engaged in the activity of offset printing material. 2. HWM Rules are not complied with. 3. One borewell found exists without having permission from CGWA/DGB. Unit has applied for CTE on 30.03.2017 & authorization on 15.04.2017 (Photographs of display board and containers are submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	23-05-2017 - Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Unit was inspected by Official of DPCC on 09-03-2018, and findings are as follows- 1. Unit found in operation and engaged in Offset printing activity. 2. Hazardous waste found stored in leak Proof containers in isolated room. 3. No DG set, no washing facility exists.	16-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
131	MAYANK METAL ALLOYS	KHASRA NO.- 24, PLOT NO.-A-5/1, RADHA VIHAR, SABOLI, MANDOLI REDEVELOPMENT AREA	20-04-2017		ALUMINIUM CASTING. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Wet Scrubber and fuel stacks attached to furnace) 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- Electricity bill in the name of Sh. Satish bhardwaj and Energisation date is 07.12.2004, CA no- 101534697. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : HSD.	Emission monitoring report submitted dated 03.04.2017 1. Particulate Matter (mg/ Nm3)- 77 against 150 2. Fugitive emission observed from furnace.	26-04-2017 Inspection be conducted. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018. Inspection yet to be conducted.	16-05-2018 Expedite inspection.
132	JAGDAMBA IMPEX	ZB-42/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	26-04-2017		MANUFACTURING OF FANCY ITEMS OF PVC AND PP SHEET / ROLLS WITH PRINTING AND LAMINATION. Decorative Goods (Painting/ Polishing) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-04-2005 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM 2	1. ETP- No. 2. BCS- Channelization with exhaust system provided. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Consent which was granted on 15.06.2006. 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- No	N/A	01-05-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

								Application No.					
								Application Date	27-04-2017				
								Authorisation Status	Pending				
133	SHRI TIRUPATI PACKAGING	H-122, SECTOR-S, DSIDC BAWANA INDUSTRIAL AREA, DELHI-110039.	28-04-2017		MFG. OF PLASTIC LAMINATION AND FLEXO PRINTING (W/O ANY TRADE EFFLUENT) Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No.	1	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- No Plot Area-200 sq mt Date of Establishment/ Commencement-01.01.2017 Status of Ground Water Extraction-No 1. Water consumption- 60 L/day Source- Outside (Bill not submitted) Inspection status- No Unit has applied for CTE vide Id. No. 16486 & authorization on 28.04.2017 (photographs of display board & containers submitted)	Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring report- N/A	23-05-2017 - Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Inspection yet to be conducted.	16-05-2018 Expedite inspection.
134	BANSAL ENTERPRISES	PLOT NO. F-S. NEW MANDOLI INDUSTRIAL AREA, VILLAGE SABOLI, SHAHDARA	03-05-2017		COPPER WIRE DRAWING (WITHOUT PICKLING, WITHOUT ENAMELLING) Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No.	1	1. ETP- No. 2. ECS- No. 3. D.G Set- No 4. OUMS- Not installed. 5. Proof prior to 2007-No. 6. Documents in original for boundary by Industry Department- No 7. Display Board- No.	N/A	22-05-2017 Recommended for inspection. Remarks/ATR on 17-05-2018 In response to the SCN issued, the unit has submitted a representation dated 17.04.2018 stating that they have made an isolated room for storage of Hazardous Waste and have labelled the containers. If they will dispose the HW , they will sell their sludge as per the guidelines provided by DPCC. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018 show cause notice for refusal of consent was issued to the unit on 11/04/2018	17-05-2018 Inspection be conducted.
135	ASHISH CABLES PRIVATE LIMITED	PLOT NO-488/B/2, DAMODAR PARK, G. T. ROAD, SHAHDARA	10-05-2017		COPPER WIRE DRAWING WITHOUT PICKLING WITHOUT ENAMELLING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No.	1	1. ETP- No. 2. ECS- 3. D.G Set- No 4. OUMS- Not installed. 5. Proof prior to 2007-Yes(Consent Order which is issued on 28.02.2016. 6. Documents in original for boundary by Industry Department- No 7. Display Board- No.	N/A	22-05-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal was issued to the unit on 20.03.2018. The unit has submitted its reply on 26.03.2018 stating that they are enclosing the original certificate location map and position(longitude and latitude) issued from commissioner of Industries, Govt of NCT of Delhi.	17-05-2018 Expedite inspection.
136	TRIMURTI FRAGRANCES	PLOT NO 230, FIE,	16-05-2017		GRINDING WORK.	Green	Non-SPI			1. ETP -No	- Noise Monitoring Report	18-07-2017	16-05-2018

	PVT. LTD.	PATPARGANJ INDUSTRIAL AREA			Supari (Betelnut) and Pan Masala Grinding	Operate			2. ECS - No 3. D.G.Set: 250 KVA 4. Water Consumption : 100 L/day 5. Domestic Trade Effluent : 50 L/day - As per the Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Inspection of the Unit was Conducted on 19.10.2016 and it was found that the unit has not applied for Consent to Operate. And whereas, Letter for Submission of Application for Consent to Operate was issued to the Unit on 03.02.2017. And whereas, the reply of letter received on 21.02.2017 and requesting to grant 20 days time so that unit may obtain necessary Monitoring reports from DPCC lab and apply for Consent to Operate.	submitted by DPCC on 21.03.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report submitted by DPCC on 06.04.2017 and all the parameters are within the prescribed limit.	Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per committee decision a show cause notice for refusal of consent and u/s 31(A) of Air Act were issued to the unit on 27.02.2018	File be put up administratively.
137	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO 227, FIE, PATPARGANJ INDUSTRIAL AREA	16-05-2017		GRINDING WORK. Supari (Betelnut) and Pan Masala Grinding	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: 320 KVA 4. Water Consumption : 100 L/day 5. Domestic Trade Effluent : 50 L/day - As per the Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Inspection of the Unit was Conducted on 19.10.2016 and it was found that the unit has not applied for Consent to Operate. And whereas, Letter for Submission of Application for Consent to Operate was issued to the Unit on 03.02.2017. And whereas, the reply of letter received on 21.02.2017 and requesting to grant 20 days time so that unit may obtain necessary Monitoring reports from DPCC lab and apply for Consent to Operate.	- Noise Monitoring Report was submitted by DPCC on 21.03.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report was submitted by DPCC on 06.04.2017 and all the parameters are within the prescribed limit.	18-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision a show cause notice for refusal and u/s 31(A) of Air Act were issued to the unit on 27.02.2018.	16-05-2018 File be put up administratively.
138	PRIVA PANCHWATI RESTAURANT	C-11/8, YAMUNA VSHAR	17-05-2017		Restaurant (North Indian Food) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen	Orange Renewal	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes, of capacity 20 KVA each. 4. Water Consumption - 800 liters/day and source is Metro DJS. 5. Quantity of Domestic Effluent Generated - 200 Liters/Day : 6 Quantity of Trade Effluent Generated - 600 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2011 8. Police Licence of Delhi - not provided	N/A	06-06-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As approved in the consent committee inspection of the unit was conducted on 06.03.2018 and following were observed: 1. The unit found in operation. Comprising of basement, ground floor, first floor and top floor. 2. At basement, small party hall with 36 seats, at ground floor with 6 seats of single	16-05-2018 Issue show cause notice for refusal of consent.

					and / or Laundry without Boiler					tables, at first floor 46 seats exist. 3. Second floor is being used as kitchen with 2 tandoors (charcoal fired) and 6 burners being used for preparation of food. During the inspection, it has been found that the trade effluent being generated during the process of utensils washing found discharged into the drain connected to the public sewer. 4. Although, oil and grease trap with 3 chambered found installed in side lane(public land) having effluent but no traces of oil and grease layer was found floating. 5. The other ETP units(i.e.) small reaction cum settling tank filter tank clear water tank along with 2 sludge drying beds found installed at the top but the condition reveals that the same is not operated. 6. Although the process emission and flue gases through tandoors were found dispersed through hood suction and duct arrangement but the stack height is inadequate. 7. No color coded bins were found installed for proper management of solid waste as per Solid Waste Management, rules. 8. No sludge found in sludge drying bed. No chemicals were found in chemical dosing tank indicating the non-operation of the ETP. 9. Entire trade effluent was discharged into the public sewer through bye-pass arrangement.		
139	SONU RUBBER	4-55, GALI NO. 4, ANAND PARBAT INDUSTRIAL AREA	18-05-2017		Rubber Moulded Products Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration has been sent to the unit on 06.11.2017. - In this regard unit submitted a reply on 03.01.2018 along with photocopy of MSME Registration Certificate and also requested to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.	
140	SEMICONDUCTOR APPLICATIONS	B-67, DSIDC JHILMIL INDUSTRIAL AREA	23-05-2017		Offset Printing Lamination and Binding. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 23-05-2017 Authorisation Pending	1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 300 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 9400	N/A	06-06-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Reinspection be conducted.

								Status	Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/day which is disposed through Nil.		The unit has submitted its reply on 30.01.2018 in reference to the Show cause notice for refusal of consent stating they have rectified the deficiencies. However due to some inconvenience reply was not put in previous CMC meeting held on 09.02.2018. So the decision taken on this meeting stating Consent and authorization refused. Also issue show cause notice u/s 33(A), u/s 31(A) and u/s 3 of EP Act. must be reviewed and therefore decision of the same meeting was not complied. Re-inspection may be conducted to verify the facts.	
141	HOTEL AERO FLY INN	A-41/1 STREET NO-01 MAHIPALPUR	25-05-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)BCS: N/A (3)O.G.Set: N/A	- Effluent analysis report: a). Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
142	TIRUPATI INDUSTRIES	BLOCK 1, PLOT NO. 5-B, KHASRA NO. 36, VISHNU GALI, SABOLI, NEW MANDOLI	27-05-2017		Copper Re Rolling Industry Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Green Operate	Non-SPI		1. ETP- No 2. BCS - No 3. D.G. Set - 62.5 KVA 4. Water Consumption - 250 L/day 5. Domestic Effluent Discharge - 115 L/ day	- Noise Monitoring Report was submitted by DPCC on 10.03.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report was submitted by DPCC on 27.03.2017 and all the parameters are within the prescribed limit. Remarks/Recommendation	19-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision SCN for refusal of consent was issued to the unit on 16.03.2018. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
143	SHASHANK MITTAL	340/38, GALI NO 18 FRIENDS COLONY INDUSTRIAL AREA	02-06-2017		MANUFACTURING OF COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2012 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 07-08-2017 HWM Application 2	1. ETP - No . 2. BCS - No . 3. D.G Set - No . 4. Water Consumption - 170 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/Day which is disposed through Nil.	N/A	06-06-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be Conducted.	17-05-2018 Expedite inspection.

								No. Application Date Authorisation Status	02-06- 2017 Pending				
144	BHAGWATI AUTO ENTERPRISES	50/128, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	06-06-2017		Rubber Mixing Works Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI			Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	-	20-09-2017 -Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission of SSI Registration has been sent to the unit on 08.11.2017. - In this regard unit submitted a reply on 15.11.2017 along with photocopy of MSME Registration Certificate and also requested to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.
145	NEW SHAMA LABORATORIES PVT. LTD.	PLOT NO 310, FIE, PATPARGANJ INDUSTRIAL AREA	07-06-2017		MPG OF AYURVEDIC AND UNANI MEDICINES Medicines / Pharmaceutical Formulation- with Boiler	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 07-06-2017 Pending	1. ETP- Yes, physiochemical of design capacity of 3000L/D. 2. ECS- No 3. D.G. Set- No (40KVA as given in undertaking) 4. Trade Effluent Discharge- 1000 L/D, disposed into public. 5. Domestic Trade Effluent-300 L/D, disposed into public sewer. 6. Water Consumption- 1000 L/day source is Corporation.	Emission Monitoring Report was submitted by DPCC on 25-04-2014 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent report was submitted by DPCC on 01-05-2017 and all the parameters are within the prescribed limit as per the report. Noise Monitoring Report was submitted by DPCC on 21-03-2014 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 The unit submitted its reply on 16.04.2018 stated that: 1. The concentration of chemicals in the dosing tank has been optimized for adequate flocs formation so that proper treatment of waste water takes place. 2. Sludge drying bed has been connected to collection tank for transfer of leachate. 3. sludge has been stored in leak proof container.	16-05-2018 Reinspection be conducted.
146	BINSAR AUTOMOBILES	PLOT NO 28/21, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA	08-06-2017		TWO WHEELERS WORKSHOP (WASHING AND REPAIRING). Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 08-06-2017 Pending	1. ETP- No 2. ECS- No 3. Water Consumption : 1700 L/ day 4. Trade Effluent Generated: 1550 L/ day - Consent to Establish was issued to the unit on 06.07.2016.	Analysis Report of water effluent was submitted by DPCC on 19.03.2017 and all the parameters are within the prescribed limit.	06-07-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be Conducted.	17-05-2018 Expedite inspection.
147	ASHISH GLASS INDUSTRIES	DSIDC SHED NO-61, SCHEME-I, PHASE-II OKHLA INDUSTRIAL AREA	08-06-2017		MANUFACTURING OF GLASS GIFT ITEMS. Glass Processing (Cutting, Grinding, Polishing etc.) without Trade Effluent Discharge and without Furnace	Green Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 29-08-2011 Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A The unit has stack attached to High Speed Diesel Grinder. Stack Monitoring report Dated 06.06.2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	The unit has 1 D.G. Set(s) of 20 KVA. Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has stack attached to High Speed Diesel Grinder. Stack Monitoring report Dated 06.06.2017 issued by	14-03-2018 ..	16-05-2018 Consent to Operate granted.

								(3) D.G. Set : 20 KVA The unit has 1 D.G. Set(s) of 20 KVA. Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption: 300 Liters/Day (Source - DGB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/S of EPA details : Nil Closure directions u/s 31(A)/33(A)/S of EPA details : Nil	DPCC submitted. Number of parameters analyzed which are within limit - Yes.		
148	HOTEL HINDUSTAN INTERNATIONAL	B220A/6, ARAKASHAN ROAD, RAHARGANJ	09-06-2017		GUEST HOUSE (20 ROOMS WITH 40 BEDS) W/O KITCHEN AND LAUNDRY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DGB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. Oil & Grease trap-N/A 2. BCS- Yes, Stack attached to boiler 3. D.G. set- Yes, 1x 30 KVA Plot Area-118.73 sq mt Date of Establishment/ Commencement-23.07.2008 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day Source-DGB (Bill submitted) Inspection status- No HCD license valid upto 31.04.2018 and Delhi Police license valid upto 31.03.2018 No of Rooms- 20 No of Beds- 40	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 11.09.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 11.08.2017 and issued by DPCC. Parameters are within prescribed limits.	13-03-2018	16-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
149	SHIVA INDUSTRIES (PROP. RAJINDER KUMAR)	1/48B-S04/A-10, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	09-06-2017		FABRICATION OF FERROUS AND NON FERROUS METAL (ENGINEERING WORKS) WITH POWDER COATING WITHOUT PHOSPHATING Light Engineering work Powder Coating without phosphating	Green Establish	Non-SPI	1. ETP -No 2. BCS - No 3. D.G. Set: Nil 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day - Show cause notice for refusal of consent was issued to the unit on 25.02.2017.	N/A	12-07-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A reply was submitted by unit on 07.11.2017 stating that CTE has already been granted by DPCC for the said premises vide Consent No. 16561 dated 25.08.2006 in the prop. name of Rajinder Kumar valid upto 24.08.2007. Therefore Consent to Operate was filed in the name of Shiva Industries (Prop. Rajinder Kumar) vide ID No. 23038 dated 08.08.2007. M/s Shiva Industries (Prop. Rajinder Kumar) and M/s Rajinder Kumar are the same firm at the same premises.	17-05-2018 Issue reminder for submission of certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. If unit submits the same and found in order, Consent to Establish and Consent to Operate granted.

											Therefore they are requesting to consider CTE as the proof of location of the premises in the boundary of the notified redevelopment area. And hence they are requesting to consider the above facts.	
150	HOTEL DREAMS PALACE	A-30-B ROAD NO-01 MAHIPALPUR	14-06-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: Not mentioned Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 29.09.2017. During inspection, following observations were made: 1. Unit found operational & engaged in the activity of Hotel having 20 rooms. 3. Unit has not applied for Consent in DPCC. 4. Effective compliance w.r.t closure direction not observed by the concerned authorities. - On the basis of above observations, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 06.02.2018 with application of CTE and requested to revoke the closure direction issued on 05.01.2018	-	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
151	ESS AAR ENTERPRISES	E-10/1, MANDOLI REDEVELOPMENT AREA PHASE-II	16-06-2017		ALUMINIUM PRESSURE DIE CASTING Aluminium Pressure Die Casting	Orange Operate	Non-SPI		1. ETP- No. 2. ECS- Yes (Stack attached to Wet Scrubber) . 3. D.G Set- No 4. OUMS- Not Installed. 5. Proof prior to 2007-Not provided 6. Documents in original for boundary by Industry Department- No 7. Display Board- No. 8. Fuel used - LDO.	-Emission Monitoring report was submitted by DPCC on 12.06.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 -Recommended to ask the unit to submit the certificates in originals by the Industry Department locating the premises within the boundary of the redevelopment area. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 15/03/2018.	17-05-2018 Case deferred.
152	MANAV ENTERPRISES	455, F1E, PATPARGANJ INDUSTRIAL AREA, DELHI-110092	19-06-2017		OFFSET AND DIGITAL PRINTING(WITHOUT TRADE EFFLUENT) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 19-06-2017	1. ETP -No 2. ECS - No 3. D.G Set - No . 4. Water Consumption - 200 liters/day and source is purchase water.	N/A	06-07-2017 Recommended for Inspection. Recommendation / Action	16-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Status Pending	5. Quantity of Domestic Effluent Generated - 150 Liters/Day which is disposed through public sewer. 6 Quantity of Trade Effluent Generated - Nil liters/day .		Taken Details (EE/AEE) on 27-04-2018 An inspection of the unit was conducted by DPCC officials on 25.04.2018 and following were observed: 1. The unit was found in operation in the activity of offset printing and digital printing. 2. HW in the form of ink soaked cotton etc found stored in two 200L capacity plastic barrels placed in a isolated room, meant for storing HW. 3. Log book for HW found maintained since 01.05.2017. 4. Sponge clean water generated reportedly evaporated. About 10 to 15 L of water from sponge process generated. 5. Basement and 1st floor reportedly rented out and being used as godown.	
153	HOTEL BLU PEBBLES	A- 45 ROAD NO-01 MAHIPALPUR	20-06-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and not having Kitchen and / or Laundry without Boile Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - On the basis of above observations, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTO and requested to revoke the closure direction issued on 05.01.2018.	- Effluent analysis report: a). Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
154	KADHAJ TADKA RESTAURANT	R-549, GF FF, SHANKER ROAD, NEW RAJINDER NAGAR	21-06-2017		Restaurant having 98 seats Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen	Orange Establish	Non-SPI		Hard copy not submitted.		06-07-2017 . Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Status of Pollution Control system Devices- 1. Oil & Grease trap-Proposed 2. Channelization - Proposed 3. D.G. set- Yes, 2x 62.5 KVA	16-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.

					and / or Laundry without Boiler							Plot Area-167.2 sq mt Date of Establishment/ Commencement-24.03.2009 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source-DJB (Bill submitted) Inspection status- No No of Seats-98 MCD License valid upto 31.03.2017 and Delhi Police not submitted. Effluent Analysis Report -N/A Emission Monitoring Report - N/A Noise Monitoring Report -N/A	
155	PARAS PRINTERS	347, FIE, FATPARIGANJ INDUSTRIAL ESTATE	22-06-2017		Printing, Book Binding, Embossing and photogram (Without Plate Washing) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-06- 2017 Authorisation Status Pending	1. ETP -No 2. ECS - No 3. D.G Set - Yes, of capacity 20 KVA installed . 4. Water Consumption - 100 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 50 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil - Consent to Establish was issued to the unit on 03.03.2015. -The unit has applied for Consent to Operate and HWM application on 22.06.2017 .	-Noise Monitoring Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommendation for Inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision, a show cause notice for refusal of consent, show cause notice for refusal of authorization, show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act were issued to the unit on 09.03.2018. Reply still awaited.	16-05-2018 Inspection be conducted.	
156	JAYCON INFRASTRUCTURE LTD	SECURITY POLICE LINE BARUDHAM CHANAKYAPURI	26-06-2017		Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		-	-	11-07-2017 Inspection may be approved. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection is yet to be conducted.	16-05-2018 Expedite inspection.	
157	DEEPIKA ENTERPRISES	519/1/23 SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	29-06-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 29-06- 2017 Authorisation Status Pending	1. ETP- No. 2. ECS -No. 3. D.G. Set - No. 4. Water Consumption - 50Liters/day and source is drinking water suppliers. 5. Domestic effluent discharge - 20 liters/day and mode of disposal is sewer.	N/A	06-07-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.	
158	COLOR COMBINATION	H-19, SECTOR-9, DSIIDC, BAIWANA INDUSTRIAL AREA	01-07-2017		Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-07- 2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP - Yes 2. ECS- Yes (attached to boiler) 3. D.G. set- No Plot Area- 100 sq mt & built up area - 99 sq mt Date of Establishment/ Commencement-22.10.2016 Status of Ground Water Extraction-No 1. Water consumption- 100 L/day Source- DSIIDC (Bill submitted) Inspection status- Yes	Effluent Analysis Report issued by DPCC on 12.01.2017 Emission Monitoring Report issued by DPCC on 14.02.2017. Noise Monitoring reports - N/A	06-07-2017 . Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 .	16-05-2018 Expedite inspection.	

									Unit has applied for authorisation(form 1) under HWM rules. Reply received on 07.11.2016 wherein the unit submitted Security Bond of Rs. 5 lakhs along with the undertaking. As per undertaking it is informed that security bond is submitted for dyeing activity but they are doing only washing. As decided In common file, Closure Directions revoked temporarily for 30 days on 22.11.2016 for necessary testing/compliances & to apply for Consent to operate/authorization etc. It was also decided that final revocation shall be considered only after inspection. Inspection conducted on 04.05.2017. 1. Unit found operational and engaged in the activity of washing of readymade garments. 2. ETP found installed but not in working condition. 3. Channelization not provided over spray paint section. 4. One diesel fire boiler found installed but not functional at the time of inspection, whereas, another boiler is found in working condition using wood. Itt was decided in the meeting dated 25.05.2017 to put up the file administratively .			
159	BRAHM ART COTTAGE	PLOT NO 342, F1E PATPARGANG INDL. AREA	05-07-2017		OFFSET PRINTING PRESS W/O TRADE EFFLUENT. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-03-2012 Authorisation Status Approved Authorisation Issue Date 23-05-2012 Authorisation Expiry Date 14-03-2017	1. ETP- No 2. BCS- No 3. D.G. Set- Nil 4. Trade Effluent Discharge- Nil 5. Domestic Trade Effluent- 80 L/day, disposed into public sewer. 6. Water Consumption- 100 L/day.	N/A	06-07-2017 Recommended for grant of Consent. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As per the committee decision the unit was inspected on 12.04.2018 and following were observed: 1. The unit was found in operation. Printing on paper was going on. At basement, one 4 color and 2 color printing press was found. However two pasting machine(one stand by) is found at ground floor. 2. Chemical such as technowash, font was being used for the printing purpose. 3. No proper management of Hazardous Waste under HW Rules. 4. Printing ink and oil are found spread around the printing presses. 5. One DG Set was found installed at G.F and the stack height of same was found inadequate.	16-05-2018 Issue show cause notice for refusal of consent/authorization. Also Issue show cause notice u/s 31(A) of Air Act and u/s 5 of EP Act.
160	SWARIUP MOTORS PVT. LTD.	186-187, F1E, PATPARGANG INDUSTRIAL	05-07-2017		AUTOMOBILE SERVICE AND REPAIRS (TWO	Orange Renewal	Non-SPI	HWM Application 1	1. ETP- No 2. BCS- No	- Noise Monitoring Report was submitted by DPCC on	06-07-2017 Recommended for	16-05-2018

		AREA		WHEELERS).			No.	3. D.G. Set- 63 KVA 4. Trade Effluent Discharge- 2700 L/day, disposed into public sewer. 5. Domestic Trade Effluent-450 L/day, disposed into public sewer. 6. Water Consumption- 2700 L/day.	26.05.2017 and all the parameters are within the prescribed limit as per the report.	Inspection.	Inspection be conducted.
				Automobile Servicing and Repair Station with Washing Activity			Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006			Remarks/ATR on 19-04-2018 The unit submitted its reply on 26.03.2018 stated that: 1. They start operating ETP regularly and discharges the waste water after proper treatment. 2. They also maintaining the HW Rules at site. 3. They stored waste oil in PVC Container and sent to Bharat Oil and grease. 4. They stores ETP sludge in leak proof plastic container.	
							HWM Application No. 2 Application Date 07-08-2006 Authorisation Status Pending			Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per decision put up in file a Show Cause Notice for refusal of authorization and Show cause Notice u/s 5 of EP Act were issued to the unit on 09.03.2018 and reply is still awaited.	
							HWM Application No. 3 Application Date 13-04-2011 Authorisation Status Approved Authorisation Issue Date 10-09-2012 Authorisation Expiry Date 12-04-2016				
							HWM Application No. 4 Application Date 05-07-2017 Authorisation Status Pending				
161	PURATAN RESTAURANT	SHOP NO 202 & 301, (2ND FLOOR & 3RD FLOOR), PLOT NO 4, GARG TRADE CENTRE, SECTOR-11, ROHINI	10-07-2017	RESTAURANT SERVICES Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 35 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		BCS: N/A ETP: (Biological type) capacity 5 KLD along with OGT (capacity 5 KLD) D.G.Set: 1 of 75 KVA capacity with Acoustic Enclosure Source of water supply: 3.5 KLD from other source of water Earlier, Consent to Operate was granted to the unit for the activity of Restaurant Services which expired on 17.05.2014.	Effluent analysis report issued by DPCC dated 06-07-2017 submitted and parameters are within prescribed limit. Noise monitoring report issued by DPCC Lab dated 04-07-2017 submitted parameters are within prescribed limit.	20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Unit has not submitted any reply w.r.t. the letter issued on 09.02.2018 regarding submission of photographs and details (size/dimensions) of ETP as per latest RESDC Policy.	16-05-2018 Issue reminder. If unit submits the requisite documents and found satisfactory, Consent to Operate granted.
162	JAGAN NATH & CO.	PLOT NO. A-28/C II, GALI NO. 4 (R), ANAND PARBAT INDUSTRIAL AREA	11-07-2017	JOB WORK OF RUBBER MIXING (RUBBER MOULDED GOODS). Rubber moulded goods excluding production of tyres and tubes (without	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. BCS - N/A	-	20-09-2017 -consent to operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE)	16-05-2018 Issue reminder for submission of report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.

					reclamation and devulcanisation of rubber)				3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		on 12-03-2018 -A letter regarding submission of report for VOC emission or SSI Registration was issued to the unit on 06.11.2017	
163	M. R. INDUSTRIES	PLOT NO 22/2, (OLD NO 9-12), ANAND PARBAT INDUSTRIAL AREA	11-07-2017		FORGING (POWER PRESS) Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI		Water consumption: 120 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - Stack attached to boiler (3)D.G.Set:N/A Status of Ground Water extraction :NIL Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1. Stack monitoring report: (a) Stack monitoring report of the Stack attached to boiler dated 05-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	20-07-2017 -Ask the unit to submit hard copy along with all requisite documents of the consent application. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of ambient noise monitoring report was issued to the unit on 08.11.2017. - A reply dated 28.11.2017 & 26.02.2018 was received from the unit along with photocopy of Noise Monitoring Report and also requested to grant Consent to Operate (Renewal).	16-05-2018 If parameters are within limit, Consent to Operate(Renewal) granted.
164	DANG ENGINEERING WORKS	29/29, GALI NO.6, NEW ROHTAK ROAD, ANAND PARBAT INDUSTRIAL AREA	12-07-2017		Mfg. of Rubber Auto Parts. Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	-	20-09-2017 -Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration has been sent to the unit on 08.11.2017. - A reply in this regard was received on 19.11.2017 along with the photocopy of MSME Registration Certificate. Unit has also requested to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.
165	PRABATH INDUSTRIES	PLOT NO A-43, GALI NO 7, ANAND PARBAT INDUSTRIAL AREA	12-07-2017		Mfg. of Rubber Parts Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	-	20-09-2017 -Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 -as per the decision letter regarding submission of report for VOC emission or SSI Registration was issued to the unit on 03.11.2017.	16-05-2018 Issue reminder for submission of report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
166	A&M DESIGN AND PRINT PRODUCTION	65, PATPARGANJ INDUSTRIAL AREA	14-07-2017		Printing without Trade Effluent Discharge. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved	1. ETP- No 2. ECS- No 3. DG Set-125 KVA 4. Domestic effluent discharge- 150L/D which is disposed through public sewer. 5. Trade effluent discharge- Nil 6. Source of water supply- Water/drinking water suppliers.	N/A	21-07-2017 Inspection to be conducted Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	16-05-2018 Expedite inspection.

								Authorisation 30-07-2004 Issue Date 2004 Authorisation 29-07-2006 Expiry Date 2006 HWM Application No. 2 Application Date 08-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-03-2012 Authorisation Status Approved Authorisation 29-05-2012 Issue Date 2012 Authorisation 19-03-2017 Expiry Date 2017 HWM Application No. 4 Application Date 17-07-2017 Authorisation Status Pending	7. Water consumption-250L/D for human use.			
167	HUO INDUSTRIES	PLOT NO.52, GALI NO. 30 (OPP. GALI NO.6), ANAND PARBAT INDUSTRIAL AREA	14-07-2017		MANUFACTURING OF RUBBER PARTS (RUBBER MOULDED GOODS). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SDN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	-	20-09-2017 Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Letter regarding submission of report for VOC emission or SSI Registration was issued to the unit on 08.11.2017.	16-05-2018 Issue reminder for submission of report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
168	ANGAD METAL	1/48B-504/A-3, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	19-07-2017		MANUFACTURING OF PRESSURE COOKER AND ALUMINUM UTENSILS WITH BUFFING Process Involving Buffing	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Yes 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day	N/A	18-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 03-05-2018 A letter was issued to the unit asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM	16-05-2018 Issue reminder for submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area on 16.03.2018. If unit submits the same and found in order, Consent to Operate be granted.

										regarding its location within the boundary of the notified redevelopment area on 16.03.2018 . A reply was submitted by the unit on 10.04.2018 stating that CTE has been issued for M/s Angad Metal on the same unit address on 18.10.2006 so consider the above fact and issue consent to Operate. As the consent committee held on 08.02.2018 inspection of the unit was carried out on 20.04.2018 and as follows: 1. The unit was found in operative condition. 2. Mfg. of aluminium cookers was being carried out by the unit. 3. As reported, aluminium circle is first spin in the spinning machine to give the desired shape and then bending m/c is used to give the bend to the utensil(cooking). 4. Ovaling of the cooker handle followed by punching of the handle. 5. Channelization is provided over the buffing section with cyclonic dust collector. The stack height of the duct attached to the dust collector is of adequate height. 6. Aluminium fine particles(during punching process) and aluminium cutting waste are sold to recyclers as informed by the person contacted. Huge amount of aluminium cutting waste found stored in the premises and not be sold for the past 3-4 months.		
169	KANWARJI RAJKUMAR	1972-73, CHANDNI CHOWK , CORNER GALI	17-07-2017		SWEETS, NAMKEEN AND SNACKS. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Refusal of consent decided on file and same has been refused on 06.04.2017. Direction for closure also issued on 06.04.2017. Unit was fined with imprisonment by the Court of additional Chief MM, Tia Hazari. Writ petition filed before high Court was dismissed as withdrawn on 09.05.2017. Unit has submitted that they have rectified the deficiencies and security bond of Rs. one lakh alongwith undertaking and requested for revocation of closure directions. Unit has again applied for consent to operate. Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- N/A 3. D.G. set-250 Plot Area- 27.87 sq mt Date of commencement- 01-01-1998 Status of Ground Water	Effluent analysis report - N/A Emission monitoring report -N/A Noise monitoring report - N/A	20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 .	16-05-2018 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017. Consent to Operate dated 08.07.2016 be made infructuous since unit has again applied for consent to operate afresh.

									Extraction-No 1. Water consumption-600 L/day. a) Source of water-DJB (copy of water bill submitted)			
170	A&M DESIGN AND PRINT PRODUCTION	65, PATPARGANJ INDUSTRIAL AREA	17-07-2017		Printing without Trade Effluent Discharge. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07- 2004 Authorisation Status Approved Authorisation Issue Date 30-07- 2004 Authorisation Expiry Date 29-07- 2006 HWM Application No. 2 Application Date 08-08- 2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-03- 2012 Authorisation Status Approved Authorisation Issue Date 29-05- 2012 Authorisation Expiry Date 19-03- 2017 HWM Application No. 4 Application Date 17-07- 2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set-125 KVA 4. Domestic effluent discharge- 150L/D which is disposed through public sewer. 5. Trade effluent discharge- Nil 6. Source of water supply- Water/drinking water suppliers. 7. Water consumption-250L/D for human use.	N/A	21-07-2017 Inspection to be conducted Remarks/ATR on 19-04- 2018 As per committee decision the unit was inspected on 21.03.2018 and following were observed: 1. The unit was found in operation in the activity of offset printing and plate making. 2. Plate making is being carried out on CTP(computer to plate) machine in which no water is being used for washing but after exposing the plate in exposer, the plate is developed through developing machine in which developing chemicals are used which are gumming chemical and 2nd one is developer which are as seen is recycled and only add up of these chemical to the developers carried out whenever required during job. 3. Hvy found stored in plastic drums. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	16-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
171	SHIVA INDUSTRIES (PROP. RAJINDER KUMAR)	1/488-S04/A-10, SHAHNARA INDUSTRIAL AREA (NORTH OF GT ROAD)	17-07-2017		FABRICATION OF FERROUS AND NON FERROUS METAL (ENGINEERING WORKS) WITH POWDER COATING WITHOUT PHOSPHATING Powder Coating without phosphating Light Engineering work	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Yes 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day - Show Cause Notice was issued to the unit on 25.02.2017.	N/A	18-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 03-05-2018 A reply was submitted by unit on 07.11.2017 stating that CTS has already been granted by DPCC for the said premises vide Consent No.	16-05-2018 Issue reminder for submission of certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. If unit submits the same and found in order, Consent to Establish and Consent to Operate granted.

											16561 dated 25.08.2006 in the prop. name of Rajinder Kumar valid upto 24.08.2007. Therefore Consent to Operate was filed in the name of Shiva Industries (Prop. Rajinder Kumar) vide ID No. 23038 dated 08.08.2007. M/s Shiva Industries (Prop. Rajinder Kumar) and M/s Rajinder Kumar are the same firm at the same premises. Therefore they are requesting to consider CTE as the proof of location of the premises in the boundary of the notified redevelopment area. And hence they are requesting to consider the above facts.	
172	HOTEL LAXMI PALACE	A-150-151, ROAD NO-4 MAHIPALPUR, EXTN.	18-07-2017		guest house Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJS Water Consumption: 5000 Litres/ Day Status of ground water extraction: yes (water cess paid) MCO license: Yes(Valid Upto 31/03/2018) Fire Safety Certificate : Yes (issued on 02/01/2018) Status of Pollution Control System (1)ETP - Installed (2)ECB - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 83 KVA installed. an inspection was carried out by DPCC officials, during inspection following observation were made: a) unit found engaged in activity of hotel having 21 rooms. b) ETP under installation.	Effluent analysis report: a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 83 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCO and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
173	MAHATTA TOWERS PVT LTD	STAR CITY, 01A, MAYUR PLACE, MAYUR VIHAR PH-1 EXTN.	19-07-2017		COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		1. ETP- yes, of design capacity 2100 L/D 2. ECB- No 3. DG Set- 4, of capacity 390,910,910,990 KVA 4. Domestic effluent discharge- 180L/D which is disposed through sewer. 5. Trade effluent discharge- 20000L/D which is disposed through sewer. 6. Source of water supply- Borewell. 7. Water consumption-20180 L/D .	Noise Monitoring Report has been submitted by DPCC on 21-03-2018 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent has been submitted by DPCC on 03-03-2017 and all the parameters are within the prescribed limit as per the report.	21-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 28-03-2018 Show Cause Notice for refusal of consent and Show Cause Notice u/s 31 (A) of Air Act and 33(A) of Water Act was issued to the unit on 16.03.2018. The reply from the unit has been received on 21.03.2018 stating they have rectify all the deficiencies observed during the inspection conducted on 29.01.2018.	16-05-2018 Inspection be conducted.
174	HOTEL ARCH	A-74,85 GALI NO. 6 ROAD NO.4 MAHIPALPUR, EXTN	19-07-2017		guest house Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated 17-10-2017 issued by	(a) Effluent analysis report dated 17-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	16-05-2018 .	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat

				(excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler				DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :NO SCN u/s 31(A)/33(A)/5 of EPA details :NO Closure directions u/s 31(A)/33(A)/5 of EPA details :NO	(b.) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCO and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.	
175	ANKIT POLYMERS	T-2/160, PHASE-I, MANGOLPURI INDUSTRIAL AREA	21-07-2017	MPG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - No (2)ECS - Yes (Stack attached with boiler) (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A): No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Emission Monitoring report - Yes Within limit-yes	10-08-2017 Consent to Operate may be granted. Remarks/ATR on 15-05-2018 A letter seeking compliance report w.r.t. the directions issued for switching over to clean fuel i.e Piped Natural Gas (PNG) was issued to the unit on 02.05.2018. No reply is received so far. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 In response of letter issued, unit submitted the MSME certificate. Direction u/s 31(A) of the Air Act for switching over to clean fuel i.e Piped Natural Gas (PNG) issued to the unit on 04.12.2017. No reply received in this regard so far.	16-05-2018 Consent to Operate granted.
176	KAMLESH POLYMERS	T-4/67, PHASE-I, MANGOLPURI INDUSTRIAL AREA	21-07-2017	MPG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - No (2)ECS - Yes, Stack attached with boiler (3)D.G.Set -Nil. Status of Ground Water extraction- Nil Source of Water- 350 L per day, Source-Others Status of Inspection - No SCN u/s 31(A)/33(A)- No Closure directions u/s 31(A)/33(A)/5 of EPA details- No	Emission Monitoring report - Yes, Within limit-yes	10-08-2017 Hard copy of Authorization letter is not submitted however soft copy is uploaded but in soft copy Fathers name is not matching with undertaking and other document submitted by the applicant. Recommendations - A letter may be issued to submit the hard copy of original authorization letter and applicant should clarify his	16-05-2018 Case deferred. If unit submits the same and found in order, consent to operate granted.

										Fathers name and further submit the Undertaking accordingly.		
										Remarks/ATR on 15-05-2018 A reminder for submission of VOC parameter or SSI/MSME Registration was issued to the unit on 02.05.2018. Also a letter seeking compliance report w.r.t. the directions issued for switching over to clean fuel i.e Piped Natural Gas (PNG) was issued to the unit on 02.05.2018. No reply is received so far. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 In response of letter issued, unit submitted its reply and requested for 30 days for submitting the documents. Direction u/s 31(A) of the Air Act for switching over to clean fuel i.e Piped Natural Gas (PNG) issued to the unit on 04.12.2017. No reply received in this regard so far.		
177	S P ENTERPRISES	631 RZ BLOCK,ANAND PARVAT IND AREA	22-07-2017		Mfg. of Rubber oil seals Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. BCS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/S of EPA details : no Closure directions u/s 31(A)/33(A)/S of EPA details : no	-	20-09-2017 -Consent to operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration has been sent to the unit on 03.11.2017. - In this regard unit submitted a reply on 20.11.2017 along with photocopy of MSME Registration Certificate and also requested to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.
178	HARKRISHAN AUTO INDUSTRIES	PLOT NO. 51/1A, GALI NO 13, ANAND PARBAT INDUSTRIAL AREA	29-07-2017		Mfg. of Rubber oil seal/mixing of rubber. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. BCS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/S of EPA details : no Closure directions u/s 31(A)/33(A)/S of EPA details : no	-	20-09-2017 -Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Unit submitted a reply on 06.10.2017 along with photocopy of MSME Registration Certificate and also requested to grant Consent to Operate (Renewal).	16-05-2018 Consent to Operate(Renewal) granted.
179	BALDEO METALS PVT LTD	M-15, NEW MANDOLI INDUSTRIAL AREA, SABOLI, SHANDARA,	31-07-2017		Wire Drawing (without Pickling/ Galvanizing)	Orange Operate	Non-SPI		1. ETP - Yes 2. BCS - Yes 3. D.G.Set: Yes	N/A	17-08-2017 Ask the unit to submit proof in original from Department	17-05-2018 Expedite inspection.

					Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)				4. Water Consumption : NIL 5. Domestic Trade Effluent : NIL		of Industries that the unit falls under the location of the notified redevelopment area. Remarks/ATR on 17-05-2018 In response to the SCN issued to the unit, the unit submitted representation dated 22.03.2018 along with the certificate, in original, from Industries Department / SDH regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit. However the unit has not given proof of Display board. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 18/03/2018. Inspection yet to be conducted.	
180	MILLION DOLLAR (A UNIT OF PARAM HOSPITALITY)	G-51,GF, KRISHNA APRA BUISNESS SQUARE,NETAJI SUBHASH PLACE,PITAMPURA	31-07-2017		EATING HOUSE 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 26 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Unit has not submitted hard copy of consent application.		08-08-2017 Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 Show cause notice for refusal of consent was issued on 17.10.2017 and unit has submitted its reply on 13.11.2017 and the same found in order.	16-05-2018 Inspection be conducted.
181	GLOBUS MOTOCORP (P) LTD	B-31, JHILMIL INDUSTRIAL AREA, BEHIND JHILMIL METRO STATION	01-08-2017		Servicing and Repair of Auto mobile/ Cars Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-08-2017 Authorisation Status Pending	(1)ETP - No (2)ECS - Suction hood with stack on Pit furnace (3)D.G.Set Noise Report : NIL (4) Water Consumption: 1200 L/ Day Source: Tanker (5) Domestic Effluent Discharge - 100 L/ day (6) Trade Effluent Discharge- 1000 L/ Day - Show Cause Notice u/s 33 (A) of Water Act, 1974 was issued to the unit on 25.04.2017. - The reply of the unit was received on 25.05.2017 to withdraw the issued show cause notice.	- Analysis of Water Effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed limit.	09-08-2017 Recommendation for inspection. Remarks/ATR on 16-05-2018 As decided by Competent Authority SCN for refusal of Consent, SCN for refusal of Authorization , SCN u/s 5 of EPA and SCN u/s 31 (a) of Air Act and SCN u/s 33(a) of Water Act was issued to the unit on 07.05.2018 . No reply received till date. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 The inspection of the unit was conducted by the officials of DPCC on 10.03.2017 and following were the observation : 1.The unit was found in operation. Servicing of vehicles was going on. 2. ETP was found installed consist of collection tank, tube settler, two filters, clear water tank. Sludge drying bed was not found installed.	16-05-2018 Case deferred.

										No flock was seen in the plant indicating defunct condition of the ETP . Strength of the chemical was not strong. 3. Stack attached to paint booth shop was inadequate. 4. D.G. set of 62.5 KVA was installed and the stack attached to the same is inadequate. D.G. set report was not mentioned in the application. 5. The unit has not applied for PhdG. 6. Paint booth shop was not mentioned in the application. 7. Hll was not found stored as per the rule and waste oil, sludge was not shown and as per the person informed the same is sold to vendor but proof was not shown.	
182	HOTEL AERO FLY	KHASRA NO-386 ROAD N-02 MAHIPALPUR	02-08-2017	Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)BCS: N/A (3)D.G.Set: 1 DG set of 62.5 KVA - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, unit found non-operational.	- Effluent analysis report: a) Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: Nil	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
183	SAURABH METALS	M-13, VISHNU GALI, NEW MANDOLI INDUSTRIAL AREA	04-08-2017	MANUFACTURING OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Cyclone ant wet scrubber) 3. D.G Set- 25 KVA 4. D.G Set Test Report- Yes 5. OHS- Not Installed. 6. Proof prior to 2007- Rent agreement of 2003. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : LDO	Emission monitoring report was submitted on 01.08.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 12.07.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 08/02/2018, letter was issued to the unit on 07/03/2018 asking the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate etc. Inspection yet to be conducted.	16-05-2018 Expedite inspection. Also issue reminder.
184	THREE R SURYA AUTO	PLOT NO.7/8, GALI NO.7,	09-08-2017	Mfg. of Auto Parts	Green	Non-SPI		Status of Pollution Control	-	13-09-2017	16-05-2018

	PARTS	ANAND PARBAT INDUSTRIAL AREA			Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Operate			System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set- N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		Consent to Operate granted.
185	SAREEN ENGG. WORKS	PLOT NO 52/11 D-1, GALI NO 16, ANAND PARBAT INDUSTRIAL AREA	08-08-2017		Rubber Mixing and Mfg of Rubber Parts Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Water consumption: 100 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set - N/A -An inspection was carried out by representatives of DPCC on 31.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of rubber mixing & manufacturing of rubber parts. 2. No D.G set found installed within the premises. 3. Unit is non-water polluting therefore no ETP found installed. 4. Channelization with hood 7 suction system provided for the emission having 3 meter stack height above roof level. 5. Applied CTO on 08.08.2017.	01-09-2017 -Unit has submitted hard copy of CTO (R) application. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 -as per the decision letter regarding submission of report for VOC emission or SSI Registration was issued to the unit on 08.11.2017. -Unit has submitted a reply on 28.11.2017 along with MSME registration certificate and requesting to grant consent to operate (renewal).	17-05-2018 Consent to Operate(Renewal) granted.
186	A.I. ENTERPRISES	J-18, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA	10-08-2017		Copper Wire Drawing only Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-08-2005 Authorisation Status Pending HWM Application No. 2 Application Date 01-09-2009 Authorisation Status Approved Authorisation Issue Date 27-10-2009 Authorisation 26-10-	N/A	14-09-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 03-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

								Expiry Date 2011				
								HWM Application No. 3 Application Date 10-08-2017 Authorisation Status Pending				
187	HOTEL TOURIST PALACE	A-385, ROAD NO.2, MAHIPALPUR, EXTN.	10-08-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption: 3000 Litres/ Day Status of ground water extraction: yes (water cess paid) MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - Installed (2)BCS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 82.5 KVA installed.	1. Effluent analysis report: a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
188	HINDUSTAN ENTERPRISES	KH. NO. 29, BALAJI GALI, SABOLI, NEW MANDOLI INDUSTRIAL AREA	14-08-2017		Mfg. of PVC and LD Granules without washing (Using Scrap Material) Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not Installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Nil	Emission monitoring report was submitted by DPCC on 19.06.2017, in which the parameters are within the prescribed limit.	14-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name and address of the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision, SCN for refusal of consent was issued to the unit on 23.04.2018.	17-05-2018 Case deferred.
189	SHREE SHYAM JEE INDUSTRIES	KHASRA NO. 16/9/1 AND 16/10, NEW MANDOLI INDUSTRIAL AREA,	14-08-2017		MANUFACTURING OF COPPER RE ROLLING MILL Copper / Aluminium Re-Rolling Industry(Folds and Strips Etc.) with Capacity less than 25MT/Day	Green Establish	Non-SPI		1. ETP -No 2. BCS - No 3. D.G.Set: Nil 4. Water Consumption : 40 L/day 5. Domestic Trade Effluent : 20 L/day	N/A	17-08-2017 Recommended for grant of CTE. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	17-05-2018 Case deferred.
190	JAIN METALS	KHASRA NO.-53, VILLAGE SABOLI RADHA VIHAR, NEW MANDOLI REDEVELOPMENT AREA	15-08-2017		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Ventury Wet Scrubber) 3. D.G Set- No 4. D.G Set Test Report- No	Emission monitoring report was submitted on 17.07.2017 by DPCC and all the parameters are within the prescribed limit.	14-09-2017 Ask the unit to submit hard copy of the online application. Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit	17-05-2018 Expedite inspection.

									5. OMS- Not Installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke.		within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 15/03/2018. Inspection yet to be conducted.	
191	HOTEL AIRPORT PALACE	A-33 ROAD NO. 2, MAHIPALPUR EXTN.	16-08-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption: 4000 Litres/ Day Status of ground water extraction: yes (water cess paid) HCO License: no Fire safety Certificate: no Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : N/A -An inspection was carried out by DPCC, officials on 13.09.2017, during inspection unit found non-operational	1. Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
192	P.C.INDUSTRIES	PLOT NO 48/48, GALI NO.6, NAI BASTI, ANAND PARBAT INDUSTRIAL AREA	19-08-2017		rubber sheet, rubber mixing. Rubber goods industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Source of Water: 50 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		04-09-2017 Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration has been sent to the unit on 08.11.2017. - In this regard unit submitted a reply on 26.02.2018 along with photocopy of MSME Registration Certificate and also requested to grant Consent to Operate (Renewal).	17-05-2018 Consent to Operate(Renewal) granted.
193	NL-7 INDIA	535, FIB PATPARGANJ INDUSTRIAL AREA	21-08-2017		MPG, OF WOVEN AND PRINTED LABELS WITH LAMINATION (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-07-2012 Authorisation Status Approved Authorisation Issue Date 31-08-2012 Authorisation Expiry Date 09-07-2017 HWM Application No. 2	1. ETP- No 2. ECS-No 3. DG Set- No 4. Trade Effluent- Nil 5. Domestic Effluent-100L/D and its mode of disposal is sewer 6. Water Consumption-150L/D and its source purchases water	N/A	14-09-2017 Recommended for inspection. Remarks/ATR on 27-04-2018 An inspection of the unit was conducted on 25.04.2018 and following were observed: 1.The unit was found in operation in the activity of making labels of polyester and paper besides screen printing. 2. No HW and record of HW found stored and maintained. Two 50 L plastic drums were found stored in passage at basement working area for	17-05-2018 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act.

								Application Date 21-08-2017 Authorisation Status Pending			HW storage but no HW found stored. 3. 2nd floor and portion of basement, G.F reportedly rented out. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	
194	SHREE SHYAM JEE INDUSTRIES	KHASRA NO. 16/9/1 AND 16/10, NEW MANDOLI INDUSTRIAL AREA,	21-08-2017		MANUFACTURING OF COPPER RE ROLLING MILL Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Green Operate	Non-SPI		1. STP - No 2. BCS - No 3. D.G.Set: Nil 4. Water Consumption : 40 L/day 5. Domestic Trade Effluent : 20 L/day	N/A	14-09-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	17-05-2018 Case deferred.
195	KUMBHAT METAL INDUSTRIES	B-25/2, JHLMIL INDUSTRIAL AREA, DELHI-110095	29-08-2017		COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-08-2017 Authorisation Status Pending	1. STP- No 2. BCS- No 3. DG Set - No. 4. Domestic effluent discharge- 80 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 100 L/D whose source is outside .	N/A	14-09-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved in the consent committee inspection of the unit was conducted on 10.03.2018 and following were observed: 1. The unit was found in operation. Copper work was going on. Copper wire of diameter 16 mm is drawn max to 0.28 mm diameter. 2. Hazardous waste was not found maintained as per rule. 3. Oxidation was done by using soap powder.	17-05-2018 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act.
196	GENERAL FORGINGS	P-5, GALI NO.10, ANAND PARBAT INDUSTRIAL AREA	29-08-2017		STEEL FORGING OF AUTOMOBILE PARTS (EXCEPT PNEUMATIC HAMMER AND MORE THAN 4 T HAMMER) Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI		water consumption: 50 litres/day Status of Pollution Control System (1)STP - N/A (2)BCS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/S of EPA details : no Closure directions u/s 31(A)/33(A)/S of EPA details : no	1. Stack monitoring report : (a) Stack monitoring report dated 16-08-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-09-2017 - Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection is yet to be conducted.	17-05-2018 Expedite inspection.
197	ADWAY PRINT CONCEPT PVT. LTD.	A-23, JHLMIL INDUSTRIAL AREA	29-08-2017		Paper Printing without trade effluent Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-08-2017 Authorisation Status Pending	1. STP- No 2. BCS- No 3. DG Set - One, of capacity 63 KVA installed. 4. Domestic effluent discharge- 800 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil.	N/A	14-09-2017 Recommended for inspection. Remarks/ATR on 16-05-2018 -	17-05-2018 Inspection be conducted.

[illegible]

											waste water evaporator in steam generator through LPG fuel gas, and total waste water generated very small quantity 8 - 10 Liters in a day including ink paints or Gum paint or screen paints etc. 3. They have raised the printing ink drying air channelization duct on the top floor of building. (photo enclosed). 4. In view of all this they have said they have rectified all the deficiencies observed during inspection, so withdraw the SCN as early as possible.	
198	ASSOCIATES PACKAGING	D - 1555, DSIIIC, NARELA, INDIA, AREA, DELHI - 110040	31-08-2017		PRINTING PRESS Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI		Brief of the cases Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 01.04.2016 Status of Ground Water Extraction-No 1. Water consumption-110 L/day Source-PNC (Bill submitted) Inspection status- No	Status of Test Report Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-10-2017 Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 Inspection is yet to be conducted.	17-05-2018 Expedite inspection.
199	PALOMINO-A UNIT OF A V K HOSPITALITY	11, GROUND FLOOR, FIRST FLOOR, JAGRITI ENCLAVE, DELHI	31-08-2017		eating house Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/SB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		1. ETP- No Oil and Grease trap - Yes, of design capacity 1000 L/D. 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 800 L/D which is disposed through sewer. 5. Trade effluent discharge- 900 L/D which is disposed public sewer through sewer. 6. Water consumption- 1200 L/D whose source is Tanker .	N/A	14-09-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
200	JUGAL TARA MARF. CO. PVT. LTD.	2/359, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA	05-09-2017		MANUFACTURING OF PRESSURE COOKER, RUBBER PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI	HWM Application No. 1 Application Date 22-07-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004 Authorisation Expiry Date 30-09-2006 HWM Application No. 2 Application Date 13-10-2006 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 150 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 500 L/D whose source is outside .	N/A	14-09-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
201	BHAGWATI METAL CO.	KH. NO-25, NEAR POLE	05-09-2017		PULVERIZER OF	Orange	Non-SPI		1. ETP- N/A	Emission monitoring report	14-09-2017	17-05-2018

		NO.-205/52, PREM NAGAR CHOWK, NEW MANDOLI IND. AREA			ALUMINIUM DROSS AND CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Operate			2. BCS- Yes (Ventury Wet Scrubber) 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke.	was submitted on 01.08.2017 by DPCC and all the parameters are within the prescribed limit.	Ask the unit to submit hard copy of the online application. Ask the unit to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. The unit was sealed in the sealing drive for the PGC order compliance as the name of the unit was listed in 103 list. The unit was de-sealed and the unit has applied for consent after that.	Case deferred.
202	PAUL MANUFACTURING COMPANY	C-278, PH-II, MAYAPURI INDUSTRIAL AREA	11-09-2017		Manufacturing of Baby Nipples and Feeding Bottles. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity) Plastic Processed Goods	Green Establish	Non-SPI		Status of Ground Water extraction : Nil Status of Pollution Control System 1)ETP -N/A (2)BCS - N/A (3)D.G.Set : N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	-	13-09-2017 - Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	17-05-2018 Expedite inspection.
203	HOTEL INDIA (A UNIT OF AYUSHI INDIA HOLDING PVT. LTD)	691, BAGH DIWAR, QUEENS GARDEN,	12-09-2017		Guest House 22 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	-	13-09-2017 - Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 -	17-05-2018 Consent to Establish granted.
204	AIRPORT HOTEL CAPITAL	L-354-A, MAHIPALPUR EXTN. NEAR VIJAYA BANK	16-09-2017		HOTEL/GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Water consumption: 6000 litre/day Status of ground water extraction:Nil MCD License: yes (valid up to 31.03.2018) Fire safety Certificate: Yes (Issued on 30.11.2017) Status of Pollution Control System	Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within limit - Yes noise monitoring report: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-11-2017 issued by DPCC submitted. Noise	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house

								(1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA. Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	monitoring report within Limit - Yes		who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.	
205	PRITIKA OFFSET PRINTERS	A-21/27 , NARAINA INDUSTRIAL AREA PH-2	20-09-2017		OFFSET PRINTING (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPE	HWM Application No. 1 Application Date 27-01- 2009 Authorisation Status Pending HWM Application No. 2 Application Date 28-10- 2011 Authorisation Status Approved Authorisation Issue Date 03-09- 2012 Authorisation Expiry Date 24-10- 2016 HWM Application No. 3 Application Date 20-09- 2017 Authorisation Status Pending	water consumption: 200 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		21-09-2017 consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection yet to be conducted.	17-05-2018 Inspection conducted and unit is complying HW Rules. Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
206	RAJVAIDYA SHITAL PRASAD & SONS	285, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	23-09-2017		MANUFACTURING OF AYURVEDIC MEDICINES. Medicines / Pharmaceutical Formulation- with Boiler	Orange Renewal	Non-SPE	HWM Application No. 1 Application Date 18-08- 2006 Authorisation Status Pending HWM Application No. 2 Application Date 26-06- 2014 Authorisation Status Pending	1. ETP- Yes, of design capacity 1000 L/D. 2. ECS- Stack attached to Furnace and Boiler. 3. DG Set- 3 no.s of 20 KVA, 30 KVA and 82.5 KVA respectively Installed. 4. Trade Effluent-450 L/D. 5. Domestic Effluent-450 L/D and its mode of disposal into Sewer. 6. Water Consumption- 1000 L/D and its source purchase water.	Noise Monitoring Report was submitted by DPCC on 31.07.2017 and all the parameters are within prescribed limit as per report. Stack Monitoring Report was submitted by DPCC on 01.08.2017 and all the parameters are within prescribed limit as per report. Analysis Report of water effluent was submitted by DPCC on 20.07.2017 and all the parameters are within prescribed limit as per report.	13-10-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to e conducted.	17-05-2018 Expedite inspection.

207	SHRI KRISHNA METAL	KHASRA NO. 12/10-16, 12/20-22, NEW MANDOLI INDUSTRIAL AREA,	27-09-2017		MANUFACTURING OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Stack attached to Cyclone and Wet scrubber 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2003. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Diesel	N/A	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 08/02/2018, letter was issued to the unit on 07/03/2018 asking to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, display board, OLMS etc.	17-05-2018 Case deferred.
208	WESTEND INN	389/2/2-415, NH-8, NEAR SHIV MURTI, RANGPURI EXTN. BLOCK-A, NEW DELHI-110037	28-09-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A Fire Safety License: Not applicable as per Fire Department letter dated 10.03.2017 (Copy provided) MCD License: Valid upto 31.03.2018 (as per reply dated 12.04.2018) Status of Pollution Control System (1)ETP: Installed (2)BCS: N/A (3)D.G Set: Unit has 1 D.G. set of 125 KVA. -Closure Direction u/s 31 (A) & 33 (A) issued to the unit on 31.05.2017. Meanwhile an ATR was received from Tehsildar (Vasant Kunj) on 19.06.2017. -An inspection was carried out by DPCC, Officials on 25.07.2017, during inspection following observations were made: 1. During inspection unit found non-operational, as the closure direction was issued on 31.05.2017. 2. Effective compliance w.r.t closure direction not observed by the concerned authorities. 3. Unit has applied CTE on 03.01.2017. 4. No Rain water harvesting system was exists within the premises -Unit submitted a reply on	- Effluent analysis report: a). Effluent analysis report dated 05-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes - Noise monitoring report: Not provided	26-04-2018 - The unit mistakenly choose South West district but the area comes under New Delhi.	17-05-2018 Case deferred.

								07.06.2017 and informed that they are not doing any commercial activity till the installation of STP is completed for which they requested to grant 01 month time. They also requested to cancel the order of sealing their premise. - Unit again submitted a reply on 07.09.2017 and informed that they have submitted the Environmental Compensation Security of Rs. 2,00,000 along with and undertaking as per the office order dated 02.08.2017 and they also informed that they have applied CTE application but they are unable to deposit online fees due to some DPCC website problem. - A letter for restoration of power supply, water supply and de-sealing of the unit was issued on 10.10.2017 as per office order dated 02.08.2017. - As per decision taken in the file by Competent Authority, a Show cause notice u/s 5 of the Environment (protection) Act was issued to the unit on 28.03.2018 to explain the details of Plot area, built up area, effluent discharge and occupancy capacity etc. and also about the operation of the unit without obtaining Environmental Clearance which is prerequisite condition under EIA notification. -Unit submitted its reply on 12.04.2018 and provided the following information: Plot area is 35,000 sq. ft and built up area is 11935 sq ft. Occupancy-36 rooms and also informed that they do not qualify the criteria for taking Environmental Clearance.			
209	SHANTI ENTERPRISES	A-124, PHASE-II, MANGOLPURI INDUSTRIAL AREA	28-09-2017		MANUFACTURING OF MICROCELLULAR SHEETS	Green Operate	Non-SPI	1. STP - N/A 2. BCS - Stack attached to thermic fluid boiler 3. O.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source-DJB 6. Status of inspection - Nil 7. SON u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): Test reports within norms (Issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	13-10-2017 Unit has not submitted SSI registration or VOC emission report. Also hard copy of documents not submitted. Remarks/ATR on 15-05-2018 A reminder for submission of VOC parameter or SSI/MSME Registration was issued to the unit on 02.05.2018. Also a letter was issued to the unit seeking compliance report w.r.t. the directions issued for switching over to clean fuel i.e. Piped Natural Gas (PNG) was issued to the unit on 02.05.2018. No reply is received so far. Recommendation / Action	17-05-2018 Case deferred. If unit submits the same, Consent to Operate(Renewal) be granted.

											Taken Details (EE/AEE) on 26-04-2018 Direction u/s 31(A) of the Air Act for switching over to clean fuel i.e. Piped Natural Gas (PNG) issued to the unit on 04.12.2017. Inspection of the unit carried out on 16.04.2018 and following was observed: -Unit found in operation and engaged in the activity of mfg. of Eva Sheets(Micro cellular sheets) -Unit having 2 bending machines, 1 Hydraulic press and 2 raw processing machine. -Unit having 1 boiler with inadequate stack height. Diesel is used as a fuel. A letter was issued to the unit on 05.02.2018 for the submission of documents regarding the monitoring report VOC parameter or certificate from Industries Department regarding SSI unit. Unit submitted the reply in response of letter that unit request for 20 days time period for the submission the document.	
210	JHANZI EXPORTS PVT. LTD.	C-32, OKHLA INDUSTRIAL AREA, PHASE-I	28-09-2017		Manufacturing OF LEATHER GARMENTS WITH POLISHING.	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP --- N/A (2)BCS - N/A Stack monitoring report dated 19-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Yes SCN u/s 5 of EPA details : Yes Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report dated 19-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Unit has submitted fresh Consent to Operate for the activity of Manufacturing of Leather Garments with Polishing with Oil Fired Tumbler. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, inspection of the unit was carried out by the Officials/Representatives of DPCC on 02.05.2018 and following observations were made: -Unit found in operational and engaged in the activity of Mfg. of leather garments, with polishing with oil fired tumbler (without trade effluent discharge). -Unit provided channelisation system with exhaust fan with spray painting process, with adequate stack height. -Unit is complying with provisions of HWM Rules, 2016. -Unit is having 1 DG Set (62.5 KVA) with acoustic enclosure with stack height 2m above the acoustic enclosure.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

17-05-2018

211	SHAKUNTALAM GARDEN	KH. NO 45/11-12-38 VILLAGE BAKOLI BAKHTAWARPUR ROAD	03-10-2017		FARM HOUSE (A PARTY LAWN). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. BCS- N/A 3. D.G. set- N/A Plot Area- 3243 sq mt Date of Establishment/ Commencement- 2007 Status of Ground Water Extraction-No 1. Water consumption- 350 L/day Source- Outside (Bill not submitted)	Effluent Analysis Report- submitted on 08.08.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 Remarks/ATR on 13-03- 2018 Prescribed norms mentioned in the test report issued by DPCC for outlet of ETP is for sewered area. However, unit (Party Lawn) is located in unsewered area. Thus, not meeting the norms w.r.t. TSS.	Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act for closure of the unit.
212	NEW GREEN GARDEN (A UNIT OF VIJAY FOOD CATERS)	369, 370/2, NH-8, VILLAGE- RANGPURI, NEAR SHIV NURTI	03-10-2017		LAWN FOR MARRIAGE PARTY. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 7000 litre/day source of water: tankers Status of ground water extraction: Nil -An inspection of the unit was carried out by DPCC Officials 21.01.2017. During inspection various discrepancies were observed. -A SON u/s 31 (A) and 33 (A) was issued to the unit on 06.02.2017. -Unit has not submitted any reply w.r.t Show Cause Notice. -Closure Direction u/s 31 (A) and 33 (A) was issued to the unit on 30.03.2017. Unit submitted a reply on 06.07.2017 and informed that they have installed the ETP (photos provided) and requested to revoke the closure direction. It is also informed by them that they have applied CTE and will apply CTO after getting their effluent analysis report. -An inspection of the unit was carried out by DPCC Officials o 25.07.2017. During inspection of these units following observations were made: I. During inspection unit found non-operational. II. After closure direction issued on 30.03.2017 no function/booking was taken by the unit. III. Unit has applied Consent to Establish (CTE) in the name of M/s New Green Garden (A unit of Vijay food caters) on 29.09.2017. IV. Effective closure/compliance w.r.t closure direction issued to the unit not observed, no action taken by the concerned authorities. V. No Rain water harvesting system was exists within the	- Effluent analysis report dated 20-09-2017 issued by DPCC submitted. Effluent Test Report within prescribed standards - Noise monitoring report dated 28-09-2017 issued by DPCC submitted. Noise monitoring report within prescribed standards	26-04-2018 .	17-05-2018 Case deferred.

									premises - In the line of DPCC policy for withdrawal of directions unit submitted a reply on 11.08.2017 along with Environment Compensation Security of Rs. 2,00,000/- with an undertaking as per office order F.No. DPCC/CMC-1/Revocation/2017/1323-1333 dated 02.08.2017. After directions, unit inspected & found non-operational. - a letter for restoration of power supply, water supply and resealing of the unit was issued on 04.09.2017 as per office order dated 21.08.2017. - Again an inspection of the unit was carried out by DPCC Officials on 19.09.2017. During inspection unit was found non-operational. - As per decision taken in the file by Competent Authority, a Show cause notice u/s 5 of the Environment (protection) Act was issued to the unit on 28.03.2018 to explain the details of Plot area, built up area, effluent discharge and occupancy capacity etc. and also about the operation of the unit without obtaining Environmental Clearance which is prerequisite condition under EIA notification.			
213	JAIN PLASTIC PRODUCTS	PLOT NO- 485-A/10-A, DILSHAD GARDEN, NORTH OF G.T. ROAD, SHAHDARA INDUSTRIAL AREA	06-10-2017		MANUFACTURING OF POLYPROPYLENE BAGS (WITH PRINTING) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2017 Authorisation Status Pending	1. ETP- No. 2. BCS- No. 3. DG Set- No. 4. Trade Effluent- Nil. 5. Domestic Effluent- 20 L/D and its mode of disposal into Sewer. 6. Water Consumption- 80 L/D and its source can Supplier.	N/A	13-10-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided by Competent Authority a letter was issued to the unit on 26.07.2017 regarding applying for registration in plastic and unit has registered for Plastic on 17.08.2017. And whereas inspection of the unit was conducted by officials of DPCC on 20.04.2018 and following were the observation : 1. The unit was found engaged in the activity of mfg of polypropylene and low density plastic packaging material i.e PP and LD bags without D . Reportedly being used for packaging of garment , baking material and baby walker. 2. At first fresh PP and LD granules were found being used as raw material. As informed and as on depend secondary PP and LD granules were also for making above said items. 3. The unit also doing	17-05-2018 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act.

												flexographic printing on the said PP and LD packaging material as required by the party. 4. No management of HW was seen as informed by the proprietor that at present the entire HW being disposed through common garbage picker. 5. The waste and discarded plastic packaging material being sold to the kabadiwala for recycling purpose. 6. As informed by the proprietor that they have two firms , the name of other firm namely M/s Sony International and both the firms doing same activity and make alternate bill for each sale.	
214	PRATEEK POLY PRINT	PLOT NO-87, POCKET-F, SECTOR-1, OSIIDC, BAWANA INDUSTRIAL AREA	06-10-2017		ROTO GRAVURE PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Roto and Flexo Printing without trade effluent discharge Plastic Processed Goods	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2017 Authorisation Status Pending	Hardcopy not submitted.		13-10-2017 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Unit was inspected and found that unit engaged in the activity of Roto and Flexo Printing mainly for Bread Packing material. HWM Rules are complied with. No Water polluting activity observed.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.	
215	TANUJ PROCESS	A-21/27 NARAINA INDUSTRIAL AREA PHASE - II	09-10-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006 HWM Application No. 2 Application Date 09-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 21-10-2011 Authorisation Status Pending	Status of Ground Water extraction : Nil Water consumption : 200 Liters/Day Source of Water : Municipal Authority Status of Pollution Control System 1. ETP : N/A 2. BCS : N/A 3. O.G.Set : No - Hard copy of the application not submitted.		13-10-2017 - Unit may be asked to submit hard copy of the application along with documents, and also inspection may be conducted for verifying g hazardous activity. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection yet to be conducted.	17-05-2018 Inspection conducted and unit is complying with HW Rules. Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	

								HWM Application No. 4 Application Date 09-10-2017 Authorisation Status Pending				
216	ASHOKA ROLLS MANUFACTURERS PRIVATE LIMITED	21, BALI NO.3, LOHI ROAD, JAWAHAR NAGAR INDUSTRIAL AREA	10-10-2017		Rubber Coating on Rollers Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler Light Engineering work	Orange Operate	Non-SPI		1. ETP- No. 2. ECS- Stack attached to Boiler. 3. DG Set- 1nos of 250 KVA installed. 4. Trade Effluent- Nil. 5. Domestic Effluent-800 L/D and its mode of disposal into Sewer. 6. Water Consumption- 11000 L/D and its source is Borewell.	Noise Monitoring Report was submitted by DPCC on 09.08.2017 and all the parameters are within the prescribed limit as per the report. Emission Monitoring Report was submitted by DPCC on 04.09.2017 and all the parameters are within the prescribed limit as per the report	13-10-2017 Inspection may be Conducted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, letter was issued to the unit on 07/03/2018 asking the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate and deficiencies including VOC or SO ₂ registration certificate etc.	17-05-2018 Case deferred.
217	HOTEL SUNCITY INN	NH 8 NEXT TO HOTEL RADISSON BLUE RANGPUR	11-10-2017		Guest House Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJB (Cat-II) Water Consumption: 2000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Unit has submitted a letter dated 10.08.2015 from Dr. G. C. Misra (Chief Fire Officer) wherein it was mentioned that the building is comprised of basement, ground plus two upper floors and the guest house, since the height of the building is less than 12m, it does not fall under the purview of Delhi Fire Service. Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)O.G Set: N/A	- Effluent analysis report: a). Effluent analysis report dated 20-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
218	JAYANT ENTERPRISES	B-5, KHASRA NO.-25, RADHA VIHAR, MANOLI REDEVELOPMENT AREA	11-10-2017		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Ventury Wet Scrubber) 3. O.G Set- No 4. O.G Set Test Report- N/A 5. OUMS- Not installed. 6. Proof prior to 2007- Rent agreement of 1991. 7. Documents in original for	Emission monitoring report was submitted on 04.10.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	17-05-2018 Case deferred.

								boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Hard Coke		As per the committee decision on 09/02/2018, A letter was issued to the unit dated 07/03/2018 asking them to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, display board, OLMS etc.	
219	CAFE COFFEE DAY	E-12, DOA MARKET, MASJID MOTH, GREATER KASLASH-2	12-10-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1.5mx1mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches, they have raised the stack height of D.G. Set upto 2m from acoustic enclosure & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited.	17-05-2018 Issue reminder. If unit submits the report and found in order, Consent to operate granted.
220	CAFE COFFEE DAY	C-4/B AMAR COLONY, LAJPAT NAGAR	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated	17-05-2018 Issue reminder. If unit submits the report and found in order, Consent to operate granted.

									details : Nil		28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1mx0.8mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches, they have raised the stack height of D.G. Set upto 2m from acoustic enclosure & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it.	
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Noise Monitoring Report is still awaited.	
221	CAFE COFFEE DAY	SHOP C9/23, GF SECTOR-7, ROHINI	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Oil and Grease trap of 1.1 KLD 2. BCS - N/A 3. D.G. Set - 1 of 45 KVA 4. Status of Ground water extraction : Nil 5. Source of water - 1100 L/D, Source- DJS 6. Status of Inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	Air (Emissions): N/A Water (Effluents): N/A Noise : Test report is not within norms (Issued by DPCC on 13.09.2017)	13-10-2017 Hard copy not submitted Recommendation / Action Taken Details (EE/AEE) on 16-04-2018 No reply has been received w.r.t the reminder issued on 05.02.2018. A reminder may be issued to the unit to submit fresh monitoring report of D.G. set of 45 KVA.	17-05-2018 Issue reminder. If unit submits the same and found in order, Consent to Operate granted.
222	CAFE COFFEE DAY	SHOP NO 1, 2 AND 3, CSC, NILGIRI MARKET, ALAKNANDA	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)BCS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 11-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 13.11.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 01mx.6mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited.	17-05-2018 Issue reminder. If unit submits the report and found in order, Consent to operate granted.
223	THE FOOD AND BOOZE EXCHANGE	SHOP NO-2/11, 1ST FLOOR AND 2ND FLOOR, ROOP NAGAR	12-10-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes	Effluent Analysis Report- N/A Emission Monitoring Report	06-12-2017 -	16-05-2018 Issue show cause notice for refusal of consent and show cause notice

					other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler				3. D.G. set- No Plot Area-355.14 sq mt Date of Establishment/ Commencement- 01.02.2016 Status of Ground Water Extraction-No 1. Water consumption-2000 L/day Source- D/B (Water Bill not submitted) Status of Inspection- No MCD health license issued on 11-02-2016 and valid upto 31.03.2017. Police license valid upto 31-03-2017. No. of Seats- 28	-N/A Noise Monitoring report- N/A	Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Premises(11/2, Roop Nagar, Delhi) was inspected on 05.04.2018 w.r.t. M/s Cafe Turquoise Cottage which was covered in the list of Hookah bars submitted in NGT. Three Restaurants are operating namely M/s Laaiten(Second Floor & Terrace), M/s food and Booze exchange(First floor) and M/s Mahavira Foods Kaleva (Upper Ground floor) are operating in the said premises. As informed, M/s Turquoise Cottage closed its activity and Excised Department has changed license in the name of M/s Laaiten. A Common ETP installed in the parking area to treat the waste Water generated from these 3 units which was found dry and defunct and waste water is being discharged directly in sewer without any treatment. Two units namely, M/s Mahavira Foods(Kaleva) and M/s Food and Booze have applied for CTE. None of these units have applied for CTO.	u/s 33(A) of Water Act to all three units.
224	CAFE COFFEE DAY	M-6, GROUND FLOOR, GREATER KAILASH-2 MARKET	12-10-2017		COFFEE SHOP Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPE		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/S of EPA details : Nil Closure directions u/s 31(A)/33(A)/S of EPA details : Nil	he unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 21-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1.5mx1mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches, they have raised the stack height of D.G. Set upto 2m from acoustic enclosure & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive	17-05-2018 Issue reminder. If unit submits the report and found in order, Consent to operate granted.	

										it.		
										Noise Monitoring Report is still awaited.		
225	CAFE COFFEE DAY	PLOT NO 6, NORTH SIDE, COMMUNITY CENTER, EAST OF KAILASH	12-10-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No	13-10-2017 Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level and stack height of D.G. Set not meeting the prescribed standards. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1mx08mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches, they have raised the stack height of D.G. Set upto 2m from acoustic enclosure & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited.	17-05-2018 Issue reminder. If unit submits the report and found in order, Consent to operate granted.
226	HOTEL BANZ	A-137 ROAD NO-4 MAHIPALPUR EXTN.	12-10-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption: 6000 Litres/ Day Status of ground water extraction:yes (water cess paid) HCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 125 KVA installed.	Effluent analysis report: a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat. The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid HCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
227	DELLI DARBAR FOOD PVT LTD	C-448, MAIN 100 FT ROAD, CHAJJUPUR, SHAHDARA,	14-10-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having	Orange Establish	Non-SPI		1. ETP - Oil and Grease trap of design capacity of 1000 L/D. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 1000 L/D and Source is Outside	N/A	29-11-2017 Recommended to ask the unit to submit Police Licence of Delhi .	17-05-2018 Issue show cause notice for refusal of consent.

					seating capacity from 35 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/SB Sewer and having Kitchen and / or Laundry with Boiler				water. 5. Domestic Trade Effluent - 350 L/D which is disposed through Public Sewer. 6. Trade Effluent Discharge - 650 L/D which is disposed through Public Sewer. 7. Municipal Corporation of East Delhi - provided , which is valid upto 31.03.2018. 8. Police Licence of Delhi - Not provided.		Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, letter to the unit was issued on 28.03.2018 . No reply from the unit was received till date.	
228	K. G. METALS	P-2, KH. NO. 45, NEW MANDOLI INDUSTRIAL AREA	15-10-2017		Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Cyclone and Wet Scrubber) 3. D.G Set- 62.5 KVA 4. D.G Set Test Report- Yes 5. OLMS- Not installed. 6. Proof prior to 2007- Electricity bill with energisation date 2005 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Diesel	Emission monitoring report was submitted on 12.10.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 10.10.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	17-05-2018 Case deferred.
229	ANSH ASSOCIATES	L-1,KHASRA NO.69,NEW MANDOLI 2ND AREA	16-10-2017		MANUFACTURING OF COPPER INGOTS. Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Stack attached to suction hood over furnace) 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2002. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : LDO	Emission monitoring report was submitted on 12.10.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	17-05-2018 Case deferred.
230	JENNIS AUTO INDUSTRIES	PLOT NO. M-17B, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA	17-10-2017		MFG.OF RUBBER OIL SEAL. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Water consumption : 130 L/day . Source of water : D/SB (Copy of bill enclosed) Status of ground water extraction : Nil		05-12-2017 - Hard copy of the application submitted - Consent to Operate(Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - Letter regarding submission of report for VOC emission or SSI Registration has been sent to the unit on 19.12.2017. - In this regard unit submitted a reply on 03.01.2018 along with photocopy of MSME Registration Certificate and also requested to grant	17-05-2018 Consent to Operate (Renewal) granted.

231	YOGESHWAR ENTERPRISES	PLOT NO-7,KHASRA NO- 833/65,NEW MANDOLI INDUSTRIAL AREA,MANDOLI	18-10-2017		MANUFACTURING OF COPPER INGOTS. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Cyclone and Wet Scrubber) 3. D.G Set- 25KVA 4. D.G Set Test Report- Yes 5. OLMS- Not Installed. 6. Proof prior to 2007- Rent agreement of 2005. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Diesel	Emission monitoring report was submitted on 04.10.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 10.10.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per committee decision SCN for refusal of consent was issued to the unit on 23.04.2018. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
232	HOTEL AEROPATH	A-103,ROADNO.4 MAHIPALPUR EXTN. NEAR IGI AIRPORT	18-10-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 80 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption: 3000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - Installed (2)BCS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 82.5 KVA installed.	Effluent analysis report: a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 Consent to Establish may be granted to the unit. Remarks/ATR on 27-04-2018 - Unit has submitted Fire Safety Certificate issued on 03.04.2018 valid up to 3 years.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
233	BALAJI TRADERS	O-4, KH. NO 69, NEW MANDOLI REDEVELOPMENT AREA	23-10-2017		MFG. OF ALUMINIUM CIRCLES. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Wet Scrubber) 3. D.G Set- 25KVA 4. D.G Set Test Report- Yes 5. OLMS- Not Installed. 6. Proof prior to 2007- Date of registration under CST act given as 2005. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Diesel	Emission monitoring report was submitted on 04.10.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Remarks/ATR on 17-05-2018 In response to SCN issued to the unit, the unit has submitted representation dated 08.05.2018 stating that they have applied for PNG connection and have enclosed with the agreement done with IGL. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018 show cause notice for refusal of consent, was issued to the unit on 11/04/2018.	17-05-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.
234	ARVIND SPORTS	A-26, PHASE-II,	23-10-2017		Manufacturing of	Green	Non-SPI		BCS: Yes (stack attached to	Air (Emissions) : Test	02-11-2017	17-05-2018

		MANGOLPURI INDUSTRIAL AREA		Microcellular Sheet	Operate			boiler) ETP: N/A D.G.Set: Nil Source of water supply: 0.35 KLD from D3B. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	reports within norms (issued by DPCC on 04.10.2017) Water (Effluents) : N/A Noise : N/A	CETP certificate is not in the same address of unit in which unit exists. Recommendation: Letter may be issued to submit the balance fee and CETP certificate in the name and address of unit, in original or certified by CETP society. Remarks/ATR on 15-05-2018 A reminder for submission of VOC parameter or SSI/MSME Registration and hardcopy of CETP receipt along with noise monitoring report mentioning adequate stack height and acoustic enclosure was issued to the unit on 02.05.2018. Also a letter was issued to the unit seeking compliance report w.r.t. the directions issued for switching over to clean fuel i.e. Piped Natural Gas (PNG) was issued to the unit on 02.05.2018. No reply is received so far. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Direction u/s 31(A) of the Air Act for switching over to clean fuel i.e. Piped Natural Gas (PNG) issued to the unit on 04.12.2017. A letter was issued to the unit on 05.02.2018 for the submission of documents and report regarding the monitoring report of VOC parameter or SSI/MSME Registration and hardcopy of CETP receipt. No reply received from the unit so far in response of letter. Inspection of the unit carried out on 16.04.2018 and following was observed: -Unit found in operation and engaged in the activity of mfg. of sports goods (yoga mats, kabaddi mats) i.e. EVA sheets. -Unit is using the oil fired boiler at present. However work of PNG is almost completed. - 1 D.G set of 175 KVA found installed without acoustic enclosure at roof top with inadequate stack height. No reply received from the unit so far in response of letter w.r.t VOC parameter or SSI/MSME Registration and hardcopy of CETP receipt.	Case deferred. If unit submits the same and found in order, consent to operate granted.
--	--	----------------------------	--	---------------------	---------	--	--	---	---	---	---

17-05-2018

235	KAVYA ENTERPRISES	A-27, PHASE-II, MANGOLPURI INDUSTRIAL AREA	23-10-2017		MANUFACTURING OF EVA SHEETS (YOGA MATTRESS/SPORTS SHEETS) Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		1. ETP - N/A 2. ECS - Yes (Stack attached with boiler) 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source- DIB 6. Status of Inspection - Nil 7. SOH u/s 31(A)/33(A)/S of EPA details -Nil 8. Closure Directions u/s 31(A)/33(A)/S of EPA details - Nil	Air (Emissions): Test reports within norms (Issued by DPCC on 12.10.2017) Water (Effluents) : N/A Noise : N/A	31-10-2017 CETP certificate is not in name of unit. Recommendation: Letter may be issued to submit the CETP certificate in the name of unit, in original or certified by CETP society. Remarks/ATR on 15-05- 2018 A reminder for submission of VOC parameter or SSI/MSME Registration was issued to the unit on 02.05.2018. Also a letter was issued to the unit seeking compliance report w.r.t. the directions issued for switching over to clean fuel i.e Piped Natural Gas (PNG) was issued to the unit on 02.05.2018. No reply is received so far. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Direction u/s 31(A) of the Air Act for switching over to clean fuel i.e Piped Natural Gas (PNG) issued to the unit on 04.12.2017. Inspection of the unit carried out on 16.04.2018 and following was observed: -Unit found in operation and engaged in the activity of mfg. of EVA Sheets for sports mats. -Oil fired boiler found installed with adequate stack height. A letter was issued to the unit on 05.02.2018 for the submission of documents and report regarding the monitoring report of VOC parameter or SSI/MSME Registration and hardcopy of CETP certificate. Unit submitted the reply in response of letter alongwith CETP receipt. However, no reply received regarding monitoring report of VOC parameter or SSI/MSME Registration and switching fuel to PNG.	Case deferred. If unit submits the same and found in order, consent to operate granted.
236	BALA JEE METALTEK PVT. LTD.	SHED NO. A-1, DSIIDC JHELMUL INDL. AREA	26-10-2017		mfg. of aluminium sheets and circles Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI		1. ETP- No. 2. ECS- Stack attached to pit furnace. 3. DG Set- N/A. 4. Trade Effluent- nil L/D. 5. Domestic Effluent-50 L/D and its mode of disposal into Sewer. 6. Water Consumption- 400 L/D and its source is purchase water.	Emission Monitoring Report was submitted by DPCC on 04/09/2017 and all the parameters are within the prescribed limit as per the record.	29-11-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 The unit was found in operation and following were the observations : 1. The unit was found in operation and engaged in the activity of Casting of	17-05-2018 File be put up administratively.

											aluminium sheet using aluminium scrap and cutting. 2. No proper channelization was found for the emissions from the pit furnace. The emission from furnace was escaping out in all directions as no duct was attached to the furnace. 3. Wet scrubbing system was found installed at the roof top but the same was not attached to the furnace. 4. Stack height of the oven (for heating of sheet) was not found adequate. Oven run on LPG as reported. 5. D.G. set was found in dismantled condition at the roof top. 6. The unit has signed an agreement with IGL for PNG. 7. As the person contacted informed that they do not have stock for the fuel sample. But the condition reveals that the unit is using adulterated oil as the oil was found near the furnace area. 8. At the first and second floor of the unit another unit with the name of M/s Ishita cable is running in the activity of MRG. of PVC Cables without applying for Consent.	
237	MILTON PAPER PRODUCTS	8/8/2, JAWAHAR NAGAR INDUSTRIAL AREA, LONG ROAD	26-10-2017		Coated Abrasives Paper Gum using fuel for heating without effluent discharge	Green Establish	Non-SPI		1. ETP-No 2. ECS- Stack attached to boiler. 3. DG Set- Yes (75 KVA) 4. Trade Effluent- nil L/D. 5. Domestic Effluent- 800 L/D and its mode of disposal into Sewer. 6. Water Consumption- 1000 L/D and its source is purchase water.	Emission Monitoring Report was submitted by DPCC on 07/08/2017 and all the parameters are within the prescribed limit as per the record. Noise Monitoring Report was submitted by DPCC on 17/08/2017 and all the parameters are within the prescribed limit as per the record.	05-12-2017 Recommended for inspection. Remarks/ATR on 17-05-2018 In response to the SDN issued to the unit, the unit has submitted a letter dated 16.03.2018 along with the certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, show cause notice for refusal of consent was issued to the unit on 14/03/2018.	17-05-2018 Consent to Establish granted.
238	VIRDI ELECTRIC WORKS PVT. LTD.	17B, FIE PATPARGANJ INDUSTRIAL AREA	26-10-2017		MRG.OF TRANSFORMERS AND WELDING SETS. Transformer Assembly / Repairing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 11-10-2012 Authorisation Status Approved Authorisation Issue Date 11-10-2013 Authorisation 10-10-	1. ETP- No 2. ECS- No 3. DG Set- N/A 4. Trade Effluent- 20L/D 5. Domestic Effluent- N/A	N/A	03-11-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 An inspection of the unit was conducted by DPCC officials on 28.04.2018 and following were observed:	17-05-2018 Issue show cause notice for refusal of consent / authorization and show cause notice u/s 5 of EP Act.

								Expiry Date	2017			1. The unit was found in operation in the activity of transformer and welding set and injection moulding. 2. No management of Hazardous Waste as per the rule. 3. Oil spillage was found near the area where oil drum was found kept which was open area. 4. As per the person contacted the empty paint box is sold to the garbage vehicle arranged by the association. 5. Oil is used for the purpose of filling in the transformer and the empty oil drum is sold to the vendor from which they had purchase the oil for recycle. 6. No log book found maintained.	
239	BHAWANI METAL	835/70, GANESH GALI, NEW MANDOLI INDUSTRIAL AREA	26-10-2017		Manufacturing of Copper Ingots. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPE			1. ETP- N/A 2. ECS- Yes (Cyclone and Wet Scrubber) 3. O.G Set- 30 KVA 4. O.G Set Test Report- Yes 5. OLMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : LDO	Emission monitoring report was submitted on 14.09.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 20.09.2017 by DPCC and all the parameters are within the prescribed limit.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 12/02/2018 show cause notice for refusal of consent was issued to the unit on 11/04/2018. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
240	HOTEL R.S. RESIDENCY	A-151,152 2ND&3RD FLOOR, STREET NO.9 ROADNO. 40 MAHIPALPUR.	27-10-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 30 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPE			Source of Water: Ground Water Water Consumption: 1000 Litres/ Day Other: 3000 Litres/Day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Yes (issued on 11.01.2018) Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)O.G.Set Noise Report : N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - Unit applied Consent to Establish & Consent to Operate on 27.10.2017 & 19.12.2017 respectively.	- Effluent analysis report: a)Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
241	GOYAL METAL SHEET PROCESS	PLOT NO. 106, PH - II, BADLI, INDL. AREA, DELHI	27-10-2017		LD/PP SHEET COMPOUND WITHOUT	Orange Operate	Non-SPE			Status of Pollution Control system Devices-	Effluent Analysis Report- N/A	05-12-2017	17-05-2018

					MANUFACTURING OF PLASTIC BAGS Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)				1. ETP- N/A 2. BCS- Yes, Stack attached to exhaust hood over extruder and mixture. 3. D.G. set- N/A Plot Area- 281.25 sq. yd. Date of Establishment/ Commencement-20.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 80 L/day Source- Outside (Bill not submitted) Directions for closure issued on 23.12.2016 w.r.t. plastic rules issue. Unit has requested for revocation.	Emission Monitoring Report submitted on 12.10.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	Remarks/ATR on 16-05-2018 Inspection of the unit conducted on 15.05.2018 and findings are- 1. Unit found not operating at inspection. 2. Unit engaged in the activity of Mfg. of plastic tubes using scrap (second grade dana) as well as fresh dana as raw material. 3. Sample of plastic tube (thickness more than 50 micron) taken from plastic tube rolls. 4. Channelization provided over mixer. Recommendation / Action Taken Details (EE/AEE) on 25-04-2018 In common file of Plastic Bag matter, unit was operational during inspection in 2015. Unit was inspected on 15.05.2015 in respect of plastic bags and found operating without consent and engaged in mfg of Plastic sheets using scrap as raw material. After show cause notice and reminder, closure directions issued on 23.12.2016 as unit was failed to apply for consent etc. Unit has applied for CTO only on 27.10.2017 and commissioning shown v.e.f 20.04.2017 only. Unit has requested for revocation of closure directions. Unit has not submitted hardcopy of consent application and BCS, etc. Inspection is also yet to be conducted.	Consent to Operate granted. Ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.
242	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS LTD)	SHOP NO-85, AND 87, GROUND FLOOR, MALL ROAD, G.T.B. NAGAR, KINGSWAY CAMP NEW DELHI	29-10-2017		RESTAURANT (48 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes, OGT 2. BCS- Yes 3. D.G. set- 45 KVA Plot Area- 1071 sq mt Date of commencement- 05.10.2011 Status of Ground Water Extraction-No 1. Water consumption-500 L/day. a) Source of water-DSB (copy of water bill submitted) Status of Inspection-No MCD and Police license valid upto 31.03.2018	Effluent Test Report- Test report submitted issued by DPCC lab on 09.10.2017. Parameters are within limit. Emission Test Report- N/A Noise Test Report- Test report submitted issued by DPCC lab on 03.10.2017. Parameters are within limit.	23-04-2018	17-05-2018 Consent to Operate granted.
243	SMT. SANGEETA JAIN	458-466, GALI NO. 8, FRIENDS COLONY INDUSTRIAL AREA	30-10-2017		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-06-2012 Authorisation Status Approved Authorisation 28-08-	1. ETP- No. 2. BCS- No. 3. DG Set- 1 no. of 125 KVA respectively installed. 4. Trade Effluent- nil L/D. 5. Domestic Effluent-20 L/D and its mode of disposal into Sewer. 6. Water Consumption- 50 L/D	N/A	29-11-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

								Issue Date 2012 Authorisation 27-06- Expiry Date 2017	and its source is drinking water supply.			
								HWM Application No. 2 Application Date 30-10-2017 Authorisation Status Pending				
244	ASHOKA INDUSTRIES	C-5, 6, 7, GALI NO. 6, MASTER MOHALLA, SAMALPUR INDUSTRIAL AREA	30-10-2017		MFG. OF WELDING ELECTRODES Manufacturing of Welding Electrodes	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 504 sq mt Date of Establishment/ Commencement-10.1993 Status of Ground Water Extraction-No 1. Water consumption- 50 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report N/A Noise Monitoring report- N/A	05-12-2017 Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 Reminder issued on 28.03.2018. Inspection not conducted yet. Unit has already submitted reply on 19.04.2018 alongwith certificate in original from Industry Dept. conforming the location on unit within the boundary of Samalpur Redevelopment Area.	17-05-2018 Consent to Operate granted.
245	AMRIT AUTO ANCILLARIES AND COMPANY	PLOT NO A-6/1, JHUMIL INDUSTRIAL AREA	30-10-2017		MANUFACTURING OF AUTO PARTS WITH CASTING Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only) Light Engineering work	Orange Establish	Non-SPI		1. ETP- No. 2. ECS- No. 3. DG Set - No. 4. Domestic effluent discharge- 20 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil L/D. 6. Water consumption- 200 L/D whose source is drinking water suppliers.	N/A	29-11-2017 Recommended to Grant Consent to Establish. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 A reminder letter has been issued to the unit on 16.03.2018.	17-05-2018 Issue show cause notice for refusal of consent.
246	HINDUSTAN PETROLEUM CORPORATION LTD.	TIKRIKALAN TERMINAL PROJECT SITE, ROHTAK ROAD	31-10-2017		RECEIPT, STORAGE AND DISTRIBUTION OF PETROLEUM PRODUCTS (BS-IV MS, BS-IV HSD AND SKO) AND ETHANOL. Isolated storage of Petroleum Products	Red Renewal	Non-SPI	HWM Application No. 1 Application Date 15-11-2016 Authorisation Status Approved Authorisation Issue Date 06-12-2016 Authorisation Expiry Date 14-11-2021	Source of Water: Borewell Water Consumption: 20000 Liters/Day Status of Ground Water extraction : Yes (Voluntary disclosure of existing borewell submitted) Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Set(s) of 250 KVA and 300 KVA - An inspection was carried out by DPCC officials on 10.04.2018. During inspection following observations were made: 1. ETP installed and same was found operational. 2. ETP log book maintained. 3. HWM guidelines are being followed. 4. 2 D.G. sets installed with	1. Effluent analysis report: a). Effluent analysis report dated 14-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 06-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 06-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	11-04-2018 - Consent to Operate (Renewal) may be granted to the unit.	17-05-2018 Consent to Operate(Renewal) granted.

247	AAMARA HOTEL	KHASARA NO. 407, ROAD NO. 4 STREET NO. 9, MAHIPALPUR EXTN.	31-10-2017	guest house Hotel/ Guest Houses having 20 to 30 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		acoustic enclosure and adequate stack. Source of Water: Delhi Jal Board (CAT-I) Water consumption: 6000 litre/day Status of ground water extraction: yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Yes (Valid up to 02.01.2021) Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA.	1.Effluent analysis report: (a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 18-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
248	SHIVA MOTORS	B-3, DILSHAD GARDEN, NORTH OF G.T. ROAD INDUSTRIAL AREA.	01-11-2017	AUTOMOBILES SERVICING AND REPAIR STATION WITH WASHING ACTIVITY OF VEHICLES (TWO WHEELERS) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-11-2017 Authorisation Status Pending	1. ETP- Yes, of design capacity of 500 L/D. 2. ECS- No. 3. DG Set - No. 4. Domestic effluent discharge- 150 L/D which is disposed through sewer. 5. Trade effluent discharge- 500 L/D which is disposed through sewer. 6. Water consumption- 700 L/D whose source is Purchase water .	Analysis Report of Water Effluent was submitted by DPCC on 31.07.2017 and all the parameters are within the prescribed limit as per the report.	29-11-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 A unit has submitted its reply on 24.01.2018 stating that they are submitting certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area and also the certificate and photographs display board name and address of the unit are enclosed. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
249	HOTEL ARCH	A-74, BS GALI NO. 6 ROAD NO.4 MAHIPALPUR EXTN	01-11-2017	guest house Hotel/ Guest Houses having 20 to 30 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 5000 litre/day Source of Water: DJS (copy of water cess bill enclosed) MCD licence: not provided Fire safety certificate: not provided Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. -An inspection was carried out by DPCC officials on 13.09.2017 during inspection following observations were made: 1. Unit found operational & engaged in the activity of Hotel having 38 rooms. 2. Unit has not applied for CTO from DPCC. 3. One D.G. sets of Capacity 125 KVA installed having	Effluent analysis report: a) Effluent analysis report dated 17-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 Consent to Operate may be granted to the unit. Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.

								acoustic enclosure but without stack height		Establish and Consent to Operate granted.	
250	PIND BALLUCHI (A UNIT OF TANVEER HOSPITALITY & ENTERTAINMENT SERVICES)	1/3,SCINDIA HOUSE ,JANPATH ,CONNAUGHT PLACE,NEW DELHI	02-11-2017		Restaurant	Orange Establish	Non-SPI	water consumption:5000 litre/day Source of water: NDMC connection Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)BCS - Scrubber, Multi Cyclone, Electrostatic Precipitator, Cyclone, Bag Filter / Bag House (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report : (a) Effluent analysis report dated 28-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	27-04-2018	17-05-2018 Consent to Establish granted.
251	ARYAN ENTERPRISES	M-16,KHASRA NO 45,MAHAVIR GALLI,NEW MANDOLI IND AREA	02-11-2017		MANUFACTURING OF COPPER INGOTS. Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI	1. ETP- N/A 2. BCS- stack attached to hood over furnace 3. D.G Set- nil 4. D.G Set Test Report- NA 5. OUMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : LDO	Emission monitoring report was submitted on 04.09.2017 by DPCC and all the parameters are within the prescribed limit. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	17-05-2018 Case deferred.
252	ANKUSH INDUSTRIES	KHASRA NO 15/5,MAIN ROAD, NEW MANDOLI IND. AREA	02-11-2017		MANUFACTURING OF COPPER INGOTS. Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI	1. ETP- N/A 2. BCS- stack attached to hood over furnace 3. D.G Set- nil 4. D.G Set Test Report- NA 5. OUMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : LDO	Emission monitoring report was submitted on 04.09.2017 by DPCC and all the parameters are within the prescribed limit. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent was issued to the unit on 13/03/2018.	29-11-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	17-05-2018 Case deferred.
253	VARDHMAN PLASTIC	G-137, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA, DELHI-110039.	03-11-2017		MFG. OF REPROCESSED PVC GRANULES/STRAPS AND PLASTIC PRODUCTS (WITH REPROCESSING OF PLASTIC/PVC WASTE	Orange Operate	Non-SPI	Unit was inspected on 15.09.2017 and found engaged in mfg of plastic dana using scrape as raw material w/o washing and found operational.	-	06-12-2017 Recommendation / Action	17-05-2018 Consent to Operate granted. Ask the unit to apply for registration under Plastic Rules, 2016 online and

				AND USING PLASTIC WASTE SCRAP AS RAW MATERIAL) W/O WASHING Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity) Reprocessing of Waste Plastic / PVC (without Washing Activity)				no channelization provide on extruder and mixture and one borewell exists, not applied for registration under Plastic Rules. CTE granted on 14.07.2017 for the same activity. Unit has not applied for CTO. SCN for revocation of consent and SCN for closure issued on 09.11.2017. Unit submitted reply of SCNs along with fee receipt of CTO dated 03.11.2017, stack report dated 23.10.2017 and copy of application under Plastic Rules. Hardcopy of CTO not received.		Taken Details (EE/AEE) on 12-03-2018 Status of Pollution Control system Devices- 1. ETP-N/A 2. BCS- Yes, Stack attached to exhaust of grinding and mixture machine 3. D.G. set- No Plot Area-99 sq mt Date of Establishment/ Commencement- 04.09.2017 Status of Ground Water Extraction-No 1. Water consumption- 60 L/day Source-Outside (BII not submitted) Inspection status- No Effluent Analysis Report -N/A Emission Monitoring Report submitted on 31.10.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report -N/A	also submit certificate of registration from Industries Department.
254	JAGAT INDUSTRIES	42/14, DLF 42, Kirti NAGAR INDUSTRIAL AREA	03-11-2017	MANUFACTURING OF PACKAGING MACHINE Spray Painting, Paint Baking, Paint Stripping	Orange Renewal	Non-SP1	HWM Application No. 1 Application Date 19-08-2004 Authorisation Status Approved Authorisation Issue Date 18-10-2004 Authorisation Expiry Date 17-10-2006 HWM Application No. 2 Application Date 15-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 22-10-2009 Authorisation Status Pending HWM Application No. 4 Application Date 10-09-2012	water consumption: 1000 liters/day Source of water: DIB, Cat-II Status of Pollution Control System (1)ETP - N/A (2)BCS - N/A (3)D.G. Set Noise Report : 1 D.G. Set of 100 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 1 D.G. Set of 100 KVA. Noise monitoring report dated 29-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	05-12-2017 -Unit has submitted hard copy of CTO (R) application. -Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As decided in meeting refusal of authorization under HW Rules. Also issue show cause notice u/s 5 of EP Act yet to be issued.	17-05-2018 Implement the decision dated 08.02.2018.

								Authorisation Approved Status Authorisation 19-10- Issue Date 2012 Authorisation 09-09- Expiry Date 2017 HWM Application 5 No. Application 06-11- Date 2017 Authorisation Rejected Status Authorisation 14-05- Refused Date 2018			
255	HOTEL DIAMOND BLUE	KHASRA NO.548 BUILDING NO. 84C, BEHIND ICICI BANK, MAIN VASANT KUNJ ROAD, MAHIPALPUR	03-11-2017		GUEST HOUSE	Orange Establish	Non-SPI	Source of Water: DIB Water Consumption: 3000 LPD Status of Ground Water extraction : YES (water cess copy enclosed) MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (2)ECS - N/A (3)O.G.Set: N/A	1) Effluent analysis report a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018	17-05-2018 Case deferred.
256	VIDYUT ELECTRICALS INDUSTRIES	SHED NO 2, DSIDC COMPLEX, A BLOCK, JHUMIL INDUSTRIAL AREA	07-11-2017		COPPER WIRE DRAWING WITH SUPER ENAMELLING Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application 1 No. Application 19-01- Date 2004 Authorisation Approved Status Authorisation 16-08- Issue Date 2004 Authorisation 15-08- Expiry Date 2006 HWM Application 2 No. Application 22-09- Date 2006 Authorisation Pending Status HWM Application 3 No.	1. ETP- No 2. ECS- Stack attached to furnace. 3. DG Set - one of capacity 125 KVA. 4. Domestic effluent discharge- 30 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil L/D. 6. Water consumption- 150 L/D whose source is DIB . Noise Monitoring Report was submitted by DPCC on 15.06.2017 and all the parameters are within the prescribed limit as per the report. Effluent Monitoring Report was submitted by DPCC on 17.07.2017 and all the parameters are within the prescribed limit as per the report.	29-11-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 20-03-2018 The inspection of the unit was conducted by the officials of DPCC on 24.02.2018 and following were the observation 1. The unit was found in operation. Super enamelling on copper wire was going on beside wire gauge reduction. 2. The process emission generated during super enamelling process found channelized and connected to common duct and stack. The process emission of super enamelling found treated through wet scrubbing system (wet scrubber tower type) in which water was found being used as scrubbing agent. Wet scrubbing system found operative. 3. Other work i.e tapping on wire copper wire at first found in operation with the	17-05-2018 File be put up administratively.

								Application Date 15-03-2012 Authorisation Status Approved Authorisation Issue Date 25-09-2012 Authorisation Expiry Date 14-03-2017 HWM Application No. 4 Application Date 07-11-2017 Authorisation Status Pending		other name M/s Universal Industry.	
257	CAFE COFFEE DAY	E-129, AMAR COLONY, LAJPAT NAGAR	07-11-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)BCS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No. Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 18-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - No.	05-12-2017 As per online Noise Monitoring Report of D.G. set from DPCC Laboratory, reveals that noise level not meeting the prescribed standards. Also, as per information submitted by the unit in hard copy of Consent application, the size of Oil & Grease Trap is inadequate to hold the Effluent arising from kitchen and washing activities for atleast 4 hours duration as per RESDH policy. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1.5mx1mx1m along with existing Oil & Grease Trap of size 20Inchesx24Inchesx20Inches & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited.	17-05-2018 Issue reminder. If unit submits the report and found in order, consent to operate be granted.
258	CAFE COFFEE DAY	102/44, 1ST FLOOR, DINNER BHAWAN, NEHRU PLACE	07-11-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent Analysis Report of Oil & Grease Trap dated 17.07.2017 issued by DPCC Laboratory Submitted. Number of parameters tested within limit - Yes.	Effluent Analysis Report of Oil & Grease Trap dated 17.07.2017 issued by DPCC Laboratory Submitted. Number of parameters tested within limit - Yes.	05-12-2017 As per information submitted by the unit in hard copy of Consent application, the size of Oil & Grease Trap is inadequate to hold the Effluent arising from kitchen and washing activities for	17-05-2018 Consent to Operate granted.

					to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler				of parameters tested within limit - Yes. (2)BCS - N/A (3)D.G.Set: ...N/A... Status of Ground Water Extraction: Nil Water Consumption: 1100 Liters/Day (Source - DSB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		atleast 4 hours duration as per RSDH policy of DPCC. Remarks/ATR on 16-05-2018 Unit submitted another representation on 28.03.2018 and informed that they have accidentally filled the request for testing of D.G. Set but in reality there is no D.G. Set installed in the unit and they have requested the ignore the request. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Letter was issued to unit on 28.02.2018 Unit submitted a representation on 14.03.2018 w.r.t Letter dated 28.02.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 1.5mx1mx1m along with existing Oil & Grease Trap of size 20inchesx24inchesx20inches & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited.	
259	MILTON PAPER PRODUCTS	B/8/2, JAWAHAR NAGAR INDUSTRIAL AREA, LONI ROAD	08-11-2017		Coated Abrasives Paper Gum using fuel for heating without effluent discharge	Green Operate	Non-SPI		1. ETP-No 2. BCS- Stack attached to boiler 3. DG Set- Yes (75 KVA) 4. Trade Effluent- nil L/D 5. Domestic Effluent- 800 L/D and its mode of disposal into Sewer. 6. Water Consumption- 1000 L/D and its source is purchase water.	Emission Monitoring Report was submitted by DPCC on 07/08/2017 and all the parameters are within the prescribed limit as per the record. Noise Monitoring Report was submitted by DPCC on 17/08/2017 and all the parameters are within the prescribed limit as per the record.	05-12-2017 Recommended for inspection. Remarks/ATR on 17-05-2018 In response to the SCN issued to the unit, the unit has submitted a letter dated 16.03.2018 along with the certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision on 09/02/2018, show cause notice for refusal of consent is issued to the unit on 14/03/2018.	17-05-2018 Consent to Operate granted.
260	JIT INDUSTRIES	PLOT NO.-142, ROCKET-K, SECTOR-3, DSIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA	09-11-2017		MFG. OF SECONDARY PLASTIC DANA WITH WASHING. Manufacturing of Reprocessed PVC	Orange Renewal	Non-SPI		Hardcopy not received.		06-12-2017 - Recommendation / Action Taken Details (EE/AEE)	17-05-2018 Expedite inspection.

					Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)						on 12-03-2018 Unit submitted Hardcopy. Status of Pollution Control system Devices- 1. ETP -Yes 2. ECS- Stack attached to exhaust hood over extruder. 3. D.G. set- No Plot Area- 150 sq mt Date of Establishment/ Commencement-25.01.2012 Status of Ground Water Extraction-No 1. Water consumption-850 KL/day Source-DSIIDC (bill submitted) Stack emission report issued by DPCC lab on 23.08.2017. Meeting the norms. Effluent Treatment report issued by DPCC lab on 17.08.2017. Meeting the norms. Inspection is yet to be conducted.	
261	J. S. AUTOMOBILES	160, F18, PATPARGANJ INDUSTRIAL AREA	09-11-2017		Mechanical Repair, Servicing And Washing of Three wheeler Automobiles Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-11-2017 Authorisation Status Pending	1. ETP- Yes 2. ECS- No 3. DG Set- No 4. Domestic Effluent- 400L/D 5. Trade Effluent- 800L/D 6. Water Consumption- 1500L/D	N/A	05-12-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 The unit submitted its reply on 03.04.2018 stated that: 1.The ETP is in proper condition. Now they use ETP in regular operation. 2. They are maintaining day to day log book of ETP and HW. 3. There is no by pass of effluent from their unit. They properly treated effluent and discharging it to the sewer. 4. They maintained isolated HW store in the factory premises.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
262	RANG RACHNA	B-28, JHILMIL INDUSTRIAL AREA SHAHDARA	09-11-2017		CALICO PRINTING Cotton and Silk Printing by Screen Printing with trade effluent discharge with Boiler	Orange Renewal	SPI	HWM Application No. 1 Application Date 01-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 19-09-2006	1. ETP- Yes, of design capacity of 6000 L/D. 2. ECS- Stack attached to Boiler. 3. DG Set - one, of 62.5 KVA installed. 4. Domestic effluent discharge- 400 L/D which is disposed through public sewer. 5. Trade effluent discharge- 4600 L/D which is disposed through public sewer. 6. Water consumption- 3500 L/D whose source is DGB. Emission monitoring report was submitted by DPCC on 12-10-2017 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent was submitted by DPCC on 09-10-2017 and all the parameters are within the prescribed limit as per the report. Noise monitoring report was submitted by DPCC on 10-10-2017 and all the parameters are within the prescribed limit as per the report.	29-11-2017 Recommended for inspection. Remarks/ATR on 27-04-2018 Reply has been submitted by unit on 27.03.2018 stating they have rectify all the deficiencies. Photo enclosed. Recommended for re inspection. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 show cause notice for refusal of consent and show cause notice for refusal of authorization. Also issue show cause notice u/s 33(A) of Water Act and u/s 5 of EP	17-05-2018 Reinspection be conducted.	

								Authorisation Pending Status			Ac was issued to the unit on 09.03.2018. Reply awaited.	
								HWM Application No. 3 Application Date 02-07-2010 Authorisation Status Approved Authorisation Issue Date 28-12-2012 Authorisation Expiry Date 01-07-2015				
								HWM Application No. 4 Application Date 15-06-2015 Authorisation Status Pending				
263	HOTEL S.B. INN	897-898, GALI CHANDIWALI, PAHARGANJ	10-11-2017		guest house with 11 beds (nos. of rooms-11). Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJSB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and Grease Trap-Yes 2. Channelisation-Yes 3. D.G. set- 10 KVA Plot Area-167.2 sq mt Date of Establishment/ Commencement- 01.01.2011 Status of Ground Water Extraction-No 1. Water consumption-1000 L/day Source- DJSB (Water Bill not submitted) Status of Inspection- No MCD health license issued on 08-11-2013 and valid upto 31.03.2014. Police license valid upto 31-03-2018 No. of Rooms- 11 No. of Beds-11	Effluent Analysis Report- No Emission Monitoring Report for Boiler-Yes, dated 31-10-2017. Meeting the norms. Noise Monitoring report- Yes, dated 28-08-2017. Meeting the norms.	06-12-2017 Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
264	COMPETENT AUTOMOBILES CO. LTD	B-83, PH-1, MAYAPURI INDL. AREA	11-11-2017		SERVICING, REPAIRING AND WASHING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-10-2012 Authorisation Status Approved Authorisation Issue Date 12-12-2012 Authorisation Expiry Date 18-10-2017 HWM Application No. 2	Status of Pollution Control System (1)ETP - Installed (2)ECS - Bag Filter / Bag House (3)D.G.Set Noise Report : 1 D.G. Sets of 160 KVA Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s	1. Effluent analysis report (a) Effluent analysis report dated 17-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 09-10-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3.Noise monitoring report: (a) The unit has 1 D.G. Sets of 160 KVA. Noise monitoring report dated 09-10-2017 issued by DPCC submitted. Noise	05-12-2017 Unit has submitted hard copy of Consent to Operate (renewal) application. Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

							No. Application Date Authorisation Status	15-12- 2017 Pending	31(A)/33(A)/5 of EPA details :no	monitoring report within Limit - Yes			
265	GULSHAN GUEST HOUSE	A-384/3, ROAD NO. 3, BLOCK-A, NH-8, MAHIPALPUR	13-11-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Ground Water Water Consumption: 5000 Litres/ Day Status of ground water extraction:yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : N/A	Effluent analysis report: a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.	
266	SHREE RATHNAM RESTAURANTS PVT. LTD.	251/3, POST OFFICE BLOCK, KRISHNA NAGAR,	15-11-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP - Oil and Grease trap of design capacity of 1000 L/D. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 2200 L/D 5. Domestic Trade Effluent - 100 L/D 6. Trade Effluent Discharge - 2000 L/D 7. Municipal Corporation of East Delhi - Not provided. 8. Police Licence of Delhi - Not provided.	N/A	05-12-2017 Recommended to ask the unit to submit Police Licence of Delhi and license from Municipal Corporation of East Delhi. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided above, show cause notice u/s 33 (A) of water act and 31(A) of air act was issued to the unit on 16.03.2018. The unit submitted it reply and applied for consent to operate.	17-05-2018 File be put up administratively.	
267	R K AUTOMOBILES	PLOT NO.340,FRIENDS COLONY INDUSTRIAL AREA	17-11-2017		AUTOMOBILE WORKSHOP FOR WASHING AND REPAIRING. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 17-11- 2017 Pending	1. ETP- No 2. ECS- No 3. DG Set - 1 no. of 15 KVA installed. 4. Domestic effluent discharge- 100 L/D which is disposed through public sewer. 5. Trade effluent discharge- 1400 L/D which is disposed through public sewer . 6. Water consumption- 1700 L/D whose source is Tanker .	Noise Monitoring Report was submitted by DPCC on 17.08.2017 and all the parameters are within the prescribed limit as per the report. Analysis Report of Water Effluent was submitted by DPCC on 20.07.2017 and all the parameters are within the prescribed limit as per the report.	28-11-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Unit has submitted the hard copy of the application. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
268	PREMIER PAINT & COLOUR INDUSTRIES	PLOT NO.17/7, NEW ROHATAK ROAD, ANAND PARBAT INDUSTRIAL AREA	21-11-2017		MPQ.OF DRY COLOURED DISTAMPURE Cement Paint Powder and Distemper	Orange Renewal	Non-SPI	HWM Application No. Application Date Authorisation Status HWM Application No. Application Date Authorisation Status	1 04-05- 2012 Pending 2 23-12- 2017 Pending	Water consumption: 100 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - Installed (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s	1. Stack monitoring report a) Stack monitoring report dated 08-09-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	05-12-2017 unit has submitted hard copy of CTO (R) application. Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.

									31(A)/33(A)/5 of EPA details :no			
269	ARKAY PRINT-O-PACK	A-199, PHASE-1, OKHLA INDUSTRIAL AREA	22-11-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge	Orange Operate	Non-SPE	HWM Application No. 1 Application Date 24-01-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)O.G.Set: -N/A Status of Ground Water extraction : Nil Water consumption: 500 ltr/day, Domestic: 500 ltr/day, Trade: Nil (source of Water DGB) Status of Inspection : Inspection of the unit was carried out by officials/ representatives of DPCC on 01.09.2017 and following observations were made: -Unit found operational and engaged in the activity of Offset Printing without any trade effluent discharge at ground floor. -Unit is not complying with the provisions of Hazardous waste management rules, 2016. I.e Display board not provided, Leak proof containers not provided for Hazardous waste, Storage containers not marked with specified label, kept in isolated Area, pucca floor, covered area and also not maintained Hazardous waste record in form-3. -Unit is operating without Consent from DPCC. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 25.09.2017 Unit has submitted representations on 13.11.2017 along with hard copy of application for Consent to Establish with requisite documents and 14.11.2017 w.r.t SCN dated 25.09.2017 and stated that: -They have applied for Consent to Establish. -They will also apply for Consent to operate and Hazardous under HWM Rules in next 10 working days. Unit has also requested to revoke Show Cause Notice at the earliest. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	05-12-2017 Unit has not applied for Authorization under HWM Rules, 2016 so far and also not submitted hard copy of application of Consent to operate along with required document. Recommendation / Action Taken Details (EE/AEE) on 01-05-2018 As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 26.03.2018 and following observations were made: -Unit found in operation and engaged in the activity of Offset printing without any trade effluent discharge at ground floor. -Unit is complying with provisions of HWM Rules, 2016 and maintained the record of the Hazardous Waste since after earlier inspection of unit by DPCC officials on 01.09.2017.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.	
270	BOBBY PUNJABI RASOI	SHOP NO. 22, 24, KD BLOCK DDA MARKET, PITAMPURA	22-11-2017		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with	Orange Establish	Non-SPE		Status of Pollution Control System (1)ETP: OGT of capacity 0.45 KLD (2)ECS: N/A (3)O.G.Set: Nil (4)Status of Ground Water extraction: Nil	05-12-2017 Hard copy of consent application not submitted. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018	17-05-2018 Issue reminder.	

					Floor area less than 100 m ² and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler				(5)Source of Water: 0.35 KLD from Municipal Authority (6)Status of Inspection : Inspection of the unit was conducted by DPCC representatives on 17.08.2017 and following were observed: -Unit is operational and engaged in the activity of Eating house(34 seats) at shop no-22 and 24. -Unit is having MCD License for seating capacity-19 for shop no.-22 and 24. -Unit is having kitchen at shop no-26 and 27 and having MCD license in the category of Dhaba. -Unit has not installed oil and grease cum settling tank as per norms. -Unit has not installed channelisation system in the kitchen area. -No separate bins are provided for biodegradable and non-biodegradable waste. (7)SCN u/s 31(A)/33(A)/5 of EPA details : N/A (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		Letter and SCN u/s 31 (A) of Air Act and u/s 33(A) of Water Act both issued on 01.03.2018. Unit has neither submitted hardcopy of Consent to Establish application along with requisite document nor applied for consent to Operate. A reminder may be issued.	
271	AVON POLYMER INDUSTRIES	KHASARA NO 53/9/2, PRAHALADPUR BANDER	24-11-2017		MANUFACTURING OF SELF ADHESIVE TAPE. Self Adhesive Tapes	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-11-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- N/A Plot Area- 800 sq mt Date of Establishment/ Commencement-01.04.2004 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day Source- Outside (Bill not submitted) Inspection status- No Applied under HWM rules on 13.11.2017.	Effluent Analysis Report- N/A Emission Monitoring Report N/A Noise Monitoring report- N/A	05-12-2017 Recommendation / Action Taken Details (EE/AEE) on 13-03-2018	17-05-2018 Consent to Operate granted.
272	HOTEL AEROTECH (UNIT OF METALTECH INDIA PVT. LTD.)	A-50,A-152,153 ROAD NO. 4 MAHIPALPUR	26-11-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (CAT I) Water Consumption: 6000 LPD Status of Ground Water extraction :YES (copy of water test paid) MCD license: Yes/No (Valid Upto) Fire Safety Certificate : Yes/NO Status of Pollution Control System (1)ETP -Installed (2)BCS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 82.5 KVA. an inspection was carried out by DPCC official on during inspection unit found operational with applying consent from DPCC and unit is engaged in the activity of hotel having 21 rooms.	1) Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) noise monitoring report: a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 14-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 Consent to Operate may be granted to the unit. Remarks/ATR on 13-03-2018 Unit is having valid MCD license (Valid up to 31.03.2018) and Fire Safety Certificate (issued on 11.01.2018).	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
273	HOTEL SMART PALACE	A-132,ROAD NO. 5 MAHIPALPUR NH-8	26-11-2017		hotel/guest house Hotel/ Guest Houses	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board Water consumption: 6000	1. Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued	12-03-2018 Consent to Operate may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b)

				having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				litre/day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Yes (Valid up to 09.01.2021) Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA.	by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCO and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
274	HOTEL MAHAL	K-59 , VASANT KUNG ROAD ,MAHIPALPUR	26-11-2017	Hotel/ Guest Houses. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Water consumption: 6000 litre/day Status of ground water extraction:yes (water cess copy attached) Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set: 1 D.G. Set of 125 KVA.	1. Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018	17-05-2018 Case deferred.
275	AIRPORT HOTEL CAPITAL	L-354-A, MAHIPALPUR EXTN. NEAR VIJAYA BANK	29-11-2017	HOTEL/GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Water consumption: 6000 litre/day Status of ground water extraction:Nil MCD License: yes (valid up to 31.03.2018) Fire safety Certificate: Yes (Issued on 30.11.2017) Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA. Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-03-2018 Consent to Operate may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCO and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
276	HOTEL AIRPORT PALACE	A-33 ROAD NO. 2,MAHIPALPURPUR EXTN.	30-11-2017	GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Ground Water Water Consumption: 4000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD License: no Fire safety Certificate: no Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : N/A	Effluent analysis report: a) Effluent analysis report dated 13-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: Nil	13-03-2018 Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.

									-An inspection was carried out by DPCC, officials on 13.09.2017, during inspection unit found non-operational			
277	HOTEL AERO FLY INN	A-41/1 STREET NO-01 MAHAPALPUR	04-12-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	Effluent analysis report: a)Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: No	12-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
278	WESTEND INN	389/2/2-415, NH-8, NEAR SHIV MURTI, RANGPURI EXTN. BLOCK-A, NEW DELHI-110037	06-12-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A Fire Safety License: Not applicable as per Fire Department letter dated 10.03.2017 (Copy provided) MCD License: Valid upto 31.03.2018 (as per reply dated 12.04.2018) Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: Unit has 1 D.G. set of 125 KVA. -Closure Direction u/s 31 (A) & 33 (A) issued to the unit on 31.05.2017. Meanwhile an ATR was received from Tehsildar (Vasant Kunj) on 19.06.2017. -An inspection was carried out by DPCC, Officials on 25.07.2017, during inspection following observations were made: 1. During inspection unit found non-operational, as the closure direction was issued on 31.05.2017. 2. Effective compliance w.r.t closure direction not observed by the concerned authorities. 3. Unit has applied CTE on 03.01.2017. 4. No Rain water harvesting system was exists within the premises -Unit submitted a reply on 07.06.2017 and informed that they are not doing any	1. Effluent analysis report: a). Effluent analysis report dated 05-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	26-04-2018 - Unit mistakenly chose the district as South West but the area comes under New Delhi district.	17-05-2018 Case deferred.

									commercial activity till the installation of STP is completed for which they requested to grant 01 month time. They also requested to cancel the order of sealing their premise. - Unit again submitted a reply on 07.09.2017 and informed that they have submitted the Environmental Compensation Security of Rs. 2,00,000 along with and undertaking as per the office order dated 02.08.2017 and they also informed that they have applied CTE application but they are unable to deposit online fees due to some DPCC website problem. - A letter for restoration of power supply, water supply and de-sealing of the unit was issued on 10.10.2017 as per office order dated 02.08.2017. - As per decision taken in the file by Competent Authority, a Show cause notice u/s 5 of the Environment (protection) Act was issued to the unit on 28.03.2018 to explain the details of Plot area, built up area, effluent discharge and occupancy capacity etc. and also about the operation of the unit without obtaining Environmental Clearance which is prerequisite condition under EIA notification. -Unit submitted its reply on 12.04.2018 and provided the following information: Plot area is 35,000 sq. ft and built up area is 11933 sq ft, Occupancy-36 rooms and also informed that they do not qualify the criteria for taking Environmental Clearance.			
279	NAVEEN AUTOMOBILES	37, PATPARIGANJ INDUSTRIAL AREA	06-12-2017		Service Station for Repair and Servicing of Cars which includes Repairing, Washing, Denting and Painting of Cars etc. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 04-05-2010 Authorisation Status Approved Authorisation Issue Date 01-10-2010 Authorisation Expiry Date 03-09-2015 HWM Application No. 2 Application Date 06-10-2015 Authorisation Status Pending	1. ETP- Yes 2. BCS- No 3. DG Set- N/A 4. Domestic Effluent- 400L/D 5. Trade Effluent- 4000L/D 6. Water Consumption- 5000L/D	Emission monitoring report submitted by DPCC on 21.11.2017 and all the parameters are within the prescribed limit.	20-12-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision a show cause notice for refusal of consent, show cause notice for refusal of authorization, show cause notice u/s 33(A) of Water Act and show cause notice u/s 5 of EP Act were issued to the unit on 09.03.2018.	17-05-2018 File be put up administratively.

280	HOTEL SWEET PALACE	SS2/175 NEAR MATA CHOWK MAHIPALPUR	07-12-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A HCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, following observations were made: 1. Unit found operational & engaged in the activity of Hotel having 15 rooms. 2. No DG set found in the premises. 3. No kitchen observed in the premises - On the basis of above observations, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTE & CTO and requested to revoke the closure direction issued on 05.01.2018. - A letter for permission for the restoration of Power supply and Water supply and desecuring of the unit was issued on 09.03.2018.	- Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
281	HOTEL AERO FLY	KHASRA NO-386 ROAD N-02 MAHIPALPUR	07-12-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A HCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: 1 DG set of 62.5 KVA - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, unit found non-operational.	Effluent analysis report: a) Effluent analysis report dated 14-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: Nil	12-03-2018 Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
282	HOTEL AEROSTAY	KHASRA NO.804, K-65 MATA CHOCK,VASANT KUNJ ROAD,MAHIPALPUR	08-12-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20	Orange Establish	Non-SPI		Source of Water: DJS (Ground Water Cess provided) Water Consumption: 2000 Liters/Day	- Effluent analysis report 1). Effluent analysis report dated 16-01-2018 issued	13-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.

					rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler				Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	by DPCC submitted. Effluent Test Report within Limit - Yes 2). Effluent analysis report dated 30-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes		
283	HOTEL TOURIST PALACE	A-385, ROAD NO.2, MAHIPALPUR, EXTN.	09-12-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Ground Water Water Consumption: 3000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 82.5 KVA installed.	1. Effluent analysis report: a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
284	HOTEL AEROPATH	A-103, ROAD NO.4 MAHIPALPUR, EXTN. NEAR 101 AIRPORT	10-12-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Ground Water Water Consumption: 3000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 82.5 KVA installed.	Effluent analysis report: a) Effluent analysis report dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 Consent to Operate may be granted to the unit. Remarks/ATR on 27-04-2018 - Unit has submitted Fire Safety Certificate issued on 03.04.2018 valid up to 3 years.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
285	INDUS FLAVOUR	2510, GROUND FLOOR, HUDSON LANE KINGSWAY CAMP	11-12-2017		RESTAURANT (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Devices- 1. Oil and grease Trap- Yes 2. Channelisation- Yes 3. D.G. set- No Plot Area-133.78 sq mt Date of Establishment/ Commencement- 04.10.2016 Status of Ground Water Extraction-No 1. Water consumption-3500 L/day Source- Outside (Water Bill not submitted) Status of Inspection- No MCD health license valid upto 31.03.2018 (name and address on the license not legible) Police license valid upto 31-03-2018. No. of Seats- 48 Some of documents submitted are not legible.	Effluent Analysis Report- Yes, Dated- 19-11-2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring report- N/A	21-12-2017 Remarks/ATR on 16-05-2018 Unit submitted a representation on 20.03.2018 stating that they have adjusted their seating capacity from 50 to 48 seats as per DPCC requirements and their Oil & Grease Trap is in working condition. Recommendation / Action Taken Details (EE/AEE) on 15-05-2018 Inspection conducted on 01.02.2018 and findings are- 1. Unit found operating with (50seats) seating capacity. 2. Oil and grease trap found installed but the same was	17-05-2018 Consent to Operate granted.

									Details(Dimensions etc) of Oil and Grease Trap not submitted.		not working properly as septic condition observed. 3. Channelization provided over gas burner with adequate stack height. 4. One borewell found exist. 5. MCD and Police License valid upto 31.03.2018. 6. Contact person refused sign. On the basis of inspection, son u/s 33 and SON for refusal consent issued on 07.03.2018.	
286	HOTEL AIRPORT INTERNATIONAL	A-139, GALI NO-7, ROAD NO.-4, MAHAPALPUR EXT.	11-12-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Other Water Consumption: 2000 Liters/Day (Copy of bill not provided) Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)BCS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, Unit found operational without applying Consent from DPCC. - As approved, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018.	- Effluent analysis report: Effluent analysis report dated 16-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018	17-05-2018 Case deferred.
287	RISHIRAJ ALUMINIUM PVT. LTD.	PLOT NO 21, KHASRA NO 13/16, NEW MANDOLI INDUSTRIAL AREA	11-12-2017		MANUFACTURING OF ALUMINIUM WIRE ROD. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only) Wire Drawing (without Pickling/ Galvanizing)	Orange Operate	Non-SPI		1. ETP- N/A. 2. BCS- Stack attached to exhaust of furnace (venturi and wet scrubber). 3. D.G Set- 125 KVA & 320 KVA. 4. D.G Set Test Report- Yes. 5. OUMS- Not installed. 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by Industry Department- No. 8. Display Board- No. 9. Fuel Used : HSD.	Emission monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit.	20-12-2017 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 In response to the email received by the unit on 09/02/2018 w.r.t. decision taken by the consent committee headed by MS, DPCC in category II(b) cases, the unit has submitted its reply on 19/02/2018 stating that they have applied for PNG connection and have attached the copy of the mail received from IGL. Further, they have submitted representation on 21/02/2018 stating 1. That they have repaired the hood, problem of leakage of smoke has been rectified and the process is working	17-05-2018 Inspection be conducted.

										fine. 2. They have fixed the canopy of the DG set, as during the time of inspection it was in disassembled position. The other deficiency was the absence of OLMS. They have applied for PNG connection therefore OLMS need not be provided.		
288	HOTEL SMART STAY	A-407, ROAD NO. 4, MAHIPALPUR, NH-8, NEAR IGI AIRPORT	11-12-2017		GUEST HOUSE (18 ROOMS). Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DSB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: Outside Water Consumption: 3000 Litres/Day Status of ground water extraction:N/A MCD License: Not provided Fire Safety Certificate: not provided Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A	-	13-03-2018 Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
289	LOKNATH PRASAD GUPTA	PLOT NO 406, F.I.E. PATPARGANG INDUSTRIAL AREA	12-12-2017		PAAN MASALA (MOUTH FRESHNER) Pan Masala (Mixing Only)	Green Operate	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- No 4. Trade Effluent- 300L/D 5. Water Consumption- 300L/D	N/A	20-12-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As per the Competent Authority decision, an inspection of the unit was conducted on 17.03.2018 and following were observed:- 1. During the inspection no activity was going on. However, machinery found exist but not in operation i.e no production was going on. As informed by the person contacted that they have started the unit to make pan masala and mouth freshner. 2. Raw material was was found stored such as elaichi powder, perfume, elaichi dana, catchu, dry date cut pieces, misri and also lime powder in the first floor for it, it has been reported that some of the raw material was shifted to the other primes in Noida unit. In the back side the unit has removed garbage and have planted grass with the help of bagga link. However on the back end side of plot no 407 garbage dumping found. 3. It has been informed that still some Industries dumping their garbage near the unit no 407 which is reportedly MCD challow but no signage of MCD challow indicating that is MCD challow. As seen the same seems to be green belt area of DDA. As informed that their unit has	17-05-2018 File be put up administratively.

											no role to dump garbage near plot no 407.	
290	GLINTAC INDIA	K-13/3/2-4/1-306, KARAWAL NAGAR INDUSTRIAL AREA	12-12-2017		MPG. OF LED LIGHT AND PANCY LIGHT WITH POWDER COATING. Powder Coating without phosphating	Green Establish	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- 62.5 KVA 4. D.G Set Test Report- NA 5. OUMS- Not Installed. 6. Documents in original for boundary in original by Industry Department- N/A 7. Display Board- No 8. Fuel Used : N/A	N/A	20-12-2017 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As per the committee decision on 09/02/2018, show cause notice for refusal of consent is issued to the unit on 14/03/2018.	17-05-2018 Case deferred.
291	EXCELLENT TRADING COMPANY	PLOT NO-2, KHASRA NO- 15/4, MANDOLI INDUSTRIAL AREA	12-12-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT DISCHARGE AND BINDING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-12-2017 Authorisation Status Pending	1. ETP- N/A 2. ECS- N/A 3. D.G Set- nil 4. D.G Set Test Report- N/A 5. OUMS- N/A 6. Proof prior to 2007- Rent agreement of 2007. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : nil	Nil	20-12-2017 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 09/02/2018, SCN for refusal of consent is issued to the unit on 15/03/2018. Inspection yet to be conducted.	17-05-2018 Case deferred.
292	VEERAN PLASTIC INDUSTRIES	7, DSIDC SHED, SCHEME- III, PHASE-II, OKHLA INDUSTRIAL AREA	14-12-2017		PLASTIC TUBES WITH FLEXO PRINTING (FOR INDUSTRIAL PACKING USE ONLY). Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 200 Liters/Day(Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/S of EPA details :Nil Closure directions u/s 31(A)/33(A)/S of EPA details :Nil	-	20-12-2017 Hardcopy of application for Consent to Operate & Authorization under HWM Rules, 2016 is yet to be received. Also, inspection to be conducted w.r.t checking of compliance of Hazardous Waste Management Rules 2016. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As decided, an inspection of the unit was carried out by the team of both EEs of CMC-II and Trainee of CMC-II on 14.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. of Plastic tubes with flexo printing (for industrial packaging use only). -Mfg. of Plastic carry bag was not observed. -Plastic tube of thickness less	17-05-2018 Consent to Operate granted. Application for Authorization under HWM Rules be kept in abeyance. Also ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.

											than 50 micron was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016.	
293	SPEZIA BISTRO(A UNIT OF ASPEN ENTERPRISES)	2525 FIRST FLOOR HUDSON LANE KINGSWAY CAMP	17-12-2017	Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- Oil and Grease trap of design capacity of 2500 L/D. 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 500 L/D which is disposed through public sewer. 5. Trade effluent discharge- 2000 L/D which is disposed through public sewer . 6. Water consumption- 2000 L/D whose source is Corporation . 7. Municipal Corporation of Delhi Licence -Not provided 8. Police Licence of Delhi - Not provided	Analysis Report of Water effluent was submitted by DPCC on 13.11.2017 and all the parameters are within the prescribed limit as per the record.	20-12-2017 Inspection be Conducted Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Unit inspected and found that installed Oil and Grease Trap found functional. Channelization system provided with kitchen emissions. No DG set found in the premises.	17-05-2018 Consent to Operate granted.	
294	HOTEL R.S. RESIDENCY	A-151,152 2ND&3RD FLOOR,STREET NO.9 ROADNO. 40 MAHIPALPUR,	19-12-2017	GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Ground Water Water Consumption: 1000 Litres/ Day Other: 5000 Litres/Day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Yes (Issued on 11.01.2018) Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - Unit applied Consent to Establish & Consent to Operate on 27.10.2017 & 19.12.2017 respectively.	- Effluent analysis report: a)Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.	
295	HOTEL LAXMI PALACE	A-150-151,ROAD NO-4 MAHIPALPUR EXTN.	19-12-2017	guest house Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: D/B Water Consumption: 5000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD license: Yes(Valid Upto 31/03/2018) Fire Safety Certificate : Yes (issued on 02/01/2018) Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 83 KVA installed. an inspection was carried out	Effluent analysis report: a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 83 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 Consent to Operate may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.	

									by DPCC officials, during inspection following observation were made: a) unit found engaged in activity of hotel having 21 rooms. b) ETP under installation.			
296	LIBRARY CAFE (A UNIT OF DARVESH ENTERPRISES)	PLOT NO: P-21 B, FIRST & SECOND FLOOR, VIJAY NAGAR SINGLE STOREY, OPP. NDPL OFFICE, DELHI	19-12-2017		RESTAURANT SERVICE PROVIDER Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area-53.6sq mt Date of commencement- 03.07.2017 Status of Ground Water Extraction: No 1. Water consumption: 1400 L/day.(Outside) a) Source of water: DIB (water bill submitted) Cat II, MCD License submitted valid upto 31.03.2018.	Effluent Analysis Report-No Emission Monitoring Report -N/A Noise Monitoring report- N/A	09-03-2018	17-05-2018 Consent to Establish granted.
297	HOTEL BANZ	A-137 ROAD NO-4 MAHIPALPUR EXTN.	19-12-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 80 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Ground Water Water Consumption: 6000 Litres/ Day Status of ground water extraction:yes (water cess paid) MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of capacity 125 KVA installed.	Effluent analysis report: a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate may be granted to the unit. Remarks/ATR on 13-03-2018 - Unit is having MCD license valid up to 31.03.2018. - Unit has applied for Fire Security Certificate (as per application submitted in Delhi Fire Service regarding Fire N.O.C. on 07.02.2018).	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
298	KESHAV PROCESSOR	G-1026 DSIIDC NARELA	20-12-2017		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-01-2018 Authorisation Status Pending	1. ETP- Yes 2. ECS- Yes, Stack attached to boiler 3. D.G. set- N/A Plot Area- 350 sq mt Date of commencement -26.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 14000 L/day. a) Source of water- DSIIDC (water bill submitted)	Stack emission report submitted issued by DPCC lab on 13.11.2017. Parameters are within limit. Effluent Treatment report submitted issued by DPCC lab on 16.10.2017. Parameters are within limit.	12-03-2018	17-05-2018 Inspection be conducted.
299	THE BIG MISTAKE	PROPERTY NO: 2528, SECOND & THIRD FLOOR, HUDSON LANE, KINGSWAY CAMP, DELHI	20-12-2017		RESTAURANT HAVING 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP- OGT (Proposed) ECS-N/A D.G.set-N/A Plot area-134 sq m Date of Commencement- 06.11.2017 Status of Ground Water- No Water consumption-1200 L/day Source of water-DIB Cat-I (water bill submitted) MCD license valid upto 31.03.2018		15-05-2018	17-05-2018 Consent to Establish granted.
300	NO OBJECTION CAFE (A UNIT OF SHIV KUMAR FOODS & HOSPITALITY LLP)	PLOT NO: 2528, FIRST FLOOR, HUDSON LANE, KINGSWAY CAMP, DELHI	21-12-2017		RESTAURANT SERVICE PROVIDER Restaurants /Eating houses/ Dhabas and	Orange Establish	Non-SPI		ETP- OGT (Proposed) ECS-N/A D.G.set-N/A Plot area-134 sq m Date of Commencement-	Emission Monitoring Report- N/A Effluent Monitoring Report- N/A	15-05-2018	17-05-2018 Consent to Establish granted.

					other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler				12.10.2017 Status of Ground Water- No Water consumption-1000 L/day Source of water-DDB (water bill submitted) MCD license valid upto 31.03.2018	Noise Monitoring Report- N/A		
301	FLAMESS RESTAURANT (A UNIT OF CAFE VILLAGE)	PROPERTY NO: G-15 B, FIRST FLOOR, VIJAY NAGAR, SINGLE STOREY, DELHI	21-12-2017		RESTAURANT HAVING 34 SETS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP- OGT (Proposed) ECS-N/A D.G.set-N/A Plot area-83.61 sq m Date of Commencement- 13.04.2015 Status of Ground Water- No Water consumption-1000 L/day Source of water-DDB (water bill submitted) MCD license valid upto 31.03.2018	Emission monitoring report- N/A Effluent monitoring report- N/A Noise monitoring report- N/A	15-05-2018	17-05-2018 Consent to Establish granted.
302	AAMARA HOTEL	KHASARA NO. 407,ROAD NO. 4 STREET NO. 5,MAHIPALPUR EXTN.	22-12-2017		guest house Hotel/ Guest Houses having 20 to 80 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (CAT-I) Water consumption: 6000 litre/day Status of ground water extraction:yes (water cess paid) MCD License: Yes (Valid up to 31.03.2018) Fire Safety Certificate: Yes (Valid up to 02.01.2021) Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA.	1.Effluent analysis report: (a) Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 19-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-03-2018 -Consent to Operate may be granted to the unit.	17-05-2018 As decided in the meeting 2 (b) dated 27.04.2018 in the conference room of Department of environment 6th floor, C wing Delhi secretariat The Chairman of the Committee decided that in case of Hotels/ restaurants/ Guest house operating in Mahipalpur, Consent to Establish/Consent to Operate shall be granted to all Hotels/Restaurants/ Guest house who have submitted requisite documents including valid MCD and Fire License and complying with the environments norms. In view of above Consent to Establish and Consent to Operate granted.
303	ANUPAM METALS	B-25, JHILMSL INDL. AREA	23-12-2017		Mfg. of Pressure Cookers and Household kitchen appliances with Buffing. Process Involving Buffing	Green Renewal	Non-SPI		1. ETP - No 2. ECS - Stack attached to buffing. 3. D.G Set - Nil. 4. Water Consumption - 100 L/Day and the source is corporation. 5. Trade Effluent Discharge - nil 6. Domestic Trade Discharge - 90 L/Day and the mode of disposal is sewer.	Emission Monitoring Report was submitted by DPCC on 19.12.2017 and all the parameters are within the prescribed limit as per the report.	25-01-2018 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved inspection of the unit was conducted on 10.03.2018 and following were the observations: 1. The premises was divided into 3 slabs with mezzanine floor. The unit was found engaged in the work of making pressure cooker(Aluminium). Aluminium circle was being used for making pressure cooker through power press moulding, finishing through lathe machine, outside chiseling as per design, buffing, Bakelite handle fixing, packing etc. 2. The buffing activity is being carried out in mezzanine floor, two buffing machine is being used for buffing purpose and were in operation. 3. The fugitive emission	17-05-2018 File be put up administratively.

											generated during the buffing process were found channelized through hood duct and common stack arrangement. The fugitive emission before dispersion passed through cyclone cum dust collecting system treated with id fan for suction.	
304	JAI DURGA METAL	1/488-S04, DAMODAR PARK, NORTH OF G.T. ROAD INDUSTRIAL AREA, SHAHDARA	24-12-2017		ALUMINIUM CASTING,ROLLING,SHEET CUTTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- No. 2. ECS- Stack attached to wet scrubber. 3. DG Set- N/A. 4. Trade Effluent- Nil. 5. Domestic Effluent-100 L/D and its mode of disposal into Sewer. 6. Water Consumption- 350 L/D and its source is purchase water.	Emission Monitoring Report was submitted by DPCC on 04.10.2017 and all the parameters are within the prescribed limit as per the report.	25-01-2018 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A letter was issued to the unit on 03.05.2018 asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area, display board, OLMS etc. No reply received till date . Inspection yet to be conducted.	17-05-2018 Expedite inspection.
305	HOTEL ARK OF AVALON	K-806/1 MAHIPALPUR	26-12-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		source of Water: not mentioned Water Consumption: 3000 LPD Status of Ground Water extraction : Nil MCD license: No Fire Safety Certificate : NO Status of Pollution Control System (1)ETP:N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/S of EPA details : No Closure directions u/s 31(A)/33(A)/S of EPA details : No	-	13-03-2018 Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
306	GANPATI AUTOTECH PRIVATE LIMITED	PLOT NO. 1/536-3/12, GALI NO. 5, FRIENDS COLONY INDL. AREA, SHAHDARA	27-12-2017		SERVICING OF VEHICLES (TWO WHEELERS) WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		1. ETP - Yes, of design capacity 500 L/D. 2. ECS - No 3. D.G Set - NIL 4. Water Consumption - 700 L/Day, source is purchase water. 5. Trade Effluent Discharge - 400 L/Day and the mode of disposal is sewer. 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is sewer.	N/A	25-01-2018 Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 A letter was issued to the unit on 03.05.2018 asking the unit to submit hardcopy of consent application along with requisite documents. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
307	SIDDHARTH AGRO FOOD	PLOT NO F-1722, DSIIIC, NARELA INDUSTRIAL AREA	28-12-2017		DALL MILLS. Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes, stack attached to	Effluent analysis report - N/A. Emission monitoring report	12-03-2018 - Consent to Operate granted.	17-05-2018 Consent to Operate granted.

									exhaust of dal mill 3. D.G. set- N/A Plot Area- 350 sq mt Date of commencement- 25.05.2016 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day. a) Source of water-DSIIDC (copy of bill submitted)	-Issued by DPCC, lab on18.10.2017. Meeting the norms. Noise monitoring report - N/A		
308	SANDEEVANI GRAINS PVT. LTD.	PLOT NO S17, SECTOR-C, DSIDC NARELA INDUSTRIAL AREA	28-12-2017		DALL MILL. Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- Yes, Stack attached to bag house of Dal Mill 3. D.G. set-No Plot Area-350 sq mt Date of Establishment/ Commencement-03.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day Source-DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 14.09.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	12-03-2018	17-05-2018 Consent to Operate(Renewal) granted.
309	SHAHNAI BANQUET HALL	MCD CAR PARKING,ASAF ALI ROAD	28-12-2017		BANQUET HALLS/CONFERENCE HALLS Restaurants/Eating Houses / Dhabs and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DIB (Category-II) Water Consumption: 6000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	29-01-2018 Consent to Establish may be granted to the unit. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
310	SINGLA PLASTIC	PLOT NO-388, POCKET-E, SECTOR-S, DSIDC INDUSTRIAL AREA, BAWANA	28-12-2017		REPROCESSING OF PLASTIC WASTE AND EVA CHAPRALS Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes, Stack attached to exhaust hood over extruder machine. 3. D.G. set- N/A Plot Area- 171 sq mt Date of commencement- 01.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 350 L/day. a) Source of water- DSIIIDC (copy of bill submitted)	Effluent analysis report - N/A. Emission monitoring report -issued by DPCC, lab on 18.12.2017. Meeting the norms. Noise monitoring report - N/A	12-03-2018	17-05-2018 Inspection to be conducted. Also ask the unit to apply for registration under Plastic Rules, 2016 online and also submit certificate of registration from Industries Department.
311	RICIS (A UNIT OF TGF HOSPITALITY LLP)	2526, MAIN BAZAR HUDSON LINE, KINGSWAY CAMP	29-12-2017		RESTAURANT. Restaurants /Eating houses/ Dhabs and other such establishments(having seating capacity from 36 to 100 seats)- connected	Orange Operate	Non-SPI		1. ETP- Yes 2. ECS- N/A 3. D.G. set- 80 KVA 4. Plot area- 166 sq. m. 5.Status of Ground Water Extraction-No a) Water consumption- 3500 L/day.	Status of Test Report Effluent analysis report - issued by DPCC lab on 21.12.2017. Parameters are within limit. Emission monitoring report	15-05-2018	17-05-2018 Consent to Operate granted.

					to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler				b) Source of water: D/B (copy of water bill not submitted) MCD & Police license valid upto 31.03.2018. No. of seats 48 seats as per Police License.	-N/A Noise monitoring report - N/A		
312	COFFEEDAY GLOBAL LIMITED	ATRIUM GF VASANT SQUARE MALL, PLOT NO-A, COMMUNITY CENTER, SEC-8, PAK-5, VASANT KUNJ	30-12-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)O.G.Set: ...N/A... Status of Ground Water extraction : Status of Inspection : NO SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	-	12-03-2018 unit has submitted hard copy with all requisite document. consent to Establish may be granted.	17-05-2018 Consent to Establish granted.
313	BOX OFFICE CAFE (A UNIT OF GRAS HOSPITALITY)	PLOT NO: F-16 B, SECOND & THIRD FLOOR, VIJAY NAGAR, SINGLE STOREY, DELHI	30-12-2017		RESTAURANT SERVICE PROVIDER Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP- OGT (Proposed) ECS-N/A O.G.set-N/A Plot area-84 sq m Date of Commencement-10.12.2015 Status of Ground Water- No Water consumption-1000 L/day Source of water-D/B (water bill submitted) MCD license valid upto 31.03.2016	Emission Monitoring Report-N/A Effluent Monitoring Report-N/A Noise Monitoring Report-N/A	15-05-2018	17-05-2018 Consent to Establish granted.
314	HOTEL TEJ PALACE	KHASRA NO.404,BLOCK-A,GALI NO.7,MAHIPALPUR	30-12-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / D/B Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: D/B Water Consumption: 5000 Liters/Day Status of Ground Water Extraction: Yes (Water cess paid) MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)O.G.Set: N/A	- Effluent analysis report: a). Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
315	GROVER STEELS(INDIA)	78,RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	01-01-2018		Rolling of S.S. Sheet/Plate including annealing. Stainless steel rolling and annealing (with capacity less than 25 MT/day)	Green Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes, stack attached to furnace 3. O.G. set- N/A Plot Area- 500 sq mt Date of commencement-15.05.1987 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-D/B Cat-III a (copy of bill submitted)	Effluent analysis report - N/A. Emission monitoring report -issued by DPCC, lab on 30.10.2017. Meeting the norms. Noise monitoring report - N/A	12-03-2018	17-05-2018 Consent to Operate (Renewal) granted.
316	BELMOND HOTELS	KH. NO-5,6,7,8,9,10,11,	03-01-2018		MOTEL	Orange	Non-SPI		Status of Pollution Control	-	13-03-2018	17-05-2018

	PRIVATE LIMITED	AND 14/1087/1088/1089/1090, MAIN CHATTARPUR ROAD, VILLAGE-SHAMOORPUR, SATBARHI			Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Establish			System (1)STP - Installed (2)ECS - N/A (3)D.G.Set: 2 Nos (125 KVA & 250 KVA) Water consumption: 76660 Liters/Day (Source: Outside) Status of Ground Water extraction : NIL Month and Year of Commencement of Production- 10-07-2017 Status of Inspection : 15.11.2017 SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 22.11.2017. Modified direction issued on 13.03.2018 giving 30 days time for removing deficiencies. Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL	CTE may be granted.	Consent to Establish granted.	
317	HOTEL HINDUSTAN INTERNATIONAL	8220A/6, ARAKASHAN ROAD, PAHARGANG	04-01-2018		GUEST HOUSE (20 ROOMS WITH 40 BEDS) W/O KITCHEN AND LAUNDRY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. STP/Oil &Grease trap-N/A 2. ECS- Yes, Stack attached to boiler 3. D.G. set- Yes, 1x 30 KVA Plot Area-118.73 sq mt Date of Establishment/ Commencement-23.07.2008 Status of Ground Water Extraction-No 1. Water consumption- 2500 L/day Source-DJB (Bill submitted) Inspection status- No MCD license valid upto 31.04.2018 and Delhi Police license valid upto 31.03.2018 No of Rooms- 20 No of Beds- 40	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 11.09.2017 and Issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 11.08.2017 and Issued by DPCC. Parameters are within prescribed limits.	13-03-2018	17-05-2018 Expedite inspection.
318	HOTEL LEGEND INTERNATIONAL	8525, ARAKASHAN ROAD, PAHARGANG	04-01-2018		GUEST HOUSE (39 ROOMS WITH 78 BEDS). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. Oil &Grease trap-N/A 2. ECS- Yes, Stack attached to boiler 3. D.G. set- Yes, 1x 62.5 KVA Plot Area-212 sq mt Date of Establishment/ Commencement-05.08.2008 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day Source-DJB (Bill submitted) Inspection status- No MCD license valid upto 31.03.2017 and Delhi Police license valid upto 31.03.2018 No of Rooms- 39 No of Beds- 78	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 11.09.2017 and Issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 11.08.2017 and Issued by DPCC. Parameters are within prescribed limits.	12-03-2018	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
319	RAJENDRA METAL INDUSTRIES	KHASRA NO.- 52, PLOT NO.- A-2, RADHA VIHAR MANDOLI INDUSTRIAL AREA	05-01-2018		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. STP- Nil 2. ECS- Yes(Venturi Wet Scrubber) 3. D.G Set- Nil 4. D.G Set Test Report- N/A	Emission monitoring report submitted by DPCC on 15.12.2017. All the parameters are within the prescribed limit.	29-01-2018 Ask the unit to submit Hard copy of the consent application and certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified	17-05-2018 Expedite inspection.

									5. OLMS- N/A 6. Proof prior to 2007- Rent agreement of 2006. 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke.		redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, letter was issued to the unit on 07/03/2018 asking to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, display board, OLMS etc. Inspection yet to be conducted.	
320	D.A. FOUNDRY	KHASRA NO.-81/82, HANUMAN GALI, MANDOLI INDUSTRIAL AREA	05-01-2018		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Venturi Wet Scrubber) 3. D/G Set- No 4. D/G Set Test Report- N/A. 5. OLMS- Not installed. 6. Proof prior to 2007- Not submitted(Rent Agreement of 2017). 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Hard Coke.	Emission monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit.	29-01-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 09/02/2018, A letter was issued to the unit dated 13/03/2018 asking them to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, display board, confirmation of switching over to PNG, OLMS etc. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
321	ASIAN MOTORS	29, SHIVAJI MARG, NAJAFGARH ROAD INDUSTRIAL AREA	06-01-2018		CAR SHOW ROOM AND SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-07-2006 Authorisation Status Pending HWM Application No. 2 Application Date 28-03-2012 Authorisation Status Approved	Source of Water: DIB (Cat-II) Water Consumption: 3300 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set - N/A An inspection of the unit was carried out by DPCC officials on 01.02.2018 and the following observations were made : 1. During inspection unit found operational and engaged in the activity of car show room and	1. Effluent analysis report dated 03-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack analysis report : N/A 3. Noise monitoring report : N/A	07-02-2018 - Consent to Operate (Renewal) may be granted to the unit. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As decided in the meeting a show cause notice for refusal of consent, show cause notice u/s 33(A) of Water Act and show cause notice u/s 31(A) of Air Act yet to be issued.	17-05-2018 Case deferred.

								Authorisation 18-07- Issue Date 2012 Authorisation 27-08- Expiry Date 2017 HWM Application No. 3 Application Date 06-01- 2018 Authorisation Status Pending	service station. 2.HWM guidelines are being followed as oil stored in isolated room and send to authorized dealer. 3.ETP installed and same found in defunct condition, as no wet/dry sludge observed during inspection and chemical dosing is not done. 4.ETP logbook not maintained from 29/12/2018 at the time of inspection. 5.1 DG set of 82.5 KVA with improper enclosure and inadequate stack height.			
322	ESSKAY LAMINATION	M/S ESSKAY LAMINATION ,299 ,FIE, PATPARGANJ, DELHI-92	06-01-2018		Making Pouches of papers and laminated sheets along with printing (if required) Printing without Trade Effluent Discharge Labels/ Stickers (without trade effluent discharge) Paper cutting	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-04- 2018 Authorisation Status Pending	1. ETP- No 2. BCS- No 3. DG Set- N/A 4. Water consumption- SOL/D 5. Trade Effluent- N/A 6. Domestic Effluent- N/A	N/A	29-01-2018 Ask the unit to submit hard copy. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 -show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act were issued to the unit on 16.03.2018. -The unit submitted its reply on 10.04.2018 and stated that: 1. Waste agreement has been taken. 2. Rotogravure machine is on sale and not using by the unit. 3. HWM management is followed in separate closed bins and handedover to the waste management company.	17-05-2018 Inspection be conducted.
323	ANJALI ENTERPRISES	PLOT NO 421-A/4, GALI NO 6, FRIENDS COLONY INDL AREA	09-01-2018		wire drawing with super enamelling Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-09- 2012 Authorisation Status Approved Authorisation 07-11- Issue Date 2012 Authorisation 12-09- Expiry Date 2017 HWM Application No. 2 Application Date 09-01- 2018 Authorisation Status Pending	1. ETP - No. 2. BCS - Stack attached to Super Enamelling. 3. D.G Set - One, of 140 KVA installed. 4. Water Consumption - 700 L/Day, source is purchase water. 5. Trade Effluent Discharge - 400 L/Day and the mode of disposal is sewer. 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is sewer.	Stack and Noise Monitoring report was shown enclosed but failed to download.	25-01-2018 Ask the unit to submit hardcopy alongwith the document and inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Unit submitted the hard copy of application . Inspection yet to be conducted	17-05-2018 Inspection be conducted.

324	HEMANK CHAWLA	PLOT NO-B-2627, DSIIIC NARELA INDUSTRIAL AREA	09-01-2018		MPG. OF PLASTIC GRANULES (REPROCESS) W/O WASHING. Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS-N/A 3. D.G. set- No Plot Area- 250 sq mt Date of Establishment/ Commencement-02.11.2015 Status of Ground Water Extraction-No 1. Water consumption- 0.225 KL/day Source-DSIIIC (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	12-03-2018	Inspection be conducted.
325	J.K. CONSULTANTS & ENGINEERS	KH. NO. 13/3/2 GALI NO. 1 WEST KANAL VIHAR, KARAWAL NAGAR	09-01-2018		PAINT (BY MIXING PROCESS ONLY) EXCEPT NITROCELLULOSE AND ALKID RESIN BASED PAINTS Paint (By Mixing Process Only) Except Nitrocellulose and Alkid Resin Based Paints	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- No 4. D.G Set Test Report- N/A. 5. OLMS- Not installed. 7. Documents in original for boundary in original by industry Department- No. 8. Display Board- No 9. Fuel Used : Nil.	N/A	29-01-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As per the committee decision on 07/02/2018, letter was issued to the unit on 07/03/2018 asking the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate etc.	17-05-2018 File be put up administratively.
326	HEMANK CHAWLA	PLOT NO-B-2627, DSIIIC NARELA INDUSTRIAL AREA	09-01-2018		MPG. OF PLASTIC GRANULES (REPROCESS) W/O WASHING. Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. Oil & Grease trap-N/A 2. ECS- Yes, Stack attached to exhaust of extruder and mixture machine 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement-02.11.2015 Status of Ground Water Extraction-No 1. Water consumption- 225 L/day Source-Outside(Bill not submitted) Inspection status- No Unit has submitted Form 2 for registration of Plastic Management Rules.	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 11.07.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - N/A	12-03-2018	17-05-2018 Inspection be conducted.
327	ESPRIT INDIA POLYMERS PRIVATE LIMITED	B-41, SECTOR-2, DSIIIC BAWANA INDUSTRIAL AREA	09-01-2018		MPG. OF REPROCESSED PVC/PLASTIC DANA/GRANULES (WITH REPROCESSING OF PLASTIC/PVC WASTE AND USING PLASTIC WASTE SCRAP AS RAW MATERIAL) WITH WASHING ACTIVITY Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items	Orange Establish	Non-SPI		Hard Copy not submitted.	-	26-04-2018	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.

					(Using Scrap As Raw Material with Washing Activity) Reprocessing of Waste Plastic / PVC (with Washing Activity)							
328	HOTEL VIVA PALACE	L-74, STREET NO.7, MAHIPALPUR EXTN.	10-01-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJS (Ground Water Cess provided) Water Consumption: 10000 Liters/Day Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	1. Effluent analysis report (a) Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 -Consent to Establish may be granted.	17-05-2018 Case deferred,
329	HOTEL RAMA KRISHNA	A-67/1, MAHIPALPUR EXTN. NH-8	10-01-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJS (Ground Water Cess provided) Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: Yes MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	- Effluent analysis report (a). Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.
330	REKHA FOODS	F-14/7, MODEL TOWN - II,	10-01-2018		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 26 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hard Copy not submitted.	-	26-04-2018 .	17-05-2018 Consent to Operate granted.
331	HOTEL PICASSO (A UNIT OF KANSAL MARKETING PVT. LTD.)	B-374, MEERA BAGH, PASCHIM VIHAR,	11-01-2018		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap a) Effluent analysis report dated 27-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA	a) Effluent analysis report dated 27-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	16-05-2018 .	17-05-2018 Consent to Establish granted.

									details :no			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
332	SIDDHARTH FOODS	A-290, DSIIDC NARELA INDUSTRIAL AREA, DELHI- 110040	12-01-2018		DAL MILL Dal Mills	Green Operate	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. BCS- Yes, Stack attached to bag house. 3. D.G. set- N/A Plot Area-350 sq mt Date of commencement- 08.11.2017 Status of Ground Water Extraction: No 1. Water consumption: 35 L/day a) Source of water: DSIIDC(water bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 13.11.2017. Parameters are within limits. Noise Monitoring report- N/A	13-03-2018	17-05-2018 Inspection be conducted.
333	J C PROCESSOR	H-191 SECTOR-5 DSIIDC	12-01-2018		JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-01-2018 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- Yes 2. BCS-Yes 3. D.G. set- No Plot Area-200 sq mt Date of Establishment/ Commencement-27.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 1100 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report submitted on 12.12.2017 and issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 04.12.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - N/A	12-03-2018 Remarks/ATR on 26-04-2018 Status of Pollution Control system/Devices- 1. ETP- Yes 2. BCS-Yes 3. D.G. set- No Plot Area-200 sq mt Date of Establishment/ Commencement-27.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 11000 L/day Source- Outside (Bill not submitted) Inspection status- No Effluent Analysis Report submitted on 12.12.2017 and issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 04.12.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report -N/A	17-05-2018 Inspection be conducted.
334	NATIK INDUSTRIES	G-57, SECTOR-4, DSIIDC BAWANA INDUSTRIAL AREA	12-01-2018		ALUMINIUM PRESSURE DIE CASTING. Aluminium Pressure Die Casting	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. BCS-Yes, Stack attached to exhaust of die casting section. 3. D.G. set- N/A Plot Area- 150 sq mt Date of establishment/commencement- 2015 Status of Ground Water Extraction-No 1. Water consumption- 0.1 KL/day a) Source of water-DSIIDC (copy of bill not submitted) Rent agreement not submitted.	Stack monitoring report submitted on 08.01.2018 issued by DPCC. Parameters are within limit.	12-03-2018	17-05-2018 Inspection be conducted.
335	PERO	Z31_PATPARIGANJ INDUSTRIAL AREA,	12-01-2018		yes	Red Establish	Non-SPI		1. ETP- No 2. BCS- No	- No Noise Monitoring Report found in the last six months from the date of	30-01-2018 Recommended for inspection.	17-05-2018 Inspection be conducted.

				Readymade Garment (with Washing)				3. DG Set- 20KVA 4. Trade Effluent- 300L/D 5. Water Consumption- 700L/D	application. - No Emission Monitoring Report found in the last six months from the date of application		
334	SINGH SERVICE CENTRE (A UNIT OF SIKKA MOTORS PVT. LTD)	PO-B, LONG ROAD, SHAHDARA	12-01-2018	PETROL PUMP CUM SERVICE STATION Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI		1. ETP- Yes (Physiochemical) 2. BCS- No 3. Water Consumption - 4400 L/day 4. Domestic Effluent Discharge - 200 L/day 5. Trade Effluent Discharge - 3900 L/day 6. DG Set - 62.5 KVA 7. Stack Height - 2.5 meters.	N/A	29-01-2018 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
337	SMOOTH MOTORS	19/317/1, OLD ROHTAK ROAD, DAYA BASTI, SHAHZADA BAGH INDUSTRIAL AREA NEW DELHI	13-01-2018	Automobile Servicing and Repair Station with Washing Activity Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. BCS-N/A 3. D.G. set- No Plot Area- 148.63 sq mt Date of Establishment/ Commencement-30.01.2018 Status of Ground Water Extraction-No 1. Water consumption-0.400 KL/day Source-Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	12-03-2018 .	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
338	AM AUTOMOBILES (A UNIT OF BLUE BIRD ENTERPRISES PVT. LTD)	PLOT NO. 189-91 LAWRENCE ROAD INDUSTRIAL AREA	15-01-2018	AUTOMOBILES SERVICE CENTER WITH WASHING, DENTING, PAINTING, REPAIRING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-10-2010 Authorisation Status Approved Authorisation Issue Date 31-01-2013 Authorisation Expiry Date 25-10-2015 HWM Application No. 2 Application Date 09-03-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)BCS - N/A (3)D.G.Set Noise Report : 1 of 82.5 KVA. Status of Ground Water extraction : Nil Source of Water: 8900 L per day, Source-DIB Status of Inspection : Yes SCN u/s 31(A)/33(A)/5 of EPA details : show cause notice for refusal of consent and u/s 5 of EPA was issued to the unit on 02.06.2010 Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : Test reports of stack attached to paint booth is within norms (Issued by DPCC on 17.11.2017) Water (Effluents) : Test reports within norms (Issued by DPCC on 06.11.2017) Noise : Test reports within norms (Issued by DPCC on 30.11.2017)	05-02-2018 The unit was inspected DPCC on 25.01.2018 and following were observed: 1. Unit is found operational and engaged in the activity of Service station with Washing. 2. Ground floor of premises is used for service of cars and washing activity. 3. ETP is installed at ground floor, same found operational. 4. By-Pass arrangement is found during inspection. 5. Unit is not complying with HWM Rules 2016. 6. Unit has installed point booth with adequate stack height. Remarks/ATR on 23-04-2018 Inspection was conducted by DPCC Officials on 20.04.2018 and following was observed: -Unit found in operation and engaged in the activity of servicing and repairing of cars. -ETP found installed and same found in operation wet sludge is observed in sludge drying bed. Log book found maintained. -Adequate stack height is provided with paint booth. - 1 D.G set of Capacity 82.5 KVA with acoustic enclosure found installed at roof top with adequate stack height.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
									Recommendation / Action		

340	PIONEER MARKTRADE (P) LTD	DELHI 6, FOOD MALL, TIS HAZARI METRO STATION	15-01-2018		FOOD MALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. BCS- N/A 3. D.G. set- No Plot Area-1982 sq mt Date of Establishment/ Commencement-15.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 6000 L/day Source- Outside Inspection status- No MCD & Police License not submitted.	Effluent Analysis Report submitted on 28.07.2017 and issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report -N/A Noise Monitoring Report - N/A	13-03-2018	17-05-2018 Consent to Establish and Consent to Operate granted.
341	MULTAN AUTOMOBILE ENGINEERS	B-7/1, PHASE II, OKHLA INDUSTRIAL AREA	16-01-2018		Automobiles Workshop Cum Service Station including washing. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-12-2003 Authorisation Status Approved Authorisation Issue Date 16-07-2004 Authorisation Expiry Date 19-07-2006 HWM Application No. 2 Application Date 14-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 28-10-2009 Authorisation Status Pending HWM Application No. 4 Application Date 09-07-2010 Authorisation Status Approved Authorisation Issue Date 20-12-2012	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 31-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. (2)BCS - N/A Stack monitoring report of stack attached to Paintbooth dated 14-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 5800 Liters/Day (Source - DJS) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 31-10-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. Stack monitoring report of stack attached to Paintbooth dated 14-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. -Unit found in operation and engaged in the activity of Automobile Servicing and Repairing Station with Washing Activity with Diesel Fired Burner. -One Paint Booth is also existing with adequate stack height. -Ground water extraction is also being done for which they have applied for DJS for voluntary disclosure. -ETP was Batch Type and also found operational. -Fresh/ Wet sludge was found stored. -Unit is having 1 D.G. Set (82.5 KVA) installed in room provided with acoustically treated door and stack height 2m above the roof level. -Unit is complying with the provisions of HWM Rules, 2016 and maintained the record of Hazardous Waste in form-3.	25-01-2018 Hardcopy of application for renewal of Consent to Operate along with required documents/ Test reports is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 01-05-2018 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 19.03.2018 and following observations were made:- -Unit found in operation and engaged in the activity of Automobile Servicing and Repairing Station with Washing Activity with Diesel Fired Burner. -One Paint Booth is also existing with adequate stack height. -Ground water extraction is also being done for which they have applied for DJS for voluntary disclosure. -ETP was Batch Type and also found operational. -Fresh/ Wet sludge was found stored. -Unit is having 1 D.G. Set (82.5 KVA) installed in room provided with acoustically treated door and stack height 2m above the roof level. -Unit is complying with the provisions of HWM Rules, 2016 and maintained the record of Hazardous Waste in form-3.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

							Authorisation 08-07- Expiry Date 2015					
							HWM Application No. 5 Application Date 19-01- 2018 Authorisation Status Pending					
342	HARYANA METAL INDUSTRIES	PLOT NO 353, GALI NO.1, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	16-01-2018		COPPER WIRE DRAWING WITHOUT SUPER ENAMELING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-01-2004 Authorisation Status Approved Authorisation Issue Date 16-09-2004 Authorisation Expiry Date 15-09-2006 HWM Application No. 2 Application Date 28-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-01-2018 Authorisation Status Pending	1. ETP- No. 2. BCS- N/A. 3. DG Set- N/A. 4. Trade Effluent- Nil. 5. Domestic Effluent-20 L/D and its mode of disposal into Sewer. 6. Water Consumption- 80 L/D and its source is outside.	N/A	25-01-2018 Inspection may be Conducted. Recommendation / Action Taken Details (EE/AEE) on 13-03-2018 As approved in the consent committee inspection of the unit was conducted on 27.02.2018 and following were observed: 1. The unit was found in operation. Wire drawing i.e. 6 to 8 mm diameter copper rod put into wire drawing machine for reduction of its size to 1.6 mm. 2. Acid dipping of copper rod coil also being carried out to remove oxides from the copper rod coil. 3. As informed the copper sludge from the copper wire drawing machine generated from the cooling process being sold to recyclers(unregistered). 4. The sludge from the acid dipping tank also sold out to recyclers. However in a plastic barrel on which hazardous waste displayed, some quantity of Hazardous waster was found stored.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
343	RAMA INN	4 (MCD NO 8539), ARAKASHA ROAD, PAHARGANJ	17-01-2018		GUEST HOUSE (26 ROOMS WITH 66 BEDS) W/O KITCHEN AND LAUNDARY). Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI	No. of Rooms- 26 No of Beds- 66 Kitchen - No Laundry - Boiler/HWG - Yes Water consumption - 5000 L/day (DJB submitted) Discharge - 4900 L/day ETP/OGT - N/A BCS - stack attached to boiler DG set - 1 x 45 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 12/01/2009 Plot Area- 212 sq mt	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 06.12.2017 and Issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 07.09.2017 and Issued by DPCC. Parameters are within prescribed limits.	13-03-2018	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.	
344	NEW ROYAL HOTEL	1643, S.F. MUKHERJEE	17-01-2018		RESTAURANT (18 SEATS)	Orange	Non-SPI	Status of Pollution Control	Effluent Analysis Report -	17-04-2018	17-05-2018	

		MARG			Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Establish			system/Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- N/A Plot Area- 447.32 sq mt Date of commencement- 25.01.2018 Status of Ground Water Extraction-No 1. Water consumption- 1500 L/day. a) Source of water-DJB (copy of bill submitted) No. of seats-18 HCD License valid upto 31.03.2020	N/A Emission Monitoring Report submitted on 08.12.2017 and issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report submitted on 07.09.2017 and issued by DPCC. Parameters are within prescribed limits.		Consent to Establish granted.
343	CAPITAL CARS PRIVATE LIMITED	PLOT NO 206 F.I.E. PATPARGANG INDUSTRIAL AREA	18-01-2018		Automobile Workshop Cum Service Station. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-01-2017 Authorisation Status Rejected Authorisation Refused Date 06-10-2017 HWM Application No. 2 Application Date 18-01-2018 Authorisation Status Pending	1. ETP- Yes 2. BCS- No 3. DG Set- 125KVA 4. Water Consumption- 4000L/D 5. Domestic Effluent- 500L/D 6. Trade Effluent- 3500L/D	-Emission monitoring report submitted by DPCC on 08.01.2018 in which all the parameters are within the prescribed limit. -Noise monitoring report submitted by DPCC officials on 04.01.2018 in which all the parameters are within the prescribed limit.	29-01-2018 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 25-04-2018 An inspection of the unit was conducted by DPCC officials on 01.03.2018 and following were observed: 1. Servicing of vehicles was going on along with washing. 2. ETP was found in operational conditions. Flocs formation was seen in the reaction cum settling tank indicating operation of ETP. 3. Stacks with the paint booth shop has been increased above the building roof. Exhaust fans has been provided in the stacks for suction of the flue gases and fugitive emission which was found in operative condition. 4. HW found stored in 200L barrels(2 no.s) and 50 L plastic tank label as specified on form VIII were found displayed. 5. SDB(2 no.s provided) wet as well as dry sludge was seen.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
346	GRAPHIC PRINTING INK MFG. CO.	91-A, GALI NO. 7, SAMAI PUR INDUSTRIAL AREA	18-01-2018		PRINTING WITHOUT TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 06-08-2004 Authorisation Expiry Date 05-08-2006 HWM Application No. 2	Status of Pollution Control system/Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- N/A Plot Area- 15 sq mt Date of commencement- 14.07.2004 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill not submitted) rent agreement not submitted.		12-03-2018	17-05-2018 Inspection be conducted. Also issue letter for deficiencies.

								Application Date 07-08-2006	Authorisation Status Pending				
								HWM Application No. 3	Application Date 16-07-2010	Authorisation Status Pending			
								HWM Application No. 4	Application Date 18-01-2018	Authorisation Status Pending			
347	OM SWEET CORNER PROP. SOM NATH	17 A, KAMLA NAGAR	18-01-2018		MPG. OF SWEET AND NANKEEN.	Orange Establish	Non-SPI			Status of Pollution Control system Devices- 1. Oil & Grease trap-Yes 2. BCS- N/A 3. D.G. set- No Plot Area-10 sq mt Date of Establishment/ Commencement-01.04.1994 Status of Ground Water Extraction-No 1. Water consumption- 25 L/day Source-DJB (Bill not submitted) Inspection status- No MCD license valid upto 31.03.2018 and Delhi Police license not submitted. A PGMS complaint was received in this office against this unit. Inspection was conducted by officials of DPCC on 09.01.2018 and SON u/s 31(A) of Air Act and 33(A) of Water Act was issued to the unit on 17.01.2018 based on the deficiencies observed.	Effluent Analysis Report - N/A Emission Monitoring Report - N/A Noise Monitoring Report - N/A	13-03-2018	17-05-2018 Consent to Establish granted.
348	OM SWEET CORNER PROP. SOM NATH	17 A, KAMLA NAGAR	18-01-2018		MPG. OF SWEET AND NANKEEN.	Orange Operate	Non-SPI			Status of Pollution Control system Devices- 1. Oil & Grease trap-Yes 2. BCS- N/A 3. D.G. set- No Plot Area-10 sq mt Date of Establishment/ Commencement-01.04.1994 Status of Ground Water Extraction-No 1. Water consumption- 25 L/day Source-DJB (Bill not submitted) Inspection status- No MCD license valid upto 31.03.2018 and Delhi Police license not submitted. A PGMS complaint was received in this office against this unit. Inspection was conducted by officials of DPCC	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring Report - N/A	13-03-2018	17-05-2018 Consent to Operate granted.

					and / or Laundry without Boiler			on 09.01.2018 and SCN u/s 31(A) of Air Act and 33(A) of Water Act was issued to the unit on 17.01.2018 based on the deficiencies observed.			
349	HOTEL CLASSIC PARK	B-52, KHASRA NO 552, NEAR CORPORATION BANK, MAHIPALPUR EXTN	18-01-2018		HOTEL/GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Source of Water: DJS CAT II Water Consumption: 3000 LPD Status of Ground Water extraction : YES (water cess copy attached) HCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP:N/A (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/S of EPA details : No Closure directions u/s 31(A)/33(A)/S of EPA details : No		13-03-2018	17-05-2018 Case deferred.
350	HOTEL AIRPORT INTERNATIONAL	A-139, GALI NO.-7, ROAD NO.-4, MAHIPALPUR EXT.	19-01-2018		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: Other Water Consumption: 2000 Liters/Day (Copy of bill not provided) Status of Ground Water Extraction: N/A HCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, Unit found operational without applying Consent from DPCC. - As approved, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018.	- Effluent analysis report: Effluent analysis report dated 16-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018	17-05-2018 Case deferred.
351	HOTEL SMART STAY	A-407, ROAD NO. 4, MAHIPALPUR, NH-8, NEAR JGI AIRPORT	19-01-2018		GUEST HOUSE (18 ROOMS). Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: Other Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A HCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A	Effluent analysis report dated 16-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
352	HOTEL DIAMOND BLUE	KHASRA NO.548 BUILDING NO. 84C,	22-01-2018		GUEST HOUSE	Orange Operate	Non-SPI	Source of Water: DJS Water Consumption: 3000 LPD	1) Effluent analysis report a) Effluent analysis report	13-03-2018	17-05-2018

		BEHIND ICICI BANK, MAIN VASANT KUNJ ROAD, MAHIPALPUR			Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : YES (water cess copy enclosed) MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - N/A (3)O.G.Set: N/A	dated 04-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes		Case deferred.
333	GULSHAN GUEST HOUSE	A-384/3, ROAD NO. 3, BLOCK-A, NH-8, MAHIPALPUR	22-01-2018		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: DJS Water Consumption: 4000 Liters/Day Status of Ground Water extraction: Nil MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)O.G.Set: N/A	- Effluent analysis report: Effluent analysis report dated 18-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
334	INSTACAR	D-11 OKHLA INDUSTRIAL AREA PHASE 1	23-01-2018		Automobile Repair and service (without washing) Automobile Repair and Servicing (without Washing)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-02-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)O.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 1000 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/S of EPA details : Nil Closure directions u/s 31(A)/33(A)/S of EPA details : Nil	-	25-01-2018 Hardcopy of application for Consent to Operate along with required documents is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 09.05.2018 and following observations were made:- -During inspection found operational and engaged in the activity of Automobile Repair and Service without Washing. -Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	17-05-2018 Consent to Operate granted. Application for Authorization under HWM Rules be kept in abeyance.
335	SHRI BALAJI PLAST	B-2536,NARELA INDUSTRIAL AREA,DELHI	23-01-2018		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Hard Copy not submitted.	-	26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
336	LAKHOTIA LAMINATOR	C-255, POCKET-D, SECTOR-2, DISIDC INDUSTRIAL AREA, BAWANA	24-01-2018		Flexo Printing Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. O.G. set- N/A Plot Area-200 sq mt Date of commencement-	Effluent Analysis Report- N/A Emission Monitoring Report -N/A	13-03-2018	17-05-2018 Consent to Establish granted.

									01.02.2018 Status of Ground Water Extraction: No 1. Water consumption: 350 L/day a) Source of water: Outside (water bill not submitted).	Noise Monitoring report- N/A		
337	HOTEL SWEET PALACE	552/175 NEAR MATA CHOWK MAHIPALPUR	24-01-2018		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 22.09.2017. During inspection, following observations were made: 1. Unit found operational & engaged in the activity of Hotel having 18 rooms. 2. No DG set found in the premises. 3. No kitchen observed in the premises - On the basis of above observations, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTE & CTD and requested to revoke the closure direction issued on 05.01.2018. - A letter for permission for the restoration of Power supply and water supply and desludging of the unit was issued on 09.03.2018.	Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	12-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
338	SIDH ENTERPRISES PLOT NO B-28 SECTOR -2 DSIDC BAWANA INDUSTRIAL AREA DELHI -110039	SIDH ENTERPRISES PLOT NO-28 POCKET B SECTOR 2 DSIDC INDUSTRIAL AREA BAWANA DELHI 110039	29-01-2018		JOB WORK IN DRY PROCESSING OF READYMADE GARMENTS WITH SPRAY WITHOUT WASHING AND DYEING AND WITHOUT BOILER Spray Painting, Paint Baking, Paint Stripping Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 30-01- 2018 Authorisation Status Pending	Status of Pollution Control system/Devices: 1. ETP- N/A 2. BCS- N/A 3. D.G. set- Proposed Plot Area-250 sq mt Date of commencement- 06.12.2017 Status of Ground Water Extraction: No 1. Water consumption: 100 L/day a) Source of water: Dsidc (water bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018 - Remarks/ATR on 26-04- 2018 -	17-05-2018 Inspection be conducted.
339	HOTEL FLY ROOMS	A-40 ROAD NO-01 MAHIPALPUR NEW DELHI- 110037	25-01-2018		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into	Orange Establish	Non-SPI		Source of Water: Not mentioned Water Consumption: 3000 LPD Status of Ground Water Extraction : YES (water cess copy not attached) MCD license: No	- Effluent analysis report: a). Effluent analysis report dated 30-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Case deferred.

				Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler			Fire Safety Certificate : No			
				Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler			Status of Pollution Control System (1)ETP:INSTALLED (2)ECS: N/A (3)O.G.Set: N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - As per approval, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTE & CTO and requested to revoke the closure direction issued on 05.01.2018.			
360	K 87 ORCHID GARDEN	PLOT NO: 51/1, PRABHAT ROAD, D B GUPTA ROAD, KAROL BAGH, DELHI	27-01-2018	GUEST HOUSE HAVING 24 ROOMS AND 68 BEDS Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI	Status of Pollution Control system/Devices: 1. ETP- N/A 2. ECS- N/A 3. O.G. set- 125 KVA Plot Area-480 sq mt Date of commencement- 02.2017 Status of Ground Water Extraction: No 1. Water consumption: 1200 L/day a) Source of water: Outside (water bill not submitted) MCD License valid upto 31.03.2018	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	13-03-2018	17-05-2018 Consent to Establish granted.
361	HOTEL BLU PEBBLES	A- 45 ROAD NO-01 MAHIPALPUR	28-01-2018	Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: Not mentioned Water Consumption: 3000 Liters/Day Status of Ground Water Extraction: N/A MCD License: Not provided Fire Safety Certificate: Not provided Status of Pollution Control System (1)ETP: Installed (2)ECS: N/A (3)O.G.Set: N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - On the basis of above observations, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a	- Effluent analysis report: a). Effluent analysis report dated 24-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.

									Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTO and requested to revoke the closure direction issued on 09.01.2018.				
362	HOTEL ASHOKA PALACE	K-803/2 MAHIPALPUR	28-01-2018		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DDB Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DDB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 3000 ltr/day Status of Pollution Control System HCD License: yes (valid up to 31.03.2018) Fire safety Certificate: no Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		13-03-2018 -Consent to Establish may be granted.	17-05-2018 Case deferred.	
363	DURATUF HOSPITALITY PVT. LTD	25 AND G.F OF 26,PASCHIM VIHAR EXT.,OPP.ORDNANCE DEPOT,ROHTAK ROAD,	29-01-2018		GUEST HOUSE AND EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 3300 litre/day Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		05-02-2018 -Consent to Establish may be granted. Remarks/ATR on 17-04-2018 - An inspection was carried out by DPCC officials on 02.12.2017. During inspection following deficiencies were observed: 1. D.G. set has proper acoustic enclosure but with inadequate stack height. 2. Coal is being used in Tandoor. 3. There is no provision to decompose Municipal Solid Waste. 4. ETP found installed but was found in defunct condition. - On the basis of inspection, a Show Cause Notice was issued to the unit on 23.01.2018. - As the unit did not send any reply w.r.t. the above said Show Cause Notice, Directions for Closure u/s 33(A) and 31(A) was issued to the unit on 15.03.2018. Recommendation / Action Taken Details (EE/AEE) on 12-03-2018 - File yet to be put up administratively.	17-05-2018 File be put up administratively.	
364	FALSON INDUSTRIES	SHED NO.165, PH-1,	29-01-2018		MANUFACTURE OF	Orange	Non-SPI	HWM	1	Status of Pollution Control		07-02-2018	17-05-2018

		DSIDC, OKHLA INDUSTRIAL AREA			TYPEWRITER RIBBONS (without trade effluent discharge). Ink and Printing Ink (Excluding Flexographic Ink) without Trade Effluent Discharge	Renewal		Application No. Application Date Authorisation Status HWM Application No. Application Date Authorisation Status HWM Application No. Application Date Authorisation Status	System (1)ETP - N/A (2)BCS - N/A (3)D.G.Set: ...N/A... Water consumption : 50 ltr/ day (Source Tanker) Status of Ground Water extraction :NIL Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Issue Date Expiry Date		Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	
365	UNIPACK INDUSTRIES	PLOT NO.6 SECTOR-3 PKT-H BAWANA INDL. AREA	30-01-2018		DAL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system/Devices: 1. ETP- N/A 2. BCS- Yes. Stack attached to bag house. 3. D.G. set- N/A Plot Area-250 sq mt Date of commencement- 31.05.2011 Status of Ground Water Extraction: No 1. Water consumption: 300 L/day a) Source of water: DSIDC (water bill submitted)	Effluent Analysis Report- N/A Emission Monitoring Report -Issued by DPCC lab on 24.01.2018. Parameters are within limits. Noise Monitoring report- N/A	13-03-2018	17-05-2018 Consent to Operate(Renewal) granted.
366	BAL KISHAN DEEPAK KUMAR DAL MILL	H-7, SECTOR-3, DSIDC INDL. COMP., BAWANA INDUSTRIAL AREA	30-01-2018		DAL MILL Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP-N/A 2. BCS-Yes, Stack attached to bag House of Dal Mill. 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 21.12.2004 Status of Ground Water	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 24-01-2018 issued by DPCC, Parameters are within prescribed limit.	13-03-2018	17-05-2018 Consent to Operate(Renewal) granted.

									Extraction-No 1. Water consumption-300 L/day Source- DSIIDC (Bill submitted) Inspection status- No	Noise Monitoring Report - N/A		
367	SYNERGIC IMPRESSIONS PVT. LTD.	D-44, OKHLA INDUSTRIAL AREA, PHASE-I	31-01-2018		OFFSET PRINTING INCLUDING WASHING AND LAMINATION. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 31-01- 2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP --Installed Effluent analysis report dated 14-12-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 07-12-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Water consumption : 700 ltr /day (Source: DSB) Status of Ground Water extraction : NIL Month and Year of Commencement of Production : 30-12-2017 Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	-	07-02-2018 Hard copy of CTO application not received so far. Recommendation / Action Taken Details (EE/AEE) on 01-05-2018 As decided, an inspection of the Unit was carried out by the Officials/Representatives of DPCC on 19.03.2018 and following was observed: -Unit was found operational and engaged in the activity of Offset printing including washing and lamination. -Unit has installed ETP to treat the waste water generated from washing activity and same found in operational. -Unit is complying with provisions of HWM Rules, 2016 and record of same is maintained in form-3. -Unit is having 1 DG Set (62.5 KVA) with acoustic enclosure and adequate stack height.	17-05-2018 Consent to Operate granted. Application for Authorization under HWM Rules be kept in abeyance.
368	INVITEE BANQUETS	A-9, KIRTI NAGAR	31-01-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	water consumption: 2500 litre/day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 2 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 20-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 20-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 125 KVA and 200 KVA. Noise monitoring report dated 20-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-03-2018 -Consent to Operate may be granted.	17-05-2018 Consent to Operate granted.	
369	THE GORG HEAD (A UNIT OF SAV ENTERTAINMENT COMPANY)	A-5, SECOND FLOOR, GREEN PARK	31-01-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36	Orange Establish	Non-SPI	Status of Pollution Control System (1)OGT-- Installed (2)ECS - N/A	-	17-05-2018 Unit submitted its reply on 15.02.2018 along with ECS and undertaking and stated that they will not operate any commercial activity before obtaining CTE and CTO and	17-05-2018 File be put up administratively.	

					to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJS Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: N/A Month and Year of Commencement of Production : 01-10-2015 Status of Ground Water extraction : NIL Water Consumption : 6750 ltr/day (Source of water:DJS) Domestic effluent discharge: 225 ltr/day trade effluent discharge:5850 ltr/day Status of Inspection : Inspection of the unit was carried out on 09.10.2017. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 13.11.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued on 15.01.2018		they are submitted ECS of Rs. 2,00,000 as per office order. Permission for restoration of power supply and de-sealing of unit was issued on 27.02.2018. Unit has applied for CTE on 31.01.2018 for the activity of Restaurant for 80 seats.	
370	HOTEL FLY ROOMS	A-40 ROAD NO-01 MAHIPALPUR, NEW DELHI-110037	31-01-2018		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPE		Source of Water: Not mentioned Water Consumption: 3000 LPD Status of Ground Water extraction : YES (water cess copy not attached) MCD license: No Fire Safety Certificate : No Status of Pollution Control System (1)ETP:INSTALLED (2)ECS: N/A (3)D.G.Set: N/A - An inspection was carried out by DPCC officials on 13.09.2017. During inspection, unit found operational without applying Consent from DPCC. - As per approval, Closure Directions u/s 33(A) and 31(A) was issued to the unit on 05.01.2018. - Unit has submitted a Environment Compensation Security of Rs. 2 lakh on 22.01.2018 with application of CTE & CTO and requested to revoke the closure direction issued on 05.01.2018.	1) Effluent analysis report a) Effluent analysis report dated 30-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-03-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Case deferred.
371	GRAPHIC AND PAPER PRODUCTS	A 199 FIRST FLOOR, OKHLA INDUSTRIAL AREA, NEW DELHI	31-01-2018		tags Printing without Trade Effluent Discharge	Orange Operate	Non-SPE	HWM Application No. 1 Application Date 09-02-2018 Authorisation Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A		07-02-2018 Unit has submitted Environmental compensation security of RS. 2 lakhs along with undertaking on 24.01.2018 and informed that they have discontinued the activity of screen	17-05-2018 Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017. Application for Authorization under HW Rules be kept in abeyance.

								Status	(3)D.G.Set: ...N/A... Water Consumption :5 ltr/day (Source: Others) Status of Ground Water extraction : Nil Status of Inspection : Inspection of the unit was carried out by DPCC officials on 01.09.2017 and following observations were made: - Unit found operational and engaged in the activity of Offset Printing and Screen Printing with trade effluent discharge. - Unit has not installed ETP, Waste Water generated from washing of moulds of screen printing is being discharge into sewer without any treatment. - Unit is not complying with the provisions of Hazardous waste management rules, 2016. i.e Display board not provided, Leak proof containers not provided for Hazardous waste, Storage containers is required marked with specified label, kept in isolated Area, pucca floor, covered area and also required to maintained Hazardous waste record in form-3. - Unit is operating without Consent and Authorization under HWM Rules, from DPCC. SCN u/s 31(A)/33(A)/S of EPA details : Issued on 25.09.2017 Closure directions u/s 31(A)/33(A)/S of EPA details : Direction was issued on 12.01.2018 as unit has failed to submit the reply of said SCN.	printing. In future they will not operate without prior permission from DPCC. Unit would not operate till Consent to Operate is granted by DPCC as per office order dated 02.08.2017. Unit has also submitted application for Consent to Establish on 29.01.2018 for the activity of printing without trade effluent discharge. As per approval on file, letter for permission of de-sealing of premises/unit and restoration of power supply, water supply of unit was issued to unit on 31.01.2018 for the purpose of applying for Consent to Operate. However, unit shall not operate till the CTO is granted by DPCC. Unit has not submitted Undertaking along with CTE application. Unit has not submitted hard copy of CTO application and also not applied for Authorization so far. Recommendation / Action Taken Details (EE/AEE) on 14-03-2018 As decided, a Letter was issued to unit on 12.03.2018 to submit balance Consent fee and Full compliance w.r.t HWM Rules, 2016. Unit submitted application for Authorization under HWM Rules, 2016 on 09.02.2018.		
372	ESTOCORP (INDIA) PVT LTD	B-56, PH-1, OKHLA INDUSTRIAL AREA	02-02-2018		Mfg. of Readymade Garments and Home Furnishing Items with washing. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-08- 2006 Authorisation Status Pending HWM Application No. 2 Application Date 07-10- 2009 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. (2)ECS - N/A Stack monitoring report dated 08-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 18-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes. Stack monitoring report dated 08-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 2 D.G. Set(s) of 125 KVA and 110 KVA. Noise monitoring report dated 18-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-03-2018 - Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 09.05.2018 and following observations were made- -Unit found in operation and engaged in the activity of MPG. of Readymade Garments and Home Furnishing Items, however washing activity not being done during inspection, as informed, due to non availability of order washing activity not being done since	17-05-2018 Consent to Operate(Renewal) granted.

									monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption : 9100 Liters/Day (Source- DGB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	last 2 months. -Unit has installed ETP (Batch Type) & same found in operational condition. However, due to non-availability of wastewater, ETP not being used. -Unit having one Diesel Fired Boiler, as informed, they will dismantle the same in future, they will use only electric boiler in the unit. -Unit having two D.G. Set(s) (125, 110 KVA) with acoustic enclosure and stack height 3m, 3.5m respectively above from the building height.	
373	HOTEL BHARAT CONTINENTAL	R-548, SHANKER ROAD, NEW RAJINDER NAGAR	05-02-2018		Guest House	Orange Operate	Non-SPI		Hard Copy not submitted.	26-04-2018	17-05-2018
					Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DGB Sewer and not having Kitchen and / or Laundry without boiler						Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued.
374	SAKSHI INDUSTRIES	52/14, PRAHALADPUR BANGER	05-02-2018		MANUFACTURING OF ALUMINIUM AUTO PARTS WITH RUBBER AND USING BOILER	Orange Operate	Non-SPI			28-02-2018	17-05-2018
					Use of Boiler (excluding Electric / Coal Fired)						Letter may be issued to ask the unit to submit certificate in original issued by office of Commissioner of Industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of Prehaladpur Banger.
					Mfg. of Auto parts with induction hardening (cooling by water) without trade effluent discharge						Consent to Operate granted.
											Recommendation / Action Taken Details (EE/AEE) on 15-05-2018 Unit submitted hard copy of Consent application and a certificate in original issued by office of commissioner of industries, GNCTD alongwith area map conforming the location of unit within boundary of redevelopment area of prehaladpur Banger. Unit was inspected by DPCC officials on 15.05.2018 and are follows Unit found operating, engaged in mfg. of auto parts i.e. brake shoe (with non asbestos lining) without casting. LDO fired boiler (400kg/hour) is in use. Channelization with dust collector installed over grinding section. Channelization also provided over hydraulic press.

											It is replied that there is no supply of PNG from IDL in their area. However, efforts are made.	
375	N.P. ENGG. WORKS	PLOT NO.111, PKT-H, SEC-3, DSIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	06-02-2018		MANUFACTURING AND ASSEMBLING ELECTRICAL GOODS, COOLER AND GEYSER WITH POWDER COATING Powder Coating without phosphating	Green Renewal	Non-SPE		ETP- N/A BCS- Stack attached to exhaust of Powder coating booth. DG Set- N/A Plot area- 100 sq mtr Date of Establishment - 20.08.2007 Status of Ground Water- N/A Water Consumption - 350L/Day Source DSIDC	Effluent Analysis Report- N/A Emission Monitoring Report-Ves, Issued by DPCC dated 24.01.2018. All the parameters are within prescribed limit Noise Monitoring Report- N/A.	12-04-2018 -	17-05-2018 Consent to Operate(Renewal) granted.
376	ABHINAV PRINTERS	PLOT NO. B-5, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	07-02-2018		PRINTING BY OFFSET PRINTING MACHINE(WITHOUT EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPE	HWM Application No. 1 Application Date 21-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2 Application Date 14-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 15-01-2013 Authorisation Status Pending HWM Application No. 4 Application Date 07-02-2018 Authorisation Status Pending	Source of Water-DJB Water Consumption:120 LPD Status of Ground Water extraction :NO Status of Pollution Control System (1)ETP ---- N/A (2)BCS - N/A (3)D.G.Set:N/A Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	-	12-03-2018 -Consent to Operate(renewal) may be granted to the unit. Recommendation / Action Taken Details (EE/AEE) on 14-05-2018 As per decision taken on 14.03.2018, an inspection was conducted by DPCC officials and following observations were made: 1. During inspection unit found operational and engaged in the activity of offset printing. 2. No D.G set installed in the premises. 3. No ETP/O&G installed as the unit is non-water polluting. 4. HWM guidelines are being followed. 5. Unit has applied CTO on 07.02.2018.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
377	MITTAL ENTERPRISES	PLOT NO. 485 F.I.E. PATPARGANJ DELHI	10-02-2018		Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Operate	Non-SPE	HWM Application No. 1 Application Date 10-02-2018 Authorisation Pending	1. ETP - No 2. BCS- No 3. Water Consumption- 100L/D 4. Domestic Effluent- 80L/D	-No Effluent Report found in the last six months from the date of application. -No Stack Monitoring Report found in the last six months from the date of application.	13-03-2018 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Issue show cause notice for refusal of authorization under HW Rules and show cause notice u/s 5 of EP Act.

								Status	5. Trade Effluent- N/A 6. DG Set- N/A	-Consent to Establish was issued to the unit on 27.03.2018. -An inspection of the unit was conducted on 05.05.2018 and following were observed: 1. The unit was found in operation. Printing, pasting and dye cutting activity was being carried out. One offset printing press was found installed at basement but the same is yet to be started. 2. Hazardous waste was being found stored with specified label but the same is not being stored in an isolated area and the date of storage is also mentioned in the label.	
378	TATA STARBUCKS PVT. LTD.	N-16, GROUND FLOOR, CONNAUGHT PLACE	12-02-2018	Restaurant	Orange Operate	Non-SPI		water consumption:2000 litre/day Source of water: NDMC Connection Status of Pollution Control System (1)ETP ---- ETP - Physicochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 100 KVA. Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/S of EPA details : no Closure directions u/s 31(A)/33(A)/S of EPA details : no	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 03-10-2017 issued by DPCC submitted. Noise monitoring report within limit - yes 2. Effluent Analysis report: (a) Effluent Analysis report dated 08.09.2017 issued by DPCC submitted. Noise monitoring report within limit - yes	27-04-2018 .	17-05-2018 Consent to Operate granted.
379	CAFE 27 AND KITCHEN	H5-26, 11ND FLOOR, KASLASH COLONY MARKET	13-02-2018	RESTAURANT (48 SEAT COVER)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A OGT cum settling tank: Effluent analysis report dated 02-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption : ~3500	Effluent analysis report dated 02-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 16-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-03-2018 .	17-05-2018 Consent to Operate granted.

									liters/day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A) details : Issued on 22.12.2017 Unit submitted a representation on 23.01.2018 w.r.t SCN dated 22.12.2017 and informed that they have applied for Noise Monitoring Report & Water Analysis Report on 19.12.2017 and will apply for CTO after obtaining the said reports and also they are under process to full fill the compliance required by DPCC. Closure directions u/s 31(A)/33(A) details : Nil	floor commonly. -Channelisation system provided in kitchen with adequate stack height. -One DG Set installed at rooftop of Premises of 45 KVA capacity with acoustic enclosure and stack height 1.5m above acoustic enclosure of DG Set. -Two bins system provided in kitchen for segregation of solid waste (wet and dry solid waste) and dispose the same through SOMC as informed.	
380	SARASWATI OFFSET PRINTERS PVT. LTD.	A-5, NARAINA INDUSTRIAL AREA PHASE - II	13-02-2018		PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 13-07-2007 Authorisation Status Pending HWM Application No. 3 Application Date 30-07-2010 Authorisation Status Approved Authorisation Issue Date 10-04-2013 Authorisation Expiry Date 29-07-2015 HWM Application No. 4 Application Date 13-02-2018 Authorisation Status Pending	water consumption: 500 litre/day source of water: DJB, Cat-II (Copy of bill provided) Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	27-04-2018	17-05-2018 Inspection be conducted.

								Status				
381	RAHEJA ENTERPRISES	PLOT NO-32 & 75, POCKET-H, SECTOR-3, DSIOC INDUSTRIAL AREA, BAWANA	15-02-2018		ELECTRIC FANS WITH POWDER COATING Powder Coating without phosphating Assembly of domestic electrical appliances Electronic & Electrical goods (Dry process, Light engg. Work) Fans (light engg. Works without casting)	Green Establish	Non-SPI				12-04-2018 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/969-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category.	17-05-2018 Consent to Establish granted.
382	UNI SWIFT	D-1556 DSIOC INDUSTRIAL COMPLEX	17-02-2018		PRINTING BOXES AND ALU FOLLS Cardboard or corrugated box and Paper products (paper or pulp mfg excluded) Copper / Aluminium Re-Rolling Industry (Folts and Strips Etc.) with Capacity less than 25MT/Day	Green Establish	Non-SPI		Hard Copy not submitted.		26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
383	SHREE BALAJI INDUSTRIES	PLOT NO-128, POCKET-N, SECTOR-2, DSIOC INDUSTRIAL AREA, BAWANA	17-02-2018		MANUFACTURING OF RUBBER PRODUCTS Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Proposed 3. D.G. set-N/A Plot Area-100 sq mt Date of Establishment/ Commencement- 28.02.2018 Status of Ground Water Extraction-No 1. Water consumption- 350 L/day Source- Outside (Bill not submitted)	Effluent analysis report - N/A. Emission monitoring report -N/A. Noise monitoring report - N/A	25-04-2018	17-05-2018 Consent to Establish granted.
384	MACSEN CONSULTANCY INDIA PVT. LTD.	DHAULA KUAN, METRO STATION, DHAULAKUAN	18-02-2018		RESTAURANTS 250 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Bio-logical Effluent analysis report dated 19-03-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G. Set: ...N/A... (a) Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water		26-04-2018 Hard Copy of Consent application not received so far.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

								extraction :			
								Status of Inspection :			
								SCN u/s 31(A)/33(A)/5 of EPA details :			
								Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil			
385	SAPPHIRE FOODS (KFC RESTAURANT)	FIRST FLOOR AND SECOND FLOOR, 323/A1, CENTRAL MARKET, LAJPAT NAGAR	18-02-2018		Restaurant	Orange Operate	Non-SFI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 28-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)BCS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 08-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Status of Ground Water extraction : Nil Trade Effluent Discharge- 1.5 Kilo L/day (Dispose In- Sewer) Domestic Effluent Discharge- 0.5 Kilo L/day (Dispose In- Sewer) Status of Inspection : An inspection was carried out by Officials/Representatives of DPCC on 30.10.2017 and following observations were made: -Unit found in operational and engaged in the activity of Eating House/Restaurant with seating capacity of 99 seats. -Unit installed an Oil & Grease Trap cum Settling tank (Size 0.35mx0.95mx0.20m) under the sink in kitchen which is of inadequate capacity for holding the effluent arising from kitchen and washing activity for at least 4 hours. -Unit installed channelisation system in kitchen with adequate stack height. -Unit has installed a DG Set (250 KVA capacity) at rooftop with acoustic enclosure. However, stack height is about 1m from acoustic enclosure of DG Set which is inadequate. -Unit is operating without Consent from DPCC. -two bins system not provided to segregate the solid waste (Wet & dry solid waste). Only one container exists in kitchen to collect/store the kitchen waste.	Effluent analysis report dated 28-11-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 08-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes -Unit found in operation and engaged in the activity of Eating House/ Restaurant with seating capacity of 99 seats. -Unit installed Oil & Grease Trap cum Settling Tank installed at first floor (Size 0.35mx0.95mx0.20m) and (Size 1.05mx1.05mx0.15m) and other installed at roof top with size (Size 1.22mx0.6mx1.1m and 1.22mx0.6mx0.9m respectively). -Unit has installed a D.G. Set (250 KVA capacity) at rooftop with acoustic enclosure and adequate stack height. -Two Bins System not provided to segregate the solid waste (Wet & Dry solid waste). Only one container exists in Kitchen to collect/ store the Kitchen waste. -Unit installed Channelisation system in Kitchen with stack height 2m above roof level.	13-03-2018	17-05-2018
					Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler					Consent to Operate granted.	

								Another inspection was done on 15.01.2018 with following observations: -Unit found in operational and engaged in the activity of Eating House/Restaurant with seating capacity of 99 seats. -Unit applied CTE but not applied for CTO. -Unit installed OGT and settling tank (Size 0.35mx0.95mx0.20m) under the sink in the kitchen. Another tank installed with (Size 1.05mx1.05mx0.15m) as informed will be used as settling tank. -One DG Set (250 KVA capacity) at rooftop with acoustic enclosure with stack height of about 1m from acoustic enclosure. -two bins system not provided to segregate the solid waste (Wet & dry solid waste). SCN u/s 31(A)/33(A)/S of EPA details : Issued on 17.11.2017 Unit has submitted representation on 18.01.2018 and requested to grant time for complete the installation of OGT. Now, they have submitted application for CTO on 18.02.2018 with required documents and submitted a representation along with photographs and size of OGT on 12.03.2018 and informed that they have installed OGT cum Settling tank of capacity 2000L. Closure directions u/s 31(A)/33(A)/S of EPA details : Nil			
386	7 SPICES	P-3/62, SECTOR-16, ROHINI	20-02-2018		RESTAURANTS / EATING HOUSE	Orange Establish	Non-SPI	Status of Pollution Control System ETP - N/A ECS - N/A O.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/S of EPA details : No	Status of Test Report Air (Emissions) : N/A Water N/A Noise : N/A	17-04-2018 Hardcopy not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
387	VARUN ENTERPRISES	M/S VARUN ENTERPRISES, KHASRA NO. 16/1/2 AND 17/2/2, NEAR SHANI BAZAAR, JAWAHAR NAGAR INDUSTRIAL AREA, DELHI-94	21-02-2018		stitching, cutting, finishing, packing only to make Automobile steering wheel cover, foot mats, seat covers at very small scale	Green Establish	Non-SPI	1. ETP- N/A 2. ECS-N/A 3. O.G Set- No 4. O.G Set Test Report- N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the	17-05-2018 Case deferred.

					Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber) Rexine Items (stitching only)				5. OLMS- N/A 6. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : N/A		name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 14/03/2018, letter was issued to the unit on 11/04/2018 asking the unit to submit certificate, in original, from SDI regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.		
388	PALM GROVE A MULTICUISINE RESTAURANT	PLOT NO: 7361, RAM NAGAR, QUTAB ROAD, DELHI	21-02-2018		RESTAURANT HAVING 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard Copy not submitted.		26-04-2018	17-05-2018	Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
389	BALDEV INDUSTRIES	103, DSIIDC, PHASE-1, OKHLA INDUSTRIAL AREA	22-02-2018		HQs. OF COSMETIC ITEMS WITH TRADE EFFLUENT DISCHARGE. Perfumes and Cosmetics (With Effluent Discharge) Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-02- 2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Yes Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)ECS - N/A Stack monitoring report dated 30-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (3)D.G.Set- ...N/A... Status of Ground Water extraction : Nil Water Consumption- 700 L/day (Source-Outside Water) Status of Inspection : Nil SDI u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Stack monitoring report dated 30-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Effluent analysis report dated 29-01-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	13-03-2018 As decided earlier inspection to be carried out. Recommendation / Action Taken Details (EE/AEE) on 26-04-2018 As decided, an inspection of the unit was carried out by Officials of DPCC on 19.04.2018 and following observation were made- -During inspection unit found engaged in the activity of Manufacturing of Cosmetic Items with Trade Effluent Discharge. -Unit has installed an ETP and same found operational. -Unit has installed Diesel Fired Oven with stack height of 6 meter above the roof level. -Unit is complying with the provisions of HWM Rules, 2016.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.	
390	AMAN MOTORS	BLOCK-A, SHED NO-17, JHELMIL INDUSTRIAL AREA	22-02-2018		AUTOMOBILE WORKSHOP FOR WASHING AND REPAIRING. Automobile Servicing and	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-02-	1. ETP - Yes, „design capacity of 2000 Liters/day 2. ECS - No. 3. D.G Set - Nil. 4. Water Consumption - 1.2 K	Analysis Report of water effluent was submitted by DPCC on 04.12.2017 and all the parameters are	12-03-2018 Recommended for Inspection.	17-05-2018 File be put up administratively.	

				Repair Station with Washing Activity				Date : 2018 Authorisation Status : Pending	L/Day and the source is Outside water. 5. Trade Effluent Discharge - 0.9 KL/Day and its mode of disposal is Public sewer 6. Domestic Trade Discharge - 0.15 KL/Day and the mode of disposal is Public sewer.	within the prescribed limit as per the report.	Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 Inspection of the unit was conducted by the officials by DPCC on 19.04.2018 and following were the observation : 1. The unit was found in operation. Servicing and repairing of two wheelers vehicles was going on. 2. ETP was found installed by the unit which consists of collection tank, reaction cum settling tank, filter and clear water tank. oxygen gas pipes are used for the mixing of chemicals in the settling tank. 3. Flocs formation was seen in the chemical settling tank. 4. No Sludge Drying Bed was found installed by the unit. As per the person contacted and seen the sludge is deposited in a bucket and the same is sold to the Bharat Oil. 5. Oil and Grease was found in third chamber (3 chamber) of a collection tank revealing improper function (choking) in a collection tank. 6. Waste Oil is found stored near the washing area and the same is pumped to outlet pipe which is collected by Bharat Oil. 7. Hazardous Waste was not found as per the rules.
391	AUTO INDUSTRIES	A-108, WAZIRPUR INDUSTRIAL AREA	24-02-2018	FORGING OF NON FERROUS/FERROUS ALLOY MAINLY AUTO PARTS 450-485 KG/DAY. (WITHOUT USING PNEUMATIC HAMMEARA AND MORE THAN 4 T HAMMER). Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI		(1)ETP - N/A (2)ECS - Furnace (Stack attached to exhaust hood over pit furnace) (3)D.G.Set: -Yes (Unit is having 1 DG set of capacity 140KVA) Status of Ground Water extraction : Nil Source of Water: 1000 L per day, Source-DGB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Test reports Air (Emissions) : Test reports within norms (Issued by DPCC on 26.12.2017) Water (Effluents) : N/A Noise : Test reports within norms (Issued by DPCC on 09.01.2018)	07-03-2018 CTO(R) may be granted Remarks/ATR on 15-05-2018 Letter for deficiencies issued on 13.04.2018. Unit was inspected by DPCC officials on 20.04.2018 and following were observed: - Unit found in operation and engaged in activity of forging of ferrous and non ferrous metals. - Unit is having three Oil fired furnaces for heating of raw material. hood followed by a duct/pipe has been provided over furnaces. - Unit is having two hammers (1.5 T & 1.0 T) with a speed of 17-18 stroke in one minutes. - Unit is recycling hot water generated from the shaft of hammer to maintain/cool the shaft temperature. - Unit has raised the stack height of D.G. set above the acoustic enclosure, found adequate.	17-05-2018 Consent to Operate(Renewal) granted, if parameters are within limit w.r.t. ambient noise level.

											Taken Details (EE/AEE) on 25-04-2018 Letter for deficiencies issued on 13.04.2018. Unit was inspected by DPCC officials on 20.04.2018 and following were observed: - Unit found in operation and engaged in activity of forging of ferrous and non ferrous metals. - Unit is having three Oil fired furnaces for heating of raw material, hood followed by a duct/pipe has been provided over furnaces. - Unit is having two hammers (1.5 T & 1.0 T) with a speed of 17-18 stroke in one minutes. - Unit is recycling hot water generated from the shaft of hammer to maintain/cool the shaft temperature. - Unit has raised the stack height of D.G. set above the acoustic enclosure, found adequate.	
392	SHREE SAINATH INDUSTRIES	M/S SHREE SAINATH INDUSTRIES KH. NO. 8/18/5, GALI NO.6, LONI ROAD, JAWAHAR NAGAR INDUSTRIAL AREA, DELH-110094	24-02-2018		zip lock Pouches from fresh reliance dana-through Extrusion Molding along with printing (if required) w/o trade effluent Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Light Engineering work	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS-N/A 3. D.G Set- No 4. D.G Set Test Report- N/A 5. OLMS- N/A 6.. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 14/03/2018, letter was issued to the unit on 11/04/2018 asking the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
393	DINESH ENTERPRISES	D-310,SECTOR-S,BAIWANA INDUSTRIAL AREA	24-02-2018		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hard Copy not submitted.	-	26-04-2018 -	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
394	ASHISH UDYOG	N-3, SECTOR-2, DSIIIC, BAIWANA INDUSTRIAL AREA	23-02-2018		MANUFACTURING OF PULSES Dal Mills	Green Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Proposed 3. D.G. set-N/A Plot Area-320 sq mt Date of Establishment/ Commencement- 04.2018 Status of Ground Water Extraction-No	Effluent analysis report - N/A. Emission monitoring report -N/A. Noise monitoring report - N/A	25-04-2018 -	17-05-2018 Consent to Establish granted.

									1. Water consumption- 250 L/day Source- Outside (Bill not submitted)			
395	METRO ICE CREAM	44, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA, G.T. KARNAL ROAD	27-02-2018		MFG. OF ICE CREAM. Ice-cream	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-07-2006 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 185 sq mt Date of Establishment/ Commencement- 01.01.2006 Status of Ground Water Extraction- No 1. Water consumption- 300 L/day Source- DIB (Bill submitted) Inspection status- No	Effluent Analysis Report- issued by DPCC lab on 31.01.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	17-05-2018 Consent to Operate(Renewal) granted.
396	THOMSON PRESS (INDIA) LTD.	B-315, PH-1, OKHLA INDUSTRIAL AREA	28-02-2018		GRAPHIC DESIGNING, SCANNING, COMPOSING AND DIGITAL PRINTING Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-02-2018 Authorisation Status Pending	As per Online Consent Application, Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G. Set Noise Report : 1 The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 07-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Status of Ground Water extraction : N/A Water Consumption- 1000 L/day (Source- Municipal) Trade Effluent Discharge- N/A Domestic Effluent Discharge- 600 L/day (Dispose in- Sewer) Hazardous Waste Generated- 0.02 kg/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/S of EPA details : N/A Closure directions u/s 31(A)/33(A)/S of EPA details : N/A	The unit has 1 D.G. Set(s) of 380 KVA. Noise monitoring report dated 07-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided, an inspection of the unit was done by the Officials/Representatives of DPCC on 04.04.2018 and following observations were made: -Unit found in Operational and Engaged in the activity of the Graphic Designing, Scanning, Photo-setting and Printing. -Unit is complying with the provisions of HWM Rules, 2016. -Unit is having 1 DG Set (380 KVA) having acoustically treated room and stack height 6m above the roof level.	13-03-2018 Hard Copy of the Consent Application is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided, an inspection of the unit was done by the Officials/Representatives of DPCC on 04.04.2018 and following observations were made: -Unit found in Operational and Engaged in the activity of the Graphic Designing, Scanning, Photo-setting and Printing. -Unit is complying with the provisions of HWM Rules, 2016. -Unit is having 1 DG Set (380 KVA) having acoustically treated room and stack height 6m above the roof level.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
397	SUPREME CORRUGATORS PVT LTD	M/S SUPREME CORRUGATORS PVT LTD, AT PLOT NO. 8/3/1 & 19/2, 3/18/2, 22/1, 23/1, GALI NO. 8 & 9, JAWAHAR NAGAR INDUSTRIAL AREA, DELHI- 110094	28-02-2018		manufacturing of corrugated box Plain, printed, laminated, sheets, and all type of paper packaging with printing without effluent Printing without Trade Effluent Discharge Cardboard or corrugated box and Paper products(paper or pulp mfg excluded) Labels/ Stickers (without trade effluent discharge) Light Engineering work	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G Set- Yes (82 KVA) 4. D.G Set Test Report- No 5. OUMS- N/A 6.. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : N/A	N/A	13-03-2018 Ask the unit to submit certificate, in original, from SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision on 14/03/2018, letter was issued to the unit on 11/04/2018 asking the unit to submit certificate, in original, from SDM regarding location of the unit within the	17-05-2018 Expedite inspection.

										boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Inspection yet to be conducted.		
398	ARISTO CRATIC CAR SERVICES PVT. LTD.	A-280, PHASE-I, OKHLA INDUSTRIAL AREA	28-02-2018		SERVICING, REPAIRING AND WASHING OF CARS (WITH PAINTBOOTH). Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-02-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Yes Effluent analysis report dated 22-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 19-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption- 2800 L/day (Source- Outside) Trade Effluent Discharge- 1800 L/day (Disposed in- Sewer) Domestic Effluent Discharge- 500 L/day (Disposed in- Sewer or drain or river) Status of Inspection : An inspection of the Unit was carried out by DPCC Representatives on 26.12.2017 and following observations were made: -Unit found operational and engaged in the Activity of Servicing, Repairing and Washing of Cars (with Paint Booth). -Unit is not complying with provisions of Hazardous Waste Management Rules, 2016 i.e. Display Board not provided, Leak Proof Containers not Provided for Hazardous Waste, Storage Containers not marked with specific label, not kept in isolated area, not being stored on pucca floor and in covered area, starting/ending date not indicated on containers and also not maintained record of Hazardous Waste Management in Form-3. -ETP installed and same found not functional. -No wet and dry sludge observed at site. -No flow meter installed at inlet and outlet of ETP.	Effluent analysis report dated 22-12-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report dated 05-02-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes -Unit found in operational and engaged in the activity of Servicing, repairing and washing of cars with paint booth. -Unit has installed ETP and same found in operational. -Wet/Dry sludge observed at site. -Flow meter installed at outlet of ETP. -Logbook of ETP maintained. -Unit having diesel fired burner with paint booth with stack height 4m above the roof level. -Unit is complying with the provisions of HWM Rules, 2016 and record of Hazardous Waste maintained in form-3.	13-03-2018 Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, an inspection of the unit was carried out by the officials/representatives of DPCC on 02.05.2018 and following observations were made: -Unit found in operational and engaged in the activity of Servicing, repairing and washing of cars with paint booth. -Unit has installed ETP and same found in operational. -Wet/Dry sludge observed at site. -Flow meter installed at outlet of ETP. -Logbook of ETP maintained. -Unit having diesel fired burner with paint booth with stack height 4m above the roof level. -Unit is complying with the provisions of HWM Rules, 2016 and record of Hazardous Waste maintained in form-3.	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								-Logbook of ETP not maintained. -As informed unit is in operation since one month back. -Paint Booth and DG Set under Commissioning. -Unit is operating without having CTO and Authorization. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 15.01.2018 Unit has submitted a Representation w.r.t SCN on 13.02.2018 and informed that they have rectified deficiencies observed during inspection and are in process to submit the application for CTO and requested to grant time for the same. Now they have applied for CTO with test reports and required documents. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
399	MAFISO (A UNIT OF RXC ENTERTAINMENT & HOSPITALITY)	28, SECOND FLOOR, HAUZ KHAS VILLAGE	03-03-2018	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPE		Status of Pollution Control System (1)ETP - No Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes (2)SCS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC. Noise monitoring report within Limit - Yes. Number of parameters analyzed are within limit - Yes Status of Ground Water extraction : Water Consumption - (Total - 2000 Liters/Day) Domestic Purpose - 500 Liters/Day Industrial cooling or boiler feeds - 1500 Liters/Day (Source- Municipal Authority) Trade Effluent Discharge - 1500 Liters/Day Domestic Effluent Discharge - 200 Liters/Day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC on 09.01.2018 . Noise monitoring report within Limit - Yes. Number of parameters analyzed are within limit - Yes	26-04-2018 Unit has submitted the hard copy of Consent application on 17.04.2018 along with requisite documents.	17-05-2018 File be put up administratively.

400	HOTEL EMPEROR PALMS	15A/7, WEA, KAROL BAGH	04-03-2018		GUEST HOUSE (27 ROOMS WITH 36 BEDS) W/O KITCHEN AND LAUNDRY. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and not having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- Yes, Stack attached to Boiler. 3. D.G. set-Yes, (1X62), (1X40) KVA Plot Area-280 sq mt Date of Establishment/ Commencement-01.02.2010 Status of Ground Water Extraction-No 1. Water consumption- 300 L/day Source- DJS (Bill submitted) CAT II Inspection status- No MCD License submitted valid upto 31.03.2018 Police License submitted. Number of Rooms- 27 with 36 Beds.	Effluent Analysis Report- N/A Emission Monitoring Report- Issued by DPCC lab on 19.02.2018. Parameters are within limit. Noise Monitoring report- issued by DPCC lab on 11.10.2017. Parameters are within limit.	17-04-2018		Consent to Establish granted. Subsequently, inspection be conducted.
401	R.K. BERI & SONS	B-292 OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI -110020	04-03-2018		Manufacturing of Industrial knives Hardening by Oil Quenching without use of any salt / chemical and without trade effluent discharge and with annealing in electrically heated furnace Light Engineering work	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report- N/A (2)BCS - N/A Stack analysis report- N/A (3)D.G.Set: ...N/A... Noise monitoring report- N/A Status of Ground Water extraction : Nil Water Consumption- 180 L/day (Source- Outside Jar & Tanker) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 100 L/day (Disposed off in Sewer) Status of Inspection : An inspection of the unit was carried out by officials/representatives of DPCC on 01.09.2017 and following observations were made: -Unit found Operational and engaged in the activity of Manufacturing of paper cutter knives with heat treated by Oil Quenching at back side of premises B-292 and premises B-293, Okhla Industrial Area, Phase-I, New Delhi. -Unit is operating without consent from DPCC. SCN u/s 21(A) : Issued on 25.09.2017 Reply received on 25.10.2017 stating that: -The Unit is situated at B-292 (Backside) & B-293, Okhla Industrial Area, Phase-I, New Delhi and Engaged in the activity of Manufacturing of Industrial Knives using Heat treatment & Hardening by Oil Quenching. -The Unit have started the process of making isolated	- 13-03-2018 Hard Copy of Consent Application is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 01-09-2018 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 26.03.2018 and following observations were made:- -Unit found in operation at premises No. B-292, Okhla Industrial Area, Phase-I (As informed) and engaged in the activity of Mfg. of Industrial Knives using Heat Treatment and Hardening by Oil Quenching. -As informed, M/s Jean Manufacturing Co. Pvt. Ltd. is operating a separate unit at premises NO. B-293, Okhla Industrial Area, Phase-I and engaged in the activity of Mfg. of Industrial Knife using Light Engineering Works only. -Unit is complying with the provisions of HWM Rules, 2016 and maintained the record of Hazardous Waste in form-3 since after the inspection of the unit by DPCC Officials in September, 2017. Unit M/s Jean Manufacturing Co. Pvt. Ltd. at B-293, Okhla Industrial Area, Phase-I has submitted undertaking under White Category for the activity of Mfg. of Industrial Knife using Light Engineering Works online on 28.03.2018 and also submitted hardcopy of the same on 03.04.2018.	17-05-2018	Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.	

									storage room with pucca floor for storage of hazardous waste, labeling on containers and display board as per HWM Rules, 2016. -The Unit is also in process of arranging documents required to file CTE, CTO & Authorization under HWM Rules, 2016. The Unit also requested to be granted 15-20 days time. SCN u/s 33(A)/5 of EPA details : Issued on 18.01.2018 unit submitted its representation on 20.02.2018 w.r.t SCN dated 18.01.2018 and informed that -Isolated storage room with pucca floor for storage of leak proof container and display board have been provided. -Unit has applied for CTE Also unit is in process of applying for CTO and requested to withdraw SCN & grant 20 to 30 days time for submission of CTO and Authorization along with required documents. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
402	PRIYANKA FOOD JUNCTION	B-35, GROUND FLOOR, GURU NANAKPURA LAXMI NAGAR	05-03-2018		RESTAURANT (20 SEATS). Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP-No 2. BCS- No 3. Water Consumption - 2000 L/day 4. Domestic Effluent Discharge - 300 L/day 5. Trade Effluent Discharge - 1700 L/day 6. DG Set - NIL 7. Stack Height - 3.5 meters.	N/A	13-03-2018 Ask the unit to submit the hard copy along with all the requisite documents. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
403	B.K. POWDER COATING	PLOT NO-155, BASEMENT & GF, POCKET-K, SECTOR-5, BAWANA INDUSTRIAL AREA, DELHI-110039	05-03-2018		Powder Coating and Light Engineering Works Powder Coating without phosphating Light Engineering work	Green Establish	Non-SPI		Hard copy not submitted.	-	26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
404	FRONTLINE PACK WORLD	G-257 AND 258, DSIIDC, SECTOR-2, BAWANA INDUSTRIAL AREA	06-03-2018		FLEXOGRAPHIC AND ROTOGRAVURE PRINTING WITH CUTTING AND SEALING Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- N/A Plot Area- 160 sq mt Date of commencement- 15.03.2018 Status of Ground Water	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	17-05-2018 Consent to Establish granted.

				Plastic Processed Goods				Extraction-No 1. Water consumption-800 L/day. a) Source of water-Outside (copy of water bill not submitted) Status of Inspection-No			
405	S. L. METALS	1/339-D, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA SHAHADARA	06-03-2018	COPPER AND ALUMINUM WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Wire Drawing (without Pickling/ Galvanizing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2 Application Date 07-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 15-03-2010 Authorisation Status Approved Authorisation Issue Date 20-06-2013 Authorisation Expiry Date 14-03-2015 HWM Application No. 4 Application Date 13-03-2015 Authorisation Status Pending	1. ETP - No 2. BCS - No 3. D.G Set - No 4. Water Consumption - 200 L/Day and the source is corporation. 5. Trade Effluent Discharge - nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is sewer.	N/a	12-03-2018 Inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.
406	SIGMA ROLLERS PVT. LTD.	C-26 & C-27, SECTOR-2, DISIDC, BAWANA INDUSTRIAL AREA	07-03-2018	Manufacturing of Offset Printing Roller (Without Trade Effluent Discharge) Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. BCS- Yes (attached to boiler & bhatti) 3. D.G. set- No Plot Area- 500 sq mt & built up area - 500 sq mt Date of Establishment/ Commencement-26.06.2017 Status of Ground Water	Effluent Analysis Report- N/A Emission Monitoring Report- issued by DPCC lab on 04.10.2017. Parameters are within limit. Noise Monitoring report- N/A	17-04-2018	17-05-2018 Expedite inspection.

									Extraction-No 1.Water consumption- 700 L/day Source- Outside (BII not submitted) Inspection status- No			
407	SKYLARK OFFSET PVT. LTD.	C-65/3, PH-II, OKHLA INDUSTRIAL AREA	07-03-2018		PRINTING PRESS (without Trade Effluent Discharge). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01- 2004 Authorisation Status Approved Authorisation Issue Date 19-07- 2004 Authorisation Expiry Date 14-07- 2006 HWM Application No. 2 Application Date 07-08- 2006 Authorisation Status Pending HWM Application No. 3 Application Date 08-08- 2008 Authorisation Status Pending HWM Application No. 4 Application Date 19-07- 2010 Authorisation Status Approved Authorisation Issue Date 30-05- 2013 Authorisation Expiry Date 18-07- 2015 HWM Application No. 5 Application Date 07-03- 2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 400 Liters/Day (Source - Other) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		13-03-2018 Hard Copy of Consent Application not yet received. Recommendation / Action Taken Details (EE/AEE) on 27-04-2018 As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 25.04.2018 and following was observed: -Unit found in operation and engaged in the activity of Printing press without Trade Effluent Discharge. -No water polluting activity was observed. -Unit is complying with the provisions of HWM Rules, 2016.	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
												17-05-2018

17-05-2018

408	PAWAN KUMAR JAIN	PLOT NO: P-1/90, BLOCK-P, DAULAT RAM HOUSE, CANNAUGHT PLACE,	07-03-2018		RESTAURANT (A TAKE AWAY CENTER) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: NDMC Water Consumption: 600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	25-04-2018	-	Consent to Establish granted.
409	PAWAN KUMAR JAIN	PLOT NO: P-1/90, BLOCK-P, DAULAT RAM HOUSE, CANNAUGHT PLACE,	07-03-2018		RESTAURANT (A TAKE AWAY CENTER) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: NDMC Water Consumption: 600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	25-04-2018	-	17-05-2018 Consent to Operate granted.
410	BURGERKING (A UNIT OF BURGER KING INDIA PVT. LTD)	PLOT NO-P-15, VIJAY BLOCK, LAXMI NAGAR, SAHADRA, NEW DELHI	08-03-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Physio-chemical, capacity of 7000 Liters/Day. 2. ECS - No 3. D.G Set- 01, capacity of 125 KVA. 4. Source of water supply - Municipal Authority (8400 Liters/Day). 5. Quantity of waste generated -6000 Liters/Day (500 Liters/Day for Domestic and 6000 Liters/day for Industrial), which is disposed through public sewer. 6. Fuel - HSD. 7. East Delhi Municipal Licence -yes, which was valid up to 31.03.2017. -The inspection of the unit was conducted on 25.01.2018 and following were the observations: 1. The unit/outlet found in operation. The outlet consists of 120 seats capacity in ground floor and first floor. 2. The waste water generated from washing of utensils being used for preparation of foods and storage of food stuffs. 3. The washing area is at ground floor backside for the	N/A	13-03-2018 Ask the unit to submit the hardcopy of the requisite documents. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Case deferred.	17-05-2018 Inspection be conducted.	

									treatment of trade effluent generated during washing process. 4. The treatment unit consists of stainless steel, compacted unit for screening of large chunks of discarded food items and small chamber for grease separation. The other ETP unit consists of reaction cum settling tank, clear water storage tank DMF, ACF followed by one SOB in the basement. 5. ETP found defunct as septic condition prevails in the reaction cum settling tank. 6. Channelization system for dispersion of process emissions found installed and being dispersed through a common duct above the building roof. -Show cause notice for refusal of consent and show cause notice for closure of the unit was issued to the unit on 09.03.2018. However, reply awaited.			
411	AGRO PURE CAPITAL FOODS PRIVATE LIMITED	F - 1736, DSIIIC, NARELA, INDL. AREA, DELHI - 110040	08-03-2018		Del Mills Del Mills	Green Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- Baghouse stack attached to exhaust 3. O.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement- 01.05.2017. Status of Ground Water Extraction-No 1. Water consumption- 200 L/day Source-DSIIDC (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report-issued by DPCC lab on 06.02.2018. Meeting the norms. Noise Monitoring report- N/A	25-04-2018	17-05-2018 Consent to Operate granted.
412	DOLAT TRADERS	1/342/A-1, GALI NO.1, FRIENDS COLONY INDUSTRIAL AREA	08-03-2018		COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE AND MFG. OF SUBERSIBLE WIRE. Copper Wire Drawing with Super Enamelling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-09-2005 Authorisation Status Pending HWM Application No. 2 Application Date 21-05-2010 Authorisation Status Approved Authorisation Issue Date 23-05-2013 Authorisation Expiry Date 20-05-2015 HWM Application No. 3	1. ETP - No. 2. BCS - Stack attached to Super Enamelling . 3. O.G Set - 2 no.s of capacity 82.5 KVA each. 4. Water Consumption - 150 L/Day, source is purchase water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 50 L/Day and the mode of disposal is Sewer. Noise Monitoring Report was submitted by DPCC on 22.08.2017 and all the parameter are within the prescribed limit as per the record. Emission Monitoring Report was submitted by DPCC on 22.08.2017 and all the parameter are within the prescribed limit as per the record.	12-03-2018 Recommended for CTE and subsequently inspection be conducted Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Inspection yet to be conducted.	17-05-2018 Expedite inspection.	

								Application Date 20-04-2015 Authorisation Status Pending			
413	THE HUDSON CAFE (A UNIT OF DEV DHINGRA HOSPITALITIES)	2324, HUDSON LANE KINGWAY CAMP	09-03-2018	RESTAURANT (36 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 160 sq mt Date of commencement- 20.03.2015 Status of Ground Water Extraction-No 1. Water consumption-3000 L/day. a) Source of water-DJS (copy of water bill submitted) Status of Inspection-No MCD license issued on 02.06.2017.	Effluent Analysis Report- issued by DPCC lab on 12.02.2018. Parameters are within limit. Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	17-05-2018 Consent to Operate granted.
414	ALPS PRINTERS	C-30, ODA SHEDS, OKHLA INDUSTRIAL AREA PH-I	10-03-2018	DIE CUTTING, PASTING AND AQUEOUS COATING Varnish Coating without Furnace	Green Establish	Non-SPI	HWM Application No. 1 Application Date 22-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption- 100 L/day (Source- Municipal) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 80 L/day (Dispose in- Sewer) Generating Hazardous Waste- 0.02 Kg/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		26-04-2018	17-05-2018 Expedite inspection.
415	SAI METAL INDUSTRIES	B-56 & B-77, SECTOR-4, BAWANA INDUSTRIAL AREA	10-03-2018	ALUMINIUM CASTING (Fit Furnace only). Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018	17-05-2018 Earlier consent to establish be made infructuous. Also inspection be conducted.
416	MANISH JAIN	1/429/3 (PLOT NO. 341) GALI NO. 1, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA, DELHI-95	11-03-2018	COPPER WIRE DRAWING, SUBMERSIBLE WIRE AND CABLES Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - N/A . 3. D.G Set - N/A. 4. Water Consumption - 220 L/Day, source is purchase water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is Sewer.	N/A	17-04-2018 Recommended to grant Consent to Establish and subsequently inspection be conducted.	17-05-2018 Consent to Establish granted.
417	HAJI YOUNUS HOTEL	SHOP NO. B-12/21-B, GF, HAUZ RANI, MALVIYA	12-03-2018	Dhaba	Orange Operate	Non-SPI		Status of Pollution Control System	Effluent analysis report of waste water dated 01-03-	17-04-2018	17-05-2018

		NAGAR, NEW DELHI-110017			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler			(1)Oil and Grease Trap - installed. (2)ECS - N/A -Water Consumption - 350 Liters/day. (Source - Outside) (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Inspection carried out on 13.04.2018 SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Inspection of the unit was carried out by officials of DPCC on 13.04.18 and following observations were made: - During inspection unit found operational and engaged in the activity of Dhaba with 25 seats - Unit had installed OGT with dimension 8ft x2ft x3ft - Unit had applied for CTO on 12.03.18	2018 issued by DPCC submitted. All parameter analysed are within Limit - Yes		Consent to Operate granted.
418	SMELLING SALTS	C-2/13, PHASE-2 ASHOK VIHAR	12-03-2018		the manufacturing process is chopping and cooking of vegetables , paneer and food grains with the help of edible oil, ghee and butter. After cooking the products Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: 1 of 125 KVA with acoustic enclosure (Proposed). Status of Ground Water extraction : Nil Source of Water: 5000 L per day, Source-DDB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	17-04-2018 Consent to Establish may be granted.	17-05-2018 Consent to Establish granted.
419	S.K. WEDDING BELLS (A UNIT OF M/S AROMATIC VEGGIES PRIVATE LIMITED)	B-17, PART-A, JHILMIL INDUSTRIAL AREA, BEHIND JHILMIL METRO STATION	12-03-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DDB	Orange Establish	Non-SPI	1. ETP- Yes having a design capacity of 5000L/D 2. ECS- No 3. DG Set- 500 KVA AND 125 KVA(Total 2 in number) 4. Water Consumption- 5000L/D 5. Trade Effluent- 2500L/D 6. Domestic Effluent- 1400L/D -An inspection of the unit was conducted on 09.03.2018 and following were observed:	N/A	26-04-2018 EDMC license was provided by the unit but Delhi Police License was not provided by them. So ask the unit to provide Delhi Police License.	17-05-2018 File be put up administratively.

					Sewer and having Kitchen and / or Laundry without Boiler				1. The plot no B-17 has been divided into 2 plots and denoted as plot no B-17 and B-17(A)(Part 1). 2. M/s S K Mohit Palace Banquet Hall is situated in plot no B-17 and M/s S K Wedding Bell is situated at B-17(A). Beside the banquet hall, 28 rooms in hotel namely M/s Hotel Green Palm at fit floor and found exist and recently constructed and yet to be commissioned. 3. Hotel having separate kitchen at first floor and pantry at ground floor fitted with hood, duct and stack arrangement for channelization of process emissions. 4. Each banquet hall is combined with common kitchen. At ground floor party hall is divided into 2 parts with accommodation of 800 people. At first floor party hall has 150 people accommodation. 5. The banquet halls are found in operative condition. However, no waste water treatment system found provided. The entire trade effluent from the washing process of utensils found connected with the sewers of the industrial area. 6. Two DG sets of capacity 125 KVA and 500 KVA were installed. 7. As informed the banquet hall namely M/s has been commissioned reportedly about 03 years ago. M/s S k Wedding Bell and M/s Hotel Green Palm is under commission.			
420	S.K. MOHIT PALACE (A UNIT OF M/S S.K.M. FOODS INDIA)	B-17, JHILMIL INDUSTRIAL AREA, BEHIND JHILMIL METRO STATION	12-03-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPE		1. ETP- Yes having a design capacity of 5000L/D 2. BCS- No 3. DG Set- 160 x 2 KVA AND 125 KVA(Total 3 in number) 4. Water Consumption- 5000L/D 5. Trade Effluent- 2900L/D 6. Domestic Effluent- 1400L/D -An inspection of the unit was conducted on 09.03.2018 and following were observed: 1. The plot no B-17 has been divided into 2 plots and denoted as plot no B-17 and B-17(A)(Part 1). 2. M/s S K Mohit Palace Banquet Hall is situated in plot no B-17 and M/s S K Wedding Bell is situated at B-17(A). Beside the banquet hall, 28 rooms in hotel namely M/s Hotel Green Palm at fit floor and found exist and recently constructed and yet to be commissioned.	N/A	26-04-2018 The unit has provided the MCD License but not provided the Delhi Police License. So ask the unit to provide Delhi Police License.	17-05-2018 File be put up administratively.

									3. Hotel having separate kitchen at first floor and pantry at ground floor fitted with hood, duct and stack arrangement for channelization of process emissions. 4. Each banquet hall is combined with common kitchen. At ground floor party hall is divided into 2 parts with accommodation of 800 people. At first floor party hall has 150 people accommodation. 5. The banquet halls are found in operative condition. However, no waste water treatment system found provided. The entire trade effluent from the washing process of utensils found connected with the sewers of the industrial area. 6. Two DG sets of capacity 125 KVA and 500 KVA were installed. 7. As informed the banquet hall namely M/s has been commissioned reportedly about 03 years ago. M/s S k Wedding Bell and M/s Hotel Green Palm is under commission.			
421	BRANDAVAN FOOD PRODUCTS	1/12 GROUND FLOOR, ASAF ALI ROAD, JEEVAN RAKSHA BUILDING, NEW DELHI-110006	13-03-2018		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 26) / Banquet Halls/ Party Lawns (with Floor area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted, if any deficiencies are found, query letter be issued.
422	MALA METALS	15-B, GALI NO.3 FRIENDS COLONY INDUSTRIAL AREA	13-03-2018		Copper Wire Drawing. Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 07-08-2004 Authorisation Expiry Date 06-08-2006 HWM Application No. 2 Application Date 20-09-2006 Authorisation Pending	1. STP - No. 2. ECS - N/a. 3. D.G Set - N/a. 4. Water Consumption - 200 L/Day, source is MCD water 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 150 L/Day and the mode of disposal is public Sewer.	N/a	17-04-2018 Recommended for Inspection	17-05-2018 Inspection be conducted.

								Status HWM Application No. 3 Application Date 11-03-2013 Authorisation Status Approved Authorisation Issue Date 22-03-2013 Authorisation Expiry Date 10-03-2018 HWM Application No. 4 Application Date 13-03-2018 Authorisation Status Pending					
423	MANSHA PLASTIC INDUSTRIES	GROUND FLOOR , PLOT NO. 68, POCKET A, SECTOR 1, BAWANA INDUSTRIAL AREA	13-03-2018		Flexo and Roto Printing Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set-N/A Plot Area-124.98 sq mt Date of Establishment/ Commencement-11.11.2017 Status of Ground Water Extraction-No 1. Water consumption- 60 L/day Source- Others (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018	17-05-2018	Consent to Establish granted and correct the address of the unit.
424	HINDUSTAN OFFSET PRESS	A-26, NARAINA INDUSTRIAL AREA PHASE - II	14-03-2018		OFFSET PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation Issue Date 06-08-2004 Authorisation Expiry Date 05-08-2006 HWM Application No. 2 Application Date 12-07-2006 Authorisation Status Pending	Source of Water: D/B (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	17-04-2018	17-05-2018	Inspection be conducted.

								HWM Application No. 3 Application Date 21-05-2010 Authorisation Status Approved Authorisation Issue Date 18-10-2010 Authorisation Expiry Date 20-05-2015				
								HWM Application No. 4 Application Date 22-05-2015 Authorisation Status Pending				
425	JAZBAA LOUNGE AND BAR LLP	F-89, VISHAL ENCLAVE	14-03-2018		RESTAURANT 180 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: D/B (Cat-II) Water Consumption: 4000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physicochemical,Oil and Grease Trap) (2)ECS: N/A (3)D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	12-04-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Consent to Establish granted.
426	BIKANERVALA FOODS PVT. LTD.	2/7, WMS, KIRTI NAGAR INDUSTRIAL AREA	14-03-2018		SWEET SHOP CUM EATING HOUSE WITH 188 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: D/B (Cat-II) Water Consumption: 3000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Bio-logical) (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 180 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Noise monitoring report: a). Noise monitoring report dated 10-04-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	12-04-2018 - Consent to Establish may be granted to the unit.	17-05-2018 Consent to Establish granted.
427	NARAYAN POLYMERS	J-220, SECTOR-5, DSIDDC	14-03-2018		Reprocessed PVC/Plastic	Orange	Non-SPI		Hard copy not submitted.		17-04-2018	17-05-2018

		BAHANA INDUSTRIAL AREA			Compound (With reprocessing of PVC/ Plastic Waste Scraps and using Plastic/PVC Waste scrap as raw material) Without Washing Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Establish					Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.	
428	SOM GLOBAL PAN MASALA PVT. LTD.	A-78, NARAINA INDUSTRIAL AREA, PHASE-I	14-03-2018		MANUFACTURING OF PAN MASALA Supari (Betelnut) and Pan Masala Grinding	Green Establish	Non-SPI		Source of Water: Outside Water Consumption: 1000 Liters/Day Status of Ground Water extraction: Nil Status of Pollution Control System (1) ETP: N/A (2) ECS: Installed (3) D.G.Set: N/A Status of Inspection: No SCN u/s 31(A)/33(A)/5 of EPA details: No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	1. Stack monitoring report: - (a) Stack monitoring report dated 11-04-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes	17-04-2018	17-05-2018 Consent to Establish granted.
429	BRANDAVAN FOOD PRODUCTS	1/12 GROUND FLOOR, ASAF ALI ROAD, JEEVAN RAKSHA BUILDING, NEW DELHI-110006	14-03-2018		Manufacturing of Food Products (Base Kitchen) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		17-04-2018	17-05-2018 Decision taken on 17.05.2018 w.r.t consent to establish application dated 13.03.2018 reviewed and the said application be made infructuous. Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
430	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 13, GF, FF, LSC, SAKET	15-03-2018		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Month and Year of Commencement of Production :13-08-2013 Status of Ground Water extraction :Nil		17-04-2018 Hard copy yet to be received.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

								Water Consumption : 500 ltr/day (Source : DGB)			
								Status of Inspection : Nil			
								SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
								Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
431	J & P METALS	C-59/3, 2ND FLOOR, WAZIRPUR INDUSTRIAL AREA,	15-03-2018		Mfg. of S.S. Utensils with Buffing Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI	Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 50 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Status of Test Report Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A	10-04-2018 Consent to Establish may be granted Remarks/ATR on 15-05- 2018 Consent to Establish may be granted	17-05-2018 Consent to Establish granted.
432	SILICON CIRCUITS	PLOT NO. F - 1981, DSIIDC, NARELA, INCL. AREA, DELHI	15-03-2018		FOR PLASTIC DANA Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI	Hard copy not submitted.		17-04-2018 Remarks/ATR on 25-04- 2018 Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- Yes Plot Area-116 sq mt Date of Establishment/ Commencement-13.07.2011. Status of Ground Water Extraction-No 1.Water consumption- 60 L/day Source- other (Bill not submitted) Effluent Analysis Report-N/A Emission Monitoring Report- N/A Noise Monitoring report-N/A	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Subsequently, inspection be conducted.
433	MANSHA PLASTIC INDUSTRIES	MANSHA PLASTIC INDUSTRIES	15-03-2018		Flexo and Roto Printing Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set-N/A Plot Area-124.98 sq mt Date of Establishment/ Commencement-11.11.2017 Status of Ground Water Extraction-No 1.Water consumption- 60 L/day Source- Others (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 -	17-05-2018 Inspection be conducted.
434	S.R. FOOD INDUSTRIES	PLOT NO. J - 3181, DSIIDC, NARELA, INCL. AREA, DELHI - 110040	15-03-2018		DIAL MILLS. Dai Mills	Green Establish	Non-SPI	Hard copy not submitted.		26-04-2018 -	17-05-2018 Ask the unit to submit hardcopy of

												consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted, If any deficiencies are found, query letter be issued.
435	VEER INDUSTRIES	PLOT NO.421-F GALT NO.8, FRIENDS COLONY INDUSTRIAL AREA	15-03-2018		SUBMERSIBLE WINDING WIRE AND COPPER WIRE DRAWING WITH SUPER ENAMELING (DRY PROCESS) Copper Wire Drawing with Super Enamelling (Dry Process) Electrical Wire and Cables (Upto 100 Workers, 2000 Sqm Plot)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 20-01-2004 Authorisation Status Approved Authorisation Issue Date 14-09-2004 Authorisation Expiry Date 13-09-2006 HWM Application No. 2 Application Date 28-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-06-2011 Authorisation Status Approved Authorisation Issue Date 17-09-2012 Authorisation Expiry Date 15-06-2016 HWM Application No. 4 Application Date 01-03-2018 Authorisation Status Pending	1. ETP - No. 2. ECS - Stack attached to Super Enamelling. 3. D.G Set - 3 no.s, 110 KVA, 110 KVA and 82 KVA Installed. 4. Water Consumption - 100 L/Day, source is DIB. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 50 L/Day and the mode of disposal is Sewer.	N/a	17-04-2018 Consent to Establish be granted and subsequently inspection be conducted.	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
436	GMINOW HOSPITALITY PVT LTD	IIND FLOOR, M-4, WAVE ARCADE, SOUTH EXTENSION PART-II	15-03-2018		RESTAURANT (EATING HOUSE WITH 166 SEATING CAPACITY) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Installed (As mentioned in undertaking) (2)ECS - N/A (3)D.G.Set: ...N/A... Month and Year of	-	17-04-2018 It is recommended that CTE may be granted.	17-05-2018 Consent to Establish granted.

					Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler				Commencement of Production :10-05-2018 (Proposed) Status of Ground Water extraction :NIL Water Consumption :11000ltr/day (Source :DIB) Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil			
437	CHENNAI JUNCTION	G-3, PLOT NO-7, GROUND FLOOR, L.S.C. PANKAJ PLAZA BLOCK SURAJMAL VIHAR	15-03-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- NO 2. ECS-NO 3. DG SET- NIL 4. Water Consumption- 1500 L/day 5. Trade Effluent Discharge- 1200 L/day 6. Domestic Effluent Discharge- 400 L/day The consent to establish was issued to unit on 28.03.2018.	N/A	19-04-2018 Recommended for inspection.	17-05-2018 Consent to Operate granted.
438	ANKIT POLYMERS	PLOT NO. 183-198, POCKET-M, SECTOR-1, DSIDC INDUSTRIAL AREA, BAWANA	15-03-2018		MICROCELLULAR SHEET Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		Hardcopy not submitted		26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
439	TARA CHAND SALUJA AND SONS	S-1, OKHLA INDUSTRIAL AREA, PHASE-II	16-03-2018		REPAIRING AND SERVICING OF MOTORCYCLE WITH WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physicochemical (2)ECS - N/A (3)O.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 900 L/day (Source- DIB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		17-04-2018 Hardcopy yet to be received.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
440	BATCHING PLANT (TWO NUMBERS) BY LARSEN & TOURBO LIMITED	TWO BATCHING PLANT AT THE SITE OF THE PROJECT INDIA INTERNATIONAL CONVENTION &	16-03-2018		Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A		15-05-2018 Unit applied for Consent to Establish on 16.03.2018 for the activity of Ready Mix	17-05-2018 Consent to Establish granted.

		EXPOCENTRE (IICC) AT SECTOR 25 DWARKA NEW DELHI			Ready Mix Concrete Plants (without trade effluent discharge)				(2)BCS - N/A (3)D.G.Set: (2x500 KVA & 1x30 KVA) Status of Ground Water extraction : Nil Water Consumption : 204 KLD (source: DIB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/S of EPA details : Nil Closure directions u/s 31(A)/33(A)/S of EPA details : Nil Month and Year of Commencement of production : 30.06.2018 (Proposed)	Concrete Plants (without trade effluent discharge). Unit submitted hard copy of Consent application on 23.03.2018 along with requisite documents.		
441	FRANITA GUPTA	PLOT NO-B-34/A, JHILMIL INDUSTRIAL AREA, G.T. ROAD SHAHDARA, DELHI-95	16-03-2018		COPPER WIRE DRAWING AND SUPER ENAMELLING ON COPPER WIRE Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Establish	Non-SPI		1. ETP - No. 2. BCS - Stack attached to wet scrubber . 3. D.G Set - N/a. 4. Water Consumption - 100 L/Day, source is Corporation water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 15 L/Day and the mode of disposal is drain .	N/a	17-04-2018 Recommended to grant CTE and subsequently inspection be conducted.	17-05-2018 Consent to Establish granted.
442	MAS DYING PROCESS	A-36/2, MAYAPURI PHASE-I, INDUSTRIAL AREA	16-03-2018		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment with Electric/ Gas fired boiler (with Washing) Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Source of Water: Other (As per undertaking) Water Consumption: 20000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)BCS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/S of EPA details : No Closure directions u/s 31(A)/33(A)/S of EPA details : No	-	17-04-2018 -	17-05-2018 Consent to Establish granted.
443	GOYAL METAL UDYOG	A-58, JHILMIL INDUSTRIAL AREA	16-03-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 24-09-2004 Authorisation Expiry Date 23-09-2006	1. ETP - No. 2. BCS - N/a . 3. D.G Set - N/a. 4. Water Consumption - 200 L/Day, source is MCD water. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 100 L/Day and the mode of disposal is public Sewer.	N/a	17-04-2018 Recommended to grant CTE and subsequently inspection be conducted.	17-05-2018 Inspection be conducted.

								HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 17-04-2012 Authorisation Status Approved Authorisation Issue Date 28-05-2012 Authorisation Expiry Date 16-04-2017 HWM Application No. 4 Application Date 16-03-2018 Authorisation Status Pending				
444	NATIONAL MASALA MILLS	D-1523, DSIDC, NARELA INDUSTRIAL AREA	17-03-2018		GRINDING AND GRADING OF SPICES. Spice Grinding	Green Renewal	Non-SPI		Hard copy not submitted.		26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted. If any deficiencies are found, query letter be issued.
445	KRISHNA INDUSTRIES	F-1700, DSIDC, NARELA INDUSTRIAL AREA	17-03-2018		Del Mills Del Mills	Green Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-Yes, stack attached to exhaust of del mill 3. D.G. set- N/A Plot Area-350 sq mt Date of Establishment/ Commencement-17.09.2010 Status of Ground Water Extraction-Yes 1. Water consumption- 200 L/day Source- DIB (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- issued by DPCC lab on 02.11.2017. Parameters are within limit. Noise Monitoring report- n/A	25-04-2018	17-05-2018 Consent to Operate (Renewal) granted.
446	R.K ENTERPRISES	C-436, NARELA INDUSTRIAL AREA, DELHI-110040	17-03-2018		Manufacturing of Dena (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Hard copy not submitted.		17-04-2018	17-05-2018 Consent to Establish granted. Subsequently, inspection be conducted.
447	CASA ROYAL BANQUET	C-102, PHASE-II, MAYAPURI INDUSTRIAL AREA	17-03-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and	Orange Establish	Non-SPI		Source of Water: DIB Water Consumption: 6000 Liters/Day Status of Ground Water		13-04-2018	17-05-2018 Consent to Establish granted.

					other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler				extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physicochemical) (2)BCS: Nil (3)D.G.Set: Unit has 1 D.G. set of 320 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
448	GOODWILL PRINTERS	20, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA, G T KARNAL ROAD	18-03-2018		MPG. OF NEW YEAR DIARIES, TELEPHONE INDEX, STATIONERY ITEMS ((Without Trade Effluent Discharge)) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Pending HWM Application No. 2 Application Date 18-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-05-2010 Authorisation Status Approved Authorisation Issue Date 24-06-2011 Authorisation Expiry Date 19-05-2015 HWM Application No. 4 Application Date 28-04-2015 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set- 62.5 KVA and 125 KVA Plot Area-1589 sq mt Date of Establishment/ Commencement-01.04.2004 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day Source- DJS (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- issued by DPCC lab on 06.03.2018. Parameters are within limit.	17-04-2018	17-05-2018 Inspection be conducted.
449	SUNEHARI LAL TEJ PRAKASH PVT. LTD.	20, G.T. KARNAL ROAD, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	18-03-2018		MPG. OF NEW YEAR DIARIES (Without Trade Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-04-2015 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. BCS- N/A 3. D.G. set-No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A	17-04-2018	17-05-2018 Inspection be conducted.

					Printing without Trade Effluent Discharge			Application Date 08-05-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 18-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-05-2010 Authorisation Status Approved Authorisation Issue Date 08-03-2011 Authorisation Expiry Date 19-05-2015 HWM Application No. 4 Application Date 28-04-2015 Authorisation Status Pending	Plot Area-500 sq mt Date of Establishment/Commencement-01.04.2001 Status of Ground Water Extraction-No 1. Water consumption- 200 L/day Source- D/B (Bill submitted) Inspection status- No Applied Form I under HWM rules	Noise Monitoring report- N/A		
430	R.K. METALS	PLOT NO-458-466, THIRD FLOOR, GALI NO-8, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95	18-03-2018		COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process) Annealing using Electric Furnace/Oven	Orange Establish	Non-SPI		1. ETP - No. 2. BCS - N/A 3. D.G Set - N/A 4. Water Consumption - 130 L/Day, source is D/B. 5. Trade Effluent Discharge - Nil 6. Domestic Trade Discharge - 15 L/Day and the mode of disposal is Drain.	N/A	17-04-2018 Recommended to grant CTE and subsequently inspection be conducted.	17-05-2018 Consent to Establish granted.
431	AMBROSIA BLISS (A UNIT OF FELICIA ENTERTAINMENTS PRIVATE LIMITED)	L-51 TO 54, OUTER CIRCLE, CONNOUGHT PLACE	18-03-2018		RESTAURANT 188 Seat Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum floor area 100 m2) and /Sweet Shops/ Halwais and Other such	Orange Establish	Non-SPI		Source of Water: NDMC Water Consumption: 4000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physicochemical,Oil and Grease Trap)	-	17-04-2018 -	17-05-2018 File be put up administratively.

					Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJSB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS: Nil (3)O.G.Set: Nil - An inspection was carried out by DPCC Officials on , during inspection following observations were made: 1. The unit is operating without CTO/CTE from DPCC. 2. ETP of the unit is lying in defunct condition and of the ETP are in Dimentioned condition. 3. Coal is being used in the tandoor. 4. Adequate Stack not provided with the O.G set. 5. Segregation of solid waste is not done and compost plant is not installed.			
432	SAANVI PULSES	O-192, SECTOR-2, BAWANA INDUSTRIAL AREA	18-03-2018		DALL HILL Del Mills	Green Establish	Non-SPI		Hard copy not submitted.		26-04-2018	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
433	DELICIA FOODS	C-20 LAWRENCE ROAD INDL AREA	19-03-2018		MANUFACTURING OF CONFECTIONERY / FOOD ITEMS. Bakery Products and Confectionery with Trade Effluent/Emission Discharge with Boiler Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Orange Operate	Non-SPI		ETP ---- ETP - Bio-logical of 4 KLD ECS - N/A O.G.Set: 1 of 200 KVA Status of Ground Water extraction : Nil Source of Water: 2500 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	Air (Emissions) : Test reports of stack attached to oven no. 1, 2, 3 and 4 are within norms (issued by DPCC on 26.12.2017) Water (Effluents) : Test report of outlet of ETP is within norms (issued by DPCC on 20.12.2017) Noise : Test report within norms (issued by DPCC on 05.01.2018)	17-04-2018 CA certificate is not as per column no. 5 of application form. Also in undertaking unit has mentioned stack height of stack attached to O.G. set is 3 m, however, test report shows that stack height is 1 m above the roof level. Recommendation / Action Taken Details (EE/AEE) on 15-05-2018 Letter was issued to the unit on 02.05.2018. No reply is received so far.	17-05-2018 Case deferred. If unit submits the same and found satisfactory, Consent to Operate be granted.
434	NAVDEEP PAPER PRODUCT	PLOT NO-148,FIE PATRARGANJ INDUSTRIAL AREA	19-03-2018		MFG. OF PAPER PRODUCTS (PACKING BOX, PAPER PLATE, CAKE BASE ETC.) AND PRINTING ON PACKAGING SHEETS Printing with Trade Effluent Discharge Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-09-2016 Authorisation Status Rejected Authorisation Refused Date 08-12-2017 HWM Application No. 2 Application Date 01-09-2017 Authorisation Status Pending HWM Application No. 3	1. ETP- No 2. ECS- No 3. O.G Set- N/A 4. Domestic effluent- 30L/D 5. Trade Effluent- 50L/D 6. Water Consumption- 110L/D The unit was inspected on 28.08.2017 and it was found that about 250 kg of poly bags of less than 50 micron were found in the premises. And whereas, polybags of about 250 kg were sealed by putting them in large plastic woven bag(4 no.s). -Therefore as per the decision put up in file Directions u/s 3 of Env. Act. Direction u/s 33(A) of water act, Refusal of consent and refusal of Authorization under 6(4) of the hazardous waste were issued to the unit on 20.12.2017. -The consent was made infructuous on 20.02.2018	N/A	17-04-2018 Recommended for inspection.	17-05-2018 Consent to Operate granted subject to submission of requisite ECS and undertaking. Application for Authorization under HW Rules be kept in abeyance.

								Application No.		-The unit submitted its reply on 10.01.2018 stated that they rectified all the deficiencies.			
								Application Date	19-03-2018				
								Authorisation Status	Pending	-The unit again applied for CTB and it was granted to the unit on 20.02.2018.			
										-The unit submitted its reply on 20.03.2018 in which he enclosed the receipt of CTO applied and HWM applied.			
455	CASA ROYAL BANQUET	A-1/177A JANAKPURI, NEW DELHI-110058	19-03-2018		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SFI			Source of Water: D/B (Cat-II) Water Consumption: 5000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)O.G.Set: Unit has 1 O.G. set of 125 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	17-04-2018 - Unit has submitted hard copy of Consent to Establish application. - Consent to Establish may be granted to the unit.	17-05-2018 Consent to Establish granted.
436	BIKANERVALA FOODS PVT. LTD.	GF, ZB-9, 10 AND 11/487, MAIN G.T. ROAD, DILSHAD GARDEN IND. AREA	22-03-2018		EATING HOUSE WITH 120 SEATS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SFI		1. ETP - No. 2. ECS - No 3. O.G Set - one, of 180 KVA installed. 4. Water Consumption - 3000 L/Day 5. Trade Effluent Discharge - 1500 L/Day 6. Domestic Trade Discharge - 300 L/Day 7. Municipal Corporation of East Delhi which is valid up to 31.03.2018. 7. Police License - valid till 31.03.2018. The inspection of the unit was conducted on 19.03.2018 and following were the observations: 1. The unit was found in operation. The activity being carried out by the unit as eating house as well as selling of sweets and namkeens. 120 seats restaurants/eating house being operated for Indian fast foods as well as continental type/Chinese food/ south Indian food are also served besides the take away. 2. The waste water generation source found from dish/utensils washing being used for preparation of the said food items in the kitchen as well as floor washing. 3. ETP consists of oil and grease trap 3 chambered in which 3rd chamber is being used as collection tank found installed at side lane. Other	Noise Monitoring report submitted by DPCC on 19.02.2018 in which all the parameters are within the prescribed limit. Analysis report of water effluent submitted by DPCC on 19.02.2018 in which all the parameters are within the prescribed limit.	24-04-2018 Recommended to issue direction for refusal of consent. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 Show cause notice for refusal of consent was issued on 26.03.2018. The unit submitted its reply on 21.04.2018 stating they have rectify all the deficiencies observed during the inspection conducted on 19.03.2018. Recommended for inspection.	17-05-2018 Inspection be conducted.	

									ETP units consists of tube settler/ reaction cum settling tank followed by dual media filter and ACP unit, chemical feeding drum with automatic control pumping mechanism for chemical dosing followed by mechanical.			
									4. During inspection ETP was found defunct and entire trade effluent after oil and grease trap is being by-passed to the sewage.			
									5. No proper display of each and every units found written. NO flow diagram of ETP found displayed.			
									5. Log book of ETP operation not found maintained.			
									6. No chemical in the chemical dosing tank found.			
									7. Kitchen emissions were found channelized and dispersed above the building roof through common hood suction and duct arrangement.			
									The show cause notice u/s 33(A) of Water Act and show cause notice for refusal of consent was issued to the unit on 26.03.2018. No reply from the unit has been received till date.			
457	BIKANERVALA FOODS PVT. LTD.	D-117, JAIL ROAD, FATEH NAGAR	22-03-2018		EATING HOUSE WITH 48 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D38 Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: Outside (As per undertaking) Water Consumption: 600 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: Nil (3)D.G.Set Noise Report: Unit has 1 D.G. Set(s) of 250 KVA. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	1. Effluent analysis report: - Consent to Operate may be granted to the unit. a). Effluent analysis report dated 09-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 15-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - No	16-05-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Consent to Operate granted.
458	ALPS PRINTERS	C-30, ODA SHEDS, OKHLA INDUSTRIAL AREA PH-I	22-03-2018		DIE CUTTING, PASTING AND AQUEOUS COATING Varnish Coating without Furnace	Green Operate	Non-SPI	HWM Application No. 1 Application Date 22-03-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption- 100 L/day (Source- Municipal) Trade Effluent Discharge- Nil Domestic Effluent Discharge- 80 L/day (Dispose in- Sewer)	-	26-04-2018 Inspection to be carried out w.r.t HWM Rules, 2016. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided, an inspection of the unit was carried out by the officials/representatives of DPCC on 02.05.2018 and following observations were made: -Unit found operational and engaged in the activity of Die cutting, pasting and aqueous	17-05-2018 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									Generating Hazardous Waste- 0.02 Kg/day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		coating. -Unit is complying with the provisions of HWM Rules, 2016.	
459	THE HOST RESTAURANT (A UNIT OF KOLMET ENTERPRISES)	F-8, CONNAUGHT PLACE	23-03-2018		RESTAURANT (48 Seats). Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of Water: NDMC Water Consumption: 9500 Liters/Day Status of Ground Water extraction : N/A HCD License: Yes (Valid up to 31.03.2020) Fire Safety Certificate: Not Provided Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: Nil (3)D.G. Set Noise Report : The unit has 1 D.G. Set(s) of 63 KVA.	1. Effluent analysis report: a). Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: b). Noise monitoring report dated 06-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	17-04-2018	17-05-2018 Consent to Operate granted.
460	SHRI RAM PLASTIC	J-11-12, SECTOR-9, OSIIDC BAWANA INDUSTRIAL AREA	23-03-2018		PVC COMPOUND THROUGH PLASTIC SCRAPE WITH TRADE EFFLUENT DISCHARGE Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- N/A Plot Area-400 sq mt Date of Establishment/ Commencement-05.04.2018 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source- OSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring report- N/A	17-04-2018 Remarks/ATR on 26-04-2018 Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- N/A Plot Area-400 sq mt Date of Establishment/ Commencement-05.04.2018 Status of Ground Water Extraction-No 1. Water consumption- 3000 L/day Source- OSIIDC (Bill submitted) Inspection status- No Closure Direction issued and subsequently desecrated with conditions.	17-05-2018 Inspection be conducted.
461	JUGAL KISHORE CHHABRA	PLOT NO. 7, BLOCK-G, LAWRENCE ROAD INDUSTRIAL AREA	23-03-2018		COOLING WATER SUPPLIER Manufacturing of Ice without Trade Effluent Discharge	Green Establish	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DDB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	16-04-2018 CTE may be granted.	17-05-2018 Case deferred.
462	T & T MOTORS PVT. LTD.	F-85, OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI-110020	26-03-2018		AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-03-2018	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (5000 L/day) Effluent analysis report dated 26-02-2018 issued by DPCC	Effluent analysis report dated 26-02-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes	17-04-2018 Inspection to be carried out. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018	17-05-2018 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Pending Status submitted. Effluent Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (2)ECS - N/A Stack monitoring report dated 12-03-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes (3)D.G.Set Noise Report : 1 The unit has 2 D.G. Set(s) of 160 KVA (not in use) and 250 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes Status of Ground Water extraction : Nil Domestic Effluent Discharge: 3500 L/day (Source- DIB) Trade Effluent Discharge: 3000 L/day Discharge into- Sewer Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Stack monitoring report dated 12-03-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes. Number of parameters analyzed within limits- Yes The unit has 2 D.G. Set(s) of 160 KVA (not in use) and 250 KVA. Noise monitoring report dated 12-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed within limits- Yes	As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 09.05.2018 and following observations were made: -Unit found in operational and engaged in the activity of Automobile workshop cum service station. -Unit has installed ETP and same found operational. -Channelization system provided with 2 paint booth with stack height 11m above the ground level. -Unit having 2 DG Set (160,250 KVA) with stack height 5m, 6m respectively, above the acoustic enclosure. DG Set with 160 KVA is not in use as informed. -Unit is complying with provisions of Hazardous Waste Management Rules, 2016.	
463	AMALRI(A UNIT OF GOVIND HOSPITALITY)	M-82,M BLOCK MARKET GK-II,	27-03-2018	RESTAURANT HAVING SEATING CAPACITY 48	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 03.04.2018 Unit submitted its reply on 16.04.2018 w.r.t said SCN and informed that they are in process of applying for CTO and also informed that Oil & Grease Trap has been installed with proper cleaning and seating capacity of the unit is 48 seats.	Effluent analysis report dated 13-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	15-05-2018	17-05-2018	Earlier consent to establish dated 05.05.2017 be made infructuous. Consent to Establish granted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
454	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 7, LSC, (NEAR SAMACHAR APARTMENTS) MAYUR VIHAR EXT	28-03-2018		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP- YES 2. BCS- NO 3. DG SET- 62.5 KVA 4. Water Consumption- 800 L/day 5. Trade Effluent Discharge- 450 L/day 6. Domestic Effluent Discharge- 5 L/day	N/A	19-04-2018 Ask the unit to submit the hard copy of the consent application with all the requisite documents and also inspection be conducted. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As decided above, letter to the unit was issued on 07.05.2018. No reply from the unit has been received till date.	17-05-2018 Inspection be conducted.
455	BANSIWAL SERVICE STATION	SAN MARTIN MARG , CHANAKYAPUR1	28-03-2018		PETROL PUMP CUM SERVICE STATION Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI		Source of Water: Outside (As per undertaking) Water Consumption: 1400 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physicochemical) (2)BCS: Nil (3)D.G.Set: Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	-	13-04-2018 - Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 - As per decision, unit has been inspected by DPCC officials. During inspection, following observations were made: 1. During inspection unit found operational and engaged in the activity of Petrol Pump & Service Station. 2. ETP installed and same found operational. 3. HWM guidelines are being followed. 4. No D.G. set found installed during inspection. 5. Log Book of ETP maintained.	17-05-2018 Consent to Establish granted.
456	KLR METALINKER	KHASRA NO. 61, NEW MANDOLI INDUSTRIAL AREA,	29-03-2018		MPG OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. BCS- Yes (Wet Scrubber) 3. D.G Set- yes(62.5 KVA) 4. D.G Set Test Report- yes 5. OLMS- Not installed. 6. Proof prior to 2007- Yes (Rent Agreement of 15.01.2005). 7. Documents in original for boundary in original by Industry Department- No 8. Display Board- No 9. Fuel Used : Diesel.	Emission monitoring report was submitted on 14.03.2018 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 14.03.2018 by DPCC and all the parameters are within the prescribed limit.	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision, a letter was issued to the unit on 15.05.2018, asking the unit to submit certificate, in original, from Industries Department/ SOM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in	17-05-2018 Expedite inspection.

											the said certificate, OLMS etc. Inspection yet to be conducted.	
467	SHRI HARI ENTERPRISES	M-25, KH.NO-30, NEW MANDOLI INDUSTRIAL AREA, DELHI	30-03-2018		MANUFACTURING OF COPPER INGOTS WITH MELTING PROCESS WITH USE OF FURNACE OTHER THAN CUPOLA FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Cyclone Wet Scrubber) 3. D.G Set- yes(62.5 KVA) 4. D.G Set Test Report- yes 5. OLMS- Not installed. 6. Proof prior to 2007- Yes (Rent Agreement of 05.09.2006). 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : diesel.	Emission monitoring report was submitted on 21.03.2018 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 21.03.2018 by DPCC and all the parameters are within the prescribed limit.	26-04-2018 Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Recommendation / Action Taken Details (EE/AEE) on 16-05-2018 As per the committee decision, a letter was issued to the unit on 15.05.2018, asking the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate, OLMS etc. Inspection yet to be conducted.	17-05-2018 Expedite inspection.
468	SIKKA LOCOMOTIVE PVT. LTD.	B-72/4, WAZIRPUR INDUSTRIAL AREA, NEW DELHI	31-03-2018		AUTOMOBILE REPAIR AND WASHING Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)ETP - Physicochemical of capacity 4 KLD (2)ECS - N/A (3)D.G.Set: - 1 of capacity 125 KVA with Acoustic enclosure Status of Ground Water extraction : Nil Source of Water: 4000 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	17-04-2018 Hard copy of Consent application not submitted. Unit was directed to deposit Environment Compensation of Rs. 50000 on 27.03.2018 by DPCC officials which is not submitted by the unit. Recommendation / Action Taken Details (EE/AEE) on 15-05-2018 Hard copy of consent application submitted.	17-05-2018 If unit submits the environmental compensation of Rs. 50000/- levied for violation w.r.t dust pollution control measures, Consent to Establish granted.
469	AZIZAA BANQUET HALL (ROSHNI HOTELS PVT LTD)	B-7, GF, FF, G.T. KARNAL ROAD INDUSTRIAL AREA	05-04-2018		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and / Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted	-	26-04-2018 Recommendation / Action Taken Details (EE/AEE) on 17-05-2018 Unit has submitted hardcopy of consent application.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.
470	MANGAL SWEETS	PLOT NO-63, GROUND FLOOR, HARSH VIHAR, PITAMPURA	26-04-2018		Sweets Shop Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet	Orange Establish	Non-SPI		ECS: N/A OGT: No D.G.Set: 1 having capacity 125KVA Status of Ground Water extraction : Nil Source of Water: 2000L per	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	03-05-2018 Consent to Establish may be granted	17-05-2018 Consent to Establish granted.

					Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler				day from DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
471	VIKAS EMARK INFRASTRUCTURE PVT. LTD.	KH. NO-31/8, BEHIND MCD SCHOOL, NANGLI BAKRAWATI, NAJAFGARH	26-04-2018		Ready Mix Concrete Production Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 160 KVA (As per Consent application) Status of Ground Water extraction : 8000 Liters/Day (Source : Other) Water Supply : 8000 Liters/Day (Source : Other) Domestic Effluent : 220 Liters/Day Trade Effluent : Nil (As per Consent application) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Month and Year of Commencement of production : 02-05-2018 (Proposed)		15-05-2018 Unit applied for Consent to Establish on 26.04.2018 for the activity of Ready Mix Concrete Plants (without trade effluent discharge). Unit has not submitted hard copy of Consent application so far.	17-05-2018 Consent to Establish granted.
472	SOMANI ENTERPRISES INDIA	B-48, PHASE-II, MANGOLPURI INDUSTRIAL AREA	28-04-2018		MANUFACTURING OF MICROCELLULAR SHEET Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		BCE: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Air : N/A Water: N/A Noise: N/A	03-05-2018 CTE may be granted with the condition that unit will use PNG as a fuel in the boiler.	17-05-2018 Consent to Establish granted.
473	DUM HAD DUM (A UNIT OF HSN HOSPITALITY LLP)	PROPERTY NO. 2510, SECOND AND THIRD FLOOR, HUDSON LINES, KINGSWAY CAMP	29-04-2018		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ETP- Yes ECS-N/A DG Set-Yes, 82.5 KVA Plot area-133.8 sq m date of commencement-03-11-2017 Status of ground water- Water consumption-3750 L/day Source of water- DIB (Bill submitted).	Emission Monitoring Report-yes, issued by DPCC meeting the norms. Effluent treatment Report- N/A Noise Monitoring Report-yes, issued by DPCC meeting the norms.	17-05-2018 .	17-05-2018 Consent to Operate granted.
474	MATS INDIA	B-47, PHASE-II, MANGOLPURI INDUSTRIAL AREA	30-04-2018		MANUFACTURING OF MICROCELLULAR SHEET	Green Operate	Non-SPI		BCE: N/A ETP: N/A D.G.Set: Nil	Air (Emissions) : Test report of stack attached to boiler is within norms	03-05-2018 Unit has not submitted the monitoring report for VOC	17-05-2018 Issue reminder. If unit submits the

					Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)				Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	(Issued by DPCC on 29.11.2017) Water: N/A Noise: N/A	parameter or certificate from Industries Department regarding SSI unit.	same, Consent to Operate be granted.
475	SMOKSH THE LOUNGE	PLOT NO.-2, 2ND FLOOR, VAISHALI ENCLAVE, PITAMPURA NEAR GULAB	02-05-2018		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECs: N/A OGT: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 2000L per day, Source-DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	15-05-2018 Hardcopy not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
476	SHRI RAM ENTERPRISES	E-3, MANGOLPURI INDUSTRIAL AREA, PHASE-II	02-05-2018		MPG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		ECs: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : Test report of stack attached to boiler is within norms (Issued by DPCC on 27.03.2018) Water: N/A Noise: N/A	11-05-2018 Unit has not submitted the monitoring report for VOC parameter or certificate from Industries Department regarding SSI unit.	17-05-2018 Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate be granted.
477	SURAVIE (A UNIT OF ROYAL HOSPITALITY)	101, AGARWAL CYBER PLAZA- 1, N.S.P. PITAMPURA	02-05-2018		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECs: N/A OGT: Yes (capacity 3000L per day) D.G.Set: 1 having capacity 125KVA Status of Ground Water extraction : Nil Source of Water: 2000L per day from DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	15-05-2018 Hardcopy not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.
478	RAMA MOTOR SERVICES PVT. LTD.	F-2/4, OKHLA INDUSTRIAL AREA, PHASE-I	03-05-2018		SERVICING, REPAIRING AND WASHING OF CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physicochemical (2)ECs - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 2800	-	15-05-2018 Hardcopy of application for CTE is yet to be received.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.

									Liters/Day (Source - Others) Date of Commencement : 01-06-2018 (Proposed) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
479	MOTI MAHAL DELUX (A UNIT OF KRISHNA KITCHEN)	GROUND FLOOR 157, OPP. PILLAR NO. 333, KAPIL VIHAR PITAMPURA	04-05-2018		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECS: N/A OGT: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 2500 L per day, Source-DJS Status of Inspection : No SCN u/s 31(A)/33(A) : Yes on 20.04.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	15-05-2018 Hardcopy not submitted. Remarks/ATR on 15-05-2018 Unit has submitted hardcopy.	17-05-2018 Consent to Establish granted.
480	PLASTO FILMS	124, DSIDC SHEDS, PHASE-I, OKHLA INDUSTRIAL AREA	05-05-2018		Manufacturing of Polythene films, tubes and bag with printing for industrial packaging use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags) Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-05-2018 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 200 Liters/Day (Source - DJS) Status of Inspection : As decided, an inspection of the unit was carried out by the team of both SEs of CMC-II and Trainees of CMC-II on 13.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. of Polythene film, tube and bag with printing (without Mfg. of Plastic Carry Bag). -Mfg. of Plastic carry bag was not observed and also polythene bags of thickness less than 50 micron was not observed. -Unit is not complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016.		15-05-2018 Hardcopy of application for CTE received on 10.05.2018.	17-05-2018 Consent to Establish granted. Earlier consent applications be made infructuous.

									SCN for Refusal of Consent under Water and Air Act and SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 09.05.2018 Reply awaited. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
481	OSWAL MOTORS PVT. LTD.	A-81, G.T.K. ROAD INDUSTRIAL AREA	05-05-2018	SERVICING OF TWO WHEELERS/BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-02-2012 Authorisation Status Approved Authorisation Issue Date 21-10-2013 Authorisation Expiry Date 21-02-2017	ETP- Yes SCS-N/A D.G. set- N/A Plot area- 400 Sq. yd. Date of Commencement- 01.01.2012 Ground water-Yes Source of Water-4100 L/day Inspection of the unit conducted on 19.05.2018 and findings are- 1. Unit found operating, engaged in the activity of repair, servicing and washing of two wheelers (bikes of hero motor). 2. ETP installed and working. 3. HWM rules complied with. 4. CDWA permission obtained from Ground water use as informed.	Effluent Monitoring report submitted issued by DPCC lab on 23.04.2018. Meeting the norms.	16-05-2018	17-05-2018 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	
482	CHAWLA CHICK INN	SHOP NO. 5,6,7, BT BLOCK, SHALIMAR BAGH,	06-05-2018	EATING HOUSE/VEG AND NON VEG Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		BCS: N/A OGT: N/A D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 200L per day Source Other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	15-05-2018 Hardcopy not submitted. Online Aadhar card and pancard is uploaded online.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	
483	CHAWLA CHICK INN	SHOP NO. 9, BT BLOCK, SHALIMAR BAGH	06-05-2018	EATING HOUSE/VEG AND NON VEG Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		BCS: N/A OGT: N/A D.G.Set: N/A Status of Ground Water extraction : Nil Source of Water: 300L per day Source DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	15-05-2018 Hardcopy is not submitted. Only Aadhar card is uploaded online in place of other required documents.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	
484	JARDENV EXPORTS PVT. LTD.	B-70/37,DSIOC, LAWRENCE ROAD INDUSTRIAL AREA	09-05-2018	MFG. AND EXPORT OF LEATHER GARMENTS Manufacturing of Leather Garments with Polishing / Colouring (without dyeing/trade Effluent Discharge)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 09-05-2018 Authorisation Status Pending	BCS: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 600 L per day, Source-DIB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	15-05-2018 Hard copy of documents along with application form is not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	
485	PHOENIX NIGHTS	SHOP NO.1,2,3,PLOT NO. G-3,CASCADE SHOPPING	09-05-2018	EATING HOUSE Restaurants /Eating	Orange Establish	Non-SPI		BCS: N/A OGT: Yes (5000 Litres/day) D.G.Set: Nil	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	15-05-2018 Hardcopy not submitted.	17-05-2018 Consent to Establish granted.	

		CENTRE,NETAJI SUBHASH PALACE,PITAMPURA		houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJS Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : Nil Source of Water: 3500 L per day from Other sources Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A		Remarks/ATR on 15-05-2018 Unit has submitted hardcopy.	
486	JARDINIV EXPORTS PVT. LTD.	B-70/37,OSIDC, LAWRENCE ROAD INDUSTRIAL AREA	09-05-2018	MPG. AND EXPORT OF LEATHER GARMENTS Manufacturing of Leather Garments with Polishing / Colouring (without dyeing/trade Effluent Discharge)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-05-2018 Authorisation Status Pending	ECs: N/A ETP: N/A D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 600 L per day, Source-DJS Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	15-05-2018 Hard copy of documents along with application form is not submitted.	17-05-2018 Inspection be conducted.
487	MALIK AND CO.	B-52, PH-1, OKHLA INDUSTRIAL AREA	10-05-2018	Manufacturing and Printing of Poly bags (Biomedical waste disposal bags) and Plastic roll sheet for industrial packaging use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags) Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 10-11-2006 Authorisation Status Pending HWM Application No. 2 Application Date 13-06-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECs - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 80 Liters/Day (Source - DJS) Status of Inspection : As decided, an inspection of the unit was carried out by the team of both SAs of CMC-II and Trainee of CMC-II on 14.04.2018 and following were observed: -Unit found operational and engaged in the activity of Mfg. and Printing of Polybags (Biomedical disposable bags) and plastic roll sheet for Industrial Packaging use only. -Mfg. of Plastic Bag of thickness less than 50 micron was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016. SCN for Refusal of Consent details : Issued on 09.05.2018. Reply awaited. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		15-05-2018 Hardcopy of application for CTE is yet to be received.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also all earlier applications be made infructuous.
488	PALACE OF DREAMS (A UNIT OF DKS HOTEL PRIVATE LIMITED)	B-1,UDYOG NAGAR INDUSTRIAL AREA , NEW ROHTAK ROAD ,PESRA GARHI ,DELHI	10-05-2018	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party	Orange Operate	Non-SPI		Source of Water: Outside Water Consumption: 4000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System	1. Effluent analysis report: a). Effluent analysis report dated 01-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	15-05-2018 - Consent to Operate may be granted to the unit.	17-05-2018 Consent to Operate granted.

				Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP: Installed (Bio-logical) (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 6 D.G. Sets of 125 KVA(not in use),250 KVA,250 KVA,250 KVA,250 KVA and 250 KVA. - An inspection of the unit was carried out by DPCC officials on 15.02.2017, during inspection various discrepancies observed. - On the basis of inspection findings Show Cause Notice u/s 33(A) and 31(A) was issued to the unit on 13.02.2018. - As the unit did not replied w.r.t. the Show Cause Notice, Closure Directions issued on 05.04.2018. - Unit submitted a reply on 11.04.2018 along with Environmental Compensation Security of Rs. 2,00,000/- with an undertaking as per office order F.No. DPCC/CMC-1/Revocation/2017/396-400 dated 02.08.2017 and also requested to revoke the closure directions. - A letter for Restoration of Power Supply, Water Supply and De-sealing of the unit was issued on 12.04.2018.	2. Noise monitoring report: a). Noise monitoring report of D.G. set of capacity 250 KVA dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report of D.G. set of capacity 250 KVA dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes c). Noise monitoring report of D.G. set of capacity 250 KVA dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes d). Noise monitoring report of D.G. set of capacity 250 KVA dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes e). Noise monitoring report of D.G. set of capacity 250 KVA dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
489	VENETIAN BANQUET(A UNIT OF MAS HOSPITALITY)	UNDER RAJA GARDEN FLYOVER,RAJA GARDEN ,NEW DELHI-110027	10-05-2018	BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJS Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System source of water: outside water consumption:8500 KLD ground water extraction: nil (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A -an inspection was carried out by DPCC, Officials on 27.02.2018. During inspection following deficiencies were made:- 1. No ETP Installed. 2. There are two DG sets of capacity 125KVA and 250KVA without having adequate stack. 3. Compost plant exist but was not operational. 4. Channelization done in kitchen but adequate stack not provided. On the basis of inspection finding a show cause notice was issued to the unit on 26.03.2018	a) Effluent analysis report Effluent analysis report dated 08-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	16-05-2018	17-05-2018 Consent to Operate granted.
490	MARUTI STEEL UDYOG	A-84/3, WAZIRPUR INDUSTRIAL AREA	14-05-2018	Buffing on Utensils Manufacturing of	Green Establish	Non-SPI		Status of Pollution Control System	Status of Test Report Test reports	15-05-2018 Hard copy of consent application not submitted.	17-05-2018 Ask the unit to submit hardcopy of

					Stainless Steel Utensils (with Buffing Activity)				(1)ETP - N/A (2)ECS - Cyclone (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of Water: 20 L per day, Source-other Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise :N/A		consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted, If any deficiencies are found, query letter be issued.
491	SHARAT SWEET HOUSE	AB-9, SHALIMAR BAGH	14-05-2018		Sweet Shop (Sweets, Namkeens and Allied Products) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		(1)OGT- 1000 L/day (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 80 KLD from Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: N/A Noise: N/A	15-05-2018 Hard Copy not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted, If any deficiencies are found, query letter be issued.
492	SHARAT SWEET HOUSE	AB-9, SHALIMAR BAGH	14-05-2018		Sweet Shop (Sweets, Namkeens and Allied Products) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)OGT- 1000 L/day (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 80 KLD from Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air : N/A Water: No Noise: N/A	15-05-2018 Hard Copy not submitted.	17-05-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted, If any deficiencies are found, query letter be issued.