



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/1st Meeting /2017/ 334-38

Dated: 13-6-17

Subject: Minutes of the 1st Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 06.06.2017, 07.06.2017 & 08.06.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Please find enclosed herewith the Minutes of the **1st Meeting** of the aforementioned Committee, held on 06.06.2017, 07.06.2017 & 08.06.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC and to take necessary action as per the decisions taken in the said meeting.


(D.K.Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

Minutes of the 1st Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 06.06.2017, 07.06.2017 & 08.06.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

1st Meeting of the aforementioned Committee was held on 06.06.2017 for the pending cases of the period 16.05.2017 to 05.06.2017 and continued on 07.06.2017 & 08.06.2017 since the complete cases could not be taken on 06.06.2017.

Attendance Sheets for meetings on 06.06.2017, 07.06.2017 & 08.06.2017 are enclosed as Annexure "A", "B" & "C" respectively.


Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending Cases for the period 16.05.2017 to 05.06.2017.

Decisions were taken online in individual cases and list of 97 no. of units (Cases of Consent to Establish) including decisions taken in these cases are at Annexure I and list of 41 no. of units (Cases of Consent to Operate/Renewal) including decisions taken in these cases are at Annexure II.

Since case of M/s New Green Garden (A unit of Vijay Food Caters), 369, 370/2, NH-8, Village Rangpuri, Near Shiv Murti, Delhi [Application for Consent to Establish Dated 30.05.2017 for the activity of Lawn for Marriage Party] is of Rangpuri area and the activity is Party Lawn, the Committee decided to take up this case along with other pending cases of Mahipalpur and Rangpuri area as has been done in the past and therefore no decision is appearing in the online generated list (Sl. No 46 of Annexure I) in respect of this unit.

Case of M/s Sitaram Plastic, NJ-232, Sector-3, Bawana Industrial Area, Delhi-110039 [Application for Consent to Operate Dated 24.05.2017 for the activity of Manufacturing of Plastic Dana with Reprocessing of Plastic Waste with Washing] was briefed by the concerned engineers and discussed and decision was taken offline and therefore no decision is appearing in the online generated list (Sl. No 16 of Annexure II) in respect of this unit. Since the unit is engaged in reprocessing of plastic waste, the Committee decided that inspection be conducted before taking further decision in this case.

A series of handwritten signatures in blue ink, likely representing the members of the committee. The signatures are written over a light blue grid background. Some of the signatures are more legible than others, but they all appear to be official signatures.

In case of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas, the Committee decided to seek hardcopy of the consent application along with requisite documents wherever such hardcopies have not been submitted by the applicants. Wherever, units of Paharganj and Karol Bagh areas have submitted hardcopy of the consent application, the case was deferred by the Committee and it was decided to take up all cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas in a separate meeting to have uniform decision in such cases.

“All hotels and restaurants shall, within one year from the date of notification of these rules and in partnership with the local body ensure segregation of waste at source as prescribed in these rules, facilitate collection of segregated waste in separate streams, handover recyclable material to either the authorised waste pickers or the authorised recyclers. The bio-degradable waste shall be processed, treated and disposed off through composting or bio-methanation within the premises as far as possible. The residual waste shall be given to the waste collectors or agency as directed by the local body”.

Directions at para 18 at page 25 of the said order:

Directions at para 23 at page 28 of the said order:

[Handwritten signatures and notes]

In view of the Solid Waste Management Rules, 2016 and above mentioned orders of Hon'ble National Green Tribunal, the Committee decided that following conditions be imposed while issuing consent orders to the units:


- I. The Consentee shall comply with the provisions of Solid Waste Management Rules, 2016.
- II. In case of Restaurants, Eating Houses, Sweet Shops, Dhabas and Hotels / Guest Houses [RES DH Sector] & Banquet Halls / Party Lawns etc., Consentee shall also comply with following :
 - (i) Rule 4(8) of Solid Waste Management Rules, 2016
 - (ii) Orders of Hon'ble National Green Tribunal Dated 02.12.2016 in Original Application No 281 of 2016 (M.A. No 1007/2016) and Original Application No 22(THC) of 2013 (M.A. No. 19 of 2014) in the matter of Kudrat Sandhu Vs. Govt. of NCT & Ors. and Sukhdev Vihar Residents Welfare Association & Ors. Vs. State of NCT of Delhi & Ors
 - (a) regarding solid waste segregation and its proper disposal.
 - (b) regarding prohibition on storage, sale and use of disposable plastic glasses in entire NCT, Delhi at hotels, restaurants and public as well as private functions w.e.f. 01.01.2017.

In view of the abovementioned decisions taken by the Committee, online decisions taken in following cases were reviewed by the Committee and reviewed decision is given in the table below:-

Sl. No	CMC	Sl. No of List of Annexure-I	Name & Address of the Unit	Date of Consent Application	Activity of the Unit	Reviewed Decision of the Committee
1	III	17	Café Coffee Day, Shop C-9/23, GF, Sector-7, Rohini, Delhi	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
2	IV	18	Café Coffee Day, A-21, Radial Road, Inner Circle, Connaught Place, New	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention

[Handwritten signatures and initials at the bottom of the page]


			Delhi-110001			period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
3	IV	21	Café Coffee Day, A-12, Regal Building, Connaught Place, New Delhi-110001	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
4	V	22	Café Coffee Day, 1604, Ground Floor, Outram Lane, Kingsway Camp, Delhi	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
5	V	26	Café Coffee Day, Shop No 61, Mall Road, Kingsway Camp, Delhi	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
6	IV	28	Café Coffee Day, Shop No 14A, Community Centre, Basant	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling





			Lok, Vasant Vihar, Delhi			Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
7	V	30	Café Coffee Day, 2526, Hudson Lane, Kingsway Camp, Delhi	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
8	IV	31	Café Coffee Day, GF 30/3A, Tilak Nagar, Delhi-110018	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
9	IV	32	Café Coffee Day, 44, Regal Building, Connaught Place, New Delhi-110001	23.05.2017 (Consent to Establish)	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
10	IV	37 (Annexure-II)	The Luggage room (A Unit of Rabjot Hospitality),	07.03.2017 (Consent to Establish)	Restaurant cum Bar	Consent to Establish and Consent to Operate granted.





			M-10, (Municipal No M-39), Ist Floor, Outer Circle, Connaught Place, New Delhi-110001	05.06.2017 (Consent to Operate)		
11	IV	11	Jungle Jamborec (A unit of Futomic Diners LLP), P- 17/90, Ist, IInd Floor, Outer Circle, Connaught Place, New Delhi-110001	23.05.2017 (Consent to Operate)	Restaurant cum Bar	Inspection already conducted on 12.04.2017. Unit and ETP found operational. Ask the unit to submit hard copy of the consent application along with requisite documents as per RESDH policy.

Following Table Agenda Items were taken by the Committee with the permission of Chair:-

Table Agenda Item Nos. 1: Case of M/s United Coffee House, E-15, Connaught Place, New Delhi-110001 [Application for Consent to Operate (Renewal) Dated 07.06.2017 for the activity of Restaurant cum Bar]

The Case was briefed by the concerned engineers of CMC-IV. Consent to Operate (Renewal) granted w.r.t. application Dated 07.06.2017 with the condition that existing ETP shall be operated properly in adequate batches so that entire effluent is treated to meet the prescribed standards. Earlier Consent to Operate issued on 01.03.2013 (valid upto 02.12.2017) be revoked.

Table Agenda Item Nos. 2: Case of M/s Hindustan Construction Co. Ltd., Munirka Elevated Corridor Project, Nelson Mandela Road (Opp. ONGC Office), New Delhi-110028 [Application for Consent to Operate Dated 17.11.2016 for the activity of Munirka Elevated Corridor]

As decided in concerned file, the case was taken up by the Committee and it was decided to conduct fresh inspection of the site to check the compliance w.r.t. present pollution control measures taken by the unit and file be put up administratively after checking the submitted reports etc. w.r.t. existing prescribed standards and requirement in respect of RMC as per DPCC norms.

[Handwritten signatures and initials]

Table Agenda Item Nos. 3: Case of M/s Red Chilly Foods Pvt. Ltd. (Swagath), M-9, Main Market, Greater Kailash-II, New Delhi [Application for Consent to Operate Dated 16.02.2017 for the activity of Restaurant]

As decided in concerned file, the case was taken up by the Committee. The Case was briefed by the concerned engineers of CMC-II. Committee decided to grant Consent to Operate with the condition that existing ETP shall be operated properly in adequate batches so that entire effluent is treated to meet the prescribed standards.

Besides above, the Committee also decided that IT Cell of DPCC to:

- (i) Include the name of Bawana Industrial Area in the list of industrial areas having CETP and the units of Bawana Industrial Area also to enclose / upload the copy of the proof of CETP membership along with their consent application.
- (ii) Make provision in the existing software regarding mentioning of the deficiencies observed w.r.t. submitted online consent applications with direction to the units that in case of incomplete information / incomplete / not legible documents / incorrect / partial consent fee etc., the consent application submitted by the unit shall be treated as incomplete and shall not be processed further till application is complete. The date of application shall be treated from the date of completion of the application.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.


In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)


Member Secretary, DPCC


(D.K. Singh)


SEE, CMC-II


(M. Arif)

SEE, CMC-V


(R.S. Pankaj)

EE, CMC-IV


(B.L. Chawla)

SEE, CMC-I


(Satender Kumar)

SEE, CMC-III


(D.K. Srivastava)

EE, CMC-III


(M.S. Rawat)


EE, CMC-V


(Sanjay Vatts)

EE, CMC-II


(Shyam Sunde)

EE, CMC-I


(Ramesh Chandra)

EE, CMC-II


(Amit Chaudhary)

EE, CMC-V











(Sunil Kumar)

EE, CMC-IV










(K. Kumar)

EE, CMC-IV










Attendance Sheet for 1st Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017 headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on 08.06.2017 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	- Absent -
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	on leave
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	On Leave
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	On Leave

Attendance Sheet for 1st Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017 headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on 07.06.2017 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	on leave
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	On Leave
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	On Leave

Attendance Sheet for 1st Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017 headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on 06.06.2017 in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	On Leave
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	On Leave
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	On Leave



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 1st meeting on 06.06.2017 07.06.2017 and 08.06.2017 w.r.t. Agenda Item No 1 -- 97 Fresh Consent to Establish cases of the period 16.05.2017 to 05.06.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GAURAV POLYPACK	C-625,NARELA INDUSTRIAL AREA ,DELHI-110040	17-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.	.	08-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents.
2	HOTEL ONLY SUITES	PLOT NO-61/34, NEW ROHTAK ROAD, OPP. NOVA HOSPITAL, KAROL BAGH, NEW DELHI	17-05-2017		GUEST HOUSE WITH (18 ROOM 36 BED) Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
3	SOUTHERN GUEST HOUSE	18/1, WEA, ARYA SAMAJ ROAD, KAROL BAGH, NEW DELHI	17-05-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

4	R.K ENTERPRISES	C-436,NARELA INDUSTRIAL AREA,DELHI-110040	18-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Inspection be conducted.
5	HOTEL FLORENCE	2719, BANK STREET KAROL BAGH,	18-05-2017		GUEST HOUSE WITH 24 ROOMS AND 63 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Case deferred.
6	NEW CHAUDHARY PLASTIC	PLOT NO 98, PKT J, SECTOR 5, DSIIDC INDL AREA BAWANA	18-05-2017		Recycling of Plastic Waste with washing activity Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Proposed 2. ECS- Proposed 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement-01.08.2017 Status of Ground Water Extraction-No 1.Water consumption- 5300 L/day Source- Outside(Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	06-06-2017	06-06-2017 Consent to Establish granted.
7	HOTEL B B PALACE	2638-42, BANK STREET, GURUDWARA ROAD, KAROL BAGH	18-05-2017		Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Case deferred.
8	EXCELLENT MOTORS	T-4/13, PHASE-I, MANGOLPURI INDUSTRIAL AREA	19-05-2017		SERVICING, REPAIRING AND WASHING OF TWO WHEELERS. Automobile Servicing	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water	N/A	06-06-2017 Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.

					and Repair Station with Washing Activity				extraction : Nil Source of Water: 1000 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: No			
9	INDIAN SPICE XPRESS	SHOP NO- G-19, PLOT NO. 8, MANGLAM PARADISE MALL, SEC-3, ROHINI	19-05-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP: N/A ECS: N/A Oil and grease trap: 1 (capacity of 0.57 KLD) D.G.Set: Nil Source of water supply: 0.5 KLD from outside source Date of commencement of production: 27.09.2016 Earlier show cause notice u/s 33(A) of Water Act 1974 and u/s 31(A) of Air Act,1981 was issued to the unit on 08.11.2016. Direction for Closure u/s 33(A) of Water Act 1974 and u/s 31(A) of Air Act,1981 was issued to the unit dated 19.04.2017.	.	06-06-2017	07-06-2017 Ask the unit to apply for Consent to Operate along with requisite documents.
10	HOTEL CITI INTERNATIONAL	PLOT NO: 8/20, WEA KAROL BAGH, NEW DELHI	19-05-2017		GUEST HOUSE WITH 16 ROOM 36 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
11	PALM DOR	8595/1, DB GUPTA ROAD, PAHARGANJ	20-05-2017		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- 1 x 125 KVA Plot Area- 233.27 sq mt Date of Establishment/ Commencement-27.07.2010. Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DJB (Bill submitted) Cat-II Inspection status- No MCD license issued on 18.09.2014 valid upto 31.03.2015 and Delhi Police license valid upto 31.03.2017. No. of Rooms- 29	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-06-2017	06-06-2017 Case deferred.

									No. of Beds- 39 SCN for closure issued on 10.04.2017 being operating without consent. Modified direction issued on 30.05.2017.			
12	IGAKU NEEDLES PRIVATE LIMITED	C-109, OKHLA INDUSTRIAL AREA, PHASE-1, NEW DELHI	20-05-2017		Mfg. of Disposable Needles with Trade Effluent Surgical and Medical Products Involving Prophylactics and Latex	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Yes 2)ECS - Nil 3)D.G.Set: 125 KVA with acoustic enclosure &stack height 14m above roof level. 4)Status of Ground Water extraction : Nil 5)Water Consumption - 8 KLD (Source - Tanker) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 8 KLD 6)Date of Commencement - 20.11.2014 (Existing) 7)Status of Inspection : an inspection of the Addressee unit was carried out by the Officials/ Representatives of DPCC on 27.04.2017 and following were observed : -Unit found in operation and engaged in the activity of Mfg. of Needles with Electro Polishing. -Unit having 1 D.G. set of capacity 125 KVA with acoustic enclosure and with adequate stack height. -Unit has installed an ETP but same found not in operation. It is lying on ground floor in dismantled condition. Effluent generated from the process is being discharged into sewer without any treatment. -No wet/dry sludge observed. -Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016. -Logbook of ETP and Sludge record not maintained. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 16.05.2017	06-06-2017	08-06-2017 Inspection be conducted.	

									Unit submitted its representation w.r.t to Show Cause Notice Dated 16.05.2017 on 25.05.2017 along with Consent to Establish form under orange category and required documents & informed that they have applied for noise monitoring report of the D.G set, that ETP is now operational, applied for effluent analysis report of ETP, logbook of ETP is being maintained and provided two display boards with proper information. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
13	THE HOST RESTAURANT (A UNIT OF KOLMET ENTERPRISES)	F-8, CONNAUGHT PLACE	20-05-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	01-06-2017 Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.
14	GEM COLOUR SOLUTIONS	D-1, DSIDC, PACKAGING COMPLEX, KIRTI NAGAR INDUSTRIAL AREA	20-05-2017		Colour Matching Centre for Offset inks and water based inks Ink and Printing Ink (Excluding Flexographic Ink) without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	.	06-06-2017 Consent to Establish may be granted.	06-06-2017 Inspection be conducted.

									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
15	ADWAY PRINT CONCEPT PVT. LTD.	A-23, JHILMIL INDUSTRIAL AREA	21-05-2017		Paper Printing without trade effluent Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - yes, of capacity 63 KVA installed. 4. Water Consumption - 1000 liters/day and source is tanker. 5. Quantity of Domestic Effluent Generated - 800 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/day which is disposed through Nil.	N/A	06-06-2017 Recommended for inspection.	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
16	HOTEL GOLDEN GRAND	W-1/10MAIN PATEL ROAD, WEST PATEL NAGAR	22-05-2017		Hotel Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Sets of 200 KVA Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 24-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 25-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Establish may be granted.	06-06-2017 Inspection be conducted.
17	CAFE COFFEE DAY	SHOP C9/23, GF SECTOR-7, ROHINI	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP: Oil and Grease trap installed ECS: N/A D.G.Set: 45 KVA Source of water supply:1.1 KLD from DJB Date of commencement of production:30.11.2012 Hardcopy of Consent application form and other documents submitted by the unit are not signed by authorized person. Moreover, hardcopy of Consent application submitted by the unit mentions the date of application as 15.05.2017.	.	06-06-2017 .	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
18	CAFE COFFEE DAY	A-21 RADIAL ROAD INNER CIRCLE CP	23-05-2017		COFFEE SHOP. Restaurants/Eating	Orange Establish	Non-SPI		Status of Pollution Control System	.	06-06-2017 Consent to	06-06-2017 Inspection be conducted to check

					Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :no		Establish may be granted.	the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
19	CAFE COFFEE DAY	SHOP NO 1, 2 AND 3, CSC, NILGIRI MARKET, ALAKNANDA	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Date of commencement: 25.11.2016 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		06-06-2017	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
20	CAFE COFFEE DAY	GROUND FLOOR, G-11, SECTOR-5, ASHIRWAD CHOWK, DWARKA	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease trap- yes (20x24x20 inch). (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - (3) Status of Ground Water extraction :N/A (4) Water consumption-1100 liters per day (DJB) (5) Trade Effluent- 800 liters per day (6) Domestic Effluent- 20 liters per day		07-06-2017 Unit applied for CTE on 15.05.2017 for the activity of coffee shop with seating capacity of 24. The unit as per application submitted had commissioned its activity on 14.08.2015 (Existing) and not submitted application for Consent to Operate. As per CTE application submitted unit having oil and	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

					/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Month and year of Commencement of production- 14.08.2015 (Existing)		Grease Trap of size (20x 24x 20 inch).It is recommended that CTE may be granted with condition that it will apply for CTO within 30 days.	
21	CAFE COFFEE DAY	A-12, REGAL BUILDING, CONNAUGHT PLACE	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	06-06-2017 -Consent to Establish may be granted.	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
22	CAFE COFFEE DAY	1604, GROUND FLOOR, OUTRAM LANE, KINGSWAY CAMP	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP/ Oil & Grease Trap - N/A 2. ECS- N/A 3. D.G. set- No Plot Area-92.903 sq mt Date of Establishment/ Commencement-17.03.2009 Status of Ground Water Extraction-No 1.Water consumption- 1100 L/day Source- DJB (Bill not submitted) Inspection status- No MCD license valid upto 31.03.2017.	Effluent Analysis Report- No Emission Monitoring Report -N/A Noise Monitoring report- N/A	06-06-2017 .	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
23	CAFE COFFEE DAY	PLOT NO 6, NORTH SIDE, COMMUNITY CENTER, EAST OF KAILASH	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease trap- yes (20x24x20 inch). (a) Effluent analysis report	.	08-06-2017 Unit applied for CTE on 15.05.2017 for the activity of coffee	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum

					establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				dated - N/A - issued by - N/A - submitted. (2)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - (3) Status of Ground Water extraction :N/A (4) Water consumption-1100 liters per day (DJB) (5) Trade Effluent- 800 liters per day (6) Domestic Effluent- 20 liters per day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Month and year of Commencement of production- 30.06.2007 (Existing)		shop with seating capacity of 24. However, application submitted by the unit without authorized signatory and it was mentioned unit was commissioned its activity on 30.06.2007 (Existing).	Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
24	CAFE COFFEE DAY	14, COMMUNITY CENTRE, NEW FRIENDS COLONY	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Date of commencement: 18.03.2011 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	06-06-2017	08-06-2017	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
25	CAFE COFFEE DAY	PLOT NO 97/1, GROUND FLOOR, ARBINDO MARG, ADHCHINI MAIN MARKET	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease trap- yes (20x24x20 inch). (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)D.G.Set: 45 KVA	07-06-2017 Unit applied for CTE on 16.05.2017 for the activity of coffee shop with seating capacity of 20. The unit as per application	08-06-2017	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued

					Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(a)Noise monitoring report of - N/A - (3) Status of Ground Water extraction :N/A (4) Water consumption-1100 liters per day (DJB) (5) Trade Effluent- 800 liters per day (6) Domestic Effluent- 20 liters per day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Month and year of Commencement of production- 25.09.2015 (Existing)		submitted had commissioned its activity on 25.09.2015 (Existing) and not submitted application for Consent to Operate. As per CTE application submitted unit having oil and Grease Trap of size (20x 24x 20 inch).It is recommended that CTE may be granted with condition that it will apply for CTO within 30 days.	after submission of signed copy of all requisite documents.
26	CAFE COFFEE DAY	SHOP NO 61, MALL ROAD, KINGSWAY CAMP	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- 1 x 45 KVA Plot Area- 55.741 sq mt Date of Establishment/ Commencement-09.04.2012 Status of Ground Water Extraction-No 1.Water consumption- 1100 L/day Source- DJB (Bill submitted) CAT-II Inspection status- No Unit has MCD Health license valid upto 31.03.2017.	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-06-2017 .	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
27	CAFE COFFEE DAY	GROUND FLOOR, FIRST FLOOR, PLOT NO 6, GULAB BHAVAN, BAHADUR SHAH ZAFAR MARG	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day -	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
28	CAFE COFFEE DAY	SHOP NO-14A, COMMUNITY CENTRE BASANT LOK VASANT VIHAR	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA Act: No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	.	06-06-2017 Consent to Establish may be granted.	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
29	CAFE COFFEE DAY	C-4/8 AMAR COLONY, LAJPAT NAGAR	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Date of commencement: 14.03.2008 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	06-06-2017	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
30	CAFE COFFEE DAY	2526, HUDSON LANE, KINGSWAY CAMP	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- 1 x 45 KVA Plot Area- 111.483 sq mt Date of Establishment/	Effluent Analysis Report - N/A Emission Monitoring Report -N/A	06-06-2017	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter

					Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Commencement-10.10.2008 Status of Ground Water Extraction-No 1.Water consumption- 1100 L/day Source- DJB (Bill submitted) CAT-II Inspection status- No Unit has MCD Health license valid upto 31.03.2017.	Noise Monitoring reports - N/A		of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
31	CAFE COFFEE DAY	GF 30/3A, TILAK NAGAR	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	.	06-06-2017 Consent to Establish may be granted.	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
32	CAFE COFFEE DAY	44, REGAL BUILDING CONNAUGHT PLACE	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	.	06-06-2017 Consent to Establish may be granted	06-06-2017 Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.
33	CAFE COFFEE	SHOP NO-18, PLOT NO.3,	23-05-2017		COFFEE SHOP.	Orange	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017

	DAY	GROUND FLOOR, SPLENDOR FORUM			Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Establish						Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
34	CAFE COFFEE DAY	FIRST FLOOR SHOP NO-101 AND 108 FF FLOT NO-8, KRISHNA TOWER 12, DWARKA	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)oil and grease Trap-yes (20x 24x 20) inch (2)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A (3)Status of Ground Water extraction : N/A (4) Water consumption-1100 liters per day (5) source of water- DJB (7) Trade Effluent- 800 liters per day (8) Domestic effluent- 20 liters per day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A		07-06-2017 Unit applied for CTE on 19.05.2017 for the activity of coffee shop with seating capacity of 28. The unit as per application submitted had commissioned its activity on 21.12.2008 (Existing) and not submitted application for Consent to Operate. As per CTE application submitted unit having oil and Grease Trap of size (20x 24x 20 inch).It is recommended that CTE may be granted with condition that it will apply for CTO within 30 days.	08-06-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Setting Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
35	GODWIN LODGE	8501/15, ARAKSHAN ROAD, PAHARGANJ	23-05-2017		GUEST HOUSE (26 ROOMS WITH 73 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to	Orange Establish	Non-SPI		Hard copy not submitted.		07-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Case deferred.

					/ Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler						
36	GRAND GODWIN	8502/41, ARAKSHAN ROAD, PAHARGANJ	23-05-2017		GUEST HOUSE (39 ROOMS WITH 94 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
37	THE ROYAL ARCHES	KH. NO. 79/18, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	24-05-2017		Party Lawn for Marriage and Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.
38	SOUTHERN RESIDENCY	PLOT NO-5, BLOCK-18, WESTERN EASTERN AREA, ARYA SAMAJ ROAD, KAROLBAGH	24-05-2017		GUEST HOUSE WITH 21 ROOM AND 45 BED Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
39	PRAKASH TEXTILE	F-28/3, PHASE 2, OKHLA INDUSTRIAL AREA	25-05-2017		READYMADE GARMENTS AND ACCESSORIES WITHOUT WASHING. Readymade Garment	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	Stack monitoring report of Boiler dated 20-04-2017 issued by DPCC submitted. number of parameters analyzed which are within limit -	06-06-2017 Consent to Establish granted.

					with oil fired boiler (without Washing/Dying)				Stack monitoring report of Boiler dated 20-04-2017 issued by DPCC submitted. number of parameters analyzed which are within limit - Yes (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 300 liters/Day (Source- DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Yes The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes		
40	HOTEL BALSON CONTINENTAL	PLOT NO: 8/1, EAST PATEL NAGAR, NEW DELHI	25-05-2017		GUEST HOUSE WITH (19 ROOM 19 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a)Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a)Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-06-2017 Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.
41	BALSON INTERNATIONAL	9/15, EAST PATEL NAGAR	26-05-2017		GUEST HOUSE WITH (18 ROOM 18 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A	(a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-06-2017 Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.

					having Kitchen and / or Laundry with Boiler				(3)D.G.Set: ...N/A...			
									Status of Ground Water extraction :Nil			
									Status of Inspection :no			
									SCN u/s 31(A)/33(A)/5 of EPA details :no			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
42	PUNJABI ZAIKA	3539-A, RAJA PARK, SHAKUR BASTI	28-05-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 60 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 60 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	06-06-2017 Unit has already issued consent to Establish for 48 seats.	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents and also ask the unit to clarify why unit has applied for Consent to Establish again when Consent to Establish has already been granted.
43	DOGRA PRESS	D-149-150, POCKET-D, SECTOR-3, DSIIDC, BAWANA	29-05-2017		Offset Printing Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Also inspection be conducted.
44	AJANTA GUEST HOUSE PVT. LTD.	8647/8506, ARANKASHAN ROAD PAHARGANJ	29-05-2017		GUEST HOUSE (68 ROOMS WITH 136 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler							
45	KONCEPT AUTOMOBILES PVT. LTD.	B-24, OKHLA INDUSTRIAL AREA, PHASE-I	30-05-2017		AUTOMOBILES WORKSHOP CUM SERVICE STATION INCLUDING DENTING, PAINTING AND WASHING. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set: 100 KVA Status of Ground Water extraction : Nil Water Consumption: 5 KLD (Source - Others) Date of Commencement: 20-03-2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	07-06-2017 Hardcopy of Consent application form along with required documents not received.	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.
46	NEW GREEN GARDEN (A UNIT OF VIJAY FOOD CATERS)	369, 370/2, NH-8, VILLAGE-RANGPURI, NEAR SHIV NURTI	30-05-2017		LAWN FOR MARRIAGE PARTY. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	06-06-2017 -Consent to Establish may be granted.	
47	BALAJI RESTAURANT (A UNIT OF GODAVARI HOTELS PRIVATE LIMITED)	PLOT NO: 17 A/41, GURUDWARA ROAD, WEA KAROL BAGH,	30-05-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler							
48	VARDHMAN PLASTIC	G-137, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA, DELHI-110039.	31-05-2017		MFG. OF REPROCESSED PVC GRANULES/STRAPS AND PLASTIC PRODUCTS (WITH REPROCESSING OF PLASTIC/PVC WASTE AND USING PLASTIC WASTE SCRAP AS RAW MATERIAL) W/O WASHING Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- No Plot Area-99.3 sq mt Date of Establishment/ Commencement-01.01.2017 Status of Ground Water Extraction-No 1.Water consumption- 60 L/day Source- Outside(Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report -N/A Noise Monitoring report- N/A	06-06-2017	08-06-2017 Consent to Establish dated 01.2.2016 be made infructuous since unit has applied for changed activity. Consent to Establish dated 31.05.2017 granted. Also inspection be conducted.
49	POOJA ENTERPRISES	I-2145,NARELA INDUSTRIAL AREA,DELHI-40	31-05-2017		Jeans Washing Readymade Garment (with Washing)	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
50	HOTEL SKY RICH INTERNATIONAL	PLOT NO: 17 A/19, WEA, KAROL BAGH,	31-05-2017		GUEST HOUSE WITH (18 ROOM 18 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
51	HOTEL THE PEARL (A ROYAL RESIDENCY)	PLOT NO: 7 A/43, WEA, KAROL BAGH,	31-05-2017		GUEST HOUSE WITH 18 ROOM 18 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
												07-06-2017

52	PANICKERS GUEST HOUSE	5/22, WEA, NEAR AJMAL KHAN ROAD, KAROL BAGH	31-05-2017		GUEST HOUSE (22 ROOM 60 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
53	ANAND RESTAURANT	15/96-97, SCINDIA HOUSE, CONNAUGHT PLACE	01-06-2017		DHABHA FOOD Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	06-06-2017 -Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.
54	HOTEL PALLAVI PALACE	8572, ARANKASHAN ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (24 ROOMS WITH 45 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
55	HOTEL CHAND PALACE	54, ARANKASHAN ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (39 ROOMS WITH 89 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
												07-06-2017

56	HOTEL MOHAN INTERNATIONAL	2, ARANKASHAN ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (43 ROOMS WITH 68BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
57	HOTEL YUVRAJ DELUXE	PLOT NO. 38, ARAKASHAN ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (38 ROOMS WITH 75 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
58	KILL THE BILL (A UNIT OF DEE HOSPITALITY PVT. LTD)	F-14/15,FIRST FLOOR,SHIVAM HOUSE,MIDDLE CIRCLE,CONNAUGHT PLACE,NEW DELHI	01-06-2017		Eating House with 186 Seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	08-06-2017 Ask the unit to submit hardcopy of Consent to Establish application along with requisite documents duly signed by the applicant. If the same is found satisfactory, Consent to Establish granted.
59	EXCUSE ME BOSS RESTAURANT (A UNIT OF DEE RESTAURANTS P LTD)	F-14/15 ,GF, SHIVAM HOUSE ,MIDDLE CIRCLE,,CONNAUGHT PLACE,NEW DELHI	01-06-2017		Eating House 98 Seats Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to /	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	08-06-2017 Ask the unit to submit hardcopy of Consent to Esablish application along with requisite documents duly signed by the applicant. If the same is found satisfactory, Consent to Establish granted.

					Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler							
60	HOTEL INN TAWANG	PLOT NO: 8 A/32, WEA, CHANNA MARKET, KAROL BAGH,	01-06-2017		GUEST HOUSE WITH (19 ROOM 19 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
61	ROYAL CUISINE	ROYAL CUISINE,410,KARKARDOOMA VILLAGE,OPP.KARKARDOOMA METRO STATION,DELHI-92	02-06-2017		as in 189 but without boiler Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP - Yes, of design capacity 4000 Liters/day. 2. ECS - No. 3. D.G Set - Yes, of capacity 89 KVA . 4. Water Consumption - 1700 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - 1400 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi -Not provided 8. Police Licence of Delhi - Not provided	N/A	06-06-2017 Recommended for Inspection.	06-06-2017 Ask the unit to submit proof of conformity. Also ask the unit to submit hard copy of Consent to Establish application with requisite documents.
62	AFRICA AVENUE	A-2/14, SAFDARJUNG ENCLAVE	02-06-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil -An inspection was carried out by representatives of DPCC on 15.03.2017. During inspection following observations were made: 1. During inspection, unit found operational and engaged in the activity of hotel having 25 rooms (38 beds). 2. No Sewage Treatment Plant (STP)/ Effluent Treatment Plant (ETP) installed in the premises. 3. One D. G. set of capacity 250 KVA installed with acoustic enclosure and adequate stack height.	.	06-06-2017 -Unit has not submitted hard copy till date so we may not revive the consent fees w.r.t. 1000 rupees.	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy and put up file administratively.

									4. Wastewater is being directly discharged into the sewer. 5. No kitchen/laundry exists within premises. 6. Unit has not applied for consent in DPCC. 7. Water connection of the unit is from DJB. -A Show Cause Notice for Closure u/s 31 (A) & 33 (A) was issued to the unit 03.04.2017. -Unit has submitted a reply on 13.04.2017 and requesting to grant 30 days time for submission of CTE& CTO application in DPCC.		
63	IRIS PARK LEISURES PRIVATE LIMITED	THIRD FLOOR A-1 24 F.F. S.F. T.F. SAFDARGANJ ENCLAVE	02-06-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil -In orders of PGC in case of Ms. Aruna Bhowmick and Sh. R.N. Bhagi regarding problems related to choking of sewage system. -As per the approval by Worthy MS,DPCC, an inspection was carried out by representatives of DPCC ON 15.03.2017. During inspection following observations were mad: 1. Unit found operational and engaged in the activity of hotel with 47 rooms with kitchen, 2. No ETP/STP installed in the unit. 3. D.G Set (2nos) of 160 KVA each are installed with proper acoustic enclosure and adequate stack height. 4. On kitchen found in the unit with proper channelisation and adequate stack height of chimney. 5. No oil & grease trap installed in the kitchen. -As per the discrepancies observed during inspection a Show Cause Notice for closure u/s 31 (A) & 33 (A) was issued to the unit on 03.04.2017. -Unit has submitted a reply w.r.t SCN and informed that	06-06-2017 -Unit has not submitted hard copy of the CTE application till date so we may not revive consent fee with respect to 1000 rupees.	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy and put up file administratively.

									requesting to grant 30 days time for submission of CTE & CTO application			
64	SHASHANK MITTAL	340/38,GALI NO 1B FRIENDS COLONY INDUSTRIAL AREA	02-06-2017		MANUFACTURING OF COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 08-06-2012 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 07-06-2017 HWM Application No. 2 Application Date 02-06-2017 Authorisation Status Pending	1. ETP - No . 2. ECS - No . 3. D.G Set - No. . 4. Water Consumption - 170 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/Day which is disposed through Nil.	N/A	06-06-2017 Recommended for inspection.	06-06-2017 Operating unit at the same premises and obtained consent earlier. Application for Consent to Establish has been submitted afresh. Inspection be conducted.
65	LALS HAVELI	8892-95/2,MULTANI DHANDA,PAHARGANJ,NEW DELHI	02-06-2017		Guest House 17 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
66	ATLANTA CONTINENTAL	7970/71,A.K ROAD,PAHARGANJ,DELHI	02-06-2017		Guest House 29 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
67	HOTEL BEOPARI NIWAS	6186, KATRA BARYAN, FATEPURI, DELHI - 110006	03-06-2017		Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler							
					Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler							
68	HOTEL SUKANT PALACE	PLOT NO: 1142/10, ABDUL REHMAN ROAD, NAIWALA, KAROL BAGH,	03-06-2017		GUEST HOUSE WITH 20 ROOM 38 BED Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
69	THE ROYAL INN	T-565,CHAMLLIAN ROAD (NEAR IDGAH CIRCLE) ,DELHI	03-06-2017		Guest House 25 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
70	HOTEL TOURIST	7361, RAM NAGAR, PAHAR GANJ	03-06-2017		GUEST HOUSE WITH 65 ROOM AND HAVING 114 BED Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
71	CAMA GUEST HOUSE	3037, CHOWK CHUNA MANDI, RAJ GURU ROAD,	03-06-2017		Guest House (47 Rooms with 56 Beds)	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017

		PAHARGANJ			W/o Kitchen and Laundry Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler							Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
72	HOTEL TOURIST DX	7361, RAM NAGAR, QUTAB ROAD	03-06-2017		GUEST HOUSE WITH 44 ROOM AND HAVING 88 BED Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
73	CITY STAR HOTELS PVT. LTD	11/2 A , PUSA ROAD	04-06-2017		GUEST HOUSE (40 ROOM 80 BED) Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
74	KARAT-87	PLOT NO: 16/21, WEA, PADAM SINGH ROAD, KAROL BAGH	04-06-2017		GUEST HOUSE HAVING (20 ROOM 20 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
75	ROCKWELL PLAZA	PLOT NO: 5/14, WEA, KAROL BAGH,	04-06-2017		GUEST HOUSE (22 ROOM) 42 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler							
76	HOTEL SRIRI NANAK CONTINENTAL	2222, HARDHYAN SINGH ROAD, KAROL BAGH,	04-06-2017		GUEST HOUSE HAVING 26 ROOM (45 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
77	PITRASHISH PREMIUM	PLOT NO-59/36, NEW ROHTAK ROAD, KAROL BAGH, NEW DELHI	04-06-2017		GUEST HOUSE 24 ROOM 44 BED Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
78	PITRASHISH GRAND	PLOT NO-59/37, NEW ROHTAK ROAD, KAROL BAGH, NEW DELHI	04-06-2017		GUEST HOUSE (23 ROOM 30 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
79	HOTEL GOOS TIMES	PLOT NO: 8/7, WEA, KAROL BAGH,	04-06-2017		GUEST HOUSE WITH 33 ROOM AND HAVING 66 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
80	WHITE HOUSE TOURIST LODGE	8177-8178,ARAKASHAN ROAD,PAHARGANJ,DELHI-55	04-06-2017		guest House 30 Rooms	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	07-06-2017 Ask the unit to submit hard copy of

					Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler						Consent to Establish application with requisite documents as per RESDH policy. Case deferred.	
81	WAHI GUEST HOUSE	6/82, PADAM SINGH ROAD WEA, KAROL BAGH	04-06-2017		GUEST HOUSE (19 ROOM 30 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
82	ROYAL INN	ROYAL INN	04-06-2017		NA Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
83	PREMIER RADIO	C-29, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	05-06-2017		MANUFACTURING OF ELECTRICAL GOODS. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	06-06-2017 -Consent to Establish may be granted.	06-06-2017 Consent to Establish granted.
84	SKM PRODUCTS PVT. LTD.	F-66, PHASE-I, OKHLA INDUSTRIAL AREA	05-06-2017		REFURBISHMENT OF BATTERIES WITHOUT ANY TRADE EFFLUENT DISCHARGE. Battery Charging without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	.	06-06-2017 Hardcopy of Consent form along with required documents not received.	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents.

								(3)D.G.Set: Nil KVA Status of Ground Water extraction : Borewell (Copy of permission enclosed with the online Consent application form) Water Consumption: 100 Liters/DAY (Source- Borewell) Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		
85	BELL PEPPERZ (A UNIT OF KAYS BANQUET AND RESTAURANTS)	A-4, COMMUNITY CENTR, PHASE-2, ASHOK VIHAR	05-06-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	ETP: Nil ECS: N/A D.G.Set:125 KVA Source of Water Supply: 0.5 KLD from outside source. Date of commencement of production: 25.09.2012. Unit has not submitted its hardcopy of the Consent Application Form. Earlier,Show Cause Notice u/s 33(A) of Water Act,1974 and u/s 31(A) of Air Act,1981 was issued to the unit on 17.05.2017. Unit has submitted its point wise reply in response of Show Cause Notice on 24.05.2017 and informed the following: -That raw water pump requires repairing and sent to mechanic for repairing. Moreover, unit is in process of modification of ETP and installation of Oil & grease trap and work will be completed within 15 days. -That sludge could not be found as ETP is undergoing a modification. -That seating capacity of the unit is 70 and enclosed Delhi Police License mentioning same number of seating capacity. -That unit is not using wood as fuel in the oven but it is used for bringing taste in the products and unit would not use wood anywhere in future. Discrepancies in Application Form: -Water consumption is 0.5 KLD as per column No.13 of	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Inspection be conducted to check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others and pollution control measures etc.

									application form whereas according to undertaking submitted by the unit, water consumption is 5 KLD. -Trade effluent generated by the unit is 0.4 KLD as per cloumn No.15(ii) of application form whereas according to undertaking submitted by the unit, trade effluent generated is 4 KLD.			
86	HOTEL JEWEL PALACE	PLOT NO: 2622-26, BANK STREET, KAROL BAGH	05-06-2017		GUEST HOUSE WITH (58 ROOM 164 BED) Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
87	CLARK HEIGHTS	1/1, WEST PATEL NAGAR	05-06-2017		GUEST HOUSE (34 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	06-06-2017 -Consent to Establish may be granted.	08-06-2017 Consent to Establish granted.
88	DELHI 55	8703-8706A, D.B GUPTA ROAD ,PAHARGANJ	05-06-2017		Guest House 23 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
89	JAGAT INN	6/87, PADAM SINGH ROAD, WEA, KAROL BAGH	05-06-2017		GUEST HOUSE WITH (18 ROOM 18 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed)	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					(excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler							
90	CROWN CONTINENTAL	59/30, NEW ROHTAK ROAD, KAROL BAGH	05-06-2017		GUEST HOUSE (16 ROOM 26 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
91	HOTEL SARTHAK PALACE	14 A/34, WEA, KAROL BAGH	05-06-2017		GUEST HOUSE WITH (27 ROOM 53 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted. Consent fee could not be assessed as no document submitted and no proof is uploaded showing the establishment/commissioning of the unit. However, DPCC software ATR can be filled only after mentioning that the correct fee is submitted or if the fee is lacking, it is mandatory to mention how much fee is lacking with reasons.	.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Case deferred.
92	HOTEL MAJESTIC PALACE	4/35, SARASWATI MARG, KAROL BAGH	05-06-2017		GUEST HOUSE WITH 23 ROOM 46 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
93	HOTEL CITY EMPIRE DX (A UNIT OF GHK HOTELS PVT. LTD)	3529-3467,DARIBA PAN,PAHARGANJ,	05-06-2017		guest House 32 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
94	HOTEL SINGH EMPIRE DX	8707-10,D.B GUPTA ROAD ,PAHARGANJ,NEW DELHI	05-06-2017		GUEST HOUSE 62 ROOMS	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of

					Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler						Consent to Establish application with requisite documents as per RESDH policy. Case deferred.	
95	HOTEL STAYWELL DX	3499-91-3500,DARIBA PAN ,PAHARGANJ	05-06-2017		Guest House 38 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
96	SURYA INN	35-38,BANARASI DAS BUILDING,MAIN ROAD GANDHI NAGAR	05-06-2017		GUEST HOUSE 24 ROOMS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1. ETP - No. 2. ECS - No 3. D.G Set - No. 4. Water Consumption - 2000 liters/day and source is tanker. 5. Quantity of Domestic Effluent Generated - 1800 Liters/Day whose disposal is not provided. 6 Quantity of Trade Effluent Generated - Nil Liters/Day 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2016 8. Police Licence of Delhi - provided.	N/A	06-06-2017 Recommended for inspection.	06-06-2017 Inspection be conducted and obtain hard copy of consent application form. Also check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others.
97	ANOOOP GUEST HOUSE(A UNIT OF HOTEL SINGH EMPIRE DX)	1566 ,MAIN BAZAR PAHARGANJ	05-06-2017		guest House 30 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017	06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 1st meeting on 06.06.2017 07.06.2017 and 08.06.2017 w.r.t. Agenda Item No 1 -- 41 Fresh Consent to Operate / Renewal cases of the period 16.05.2017 to 05.06.2017 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	GRAND AUTO CAPITAL	C-42 WAZIRPUR INDUSTRIAL AREA	16-05-2017		AutoMobile Servicing and Repair Station With Washing with Burner Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-05-2017 Authorisation Status Pending	ETP: Physiochemical (capacity of 3 KLD) along with Oil and grease trap (capacity of 3 KLD) ECS: N/A D.G.Set: 1 (62.5 KVA) Source of water supply: 3.5 KLD from DJB. Discrepancies observed in application form: -Unit has not submitted hardcopy of CA certificate.However, the same has been uploaded online. -Unit has not submitted hardcopy of Effluent analysis report of ETP. -As per column no.20 of Consent application form submitted by the unit, D.G. set is N/A. However, the unit has submitted noise monitoring report dated 11.05.2017 for D.G. set (capacity 62.5 KVA)	Effluent analysis report issued by DPCC Lab dated 16.05.2017 is submitted and parameters are within limits. Stack monitoring report issued by DPCC Lab dated 15.05.2017 is submitted and parameters are within limits. Noise monitoring report issued by DPCC Lab dated 11-05-2017 is submitted and parameters are within Limit.	07-06-2017	07-06-2017 Ask the unit to submit hard copy of CA Certificate and test reports. Inspection be conducted.
2	PRIYA PANCHWATI RESTAURANT	C-11/8, YAMUNA VIHAR	17-05-2017		Restaurant (North Indian Food) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent	Orange Renewal	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes, of capacity 20 KVA each. 4. Water Consumption - 800 liters/day and source is Metro DJB. 5. Quantity of Domestic Effluent Generated - 200 Liters/Day . 6 Quantity of Trade Effluent Generated - 600 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2011 8. Police Licence of Delhi - not provided	N/A	06-06-2017 Recommended for Inspection.	06-06-2017 Inspection be conducted and obtain hard copy of consent application form. Also check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others.

					into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
3	CENTRUM MOTORCYCLES LLP	PLOT NO A 42/2 NARAINA INDUSTRIAL AREA PHASE I	18-05-2017		Automobile Service Station Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : Filtration and Absorption (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 16-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 16-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017	06-06-2017 Inspection be conducted.
4	WELCOME MOTORS	DISTT. CENTRE, SAKET	18-05-2017		FILLING STATION CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : ACF and DMF (a) Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 24-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 24-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	07-06-2017	08-06-2017 Inspection be conducted.

									Status of Ground Water extraction : water consumption: 2.5 KLD Source of water: outside water supply Trade effluent: 2000 liters per day Domestic Effluent: 400 liters per day Status of Inspection :Nill SCN u/s 31(A)/33(A)/5 of EPA details :Nill Closure directions u/s 31(A)/33(A)/5 of EPA details :Nill				
5	RELIANCE INDUSTRIES LIMITED	RELIANCE INDUSTRIES LIMITED (DELHI AFS), THIMAYYA MARG, TERMINAL 1, IGI AIRPORT, NEW DELHI - 110037	19-05-2017		The unit shall receive Aviation Turbine Fuel(ATF) through trucks and store the same in tank. ATF shall then be dispatched through re-fuellers to the airport for fuelling the aircrafts. No manufacturing is involved at this unit Petroleum Products/ Crude Oil Storage and Transfer Excluding Cross-Country Pipeline	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit has apply for CTO on 19.05.2017 but has not submitted hard copy of consent application and also has not applied for authorization for HWM Rules. In the undertaking submitted with application unit has intimated trade effluent discharge as nill however with the project report submitted the unit has informed that water with oil content less than 10 ppm is allowed in DIAL drain. It is recommended that the unit may be asked to submit hard copy of application, application for HWM rules and also informed the quantum of trade effluent discharge.	07-06-2017	08-06-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents. Also inspection be conducted.	
6	THE ALLURE (A UNIT OF LEASURE HOTELS PRIVATE LIMITED)	R-57, GREATER KAILASH-I	20-05-2017		Guest House 53 Beds 25 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed)	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP - Yes size 5KLD 2)ECS - Nil Unit has submitted ETP effluent analysis report dated 05.04.2017 and the same is within permissible limit. Unit has submitted DG	07-06-2017 Unit has applied for CTO on 20.05.2017.Unit has submitted ETP effluent analysis report and Noise	08-06-2017 Consent to Operate granted.		

					(excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				3)D.G.Set: 160 KVA with acoustic enclosure &stack height 2 m above roof level. 4)Status of Ground Water extraction : Nil 5)Water Consumption - 4 KLD (Source - DJB) Trade Effluent Discharge - 3.2 KLD Domestic Effluent Discharge - 0.8 KLD 6)Date of Commencement - 01.10.2012 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	Noise Monitoring Report and the same is meeting the as per the G.S.R.371 (E) dated 17.05.2002 and amended till date.	Monitoring Report and the same is within permissible limit. It is recommended that CTO may be granted.	
7	MAYA EXPORTS CORPORATION	B-127, PHASE-I, OKHLA INDUSTRIAL AREA	20-05-2017		MANUFACTURING OF SAMPLES OF READYMADE GARMENTS. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-01-2006 Authorisation Status Pending	Status of Pollution Control System 1)ETP - Yes Effluent Analysis Report of ETP Dated 10.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes. 2)ECS - Nil Stack Monitoring Report of Boiler Dated 25.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes. 3)D.G.Set: 75 KVA and 200 KVA Stack Monitoring Report of D.G. Set(s) Dated 26.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes. 4)Status of Ground Water extraction : Nil	Effluent Analysis Report of ETP Dated 10.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes. Stack Monitoring Report of Boiler Dated 25.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes. Stack Monitoring Report of D.G. Set(s) Dated 26.04.2017 issued by DPCC Laboratory. Number of parameters tested within limit - Yes.	06-06-2017	08-06-2017 Consent to Operate(Renewal) granted. Consent to Operate(Renewal) dated 08.09.2008 and authorization application dated 28.01.2006 be made infructuous.

									5)Water Consumption - 11 KLD (Source - Tanker) Trade Effluent Discharge - 5 KLD Domestic Effluent Discharge - 6 KLD 6)Date of Commencement - 01.01.1994 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
8	V. K. INDUSTRIES	PLOT NO 53, (PRIVATE NO A-9) RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	21-05-2017		OFFSET TIN PRINTING ON JOB WORK(WITHOUT PLATE MAKING) AND WITH DIESEL FIRED OVEN Sheet Metal Printing with Oil fired Oven or Furnace	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a) Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	06-06-2017	06-06-2017 Inspection be conducted.
9	R.K. ENTERPRISES	PLOT NO A/26B, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA	22-05-2017		OFFSET PRINTING WITHOUT EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 12-08-2004 Authorisation Expiry Date 11-08-2006	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No		06-06-2017	06-06-2017 Inspection be conducted.

								HWM Application No. 2 Application Date12-07-2006 Authorisation StatusPending SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No				
								HWM Application No. 3 Application Date08-08-2008 Authorisation StatusPending				
								HWM Application No. 4 Application Date12-08-2010 Authorisation StatusPending				
								HWM Application No. 5 Application Date11-08-2015 Authorisation StatusPending				
								HWM Application No. 6 Application Date08-09-2016 Authorisation StatusPending				
10	G.K. MOTEL PVT. LTD	KH. NO- 759-762, MAIN CHATTARPUR ROAD	22-05-2017		MOTELS. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and	Orange Operate	Non-SPI		Status of Pollution Control System (1) STP- Yes (25 m3 per day) (a) Effluent analysis report dated 06-04-2017 issued by DPCC	Effluent analysis report dated 06-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring report.	08-06-2017 Unit has applied for CTO on 22.05.2017 for the activity of Motel with 39 numbers of rooms (Double). Unit submitted Noise	08-06-2017 Consent to Operate granted.

					above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 22-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 11-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 30-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 30-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (3) Status of Ground Water extraction : Yes (4) Water consumption- 17.84 Kilo liters per day (DJB) (5) Trade Effluent- 3.84 kilo liters per day (6) Domestic Effluent- 14 Kilo liters per day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Month and year of Commencement of production- 15.11.2013 (Existing)	The unit has 2 D.G. Set(s) of 320 KVA and 320 KVA. Noise monitoring report dated 30-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Stack monitoring report dated 22-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report dated 11-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	Monitoring report and Effluent Analysis Report which are meeting the permissible limits. It is recommended that CTO may be granted to the unit.	
11	JUNGLE JAMBOREC (A UNIT OF FUTOMIC DINERS LLP)	P-17/90, IST, IIND AND IIIRD FLOOR, OUTER CIRCLE, CONNAUGHT PLACE	23-05-2017		RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a)Effluent analysis report dated 11-04-2017 issued by DPCC submitted.	(a)Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise	06-06-2017 Consent to operate may be granted.	06-06-2017 Inspection be conducted and obtain hard copy of consent application form. Also check the compliance of segregation of the waste and use of disposable plastic material in

					minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	monitoring report dated 03-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others.
12	SEMICONDUCTOR APPLICATIONS	B-67, DSIDC JHILMIL INDUSTRIAL AREA	23-05-2017		Offset Printing Lamination and Binding. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 23-05-2017 Authorisation Status Pending	1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Water Consumption - 300 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 5400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/day which is disposed through Nil.	N/A	06-06-2017 Recommended for Inspection.	06-06-2017 Inspection be conducted.
13	B.R PLASTIC	M-128,SECTOR-1,BAWANA INDUSTRIAL AREA,DELHI-39	23-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- Yes(Stack attached to exhaust hood over extruer & mixture) 3. D.G. set- No Plot Area-150 sq mt Date of Establishment/ Commencement- 01.12.2016 Status of Ground Water Extraction-No 1.Water consumption- 300 L/day Source- Outside(Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report issued by DPCC Lab on 11.04.2017. Parameters are within prescribed limits. Noise Monitoring report- N/A	06-06-2017	08-06-2017 Consent to Establish granted. Ask the unit to submit copy of CETP membership. Also inspection be conducted.
14	KRITI	B-279, OKHLA INDUSTRIAL AREA PHASE-I	24-05-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE.	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP ---- N/A	The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 11-04-2017 issued	06-06-2017 As decided in common file, Show Cause Notice u/s	08-06-2017 Inspection be conducted.

					Printing without Trade Effluent Discharge			Application Date 14-12-2004	(2)ECS - N/A	by DPCC submitted. Number of parameters analyzed which are within limit - Yes	33(A) of Water Act and u/s 31(A) of Air Act was issued to units on 28.02.2017 which have not applied for Consent after expiry of earlier Consent or expiry of period for which submitted Consent fee. Unit has applied for Consent to Operate and Authorization under HWM Rules,2016 on 17.05.2017.	
								Authorisation Status Approved	(3)D.G.Set Noise Report : 2			
								Authorisation Issue Date 23-06-2006	(a) The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes			
								Authorisation Expiry Date 22-06-2008				
								HWM Application No. 2	Status of Ground Water extraction : Nil			
								Application Date 27-11-2007	Water Consumption: 200 Liters/Day (Source -DJB)			
								Authorisation Status Pending	Status of Inspection : Nil			
									Date of commencement of production: 01.06.2010			
								HWM Application No. 3	SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 28.02.2017.			
								Application Date 24-05-2017	Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
								Authorisation Status Pending				
15	BALWAN SERVICE STATION	P.S.P. INSTITUTIONAL AREA, SECTOR-16, ROHINI	24-05-2017		SERVICING OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1	ETP: Nil ECS: N/A D.G.Set: 1 (40 KVA) Source of water supply: 0.6 KLD from outside source.		06-06-2017	06-06-2017
								Application Date 14-03-2012	Discrepancies observed in application form: -Water consumption as per column No.13 of consent application form is 0.6 KLD for domestic purpose.However, as per column no.14 of consent application form quantity of trade effluent discharge is 0.4 KLD.			
								Authorisation Status Approved	-As per column no.16 of Consent application form ETP is N/A for the unit, Whereas according to undertaking submitted by the unit adequate ETP has been installed by the unit.			
								Authorisation Issue Date 30-05-2012				
								Authorisation Expiry Date 13-03-2017				
								HWM Application No. 2				
								Application Date 24-05-2017				
								Authorisation Status Pending				
16	SITARAM PLASTIC	NJ-232,SECTOR-3,BAWANA INDUSTRIAL	24-05-2017		MANUFACTURING OF PLASTIC DANA WITH	Orange Operate	Non-SPI		Hard copy not submitted.		07-06-2017	

		AREA,DELHI-39			REPROCESSING OF PLASTIC WASTE WITH WASHING Reprocessing of Waste Plastic / PVC (with Washing Activity)						Remarks / ATR on 08-06-2017 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Yes(Stack attached to exhaust hood over extruder & mixture) 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 24.02.2017 Status of Ground Water Extraction- No 1.Water consumption- 4000 L/day Source- Outside(Bill not submitted) Inspection status- No Unit has submitted Form-II for registration under plastic rules, 2016. Effluent Analysis Report issued by DPCC Lab on 01.05.2017. Parameters are within prescribed limits. Emission Monitoring Report issued by DPCC Lab on 11.04.2017. Parameters are within prescribed limits. Noise Monitoring report-N/A	
17	J.S. METAL INDUSTRIES	308/1, SHAHZADA BAGH INDUSTRIAL AREA	25-05-2017		COPPER WIRE DRAWING (WITHOUT PICKLING) Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-05-2009 Authorisation Status Pending HWM 2	Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 01.01.2001 Status of Ground Water Extraction-No 1.Water consumption- 70 L/day	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-06-2017 . 06-06-2017 Inspection be conducted.	

								Application No. Application Date30-05-2012 Authorisation StatusApproved Authorisation Issue Date20-07-2012 Authorisation Expiry Date29-05-2017 HWM Application No. Application Date25-05-2017 Authorisation StatusPending	Source- DJB (Bill submitted) CAT-II Inspection status- No Unit has MCD(factory license) license valid upto 31.03.2016 Unit has CTO(R) expired on dated 29.05.2017 and applied for Authorization on 25.05.2017(Photographs of Display board are attached).			
18	PANCHSHEEL METAL INDUSTRIES	29/17, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA	27-05-2017		SMALL FOUNDRY(NON FERROUS METAL CASTING BY PIT FURNACE) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No.1 Application Date19-01-2004 Authorisation StatusApproved Authorisation Issue Date15-07-2004 Authorisation Expiry Date14-07-2006 HWM Application No.2 Application Date06-10-2006 Authorisation StatusPending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		06-06-2017	06-06-2017 Inspection be conducted.
19	LA MANSION (A UNIT OF SAHYOG HOSPITALITY)	C-92, WAZIRPUR INDUSTIAL AREA	29-05-2017		BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2)	Orange Operate	Non-SPI		ETP : Physio chemical (capacity 5 KLD) along with Oil and Grease Trap (capacity 2 KLD) ECS : N/A D.G.Set Noise Report : 2 (each of capacity 250 KVA) Source of water supply: 4 KLD from DJB Date of commencement of	Effluent analysis report issued by DPCC lab dated 22-03-2017 is submitted and parameters are within limits. Noise monitoring report of D.G.Set (2 in number and each of capacity 250 KVA) issued by DPCC Lab dated 29-03-2017 is submitted	06-06-2017	08-06-2017 Ask the unit to submit hard copy of the consent to operate application along with requisite documents.

					and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				production : 22.03.2017 Unit has not submitted hardcopy of the Consent application form.	and parameters are within limits.		
20	PIND BALLUCHI (A UNIT OF AN ELEGANT HOSPITALITY)	SS 2, SECOND FLOOR, SUPREME PLAZA PLOT NO 15-16, SECTOR-6 DWARKA	29-05-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP / Oil and Grease Trap (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 19-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes 08-06-2017 Unit has apply for CTO on 29.05.2017 but has not submitted hard copy of consent application It is recommended that the unit may be asked to submit hard copy of application.	08-06-2017 Ask the unit to submit hardcopy of Consent to Operate application along with requisite documents duly signed by the applicant. If the same is found satisfactory, Consent to Operate granted.	
21	SAKSHAM PROMOTERS (I) PVT. LTD	B-2, LAWRENCE ROAD INDUSTRIAL AREA	30-05-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (2)ECS - N/A (3)D.G.Set Noise Report : Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 3500 L per day, Source-DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Effluent analysis report dated 26-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. 06-06-2017 Uploaded undertaking is not signed. Also hard copies of documents along with application form not submitted. Earlier unit was having 4 DG sets, however, in this application no DG set has been shown. Recommendation: Inspection may be conducted.	06-06-2017 A letter be issued to submit the hard copy of application form along with the requisite documents and inspection also be carried out to check the current status of D.G set.	

					into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler						Remarks/ATR on 06-06-2017 A letter may be issued to submit the hard copy of application form along with the requisite documents and inspection also may be carried out to check the current status of D.G set.	
22	JUGAAD BAR AND BISTRO RESTAURANT (A UNIT OF SNM HOSPITALITY)	SHOP. NO. 10, DDA MAIN MARKET, DEFENCE COLONY	30-05-2017		Restaurant cum Bar Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption - 3.8 KLD (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC (Team No. 2) on 28.12.2016 and following are the breif of observations made during inspection : - -Unit found operational and engged in the activity of restaurant and bar with seating capacity of 48 seats. -Unit has installed oil and grease trap cum settling tank but not cleaned properly. -Unit has not applied for Consent to Establish and Consent to Operate yet.	Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	07-06-2017 Hardcopy of Consent application form along with required documents not received.	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.

									-Unit has 1. DG set with capacity of 62.5 KVA with proper acoustic enclosure and proper stack height. -Unit has proper channelization and also proper stack height with roof level. -MCD license online copy verified (Scanned copy) SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 06.02.2017 along with photographs of Oil & Grease Trap cum Settling Tank & D.G. set, copy of MCD licence and informed that they have installed proper stack height with D.G. set and Installed proper channelization system with kitchen, Also, they have applied for Consent to Establish on 06.02.2017 and requested for 20 days time to submit application for Consent to Operate after obtaining Effluent Analysis Report of ETP & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
23	THE KNOTS BANQUET (A UNIT OF THE TRUE ENTERPRISES)	D-12, UDYOG NAGAR NAGLOI INDUSTRIAL AREA ROHTAK ROAD	30-05-2017		BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ----- N/A (a) Effluent analysis report dated 24-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 500 KVA. Noise monitoring report dated 21-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil	(a) Effluent analysis report dated 24-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 500 KVA. Noise monitoring report dated 21-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 Consent to operate may be granted.	06-06-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents as per RESDH policy within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Operate be issued.

									Status of Inspection :No			
									SCN u/s 31(A)/33(A)/5 of EPA details :No			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
24	RAMA ENGG. WORKS	J-25 GALI NO. -7, ANAND PARBAT INDUSTRIAL AREA	30-05-2017		GRAVURE PRINTING (DRY PROCESS). Gravure Printing (Dry process)(without Trade Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 14-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 10-10-2008 Authorisation Status Pending HWM Application No. 4 Application Date 27-06-2011 Authorisation Status Pending HWM Application No. 5	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		06-06-2017	06-06-2017 Inspection be conducted.

								Application Date02-06-2016 Authorisation StatusPending HWM Application No.6 Application Date30-05-2017 Authorisation StatusPending				
25	DESI VIBES (A UNIT OF KHYATI & TIARA HOSPITALITY PVT. LTD.)	SHOP NO. 7, DEFENCE COLONY MARKET	31-05-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		S Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 5.5 KLD (Source - DJB) Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 27.12.2016 and following were observed: -Unit found in operation & Engaged in the activity of Restaurant with seating capacity of 98 seats. - -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization provided in the kitchen with	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	06-06-2017 Hardcopy of Consent application form along with required documents not received.	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Inspection be conducted.

									inadequate stack height. -One D.G set of 82.5KVA with acoustic Enclosure with inadequate stack height. -Not applied for consent to establish and consent to operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017 Unit submitted its reply on 01.02.2017 and 02.03.2017 along with photographs of stack height of D.G. set, stack height of chimney with Kitchen channelization & Oil & Grease Trap cum Settling Tank, copy of Application for consent to Establish, fee slip of Effluent Analysis report, fee slip of Noise monitoring report of D.G. set and informed that they have applied for Effluent Analysis report of Oil & grease Trap cum Settling Tank and requested for grant of 20 days time to apply for Consent to Operate. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
26	ROSSELL HOSPITALITY (DIVISION OF ROSSELL INDIA LTD)	C-61, GROUND FLOOR, PHASE-I, OKHLA INDUSTRIAL AREA	31-05-2017		FOOD PROCESSING. Food and Fruit Processing Industry - Fruit and Vegetables	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 29-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil	Effluent analysis report dated 29-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	06-06-2017 Hardcopy of Consent application form along with required documents not received.	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents.

									Water Consumption: 5 KLD (Source - Others)			
									Status of Inspection : Nil			
									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
27	SOPHISTICATED INDUSTRIAL MATERIALS ANALYTIC LABS PVT LTD	A-3/7,PHASE-II MAYAPURI INDUSTRIAL AREA	31-05-2017		Testing of materials In House Testing Laboratory with Trading Activity	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 01-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Operate may be granted.	06-06-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents. Also ask the unit to apply for authorization under HW Rules, 2016 and inspection be conducted.
28	BALJEET LODGE	A2/13 SAFDARJUNG ENCLACE	01-06-2017		GUEST HOUSE (21 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 62.5 KVA. -An inspection was carried out by representatives of DPCC on 15.03.2017. During inspection following observations were made: 1. During inspection, unit found operational and engaged in the activity of Lodge (21 rooms). 2. No Effluent Treatment Plant (ETP) was installed in the unit. 3. One D.G. set of 62.5KVA installed with acoustic enclosure and adequate stack height. 4. Water supply of the unit is from DJB. 5. Unit has applied for Consent to Establish vide ID No. 17019 on 10.02.2017.	1.Effluent analysis report (a) Effluent analysis report dated 21-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2.Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Establish & Consent to Operate may be granted.	06-06-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents as per RESDH policy and put up file administratively.

									-A Show Cause Notice for closure u/s 33 (A) & 31 (A) was issued on 03.04.2017.			
29	ORCHID GRAND HOSPITALITY PVT. LTD.	A-BLOCK, KARKARDOOMA METRO COMPLEX, DELHI	01-06-2017		RESTAURANT AND BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes,2no.s of capacity 125 KVA each. 4. Water Consumption - 14810 liters/day and source is Metro Complex. 5. Quantity of Domestic Effluent Generated - 5400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - 14200 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2017 8. Police Licence of Delhi - provided which is valid upto 31.03.2014.	Noise Monitoring Report was submitted by the DPCC on 01.06.2017 and all the parameters are within the prescribed Limit as per the report.	06-06-2017 Recommended to grant the Consent.	08-06-2017 File be put up administratively.
30	HOTEL BLESSINGS	5202-06, PART OF 5198, BASANT ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (31 ROOMS) WITH STAFF KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
31	NATIONAL LODGE	24A/7880, ARAKASHAN ROAD PAHAR GANJ	02-06-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP/ Oil & Grease Trap -Not installed 2. ECS- N/A 3. D.G. set- No Plot Area-87 sq mt Date of Establishment/ Commencement- 01.12.2006 Status of Ground Water Extraction-No 1.Water consumption- 311 L/day Source- DJB (Bill submitted) Cat II Inspection status- No MCD license issued on 15.05.2009 & valid upto 31.03.2018. Police license valid upto 31.03.2012.	Effluent Analysis Report- No Emission Monitoring Report -N/A Noise Monitoring Report- N/A	06-06-2017 .	06-06-2017 Case deferred.

									No. of Rooms-17 No. of Lodgers- 17 SCN for closure issued on 10.04.2017 being operating without consent and Modified direction issued on 30.05.2017.			
32	RICHI RICH BANQUET (A UNIT OF J.S.D. ENTERPRISES)	1/10, WHS, KIRTI NAGAR INDUSTRIAL AREA	02-06-2017		BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: outside (copy of bill provided) Water consumption: 2000 litre/day Status of Pollution Control System (1)ETP ----- Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil -A direction u/s 33 (A) of water act & u/s31 (A) of air act issued to the unit on 24.06.2016. -In response to our Direction unit has submitted a reply on 05.07.2016 and informed that their premises was sealed by MCD on 10.03.2016 due to House tax dispute and still it was swale & no activity is taking place at their premises. -An inspection of the unit was carried out by DPCC Official ON 28.07.2016 and following observations were made: -During inspection premises found sealed. - As informed by the owner that matter of sealing by House tax department is under finalisation and it will be decided soon. - Inspection of inside of the premises not done because it was totally sealed from outside. only small area for office was open. -As decided a temporary revocation was sent to the unit on 29.08.2016 for 15 days to apply for CTO application in DPCC. -Unit has submitted	Effluent analysis report: (a) Effluent analysis report dated 19-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 29-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-06-2017 -Consent to Operate may be granted.	08-06-2017 Consent to Operate granted.

									application of CTO on 02.06.2017.			
33	HIMGIRI AUTO (INDIA) PRIVATE LIMITED	A-9/1, JHILMIL INDUSTRIAL AREA	02-06-2017		Repair and Service station of car Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-06-2017 Authorisation Status Pending	1. ETP - No . 2. ECS - fuel stack attached to paint booth . 3. D.G Set - Yes,capacity of 180 KVA 4. Water Consumption -7000 liters/day and source is Corporation and outsource supply. 5. Quantity of Domestic Effluent Generated - 5000 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - 1600 Liters/Day which is disposed through Sewer.	N/A	06-06-2017 Recommended for inspection.	08-06-2017 File be put up administratively.
34	G.D. FOODS MFG. (INDIA) PVT. LTD.	32 , S.S.I INDUSTRIAL AREA	02-06-2017		Manufacturing of Foods Products Pickles, Chutney & Murabba	Orange Renewal	Non-SPI		Hard copy not submitted.	.	07-06-2017 .	08-06-2017 Ask the unit to submit hard copy of the consent application along with requisite documents.
35	SHASHANK MITTAL	340/38,GALI NO 1B FRIENDS COLONY INDUSTRIAL AREA	02-06-2017		MANUFACTURING OF COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2012 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 07-06-2017 HWM Application No. 2 Application Date 02-06-2017 Authorisation Status Pending	1. ETP - No . 2. ECS - No . 3. D.G Set - No. . 4. Water Consumption - 170 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/Day which is disposed through Nil.	N/A	06-06-2017 Recommended for inspection	06-06-2017 Unit operating at the same premises and obtained consent earlier. Application for Consent to Establish has been submitted afresh. Inspection be conducted.
36	WHITE HOUSE TOURIST LODGE	8177-8178,ARAKASHAN ROAD,PAHARGANJ,DELHI-55	04-06-2017		guest House 30 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not	Orange Operate	Non-SPI		Hardcopy not submitted.	.	06-06-2017 .	07-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.

					having Kitchen and / or Laundry without Boiler							
37	THE LUGGAGE ROOM (A UNIT OF RABJOT HOSPITALITY)	M-10 (MUNICIPAL NO. M-39), IST FLOOR, OUTER CIRCLE, CONNAUGHT PLACE	05-06-2017		RESTAURANT CUM BAR. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption:1500 litre/day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil - A compliant was received in DPCC on 17.10.2016 from Mr. Iabal, 913/78, Jamia Nagar, Delhi regarding illegal operations of Restaurants/Hotels, Bars operating in Connaught Place. -Accordingly, an inspection was carried out by the representatives of DPCC on 17.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of restaurant cum bar having seating capacity of 48 persons. 2. 1 D. G. set of 82.5KVA capacity is installed with proper acoustic enclosure. 3. Kitchen is properly channelised with adequate stack height. 4. Oil and Grease trap is not installed. -A Show Cause Notice for closure u/s 33 (A) & 31 (A) was issued on 09.12.2016. -Unit has not submitted any reply w.r.t SCN and also not applied for consent in DPCC. -A Closure Direction u/s 33 (A) & 31 (A) was issued to the unit on 13.02.2017. -Unit has submitted a representation on 07.03.2017 along with application of CTE and also requested to revoke	Effluent analysis report: (a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-06-2017 - Closure Direction may be revoked and Consent to Establish & Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 07-06-2017 Water consumption:1500 litre/day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil - A compliant was received in DPCC on 17.10.2016 from Mr. Iabal, 913/78, Jamia Nagar, Delhi regarding illegal operations of Restaurants/Hotels, Bars operating in Connaught Place. -Accordingly, an inspection was carried out by the representatives of DPCC on 17.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of restaurant cum bar having seating capacity of 48 persons. 2. 1 D. G. set of 82.5KVA capacity is installed with proper acoustic enclosure. 3. Kitchen is	06-06-2017 Case deferred.

									the closure direction. -A temporary revocation u/s 33 (A) & 31 (A) for 30 days was issued to the unit on 31.03.2017.		properly channelised with adequate stack height. 4. Oil and Grease trap is not installed. -A Show Cause Notice for closure u/s 33 (A) & 31 (A) was issued on 09.12.2016. -Unit has not submitted any reply w.r.t SCN and also not applied for consent in DPCC. -A Closure Direction u/s 33 (A) & 31 (A) was issued to the unit on 13.02.2017. -Unit has submitted a representation on 07.03.2017 along with application of CTE and also requested to revoke the closure direction. -A temporary revocation u/s 33 (A) & 31 (A) for 30 days was issued to the unit on 31.03.2017. Unit has submitted hard copy of CTO with requisite documents. Closure Direction may be revoked and Consent to Establish & Consent to Operate may be granted.	
38	NATHU SWEETS PVT. LTD.	PLOT NO 247, PATPARGANJ INDUSTRIAL AREA	05-06-2017		Manufacturing of Sweets and Allied Products. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average	Orange Operate	Non-SPI		1. ETP - Yes, of design capacity 5000 Liters/day. 2. ECS - No 3. D.G Set - Yes,of capacity 20 KVA installed . 4. Water Consumption - 2500 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 200 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - 2000 Liters/Day which is disposed through sewer. 7. Municipal Corporation	Analysis water effluent Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.Noise Monitoring Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.	06-06-2017 Recommended to grant the Consent.	06-06-2017 Inspection be conducted and obtain hard copy of consent application form. Also check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others.

					Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				of Delhi - provided which was valid upto 31.03.2018. 8. Police Licence of Delhi - Not provided		
39	THE ROYAL INN	T-565,CHAMLLIAN ROAD (NEAR IDGAH CIRCLE) ,DELHI	05-06-2017		Guest House 25 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted.	.	06-06-2017 06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.
40	SURYA INN	35-38,BANARASI DAS BUILDING,MAIN ROAD GANDHI NAGAR	05-06-2017		Guest House 24 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No 3. D.G Set - No. 4. Water Consumption - 2000 liters/day and source is tanker. 5. Quantity of Domestic Effluent Generated - 1800 Liters/Day whose disposal is not provided. 6 Quantity of Trade Effluent Generated - Nil Liters/Day 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2016 8. Police Licence of Delhi - provided	N/A	06-06-2017 Recommended for inspection 06-06-2017 Inspection be conducted and obtain hard copy of consent application form. Also check the compliance of segregation of the waste and use of disposable plastic material in compliance of order of Honble NGT in the matter of Kudrat Sandhu Vs. Govt. of NCT and Others.
41	ANOOP GUEST HOUSE(A UNIT OF HOTEL SINGH EMPIRE DX)	1566 ,MAIN BAZAR PAHARGANJ	05-06-2017		guest House 30 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Hardcopy not submitted.	.	06-06-2017 06-06-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents as per RESDH policy. Case deferred.