




DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/ Committee II (b) /20th Meetings / 2017/ 101-05 Dated: 20-4-17

Subject: Minutes of the **20th Meeting of the Committee for II (b) Category Cases** headed by Member Secretary, DPCC, held on **06.04.2017**, in the Conference Room of DPCC at ISBT Building Kashmere Gate , Delhi -06.

Please find enclosed herewith the Minutes of the **20th Meeting** of the aforementioned Committee, held on **06.04.2017**, in the Conference Room of DPCC at ISBT Building Kashmere Gate , Delhi -06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K.Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(D.K.Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

Following cases though fall in the above mentioned period however not appearing in the software generated list / above mentioned agenda and therefore Committee decided to take up these cases for offline decisions. The Cases were briefed by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address	ID No.	Date of Consent Application	Activity of the Unit	Decisions taken by the Committee on 23.02.2017
5	V	Kanwarji Rajkumar, 1972-73, Chandni Chowk, Corner Gali, Delhi-110006	12535	02.12.2015 [Consent to Establish]	Sweets, Namkeen & Snacks	Consent to Operate application Dated 08.07.2016 has already been refused vide letter Dated 06.04.2017 and Directions for Closure u/s 31(A) of Air Act and u/s 33(A) of Water Act has been issued to the unit on 06.04.2017. Though, it is a case of category-I however taken up in the meeting as decided in the concerned file. Inspection be conducted in view of representation received from the unit on 29.03.2017 w.r.t. direction for closure issued to the unit on 06.04.2017 and conformity of the unit w.r.t. MPD-2021 be checked and file be put up administratively.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.


If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(D.K. Singh)
SEE, CMC-II



(M. Arif)
SEE, CMC- V



(P.S. Pankaj)
EE, CMC- IV


(B.L. Chawla)
SEE, CMC-I



(Satender Kumar)
SEE, CMC-III


(D.K. Srivastava)
EE, CMC-III



(Surender Singh)
EE, CMC-V



(Shyam Sunder)
EE, CMC-I



(Sanjay Vatts)
EE, CMC-II


(M.S. Rawat)
EE, CMC-V










(K. Kumar)
EE, CMC-IV


(Amit Chaudhary)
EE, CMC-V


(Sunil Kumar)
EE, CMC-IV


(Ramesh Chandra)
EE, CMC-II

Attendance Sheet for 20th Meeting of the Committee constituted vide office order Dated 12.04.2016 and headed by Member Secretary, DPCC, for deciding Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes /Plastic Waste Rules of the units under **Category II (b)**, held on **06.04.2017** in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I),DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 20th meeting on 06,04,2017 w.r.t. Agenda Item No 1 -- 39 Fresh Cases of Consent to Establish of the period 16,02,2017 to 31,03,2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	SHAKUN PRINTERS	241, F.I.E., PATPARGANJ INDUSTRIAL AREA	19-02-2017		Offset Printing with Plate Making, Washing and Book Binding Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-09-2004 Authorisation Status Approved Authorisation Issue Date 26-10-2004 Authorisation Expiry Date 25-10-2006 HWM Application No. 2 Application Date 22-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 23-08-2011 Authorisation Status Approved Authorisation Issue Date 29-08-2012 Authorisation Expiry Date 22-08-2016	1. ETP - Yes, having design capacity 500 Liters/Day. 2. Oil and Grease Trap - No. 3. ECS - No. 4. D.G Set - No. 4. Source of Water Supply - 300 Liters/Day (Purchase Water). 5. Domestic effluent discharged -150 Liters/Day which is disposed through Disposal Sewer. 6. Industrial effluent discharged -100 Liters/Day which is disposed through Disposal Sewer,	N/A	05-04-2017 Recommended for inspection in view of Hazardous waste.	06-04-2017 Inspection be conducted.
2	BARBEQUE-NATION (A UNIT OF BARBEQUE	SHOP NO. 4 & 5, EROS CINEMA	20-02-2017	DPCC/EC/2/1/2017/17075	Restaurant Restaurants/Eating	Orange Establish	Non-SPI		Status of Pollution Control System	.	20-03-2017 Unit has not applied for CTO.	06-04-2017 Consent to Establish granted with

	NATION HOSPITALITY LIMITED)	BUILDING, JANGPURA EXTENSION,			Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(1)ETP ---- Proposed (2)ECS - N/A (3)D,G,Set: Nil (4)source of Water - 3 Kld (DJB) (5)Year of commencement of production- 18.04,2012 Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 33(A) details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			the condition that unit shall submit photographs and details (size/dimensions & schematic diagram) of Effluent Treatment System in view of office order Dated 04.11.2016 within 30 days.
3	ARC MOTORS PVT. LTD.	D-16/2, OKHLA INDUSTRIAL AREA, PHASE-II	20-02-2017	DPCC/EC/2/1/2017/17080	Automobile Servicing and Repair Station with Washing Activity Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System ETP ---- ETP - Physiochemical (Proposed - 12 KLD) Effluent analysis report dated - N/A - issued by - N/A - submitted, D,G,Set: Nil Status of Ground Water extraction : 6000 Liters/Day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Month & Year of Commencement of Production - 10,04,2017	.	17-03-2017 , Remarks/ATR on 28-03-2017 In view of above and documents submitted by the unit, Consent application may be considered for grant of Consent to Establish.	06-04-2017 Consent to Establish granted.
4	ALLURING EVENTS AND ENTERTAINMENT PVT. LTD, (LUTHRA FARM)	KH NO. 1010, 1011 AND 1038, PALLA BAKHTAWARPUR ROAD, G.T. KARNAL ROAD	20-02-2017	DPCC/EC/2/1/2017/17081	Party Lawn for Marriage And Social Functions Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D,G, set- N/A Plot Area- 12141 sq mt Date of Establishment/ Commenceent- 01,09,2016 Status of Ground Water Extraction-No 1.Water consumption- 3500 l/day Source- Outside (Bill submitted) On the basis of complaint an inspection was conducted by DPCC officials on 14,10,2016	Effluent Analysis Report - N/A Emission Monitoring Report - N/A Noise Monitoring report- N/A	05-04-2017 ,	06-04-2017 Consent to Establish granted. Subsequently, inspection be conducted.

					Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				and findings are as follows- 1. Party lawn is operational and preparations for party functions including lightning etc is going on. 2. Party lawn is operational without valid consent. 3. No STP/ETP installed yo treat the waste water generated from party lawns. 4. 2 borewell connection exist and in use without permission from Competent Authority, 5. Kitchen emission not channelised, SCN u/s 31 (A) of air act & 33(A) of water act was issued on 07,11,2016, Unit submitted for representation on 24,11,2016 wherein unit requested for two months times to complete the work. Direction for clousre u/s 31 (A) of air act & 33(A) of water act was issued on 14,02,2017 as unit has not applied for Consent, Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22,03,2017 to apply for consent etc.			
5	SCANDIA MOTORCARS PVT, LTD,	H7/B1, MOHAN CO- OPERATIVE INDUSTRIAL ESTATE	23-02-2017	DPCC/EC/2/1/2017/17116	CAR SERVICING DENTING, REPAIRING AND PAINTING WITH SHOW ROOM Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Physiochemical capacity (5000lit/day) Proposed (2)ECS - N/A (a) Stack attached to Paint Booth . (3) D,G,Set: 62 KVA. (stack height 4m above roof) Proposed Water Consumption - 5000 litres / day (Source - Private tanker) Status of Ground Water extraction : No Trade Effluent Discharge - 2500 ltrs /day and its mode reuse Proposed date of commissioning of activity - 01.05,2017 Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of	N/A	05-04-2017	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.

									EPA details : N/A			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
6	CAFE COFFEE DAY	E-11, MEZZANINE FLOOR INNER CIRCLE CONNAUGHT PLACE	27-02-2017	DPCC/EC/2/1/2017/17134	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler Tea/Coffee, Coffee Processing	Orange Establish	Non-SPI		Source of Water: DJB Water Consumption:1000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 62.5 KVA, installed. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1) Effluent analysis report: (a) Effluent analysis report dated 03-04-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes 2) Noise monitoring report: (a) The unit has 1 D,G, Set(s) of 62,5 KVA, Noise monitoring report dated 22-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes -Accordingly as per approval an inspection was carried out by DPCC, representative of DPCC on 07.10.2016. During inspection various discrepancies observed , -As per decision A Show Cause Notice u/s 31 (A) & u/s 33 (A) was issued to the unit on 09,12,2016. -Unit has not submitted any reply w.r.t above mentioned Show Cause Notice. -A Closure Direction u/s 31 (A) & u/s 33 (A) was issued to the unit on 13,02,2017. -Unit has submitted a representation on 03,03,2017 and informed that he has submitted application of CTE o 27,02,2017 and requested to revoke the closure direction. - As per approval temporary revocation u/s 31 (A) & u/s 33 (A) was issued to the	05-04-2017 -Consent to Establish may be granted. Remarks/ATR on 06-04-2017 -A Complaint was received in this office on 14,09,2016 regarding illegal operations of Restaurants/Hotels/ Bars operating in Connaught Place, New Delhi. -Consent to Establish granted.	06-04-2017

											unit on 06.03.2017.	
											-Consent to Establish may be granted.	
7	STAR BANQUETS	PLOT NO.- 29, BLOCK-B, G.T. KARNAL ROAD INDUSTRIAL AREA	28-02-2017	DPCC/EC/2/1/2017/17142	BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D,G, set- 120 KVA Plot Area-2125,43 sq mt Date of Establishment/ Commencement- 09,03,2015 Status of Ground Water Extraction-No 1.Water consumption-3000 l/day Source- DJB Inspection status- No Directions for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33 (A) of the Water (Prevention & Control of Pollution) Act, 1974 issued on 16,02,2017. Unit submitted security bond of 10 lacs and undertaking and requested for revocation. Temporary revocation was issued to the unit for 30 days on 06,03,2017 to apply for consent etc,	Effluent Analysis Report- submitted on 22.03.2017 issued by DPCC, Parameters are within prescribed limits, Emission Monitoring Report - N/A Noise Monitoring report- submitted on 29,03,2017 issued by DPCC, Parameters are within prescribed limits,	05-04-2017 .	06-04-2017 Consent to Establish granted, Directions for closure be revoked.
8	D K PLAZA	A-12, VISHAL ENCLAVE, RAJOURI GARDEN,	03-03-2017	DPCC/EC/2/1/2017/17179	Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water: DJB & Outside Water Consumption:5000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 14-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted,
9	THE KNOTS BANQUET (A UNIT OF THE TRUE ENTERPRISES)	D-12, UDYOG NAGAR NAGLOI INDUSTRIAL AREA ROHTAK ROAD	07-03-2017	DPCC/EC/2/1/2017/17202	BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/	Orange Establish	Non-SPI		Source of Water:DJB Water Consumption:4000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical	(1)Effluent analysis report: (a) Effluent analysis report dated 24-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted,

					Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
10	MAJESTIC CROWN A UNIT OF VRICKSH HOSPITALITY	24, SHIVAJI MARG	07-03-2017	DPCC/EC/2/1/2017/17203	Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water:DJB Water Consumption:5000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : D.G. Set(s) of 320 KVA,250 KVA and 125 KVA installed. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1) Effluent analysis report: (a) Effluent analysis report dated 23-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes 2)Noise monitoring report (a) The unit has 3 D,G. Set(s) of 320 KVA,250 KVA and 125 KVA, Noise monitoring report dated 01-12-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted,
11	MS RECREATION AND CULTURAL SOCIETY (REGD.)	SECTOR-B, POCKET-5, ADJOINING DISTRICT PARK, OPP. SECTOR B-9 GATE, VASANT KUNJ	10-03-2017	DPCC/EC/2/1/2017/17245	Social Club Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal	Orange Establish	Non-SPI		Source of Water:Outside Water Consumption:10000 litre/day Status of Ground Water extraction : Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set:N/A -An application filled in Honorable NGT under section 18 (1) read along with section 14,15,16,17 of the NGT Act, by Archina Yadav against the M/s Security Police Line Bapudham Chankyapuri for violating Environmental norms, -An inspection was carried out by representative of DPCC on 06.03,2017. During inspection following observations were made: 1. Unit found non-operational, no construction, mining activity observed.	.	06-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted,

					/ DJB Sewer and having Kitchen and / or Laundry without Boiler				2. Sprinkling system activity for controlling dust, 3. Outer covering of construction area provided properly, 4. As informed by the representative work has been stopped due to financial reasons, 5. Unit has been asked to submit photographs of site & apply for CTE. -A Show Cause Notice u/s 31 (A) of Air Act was issued to the unit on 30.03,2017,			
12	RADIANCE MOTEL	KHASRA NO. 268/2, 269, 270, 271/2, TANIA FARM COMPLEX, VILLAGE SATBARI, MEHRAULI	12-03-2017		Eating House, Guest House and Party Lawn for Marriages and Other Social Functions. Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)STP (Design Capacity:25000 litres/day. Trade effluent:3000 litres/day, Source of water: Ground Borewell: 10,000 litres/day. The unit has 2 D.G. Set(s) of 250 KVA ,	-	05-04-2017 The unit has applied for CTE for the activity of Eating House, Guest House and Party Lawn for Marriages and Other Social Functions. The unit has enclosed copy of MCD License valid upto 31.03.2017. It is recommended that CTE may be granted with the condition that unit will apply for CTO within 30 days.	06-04-2017 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
13	HOTEL ALKA ANNEXE A UNIT OF AGGARWAL HOTELS PVT LTD	M-20, CONNAUGHT PLACE, NEW DELHI-110001	14-03-2017	DPCC/EC/2/1/2017/17257	Guest House Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and /	Orange Establish	Non-SPI		Source of water:DJB Water Consumption:8000 Litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	.	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted.

					or Laundry without Boiler				(3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
14	THE MUSE SAROVAR PORTICO (A UNIT OF PALM LAND HOTEL AND RESORTS LLP	88-89, BIJWASAN ROAD, KAPASHERA	14-03-2017	DPCC/EC/2/1/2017/17277	MOTEL WITH BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Proposed date of commissioning of activity : Jan 2017 Status of Pollution Control System (1)STP : Design capacity 80KLD (2)D.G.Set: 125 & 320 KVA with stack height 3.5m above roof level, (Proposed) Status of Ground Water extraction : 59.74 KLD (source- Borewell) Trade effluent discharge - 23.79 KLD Status of Inspection : N/A	N/A	06-04-2017 The unit has applied for CTE on 14.03,2017 for the activity of MOTEL WITH BANQUET It is recommended that unit may be granted CTE on the condition that it should apply for CTO within 30 days	06-04-2017 Consent to Establish granted with the condition that the unit shall apply for Consent to Operate within 03 months.
15	HOTEL REGENT GRAND	2/6, EAST PATEL NAGAR, OPP, METRO PILLAR NO-167	15-03-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Source of water: DJB Water Consumption:2500 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System: (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	05-04-2017 -Consent to Establish may be granted,	06-04-2017 Consent to Establish granted,
16	LEE GARDEN VICTORIAN PALACE	MAIN G.T, KARNAL ROAD, OPP, JAIN MANDIR, NANGLI POONA	16-03-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- N/A 3. D,G, set- Yes, 2x 125 KVA Plot Area- 19456 sq mt Date of Establishment/ Commenceent-20.11,2015 Status of Ground Water Extraction-No 1.Water consumption- 10000 l/day Source- DJB (Bill submitted)	Effluent Analysis Report - N/A Emission Monitoring Report-N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Consent to Establish granted and proper category of the activity be selected since the unit is operating in un-sewered area. Subsequently, inspection be conducted.

					such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 24,08,2016, Directions for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 14,02,2017, Unit submitted security bond and undertaking and requested for revocation, Temporary revocation was issued to the unit for 21 days on 22,03,2017 to apply for consent etc,			
17	M/S HINDUSTAN CONSTRUCTION CO. LTD	MUNIRKA ELEVATED CORRIDOR PROJECT, NELSON MANDELA ROAD, (OPP. MARUTI SUZUKI OFFICE),VASANT KUNJ	16-03-2017		Ready-mix Concrete Plant without trade effluent discharge Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		Source of water:Ground water Water Consumption:14600 Liters/Day (Ground Water extraction) Status of Pollution Control System (1)ETP ---- Other ETP Name : Sedimentation Tank (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	05-04-2017 -Consent to Establish may granted.	06-04-2017 Consent to Establish granted,
18	WELSPUN ENTERPRISES LIMITED	DELHI MEERUT PHASE 1 PROJECT GAZIPUR	18-03-2017		Developement of Delhi-Meerut Expressway package 1 (NHAI project) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		1. ETP - No 2. ECS- No 3. D.G. Set - No 4. Domestic Waste efflent - 100 L/day - The inspection of the unit was conducted on 20.10.2016, - Show Cause Notice under Air Act and Water Act was issued on 02,12,2016, No reply from the unit was received, - Direction of Closure was issued to the unit and revocation of the closure direction was issued to the unit on 24,03,2017, - Reply of the closure direction was issued on 20.03.2017, - The unit has applied for CTE under orange category on 18,03,2017,	N/A	05-04-2017 Recommended for inspection.	06-04-2017 Inspection be conducted,
19	RAJAT DALL MILL	H - 1450 - 51, DSIIDC, NARELA, INDL. AREA,	19-03-2017		Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system Devices-	Effluent Analysis Report- N/A.	05-04-2017 .	06-04-2017

		DELHI - 110040			Dal Mills				1. ETP-N/A 2. ECS-N/A 3. D.G. set- N/A Plot Area-350sq mt Date of Establishment/ Commencement- 19.03.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-200 l/day Source- DSIIDC (Bill not submitted) Inspection status- No Hard copy not submitted.	Emission Monitoring Report- N/A Noise Monitoring Report - N/A		Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
20	SHREE BHAGWATI PLASTICS	C-123, SECTOR-3, DSIIDC BAWANA INDUSTRIAL AREA, DELHI-110036.	22-03-2017		Manufacturing of all types of Plastic Granules with Job Work Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- N/A Plot Area-150sq mt Date of Establishment/ Commencement- 01.04.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-550 l/day Source- DSIIDC (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A, Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
21	MURLI DAL MILL	PLOT NO.1 PLOT C SECTOR-1 BAWANA	23-03-2017		DAL MILL Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D.G. set- N/A Plot Area-250sq mt Date of Establishment/ Commencement- 15.04.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-200 l/day Source- DSIIDC (Bill not submitted) Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued,
22	THE G.T. ROAD (A UNIT OF CAPITAL FOODWORKS LLP)	M-39, GROUND FLOOR & MEZZANINE FLOOR, CONNAUGHT CIRCUS	23-03-2017		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and	Orange Establish	Non-SPI		Source of Water: DJB Water consumption:8500 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	.	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted,

					having Kitchen and / or Laundry without Boiler				Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
23	LAMBA FOOD PRODUCTS	PLOT NO. 3 - 4, PKT - I, SEC - 4, DSIIDC, BAWANA, INDL AREA	23-03-2017		SNACKS AND NAMKEEN ETC Food and Fruit Processing Industry - Confectioneries	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-N/A 3. D,G, set- N/A Plot Area-250sq mt Date of Establishment/ Commenceent- 25.04,2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-6000 l/day Source- DSIIDC Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued,
24	SHUBHAM ENTERPRISES	B-18 (BACKSIDE) GROUP, WAZIRPUR INDUSTRIAL AREA	24-03-2017		Mfg. of Plastic Cabinets By Injection Moulding Machine Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		(1)ETP - N/A (2)ECS - N/A (3)D,G,Set: Nil (4) Source of water supply : :0.15 KLD from outside source, Rent agreement enclosed with the application is neither on stamp paper nor attested by notary, Unit has submitted CTE and CTO on 31.03,2017 and submitted the hard copies of both of these applications, however, one more application of CTE has been filed on 24.03,2017 which needs to be made infructuous, No valid proof regarding year of establishment is enclosed as property was purchased in 2011. Therefore, submitted consent fee in CTE and CTO is based on the establishment of unit on 01.03.2017.	.	06-04-2017 .	06-04-2017 Issue letter seeking required information / clarification from the unit and also correct the category of the activity of the unit,
25	RAIN TREE BANQUET	A-7 & 8, KAILASH PARK, (OPP. KIRTI NAGAR), MAIN NAJAFGARH ROAD	25-03-2017		BANQUET HALL WITH RESTAURANT AND BAR (SEATING CAPACITY 300 PERSONS) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent	Orange Establish	Non-SPI		Source of water: DJB Water Consumption:11000 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	05-04-2017 -Consent to Establish may be granted.	06-04-2017 Consent to Establish granted.

					into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
26	FLORIANA BANQUET (A UNIT OF ESS VEE HOSPITALITY)	B-48, G.T KARNAL ROAD INDUSTRIAL AREA,	26-03-2017		Banquet Hall Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- N/A Plot Area-508sq mt Date of Establishment/Commenceent- 01.05,2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption-4000 l/day Source- DSIIDC (bill not submitted) Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A. Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued,
27	GOLDEN ROYALE HOSPITALITY PVT, LTD,	PLOT NO. 27-C 2/3, NAJAFGARH ROAD INDUSTRIAL AREA, NEW DELHI-110015	27-03-2017		The unit prepares meals of different varieties to serve the people. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: DJB, Ground water water consumption:2000 litre/day Status of Ground Water extraction :20000 Liters/Day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap,ETP - Bio-logical, Other ETP Name : Filtratioin MGF ACF (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		05-04-2017 -Consent to Establish may be granted,	06-04-2017 Consent to Establish be made infructuous since unit has again applied Consent to Establish.
28	R.S BEVERAGES	PLOT NO. 104,POCKET N-1,SECTOR-5,BAWANA INDUSTRIAL AREA,DELHI	27-03-2017		Package Drinking Water Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-N/A 3. D.G. set- 1x125 KVA Plot Area-250 sq mt Date of Establishment/ Commenceent- 27.05,2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption- 40000 l/day Source- DSIIDC (bill not	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Case deferred,

[illegible]

32	DOLCE VITA	D91/5 OKHIA INDUSTRIAL AREA PHASE 1	29-03-2017		Cookies, Puff and Dry Cakes Bakery Products and Confectionery with Trade Effluent/Emission Discharge with oil fired furnace Food and Fruit Processing Industry Bakery Biscuit Production	Orange Establish	Non-SPI		(1)ETP -No (2)ECS - N/A (3)D,G,Set: 7 KVA Source of Water: total water requirement 100 litre per day (Domestic) However the unit has not mentioned the source of water. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	N/A	06-04-2017 Unit has not submitted/filled up Consent application as well as undertaking and also not submitted hard copy of the same with required documents.	Ask the unit to submit hard copy of Consent to Establish application with requisite documents with complete information within 15 days.
33	BHARAT PHARMACY	F-1724, DSIIDC, INDUSTRIAL COMPLEX, NARELA,	29-03-2017		Ayurvedic Medicines Medicines / Pharmaceutical Formulation- without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D,G, set- N/A Plot Area- 100 sq mt Date of Establishment/ Commencement-21.11.2016 Status of Ground Water Extraction-No 1.Water consumption- 4400 l/day Source- DSIIDC (bill not submitted) Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 . Remarks/ATR on 05-04-2017 Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D,G, set- N/A Plot Area-350 sq mt Date of Establishment/ Commenceent- 08,10,2010 Status of Ground Water Extraction-No 1.Water consumption- 1000 l/day Source- DSIIDC (bill not submitted) Inspection status- No Hard copy not submitted.	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
34	JAI SHIV PLASTIC	I-77,POCKET-H,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI	29-03-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Proposed 2. ECS-Proposed 3. D,G, set- N/A Plot Area- 100 sq mt Date of Establishment/ Commencement-21.11.2016 Status of Ground Water Extraction-No 1.Water consumption- 4400 l/day Source- DSIIDC (bill not submitted) Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A, Emission Monitoring Report- N/A Noise Monitoring Report- N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
35	ASHU CHICKEN CORNER	PLOT NO-435, PHASE-I, FRONT SIDE, SHAHZADABAGH INDUSTRIAL AREA	29-03-2017		PROVIDING DHABA SERVICES WITH 20 SEATS	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A	Effluent Analysis Report- N/A Emission Monitoring	05-04-2017 .	06-04-2017 Consent to Establish be made infructuous since unit has again

					Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less one Tonne/Day - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				3, D.G. set- N/A Plot Area- 80 sq mt Date of Establishment/ Commencement- 01.10.2016 Status of Ground Water Extraction-No 1.Water consumption- 500 l/day Source- DJB Inspection status- No Hard copy not submitted.	Report- N/A Noise Monitoring Report- N/A		applied for Consent to Establish and Consent to Operate,
36	LIFTECH INDIA PVT. LTD.	B-69/2 WAZIRPUR INDUSTRIAL AREA	30-03-2017		SERVICE STATION Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)Unit has applied CTE for the activity of Automobile Servicing and Repair Station with Washing. However No ETP is proposed, also source of water and discharge of wastewater is mentioned as N/A. (2)Most of the details in application form is not filled properly, (3)Only four enclosures are attached i.e PAN Card in the name of company, CA certificate, first page of the rent agreement and Layout plan of the premises. (4)Unit has not submitted undertaking and Project report, Also hard copies of the documents have not received till date.	.	06-04-2017	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents with complete information within 15 days.
37	SATGURU ENTERPRISES	B-66,PH-II,MAYAPURI INDUSTRIAL AREA,DELHI-64	30-03-2017		PACKAGE DRINKING WATER Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Source Water: Water Consumption:40000 litre/day Status of Ground extraction:25000 litre/day Other Source of Water 15000 Liters/Day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D,G,Set: N/A Status of Ground Water extraction : Status of Inspection :No SCN u/s 31(A)/33(A)/5 of	.	05-04-2017 -Consent to establish may be granted.	06-04-2017 Case deferred.

									EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
38	SAKSHI INDUSTRIES	PLOT F-1753- 54,NARELA	31-03-2017		DALL MIL Dal Mills	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D,G, set- N/A Plot Area- 350 sq mt Date of Establishment/ Commencement-21.04.2017 (Proposed) Status of Ground Water Extraction-No 1.Water consumption- 200 l/day Source- DSIIDC Inspection status- No Hard copy not submitted.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
39	JKMG PACKAGINGS	242,F.I.E,PATPARGANJ INDUSTRIAL AREA,DELHI-92	31-03-2017		PACKAGE DRINKING WATER Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Status of Pollution Control System (i) ETP- Yes (Design Capacity- (12000 L/D), (ii) ECS- Proposed to be installed, (iii) D,G Set- No. (iv) Ground water Extraction - Nil (v) Source of water- Municipal Authority and others.	N/A	05-04-2017 Consent to Establish may be granted.	06-04-2017 Case deferred.



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II(b) Category cases headed by Member Secretary DPCC in its 20th meeting on 06.04.2017 w.r.t. Agenda Item No 1 -- 41 Fresh Cases of Consent to Operate / Renewal of the period 16.02.2017 to 31.03.2017 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	BHAWANI METAL	835/70, GANESH GALI, NEW MANDOLI INDUSTRIAL AREA	16-02-2017	DPCC/EC/2/1/2017/17053	Manufacturing of Copper Ingots. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Cyclone and Scrubber) 3. D.G Set- 30 KVA 4. OLMS- No information of user Id and password provided. 5. Proof prior to 2007- Rent Agreement dated 28.11.2006 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No 8. Fuel Used : Diesel	1. Emission Monitoring Report submitted by DPCC on 21.09.2016 and parameters are within the limit in the report submitted. 2. Noise Monitoring report submitted by DPCC on 22.08.2016 and parameters are within the limit in the report submitted.	06-04-2017 Recommended for Inspection,	06-04-2017 Inspection be conducted,
2	S.K. ROYAL OMATE (A UNIT OF S.K. FOODS AND BEVERAGES)	A-47, MAYAPURI INDUSTRIAL AREA, PHASE-I	16-02-2017	DPCC/EC/2/1/2017/17055	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent	Orange Operate	Non-SPI		Source of Water: DJB Water Consumption:3000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP Instaaled (2)ECS - N/A (3)D.G.Set Noise Report : D.G. Set(s) of 250 KVA, 140 KVA and 125 KVA installed. Status of Inspection : An inspection were carried by DPCC representative on 03.04.2017	1) Effluent analysis report: (a) Effluent analysis report dated 09-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report: a) The unit has 3 D.G. Set(s) of 250 KVA,140 KVA and 125 KVA, Noise monitoring report dated 13-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	05-04-2017 -Consent to Operate may be granted.	06-04-2017 Consent to Operate granted.

					into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				During inspection following findings were observed: 1. Unit found operational and engaged in activity of Banquet Hall. 2. ETP was installed in the premises found non operational. 3. The log book of ETP maintained. 4. Unit has three DG sets of capacity one of 250kVA and two of 125kVA each. One DG set of 125 kVA on hire basis.			
3	RIDLEY LIFE SCIENCE PRIVATE	PLOT NO D 1651 DSIIDC NARELA INDL AREA	20-02-2017		MEDICINES PHARAMACEUTICAL FORMULATION WITH BOILER. Medicines / Pharmaceutical Formulation- with Boiler	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS- Stack attached to bioler 3. D.G. set- 200 KVA Plot Area- 350 sq mt Date of Establishment/ Commenceent- 24.11.2016 Status of Ground Water Extraction-No 1.Water consumption-330 l/day Source- DSIIDC (Bill not submitted) Earlier, inspection was conducted by DPCC Lab w.r.t. NGT orders for lifting the effluent sample of unit namely M/s Unipex Pharmaceuticals Pvt, Ltd. During visit by DPCC Lab officials, unit found operating and violating the norms as ETP was non-operational, etc, SCN for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 and u/s 5 of EPA was issued to M/s Unipex Pharmaceuticals Pvt. Ltd. on 03.08.2016. Reply received from M/s Ridley Life Science Private Limted (Director Rajesh Bansal) with undertaking on 22.08,2016 stating that M/s Unipex Pharmaceuticals Pvt, Ltd. has already shifted from their and present unit is also having activity of Fomulation of Medicines, requested 45 days to comply with all the pollution norms. Modified Directions to apply for Consent to operate/authorization etc issued on 03.02.2017. Inspection status-	Effluent Analysis Report submitted on 24.01,2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report submitted on 19.10.2016 issued by DPCC, Parameters are within prescribed limits. Noise Monitoring report- N/A	05-04-2017	06-04-2017 Ask the unit to submit hard copy of Consent to Operate & Authorization applications with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Operate & Authorization be issued.

									Yes(31.03,2017) 1. Unit found operating and engaged in the activity of Medicine Pharmaceuticals formulation with boiler. 2. ETP found installed and working. Wet & dry sludge seen. 3. 1 D.G set of 200 KVA found installed with adequate stack height. 4. HWM Rules are complied with. Hard copy not submitted.			
4	TATA STARBUCKS LIMITED	1-A, HAMILTON HOUSE, CONNAUGHT PLACE, NEW DELHI	20-02-2017	DPCC/EC/2/1/2017/17070	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Closure directions u/s 31(A)/33(A)/5 of EPA details : Source of Water:DJB Water Consumption:3000 litre/day Status of Ground Water extraction :Nil Delhi police and NDMC licence valid up to 31.03.2016 Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set Noise Report : D,G. Set(s) of 200 KVA installed -Inspection was carried out by DPCC officials on 26.05.14 and following were observed : a) Unit found operational & engaged in the activity of cafe. b) Unit having an D.G set of 200KVA situated at roof top with acoustic enclosure and with stack height of 3m from the roof level. c) Unit having an effluent treatment plant for the treatment of waste water which is in functional condition, however logbook of ETP was not shown by concerned person. Also all units of ETP found empty during inspection. d) Seating capacity is 105. e) Unit is operating without DPCC consent	1) Effluent analysis report (a) Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA, Noise monitoring report dated 16-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	05-04-2017 -Consent to Operate may be granted.	06-04-2017 Consent to Operate granted. Directions for closure be revoked.

										-Show Cause Notice: u/s 31(A) of Air Act and 33(A) of Water Act issued on 03.06,2014. -Unit has neither submitted a reply w.r.t above mentioned SCN and not applied for consent application. -A Closure Direction u/s 33 (A) of water act &u/s 31(A) of air act was issued to the unit on 13.02,2017. -Unit has submitted a reply on 20,02,2017 and informed that he has submitted application of Consent to Operate on 20.02.2017 vide id no. 17070 and also requested to revoke the closure direction, -Unit has submitted a representation on 17.03.2017 and requested to revoke the closure direction permanently, -Again temporary revocation for 15 days extension period was also issued to the unit on 24.03,2017				
5	KHUSHI WASHING	B-2317 DSIIDC INDUSTRIAL AREA NARELA	21-02-2017	DPCC/EC/2/1/2017/17086	Jobs work of Washing of Readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 20-02-2017 Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes 3. D.G. set- N/A Plot Area- 200 sq mt Date of Establishment/ Commenceent-23.08,2017 Status of Ground Water Extraction-No 1.Water consumption- 14000 l/day Source- Outside (Bill not submitted) Earlier, inspection was conducted by DPCC Lab w.r.t, NGT orders for lifting the effluent sample of unit, During visit by DPCC Lab officials, unit found operating and violating the norms as ETP was non-operational, etc, SCN for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 and u/s 5 of EPA was issued on 03,08,2016, Inspection was conducted on 28,03,2017 and	Effluent Analysis Report submitted on 19,10,2016 issued by DPCC. Parameters are within prescribed limits, Emission Monitoring Report submitted on 14.12,2016 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report- N/A	05-04-2017	06-04-2017	Issue show cause notice for refusal of consent and cancellation of authorization. Also issue show cause notice u/s 33(A) of Water Act and u/s 5 of EP Act,

										following are the observation: 1. Unit is found operating & engaged in the activity of washing of Jeans. 2. ETP found installed but not in working condition and no wet & dry sludge seen. 3. One diesel fired boiler found exist with adequate stack height. 4. One borewell found exist without permission from DJB/ CGWA. 5. HWM rules are not complied with. Applied Authorization under HWM Rules on 21.02.2017.			
6	HOTEL EXCELSIOR LTD. UNIT OF SHANGRI-LAS EROS HOTEL	19, ASHOKA ROAD	21-02-2017	DPCC/EC/2/1/2017/17090	Five Star Hotel. Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Orange Renewal	Non-SPI			Source of Water: DJB Water Consumption:300000 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- Other ETP Name : STP (2)ECS - installed (3)D,G,Set Noise Report : unit has 3 D,G, Set(s) of 1250 KVA,1000 KVA and 1000 KVA,	1) Effluent analysis report: (a) Effluent analysis report dated 06-12-2016 issued by DPCC submitted, Effluent Test Report within Limit - Yes 2) Stack monitoring report: (a) Stack monitoring report dated 19-12-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes 3) Noise monitoring report: (a) The unit has 3 D,G, Set(s) of 1250 KVA,1000 KVA and 1000 KVA. Noise monitoring report dated 15-12-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-04-2017 -Consent to Operate (Renewal) may be granted.	06-04-2017 Consent to Operate(Renewal) granted.
7	J. S. AUTOMOBILES	SHED NO 32 SFC CATEGORY-II DSIDC INDUSTRIAL COMPLEX ROHTAK ROAD, NANGLOI	22-02-2017	DPCC/EC/2/1/2017/17102	Mechanical Rubber And Servicing with washing of Vehicles (Two Wheelers) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 22-02-2017 Pending	Source of Water:DJB, Borewell Water Consumption:2400 litre/day Status of Ground Water extraction :YES Status of Pollution Control System (1)ETP -ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : Media filter (2)ECS - N/A (3)D.G.Sett : N/A -An inspection was carried out by representatives of DPCC on 05.04.2017.	Effluent analysis report: (a) Effluent analysis report dated 14-02-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes	06-04-2017 -Consent to Operate may be granted. Remarks/ATR on 06-04-2017 -A Show Cause Notice u/s 5 of EPA (Environment Protection Act) may be issued to the unit as unit has not followed the guidelines under HWM Rules,	06-04-2017 Show Cause Notice for cancellation of authorization and show cause notice u/s 5 of EPA (Environment Protection Act) be issued,

									During inspection following observations were made: 1. Unit found operational & engaged in the activity of two wheeler automobiles, servicing, repairing with washing. 2. ETP found installed & same was found operational. 3. No D,G set found installed within the premises. 4. Main Source of water supply is borewell, existed borewell approved by CGWA. 5. HWM guidelines being followed. 6. Applied for CTO & Authorization under HWM Rules as 22.02.2017. SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
8	MOHINI KITCHEN WARE (P) LTD,	PLOT NO 4, PHASE-II, BADLI INDUSTRIAL ESTATE	28-02-2017		MFG. OF ALUMINUM UTENSIL (PRESSURE COOKERS) WITH BUFFING Buffing on Metal	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes 3. D.G. set- N/A Plot Area- 427 sq mt Date of Establishment/ Commencement- October 2010 Status of Ground Water Extraction-No 1.Water consumption- 40 l/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 21.02,2017 issued by DPCC, Parameters are within prescribed limits. Noise Monitoring report- N/A	05-04-2017	06-04-2017 Consent to Operate (Renewal) granted.
9	BIKANERVALA FOODS PVT LTD	A 27 LAWTRACE ROAD INDUSTRIAL AREA	01-03-2017	DPCC/EC/2/1/2017/17156	MFG. OF SWEETS BAKERY PRODUCTS AND VEGETABLE FOODS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 17-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA, Noise monitoring report dated 20-02-2017 issued by DPCC submitted. Noise	The unit has submitted effluent analysis report issued by DPCC on 17-02-2017. The unit has submitted noise monitoring report of D,G, sets issued by DPCC on 20-02-2017.	06-04-2017 Schematic diagram of ETP is not provided, Photographs of ETP are not installed, The CETP (Keshavpuram Industrial Area) certificate, and DJB water bill submitted by the unit, both are in the same name of Sarla Ice & Cold Storage Pvt. Ltd.	06-04-2017 Inspection be conducted.

					or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.			
10	SAFFRON ENTERPRISES	PLOT NO 74, FIE, PATPARGANJ INDUSTRIAL AREA	02-03-2017	DPCC/EC/2/1/2017/17159	MANUFACTURING OF METAL CABINETS (WITH POWDER COATING AND PLASTIC MOLDING) Plastic Processed Goods Powder Coating without phosphating	Orange Operate	Non-SPI		(b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. 1. ETP - No, 2. ECS - Stack attached to the oven, 4. D,G Set - No, 4. Source of Water Supply - 50 Liters/Day (Municipal Authority). 5.Domestic effluent discharged - 20 Liters/Day which is disposed through Sewer.	Emission Monitoring Report dated 08.09.2016 from DPCC lab submitted, Result are as follows Particulate Matter - 35.5 (mg/Nm3)	05-04-2017 Recommended for Inspection,	06-04-2017 Consent to Operate granted,
11	SHREE SHANTI NATH ENTERPRISES	PLOT NO 423-424, GALI NO 7, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA	02-03-2017	DPCC/EC/2/1/2017/17160	MANUFACTURING OF SANITRY GOODS WITH BUFFING AND WITHOUT ELECTROPLATING. Process Involving Buffing	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP - No, 2. ECS - Dust Collector with proper channelization provided, 3. D,G Set - No, 4. Water Consumption - 20 Liters/Day for Domestic purpose, 5. Source of Water Supply - 50 liters/day through Municipal Authority, 6. Quantity of Domestic Effluent Generated - 20 Liters/Day which is disposed through Public sewer.	Emission Monitoring report dated 08.09.2016 submitted by DPCC: Stack temperature- 35 Avg. Velocity- 9.3 Flow rate-1548 Particulate matter - 48	05-04-2017 Recommended for inspection,	06-04-2017 Consent to Operate granted,
12	SUNRISE GARDEN	KH. NO 31/11-32/15, BAKULI, PALLA ROAD, BAKHTARAPUR	03-03-2017	DPCC/EC/2/1/2017/17168	Party Lawn Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public /	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-N/A 3. D.G. set- N/A Plot Area-7000sq mt Date of Establishment/ Commencement- 01,12,2009 Status of Ground Water Extraction-No 1.Water consumption- 5400 l/day Source- DJB Inspection status- No Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 24.08.2016. Directions for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the	Effluent Analysis Report submitted on 09.11.2016 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017	06-04-2017 Consent to Operate (Renewal) granted, Directions for closure be revoked.

					Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Air Act, 1981 issued on 14.02.2017, Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 21 days on 22.03.2017 to apply for consent etc.			
13	THE MUSE SAROVAR PORTICO (A UNIT OF PALM LAND HOSPITALITY PVT LTD)	A-01, CHIRAG ENCLAVE, NEHRU PLACE	09-03-2017	DPCC/EC/2/1/2017/17211	GUEST HOUSE, Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)STP -35 KLD (Biological) installed - Copy of AR dated april 2016 issued by Jamia Millia Islamia submitted, (2)ECS - N/A (3)D.G.Set Noise Report : 2 source of water : 17.14 KLD from DJB.	-Effluent analysis report dated 31-01-2017 issued by DPCC submitted and parameters analyzed are within limit, -Stack monitoring report dated 02-02-2017 issued by DPCC for the Diesel fired Boiler submitted and parameter is within limit. -The unit has 2 D.G. Set(s) of 125 KVA and 180 KVA. Noise monitoring report dated 06-02-2017 issued by DPCC submitted and parameters are within limit .	06-04-2017	06-04-2017 Consent to Operate granted,
14	JAGDISH PRINTERS & COMPUTERS SOLUTIONS PVT. LTD	H-257, SECTOR-3, BAWANA INDUSTRIAL AREA	09-03-2017	DPCC/EC/2/1/2017/17218	OFFSET PAPER PRINTING WITH TRADE EFFLUENT Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-03-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-N/A 3. D.G. set- N/A Plot Area- 150 sq mt Date of Establishment/ Commenceent-10,10,2004 Status of Ground Water Extraction-No 1.Water consumption- 1000 l/day Source- DSIIDC (Bill submitted) Inspection was conducted on 31.03.2017 and following are the observation: 1. Unit found operating and enggaed in the activity of Offset Paper Printing with trade effluent, 2. ETP found installed and in working condition. 3. HWM Rules are complied with. Applied Authorization under HWM Rules on 09,03,2017.	Effluent Analysis Report submitted on 06.12.2016 issued by DPCC. Parameters are within prescribed limits, Emission Monitoring Report- N/A Noise Monitoring report- N/A	05-04-2017	06-04-2017 Consent to Operate and Authorization under HWM Rules granted.
15	FAIZAN METALS	M-13, KHASARA NO.29, NEW MANDOLI INDUSTRIAL AREA, VISHNU GALI, DELHI-110093	10-03-2017	DPCC/EC/2/1/2017/17230	MELTING OF COPPER SCRAP WITH PIT FURNACE, Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Cyclone and Scrubber) 3. D,G Set- 30 KVA	1. Emission Monitoring Report submitted by DPCC on 08,02,2017 and parameters are within the limit in the report submitted, 2. Noise Monitoring report submitted by DPCC on 09,02,2017 and	05-04-2017 Recommended for Inspection,	06-04-2017 Inspection be conducted, Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly

									4. OLMS- No information of user Id and password provided. 5. Proof prior to 2007- Rent Agreement dated 28.11.2006 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No 8. Fuel Used : HSD,	parameters are within the limit in the report submitted.		mentioning the name & address of the unit in the said certificate, display board, status of OLMS and details for transmission of monitoring data to DPCC.
16	MAGIC AUTO PVT. LTD.	B-83, G.T, KARNAL ROAD INDUSTRIAL AREA	10-03-2017	DPCC/EC/2/1/2017/17243	SERVICING AND REPAIRING OF CARS ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-03-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- 62.5 KVA Plot Area-561sq mt Date of Establishment/ Commencement- 01.02.2017 Status of Ground Water Extraction-No 1.Water consumption- 7000 l/day Source- DJB Inspection conducted on 05.03,2017 and findings are as follows- 1. Unit is found operational & engaged in the activity of servicing and repairing of cars, 2. ETP found installed. Wet & dry sludge seen, 3. D,G set found installed with adequate stack height 4. HWM rules are not complied with.	Effluent Analysis Report submitted on 16,09,2016 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring Report submitted on 03,03,2017 issued by DPCC. Parameters are within prescribed limits.	05-04-2017	06-04-2017 Consent to Operate and Authorization under HWM Rules be granted.
17	SINGLA AGENCIES	B-1 EXTENSION, A-41 MOHAN CO-OPERATIVE INDL. AREA	10-03-2017	DPCC/EC/2/1/2017/17248	SERVICE AND WASHING OF TWO WHEELERS AUTOMOBILES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-05-2012 Authorisation Status Approved Authorisation Issue Date 06-08-2012 Authorisation Expiry Date 23-05-2017 HWM Application No. 2 Application Date 10-03-2017	Status of Pollution Control System (1)ETP - Physiochemical Capacity:18000 Litres/day (2)ECS - N/A (3)D,G,Set 30 KVA Noise Report:Yes The unit is meeting the noise standards (b) Stack monitoring report: NA Status of Ground Water extraction :7000 Litres/day	Unit has submitted ETP test report and all the parameters are within limits, Unit has submitted DG Noise Monitoring Report which meets the noise standards, Following observations were made during the inspection on 25,03,2017 a) Unit found in operation, b)ETP found installed and operational, c)Unit is complying with HVM Rules. d) A septic tank found operational.	05-04-2017	06-04-2017 Consent to Operate(Renewal) and Authorization under HWM Rules granted.

								Authorisation Pending Status	Total Trade Effluent: 6000 Litres/day Status of Inspection :Yes(On 25.03,2017) Following observations were made during the inspection on 25.03,2017 a) Unit found in operation. b)ETP found installed and operational. c)Unit is complying with HVM Rules. d) A septic tank found operational, SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :		Unit has submitted ETP test report and all the parameters are within limits. Unit has submitted DG Noise Monitoring Report which meets the noise standards. It is recommended that CTO(R) & Authorization under HWM Rules may be granted.	
18	KAPISH INDUSTRIES	PLOT NO-57, PHASE II, BADLI INDUSTRIAL ESTATE	11-03-2017		Manufacturing of Pressure Cooker with buffing. Buffing on Metal	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes 3. D.G. set- N/A Plot Area- 210 sq mt Date of Establishment/ Commencement- April, 2002 Status of Ground Water Extraction-No 1,Water consumption- 20 l/day Source- Outside (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 21.02,2017 issued by DPCC, Parameters are within prescribed limits. Noise Monitoring Report- N/A	05-04-2017	06-04-2017 Consent to Operate granted.
19	TIFFANY BANQUET (A UNIT OF CHAWLA CATERERS)	PLOT NO 14, NAJAFGARH ROAD INDUSTRIAL AREA	14-03-2017		BANQUET Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or	Orange Operate	Non-SPI		Source of water: DJB Water Consumption:4000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D,G,Set Noise Report : 2 D,G, Set(s) of 125 KVA and 125 KVA installed, Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1) Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 16-09-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 16-09-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-04-2017 -Consent to Operate may be granted.	06-04-2017 Consent to Operate granted.

					Laundry without Boiler							
20	DHANJAL INDUSTRIES	20, PKT-B, SEC-3, DSIDC COMPLEX BAWANA INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17251	ENGINEERING WORKS WITH BUFFING Process Involving Buffing	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes 3. D.G. set- N/A Plot Area- 150 sq mt Date of Establishment/ Commenceent-August 2007 Status of Ground Water Extraction-No 1.Water consumption- 200 l/day Source- DSIIDC (Bill submitted) Inspection status- No	Effluent Analysis Report- N/A Emission Monitoring Report submitted on 08.03.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report- N/A	05-04-2017	06-04-2017 Consent to Operate(Renewal) granted.
21	ELROY AUTOMOBILES PVT.LTD.	KH-544/1 MUNDKA INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17254	REPAIRING AND SERVICING OF RENAULTS VEHICLES WITH WASHING AND PAINT BOOTH, Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI		Source of Water:Ground Water Water Consumption:15450 Liters/Day Status of Ground Water extraction :15450 Liters/Day Status of Pollution Control System (1)ETP -installed (2)ECS -installed (3)D.G.Set: N/A -As directed an inspection was carried out by DPCC, Official on 05,04,2017, During inspection following observations were made: 1. During inspection unit found under renovation, no industrial activity such as repairing, washing and servicing of vehicles not observed. 2. ETP found installed & same was under maintenance. 3.D,G Set of 62.50 KVA found under renovation, 4.Hazardous waste room observed under renovation, 5. CTO applied on 14,03,2017,	Effluent analysis report: (a) Effluent analysis report dated 08-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes Stack monitoring report : (a) Stack monitoring report dated 10-03-2017 issued by DPCC submitted, Stack Test Report within Limit - Yes	05-04-2017 -Consent to operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 06-04-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate and also unit be asked to intimate the date of completion of the renovation work and not to start operation without taking prior permission from DPCC.	06-04-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate and also unit be asked to intimate the date of completion of the renovation work and not to start operation without taking prior permission from DPCC.
22	AMBUJ AUTOMOBILE	501, FIE, PATPARGANJ INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17258	SERVICE STATION OF BIKES, Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes oil and grease trap- yes DMF and ACF- Yes. (2)ECS - No (3)D.G.Set: No	No Test Report Submitted.	05-04-2017 Recommended for Inspection,	06-04-2017 Inspection be conducted.

									Status of Ground Water extraction :Nil			
									Source of water : Others.			
23	KRISH AUTOMOTORS PVT LTD	9 SSI INDUSTRIAL AREA G T K ROAD	14-03-2017	DPCC/EC/2/1/2017/17263	SHOWROOM CUM AUTOMOBILES SERVICING AND REPAIRING STATION WITH WASHING WITH BURNER (PAINT BOOTH) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-03-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes 3. D,G, set- Yes, 1x 50 KVA & 1x 250 KVA Plot Area- 3514 sq mt Date of Establishment/ Commencement- 29,06,2016 Status of Ground Water Extraction-No 1,Water consumption- 330 l/day Source- DJB (Bill submitted) Inspection was conducted on 31.03,2017 and following are the observation: 1. Unit found operating and engaged in Showroom cum automobiles servicing and repairing staions with washing and burner(paint booth) 2. ETP found installed and in working condition. 3. ECS found installed. 4. 2 D,G sets found iinstalled with adequate stack height. 5. HWM Rules are complied with.	Effluent Analysis Report submitted on 22.12,2016 issued by DPCC. Parameters are within prescribed limits, Emission Monitoring Report submitted on 09,01,2017 issued by DPCC, Parameters are within prescribed limits, Noise Monitoring Report submitted on 02,03,2017 issued by DPCC. Parameters are within prescribed limits.	05-04-2017	06-04-2017 Consent to Operate and Authorization under HWM Rules granted,
24	GIRDHARI FOUNDRY WORKS	B-142, PHASE-I, MAYAPURI INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17267	job work of ci casting of ferrous and non ferrous metal through pit furnace Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 14-07-2006 Authorisation Status Pending	Source of Water: outside Water Consumption:100 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D,G,Set: ...N/A... Status of Inspection : An inspection were carried by DPCC representative on 03,04,2017 During inspection following findings were observed: 1. Unit found operational & engaged in activity of job work of CI casting of ferrous & non ferrous metal by pit furnance, 2. No DG set found	-Consent to Operate (Renewal) may be granted.	05-04-2017	06-04-2017 File be put up administratively.

									installed within the premises, 3. Unit is non water polluting therefore no ETP installed. 4. Channelization provided with hood & suction on pit furnace with adequate stack height. 5. Hard coal is being used as fuel for pit furnace. 6. Water supply from Delhi Jal board, no Borewell existed. 7. Applied for CTO (R) on 14.03,2017.			
25	VANGUARD DIAGNOSTICS PVT. LTD	C-123, OKHLA INDUSTRIAL AREA PHASE-I	18-03-2017		MANUFACTURING OF DIAGNOSTICS KITS AND REAGENTS. Manufacturing of Diagnostic Kit without Boiler or Furnace	Orange Operate	Non-SPI		(1)ETP - SKLD (2)ECS - N/A (3)D.G.Set: 82.5 KVA Source of water is mentioned as outside tanker.	Noise monitoring report of 82.5 KVA dated 23.02.2017 issued by DPCC submitted and noise levels are within limit. Effluent analysis report dated 28.02.2017 issued by DPCC- submitted and parameters analyzed which are within the limit	06-04-2017 Online application downloaded however hard copy is yet to be received.	06-04-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory , Consent to Operate be issued.
26	RAVI EXPORTS	PLOT NO 4, POCKET-F, SECTOR-1, DSIIDC INDUSTRIAL AREA, BAWANA	19-03-2017		DAL MILL Dal Mills	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS-N/A 3. D.G. set- N/A Plot Area- 250 sq mt Date of Establishment/ Commencement- Oct, 2016 Status of Ground Water Extraction-No 1.Water consumption- 350 l/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report submitted on 25.01.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory , Consent to Operate be issued.
27	RADHIKA FARM HOUSE	KHASRA NO 43/16, PALLA BAKHATAWARPUR ROAD, G.T.K. ROAD	20-03-2017		FARM HOUSE. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-N/A 3. D.G. set- N/A Plot Area-10117.1 sq mt Date of Establishment/ Commencement- 01.12.2014 Status of Ground Water Extraction-No 1.Water consumption- 4000 l/day Source- DJB (bill not submitted) Inspection status- No Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 24.08.2016. Direction of clousre u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on	Effluent Analysis Report submitted on 20.03.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring Report - N/A	05-04-2017 .	06-04-2017 Consent to Operate granted. Directions for closure be revoked.

					Kitchen and / or Laundry without Boiler				14.02.2017, Unit submitted security bond and undertaking and requested for revocation. Temporary revocation was issued to the unit for 15 days on 03.03.2017 to apply for consent etc.			
28	KOUTSA ENTERPRISES	F-24, KH. NO 17/5, MILAN GARDEN, MANDOLI, SHAHDARA	20-03-2017		Copper Wire Drawing with Super Enamelling (Dry Process) Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Wet Scrubber) 3. D,G Set- No, 5. Proof prior to 2007- No 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No 8. Fuel Used : HSD,	1. Emission monitoring Report submitted by DPCC on 07.03.2017 and parameter is within the prescribed limit,	05-04-2017 Recommended for Inspection.	06-04-2017 Inspection be conducted. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc.
29	MARINE DRIVE (A UNIT OF JAYANT HOSPITALITY PRIVATE LIMITED)	A-2, VISHAL ENCLAVE RAJOURI GARDEN NEW DELHI	21-03-2017		Restaurant 170 seats Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB, Category-II Water consumption:4000 litre/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D,G.Set Noise Report : 1 D,G Set of 200 KVA installed. Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1) Effluent analysis report: (a) Effluent analysis report dated 14-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes 2) Noise monitoring report: (a) The unit has 1 D,G. Set(s) of 200 KVA, Noise monitoring report dated 08-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-04-2017 -Consent to Operate may granted.	06-04-2017 Consent to Operate granted.
30	VARUN FABRICATORS	SHED 80, DSIDC COMPLEC, WAZIRPUR INDUSTRIAL AREA	22-03-2017		MANUFACTURING OF STAINLESS STEEL UTENSILS (WITH BUFFING) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		(1)ETP: N/A (2)ECS - Cyclone (3)D,G.Set:Nil In the undertaking unit has mentioned that they have removed DG set of 62.5 KVA..... (4)Source of Water Supply: 1 KLD from DJB	Emission monitoring report dated 28.03.2017 of stack attached with cyclone is within limits.	06-04-2017 ,	06-04-2017 Consent to Operate(Renewal) granted, Inspection be conducted.
31	VIKRAM ROLLER FLOUR MILLS	B-71/1/2, LAWRENCE ROAD	22-03-2017		Rollar Flour Mill	Orange Renewal	Non-SPI		(1)ETP: N/A (2)ECS: Cyclone	Stack monitoring report dated 07-03-2017 issued	06-04-2017 ,	06-04-2017

	LTD.	INDUSTRIAL AREA			Flour Mills				(3)D.G.Set: Nil (4)Status of Ground Water extraction : 1.35 KLD from DJB Status of Ground Water extraction : Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	by DPCC submitted, Stack Test Report within Limit - Yes.		Consent to Operate(Renewal) granted.
32	TRU HALLMARK BANQUETS PVT. LTD.	GF/FF AND CONCOURSE LEVEL OF KARKARDUMA METRO STATION KARKARDUMA	22-03-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - Yes, 2. ECS - Yes ,Channelization system provided 3. D,G Set - D,G set Capacity 40 KVA Stack Height above roof of the building where D.G Set installed is 2,5 meter, However during inspection D,G set of 325 KVA was found. 4.Source of water -11000 Liters/Day. And its source outside Inspection of the unit was conducted by official of DPCC on 23.08.2016 and following observations were made, MCD license was valid up to 31.03.2017. The unit submitted representations for Revocation of closure directions on 21.11.2016, 25.11.2016 and on 01.12.2016, Directions were temporarily revoked for 15 days on 02.12.2016 for submitting application fro consent to establish and consent to operate. The inspection of the unit was conducted on 15.03.2017 and the observations were made. The unit has applied for consent to operate on 21.03.2017.	Noise monitoring report dated 10.03.2017 submitted by DPCC: All parameters are within the prescribed limit. - Analysis of Water Effluent dated 14.03.2017 submitted by DPCC: All parameters are within the prescribed limit.	05-04-2017 Recommendation for inspection,	06-04-2017 Sub Committee-IV constituted by the Honble NGT inspected the unit, Case deferred.
33	SHREE BALAJI METAL SHEET	PROPERTY NO. P-4, BALAJI GALL,	22-03-2017		CASTING OF ALUMINUM INGOTS	Orange Operate	Non-SPI		1. ETP- N/A	1. Emission Monitoring Report Submitted by	05-04-2017 Recommended for	06-04-2017

		KHASRA NO. 47, PHASE - I, NEW MANDOLI REDEVELOPMENT AREA			AND SHEET METAL WORK, Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing				2. ECS- Yes (process and fuel stacks attached to furnace) 3. D.G Set- 02 (140 KVA and 40 KVA), 4. OLMS- Not installed. 5. Proof prior to 2007- Rent Agreement dated 09,02,1994, 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No 8. Fuel Used : HSD.	DPCC on 09.03.2017 and Parameters are within the prescribed limit in the report. 2. Noise Monitoring Report Submitted by DPCC on 27.10.2016 and Parameters are within the prescribed limit in the report,	inspection.	Consent be refused, Directions for closure be issued as approved on file.
34	RELIABLE AUTO WORKS	A-95/6 WAZIRPUR INDUSTIRAL AREA	23-03-2017		Automobiles Servicing and Repair Station with Washing Activity without burner(Paint Booth) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI		(1)ETP:ETP (Physiochemical type) of capacity 2 KLD/day (2)ECS: N/A (3)D.G.Set:Nil (4)Source of Water Supply:0.6 KLD from Djb. Earlier, directions for closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 11.01,2017. Unit has submitted its reply in response of directions for closure along with undertaking and security bond of Rupees 2,00,000/-. Temporary revocation was issued to the unit for 30 days on 08.02.2017. Now Unit has submitted its CTO application on 23.03.2017. However hard copies of the application have not received so far. Also one Enclosure as PAN Card is properly attached and rest of the enclosures are wrong. Further, in column no 22 unit has chosen wrong category for the type of hazardous waste generated. Unit has not applied for Authorization under HWM Rules, In the application unit has mentioned Gross capital investment as Rs. 3,50,000 however, previously in CTE it was Rs. 3,75,000. CA	.	06-04-2017	06-04-2017 Issue show cause notice for refusal of consent since wrong documents / information have been submitted for misleading. Also inspection be conducted.

35	OLIVE ROOTS INDIA PVT. LTD.	C-65, OKHLA INDUSTRIAL AREA PHASE- I	23-03-2017		Only Kitchen (No Seating Arrangement) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		certificate not found enclosed, Status of Pollution Control System (1)ETP -Yes (Physiochemical) (3)D,G,Set - 1(82,5 KVA), Status of Ground Water extraction :Nil Status of Inspection : No Show Cause Notice u/s 33(A) of Water Act was issued to the unit on 20.10,2016 in common file w.r.t inspection/ sample collected by DPCC laboratory ragarding NGT Order dated 12.08,2015, Unit has submitted in its reply/ representation on 05.12.2016 that they have applied for Consent to Establish on 05,12,2016 and are in process for installing Effluent Treatment Plant for wastewater and applying for Consent to Operate along with required documents / test report and requested 90 days time for installation of ETP and apply for Consent to Operate. Unit has submitted application for Consent to Operate with required documents/test report on 27.03.2017 and report reveals that unit having ETP and meeting the prescribed standards,	Effluent Test Report within Limit - Yes Noise monitoring report dated 10-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-04-2017	06-04-2017 Consent to Establish and Consent to Operate granted.
36	D.K. INDUSTRIES	A-13 (BACKSIDE) GROUP WAZIRPUR INDUSTRIAL AREA	24-03-2017		Manufacturing of Stainless Steel Utensils (With Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Operate	Non-SPI		(1)ETP: N/A (2)ECS: Cyclone (3)D,G,Set:Nil (4)Source of water supply: 0,05 KLD from outside source Status of Ground Water extraction : N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :N/A	Emission monitoring report of stack attached with cyclone is not submitted.	06-04-2017	06-04-2017 Issue show cause notice for refusal of consent since wrong information have been submitted for misleading, Also inspection be conducted,

									Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A			
37	NEUTEC HEALTHCARE PVT. LD.	E-698, DSIDC, NARELA INDUSTRIAL AREA	25-03-2017		FORMULATION OF MEDICINES. Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-03-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- Yes, 1X 40 KVA Plot Area- 350 sq mt Date of Establishment/ Commencement- 01.04.2014 Status of Ground Water Extraction-No 1.Water consumption- 1500 l/day Source- DSIIDC (Bill submitted) Status of Inspection- DPCC lab has visited the unit on 11.03.2016 to lift the sample. Unit found operating without ETP. Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.08.2016. Inspection was conducted on 28.03.2017 and following are the observation: 1. Unit found operating and engaged in the activity of formulation of medicines. 2. ETP found installed and same was in working condition. 3. 1 D.G set of 40 KVA found exists with adequate stack height. 4. HWM Rules are complied with. Applied Authorization under HWM Rules on 25.03.2017.	Effluent Analysis Report submitted on 27.12.2016 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report- N/A Noise Monitoring Report submitted on 30.12.2016 issued by DPCC. Parameters are within prescribed limits.	05-04-2017	06-04-2017 Consent to Establish, Consent to Operate and Authorization under HWM Rules granted.
38	JUMBO INTERNATIONAL	JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE,OKHLA INDUSTRIAL ESTATE	27-03-2017		FOOD PROCESSING Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)STP (Design Capacity:150 KLD) Source of water: Ground water :1,24,000 litres/day. Trade effluent discharge: 62,500 litres/day. (b) Effluent analysis report dated 06-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Yes	Effluent analysis report dated 06-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 23-02-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 10-03-2017 issued by DPCC submitted. Noise monitoring report within Limit- Yes.	05-04-2017 The unit has applied for renewal of CTO on 27-03-2017 for the activity of FOOD PROCESSING. Effluent Analysis report, Stack analysis report, and noise monitoring report submitted with consent application show that they are meeting the prescribed limits.	06-04-2017 Consent to Operate (Renewal) granted, Thereafter, inspection be conducted.

										(b) Stack monitoring report dated 23-02-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes		The unit is having common STP with M/s The Midland Fruit and Vegetable Products (India) Pvt. Ltd,	
										(3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 10-03-2017 issued by DPCC submitted. Noise monitoring report within Limit Yes		It is recommended that CTO(R) may be granted and thereafter inspection be carried out.	
39	THE MIDLAND FRUIT & VEGETABLE PRODUCTS (INDIA) PVT. LTD	JUMBO HOUSE, JUMBO INDUSTRIAL ESTATE, OKHLA INDUSTRIAL ESTATE	28-03-2017		FOOD PROCESSING. Food and Fruit Processing Industry - Fruit and Vegetables with Boiler	Orange Renewal	Non-SPI			Status of Pollution Control System (1)STP (Design capacity: 150 KLD) Source of water: Ground water borewell: 48000 litres/day. Trade effluent discharge: (b) Effluent analysis report dated 06-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Yes (b) Stack monitoring report dated 23-02-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 10-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Effluent analysis report dated 06-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report dated 23-02-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 10-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	05-04-2017 Effluent Analysis report, Stack analysis report, and noise monitoring report submitted with consent application show that they are meeting the prescribed limits. The unit is having common STP with M/s Jumbo International , Jumbo House, Jumbo Industrial Estate, Okhala Industrial Estate. It is recommended that CTO(R) may be granted and thereafter inspection be carried out.	06-04-2017 Consent to Operate(Renewal) granted. Thereafter, inspection be conducted.
40	FASHION TECH	A-32, PHASE-I, OKHLA INDUSTRIAL AREA	29-03-2017		Mfg. of Readymade Garment with Washing Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-07-2006 Authorisation Status Pending		Source of water-DJB (Bill enclosed) Water consumption- 3KLD Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	water analysis report: -Effluent analysis report dated 09-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Emission monitoring report: -Stack monitoring report dated 16-02-2017 issued by DPCC submitted. Stack Test Report within Limit -	06-04-2017 Online application downloaded however hard copy is yet to be received.	06-04-2017 Consent to Operate(Renewal) granted.

								HWM Application No. Application Date Authorisation Status 2 24-04-2009 Pending	Closure directions u/s 31(A)/33(A)/5 of EPA details :No -Stack monitoring report dated 16-02-2017 issued by DPCC submitted, Stack Test Report within Limit - Yes -Stack monitoring report dated 16-02-2017 issued by DPCC submitted, Stack Test Report within Limit - Yes Noise Monitoring reports: -The unit has 2 D.G, Set(s) of 100 KVA and 62.5 KVA, Noise monitoring report dated 23-02-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes -The unit has 2 D.G, Set(s) of 100 KVA and 62.5 KVA, Noise monitoring report dated 23-02-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes		
41	ITC LIMITED (UNIT SHERATON NEW DELHI)	DISTRICT CENTRE, SAKET	30-03-2017		HOTELIER Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DIB Sewer having Kitchen and / or Laundry with boiler	Orange Renewal	Non-SPI	Status of Pollution Control System (1)STP Installed, (b) Effluent analysis report dated 27-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)ECS - Scrubber attached with common stack DG Set (a) Stack monitoring report for the PNG fired boilers dated 28-03-2017 issued by DPCC submitted, Stack Test Report within Limit - Yes (3)D,G,Set Noise Report : 1 (a) The unit has 2 D.G, Set(s) of 1250 KVA and 1250 KVA, Stack report for the DG set submitted and the results are within	Effluent analysis report dated 27-03-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes Stack monitoring report for PNG fired boilers dated 28-03-2017 issued by DPCC submitted, Stack Test Report within Limit - Yes The unit has 2 D.G, Set(s) of 1250 KVA and 1250 KVA,Stack report for the DG set submitted and the results are within prescribed limits, Noise monitoring report dated 29-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-04-2017 The unit has applied for renewal of CTO(R) on 23.03.2017 for the activity of HOTEL, Effluent Analysis report, Stack analysis report of PNG fired boiler and DG set, and noise monitoring report for DG set submitted with consent application, Report submitted show that they are meeting the prescribed limits, It is recommended that CTO(R) may be granted and thereafter inspection be carried out.	06-04-2017 Consent to Operate(Renewal) granted,

									prescribed limits. Noise monitoring report dated 29-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes Status of Ground Water extraction : 1,85,000 litres/day. Other water source(Municipal Authority): 9800 litres/day. Trade effluent Discharge: 75,000 litres/day.			
--	--	--	--	--	--	--	--	--	---	--	--	--