




DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/20th Meeting /2019/ 3226-3232 Dated: 14.06.2019

Subject: Minutes of the 20th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 03.06.2019 in the conference room of DPCC, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006.

Please find enclosed herewith the Minutes of the 20th Meeting of the aforementioned Committee, held on 03.06.2019 in the conference room of DPCC, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006.


All concerned are required to take necessary action as per the decisions taken by the Committee and submit the compliance report to MS, DPCC through Incharge, CMC-V.


(Satender Kumar)
Incharge, CMC-V

1. Member Secretary, DPCC.
2. Incharges /SEE (CMC I/II/III/IV/V/VI/VII/EIA).
3. EEs/AEEs (CMC I/II/III/IV/V/VI/VII/EIA).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, RDPC Cell: to take immediate necessary action w.r.t. decision taken at point no. (i), (ii) & (viii) in general decisions of the said minutes.
3. SEE (IT) Cell: to take immediate necessary action w.r.t. decision taken at point no. (i) & (vi) in general decisions of the said minutes and also upload the aforementioned minutes of the meeting of the Committee on the website of DPCC.
4. Sh. Shyam Sunder, EE, CMC-III: to take immediate necessary action w.r.t. decision taken at point no. (iii) in general decisions of the said minutes.


(Satender Kumar)
Incharge, CMC-V

Contd....2....


- (ii) MS was also apprised that consent fees is decided based on the capital investment including cost of plant & machinery and land & building without depreciation. During the meeting, it was decided that consent fee should also consider upon pollution potential. RDPC Cell was directed to put up the file in this regard immediately and the fee structure shall be notified accordingly.
- (iii) It was informed that DPCC has a Library. But, the latest editions of the environment related books w.r.t prevention and control of pollution / pollution control measures etc. are not available in the library. Sh. Shyam Sunder, EE, CMC-III was directed to provide a list of the books to the Incharge, Library so that the books may be purchased at the earliest.
- (iv) It was apprised to the committee that most of the automobile service station engaged in the activity of repairing, servicing and washing of vehicles are not complying with the pollution control norms. They do not operate their ETPs in regular manner. Committee decided to conduct surprise inspections of service stations of respective areas and issue closure directions along with refusal/revocation of consent/authorization and imposition of Environmental Compensation as per policy on the defaulting units.
- (v) It was directed that units engaged in the activity of Water Bottling Plant / Mineral Water which are extracting ground water without permission from CGWA/Delhi Jal Baord, be issued closure directions along with refusal/revocation of consent and imposition of Environmental Compensation as per policy. Voluntary disclosures to DJB shall not be considered as a permission to extract the ground water.
- (vi) While conducting inspection, DPCC shall also obtain Bank details i.e. account number, name and address of the bank, GST No (if applicable), from each unit and IT cell shall make a provision in the software at the time of submission of consent application.
- (vii) It was informed that a large number of consent applications are pending in want of inspection. Chairman of the Committee showed his displeasure and directed to all the Cells to complete the inspections within 07 days and put up all such cases before the Committee in its next CMC meeting.
- (viii) Committee felt that in view of Hon'ble NGT orders dated in OA No. 630 of 2018 in the matter of Dr. Arun Kumar Vs Govt. of NCT of Delhi, DPCC itself to take action for effective closure/ sealing of defaulter units with the assistance of officials from concerned SDM, DISCOM, DJB/DSIIDC, MCD, DP etc. Civil Defence personals shall also be hired/deputed on full time basis with each cell of DPCC. RDPC shall put up the matter in this regard immediately.

Contd....3....

A collection of handwritten signatures and initials in blue ink, scattered across the bottom of the page. Some are clearly legible, while others are more stylized or overlapping.

- (ix) All CMCs were directed to comply with the decision of the committee within 07 days from the date of issue of these minutes and submit a compliance report to MS, DPCC through EE, CMC-V positively.


The meeting ended with a vote of thanks to the Chair.


(Arun Mishra)
Member Secretary,
DPCC


(Dr. Chandra Prakash)
SEE, CMC-II


(Pankaj Kapil)
SEE, EIA Cell


(Dr. B.M.S. Reddy)
EE, CMC- IV & VI


(M. Arif)
EE, CMC- I


(B.L. Chawla)
EE, CMC-III


(Satender Kumar)
EE, CMC-V & VII


(M.S. Rawat)
EE, CMC-VII


(Shyam Sunder)
EE, CMC- III


(Surender Singh)
AEE, CMC- V


(Ramesh Chandra)
AEE, CMC-II


(R.K. Sharma)
AEE, CMC-VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV







(M. Siddiqui)
AEE, CMC-I


(S.K. Goyal)
AEE, EIA Cell


(Sunil Kumar)
AEE, CMC-I


(K. Kumar)
AEE, CMC-II

Attendance Sheet for 20th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on **03.06.2019** in the Conference Room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006.

S.No.	Name	Designation	Signature
1.	Sh. Arun Mishra	Member Secretary, DPCC	In Chair
2.	Dr. Chandra Prakash	SEE (CMC II), DPCC	
3.	Sh. Pankaj Kapil	SEE, EIA Cell	
4.	Dr. B.M.S. Reddy	EE (CMC IV) / (CMC VI), DPCC	
5.	Sh. M. Arif	EE (CMC I), DPCC	
6.	Sh. B. L. Chawla	EE (CMC III), DPCC	
7.	Sh. Satender Kumar	EE (CMC V) / (CMC VII), DPCC	
8.	Sh. M. S. Rawat	EE (CMC VII), DPCC	
9.	Sh. Shyam Sunder	EE (CMC III), DPCC	
10.	Sh. Surender Singh	AEE (CMC V), DPCC	
11.	Sh. S.K. Goyal	AEE, EIA Cell	
12.	Sh. Ramesh Chandra	AEE (CMC II), DPCC	
13.	Sh. R.K. Sharma	AEE (CMC VI), DPCC	
14.	Dr. Siddhartha Gautam	AEE (CMC IV), DPCC	
15.	Sh. M.I. Siddiqui	AEE (CMC I), DPCC	
16.	Sh. Sunil Kumar	AEE (CMC I), DPCC	
17.	Sh. K. Kumar	AEE (CMC II), DPCC	

S. No.	Application date	Industry Name	Industry Address	District	Activities	Category	Brief of the case	Status of test report	Remark/ Recommendation	Decision
1	03.09.2018	VINAYAK INDUSTRIES	PLOT NO-K-331, KARAWAL NAGAR INDUSTRIAL AREA, DELHI-94, DELHI - 110094	NORTH EAST	MFG. OF BAKELITE PRODUCTS.	Green / Operate	Consent to Establish granted on 05.02.2019. As decided on 23.01.2019, inspection of the unit was conducted on 04.02.2019 and observations are as follows: 1. During inspection unit found operational. 2. Unit has applied for Consent to operate. 3. Unit has no DG set. 4. Unit has installed cyclone for the dust generated from the buffing process/other grinding process. 5. Air pollution Control System found operational with adequate stack.	Emission Monitoring Report - Issued on 11.04.2018 by DPCC. Stack attached to exhaust of buffing section and parameters are within prescribed limit.	Consent to Operate may be granted.	Consent to Operate be granted.



Member Secretary



Chairperson (CMC-I)



AEE (CMC-I)



AEE (CMC-I)

270

2	1.12.2017	RISHIRAJ ALUMINIUM PVT. LTD.	PLOT NO 21, KHASRA NO 13/16, NEW MANDOLI INDUSTRIAL AREA, NEW DELHI - 110093	SHAHD ARA	MANUFAV URING OF ALUMINIUM WIRE ROD.	Orange / Operate	As decided by Consent Committee, inspection of the unit was conducted on 31.05.2019 by the officials of the DPCC and observations are as follows:- 1. During inspection unit found operational. 2. Unit found engaged in mfg. of Aluminium Casting and Rolling. 3. Air Pollution Control System found installed and was working. 4. DG set has proper acoustic and adequate stack. 5. PNG connection installed.	Emission monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit. Noise monitoring report was submitted on 04.12.2017 by DPCC and all the parameters are within the prescribed limit.	Consent to Operate may be granted.	Consent to Operate be granted.
---	-----------	------------------------------------	---	--------------	---	---------------------	--	---	------------------------------------	--------------------------------


 Member Secretary


 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

3	09.2017	BHAGWATI METAL CO.	KH. NO-25, NEAR POLE NO.-205/52, PREM NAGAR CHOWK, NEW MANDOLI IND. AREA, DELHI - 110093	SHAHD ARA	PULVERIZER OF ALUMINIUM DROSS AND CASTING	Orange / Operate	As decided by Consent Committee, inspection of the unit was conducted on 31.05.2019 by the officials of the DPCC and observations are as follows:- 1. During inspection unit found operational. 2. Unit found engaged in mfg. of Ingot by the casting of ferrous and non-ferrous metal. 3. Unit has installed venturing wet scrubber. 4. No DG observed. 5. Unit found using Diesel and also applied for PNG which is to be connected within a week time as informed.	Emission monitoring report was submitted on 01.08.2017 by DPCC and all the parameters are within the prescribed limit.	Consent to Operate may be granted.	Consent to Operate be granted. Inspection be carried out afresh by -Sh. Shyam Sunder, EE and - Sh. Ramesh Chandra, AEE
---	---------	--------------------	--	-----------	---	------------------	--	--	------------------------------------	--


 Member Secretary


 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

4	12.12.2017	GLINTAC INDIA	K-13/3/2-4/1-306, KARAWAL NAGAR INDUSTRIAL AREA, DELHI - 110094	NORTH EAST	MFG. OF LED LIGHT AND FANCY LIGHT WITH POWDER COATING.	Green / Establish	Unit submitted map of the location of the unit from SDM, Karawal Nagar on 03.01.2019. As decided in the consent committee, inspection of the unit was conducted on 24.01.2019 and the observations are as follows:- 1. During inspection unit found operational. 2. Unit has applied for CTO for the activity of mfg. of LED light and fancy light with powder coating. 3. Unit has DG set with acoustic enclosure and adequate stack but was non functional. 4. Unit has submitted conformity proof w.r.t existence of unit in redevelopment area. 5. As APCS unit has installed cyclone with their powder coating system.	N/A	Consent to Establish may be granted.	Consent to Establish be granted and Show Cause Notice be issued to apply Consent to Operate within 15 days.
---	------------	---------------	---	------------	--	-------------------	--	-----	--------------------------------------	---


 Member Secretary



 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

5	24.10.2018	BANKEY LAL INTERPRISES	ZB-23/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), DELHI - 110095	SHAHDARA	COPPER AND ALUMINIUM WIRE DRAWING.	Orange / Renewal	1. ETP-No 2. ECS-No 3. DG SET- N/A 4. Water Consumption-200 liters/day and its source is outside 5. Trade Effluent Discharge- NIL 6. Domestic Effluent Discharge- 150 liters/day its mode of disposal is sewer 7. Hazardous waste generated - 60 kg/day(sludge from staining bath) Applied Authorization under HWM rules on 24.10.2018 As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found operational and engaged in the activity of Copper wire drawing without super Enameling, pickling(Dry process) and wire drawing(without pickling/galvanizing). 2. HWM rules are complied with. 3. No DG set found installed. 4. Unit applied for Consent to operate (renewal) on 24.10.2018.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
---	------------	------------------------	--	----------	------------------------------------	------------------	--	-----	------------------------------------	--------------------------------


 Member Secretary


 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

6	03.04.2017	JAGDAMBA IMPEX	ZB-42/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), DELHI - 110095	NORTH EAST	MAUFACTURING OF FANCY ITEMS OF PVC AND PP SHEET / ROLLS WITH PRINTING AND LAMINATION.	Orange / Renewal	As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found non-operational and no activity was going on at the time of inspection. 2. As reported by contact person, no industrial activity was going on from last 4 months and same has been observed at the time of inspection. 2. HWM rules are complied with.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
7	10.04.2017	SRI BHAGWATI OFFSET PRINTERS	ZB-29/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), SHAHDARA, DELHI - 110095	NORTH EAST	OFFSET PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE)	Orange / Operate	As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found operational and engaged in the activity of offset printing (without trade effluent discharge). 2. HWM rules are complied with. 3. No DG set found observed. 4. Applied for CTO on 10.04.2017.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.

gls

8	29.03.2017	SHIVAM COMPU DATA FORMS PVT. LTD	487/1/2B AND C, BLOCK NO. 8 SHAHDARA INDUSTRIAL AREA DILSHAD GARDEN (NORTH OF GT ROAD), DELHI - 110095	NORTH EAST	Printing without trade effluent discharge	Orange / Operate	As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found operational and engaged in the activity of printing without trade effluent discharge. 2. HWM rules are complied with. 3. No DG set found observed. 4. Applied for CTO.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
9	05.04.2017	ROHIT SIGNADS PVT. LTD.	PLOT NO 487/1, BLOCK NO-08, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD) DILSHAD GARDEN,, DELHI - 110095	NORTH EAST	APRINTING AND MANUFACT URING OF ADVERTISIN G MATERIALS	Orange / Operate	As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found operational and engaged in the activity of printing and mfg. of advertising materials. 2. HWM rules are complied with. 3. No DG set found observed. 4. Applied for CTO on 05.04.2017.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.


 Member Secretary


 Cell In-charge (CMC-I)



 AEE (CMC-I)


 AEE (CMC-I)

264

10	20.05.2018	GOYAL INSULATION	ZB-24/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), DELHI - 110095	SHAHD ARA	COPPER WIRE DRAWING.	Orange / Renewal	As decided in the consent committee, inspection of the unit was conducted on 02.05.2019 and findings are as follows:- 1. Unit found operational and engaged in the activity of Copper wire drawing without super Enameling, pickling(Dry process). 2. HWM rules are complied with. 3. No DG set found installed. 4. Unit applied for Consent to operate(renewal) on 20.05.2018.	NA	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	---------------------	---	--------------	----------------------------	---------------------	--	----	---	--------------------------------------


 Member Secretary


 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

11	05.07.2017	SWARUP MOTORS PVT. LTD.	186-187, FIE, PATPARGAN J INDUSTRIAL AREA, DELHI - 110092	SHAHD ARA	AUTOMOBIL E SERVICE AND REPAIRS (TWO WHEELERS).	Orange / Renewal	Consent to Operate (Renewal) Obtained. Applied for HW Authorization . 1. ETP- Yes 2. ECS- No 3. D.G. Set- 63 KVA 4. Trade Effluent Discharge- 2700 L/day, disposed into public sewer. 5. Domestic Trade Effluent-450 L/day, disposed into public sewer. 6. Water Consumption- 2700 L/day. The inspection was conducted on 22.02.2019 and following were observed:- 1. Unit found operational condition and engaged in activity of servicing of two-wheeler. 2. ETP consist of collection tank, mixing tank, settling tank, followed by filter and sludge drying bed was found in operational condition. 3. Stack attached to the paint booth section was found with adequate stack height. 4. HWM rules are complied.	Noise Monitoring Report was submitted by DPCC on 26.05.2017 and all the parameters are within the prescribed limit as per the report. - Analysis Report of Water effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed limit as per the report.	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	-------------------------------	---	--------------	--	---------------------	--	---	---	--------------------------------------



Member Secretary



Cell Incharge (CMC-I)



AEE (CMC-I)




AEE (CMC-I)

262

12	22.06.2017	MANTUNGA PRAKASHAN (P) LTD.	184, F.I.E., PATPARGAN J INDUSTRIAL ESTATE,, DELHI - 110092	SHAHD ARA	OFFSET PRINTING.	Orange / Establish	1. ETP - Not required 2. ECS - Not required 3. D.G Set - Yes, of capacity 20 KVA installed. 4. Water Consumption - 100 liters/day 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6. Municipal Corporation of Delhi - provided 7. Police Licence of Delhi - Not provide The inspection was conducted on 14.02.2019 and following were observed:- 1. Unit found in operation and engaged in printing job work, printing machine installed at basement, ground floor and first floor office without washing. 2. Complying hazardous waste rule. Consent to Operate granted on 13.12.2018/27.12.2018 in CMC(2b) meeting	Noise Mointoring report was submitted by DPCC on 09.05.2017 and all the parameters are within the prescribed limit as per the report	Consent to Establish may be granted.	Consent to Establish be granted.
----	------------	-----------------------------------	---	--------------	---------------------	-----------------------	--	--	---	--


Member Secretary


Cell Incharge CMC-I


AEE (CMC-I)


AEE (CMC-I)

13	21.04.2015	ROYAL OFFSET	489, FIE, PATPARGAN J INDUSTRIAL ESTATE, DELHI - 110092	SHAHD ARA	OFFSET PRINTING WITH LAMINATIO N.	Orange / Operate	Consent to Establish Obtained. Applied for HW Authorization 1. ETP -Not required 2. ECS - Not required 3. D.G.Set: - Nil 4. Ground Water: Nil 5. Source of Water: 100 Lit/day purchased Unit has submitted the reply on 01.02.2019 w.r.t SCN u/s 5 and SCN for refusal issued on 30.05.2018 and stating as follows:- - Display board provided (Photographs attached). - Hazardous waste stored in leak proof container (Photographs attached). - Container stored in isolated area (Photographs attached). - Hazardous waste is stored on pucca floor and in covered area and date has been marked (Photographs attached). - Daily record of Hazardous waste is maintained in register (Photographs attached). An inspection of the unit was conducted on 14.02.2019 and following were observed:- The unit found in operation engaged in printing, cutting and lamination work. Two 4 color offset printing press was being used for printing. - Complying hazardous waste rules. - No washing of plate observed.		Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	-----------------	---	--------------	---	---------------------	---	--	---	--------------------------------------


Member Secretary

Cell Incharge (CMC-I)


AEE (CMC-I)


AEE (CMC-I)

14	27.06.2016	CHAWLA PACKAGING PVT LTD	200, FIE PATPARGAN J INDUSTRIAL AREA , DELHI - 110092	SHAHD ARA	ROTOGRAP HIC/FLEXIB LE PRINTING AND LAMINATIO N	Orange / Operate	Consent to Establish Obtained Applied for HW Authorization 1. ETP - Not required 2. ECS - Not required 3. D.G.Set - N/A 4. water Consumption: 200 Liters/Day Source: Can Water Suppliers 5. Ground Water: Nil The inspection was conducted on 10.04.2019 and following were observed :- 1. Unit found in operation and engaged in printing and flexible lamination sheets and pouch used in packaging. 2. No poly bags manufacturing observed. 3. PNG is used as fuel for hot air blower for lamination. 4. No trade effluent observed during inspection. 5. Sample taken and enclosed. 6. Complying hazardous waste rules.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	--------------------------------	---	--------------	---	---------------------	---	-----	---	--------------------------------------


 Member Secretary


 Cell Incharge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

15	24.06.2016	CHAWLA PACKAGING PVT. LTD.	199, FIE, PATPARGAN J INDUSTRIAL AREA, DELHI - 110092	SHAHD ARA	ROTOGRAP HIC/ FLEXIBLE PRINTING AND LAMINATIO N	Orange / Operate	Consent to Establish Obtained. Applied for HW Authorization. 1. ETP - Not required 2. ECS - Stack attached to Boiler 3. D.G.Set --- N/A 4. Water Consumption: 200 Liters/Day Source: Can Water Suppliers 5. Ground Water: Nil The inspection was conducted on 10.04.2019 and following were observed :- 1. Unit found in operation and engaged in printing and lamination making plastics rolls. Sample taken more than 50 microns 2. Unit is having rotogravure printing machine. 3. Film roll is loaded on the printing ink. printed film is then passed to the lamination. There after sitting is done as per requirement. 4. Unit is using PNG as fuel. 5. No trade effluent observed. 6. Complying hazardous waste rules. 7. No poly bags MFG. observed.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	----------------------------------	---	--------------	---	---------------------	---	-----	---	--------------------------------------


 Member Secretary



 Cell In-charge (CMC-I)


 AEE (CMC-I)


 AEE (CMC-I)

16	11.04.2017	SAIN STATIONERY MART	B-24, F.I.E. PATPARGAN J INDUSTRIAL AREA, DELHI - 110092	SHAHD ARA	OFFSET PRINTING AND BOOK BINDING WITHOUT TRADE EFFLUENT	Orange / Operate	Consent to Establish Obtained. Applied for HW Authorization 1. ETP- Not required 2. ECS- Not required 3. Water Consumption- 50 ltr/day 4. Domestic Effluent- 30 ltr/day 5. Trade Effluent- 0 ltr/day 6. DG Set- N/A The inspection was conducted on 01.05.2019 and following were observed :- 1. Unit found in operation and engaged in offset printing job work. 2. One mini offset printing machine is installed at basement with cutting and stitching machine. 3. Ground floor is used as office and storage area. 4. Complying HWM rules.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	----------------------------	--	--------------	---	---------------------	--	-----	---	--------------------------------------


Member Secretary



Cell Incharge (CMC-I)


AEE (CMC-I)


AEE (CMC-I)

17	03.09.2017	ALMASS INDUSTRIES	PLOT NO.324, FUNCTIONAL INDUSTRIAL ESTATE, PATPARGANJ, NEW DELHI, NEW DELHI - 110092	SHAHD ARA	ASSEMBLING OF MACHINE WITH SPRAY PAINTING WORKS	Orange / Operate	Consent to Establish Obtained. Applied for HW Authorization 1. ETP-Not required 2. ECS-Not required 3. DG Set-No 4. Domestic Effluent-100L/D and its modes of disposal(Sewer or Drain) 5. Trade Effluent-Nil 6. Water Consumption-200L/D and its source outside The inspection was conducted on 14.03.2019 and following were observed:- 1. Unit found in operation and engaged in mfg./assembling of Plastic moulding machine. 2. Spray painting is done on machine. 3. Complying Hazardous Waste Rules.	N/A	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	-------------------	--	-----------	---	------------------	--	-----	------------------------------------	--------------------------------


Member Secretary


Cell Incharge (CMC-I)



AEE (CMC-I)


AEE (CMC-I)

256

18	07.06.2018	G LINE CREATIONS	391 FIE PATPARGAN J INDUSTRIAL AREA, DELHI - 110092	SHAHD ARA	Mgf. of Readymade Garments (w/o Washing/Dyeing) With PNG Fired Boiler, Without Trade Effluent	Green / Operate	Consent to Establish Obtained. 1. ETP- Not required 2. ECS- Not required 3. Water Consumption- 200 l/day 4. DG Set- No 5. Domestic Effluent- 120 l/day 6. Trade Effluent- Nil The inspection was conducted on 06.03.2019 and following were observed:- 1. Unit found in operation and engaged in Mfg./Stitching of ready made garments. 2. No washing and dying observed in the premises. 3. PNG is used as fuel in boiler as steam. Purpose as reported (and observed it is of 30-40 ltr capacity)	NA	Consent to Operate may be granted.	Consent to Operate be granted.
----	------------	------------------	---	-----------	---	-----------------	--	----	------------------------------------	--------------------------------

Member Secretary



Cell Incharge (CMC-I)



AEE (CMC-I)



AEE (CMC-I)

255

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
1	31-10-2018	Y I INTERN ATIONA L PRIVAT E LIMITED	D-62 OKHLA INDUSTRIA L AREA PHASE I, Delhi - 110027	SOUTH EAST	Readymade Garment with Washing	Orange / Operate	Status of Pollution Control System (1)ETP --- ETP - Physiochemical, Capacity: 3000 L/day (2)ECS - N/A (3)D.G.Set :installed :Yes, Status of Ground Water extraction : N/A, Water Consumption: 500, 3000 L/day, Source: Municipal and Others, Domestic Effluent Discharge: 480 L/day Trade Effluent Discharge: 2500 L/day, Dispose of in: Sewer, Date of commencement: 17-04-2017 (existing), Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Consent to operate shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.07.2018	Status of Test Report Effluent analysis report dated 10-10-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 26-10-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	27.12.2018 - Consent to operate shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.07.2018	Inspection be conducted.
2	31-10-2018	NIKHIL OFFSET	127, DSIDC SHED, OKHLA INDUSTRIA L AREA, PHASE-I, Delhi - 110092	SOUTH EAST	PRINTING.	Orange / Renewal	Status of Pollution Control System (1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set : N/A, Status of Ground Water extraction : N/A, Water Consumption: 80 L/day, Source: Municipal, Domestic Effluent Discharge: 60 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Date of commencement: 06-07-2012 (existing), Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, As decided, an inspection of the unit was carried out by DPCC officials on 18.02.2019 and following were observed: - During inspection Unit found operational and engaged in the activity of Offset Printing without Trade Effluent. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
3	25-10-2018	MAA VAISHN O PACKAG ING INDUST RIES	Z-20, BASEMENT, GROUND FLOOR & AMP, Z-21, GROUND FLOOR (BACKSIDE PORTION), OKHLA INDUSTRIA L AREA PHASE-II, Delhi - 110020	SOUTH EAST	Manufacturing and Printing of Polybags for industrial use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags)	Orange / Operate	Status of Pollution Control System (1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set : N/A, Status of Ground Water extraction : N/A, Water Consumption: 100 L/day, Source: Others, Domestic Effluent Discharge: 80 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Date of commencement: 01-06-2017 (existing), Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, As decided, an inspection of the Unit was carried out by DPCC Officials on 28.02.2019 and following observations were made: - Unit found in operation and engaged in the activity of Manufacturing and Printing of Polybags for Industrial use with thickness more than 50 microns (Without Mfg. of Plastic Carry bags).	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 and check the thickness of Poly bags.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

254

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
4	24-10-2018	AHINSH A AUTOMOBILES LLP	D-144, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110035	SOUTH EAST	REPAIRING, SERVICING AND WASHING OF TWO WHEELERS	Orange / Operate	(1)ETP --- ETP - Physiochemical Capacity: 5000 L/day, (3)D.G.Set: ---N/A... Status of Ground Water extraction : N/A, Water Consumption: 5000 L/day Source: Others, Domestic Effluent Discharge: 200 L/day, Trade Effluent Discharge: 4000 L/day, Dispose of in: Sewer, Date of commencement: 01-07-2018 (existing), Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 28.10.2018. Unit submitted representation on 16.11.2018 w.r.t SCN dated 28.10.2018 and informed that ETP was under maintenance at the time of inspection and pump has been sent for repairing and also bypass connection has been disconnected. As decided on file, inspection of the unit to be carried out. Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A As decided, an inspection of the Unit was carried out by DPCC Officials on 18.02.2019 and following observations were made:- * During inspection unit found operational and engaged in the activity of automobiles servicing and repairing with washing activity. - Unit has installed ETP and same found in operation. - Log Book of ETP maintained. - Wet/dry sludge observed at site. - Treated wastewater is discharged into sewer connected to existing conveyance system of CETP. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	Effluent analysis report dated 20-08-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	27.12.2018 - As decided on file, inspection of the unit be carried out.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
5	17-10-2018	AZAR INDUSTRIES	34, DSIDC SHED, PH-I OKHLA INDL. AREA, Delhi - 110027	SOUTH EAST	CORRUGATED BOXES AND OFFSET PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE	Orange / Operate	1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set Noise Report : Yes Status of Ground Water extraction : N/A, Water Consumption: 400 L/day, Source: Municipal, Domestic Effluent Discharge: 320 L/day, Trade Effluent Discharge: Nil Dispose of in: Sewer, Date of commencement: 01-04-2018 (existing), Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 As decided, an inspection of the unit was carried out by DPCC officials on 03.05.2019 and following were observed:- - During inspection Unit found operational and engaged in the activity of Offset Printing without Trade Effluent. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 26-09-2018 issued by DPCC submitted. Number of parameters analyzed within limits- Yes	27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
6	17-10-2018	AROMA CHEMICAL AGENCIES (INDIA) PVT. LTD.	D-91/4, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110029	SOUTH EAST	Warehouse and Small Laboratory for testing (In-house only)	Orange / Renewal	(1)ETP --- ETP - Physiochemical, (2)ECS - N/A, (3)D.G.Set Noise Report : 45 kVA Status of Ground Water extraction : N/A, Water Consumption: 300 L/day Source: Others, Domestic Effluent Discharge: 150 L/day, Trade Effluent Discharge: 75 L/day, Dispose of in: Sewer, Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016. As decided, an inspection of the Unit was carried out by DPCC Officials on 28.05.2019 and following observations were made:- - During Inspection unit found operational and engaged in the activity of Warehouse and Small Laboratory for testing (In-house only). - Unit has installed ETP and same found defunct. - Log Book of ETP not maintained. - Wet/dry sludge not observed in sludge drying bed. - Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016.	Effluent analysis report dated 05-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 14-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016.	Issue Show Cause notice for Refusal of Consent, show cause notice u/s 33 (A) and u/s 5 of EPA and impose environment compensation.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

253

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
7	13-10-2018	UNIVERSAL COATERS	B-71, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110028	SOUTH EAST	POWDER COATING WITHOUT ANY TRADE EFFLUENT DISCHARGE	Green / Establish	(1)ETP ---- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Source: Municipal, Domestic Effluent Discharge: 80 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer, Date of commencement: 03-11-2018 (proposed), Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Unit also applied for CTO (R) on 30.01.2004 and stated the Date of Commencement to be: 01-01-1997. And in application dated 13-10-2018 have stated the date of commencement to be: 03-11-2018. As per online record M/s Universal Coating had obtained Consent to operate Renewal which expired on 28.03.2013 at the said premises, but not applied for consent to operate after expiry of consent. Now the unit has applied for CTE in the name of M/s Universal Coaters and mentioned date of Commencement 03.11.2018 Decision / Recommended under File Put up Administratively. Date : 06-01-2019, The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Seek clarification from the unit regarding operational status of M/s Universal Coating at the said premises and also submit documentary proof w.r.t date of establishment of M/s Universal Coaters. As decided, a letter was issued to the unit on 31.01.2019. Letter returned undelivered with a remark "left" on it.	N/A	27.12.2018 - Seek clarification from the unit regarding operational status of M/s Universal Coating at the said premises and also submit documentary proof w.r.t date of establishment of M/s Universal Coaters.	Consent to Establish refused as unit left premises.
8	12-10-2018	S.M.S EXPORTS	D-28, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110039	SOUTH EAST	MANUFACTURING OF READYMADE GARMENTS WITH WASHING.	Orange / Renewal	Status of Pollution Control System (1)ETP --- ETP - Physiochemical, (2)ECS - N/A, (3)D.G.Set Noise Report : Yes The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 31-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption : 6000 Liters/Day (Source - DFB), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hard copy of consent application is yet to be received. unit has submitted representation on 18.12.2018 along with an undertaking and copy of agreement with IGL for PNG Connection and stating that activity of the unit is Manufacturing of Readymade garments with boiler with washing, they will not use diesel in boiler in future and would use only PNG in Boiler. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. Thereafter, Consent to operate renewal shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.02.2019. As decided letter was issued to the unit on 04.02.2019. Unit submitted a reply on 20.02.2019 w.r.t the letter and enclosed hard copy of the consent application along with all the requisite documents and same found satisfactory.	Stack monitoring report dated 15-06-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes Effluent analysis Report dated 22-05-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 31-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. Thereafter, Consent to operate renewal shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.02.2019.	Inspection be conducted.
9	08-10-2018	PRINT MASTERS	F-45, OKHLA INDUSTRIAL AREA, PHASE - I, NEW DELHI - 110020, Delhi - 110083	SOUTH EAST	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP ---- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A, Water Consumption: 40 L/day Source: Others, Domestic Effluent Discharge: 20 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 As decided, an inspection of the Unit was carried out by DPCC Officials on 01.03.2019 and following observations were made: - Unit found in operation and engaged in the activity of Offset Printing without Trade Effluent Discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

252

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
10	26-09-2018	VIJAY ANAND AND ASSOCIATES LLP	B-74, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110039	SOUTH EAST	MANUFACTURING OF FURNITURE	Orange / Renewal	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A, Water Consumption: 300 L/day Source: Others, Domestic Effluent Discharge: 250 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer, Date of commencement: 01-01-1995 (existing) Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Ask unit to submit hard copy of consent application and Authorization under HWM Rules and inspection yet to be carried out. Hard copy of consent application and Authorization under HWM Rules, 2016 received on 05.10.2018. Inspection yet to be carried out w.r.t Hazardous waste. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016. As decided, an inspection of the Unit was carried out by DPCC Officials on 03.05.2019 and following observations were made: - Unit found in operation and engaged in the activity of manufacturing of furniture. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3. - Unit has installed dust collector attached with saw mill to channelized emission generated from the saw mill.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
11	27-09-2018	GALAXY AUTOMOBILES PVT. LTD.	PLOT NO C-44/1, PHASE-II, OKHLA INDUSTRIAL AREA, Delhi - 110005	SOUTH EAST	REPAIRING AND SERVICING OF CARS WITH WASHING	Orange / Operate	(1)ETP - Effluent analysis report dated 14-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes (2)ECS - N/A (3)D.G.Set : 45 KVA installed Status of Ground Water extraction : N/A, Water Consumption: 6500 L/day Source: Others, Domestic Effluent Discharge: 400 L/day, Trade Effluent Discharge: 4800 L/day, Dispose of in: Sewer, Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, Authorization under HWM Rules, 2016 already valid till 29-05-2021 for the activity of Repairing and Servicing of Cars (without washing). However, they have not applied for Authorization under HWM Rules, 2016 with the activity of REPAIRING AND SERVICING OF CARS WITH WASHING. Inspection be carried out and ask the unit to apply a fresh application for Authorization under HWM Rules, 2016 with activity REPAIRING AND SERVICING OF CARS WITH WASHING. Decision / Recommended under File Put up Administratively, Date : 06-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016. As decided, an inspection of the Unit was carried out by DPCC Officials on 30.01.2019 and following observations were made: - During Inspection unit found operational and engaged in the activity of repairing and servicing of cars with washing activity. - Unit has installed ETP and same found in operation. - Log Book of ETP maintained. - Wet/dry sludge (ETP Sludge) stored in container and sludge drying bed. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3. - Unit having one D.G. set of 62.5 KVA with acoustic enclosure and stack height 2.5 m above acoustic enclosure of D.G. set.	Status of Test Report Effluent analysis report dated 14-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes Effluent analysis report dated 12-07-2018 issued by DPCC submitted. Number of parameters analyzed within limit- No The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 01-08-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
12	21-09-2018	SHIVAM ENTERPRISES	211, DSIHDC SHED, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110035	SOUTH EAST	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP ---- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A, Water Consumption: 500 L/day, Source: Others, Domestic Effluent Discharge: 400 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 As decided, an inspection of the Unit was carried out by DPCC Officials on 18.02.2019 and following observations were made:- - During inspection unit found operational and engaged in the activity of offset printing without Trade Effluent discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
13	19-09-2018	NUTAN PRINTERS	F-89/12, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110033	SOUTH EAST	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP ---- N/A, (2)ECS - N/A, (3)D.G.Set : Installed Status of Ground Water extraction : N/A, Water Consumption: 500 L/day Source: Others, Domestic Effluent Discharge: 400 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer, Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Status of Test Report - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 - As decided, an inspection of the Unit was carried out by DPCC Officials on 28.02.2019 and following observations were made:- - Unit found in operation and engaged in the activity of Printing without Trade Effluent Discharge. - Unit having one D.G. set of 125 KVA with acoustic enclosure. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3.	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 14-09-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
14	15-09-2018	EXPRESS PACKAGING INDUSTRIES	Z-24, OKHLA INDUSTRIAL AREA, PHASE-II, Delhi - 110055	SOUTH EAST	Manufacturing and Printing of Polybags for industrial use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags)	Orange / Operate	(1)ETP ---- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A, Water Consumption: 60 L/day Source: Others, Domestic Effluent Discharge: 40 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer Date of commencement: 01-03-2018 (existing), Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 - As decided, an inspection of the Unit was carried out by DPCC Officials on 28.02.2019 and following observations were made:- - Unit found in operation and engaged in the activity of Manufacturing and Printing of Polybags for Industrial use with thickness more than 50 microns (without Mfg. of Plastic Carry bags). - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
15	21-08-2018	ALANKAR LAMINATION WORKS PVT. LTD. (UNIT-II)	B-149, SECOND FLOOR, OKHLA INDUSTRIAL AREA, PH-I, Delhi - 110064	SOUTH EAST	Job Work of Print Coating without trade effluent discharge.	Green / Renewal	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set Noise Report : Installed Status of Ground Water extraction : N/A Water Consumption: 100 L/day, Source: Others, Domestic Effluent Discharge: 85 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Hard copy of consent application is yet to be received. Unit has not yet applied for Authorization under HWM Rules, 2016. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 14-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. Also inspection be conducted. Hard copy submitted on 18.10.2018, Inspection yet to be carried out. - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 - As decided, an inspection of the Unit was carried out by DPCC Officials on 14.03.2019 and following observations were made: - During Inspection unit found operational and engaged in the activity of Job Works of print Coating Printing without Trade Effluent Discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection to be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
16	21-08-2018	J.K.OFFSET GRAPHICS PVT. LTD.	C-21, DDA SHED, OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI, Delhi - 110042	SOUTH EAST	Offset Printing without Trade Effluent Discharge	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: N/A Status of Ground Water extraction : N/A Water Consumption: 2000 L/day Source: Municipal, Domestic Effluent Discharge: 500 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 14-09-2018 - Consent to Establish granted. Also inspection be conducted. - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 - As decided, an inspection of the Unit was carried out by DPCC Officials on 14.03.2019 and following observations were made: - During Inspection unit found operational and engaged in the activity of Offset Printing without Trade Effluent. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016. - Another Unit, M/s Shubham Die maker is operating in the 2nd floor.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
17	10-08-2018	AVON INDUSTRIAL CUTTERS	C-26, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110036	SOUTH EAST	MANUFACTURING OF INDUSTRIAL BLADES	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: N/A Status of Ground Water extraction : Nil, Water consumption: 300 L/day Domestic Effluent Discharge: 250 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016. - As decided, an inspection of the Unit was carried out by DPCC Officials on 01.03.2019 and following observations were made: - Unit found operational and engaged in the activity of Manufacturing of Industrial Blades. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-I)

AEE (CMC-II)

249

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
18	18-07-2018	PRINTO HOME PVT. LTD.	A-7, DDA SHED, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110020	SOUTH EAST	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: ---N/A... Status of Ground Water extraction : N/A, Water Consumption: 100 L/day Source: Others, Domestic Effluent Discharge: 80 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer Date of commencement: 01-08-2017 (existing). Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted. - As decided, an inspection of the Unit was carried out by DPCC Officials on 01.03.2019 and following observations were made: - Unit found in operational and engaged in the activity of Printing without Trade Effluent Discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3.	N/A	27.12.2018 - Inspection be conducted.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
19	18-07-2018	INTERC ORP BIOTECH LIMITED	SHED NO 99 DSIDC, PHASE-I OKHLA INDUSTRIAL AREA, Delhi - 110039	SOUTH EAST	Making Health Foods, Diet Foods, Vitaminised Food, Mineral Water Purified Powder	Orange / Establish	Status of Pollution Control System (1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: ---N/A... Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - The unit has created fresh Login ID while applying for Consent to Establish on 18.07.2018. However as per online record in DPCC, the unit had earlier applied for Consent to operate on 30.12.2004. Further the unit has mentioned the date of commencement of production as 14.01.1998. The unit had last applied in DPCC on 02.06.2009 for Consent to establish under orange category. Now the unit has applied again for consent to Establish on 18.07.2018 without complete condonation fees with effect from 02.06.2010 to 18.07.2018. - The unit has applied under the activity of Food Additives, Nutrients and Flavours with Trade Effluent Discharge, however, the unit has not mentioned the details of water consumption and waste water generation in process in Column no. 13 and 15 of the consent application and also not mention the detail of treatment plant for trade effluent in column no. 16 of consent application. -The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN was issued to the unit on 20.02.2019. - Unit submitted reply on 27.02.2019 along with a demand draft of Rs. 16,800/- i.e. balance consent fees vide DD No. 524573 dated 15.02.2019.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	consent made infructuous as unit applied again on 13.08.2018.
20	13-08-2018	INTERC ORP BIOTECH LIMITED	SHED NO 99 DSIDC, PHASE-I OKHLA INDUSTRIAL AREA, Delhi - 110095	SOUTH EAST	Food Supplements, Feed Supplements, Vitamin Premixes, Health Foods and Beverages	Orange / Establish	(1)ETP --- Nil, (2)ECS - N/A, (3)D.G.Set: ---N/A... Status of Ground Water extraction : N/A, Water Consumption: 200 L/day Source: Municipal, Domestic Effluent Discharge: 50 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer, Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - Unit has not mentioned the details of water consumption and waste water generation in process in Column no. 13 and 15 of the consent application and also not mention the detail of treatment plant for trade effluent in column no. 16 of consent application. Further the unit has also mentioned in the Project report that there is no effluent discharge from the unit. Ask the unit to submit requisite information / documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. - Letter was issued to the unit on 23.10.2018, Reply yet to be received. Inspection yet to be carried out. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN was issued to the unit on 20.02.2019. Unit submitted reply on 27.02.2019 along with a demand draft of Rs. 16,800/- i.e. balance consent fees vide DD No. 524573 dated 15.02.2019. - As decided, an inspection of the Unit was carried out by DPCC Officials on 03.05.2019 and following observations were made:- -during inspection unit found operational and engaged in the activity of manufacturing of feed supplements. - No treatment facility available in the unit to treat effluent generated. effluent directly discharge into the sewer. -D.G set installed without	N/A	27.12.2018 - Expedite inspection.	Consent to Establish refused - Issue SCN u/s 33(A) of water act & u/s 31(A) of Air Act for closure of unit.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
							acoustic enclosure and stack. -boiler installed without adequate stack.			
21	14-07-2018	SHUBHAM ENTERPRISES	129, DSIDC SHED, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110020	SOUTH EAST	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A, Water Consumption: 300 L/day, Source: Municipal, Domestic Effluent Discharge: 250 L/day, Trade Effluent Discharge: Nil, Dispose of in: Sewer Status of Inspection : N/A, SCN u/a 21/22 & 25/26 details : issued on 15.06.2018 - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016 - As decided, an inspection of the Unit was carried out by DPCC Officials on 18.02.2019 and following observations were made:- - During Inspection unit found operational and engaged in the activity of Printing without Trade Effluent discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
22	06-07-2018	GILL PACKAGING	229, DSIDC SHED, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110064	SOUTH EAST	Manufacturing of Polythene tubes and bag with printing for Industrial Packaging use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags)	Orange / Operate	Status of Ground Water extraction : Nil, Water Consumption: 150 L/day Source of Water: Others, Domestic Effluent Discharge: 100 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer As decided, an inspection of the unit was carried out by the Representatives of DPCC on 17.07.2018 and following were observed:- -Unit found operational and engaged in the activity of Manufacturing of Polythene tubes and bag with printing for Industrial Packaging use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags) -Polythene tubes of thickness 101 and 55 micron measured. -Polythene tubes of thickness less than 50 micron was not observed. -Unit is complying with the provisions of HWM Rules, 2016. -Unit has not applied for Registration under Plastic Waste Management Rules, 2016. - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. Unit submitted demand draft of remaining/ balance consent fee on 26.12.2018.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.
23	15-06-2018	GILL PACKAGING	229, DSIDC SHED, OKHLA INDUSTRIAL AREA, PHASE-I, Delhi - 110039	SOUTH EAST	Manufacturing of Polythene tubes and bag with printing for Industrial Packaging use with thickness more than 50 microns (Without Mfg. of Plastic Carry Bags)	Orange / Establish	(1)ETP --- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption: 150 L/day Source of Water: Others, Domestic Effluent Discharge: 100 L/day Trade Effluent Discharge: Nil, Dispose of in: Sewer Consent Fee Paid by Unit before placing case for committee meeting: Rs 7300/- Fee Status : Additional Fee needs to be recovered Additional information, Additional Fee Amount Due : Rs.13125/- - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent since unit has not submitted balance Consent fee. - Unit submitted demand draft of remaining/ balance consent fee of Rs. 13,125/- on 26.12.2018.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent since unit has not submitted balance Consent fee.	Consent to Establish granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

247

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
24	03-06-18	EKTA TRADERS PVT. LTD.	D-67, OKHLA INDUSTRIAL AREA, PH-I, Delhi - 110039	SOUTH EAST	OFFSET PRINTING	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction: Nil, Water Consumption: 100 L/day, Source of Water: DJB Domestic Effluent Discharge: 50 L/day, Trade Effluent Discharge: Nil, Discharge: Sewer - SCN u/s 31(A)/33(A)/5 of EPA details : dated 18.01.2018 and returned back undelivered and same received by applicant on 28.04.2018. Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A - Unit has submitted representation w.r.t SCN dated 18.01.2018 and informed that they have applied for Consent to operate and authorization under HWM Rules, 2016 and provided Display Board, Hazardous waste container and fulfill compliance of DPCC. - As decided, an inspection of the unit was carried out by the Representatives of DPCC on 07.08.2018 and following were observed: -Unit found operational and engaged in the activity of Offset printing without trade effluent discharge. -Unit is complying with HWM Rules, 2016. -Unit is having 1 DG Set (125 KVA) of roof top with acoustic enclosure and with adequate stack height. - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance. - As decided, a reminder letter was issued to unit on 31.01.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	Consent to Operate granted with condition that the Unit shall submit the Noise monitoring report within 30 Days from issue of consent order. Application for Authorization under HW Rules be kept in abeyance.
25	23-01-2018	MULTI COLOUR SERVICES	92, DSIDC SHED COMPLEX, PH-I, OKHLA INDUSTRIAL AREA, Delhi - 110040	SOUTH EAST	PRINTING OF PAPERS	Orange / Renewal	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil, Water consumption: 200 Liters/Day (Source - DJB), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted as per approval on file. - As decided, an inspection of the Unit was carried out by DPCC Officials on 12.03.2019 and following observations were made: - During Inspection unit found operational and engaged in the activity of Printing without Trade Effluent. - 1 D.G. Set of 82.5 KVA installed and found dismantled. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016.	N/A	27.12.2018 - Inspection be conducted as per approval on file.	Consent to operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
26	15-12-2016	METRO MULTIMEDIA TECHNOLOGIES (DIGITAL)	B-95, OKHLA INDUSTRIAL AREA, PHASE-I, NEW DELHI-110020, Delhi - 110083	SOUTH EAST	LARGE FORMAT DIGITAL PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE	Orange / Operate	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice u/s 5 of EPA. An inspection of the Unit was carried out by DPCC Officials on 01.03.2019 and following observations were made: - Unit found in operation and engaged in the activity of Large Format Digital Printing without Trade Effluent Discharge. - Unit is complying with the provisions of Hazardous Waste Management Rules, 2016 and maintaining the record in Form-3.	N/A	27.12.2018 - Inspection be conducted as per approval on file.	Consent to operate granted. Application for Authorization under HW Rules be kept in abeyance.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
27	05-02-2016	AVANT OR PERFORMANCE MATERIALS INDIA LIMITED	E-42, FIRST FLOOR, OKHLA INDUSTRIAL AREA, PHASE-II, Delhi - 110052	SOUTH EAST	Service and Research and Development Centre of diagnostics Products/ instruments.	Orange / Operate	(1)ETP - Yes, (2)ECS - N/A, (3)D.G Set: - N/A... Status of Ground Water extraction: Nil, Water consumption- 1750 ltr/day, Source- Outsourced supply, Proof of water bill not provided. - Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date: 12-07-2016 - Inspection be conducted. As decided, an inspection of the unit was carried out by Officials/ representatives of DPCC on 20.09.2016 and following were observed: -As informed, unit has discontinued the Research and Development activity in relation to Pharmaceutical formulation and diagnostic products/ instruments alongwith washing operations at the premises. -At present only Repair and Servicing of Diagnostic machines is in operation in half portion of first floor of the premises, rest of half portion of first floor found vacant. -ETP has been removed in this premises. No water polluting activity observed during the inspection. - Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date: 17-09-2018, Issue show cause notice for refusal of consent/authorization. - As decided show cause notice for refusal of consent/authorization issued to unit on 18.12.2018 - The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Put up administratively - reply awaited	N/A	27.12.2018 - Put up administratively	Consent to Operate be made infructuous.
28	18-06-15	HIMALAYA INDUSTRIES	C-20, PHASE I, OKHLA INDUSTRIAL AREA, Delhi - 110095	SOUTH EAST	Manufacturing of Ice Slabs	Orange / Renewal	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G Set Noise Report: I Ground Water:- Nil, Water Consumption:- 2500 ltr/ day (source- ground water, copy of certificate of registration from CGWA is enclosed) - Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date: 13-02-2018 - Expedite inspection. As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 09.05.2018 and various discrepancies observations were made. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date: 17-05-2018 - Ask the unit to rectify the deficiencies observed during inspection and submission of required documents. As decided, a letter was issued to unit on 06.06.2018 asking to rectify the deficiencies observed during inspection and submit required documents, however, no reply has been received so far w.r.t said letter. unit has submitted reply on 09.07.2018 w.r.t letter issued on 06.06.2018 along with hard copy of bill of Water supplier and Noise monitoring report of DG set from Center for occupational and environment Health and stated below: - They are using water from outside source for requirements and previously borewell has been disconnected and closed as per government direction. - One Dg set of 160 KVA the noise monitoring report of the DG set where conducted at the time of filling the application has been attached. - Proper Sprinkler system has been installed in an around the installation where ammonia gas is being used. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date: 17-09-2018 - Case deferred. As decided, earlier decision case was deferred. Decision / Recommended under File Put up Administratively Date: 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Case deferred.		27.12.2018 - Case deferred	Issue show cause notice for refusal of consent and show cause notice for closure as unit is manufacturing ice using water from unauthorized source and for Imposing Environmental Compensation.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

245

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
29	27-05-14	ADARSH INDUSTRIES	C-19, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110028	SOUTH EAST	ICE Slab and Cold Storage and Refrigeration	Orange / Renewal	(1)ETP — N/A, (2)ECS - N/A, (3)D.G.Set Noise Report : I. Ground water - Nil. As decided, inspection was carried out by DPCC Officials on 13.11.2014 and following were observed:- 1. The unit is having a borewell (5 HP motor) for extraction of ground water. The unit has shown a certificate of registration dated 10.07.1998 of CGWA (copy enclosed). 2. The unit has also submitted application to DJB on 22.10.2014 regarding disclosure of existing borewell (copy enclosed). 3. Stack attached to DG Set of 82.5 KVA was found disconnected with the common stack of DG Sets. 4. The unit has one more DG Set of 160 KVA in which acoustic enclosure has not been provided. 5. Cold storage portion (2 chambers of 2000 ft³) was not found in operation since there is no material for storage as reported by the representative. 6. Copy of CGWA certificate and DJB application obtained. Unit submit the reply on 04.12.2014 along with an affidavit, copy of CGWA Certificate, voluntary disclosure of existing borewell from DJB, DJB Bill enclosed and informing that they are using ground water through borewell and MCD tap water supplied by DJB. The are already registered with CGWA vide registration No. DL CTS/7-380 dated 10.07.1998. They also applied for new registration with DJB as per public notice issued by Department of Environment & Forest, Govt. of NCT of Delhi. Unfortunately by mistake they mentioned only MCD water used by in application form. This is also to inform that they are using only 82.5 KVA D.G. Set and 160 KVA D.G. Set is dismantled and not in working conditions. Categorization of orange category cases and decision taken in 2b category cases by the consent committee headed by MS, DPCC Date : 23-04-2015 - Category of the cases as per office order/file be put up administratively. File was put up administratively and as decided letter was issued to unit on 08.07.2015 to submit permission for ground water extraction from DJB and copy of letter sent to DC (South-East) and Member Water DJB. No reply received. Put up administratively. An inspection of the unit was carried out during inspection of M/s Himalaya Industries, at adjoining premises of the unit, by the Officials/Representatives of DPCC on 09.05.2018 and following observations were made: -Unit found in operational and engaged in the activity of Mfg. of Ice Slab and Cold Storage and Refrigeration. -Unit having 1 Borewell for ground water extraction and having Certificate of Registration dated 10.07.1998 of CGWA and also voluntary disclosure of existing borewell to DJB by letter dated 22.10.2014. -Unit having 1 DG Set (82.5 KVA) with acoustic enclosure and stack height 2m above the building height. As informed, 160 KVA DG Set has been removed. -Unit has not taken adequate measures i.e. sprinkler system etc. to check the menace of ammonia leakage etc. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-05-2018 File was put up administratively and as decided letter was issued to the unit on 11.06.2018 for rectification of deficiencies observed during inspection and submit required documents, seek permission for ground water extraction from DJB or concerned Deputy Commissioner. The unit has submitted representation along with copy of DJB Bill and certificate of Registration of Bore well from CGWA and informed that they have already installed sprinkler system on territory of premises. And also informed that they have a borewell for ground water extraction and have certificate of registration dated 10.07.1998 of CGWA and also paid ground water bill and applied to DJB for permission for ground water extraction. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-09-2018 -Case deferred. Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Put up administratively.		27.12.2018 - Put up administratively	Consent application made infructuous. Issue SCN for Closure w/s 31 (A) of Air Act and 33(A) of Water Act and for imposing Environmental Compensation.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

244

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
							and informed that they have already installed sprinkler system on territory of premises. And also informed that they have a borewell for ground water extraction and have certificate of registration dated 10.07.1998 of CGWA and also paid ground water bill and applied to DJB for permission for ground water extraction. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-09-2018 -Case deferred. As decided earlier case deferred. Decision / Recommended under File Put up Administratively Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Put up administratively			
30	27-09-17	NORTHERN INDIA TRADING CO.	D-18/1, PHASE-1, Okhla Industrial Area Delhi	SOUTH EAST	Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Renewal / Green	Status of Pollution Control System (1) ETP - Yes (2) ECS - N/A (3) D.G. Set: 140 KVA Status of Ground Water extraction : Nil Water Consumption - 400 ltr/day, (Source- DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A) details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Status of Test Report	Noise Monitoring report issued by DPCC Laboratory on 01.09.2017 submitted. Number of parameters tested within limit - Yes.	27.12.2018	Inspection be conducted.
31	20.10.2016	ZIGMA PROCESSING & MANUFACTURING PRIVATE LIMITED	D-8/3&4, OKHLA INDUSTRIAL AREA, PHASE -II, New Delhi-110020	SOUTH EAST	Manufacturing and assembling of gift pack items of card board, MDF Board, chart paper, rexin.	Orange / Establish	Status of Pollution Control System (1) ETP - N/A (2) ECS - N/A (3) D.G. Set: N/A Status of Ground Water extraction : Nil Water Consumption - No details provided Status of Inspection : Nil SCN u/s 31(A)/33(A) details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Project Report, Lay out plan, MCD license, Original authorization letter, Proof of possession of plot allotment latter lease deed in case of rental premises valid rent agreement, PAN Card and Undertaking not attached with application.	NA	27.12.2018	Ask the unit to submit all requisite documents within 10 days. If unit submits the same and found satisfactory. Consent to Establish Granted. Otherwise CTE be refused.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

243

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
32	29-10-18	LALLY AUTOMOBILES PVT LTD.	15-16, DSIDC SHED, PHASE-II, OKHLA INDUSTRIAL AREA, NEW DELHI - 110020	SOUTH EAST	Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Status of Pollution Control System (1)ETP --- ETP - Physiochemical Capacity: 8000 L/day (2)ECS - stack attached to paint booth (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : N/A Water Consumption: 800 L/day Source: Others Domestic Effluent Discharge: 500 L/day Trade Effluent Discharge: 7000 L/day Dispose of in: Sewer Closure Direction u/s 31(A) of Air Act was issued to unit on 12.11.2018 since unit has failed to submit the reply w.r.t Reminder of Direction u/s 31(A) of Air Act dated 24.07.2018 to switch over to Clean Fuel i.e. PNG by 26.09.2018. As per record in file unit applied for Consent on 29-Oct-18. As per Office Order Dated 02.08.2017, after issuance of Direction for Closure u/s 31(A) of Air Act, 33(A) of Water Act and u/s 5 of EPA, all Consent/Authorization and pending applications prior to issuance of said Directions shall be treated as Null and Void and accordingly letter for Refusal/Revocation of Consent/Authorization shall be issued by Concerned Cell In-Charge. Hence, in view of above, Consent application of the unit 29-Oct-18 may be Refused. - unit submitted representation on 18.12.2018, 19.12.2018 & 27.12.2018 informing that unit has already applied for PNG with IGL and also made agreement with IGL on 17.12.2018 and submitted necessary documents in this regards and also informed that it has already submitted reply on 14.09.2018 w.r.t Direction dated 24.07.2018. - It was decided by MS, DPCC the direction for closure u/s 31 (A) of the air (prevention and control of pollution) act, issued to unit dated 12.11.2018 be revoked and also restore the Consent and authorization under HW Rules. -As per approval permission for restoration of power supply, water supply & de-sealing of the unit was issued to the unit on 09.01.2019. -File was sent to IT Cell to revive/ restore the consent and authorization. -IT cell DPCC informed that there is no provision in software for changing the status of any application once it is uploaded from pending to approve/refuse/infructuous -The file was again sent to IT cell to resolve the issue. -IT cell informed that the file has been manually reset to pending as mentioned in copy of mail received from vendor.	Effluent analysis report dated 13-07-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes Emission monitoring report dated 17-07-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 01-08-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	27.12.2018	Inspection be conducted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

242

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
1	31-10-2018	KAMAL SWEETS	K-1 AND 54, SUNDER NAGAR, Delhi - 110039	SOUTH	EATING JOINT	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set : Nil, Status of Ground Water extraction : Nil, Water Consumption : 160 Liters/Day (Source - DJB), MCD License Status : Copy of MCD License uploaded but not clear, Date of Commencement : 07-05-2010 (Existing), Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil, Status of Test Report- N/A Hardcopy was received on 10.09.2018 but all the documents submitted except online application form are unsigned, copy of MCD License submitted is unclear, details of OGT not provided and also not applied for CTO. In view of above, a Letter was issued to unit on 25.10.2018 and reply is yet to be received. Decision / Recommended under File Put up Administratively, Date : 04-01-2019 Issue Show Cause Notice for Refusal of consent. As decided, SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted its representation on 06.03.2019 w.r.t the SCN dated 14.02.2019 stating that- - Unit wrongly mentioned its address as K-1 and 54 whereas the correct address is Kiosk-1, Sunder Nagar, New Delhi - 110013 and enclosed fresh undertaking in this regard. Unit have requested to change the address in DPCC record. Unit have also enclosed copy of valid MCD License, details of OGT along with schematic diagram.	N/A	27.12.2018 Issue Show Cause Notice for refusal of consent.	Consent to Operate Granted with correct address Kiosk-1, Sunder Nagar, New Delhi - 110013


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
2	24-10-2018	THE SNOOKH OOK CAFE (A UNIT OF MIC N MELONS PVT. LTD.)	HS-18, SECOND FLOOR, H.S.MARKET, KAILASH COLONY, Delhi - 110039	SOUTH	RESTAURANT	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water consumption : 1400 Liters/Day (Source - DJB), MCD License status : Valid Status of Inspection : An inspection of the Addressee unit was carried out by the Representatives of DPCC on 19.07.2017 and following are brief of observations made during the inspection- -Unit found in operation and engaged in the activity of Eating House with 48 Seats. -No Oil & Grease Trap cum Settling Tank provided in kitchen for treatment of wastewater arising from kitchen and washing activity. -Channelization system not provided with Kitchen to channelize emissions generated from cooking activity. -Two Bins System not provided in kitchen for segregation of Wet & Dry Solid Waste. SCN u/s 31(A)/33(A)/5 of EPA details : Issued but no reply received so far. Closure directions u/s 31(A)/33(A)/5 of EPA details : Issued on 08.12.2018. Hardcopy received on 06.11.2018 but not submitted details of OGT. Decision / Recommended under File Put up Administratively, Date : 04-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Putup administratively. Unit submitted its representation on 11.02.2019 w.r.t the closure directions dated 08.12.2018 stating- Unit has reduced the seating capacity to 32 seats and only discharges trade effluent around 800 litres/day. - Unit has installed two OGT of size 24"X19"X13" and provided channelization system with proper stack height. Unit also enclosed security bond of Rs. 2 lakhs along with the undertaking. As approved by MS, DPCC, letter for restoration of power supply, water supply and desealing of the premises was issued to unit on 23.01.2019. Unit applied for CTO in new software on 13.05.2019. An inspection of the unit was carried out by representatives of DPCC on 30.05.2019 and following were observed: - During inspection unit found non-operational and earlier engaged in the activity of Restaurant. - Unit has installed and Oil & Grease Trap cum Settling tank. - Channelization system provided in kitchen with adequate stack height. - Two bins system provided for segregation as per MSW Rules, 2016.	N/A	27.12.2018 - Putup administratively.	Consent to Establish Granted.

24


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
3	24-10-2018	COFFEED AY GLOBAL LIMITED	SARITA VIHAR INDRAPRASTHA APOLLO HOSPITAL, MATHURA ROAD, Delhi - 110033	SOUTH EAST	COFFEE SHOP.	Orange / Operate	(1)ETP - Oil & Grease Trap cum Settling Tank (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Remarks/Recommendation Hardecopy of application for CTO is yet to be received. Uploadeed copy of MCD License expired on 31.03.2018. Effluent Analysis Report issued by DPCC Laboratory dated 25.06.2018 uploaded. Number of parameters analyzed within limit - No. Decision / Recommended under File Put up Administratively Date : 04-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to take retification measures to meet the prescribed standards & submit fresh Effluent Analysis Report from DPCC laboratory. If found satisfactory, Consent to Operate be granted. As decided, letter was issued to unit on 20.02.2019. Unit submitted a reply on 03.06.2019 and enclosed the effluent analysis report dated 26.11.2018 and same found satisfactory.	Status of Test Report Effluent Analysis Report issued by DPCC Laboratory dated 26.11.2018 uploaded. Number of parameters analyzed within limit - Yes.	27.12.2018 - Ask the unit to take retification measures to meet the prescribed standards & submit fresh Effluent Analysis Report from DPCC laboratory. If found satisfactory, Consent to Operate be granted.	Consent to Operate Granted.

240


MS (DPCC)


SEE (SME-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
4	12-10-2018	MOTI MAHAL DELUX RESTAURANT	M-20, GROUND FLOOR AND MEZZANINE FLOOR, GREATER MARKET KAILASH-II, Delhi - 110016	SOUTH	RESTAURANT	Orange / Establish	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 30 KVA .Status of Ground Water extraction :Nil Water Consumption : 1580 Liters/Day (Source -DJB) MCD License Status : Not uploaded Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Status of Test Report Remarks/Recommendation Hardcopy yet to be received . Also, copy of valid MCD license not uploaded. Decision / Recommended under File Put up Administratively Date : 06-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued. As decided, a letter was issued to unit on 15.02.2019. No reply received from the unit.	N/A	27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued.	Consent to Establish refused. Issue SCN u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.

239


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
5	12-10-2018	THE J.K. (A UNIT OF J.K. ASSOCIATES)	PLOT NO. A-5, CHITRANJAN PARK NEW DELHI, Delhi - 110039	SOUTH	GUEST HOUSE	Orange / Operate	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 29-08-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Water Consumption : 4000 Liters/Day (Source - DJB) MCD License Status : Valid Date of Commencement : 01-07-2015 (Existing) Status of Inspection :An inspection of the unit was carried out by Officials/ Representatives of DPCC on 09.05.2018 and following observations were made:- -Unit found in Operational and engaged in the activity of Guest House with in-house kitchen with 15 rooms. -Unit has installed Oil & Grease Trap cum Settling Tank but same is not being cleaned properly. -Channelization system provided with kitchen with inadequate stack height. -unit having One diesel fired hot water generator with adequate stack height. -Unit having one DG Set of 125 KVA capacity with acoustic enclosure & stack height 2 m above acoustic enclosure of D.G. Set. -Two Bins system provided in Kitchen for segregation of Solid Waste (Wet & Dry solid Waste). As informed, dispose the same through SDMC. SCN u/s 21 & 25/26 details : Issued on 06.06.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Remarks/Recommendation Effluent analysis report dated 14-08-2018 issued by DPCC submitted. umber of parameters analyzed which are within limit - No. Hardcopy yet to be received. Hardcopy received on 25.10.2018 but Effluent Analysis Report dated 14.08.2018 submitted along with the hardcopy is not meeting the prescribed standard of Oil & Grease. Decision / Recommended under File Put up Administratively, Date : 06-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cuase Notice for Refusal of consent may be issued to the unit since, Effluent analysis report is not meeting the prescribed standards. As decided, a Show Cuase Notice for Refusal of consent was issued to unit on 14.02.2019. Unit submitted a representation on 05.03.2019 w.r.t above said Letter and informed that they have modified their Oil & Grease Trap cum Settling Tank for holding the effluent arising from kitchen for at least 4 hours duration. Also that unit have applied for latest water monitoring certificate in DPCC (enclosed photograph of receipt) and requested for 15 days time for submitting the same in DPCC office. Unit submitted water monitoring report dated 18.03.2019 on 01.05.2019 and parameters found within limit.	Status of Test Report Effluent analysis report dated 18.03.2019 issued by DPCC submitted. parameters analyzed within limit - Yes. Noise monitoring report dated 29-08-2018 issued by DPCC submitted. Nos. of parameters analyzed within limit - Yes.	27.12.2018 - Issue Show Cuase Notice for Refusal of consent may be issued to the unit since, Effluent analysis report is not meeting the prescribed standards.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
7	28-09-2018	BASIL AND THYME	28, GROUND FLOOR, SUNDER NAGAR MARKET, NEW DELHI, Delhi - 110040	SOUTH EAST	EATING HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap (The Capacity of oil & Grease Trap cum Settling Tank mentioned in online application Point No. 16 is small/ inadequate as compared to quantity of Trade Effluent Discharge mentioned in online application point No. 15.) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 2500 Liters/Day (Source - DIB), MCD License Status : Valid, Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil The Capacity of oil & Grease Trap cum Settling Tank mentioned in online application Point No. 16 is small/ inadequate as compared to quantity of Trade Effluent Discharge mentioned in online application point No. 15. Harcopy of CTE received on 04.10.2018 but not submitted details of OGT. Decision / Recommended under File Put up Administratively, Date : 06-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit details of Oil & Grease Trap cum Settling Tank along with photographs and schematic diagram. If found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued. As decided a letter was issued to the unit on 04.02.2019. Unit submitted its reply on 13.02.2019 enclosing the photographs and diagrams of OGT but the capacity of OGT found not satisfactory w.r.t the seating capacity of the restaurant.	N/A	27.12.2018 - Ask the unit to submit details of Oil & Grease Trap cum Settling Tank along with photographs and schematic diagram. If found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued.	Issue notice u/s 33 (A) of water Act & u/s 31 (A) of Air Act for apply CTO

237


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
8	25-09-2018	KHANA N KHAZANA	TA-61, FIRST FLOOR, TUGHLAKABAD EXT., Delhi - 110087	SOUTH EAST	RESTAURANT (48 SEATS)	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water consumption : 5000 Lites/Day (source - Others), MCD License Status : Uploaded copy not clear Status of Inspection : Carried out by representatives of DPCC on 16.10.2018 and following observation were observed:- -Unit found operational and engaged in the activity of Eating House with 48 seats -Unit is sharing a common Kitchen with Eating House at Ground Floor of The same premises having a common Oil and Grease Trap but a separate Effluent treatment Plant Consisting of mixing cum settling tank, chemical dosing tank (3 Nos.), Clear water tank and two sludge drying beds and some found in septic condition and not function properly. -Dry sludge observed but no wet sludge observed at site. -Log book of ETP could not be shown at the time of inspection. -Channelization system provided with common kitchen at ground floor with stack height 2 m above roof level of Building. -Two Bins System provided in Kitchen for segregation of Solid Waste (Wet and Dry Solid Waste). As informed, dispose the same through SDMC. SCN u/s 31(A)/33(A)/5 of EPA details : SCN for refusal of Consent issued on 18.12.2018, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Unit submitted reply w.r.t the SCN on 02.01.2019 along with copy of logbook of ETP and informed that kitchen for both the units i.e. Khana Khazana & Khana N Khazana is common and having an OGT. Since, total seating is less than 100, requirement of ETP is not there and same is not being operated. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Putup administratively. Approved for inspection. As per approval on file, an inspection of the unit was carried out by representatives of DPCC on 22.05.2019 and following were observed: - Unit found in operation and engaged in the activity of Eating House with 48 seats. - Unit is having common kitchen with eating house at Ground Floor of the same premises namely M/s Khana Khazana having a common Oil and Grease Trap cum Settling Tank coupled with an ETP and same found operational. - Logbook of ETP maintained. - Wet/dry sludge observed in sludge drying beds. - Channelization system provided in kitchen with adequate stack height.	Effluent analysis report dated 20-08-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit prescribed limit.	27.12.2018 - Putup administratively.	Consent to Operate Granted.

236

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
9	16-09-2018	FOODCRAFT INDIA PVT. LTD.	76/2, G. F., GARHI MAIN ROAD, SANT NAGAR, Delhi - 110030	SOUTH EAST	Food Outlet (Takeaway)	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 600 Liters/Day (Source - Others) MCD License Status : Valid Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Also, activity mentioned on the MCD license is - Others. Hardcopy received on 15.10.2018 along with copy of valid MCD License but not submitted details of OGT. Ask the unit to submit the details of Oil and grease trap. If found satisfactory, Consent to establish may be considered for grant of consent. Decision / Recommended under File Put up Administratively Date : 07-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit the details of Oil and grease trap. If found satisfactory, Consent to establish granted. As decided, a letter was issued to unit on 04.02.2019. Unit submitted its reply with OGT Details and photographs.	N/A	27.12.2018 - Ask the unit to submit the details of Oil and grease trap. If found satisfactory, Consent to establish granted.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit
10	16-09-2018	AMBY INN GUEST HOUSE (23 ROOMS)	GF, 1ST, 2ND, 3RD FLOOR, M-13, LAJPAT NAGAR-2, NEW DELHI, Delhi - 110026	SOUTH EAST	Guest House	Orange / Establish	(1)ETP ---- Oil and Grease Trap Capacity: 1200 L/day (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption: 1800 L/day Source: municipal Domestic Effluent Discharge: 850 L/day Trade Effluent Discharge: 900 L/day Dispose of in: Sewer MDC License: Valid up to 31.03.2019. Date of commencement: 18-11-2017 (existing) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Hard copy of consent application is yet to be received. Unit has not yet applied for Consent to Operate. Unit is yet to provide schematic diagram and details of OGT. Hardcopy received on 04.10.2018. Decision / Recommended under File Put up Administratively, Date : 07-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit the details of Oil and grease trap. If found satisfactory, Consent to establish granted. As decided, a letter was issued to unit on 04.02.2019. No reply received from the unit.	N/A	27.12.2018 - Ask the unit to submit the details of Oil and grease trap. If found satisfactory, Consent to establish granted.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
11	09-09-2018	NOVELTY CORNER	SHOP NO 28, C BLOCK MARKET, EAST OF KAILASH, Delhi - 110092	SOUTH	RESTAURANT	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 500 Liters/Day (Source - DJB), MCD License Status : Not uploaded Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received. Unit has not uploaded copy of Valid MCD License. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 25.10.2018 but no reply has been received so far. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted a representation on 11.03.2019 w.r.t above said SCN and informed that they have installed Oil & Grease Trap cum Settling Tank of size 600 mm x 300 mm x 300 mm (Capacity - 1000 Lt/day) and provided photographs of the same. Unit also enclosed a copy of valid MCD license.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish Granted.
12	09-09-2018	NOVELTY CORNER	SHOP NO 28, C BLOCK MARKET, EAST OF KAILASH, Delhi - 110095	SOUTH	RESTAURANT	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Water Consumption : 500 Liters/Day (Source - DJB) MCD License Status : Not uploaded Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Unit has not uploaded copy of Valid MCD License. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 25.10.2018 but no reply has been received so far. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted a representation on 11.03.2019 w.r.t above said SCN and informed that they have installed Oil & Grease Trap cum Settling Tank of size 600 mm x 300 mm x 300 mm (Capacity - 1000 Lt/day) and provided photographs of the same. Unit also enclosed a copy of valid MCD license.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
13	08-09-2018	HOTEL KABLI	PLOT NO: 73, MASJID ROAD, JANGPURA, BHOGAL, NEW DELHI, Delhi - 110039	SOUTH EAST	GUEST HOUSE SERVICE PROVIDE R	Orange / Operate	(1)ETP --- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... SSstatus of Ground Water extraction : Nil, Water Consumption : 1600 Liters/Day (Source - Others- 1100 Liters / Day & DJB - 500 Liters/Day) MCD License Status :Valid, Date of Commencement : 01-01-2018 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued. A letter was issued to unit on 24.08.2018 but unit failed to submit any reply/ representation for the same but unit submitted hardcopy of application for CTO on 12.09.2018 but did not submit details of OGT as desired in the Letter dated 24.08.2018. As decided, another Letter was issued to unit on 26.10.2018 to submit details of OGT but no reply has been received so far. SCN for Refusal of Consent maybe issued. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted a representation on 01.03.2019 w.r.t above said SCN and informed that they have replaced Oil & Grease Trap cum Settling Tan as per REDISH policy of DPCC and also enclosed the photographs and details of the same.	Effluent analysis report dated 31-08-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate Granted.

233


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
14	05-09-2018	JOM JOM MALAY (A UNIT OF SHAHJI FINANCIAL SERVICES PVT. LTD.)	GROUND FLOOR, BG-04, ANSAL PLAZA, HUDCO PLACE, KHEL GAON MARG, ANDREWS GANJ, NEW DELHI - 110049, Delhi - 110039	SOUTH	RESTAURANT	Orange / Establish	(1)ETP --- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 2220 Liters/Day (Source - DJB), MCD License Status : Valid, Date of Commencement : 08-07-2016 (Existing) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided in common complaint file w.r.t restaurants running in Ansal Plaza, SCN was issued on 01.10.2018 but no reply has been received so far and also unit has failed to apply for CTO as well as inform regarding installation of OGT. Unit submitted a representation on 22.10.2018 w.r.t SCN dated 01.10.2018 and informed that they have already applied for CTE, they have received the effluent analysis report and are in process of applying for CTO for which they have requested for grant of some more time. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - As decided in file, Issue Modified Direction u/s 31 (A) of air act and u/s 33 (A) of Air Act. As decided, Modified directions were issued to the unit on 24.01.2019. Unit submitted reply w.r.t the said directions on 07.02.2019 informing that- - Unit have submitted application for CTE and paid fees dated 05.09.2018 and submitted application for CTO and paid fees dated 13.01.2019. Unit enclosed copy of water analysis report dated 08.10.2018 and parameters found within limits. Also enclosed copy of MCD License. Unit submitted another representation on 31.05.2019 and informed that unit have installed OGT for seating capacity of 48 seats with dimensions as Chamber no. 1: 3"X1.5"X1.5", Chamber no. 2: 43.5"X28.7"X17.1", CHamber no. 3: 43.5"X28.7"X17.1" and also enclosed photographs of the same and found satisfactory.	N/A	27.12.2018 - As decided in file, Issue Modified Direction u/s 31 (A) of air act and u/s 33 (A) of Air Act.	Consent to Establish Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
15	03-09-2018	AASHRAY E (A UNIT OF ENCORE REALTEC H PVT LTD)	10/5, NEHRU ENCLAVE, KALKAJI EXTENTION, Delhi - 110015	SOUTH EAST	GUEST HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction : Nil MCD License Status : Valid Water Consumption : 1710 Liters/Day (Source - DJB) Date of Commencement : 02-07-2018 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a Letter was issued to unit on 25.10.2018 but no reply has been received so far. The letter issued to unit on 25.10.2018 was returned back undelivered with the remark of postman - No such company. Recommended for inspection. Decision / Recommended under File Put up Administratively Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted and deliver Letter by hand. As decided, letter dated 25.10.2018 was delivered by hand and an inspection of the unit was carried out by representatives of DPCC on 23.05.2019 and following were observed: - Unit found in operation and engaged in the activity of Guest House with 18 rooms. - Unit has installed Oil and Grease Trap cum Settling tank of size 1.1 m X 0.5m X 0.3 m. - Channelization system provided in kitchen with adequate stack height. - Unit having 1 D.G. Set of 125 KVA with acoustic enclosure and adequate stack height.	N/A	27.12.2018 - Inspection be conducted and deliver Letter by hand.	Consent to Establish Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

231

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
16	02-09-2018	HOTEL TRYFENA	B-14 EAST OF KAILASH, Delhi - 110064	SOUTH	GUEST HOUSE (28 ROOMS)	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set : Nil Status of Ground Water extraction : Nil, Water Consumption : 2400 Liters/Day (Source - DJB), MCD License Status : Valid, Date of Commencement : 01-04-2017 (Existing), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Also, unit has not uploaded copy of Latest Water bill of DJB and Design capacity of OGT mentioned in online application point No. 16 is inadequate for the discharge of effluent mentioned by unit in online application point no 15. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a Letter was issued to unit on 25.10.2018 but no reply has been received so far. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit
17	02-09-2018	KAMAL SWEETS	K-1 AND 54, SUNDER NAGAR, Delhi - 110040	SOUTH	EATING JOINT	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set : Nil Status of Ground Water extraction : Nil, Water Consumption : 160 Liters/Day (Source - DJB), MCD License Status : Copy of MCD License uploaded but not clear Date of Commencement : 07-05-2010 (Existing) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil, Hardcopy of application for CTE is yet to be received. Copy of MCD License uploaded but not clear Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-09-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a Letter was issued to unit on 25.10.2018 but no reply has been received so far. SCN for Refusal of Consent maybe issued. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted its representation on 06.03.2019 w.r.t the SCN dated 14.02.2019 stating that- - Unit wrongly mentioned its address as K-1 and 54 whereas the correct address is Kiosk-1, Sunder Nagar, New Delhi - 110013 and enclosed fresh undertaking in this regard. - Unit have requested to change the address in DPCC record. Unit have also enclosed copy of valid MCD License, details of OGT along with schematic diagram.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish Granted with correct address Kiosk-1, Sunder Nagar, New Delhi - 110013

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

250

24

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
18	23-08-2018	CIRCLE CAFE & BAR (A UNIT OF BLISS HOSPITALITY)	FIRST FLOOR, F-1, KALKAJI, NEW DELHI - 110019, Delhi - 110005	SOUTH EAST	RESTAURANT	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1000 Liters/Day (Source - DJB), MCD License Status : Valid, Date of Commencement : 06-08-2016 (Existing), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 14-09-2018 - Consent to Establish granted. Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate granted with the condition that unit shall submit valid MCD, Delhi Police and Fire Safety licenses within 03 months. If unit fails to submit the valid licenses within stipulated period, consent to operate be revoked. As decided, a Letter was issued to unit on 25.10.2018 but no reply has been received so far. SCN for Refusal of Consent maybe issued. Decision / Recommended under File Put up Administratively, Date : 08-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate refused.
19	01-08-2018	THE FAZAR RESIDENCY	6, HAZRAT NIZAMUDDIN WEST, Delhi - 110095	SOUTH	GUEST HOUSE (15 ROOMS)	Green / Establish	(1)ETP - - N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption : 1500 Liters/Day (Source - DJB) MCD License Status : Expired on 31.03.2014 Date of commencement : 13-01-2014 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Copy of latest Water Bill from DJB not uploaded and also copy of MCD License uploaded online expired on 31.03.2014 Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 15-09-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit to submit hardcopy of CTE but no reply has been received so far. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Asked to submit the hardcopy of consent application within 15 days time. If unit submits the same and found satisfactory, Consent to Establish be granted otherwise CTE application refused.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

229

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
20	27-07-2018	SP HOSPITALITY PVT. LTD.	BB-17, GROUND FLOOR, FIRST FLOOR AND SECOND FLOOR, GREATER KAILASH ENCLAVE - II, NEW DELHI, Delhi - 110028	SOUTH EAST	GUEST HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 100 KVA Status of Ground Water extraction : Nil Water consumption : 3500 Liters/Day (Source - DJB) MCD License Status : Valid Date of Commencement : 13-08-2016 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Hard Copy of Consent to Establish application received on 01.08.2018. Date of commencement of Production mentioned as 23.01.2015 however unit has not applied for Consent to Operate. Unit has also not provided details of Oil and Grease Trap. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 15-09-2018 Ask the unit to submit details of Oil and Grease Trap. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, A Letter was issued to unit on 25.10.2018 but reply is still awaited, The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 27.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit

228


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
21	27-07-2018	SKY HIGH (A UNIT OF ALKANET HOSPITALITY PVT. LTD.)	THIRD FLOOR C-306-A, AND C-307, ANSAL PLAZA MALL, KHELGAON, NEW DELHI, Delhi - 110028	SOUTH	RESTAURANT	Orange / Establish	(1)ETP - Yes (Informed in undertaking uploaded online but not informed in online application Point No. 16 and also capacity of the same not mentioned) (2)ECS - N/A, (3)D.G.Set: Nil Status of Ground Water extraction : Nil, Water Consumption : 5400 Liters/Day(Source - DJB) MCD License Status : Not uploaded., Date of Commencement : 01-12-2016 ((Existing) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received and online application point No. 16 not filled properly and also MCD License not uploaded. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 15-09-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided in common file of complaint of Ansal Plaza, SCN was issued to unit on 01.10.2018. Unit submitted a reply w.r.t the SCN on 16.10.2018 with copy of fee receipt of effluent analysis report and informed that unit applied for CTE and water testing of OGT & also in process of applying for CTO. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. Modified Direction u/s 33(A) of Water ct and u/s 31(A) of Air Act was issued to unit on 28.01.2019. Unit submitted reply w.r.t the Modified Directions on 07.02.2019 along with photographs of OGT, application for CTO. As approved, Inspection of the unit is to be carried out. As decided, an inspection of the unit was carried out by DPCC officials on 30.04.2019 and following were observed: - Unit found in operation and engaged in the activity of Eating House with 48 seats. - Unit has installed an OGT of size 0.6mX0.75mX0.5m and settling tank of size 0.62mX0.52mX0.82m . - Channelization system provided in kitchen with adequate stack height. - Two bins system provided in kitchen for segregation of Solid Waste (Wet and dry solid waste.). As informed, dispose the same through SDMC.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish Granted.

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
22	21-07-2018	RICHA PALACE	B-190, LAJPAT NAGAR-1, Delhi - 110005	SOUTH	GUEST HOUSE 14 ROOMS 17 BEDS	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 2000 Liters/Day (Source - DJB), MCD License Status : Expired on 31.03.2017, Date of Commencement : 29-01-2010 (Existing) Status of Inspection : Nil, SCN w/s 31(A)/33(A)/5 of EPA details : Nil Closure directions w/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. MCD License uploaded by unit online has Expired on 31.03.2017 and also online application point No. 17 not filled properly. Hardcopy of application for CTE received on 30.07.2018. MCD License submitted by unit has Expired on 31.03.2017 and also online application point No. 17 not filled properly. Date of commencement of production mentioned as 29.01.2010, but the unit has not applied for consent to operate. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 15-09-2018 Ask the unit to submit requisite information / documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. In view of above, a Letter was issued to unit on 25.10.2018 and reply is yet to be received. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. SCN for refusal of consent issued and returned undelivered. As approved on file, SCN was delivered by hand and an inspection of the unit was carried out by representatives of DPCC on 14.05.2019 and following were observed: - Unit found in operation and engaged in the activity of Guest House with 14 rooms. - Unit has installed Oil and Grease Trap cum Settling tank of size 0.8 m X 0.5m X 0.3 m and same found adequate in size to treat the wastewater generated from kitchen and washing activity. - Two bins system provided in kitchen for segregation of wet and dry solid waste. As informed, dispose the same through SDMC.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish Granted.

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
23	18-07-2018	TAKSIM DILLI (A UNIT OF SVS HOSPITALITY)	GROUND FLOOR, CG-001, ANSAL PLAZA MALL, HUDCO PLACE, KHEL GAON ROAD, NEW DELHI - 110049, Delhi - 110033	SOUTH	RESTAURANT	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil, Water consumption 2220 Litres/day Water Source- Others MCD License for 98 Seats valid upto 31.03.2018. However in undertaking unit has mentioned seating capacity as 48 seats Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : MCD License for 98 Seats valid upto 31.03.2018. However in undertaking unit has mentioned seating capacity as 48 seats. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 15-09-2018- Inspection be conducted. As decided, an inspection of the unit was carried out by Officials/Representatives of DPCC on 22.10.2018 and following observations were made - -Unit found in operation and engaged in the activity of Eating House/ Restaurant with 98 seats. As per documents submitted to DPCC, seating capacity 48 but during inspection it was found that unit is having 98 seats. -Unit has installed an Oil & Grease Trap cum of size 0.65mx0.3mx0.2m which is too small, considering the seating capacity. -Channelization system provided with 3 Gas Burner/ Range with wet scrubber but not provided over tandoor. -Two Bins System not provided for segregation of Solid Waste (Wet/Dry Solid Waste). In view of above and as decided, a SCN was issued to unit on 10.11.2018 and reply is awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN was issued to unit on 12.02.2019. Unit submitted its representation on 07.03.2019 w.r.t SCN for refusal of consent informing that: - unit have submitted CTE and CTO applications and paid fee dated 24.06.2018 and 18.07.2018 respectively. - unit have reduced the seating capacity of the restaurant upto 48 seats. - unit have increased the size of Oil and Grease Trap as per the seating capacity of the unit. - Channelization system provided with 3 gas burners/range with wet scrubbers and provided over tandoor. - unit have provided two bins system for segregation of solid waste (Wet/dry solid waste) - unit requested not to refuse the consent. But unit has failed to submit the documentary proof, photographs, details of OGT and Channelization system. Unit submitted another reply w.r.t. the SCN dated 12.02.2019 on 03.05.2019 wherein unit submitted details, photographs of OGT and same found satisfactory.	Effluent analysis report dated 06-07-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
24	18-07-2018	SHIV DA DHABA	B-90B, KALKAJI, NEW DELHI-110019, Delhi - 110005	SOUTH	Dhaba	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1000 Liters/Day (Source - DJB), MCD License status : Expired on 31.03.2016 Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO ie yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 15-09-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate granted with the condition that unit shall submit valid MCD, Delhi Police and Fire Safety licenses within 03 months. If unit fails to submit the valid licenses within stipulated period, consent to operate be revoked. As decided, a Letter was issued on 24.08.2018 to unit in the application of CTE to install adequate OGT and submit details of the same. Unit had submitted hardcopy of application for CTO on 23.07.2018 but did not submit details of OGT and also did not submit any reply/representation w.r.t letter dated 24.08.2018. Hence, in view of above and as decided, another Letter was issued to unit on 26.10.2018 and reply is yet to be revived, SCN for Refusal of Consent maybe issued. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.

224


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
25	18-07-2018	SHIV DHABA	B-39B, KALKAJI, NEW DELHI-110019, Delhi -110042	SOUTH	Dhaba	Orange / Operate	(1)ETP --- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1000 Liters/Day (Source - DJB), MCD License status : Expired on 31.03.2016 Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil, Status of Test Report- N/A Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 15-09-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate granted with the condition that unit shall submit valid MCD, Delhi Police and Fire Safety licenses within 03 months. If unit fails to submit the valid licenses within stipulated period, consent to operate be revoked. As decided, a Letter was issued on 24.08.2018 to unit in the application of CTE to install adequate OGT and submit details of the same. Unit had submitted hardcopy of application for CTO on 23.07.2018 but did not submit details of OGT and also did not submit any reply/representation w.r.t letter dated 24.08.2018. Hence, in view of above and as decided, another Letter was issued to unit on 26.10.2018 and reply is yet to be revived, Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 15.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
26	06-07-2018	HOTEL GTC	E-514, GREATER KAILASH, PART-II, Delhi - 110028	SOUTH	GUEST HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap informed in undertaking uploaded online but capacity not provided in online application point No. 16. (2)ECS - N/A, (3)D.G.Set: 25 KVA Status of Ground Water extraction : Nil, Water Consumption : 3000 Liters/Day (Source - DJB), MCD License Status :Expired on 31.03.2018 Date of Commencement : 01-06-2018 (Existing) Hardcopy of application for CTE is yet to be received and Oil and Grease Trap informed in undertaking uploaded online but capacity not provided in online application point No. 16 and also MCD License expired on 31.03.2018. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 09-07-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided , a Letter was issued to unit on 24.08.2018 but no reply has been received so far and also unit has not applied for CTO. Recommended for inspection. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit
27	04-07-2018	SHIV DHABA	B-39B, KALKAJI, NEW DELHI- 110019, Delhi - 110005	SOUTH	Dhaba	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1000 (Source - DJB), MCD License Status : Expired on 31.03.2009 Date of Commencement : 21-11-2008 (Existing) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Status of Test Report Hardcopy of application for CTE is yet to be received and also MCD license uploaded online expired on 31.03.2009. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 09-07-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 15.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
28	04-07-2018	SHIV DA DHABA	B-90B, KALKAJI, NEW DELHI-110019, Delhi -110020	SOUTH	Dhaba	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1000 Liters/Day (Source - DJB), MCD License Status :Expired on 31.03.2018 Date of Commencement : 29-12-2017 (Existing), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Status of Test Report Hardcopy of application for CTE is yet to be received and also MCD License uploaded online Expired on 31.03.2018. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 09-07-2018. Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish refused. Issue notice u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit

221

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
29	01-07-2018	SNACK JUNCTION	G-5/56,EROS APPT,NEHRU PLACE,DELHI, Delhi - 110040	SOUTH	EATING HOUSE	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 1400 Liters/Day (Source - Others) MCD License Status : Valid Date of Commencement : 28-06-2018 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 09-07-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 27.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted its representation on 27.02.2019 w.r.t the SCN dated 14.02.2019 and hard copies of both the applications along with all the requisite documents. The representation stated that: • Unit is a small outlet running at the said premises and engaged in the activity of Eating House. Also, in the outlet no seating is available due to space constraints and accordingly, Delhi Police License has been granted for no seating. (Photographs of premises and copy of Delhi Police license enclosed.) • Unit have applied for Consent to Establish & Consent to Operate online on 01.07.2018 and sent both the applications along with requisite documents through speed post (Copy of receipts enclosed.) • Unit have provided Oil & Grease trap of size 2 ft X 1.3 ft X 1.2 ft (LxWxH) for the treatment of wastewater generated in washing activity. (Photographs enclosed) • Unit have provided proper channelization system over the burners in the kitchen area. (Photographs enclosed) • Two bins system (i.e. Blue bin for dry garbage and green bin for wet garbage) have been provided for proper segregation & management of solid waste generated. • Also enclosed corrected copies of CTE & CTO application as some typographical errors occurred during filing of consent applications.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
30	01-07-2018	SNACK JUNCTION	G-5/56,EROS APPT,NEHRU PLACE ,DELHI, Delhi - 110020	SOUTH	EATING HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A.. Status of Ground Water extraction : Nil Water Consumption : 1400 Liters/Day (Source - Others) MCD License Status :Valid Date of Commencement : 28-06-2018 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 09-07-2018 Ask the unit to submit hardcopy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 27.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted its representation on 27.02.2019 w.r.t the SCN dated 14.02.2019 and hard copies of both the applications along with all the requisite documents. The representation stated that: • Unit is a small outlet running at the said premises and engaged in the activity of Eating House. Also, in the outlet no seating is available due to space constraints and accordingly, Delhi Police License has been granted for no seating. (Photographs of premises and copy of Delhi Police license enclosed.) • Unit have applied for Consent to Establish & Consent to Operate online on 01.07.2018 and sent both the applications along with requisite documents through speed post (Copy of receipts enclosed.) • Unit have provided Oil & Grease trap of size 2 ft X 1.3 ft X 1.2 ft (LxWxH) for the treatment of wastewater generated in washing activity. (Photographs enclosed) • Unit have provided proper channelization system over the burners in the kitchen area. (Photographs enclosed) • Two bins system (i.e. Blue bin for dry garbage and green bin for wet garbage) have been provided for proper segregation & management of solid waste generated. • Also enclosed corrected copies of CTE & CTO application as some typographical errors occurred during filing of consent applications.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish Granted.

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
31	30-06-2018	HOTEL KABLI	PLOT NO: 73, MASJID ROAD, JANGPURA, BHOGAL, NEW DELHI, Delhi - 110064	SOUTH EAST	GUEST HOUSE SERVICE PROVIDER	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1600 Liters/Day (Source - Others- 1100 Liters / Day & DJB - 500 Liters/Day) MCD License Status :Valid Date of Commencement : 01-01-2018 (Existing) SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Remarks/Recommendation Hardcopy of application for CTE is yet to be received and capacity of Oil & Grease Trap is small as per the Number of Rooms mentioned in MCD License uploaded online. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 09-07-2018 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. Unit submitted a representation on 01.03.2019 w.r.t above said SCN and informed that they have replaced Oil & Grease Trap cum Settling Tan as per REDISH policy of DPCC and also enclosed the photographs of the same.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish granted.


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
32	23-06-2018	UPGRADE KITCHEN & BAR (A UNIT OF URBAN GALA)	SHOP NO. 42, 43 & 44, FIRST FLOOR, THE INDIA MALL, COMMUNITY CENTRE, NEW FRIENDS COLONY, NEW DELHI - 110025, Delhi - 110035	SOUTH EAST	RESTAURANT	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 1300 Liters/Day (Source - Others), MCD License Status : Valid, Date of Commencement : 01-05-2018 (Existing), SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received and Online application point No. 17 not filled properly and also Effluent Analysis Rerport of OGT is not meeting the prescribed standards. Hardcopy of application for CTE received onj 03.07.2018 and Online application point No. 17 not filled properly and also Effluent Analysis Rerport of OGT is not meeting the prescribed standards. Decision by committee headed by MS, DPCC in category II(b), Date : 09-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 20.08.2018 but same was returned back undelivered with a remark of postman which is unclear. Recommended for inspection. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit details of Oil & Grease Trap cum Settling Tank along with photographs and schematic diagram. If found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued. As decided, letter was issued to the unit on 12.02.2019. Letter was returned undelivered. Letter dated 12.02.2019 was delivered personally on 30.05.2019.	Effluent analysis report dated 02-07-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - No.	27.12.2018 - Ask the unit to submit details of Oil & Grease Trap cum Settling Tank along with photographs and schematic diagram. If found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued.	Ask the unit to submit the details of OGT along with schematic diagram and photographs within 15 Days. If unit submits the same and found satisfactory, Consent to Establish granted otherwise CTE application refused.

217

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
33	21-06-2018	UNDERPASS CAFE BAR COURTYARD (A UNIT OF SPIFFY HOSPITALITY PVT.LTD.)	PLOT NO-1, DEFENCE COLONY, UNDER FLYOVER MARKET, Delhi - 110095	SOUTH	Restaurant	Orange / Operate	(1)ETP - Oil & Grease Trap cum Settling Tank (2)ECS - N/A (3)D.G.Set: 1, The unit has 1 D.G. Set(s) of 125 KVA. Status of Ground Water extraction : Nil Water consumption : 500 Liters/Day (Source - DJB) MCD License Status : Valid, Date of commencement : 21-12-2017 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received and capacity of OGT is small (inadequate) as mentioned in online application point No. 16 considering the seating capacity mentioned in the MCD License uploaded in the online application form. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 09-07-2018 Ask the unit to submit hard copy of consent applications along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. Unit submitted a representation on 03.10.2018 w.r.t Letter dated 24.08.2018 along with photograph of ETP and informed that dimensions of components ETP are written on the photograph. Unit submitted a representation on 03.10.2018 w.r.t Letter dated 24.08.2018 along with photograph of ETP and informed that dimensions of components ETP are written on the photograph but still proper information regarding ETP not provided. Recommended for inspection. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted. As decided, inspection of the unit was carried out on 20.02.2019 and following were observed: - During inspection unit found operational and engaged in the activity of Restaurant. - ETP installed and same found operational. - Two bins system provided as per MSW, Rules 2016 - Channelization system provided in kitchen with adequate stack height. - 1 D.G. set of 125 KVA installed with acoustic enclosure and adequate stack.	Effluent analysis report dated 15-05-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 08-06-2018 issued by DPCC submitted. No. of parameters analyzed within limit - Yes.	27.12.2018 - Inspection be conducted.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
34	19-05-2018	BARSHAL A (A UNIT OF INDOSPIRIT BARS PVT. LTD.)	FIRST FLOOR, O-17, LAJPAT NAGAR-II, DELHI-110024, Delhi - 110015	SOUTH EAST	Eating House (48 seats)	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 800 Liters/Day (Source - DJB) Date of Commencement : 19-02-2018 (Existing), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases. Date : 10-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited, Decision / Recommended under File Put up Administratively, Date : 09-01-2019: The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue reminder to submit hardcopy of application for Consent to Establish application along with required documents. If found satisfactory, Consent to Establish be granted. As decided, letter was issued to unit on 07.02.2019. Unit submitted reply on 15.02.2019 and informed that they have installed OGT and enclosed photograph of OGT, flow chart, valid MCD License and copy of online consent application in reference to column no. 17.	N/A	27.12.2018 - Issue reminder to submit hardcopy of application for Consent to Establish application along with required documents. If found satisfactory, Consent to Establish be granted.	Consent to Establish Granted.
35	18-05-2018	AMAR CHAND GUPTA FLOUR MILL	643/70 SAMMAN BAZAR, BHOGAL, Delhi - 110020	SOUTH EAST	Grinding of wheat	Green / Establish	(1)ETP /OGT: N/A, (2)ECS - N/A, (3)D.G.Set: N/A Water consumption : 0 ltr/day (As mentioned in application) Domestic effluent discharge- 0 ltr/day (As mentioned in application) Trade effluent discharge- 0 ltr/day (As mentioned in application) Status of Ground Water extraction : NIL Status of Inspection :NIL, SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Not uploaded valid SDMC factory license, and hard copy of consent application along with requisite documents is not yet received. Hard copy of consent application and requisite documents received on 23.05.2018. Not submitted valid SDMC factory license. Decision / Recommended under File Put up Administratively, Date : 19-06-2018 Issue letter to unit to submit SDMC factory license within 30 days and correct information in respect of plot area. As decided, Letter was issued to unit on 03.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 14.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to establish refused

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
36	16-05-2018	IMPERFE CTO (A UNIT OF BEL CIBO HOSPITALITY PVT. LTD.)	GROUND FLOOR, SECOND FLOOR SHOP NO. A-201 TO 232, B-204 TO 204D & AMP; AH-01, ANSAL PLAZA MALL, KHEL GAON,, Delhi - 110039	SOUTH	RESTAURANT	Orange / Operate	(1)ETP -Installed, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption -13000 litre per day (Source- Corporation), Trade Effluent Discharge - 11000 litre per day , Domestic Effluent Discharge - 600 litre per day Status of Inspection : Inspection of the unit was carried out by officials of DPCC on 27.06.2018 and following observations were made : - During inspection unit found operational and engaged in the activity of Restaurant with 198 seats. - ETP installed in the premises and same found functional. - Log book of ETP maintained, - Channelization system provided in the kitchen SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Details/ Dimensions of Effluent treatment plant not provided and also Effluent analysis report not meeting the prescribed standard. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 10-07-2018 Issue show cause notice for refusal of consent. As decided, show cause notice for refusal of consent was issued to unit on 14.11.2018 and reply is awaited. In the common compliant file w.r.t restaurants located in Ansal Plaza, a SCN was issued to unit M/s Belcibo but same was returned back undelivered. Hence, SCN was delivered by hand on 22.10.2018 and an inspection of the unit was carried out by the Officials/ Representatives of DPCC on 22.10.2018 and following observations were made-	Status of Test Report Effluent analysis report dated 27-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate Granted.


MS (DPCC)


SEE (CMC-II)



AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
	16-05-2018	IMPERFE CTO (A UNIT OF BEL CIBO HOSPITALITY PVT. LTD.)					-Unit found operational and engaged in the activity of Restaurant with seating capacity of 198 seats. -Unit has installed an Oil & Grease Trap of size 0.9mx0.6mx0.35m coupled with an Effluent Treatment Plant (ETP) & ETP found in septic condition and not functioning properly. -Logbook of ETP not provided at the time of inspection. -Channelization system provided in kitchen with adequate stack height. -Two Bins System deprived in kitchen for segregation of Solid Waste (Wet & Dry Solid Waste). As informed, dispose the same through SDMC. Unit submitted a representation on 29.10.2018 w.r.t SCN issued to M/s Belcibo and informed that they have already applied for CTE and CTO with the name of M/s IMPERFECTO (A UNIT OF BEL CIBO HOSPITALITY PVT. LTD.). SCN u/s 33(A) of Water Act maybe issued to unit based upon deficiencies observed during inspection on 22.10.2018. As decided, SCN was issued to unit on 17.11.2018. Unit submitted representations on 29.11.2018 & 06.12.2018 along with copy of CTE order, copy of MCD License, copy of Delhi Police License, and informed that they have submitted application for CTO and applied for Effluent Analysis Report which they will submit as soon as they will receive the report. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cuase Notice for Refusal of Consent. Unit submitted reply w.r.t the SCN dated 17.11.2018 on 06.12.2018 & 25.01.2019 along with copy of MCD & Delhi Police License, COpy of Effluent Analysis report, COpy of CTE and informed that they have rectified the problem with ETP plant, obtained effluent analysis report and rectified all the deficiencies.			

213


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
37	12-05-2018	ANNAPUR NA HOTEL	SHOP NO.-34, GROUND FLOOR, MARKET NO.-1, C.R. PARK, Delhi - 110052	SOUTH	EATING HOUSE	Orange / Establish	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 300 L/day (Source- Municipal) MCD Health licence status: Online Copy not visible Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 10-07-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 27.08.2018 and reply is still awaited. Decision / Recommended under File Put up Administratively Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cuase Notice for Refusal of Consent. as decided, SCN was issued to unit on 21.02.2019. As approved, another reminder notice was issued to unit on 29.03.2019. Unit submitted hard copy of the consent to establish application on 14.03.2019 and same found satisfactory.	N/A	27.12.2018 - Issue Show Cuase Notice for Refusal of Consent.	Consent to Establish Granted. Subsequently an inspection be conducted for further course of action.

212

MS
MS (DPCC)

MS
SES (CMC-II)

MS
AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
38	08-05-2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	SHOP H.S 11, KAILASH COLONY MARKET, Delhi - 110059	SOUTH	Restaurant (with Seating Capacity of 36 Seats)	Orange / Operate	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil Water Consumption : 500 Liters/Day (Source - DJB) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received and also Noise Monitoring Report of D.G. Set submitted online not meeting the prescribed standards. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 - Ask the unit to submit noise monitoring report of D.G. Set. If unit submits the same and found satisfactory, Consent to Operate be granted. As decided, a Letter was issued to unit on 29.08.2018 to submit details of OGT and fresh Noise monitoring report of D.G. Set. Unit submitted a representation on 08.10.2018 w.r.t Letter dated 29.08.2018 and informed that details of OGT and Noise Monitoring report already enclosed with the hardcopy of application for CTO but still not provided proper details of OGT and also not submitted Fresh Noise Monitoring Report of D.G. Set. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted. As decided, letter was issued to unit on 14.02.2019. Unit failed to submit any reply w.r.t the same. Unit submitted a reply on 03.06.2019, informed that unit have already applied for Noise Monitoring of their Genset on 23.04.2019 and enclosed the receipt of the same.	Effluent Analysis Report - Yes. Noise Monitoring Report - No.	27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted.	Consent to Operate granted with condition that the Unit shall submit the Noise monitoring report within 30 Days from issue of consent order .

211


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
39	08-05-2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	A-1, COMMERCIAL COMPLEX, DEFENCE COLONY, RING ROAD, Delhi - 110020	SOUTH	Restaurant (with Seating Capacity of 35 Seats)	Orange / Operate	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 45 KVA The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 26-04-2018 issued by DPCC submitted. Number of parameters analyzed which are within limit - No. Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO is yet to be received and also Noise Monitoring Report of D.G. Set submitted online not meeting the prescribed standards. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 - Ask the unit to submit noise monitoring report of D.G. Set. If unit submits the same and found satisfactory, Consent to Operate be granted. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted. As decided, letter was issued to unit on 14.02.2019. Unit submitted a reply on 26.04.2019 w.r.t. letter dated 14.02.2019 informing that they are unable to raise request for re-water testing and noise monitoring due to server/software problem. Unit submitted a reply on 03.06.2019, informed that unit have already applied for Noise Monitoring of their Genset on 23.04.2019 and enclosed the receipt of the same.	Noise Monitoring Report - No.	27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted.	Consent to Operate granted with condition that the Unit shall submit the Noise monitoring report within 30 Days from issue of consent order.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
10	05-05-2018	PHISO 16 (A UNIT OF WHITE COLLAR CAFE PRIVATE LIMITED)	16TH FLOOR, EROS CORPORATE TOWER, NEHRU PLACE, NEW DELHI - 110019, Delhi - 110039	SOUTH EAST	RESTAURANT	Orange / Establish	(1)ETP - Oil & Grease Trap cum Settling Tank Proposed, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 6000 Liters/Day (Source - Others), Date of Commencement : 01-12-2017, MCD License Status : Valid Status of Inspection : Nil, SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also inspection be conducted. As decided a Letter was issued to unit on 20.08.2018 which was returned back undelivered. The letter was delivered by hand and an inspection of the unit was carried out by Officials/ Representatives of DPCC on 11.10.2018 and following observations were made- -Unit found in operation and engaged in the activity of Eating House with 98 Seats. -No Oil & Grease Trap cum Settling Tank provided in kitchen for treatment of wastewater arising from kitchen and washing activity and waste water is being discharged without any treatment. -Channelization system not provided with Kitchen to channelize emissions generated from cooking activity. -Two Bins System not provided in kitchen for segregation of Wet & Dry Solid Waste. Unit has not submitted representation w.r.t Letter dated 20.08.2018 delivered by hand on 11.10.2018 and also not applied for CTO and not informed regarding installation of OGT cum Settling Tank., SCN for closure of unit maybe issued to unit. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent and Show cause notice u/s 33(A) of Water Act & u/s 31(A) of Air Act. As decided, SCN for refusal of consent was issued to unit on 31.01.2019. Unit failed to submit reply w.r.t. the SCN. Closure Directions were issued to unit on 12.03.2019. Unit submitted reply w.r.t the closure direction on 20.03.2019 and 18.04.2019 informing that they have closed the activity in compliance of closure direction. Unit was operating without CTO and not installed OGT. As approved on file, a letter has been issued to BSES, DJB and SDM asking for compliance report w.r.t. the closure directions on 07.05.2019. Letter issued to BSES, DJB and SDM asking for compliance report w.r.t. the closure directions returned undelivered.	N/A	11-07-2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Also inspection be conducted.	Consent to establish refused


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
41	30-04-2018	PREM SERVICE STATION	J. B. TITO MARG, OPP. COLLEGE OF NURSING, ANDREWS GANJ, Delhi - 110020	SOUTH	Filling Station cum Service Station of Cars.	Orange / Renewal	(1)ETP ---- ETP - Physiochemical, Oil and Grease Trap, Other ETP Name : ACF and DMF (2)ECS - N/A, (3)D.G. Set Noise Report : I Status of Ground Water extraction : Nil Water Consumption : 2500 Liters/Day (Source - DJB) MCD License status : Valid Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO(R) is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. Also inspection be conducted. As decided, an inspection of the unit was carried out by Representatives of DPCC on 29.08.2018 and following observations were made - -Unit found in operation and engaged in the activity of Petrol Pump cum Service Station. -Unit has installed an ETP which consist of Settling cum Reaction Tank, chemical Dosing Tank (3 no.s), Clear Water Tank, filter and Sludge Drying Bed and same is not functioning properly. -Logbook of ETP not shown at the time of inspection. -Dry sludge found stored in leak proof containers but no wet sludge observed at site. -Unit having one D.G. Set of 63 KVA with acoustic enclosure and adequate stack height. -Unit is not complying with the provisions of HWM Rules, 2016.	Effluent analysis report dt 03-04-2018 issued by DPCC submitted. Number of parameters analyzed within limit - Yes. The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dt 23-04-2018 by DPCC submitted. No of parameters analyzed within limit - Yes.	27.12.2018 - Issue Show Cause Notice for Refusal of Consent and Show cause notice u/s 33(A) of Water Act & u/s 31(A) of Air Act..	Consent to Operate (Renewal) Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
	30-04-2018	PREM SERVICE STATION					The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Show Cause Notice for Refusal of Consent and Show cause notice u/s 33(A) of Water Act & u/s 31(A) of Air Act.. As decided, SCN was issued to the unit on 21.02.2019. Unit submitted reply w.r.t the SCN on 07.03.2019 along with photographs of various components of ETP, records of Hazardous waste in form-3, COpy of log book of ETP, annual return of hazardous waste in form-4 and informed that ETP is now functional, logbook of ETP maintained, dry sludge maintained in leak proof container, D.G> set is with adequate stack height and complying with HWM Rules, 2016. An inspection of the unit was approved by MS on 27.03.2019. As per approval an inspection of the unit was carried out by representatives of DPCC on 14.05.2019 and following was observed: - Unit found in operation and engaged in the activity of Petrol Pump cum Service station. - Unit has installed an ETP and same found in operation. - Wet/dry sludge observed in sludge drying beds. - Log book of ETP maintained. - Unit having 1 D.G. set of 63 KVA capacity with acoustic enclosure and adequate stack height. - Unit is complying with the provisions of HWM Rules, 2016 and maintaining the records of hazardous waste in DPCC form -3.			


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
42	27-04-2018	UNDERPASS CAFE BAR COURTYARD (A UNIT OF SPIFFY HOSPITALITY PVT.LTD.)	PLOT NO-1, DEFENCE COLONY, UNDER FLYOVER MARKET, Delhi - 110095	SOUTH	Restaurant	Orange / Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 500 Liters/Day (Source - DJB), MCD License status : Valid, Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTE is yet to be received. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a query Letter was issued to unit on 24.08.2018 and reply is still awaited. Unit submitted a representation on 03.10.2018 w.r.t Letter dated 24.08.2018 along with photograph of ETP and informed that dimensions of components ETP are written on the photogr Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted. As decided, inspection of the unit was carried out on 20.02.2019 and following were observed: - During inspection unit found operational and engaged in the activity of Restaurant. - ETP installed and same found operational. - Two bins system provided as per MSW, Rules 2016 - Channelization system provided in kitchen with adequate stack height. - 1 D.G. set of 125 KVA installed with acoustic enclosure and adequate stack.	N/A	27.12.2018 - Inspection be conducted.	Consent to Establish Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last Committee Decision	Decision
43	12-02-2018	TATA STARBUCKS PVT. LTD.	M-11, G.F. G.K.-II, M-BLOCK MKT., Delhi - 110095	SOUTH	COFFEE HOUSE	Orange / Operate	(1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil, Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Inspection may be carried out. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 14-03-2018 - Inspection be conducted. Inspection of the unit was carried out by representatives of DPCC on 05.07.2018 and following were observed: 1. Unit found in operation and engaged in the activity of Coffee House with seating capacity of 38 seats. 2. Unit has installed an oil and grease trap cum settling tank size 0.45 m x 0.3 m x 0.15 m along with ETP. The ETP was filled with clear water and no sludge was observed in sludge drying bed and non operational. 3. Unit has installed a D.G Set of 125 KVA capacity with acoustic enclosure without stack. 4. Two bin system provided in Kitchen for Segregation of Wet/ Dry Solid Waste. As informed, dispose the same through SDMC. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 11-07-2018 - Issue show cause notice for refusal of consent, show cause notice u/s 33(A) of Air Act and u/s 31(A) of Air Act As decided, SCN was issued to unit on 06.08.2018. Unit submitted its representation on 20.08.2018 w.r.t above said SCN and informed that -Settling tank was filled with clear water as it was treated and sludge is being removed from sludge drying beds on regular basis so no sludge could be observed during inspection. -They have ordered for stack that will be installed with D.G. set of 125 KVA located at the roof top of building. Decision / Recommended under File Put up Administratively Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted. As decided, an inspection of the unit was carried out by representatives of DPCC on 15.05.2019 and following was observed: - Unit found in operation and engaged in the activity of Eating House with 49 seats. - Unit has installed an Oil and Grease Trap coupled with ETP and same found in operation. - Log book of ETP maintained. - Wet/dry sludge observed in sludge drying beds. - Unit having 1 D.G. set of 125 KVA capacity with acoustic enclosure and adequate stack height. - Two bins system provided in kitchen for segregation of Wet and Dry solid waste. As informed, dispose the same through SDMC.	Effluent Analysis Report issued by DPCC Laboratory dated 08.09.2017 submitted. Number of parameters analyzed which are within limit - Yes.	27.12.2018 - Inspection be conducted.	Consent to Operate Granted.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
44	07-05-2015	AL LAZEEZ	SHOP NO 22, GF, GURU NANAK MARKET, LAJPAT NAGAR PART-IV, Delhi - 110052	SOUTH	24 Seating Restaurant	Orange / Operate	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil, Water Consumption:- 1000 ltr/day (source- DJB, Bill enclosed) Remarks:- Unit is required to submit following documents:- (a) Copy of valid MCD license (unit has submitted only copy of receipt dated 13.04.2015 for renewal of MCD license). (b) Copy of valid Delhi Police License (unit has submitted only copy of receipt dated 20.01.2015 for renewal of Delhi Police License). (c) Undertaking, in prescribed format incorporate the information w.r.t. Oil & Grease Trap. (d) photographs of Oil & Grease Trap. Unit has submitted the reply on 13.05.2015 stating that:- 1. Unit found in operation and engaged in activity of restaurant with seating capacity of 24 seats without OGT installed. They have 24 seating cover of restaurant & as per the DPCC norms they have already ordered OGT and it will be installed within 2-3 working days. 2. They already applied for CTE & CTO (receipt enclosed). Unit request for 60 days time to complete all the prescribed formalities adhering to all norms mentioned as per DPCC. Categorization of orange category cases and decision taken in 2b category cases by the consent committee headed by MS, DPCC Date : 08-06-2015 Category of the cases as per office order- File be put up administratively. File is yet to be put up. As per remark of enquiry counter unit is required to submit the following documents: Copy of valid MCD license (unit has submitted only copy of receipt dated 13.04.2015 for renewal of MCD license), Copy of valid Delhi Police license (unit has submitted only copy of receipt dated 20.01.2015 for renewal of Delhi Police license), Undertaking in prescribed format incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 18-07-2016 - Ask the unit to submit fresh undertaking incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate granted. Letter regarding submission of fresh undertaking incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap is yet to be issued. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 06-09-2016 - Implement the decision dated 29.06.2016 and 18.07.2016. Letter issued but no reply received so far. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 -Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 15.02.2019. Unit submitted its representation on 14.03.2019 w.r.t the SCN dated 15.02.2019 stating that: • Unit has newly taken over Al Lazeez Restaurant on rent basis from last year. • Unit is under process of applying for CTE. • Unit have engaged vendor for installation and commissioning of Oil and Grease Trap. • Unit requests to withdraw the said SCN for refusal of consent.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Operate refused. Issue SCN u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of new unit namely AL LAZEEZ restaurant.


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
45	12.10.2017	CAFE COFFEE DAY	SHOP NO 1, 2 AND 3, CSC, NILGIRI MARKET, ALAKNANDA, NEW DELHI - 110019	SOUTH EAST	COFFEE SHOP.	Orange/Operate	(1)ETP ---- Oil and Grease Trap , (2)ECS - N/A, (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Nil, Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for Consent to Operate with required documents/test report/details of OGT cum Settling Tank yet to be provided by the unit. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-10-2017 - Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued. As decided, Letter was issued to unit on 13.11.2017 to to install adequate Oil & Grease Trap cum Setting Tank size for holding the effluent arising from kitchen & washing activities for at least four hours, provide details of Oil & Grease Trap cum Settling Tank along with photographs including size, dimensions, schematic diagram & capacity and also take rectification measures with your D.G. Set to meet the prescribed standards and thereafter submit a fresh Noise Monitoring Report from DPCC Laboratory and increase the stack height with D.G. Set upto 2m from acoustic enclosure of D.G within 15 Days but even after passage of almost 2 months, no reply has been received so far. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 08-02-2018 - Issue reminder. If unit submits the same and found satisfactory, Consent to Operate granted. Unit submitted a representation on 14.03.2018 w.r.t Letter dated 13.11.2018 along with photograph of Oil & Grease Trap cum Settling Tank and informed that they have installed a settling tank of size 01mx.6mx1m along with existing Oil & Grease Trap of size 20inchesx24inchesx20inches & they have applied for fresh Noise Monitoring Report of D.G. Set and they will submit the as soon as they receive it. Noise Monitoring Report is still awaited. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-05-2018 - Issue reminder. If unit submits the report and found in order, Consent to operate granted. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted. As decided on file, case maybe placed before committee for disposal of Consent. Unit submitted reply on 04.02.2019 w.r.t the letter issued to unit on 30.01.2019 wherein unit attached Noise Monitoring Report dated 08.09.2017 which is unsatisfactory. Unit submitted another representation on 03.06.2019 and informed that unit has already applied for noise monitoring twice but not received the report till date(enclosed the receipt).	Noise Monitoring report dated 08.09.2017 -not satisfactory.	27.12.2018 - Issue Reminder Letter to submit fresh Noise Monitoring Report of D.G. Set. If noise Monitoring Report found satisfactory, Consent to Operate granted.	Consent to Operate granted with condition that the Unit shall submit thefresh Noise monitoring report after taking rectification measures with DG.SET to meet the prescribed standards within 30 Days from issue of consent order .


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision
46	29.05.2018	RED MAPLE DELHI GUEST HOUSE		SOUTH	Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without	Orange/Establish	(1)ETP /OGT: N/A, (2)ECS - N/A (3)D.G.Set: N/A Water consumption : 0 ltr/day (As mentioned in application) Domestic effluent discharge- 0 ltr/day (As mentioned in application) Trade effluent discharge- 0 ltr/day (As mentioned in application) Status of Ground Water extraction : NIL, Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Unit has not uploaded MCD health license and also not submitted hard copy of the consent application with required documents. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 10-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Hardcopy of application for CTE received on 31.05.2018 but not submitted valid MCD License and also not applied for CTO. Hardcopy of application for CTE received on 31.05.2018 but not submitted valid MCD License , undertaking submitted along with hardcopy of CTE application is not as per the prescribed format and also not applied for CTO. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue reminder to submit valid MCD and hardcopy of Consent application.If unit submits the same and found satisfactory, Consent to Establish be granted. As decided, letter was issued to unit on 07.02.2019. No reply received from the unit.	N/A	27.12.2018 - Issue reminder to submit valid MCD and hardcopy of Consent application.If unit submits the same and found satisfactory, Consent to Establish be granted.	Consent to Establish refused. Issue SCN u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
47	02.08.2018	RADIO STATION (A UNIT OF FOODAHOLIC FACTORY PRIVATE LIMITED)	SECOND FLOOR, HS-6, KAILASH COLONY MARKET, GREATER KAILASH - I, NEW DELHI - 110048, NEW DELHI - 110048	SOUTH EAST	RESTAURANT	Orange/Establish	(1)ETP ---- Oil and Grease Trap(2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption : 2400 Liters/Day(Source - DIB) MCD License Status : Valid but unit has obtained it for 48 seats and second floor only while during inspection conducted on 19.07.2018, unit was found in operation at Second and Third Floor with 88 Seats. Recommended for inspection as per approval in file. As decided, on file another inspection of the unit was carried out by representatives of DPCC on 07.12.2018 & following observations:- -Unit found in operation and engaged in the activity of Eating House with 48 Seats as per the MCD License but actual seating capacity is 88 seats. -Unit has installed Oil & Grease Trap cum Settling Tank of size 0.65mx0.2mx0.25m and same is of small size as per seating capacity of the unit. -Channelization system provided with Kitchen with adequate stack height. -Unit has not increased the size of Oil & Grease Trap as stated in the representation dated 24.08.2018. -Two Bins System not provided in kitchen for segregation of Wet & Dry Solid Waste. The committee, for II(b) category cases, held by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and same was put up administratively by Cell In-Charge, CMC-II online on , that: Issue Show Cuase Notice for Refusal of Consent. As decided SCN for refusal of consent was issued to unit on 12.02.2019 and unit submitted a reply w.r.t the same stating that: - Unit have submitted applications for Consent to Establish & Consent to Operate online and paid fees on 02.08.2018 and 04.10.2018 respectively. - Unit have reduced the seating capacity of the restaurant up to 48 seats. - Unit have increased the size of Oil & Grease trap as per the seating capacity. - Unit have provided two bins system in the kitchen for segregation of Wet & Dry solid waste. - Unit have enclosed paid receipt of CTE & CTO applications, copy of SDMC License for Restaurant seat 48 and copy of SCN from DPCC. It is submitted that they have increased the size of Oil & Grease Trap as per seating capacity but they have not provided any photograph/ size of the same and also claim of the unit regarding reduction of the seating capacity is not reliable since, earlier representation dated 24.08.2018 w.r.t SCN dated 10.08.2018 has already been verified through inspection dated 07.12.2018 and a seating capacity of 88 seats was observed in last two inspections i.e. 07.12.2018 and 19.07.2018.	NA	27.12.2018 Issue Show Cuase Notice for Refusal of Consent.	Consent to Operate granted subsequently Inspection be conducted. .

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
48	06-07-18	AMARA HOTEL (A UNIT OF JVD HOSPITALITY)	C-30, HANS RAJ GUPTA MARG GREATER KAILASH, NEW DELHI-110048, Delhi - 110035	SOUTH	Guest House	Orange / Establish	(1)ETP/ OGT: details not provided. (2)ECS - N/A (3)D.G.Set: 82.5 KVA Water Consumption : 4820 ltr/day (Source: corporation) Trade effluent discharge: 3750 ltr/day. Domestic effluent discharge:1050 ltr/day Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Hard copy of CTE application not received so far. Fee Status Consent Fee Paid by unit till date : Rs.20500/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.20500/- Fee Status : Correct Fee Received Case was not taken up in CMC meeting	N/A		Ask the unit to submit the details of OGT along with schematic diagram and photographs within 15 days. If unit submits the same and found satisfactory, Consent to Establish be granted otherwise CTE refused.
49	20-08-18	NOT JUST PARANTH AS	M-84, GREATER KAILASH, PART-II, DELHI New Delhi	South	EATING HOUSE	Establish / Orange	Status of Pollution Control System (1) Oil & Grease Trap (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction :Nil Water Consumption : 2000 l/day Source of water supply: Municipal Authority A complaint was received from Sh. Amit Tandon, resident of GK-II regarding increasing pollution from restaurants running in South Delhi in respect of wastewater. Status of Inspection : Nil SCN u/s 31(A)/33(A) details : issued on 03.04.2018 Modified Directions u/s 31(A)/33(A) details : issued on 28.01.2019 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Unit submitted hard copy of Consent application on 30.08.2018 . Unit failed to submit reply w.r.t the Modified Directions dated 28.01.2019.	N/A		Consent to Establish refused subsequently inspection be conducted

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No.	Applicati on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category / Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision
50	08-02-18	unique chicken corner	14 COMMUNITY CENTRE NEW FRIENDS COLONY New Delhi	South	EATING HOUSE	Operate / Orange	Status of Pollution Control System (1)ETP - Oil & Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 380 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hardcopy of application for CTO along with required documents received on 11.06.2018. But not submitted photographs of OGT.	N/A		Ask the unit to submit the details of OGT along with schematic diagram and photographs within 15 days. If unit submits the same and found satisfactory, Consent to Establish be granted otherwise CTO refused.
51	09.08.2018	JASHNS INN	PLOT NO.50 (FIRST, SECOND & AMP; THIRD FLOOR), POCKET-II JASOLA VIHAR,, DELHI - 110025	SOUTH	Guest Houses (14 Rooms)	Orange/Establish	(1)ETP ---- Oil and Grease Trap, (2)ECS - N/A, (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Source of water : DJB Water Consumption :400 Litre/day Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Unit has not submitted MCD License and details of Oil and Grease trap. Date of commencement of production mentioned as 17.09.2016, but the unit has not applied for Consent to operate. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 14-09-2018 Ask the unit to submit details of Oil and Grease trap etc. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. As decided, a Letter was issued to unit on 25.10.2018 and reply is still awaited. The committee, for II(b) category cases, held by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and same was put up administratively by Cell In-Charge, CMC-II online on , that:"Issue Show Cause Notice for Refusal of Consent." As decided SCN for refusal of consent was issued to the unit on 12.02.2019. No reply received from the unit.	NA	27.12.2018 "Issue Show Cause Notice for Refusal of Consent."	Consent to Establish refused. Issue SCN u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No	Application Date	Industry Name	Industry Address	District	Activity as per Affidavit	Industry Category / Consent Type	Brief of the Case	Status of Test Report (NA/Meeting the Norms (Yes/No)	Last Committee Decision	Decision
1	6/1/2018	TATVA HOSPITALITY (REHAB CAFE)	30, SECOND FLOOR, REAR PORTION, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	RESTAURANT 48 SEATS	Orange/Operate	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical, Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil water consumption-4 kilo liters per day Trade Effluent:3 kilo liters per day Domestic Effluent:0.5 kilo liters per day Status of Inspection :yes on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 In view of Office Order, Inspection of the unit was carried out by the officials of DPCC/representatives and it was found that unit was not operating commercially. Month and year of commencement of production- 01.01.2017 Existing	Effluent analysis report dated 02-01-2018 issued by DPCC submitted. All parameters analyzed which are within limit-Yes		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.

197

2	22-12-2017	THE ROOST (A UNIT OF PILOT FISH FOOD PRIVATE LIMITED)	30, HAUZ KHAS VILLAGE, DELHI - 110016	South	Restaurant 48 Seats	Orange/Establish	Status of Pollution Control System (1)ETP -Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption-4 Kilo liter per day (MCD) Domestic Effluent- 0.5 Kilo liter per day Trade Effluent-3 Kilo liter per day Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	------------	---	---------------------------------------	-------	---------------------	------------------	--	-----	--	---

196

3	23-11-2017	THE TEA ROOM FROM BLOSSOM KOCHHAR	1, 2ND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House	Orange Operate	Status of Pollution Control System (1) Oil and Grease Trap (Dimension: 38x36x24, all dimensions in inches, photograph enclosed) (2) D.G. Set: Nil (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - Water Consumption: 200 litres/day (Source: Delhi Jal Board) Trade Effluent Discharge: 110 litres/day (Mode of disposal: Sewer) Domestic Effluent Discharge: 60 litres/day (Mode of disposal: Sewer) Status of Ground Water extraction: Nil Status of Inspection: 29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details: 10.04.2017 The unit was inspected on 29.03.2017. Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017 as the unit was operating without valid Consent and was not having Oil and Grease Trap. Unit submitted its representation on 20.04.2017 informing about the rectification measures being taken. Modified Directions u/s 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 were issued to the unit giving time of 15 days to rectify their deficiencies. Unit applied for Consent to Establish on 16.11.2017 and for Consent to Operate on 23.11.2017 for the activity of Eating House with a seating capacity of 10 seats. Unit has submitted photographs of Oil and Grease Trap but has not submitted fresh MCD License.	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	------------	-----------------------------------	---	-------	--------------	----------------	---	-----	--	--

195

4	23-11-2017	THE TEA ROOM FROM BLOSSOM KOCHHAR	1, 2ND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House	Orange /Esblish	Status of Pollution Control System (1) Oil and Grease Trap (Dimension: 38x36x24, all dimensions in inches, photograph enclosed) (2) D.G. Set: Nil (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - Water Consumption: 200 litres/day (Source: Delhi Jal Board) Trade Effluent Discharge: 110 litres/day (Mode of disposal: Sewer) Domestic Effluent Discharge: 60 litres/day (Mode of disposal: Sewer) Status of Ground Water extraction : Nil Status of Inspection : 29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details : 10.04.2017 Unit submitted its representation on 20.04.2017 informing about the rectification measures being taken. Modified Directions u/s 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 were issued to the unit giving time of 15 days to rectify their deficiencies. Unit applied for Consent to Establish on 16.11.2017 and for Consent to Operate on 23.11.2017 for the activity of Eating House with a seating capacity of 10 seats. Unit has submitted photographs of Oil and Grease Trap but has not submitted fresh MCD License.	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	------------	-----------------------------------	---	-------	--------------	-----------------	---	-----	--	---

394

5	13-10-2017	THE PINK ROOM (A UNIT OF B.S.H AND E PVT. LTD.)	29A, (S.F. AND T.F.), HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	EATING HOUSE.	Orange Renewal	Status of Pollution Control System Status of Ground Water extraction :Nil Status of Inspection :29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 The unit was inspected on 29.03.2017 it was observed that Common ETP was not in operation . Hence, the unit was issued Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act on 10.04.2017 and for revocation/cancellation/withdrawl of Consent under Air and Water Act. The unit was having consent valid upto 11.12.2018. Closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act were issued and the consent to the unit was refused on 21.07.2017 and the unit was sealed by SDM (Hauz Khas) on 23.09.2017. The unit has now submitted a representation along with Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 29.09.2017. The unit has applied for Consent to Operate(Renewal) on 06.10.2017. Unit submitted a representation on 18.10.2017 requesting for de-sealing of the unit. File is under submission.	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure..
---	------------	---	---	-------	---------------	----------------	--	-----	--	---

193

6	7/10/2017	VILLAGE BALCONY (A UNIT OF VILLAGE PEOPLE RESTAURANTS LLP	26, 1ST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating house	Orange operate	1) Oil and Grease Trap- Yes (3500 liter/day) (2) D.G. Set: ...N/A Water consumption -3000 Liters per day Trade Effluent- 1000 liters per day Domestic Effluent-400 l/day Status of Inspection :yes on 22.03.2017 SCN u/s 31(A)/33(A)/ details- yes 10.04.2017 Closure directions u/s 31(A)/33(A)/ details :21.07.2017 SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Operate on 07.10.2017 for the activity of EATING HOUSE of capacity of 48. Unit installed OGT but size/ dimension and photograph of OGT is not provide. Unit has not submitted Valid MCD license and not submitted Hard copy of Consent Application.	(A) Effluent analysis report dated 03-10- 2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	-----------	---	---	-------	--------------	-------------------	---	---	---

7	2/10/2017	WOODCHUCK (UNIT OF RASRUNI HOSPITALITY PVT LTD.)	26, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House (Seating Capacity 18 Persons)	Orange/op- erate	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption : 75 ltr/day (Source DJB) Month and Year of Commencement of Production :19-10-2016 Status of Ground Water extraction : NIL Status of inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	-----------	--	--	-------	---	---------------------	--	-----	--	--

191

8	2/10/2017	WOODCHUCK (UNIT OF RASRUNI HOSPITALITY PVT LTD.)	26, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House (Seating Capacity 18 Persons)	Orange Establish	Status of Pollution Control System (1)ETP --- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption : 75 ltr/day (Source DJB) Month and Year of Commencement of Production :19-10-2016 Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	-----------	--	--	-------	---	---------------------	--	-----	--	--

190

9	28-09-2017	NEW YORK SLICE (A UNIT OF B.M. CREATIONS PVT. LTD.)	50, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	EATING HOUSE.	Orange Renewal	Status of Pollution Control System (1) Oil and Grease Trap (yes) : 550 Litres/day (2) D.G. Set: Nil (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Water Consumption: 150 litres/day Trade Effluent Discharge : 50 litre/day (Mode of disposal : sewer) Status of Inspection : 24.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details : 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : 21.07.2017 The unit has now submitted a representation along with Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 28.09.2017 and applied for Consent to Operate (Renewal) on 28.09.2017 with a seating capacity of 10 seats. Unit has MCD License valid upto 31.03.2018. It is recommended that CTO may be granted after the unit submits details of Oil & Grease Trap.	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
---	------------	---	---	-------	---------------	----------------	--	-----	--	--

MS

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

10	23-09-2017	BULL DOGS (UNIT OF S AND A HOSPITALITY)	T-6B, SECOND AND THIRD FLOOR, HAUZ KHAS VILLAGE, DELHI - 110016	south	Eating House	Orange Establish	Oil and Grease Trap: 550 litres/day(Dimension not provided) Water Consumption:1200 litres/day(Source: DJB) Trade Effluent Discharge:500 litres/day (Mode of disposal: sewer) Domestic Effluent Discharge:560 litres/day (Mode of disposal: sewer) Status of Inspection :31.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 The The unit now submitted Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 25.09.2017 along with a representation requesting for desealing so that they can apply for CTO . The unit has applied for Consent to Establish under Air and Water Act on 23.09.2017 for the activity of Eating House with a seating capacity of 48 seats. Unit has submitted another letter on 28.09.2017, stated that they have Consent in the name of M/s thirty Nine Restaurant and Bar and have valid Consent upto 29.10.2018. 'The unit has also filed a writ petition in Honble High Court of Delhi. The Honble High Court of Delhi vide its order dated 10.10.2017, directed DPCC that an opportunity of hearing may be granted to the petitioners . Accordingly, an opportunity of hearing was granted to the unit on 17.10.2017, wherein the unit requested for the desealing of their premises, taking a plea that they have submitted all required documents to DPCC in terms of DPCC Office Order dated 02.08.2017 and Stated that they will not run the business without obtaining fresh CTE/CTO.	N/A		Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	---	-------	--------------	---------------------	---	-----	--	--

11	18-09-2018	MADHURUM SWAD PRIVATE LIMITED	GROUND FLOOR, FIRST FLOOR, SECOND FLOOR, R-11, GREEN PARK MAIN, Delhi - 110064	South	Restaurant	Orange/Operate	1) Oil and Grease Trap : 5000 ltr/day as mentioned in consent application. (2) ECS - N/A (3) D.G. Set : 82.5 KVA Status of Ground Water extraction : NIL Water consumption : 7000 ltr/day (Source: municipal corporation) Domestic waste : 2000 ltr/day Trade effluent discharge: 4500 ltr/day Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Hard copy of CTO application not received. Consent Fee Paid by unit till date : Rs.20000/- Fee Status : Correct Fee Received	Effluent analysis report dated 12-09-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 13-09-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Case was not taken up in CMC meeting	CTO be granted.
12	13-09-2018	URBAN DRIFT	GROUND FLOOR SHOP NO. 26, HAUZ KHAS VILLAGE, HAUZ KHAS, DELHI - 110016, Delhi - 110033	South	Eating House	Orange/Operate	(1) Oil and Grease Trap: 220 ltr/day as mentioned in consent application. (2) ECS - N/A (3) D.G. Set: ...N/A... Water Consumption : 180 ltr/day (Source: corporation) Trade effluent discharge: 180 ltr/day. Month and Year of Commencement of Production: 10-09-2018 MCD license attached. Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Hard copy of CTO application along MCD license submitted on 17.09.2018. Consent Fee Paid by unit till date : Rs.5000/- Inspection of the unit has been carried out on 01.05.2019 and unit found closed and no authorised person was available to sign the report	Domestic effluent discharge: details not provided.	27.12.2018:: Inspection may be carried out thereafter put up administratively.-	Application be made infructuous.

MS

SEE (CMC-II)

AEE (CMC-II)

187

13	09.11.2018	PRIVATE AFFAIR HOSPITALITY	C-7 GREATER KAILASH PART - 1, Delhi - 110044	South	Guest House	Orange/Op erate	(1)ETP/OGT : Details not provided (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption : Details not provided Status of Ground Water extraction : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Unit having DG set but report not enclosed. Unit has also not enclosed effluent analysis report. Based on earlier deficiencies observed during inspection, SCN was issued to unit on 01.08.2018. Hard copy of CTO application has been recieved on 16.11.2018 Inspection of the unit has been carried out on 30.04.2019 and unit found operational and unit installed an ETP and same found in operational condition but not being operated as no sludge observed in sludge drying bed and some clean water filled in clear water tank. Channelization system provided in kitchen with adequate stack height.	Trade effluent discharge:Details not provided Domestic effluent discharge: Details not provided	27.12.2018 - Expedite Inspection.	CTO be granted.
14	09.11.2018	KARIMS MUGHLAI RESTAURANT	A-22, GREEN PARK MAIN,, Delhi - 110095	South	Eating House	Orange / Establish	(1)ETP --- Oil and Grease Trap:50 ltr as mentioned in consent application (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption :200 ltr/day (Source: others) Status of Ground Water extraction :NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL. Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL. Consent Fee Paid by unit till date : Rs.2050/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.2050/- Unit has not submitted its reply w.r.t letter dated 25.10.2018 regarding submission of hardcopy.	Trade effluent discharge: details not provided Domestic effluent discharge: details not provided	27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory,Consent to Establish Granted.	Due letter to the unit to inform the date of establishment along with required documents within 15 days, If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.

15	31.08.2018	CAPITOL HILLS HOTELS AND RESORTS	GROUND FLOOR, FIRST FLOOR, SECOND FLOOR C-42, GREATER KAILASH PART NO. 1, DELHI-110048, DELHI - 110048	SOUTH	Guest House	Orange / Operate	(1)ETP --- Oil and Grease Trap: 850 ltr/day as mentioned in CTE application: (2)ECS - N/A (3)D.G.Set: 82.5 KVA Water Consumption :2500 ltr/day (Source: corporation) Trade effluent discharge: 500 ltr/day. Domestic effluent discharge:1600 ltr/day Status of Ground Water extraction : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Inspection of the unit was carried out by officials of DPCC on 07.06.2018 SCN was issued to unit on 01.08.2018. - Unit submitted reply on 08.08.2018 and stated that: - they have installed OGT cum Settling tank. They have applied for CTE on 02.08.2018. - They are in process of Applying of CTO. Also inspection has been approved in file to check facts provided by unit in its reply w.r.t SCN. Inspection yet to be conducted. Consent Fee Paid by unit till date : Rs.15325.52/- - Inspection of the unit has been conducted on 16.05.2019, unit is having an OGT of size (0.4m x 0.15m x 0.3m) but same was not found cleaned and possassing extream septic condition. -Channelization system not provided in kitchen. two bin system not provided for solid waste. -Unit is having one D.G set of 82.5 KVA with stack height 0.6m which is inadequate.	Effluent analysis report dated 14-08-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. number of parameters analyzed which are within limit : Yes.	27.12.2018 - Expedite inspection.	Issue SCN for deficiencies observed during inspection.
----	------------	----------------------------------	--	-------	-------------	------------------	--	--	-----------------------------------	--

105

16	29-08-2018	UTILITY FORMS PVT. LTD..	A-23/B-1, MOHAN CO- OPERATIVE INDUSTRIAL ESTATE, Delhi - 1100335	SOUTH EAST	OFFSET PRINTING AND COMPUTER STATIONERIES.	Orange/op erate (Renewal)	(1)ETP --- Other ETP Name :3500 ETP: ltr/day as mentioned in Consent application. (2)ECS - N/A (3)D.G.Set : 500 KVA Water Consumption : 3220ltr/day (Source: others) Trade effluent discharge: 1500 ltr/day. Domestic effluent discharge: 1720 ltr/day Status of Ground Water extraction : Nil SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Effluent analysis report dated 04-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - No. Inspection of the unit was carried out by DPCC officials on 10.09.2018 and following observations were made: - Unit found operational and enegaged in the activity of offset printing and computer stationery. - Unit has installed ETP and same found operational. - Log book of ETP maintained. - Unit is complying with provisions of HWM rules, 2016. Hard copy of CTO (R) not received so far. Unit already submitted all required documents and Effluent analysis report dated 04.12.2018 isusued by DPCC submitted on 19.12.2018 and the test report is meeting with the prescribed limit.	Effluent analysis report dated 04.12.2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 06-06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 -Issue SCN for refusal of Consent & Closure u/s 33 (A) of Water Acts.	CTO R be granted.
----	------------	--------------------------------	---	---------------	---	---------------------------------	--	--	--	-------------------

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

17	21-08-2018	HALDIRAM MARKETING PVT. LTD.	B-1/F-10, MOHAN CO- OPERATIVE INDUSTRIAL ESTATE, MATHURA ROAD, NEW DELHI- 110044, Delhi - 110015	SOUTH EAST	catering service (manufacturing of sweets and namkeens)	Orange/Est ablish	(1)ETP ---- ETP - Bio-logical : 100000 ltr/day as mentioned in consent application. (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption :110000 ltr/day (Source: corporation) Trade effluent discharge: 90000ltr/day. Domestic effluent discharge:10000 ltr/day Hard copy of CTE application received on 05.09.2018.. Unit has submitted application for Consent to Establish under Orange category on 21.08.2018 for the activity of catering service (manufacturing of sweets and namkeens). Proposed date of Commissioning of the activity: Aug, 2018 Water Consumption: 110 KLD and its source: outsource (Tankers) Trade effluent discharge: 90 KLD Domestic effluent: 10 KLD Unit has not submitted copy of MCD License, police health License and Fire safety License. Inspection of the unit has been conducted on 02.01.2019 and unit found operational and unit has installed ETP consisting holding tank, OGT, Dosing tank, Settling tank, aeration tank (2no.s) , Tube settler (2no.s) and Filter press The unit has installed PNG fired boiler for steam. Unit provided the details of STP (diameter) and unit is having an agreement with an authorised person of SDMC for disposal of MSW.	N/A	The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Expedite inspection as decided in file.	CTE be granted.
----	------------	------------------------------------	---	---------------	---	----------------------	--	-----	---	-----------------

182

18	29.05.2018	MADHUBAN INN	B-71, GREATER KAILASH-I, NEW DELHI, Delhi - 110018	South	Guest House	Orange / Operate	(1)ETP ---- ETP - Physiochemical: 7500 ltr/day as mentioned in CTO application. (2)ECS - N/A (3)D.G.Set :125 KVA and 125 KVA Water Consumption :10000 ltr/day (Source: corporation) Trade effluent discharge: 7500 ltr/day. Domestic effluent discharge:1800 ltr/day Inspection of the unit was carried out on 07.06.2018 and following observations were made: - During inspection unit found operational and engaged in the activity of hotel/guest house with 40 rooms. - unit has installed ETP and found not operating regularly. - log book of ETP not maintained. SCN was issued to unit on 01.08.2018. Unit submitted its reply on 16.08.2018 and stated that: -They have applied for CTO. - That unit has maintained the logbook of ETP and the plant is regularly functioning. -As per the decision inspection of the unit has been carried out on 30.04.2019 and unit found operational and unit installed ETP, found in septic condition, not functioning properly, clear water tank was filled with water and grease floating at the top. No wet sludge observed and only some dry sludge observed in sludge drying bed. Logbook of ETP maintained. Unit having two D.G. set of 125 KVA capacity with acoustic enclosure and adequate stack height. Channelization system provided in kitchen with adequate stack height.	Effluent analysis report dated 08-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit : Yes. -The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 06-06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. All parameters analyzed which are within limit: Yes.	27.12.2018 - Expedite inspection.	Issue SCN for deficiencies observed during inspection.
----	------------	-----------------	---	-------	-------------	---------------------	--	---	-----------------------------------	--

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

189

19	5/6/2018	CENTRE FOR NATIONAL DEVELOPMENT INITIATIVE	PLOT NO: 3, RATIA MARG, SANGAM VIHAR, NEW DELHI - 110062, Delhi - 110033	South	CATERING	Orange/Establish	(1)ETP/ OGT ---- N/A (as discharge is showing N/A in application) (2)ECS - N/A (3)D.G.Set: ...N/A... Month and Year of Commencement of Production : 06-06-2018 (Proposed) Status of Ground Water extraction :NIL Water Consumption:35 ltr/day (Source: Others) as mentioned in consent application. Trade Effluent Discharge:N/A as mentioned in consent application. Domestic Effluent Discharge:N/A as mentioned in consent application. Unit has neither attached undertaking along with application nor submitted hard copy of undertaking. Unit has not submitted MCD license. Consent Fee Paid by unit till date : Rs.2000/- Letter was issued to unit 21.08.2018 to submit conformity proof w.r.t MPD-2021. Letter leaflet was return back 17.09.2018 with remark no such address, letter may be delivered by hand. -Inspection yet to be conducted.	Effluent analysis report dated 08-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit : Yes.	27.12.2018 - Inspection may be carried out.	To carry out inspection.
----	----------	--	--	-------	----------	------------------	--	---	---	--------------------------

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

29	1/6/2018	DOLLY FARMS AND RESORTS PVT. LTD	439,VILLAGE SHAHOORPUR, FATEHPUR BERI, Delhi - 110041	South	EATING HOUSE	Orange / Operate	(1) Oil and Grease Trap- Installed and photographs submitted (4000 ltr/day as mentioned in Consent application), but details dimension of OGT not provided. (2) ECS - N/A (3) D.G. Set: 125 KVA as mentioned in undertaking submitted by unit but noise monitoring report not submitted. Water Consumption 3000 (Source: Others) Domestic effluent : 500ltr/day Trade effluent : 2300ltr/day Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL As approved in meeting of CTE application, inspection of the unit was carried out by officials of DPCC on 15.10.2018 and it was observed that - During inspection unit found operational and engaged in the activity of Hotel, Restaurant and lawns. - Unit has installed OGT and are in process of installing common STP for all the three units. - As informed the STP shall be set up in one month. As approved in file modified Direction was issued to unit on 05.11.2018 giving 30 days time for installation of STP. Unit submitted its reply w.r.t to SCN and stated that STP already installed and logbook of STP to be maintained properly. - As per the decision, inspection of the unit was conducted on 01.05.2019 and unit found not operational. Unit has installed OGT cum settling tank of Eating House same found in functional condition, STP not being operated since unit is not commercially operational. Channelization system provided in Kitchen with adequate stack height.	Effluent analysis report dated 22-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -	27.12.2018 - Expedite inspection.	CTO be granted. Surprise inspection be conducted subsequently within 15 days.
----	----------	----------------------------------	---	-------	--------------	------------------	---	---	-----------------------------------	---

24	17-05-2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PVR, ANUPAM SAKET, COMMUNITY CENTER, ASHOK VIHAR, SAKET, Delhi - 110033	South	Restaurant	Orange/Establish	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set - 45 KVA Status of Ground Water extraction : Nil Water Consumption -500 litre per day (Source- Corporation) Trade Effluent Discharge - 450 litre per day Domestic Effluent Discharge - 50 litre per day Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL. Consent Fee Paid by unit till date : Rs.150000/ Unit submitted hard copy of Consent application but effluent test report submitted by the unit which was issued by DPCC on 04.04.2018 not meeting the prescribed limit. Unit may asked to submit fresh effluent test report. - As per the decision, a SCN for refusal of Consent & Closure u/s 33 (A) of Water Act has been issued on 03.05.2019. A reply has been recieved on 16.05.2019 stating that, earlier old software was not working and they could not apply on new software for re-testing and now the old software is working and they have requested for re-testing on dated 23.04.2019, with receipt no. 930941	Effluent analysis report dated 04-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - No . All parameters analyzed which are not within limit. -The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 17-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	27.12.2018 -Issue SCN for refusal of Consent & Closure u/s 33 (A) of Water Acts	Unit has submitted fees for water testing if unit submits the report and found satisfactory CTE may be granted.
----	------------	---	---	-------	------------	------------------	---	--	---	---

180

21	3/3/2018	MAFIOSO (A UNIT OF RKC ENTERTAINMENT & HOSPITALITY)	28, SECOND FLOOR, HAUZ KHAS VILLAGE, Delhi - 110005	South	Restaurant	Orange / Operate	(1)ETP - No Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC. Noise monitoring report within Limit - Yes. Number of parameters analyzed are within limit - Yes Status of Ground Water extraction : Water Consumption - (Total - 2000 Liters/Day) Domestic Purpose - 500 Liters/Day Industrial cooling or boiler feeds - 1500 Liters/Day (Source- Municipal Authority) Trade Effluent Discharge - 1500 Liters/Day Domestic Effluent Discharge - 200 Liters/Day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Unit has submitted the hard copy of Consent application on 17.04.2018 along with requisite documents. -Consent Fee Paid by unit till date : Rs.15000/- As per the decision, inspection of the unit has been conducted on 01.05.2019 and unit found closed, premises found locked, restaurant shut for revocation. - No authorized person available to sign the report	Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes -The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC on 09.01.2018 . Noise monitoring report within Limit - Yes.	27.12.2018 - Inspection may be carried out to Check the current status of the unit and thereafter put up administratively.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent be refused along with SCN for closure.
----	----------	---	---	-------	------------	------------------	--	---	---	--

Am

MS(DPCC)

Am
SEE (CMC-II)

Am

AEE (CMC-II)

23	11.12.2017	JUNCTION (A UNIT OF TEWARI CAFE PVT. LTD.)	SHOP NO- 3,4,5,6,7,8,9 AND 10, G.F., CSC COMPLEX, HAUZ KHAS, Delhi - 110020	South	RESTAURANT CUM BAR	Orange / Operate	Water consumption:4000 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP -Installed (Oil and Grease Trap) (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Remarks/Recommendation -Unit has submitted hard copy of CTO application. -CTO may be granted to the unit. Fee Status Consent Fee Paid by unit till date : Rs.10000/- On behalf of an public complaint, inspection of the unit was conducted and deficiencies observed. SCN was issued on 09.04.2018 for rectification of deficiencies. No reply received from any agency, and unit not applied for revocation till date, however unit applied for CTO,	1. Effluent analysis report: (a) Effluent analysis report dated 08-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	08-02-2018 :: Case deferred.	Refuse the consent application and issue notice for closure.
----	------------	--	---	-------	--------------------	------------------	---	---	------------------------------	--

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

178

281	30-10-2017	RABBIT HOLE (A UNIT OF ROYALTY HOTELS PVT LTD)	THIRD FLOOR, FORTH FLOOR, 30 HAUZ KHAS VILLAGE, Delhi - 110035	South	RESTAURANT 48 SEATS	Orange / Operate	(1) ETP - Physiochemical (yes) (b) Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit (3) D.G. Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 4 kilo litres/day (Source: DJB) Trade effluent discharge: 3 kilo litres/day (Mode of disposal-sewer) Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has applied for Consent to Operate on 30.10.2017 for the activity of restaurants with 48 seats. Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit. Unit has submitted valid MCD License. It is recommended that CTO may be granted to the unit. Fee Status: Consent Fee Paid by unit till date : Rs.20000/-	Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit	06-12-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
-----	------------	---	--	-------	---------------------	------------------	---	--	--	--

Am

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

977

25	10/27/2017	THE UNPLUGGED (A UNIT OF JUTEBOX CAFE PVT. LTD.)	1-A, HAUS KHAS VILLAGE NEW DELHI, Delhi - 110092	South	RESTAURANT	Orange / Establish	(1) Oil and Grease Trap: 2000 litres/day (Dimension not provided) Water Consumption: 3000 litres/day (Source: Municipal Corporation) Trade Effluent Discharge: 1900 litres/day. (Mode of disposal: sewer) Domestic Effluent Discharge: 800 litres/day (3) D.G. Set: Nil Status of Ground Water extraction : Nil status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Month and year of commencement : 02.12.2016 Unit has applied for Consent to Establish on 27.10.2017 for the activity of RESTAURANT with a seating capacity of 41 seats. Unit has MCD License valid upto 31.03.2018 It is recommended that CTE may be granted to the unit after unit submits details of Oil & Grease Trap. Fee Status Consent Fee Paid by unit till date : Rs.1550/-	N/A	06-12-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	--	-------	------------	-----------------------	---	-----	--	--

Ar2

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

176

25	12.10.2017	CAFE COFFEE DAY	E-29, HAUZ KHAS MAIN MARKET, Delhi - 110028	South	Cafe And Restaurant	Orange/Operate	(1) Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A 45 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of Commencement of Production-19.09.2013 Existing Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Effluent and Noise monitoring Report issued by DPCC are under Prescribed Limit. Unit not Submitted hard Copy of Consent To Operate with requisite documents. Fee Status Consent Fee Paid by unit till date : Rs.15000/-	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-10-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	-----------------	---	-------	---------------------	----------------	--	--	---	---

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

27	4/10/2017	JUNCTION (A UNIT OF TEWARI CAFE PVT. LTD.)	SHOP NO- 3,4,5,6,7,8,9 AND 10, G.F., CSC COMPLEX, HAUZ KHAS, Delhi - 110039	South	RESTAURANT CUM BAR.	Orange / Establish	(1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Remarks/Recommendation -Consent to Establish may be granted. Fee Status Consent Fee Paid by unit till date : Rs.4150/- On behalf of an public complaint, inspection of the unit was conducted and deficiencies observed. SCN was issued on 09.04.2018 for rectification of deficiencies. No reply received from any agency, and unit not applied for revocation till date, however unit applied for CTE.	yes	13-10-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Refuse the consent application and issue notice for closure.
28	20-09-2017	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI, Delhi - 110040	South	Eating House	Orange / Operate	(1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and year of Comensenment -of production- 01.09.2017 Unit applied for CTO on 20.09.2017 for the activity ofm Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.5000/-	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.

28	19-09-2017	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI, Delhi - 110085	South	Eating House	Orange/Establish	1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and Year of Commencement of production-01.09.2017 Unit applied for CTE on 19.09.2017 for the activity of Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.500/-	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
29	19-09-2017	YUMMY KITCHEN TEA AND SNACKS	34A, GROUND FLOOR, HAUZ KHAS VILLAGE, Delhi - 110040	South	Bakery, Snacks and Confectionery Items (Take Away)	Orange/Establish	(1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and year of Comensment -of production- 01.09.2017 Unit applied for CTO on 20.09.2017 for the activity ofm Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.5000/-	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.

SEE (CMC-II)

AEE (CMC-II)

173

39	16-09-2017	VILLAGE BALCONY (A UNIT OF VILLAGE PEOPLE RESTAURANTS LLP)	26, 1ST FLOOR, HAUZ KHAS VILLAGE, Delhi - 110014	South	EATING HOUSE	Orange/Establish	1) Oil and Grease Trap- Yes (3500 liter/day) (2) D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -3000 Liters per day Trade Effluent- 1000 litersv per day Domestic Effluent-400 l/day Status of Inspection :yes on 22.03.2017 SCN u/s 31(A)/33(A)/ details- yes 10.04.2017 Closure directions u/s 31(A)/33(A)/ details :21.07.2017 Month and year of commencement of production- 09.10.2015 An inspection was carried out on 22.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 16.09.2017 for the activity of EATING HOUSE of capacity of 48. Unit installed OGT but size/ dimension and photograph of OGT is not provide. Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. 22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	--	-------	--------------	------------------	---	-----	--	--

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

172

32	8/9/2017	RABBIT HOLE (A UNIT OF ROYALTY HOTELS PVT LTD)	THIRD FLOOR, FORTH FLOOR 30 HAUZ KHAS VILLAGE, Delhi - 110039	South	RESTAURANT 48 SEATS	Orange / Establish	(1) ETP - Physiochemical (yes) (b) Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit (3) D.G. Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 4 kilo litres/day (Source: DJB) Trade effluent discharge: 3 kilo litres/day (Mode of disposal-sewer) Status of inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Unit has applied for Consent to Operate on 30.10.2017 for the activity of restaurants with 48 seats. Unit has submitted valid MCD License. It is recommended that CTO may be granted to the unit. Fee Status Consent Fee Paid by unit till date : Rs.20000/-	Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit.	20-09-2017 :: Ask the unit to submit hardcopy of consent application along with requisite documents including proof of conformity of the unit and details of pollution control devices.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	----------	--	---	-------	---------------------	--------------------	---	---	---	--

171

32	7/9/2017	WAI WAI CITY (A UNIT OF CG SPECIALITY RESTAURANTS PVT. LTD)	GROUND FLOOR 29, G.F. MIDDLE PORTION, KHASR KHASRA NO. 624/278 HAUZ KHAS VILLAGE DELHI 110016, Delhi - 110095	South	Restaurants with 18 covers	Orange / Establish	(1) Oil and Grease Trap- Yes (mentioned in Application Form) (2) ETP- Yes (mentioned in Application Form) (3) D.G. Set: N/A Status of Ground Water extraction : Nil water consumption-Not provided Trade Effluent: Not provided Domestic Effluent: Not provided Status of Inspection :yes on 27.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 Month and year of commencement of production- 19.09.2016 An inspection was carried out on 27.3.2017 And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 07.09.2017 for the activity of Restaurants with 18 covers. Unit has not informed about quantum of water Consumption and its source. Reply recieved on 12.11.2018 along with ECS and undertaking, Desealing issued to the unit on 03.01.2019.	N/A	20-09-2017 :: Ask the unit to submit hardcopy of consent application along with requisite documents	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	----------	---	--	-------	-------------------------------	-----------------------	--	-----	---	--

170

33	22-08-2017	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8- A GF HAUZ KHAS VILLAGE, Delhi - 110064	South	RESTAURANT 30 SEATS	Orange / Operate	(1) Oil and Grease Trap- Yes 1500 l/day (24x 18x16) inch (2) D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A) details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Application for CTO submitted on -22.08.2017 An inspection was carried out on 24.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTO under Air & Water Act be Granted and Closure direction be made infectious. Consent Fee Paid by unit till date : Rs.20000/-	N/A	20-09-2017 :: Consent to Operate granted. Directions for closure be made infructuous in view of office order dated 02.08.2017.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	---	-------	------------------------	---------------------	--	-----	---	--

35	20-08-2017	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8- A GF HAUZ KHAS VILLAGE, Delhi - 110040	South	RESTAURANT 30 SEATS	Orange / Establish	(1) Oil and Grease Trap- Yes 1500 l/day (24x16x18) inch (2) D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A) details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Application of Consent To Establish Submitted on - 20.08.2017 An inspection was carried out on 24.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTE under Air & Water Act be Granted and Closure direction be made infectious. Consent Fee Paid by unit till date : Rs.12500/-	N/A	20-09-2017 :: Consent to Establish granted.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	---	-------	------------------------	-----------------------	--	-----	---	---

168

35	18-08-2017	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & AMP; 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE, Delhi - 110005	South	EATING HOUSE	Orange / Operate	(1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2) ECS - N/A (3) D.G. Set: 62.5 KVA (proposed) (a) Noise monitoring report of DG Set - N/A Status of Ground Water extraction : Nil Water consumption : 3000 litres/day Trade effluent - 1000 litres/day Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. And unit applied for CTO on 18.08.2017 for the activity of Eating House and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license. Consent Fee Paid by unit till date : Rs.15000/-	(a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-09-2017 :: Ask the unit to submit details and photographs of OGT cum settling tank and also submit valid MCD license.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---	--	-------	--------------	------------------	--	---	--	--

167

37	18-08-2017	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & 50D FF, HAUZ KHAS VILLAGE, Delhi - 110040	South	EATING HOUSE	Orange/Op erate	Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2) ECS - N/A (3) D.G. Set: 62.5 KVA (proposed) Status of Ground Water extraction : Nil Water consumption : 3000 litres/day Trade effluent - 1000 litres/day Status of Inspection : Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Unit applied for Consent to Operate on 18.08.2017 for the activity of Eating House with a seating capacity of 48 seat and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license. Fee Status-Consent Fee Paid by unit till date : Rs.15000/-	(A) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-09-2017 :: Ask the unit to submit details and photographs of OGT cum settling tank and also submit valid MCD license.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---	---	-------	--------------	--------------------	---	---	--	--

Am

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

38	18-08-2017	WELCOME POINT	33 GF HAUZ KHAS VILLAGE, Delhi - 110064	South	Eating House (Take Away)	Orange / Operate	(1)Oil and Grease Trap- Yes (32x16x12)inches a) Effluent analysis report dated - N/A - issued by - N/A - submitted. 2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption: 70 Liter per Day. Source:DJB Trade Effluent:70Liter per day Status of Inspection : 30.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 An inspection was carried out on 30.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit submitted its reply on 02.08.2017 along with Hard copy of Consent to Operate application for the activity of Eating House (Take Away) and Environmental Compensation Security of Rupees Two lakh only (Rs. 2,00,000/-) along with undertaking and also provide Size /Dimension and photo graph of OGT i.e ((32x16x12)inches. It is recommended that Consent To Establish and Consent To Establish under Air & Water Act may be Granted and Closure Direction be made infectious. Fee Status-Consent Fee Paid by unit till date : Rs.5000/-	N/A	20-09-2017 :: Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---------------	---	-------	--------------------------	------------------	---	-----	---	--

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

185

39	09.09.2018	WELCOME POINT	50-D, GF, HAUZ KHAS VILLAGE, Delhi - 110005	South	Eating House (Take Away)	Orange / Operate	(1) Oil and Grease Trap- Yes (18x18x14 inch) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G. Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent: Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A The Case of Consent to Establish of the unit was placed before CMC- II (b) meeting held on 10.08.2017 and it is decided that : Inspection be Conducted. As inspection has not been conducted yet. It is recommended that Consent to operate may be decided after carrying out inspection of the unit. Fee Status Consent Fee Paid by unit till date : Rs.5000/-	Yes	20-09-2017 :: Expedite inspection.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---------------	---	-------	--------------------------	------------------	--	-----	------------------------------------	--

Am

SEE (CMC-II)

[Signature]

AEE (CMC-II)

10	3/8/2017	LEVELS (A UNIT OF ELTERNITY ENTERTAINME NT & AMP; HOSPITALITY PVT. LTD.)	30, 3RD & AMP; 4TH FLOOR HAUZ KHAS VILLAGE, NEW DELHI, Delhi - 110085	South	Eating House	Orange / Establish	(1)ETP -Common ETP of 40 KLD (2)ECS - N/A (3)D.G.Set: Common D.G set of capacity of 750&380 KVA Status of Ground Water extraction :Nil Status of Inspection : yes on 31.03.2017 SCN u/s 31(A)/33(A)/details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : yes on 21.07.2017 An inspection is carried out on 31.03.2017 And Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017. And unit failed to reply for aforesaid SCN issued to the unit and therefore direction of closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 21.07.2017. Thereafter Unit applied for CTE on 3.08.2017 for the activity of Eating House of capacity 48 seats. Unit has submitted request for revocation of direction along with undertaking security bond of Rs 200000. Unit has not submitted hard copy of CTE yet. It is recommended that CTE may be granted after the unit submits hard copy along with all Requisite documents and with the condition that unit apply for CTO within 30 days, Desealing has been issued to the unit on 15.03.2019.	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	----------	---	--	-------	--------------	-----------------------	---	-----	--	--



MS(DPCC)


SEE (CMC-II)



AEE (CMC-II)

163

40	2/8/2017	NUMBER ONE BAR (A UNIT OF HIGH HUT FASHION)	N-1 N BLOCK MARKET SECOND AND THIRD FLOOR GREATER KAILASH PART 1, Delhi - 110063	South	Restaurant Having seating capacity of 48	Orange / Establish	(1)ETP - yes Physio chemical (4000 liters/day) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Water Consumption: 3000 Liter/Day (Source - DJB) Domestic Effluent :500 liters/day Trade Effluent: 2500 liters/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Unit has applied for CTE on 02.08.2017 for the activity of Restaurant Having seating capacity of 48.Month and year of commencement of production is 08.04.2017. As per application-ETP has been provided but adequacy report not provided . Hard copy of Consent application has not been recived. It is recommended that CTE may be granted after the unit submits hard copy along with all requisite documents. Fee Status-Consent Fee Paid by unit till date : Rs.2575/- -Inspection of the unit was conducted on 05.01.2018 and it was observed that earlier M/s Bohemia was functioning at this premises, the same is closed ans M/s Number One restaurant exists but it is not functioning from 2 months, as reported.	N/A	22-09-2017 :: Expedite insepction.	Consent application be made refused .
----	----------	--	---	-------	--	-----------------------	---	-----	--	---

Am

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

42	1/8/2017	M/S POISON (A UNIT OF FINO HOSPITALITY)	PLOT NO.30,3RD FLOOR,HAUZ KHAS VILLAGE,, Delhi - 110041	South	Restaurant	Orange/Establish	(1)ETP- ETP/OIL and (Grease Trap Purposed) (3)D.G.Set:2 No. (380 KVA & 750 KVA) Status of Ground Water extraction :Nil Water Consumption:4000 litres/day(Source:DJB) Trade Effluent Discharge:3200 litres/day Status of Inspection :carried out on 24.03.2017 SCN u/s 31(A)/33(A) of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A) of EPA details :21.07.2017 Status of Test Report-N/A Inspection of the unit was carried out on 24.03.2017 And SCN u/s 31(A)/33(A) of EPA was issued on 10.04.2017.And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Now ,Unit has applied for Consent to Establish on 01.08.2017 for the capacity of restaurant with a seating capacity of 44 seats.A reply submitted by the unit on 25.03.2019 along with EC & Undertaking and requesting for temporary revocationfor testing purpose. Desealing has been issued to the unit on 05.04.2019.	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable .	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	----------	---	---	-------	------------	------------------	---	-----	---	--

Am

SEE (CMC-II)

Am

AEE (CMC-II)

161

43	1/8/2017	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE, Delhi - 110040	South	Eating House (Take Away)	Orange/Operate	(1)Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent:100Liter per day Domestic Effluent:nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Unit Applied for Consent to Operate on 01.08..2017 for the activity of Eating House (Take Away). Unit has not submitted hard copy yet.As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTO may be granted after the unit submit hard copy &detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status-Consent Fee Paid by unit till date : Rs.5000/-	N/A	10-08-2017 :: Inspection be conducted.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	----------	------------------------------	--	-------	--------------------------	----------------	--	-----	--	--

44	29-07-2017	WELCOME POINT	33 GF HAUZ KHAS VILLAGE, Delhi - 110052	South	Eating House (Take Away)	Orange / Establish	(1) Oil and Grease Trap- Yes (Capacity-200 litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :70 Liter per Day. Source:DJB Trade Effluent:70Liter per day Domestic Effluent:N/A Status of Inspection : 30.03.2017 An inspection was carried out on 30.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). Unit has submit request for revocation of direction along with undertaking and security bond of Rs. 200000 & MCD licence As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit hard copy & detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status-Consent Fee Paid by unit till date : Rs.3650/-	Yes	10-08-2017 :: File be put up administratively in view of office order dated 02.08.2017.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---------------	---	-------	--------------------------	--------------------	--	-----	---	--

Am

SEE (CMC-II)

AEE (CMC-II)

159

45	29-07-2017	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE, Delhi - 110035	South	Eating House (Take Away)	Orange / Establish	Status of Pollution Control System (1) Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G. Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent :100 Liter per day Domestic Effluent:Nil Unit Applied for Consent to Operate 29.07.2017 for the activity of Eating House (Take Away). As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.2600/-	N/A	22-09-2017 :: Expedite inspection. Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	------------------------------	--	-------	--------------------------	--------------------	---	-----	---	--

Am

MS(DPCC)

SEE (CMC-II)

Signature

AEE (CMC-II)

158

46	29-07-2017	WELCOME POINT CAFÉ	50-D, GF, HAUZ KHAS VILLAGE, Delhi - 110052	South	Eating House (Take Away)	Orange/Est ablish	Status of Pollution Control System (1) Oil and Grease Trap- Yes (250 Litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G. Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status-Consent Fee Paid by unit till date : Rs.1025/-	N/A	10-08-2017 :: Inspection be conducted.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	-----------------------	---	-------	-----------------------------	----------------------	---	-----	--	---

157

47	22-07-2017	ALI BABA CAVES (UNIT OF ABC ENTERTAINME NT)	30,HAUZ KHAS VILLAGE, Delhi - 110005	South	Restaurant	Orange/Est ablish	(1)ETP /OGT (proposed) (2)D.G.Set: .Nil (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction :Nil Water Consumption:3500 litres/day(Source: Municipal Authority) Trade Effluent Discharge:2500 litres/day SCN u/s 31(A)/33(A)/5 of EPA details :issued on 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 Status of Test Report-N/A An inspection was carried out on 24.3.2017 And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit applied for Consent to Establish on 22.07.2017 for the activity of restaurant with seating capacity of 30 seats. It is recommended tha CTE may be granted if the unit provides information about the capcity of ETP/OGT. Fee Status-Consent Fee Paid by unit till date : Rs.10450/-	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area,	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	--	-------	------------	----------------------	--	-----	---	---

198

48	20-07-2017	VAPOUR BAR EXCHANGE (UNIT OF RINGLETS TRADEX PVT LTD)	11 HOUSE KHAS VILLAGE NEW DELHI, Delhi - 110055	South	RESTAURANT	Orange / Establish	(1)ETP- Yes (Adequacy report not provided) (2)D.G.Set: No Status of Ground Water extraction :Nil Water consumption: 4.5KL per Dy Trade Effluent: 3 KI per Day Domestic Effluent: 0.8kl Per day Status of Inspection :Inspection of the unit was carried out on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :Issued on 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report-N/A Inspection of the unit was carried out on 23.03.2017 SCN u/s 31(A) of Air Act & u/s 33(A) of Water Act issued to the unit on 10.04.2017 to apply for CTE & CTO. Unit has applied for Consent to Establish on 20.07.2017 for the activity of restaurant with a seating capacity of 48 seats (Hard copy of Consent application not revived). It is recommended that an inspection may be carried out to check the factual position. Fee Status-Consent Fee Paid by unit till date : Rs.4100/-	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---	---	-------	------------	-----------------------	---	-----	--	--

155

49	24-04-2017	RANG DE BASANTI URBAN DHABA (A UNIT OF ZING RESTAURANTS PVT. LTD.)	1-A, FIRST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI- 110016, Delhi - 110015	South	Restaurant	Orange / Establish	(1)ETP - Oil and Grease Trap(Dimension not Provided) (2)ECS - N/A (3)D.G.Set: .N/A Status of Ground Water extraction :N/A Water consumption:2.5 KL per day. Trade effluent_1.5 KLD Status of Inspection :yes 23.03.2017 SCN u/s 31(A)/33(A)/details : YES on 10.04.2017 as the unit was operating without Consent under Air and Water ACT Month of year of commencement of Production: Existing 19.01.2016 An inspection of the unit was carried out on 24.03.2017 and SCN u/s 31(A) And 33 (A) was issued to the unit on 10.04.2017 as the unit was found operating without consent. Unit applied for CTE on 23.04.2017 for the activity of Restaurant with seating capacity of 48 persons seats. It is recommended that CTE may be granted with the condition that it will apply for CTO within 30 days. Fee Status-Consent Fee Paid by unit till date : Rs.8300/- As per the last committee decision inspection of the unit was conducted on 10.01.2018 and unit found closed.	N/A	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	--	-------	------------	-----------------------	---	-----	--	--

31-03-2017	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & 50D FF, HAUZ KHAS VILLAGE, Delhi - 110052	South	Restaurant	Orange / Establish	(1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) (a)Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report-N/A Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (If they are of appropriate size/ dimension). Fee Status-Consent Fee Paid by unit till date : Rs.4150/-	yes	22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
------------	--	--	-------	------------	--------------------	---	-----	--	--

MS(DPCC)

SEE (CMC-II)

AEE (CMC-II)

153

50	18.09.2018	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE, Delhi - 110054	South	EATING HOUSE	Orange Establish	(1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2) ECS - N/A (3) D.G. Set: 62.5 KVA (proposed) (a) Noise monitoring report of DG Set - N/A Status of Ground Water extraction : Nil Water consumption : 3000 litres/day Trade effluent - 1000 litres/day Status of Inspection : Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report - N/A Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats. Month and year of Commencement is 21.07.2016. Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension).	N/A	Fee Status - Consent Fee Paid by unit till date : Rs. 4150/- 22-09-2017 :: Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	---	---	-------	--------------	------------------	--	-----	--	---

152

52	25-04-2016	NO FILTER CAFE AND BAR (A UNIT OF RESIDENCY HOSPITALITY SERVICES PVT. LTD.)	C-18, FF, COMMUNITY CENTRE, SAFDARJUNG DEVELOPME T AREA OPP. IIT MAIN GATE, Delhi - 110052	South	RESTAURANTS 48 SEATS.	Orange / Operate	(1)ETP - Yes (a)Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water consumption- 4000 ltrs/day , Source- Outside MCD license valid up to 31.03.2016 Delhi police license valid up to 31.03.2016 Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Unit has applied for Consent to Establish and Consent to Operate for 48 seats. Fee Status-Consent Fee Paid by unit till date : Rs.10100/-	N/A	17-09-2018 :: Expedite inspection.	Inspection may be conducted, if found satisfactory CTO may be granted.
----	------------	---	--	-------	--------------------------	---------------------	--	-----	--	---

151

53	26-11-2015	EDESIA FOODS LLP (TRATTORIA LOUNGE)	30, 2ND FLOOR (REAR PORTION), HAUZ KHAS VILLAGE, Delhi - 110035	South	EATING HOUSE.	Orange / Establish	(1)ETP - CETP installed (common for building) (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water consumption - 1800 ltrs/day Source of water- DJB (Bill not provided) MCD & Delhi Police License License valid upto 31.03.2016 for 48 seats unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant. SCN u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 05.10.2015. Unit has submitted reply on 16.10.2015 w.r.t. SCN & stating that they are in process of submitting applications for CTE & CTO and requested for 45 days time for the same. Unit has applied for CTE on 26.11.2015 Modified Directions u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 to submit application of Consent to Establish & Operate alongwith required documents / test reports. Even after 5 months of Modified Directions unit has not applied for Consent to Operate Fee Status-Consent Fee Paid by unit till date : Rs.6100/- - As per the decision, inspection was carried out on 01.05.2019 and unit found closed.	N/A	24-05-2017 :: Expedite inspection.	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.
----	------------	--	---	-------	---------------	--------------------	---	-----	------------------------------------	--

58	27-03-2015	HOTEL PARK RESIDENCY / THE CLAY OVEN RESTAURANT (A UNIT OF ALLIANCE ENTERPRISES)	D-1, GREEN PARK, Delhi - 110020	South	QUICK RESTAURANT SERVICES	Orange / Operate	(1)ETP ---- ETP - Bio-logical (a) AR dated: not submitted. (b) Effluent analysis report dated 26.12.2014 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 MCD (commercial) license valid upto 31.03.2015. Unit has submitted CTE application on 14.11.2013 M/s The Hotel Park Residency, a concern body of the Clay Oven restaurant is a separate sister concern of The Alliance Enterprises which is located at first floor of the said address with different entry and having less than 19 rooms exempted from ETP installation as per DPCC guidelines and has no connection with the restaurant activity for which the ETP is installed at ground floor. As far as license concerned the M/s Clay Oven Restaurant is having separate license either for the MCD, Police Dept. or the other necessary documents which are submitted by the unit M/s The Hotel Park Residency. Therefore they appeal to consider their Consent to Establish for the activity of Restaurant of the unit M/s The Clay Oven Restaurant. - -As per the decision Final reminder has been issued on 03.05.2019 w.r.t consent applicatio to apply separately for both the unit HOTEL PARK RESIDENCY and THE CLAY OVEN RESTAURANT (A UNIT OF ALLIANCE ENTERPRISES) unit already applied for CTO saparetly and CTO already granted to the unit on separate names.	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-03-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	18-07-2016 :: Issue final reminder.	Application be made infructuous.
----	------------	--	---------------------------------	-------	---------------------------	------------------	---	---	-------------------------------------	----------------------------------

55	28-07-2014	COMPETENT AUTOMOBILES COMPANY LIMITED	895/C-8, NEAR JAIN MANDIR DADABARI MEHRAULI, Delhi - 110005	SOUTH	Repair and services of vehicals	Orange / Establish	(1)ETP ---- Other ETP Name : ETP Proposed (2)ECS - proposed (3)D.G.Set Noise Report : 3 DG Set of 75 X2 and 160 KVA proposed. Unit has not submitted MCD License alongwith the consent application Consent Fee Paid by unit till date : Rs.720000/- unit is not liable for Closure in pursuance to the Honble Supreme Court Order on the ground of non- conformity though it is existing in non-conforming land- use. As per DPCC policy, the Consent is being granted only to the conforming unit. However, in the present case, in which unit is entitled to run for the same activity, as confirmed in the desealing order dated 30.11.2003. therefore, DPCC cannot ignore the adherence to pollution control measure in such case. Moreover it is service industry. therefore, CMC may take a view for bringing the unit in Consent mechanism for the objective of pollution control with rider that such Consent will not construct as a proof with respect to MPD in any manner. In view of the above, most particularly, Honble Supreme Court Judgement dated 07.05.2004 in MC Mehta case, proof submitted by unit with regard to existence prior to 01.08.1990, CMC can process the Consent application with the objective of pollution control with a rider that such Consent will not be construed as a proof of conformity with respect to MPD in any manner whatsoever.	N/A	10-01-2019 :: The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Put up and decide in file	Put up on file.
----	------------	--	---	-------	---------------------------------------	-----------------------	---	-----	---	-----------------

198

56	31-03-2015	DEEP SWEET PALACE	BLOCK 1/1, DAKSHINPURI EXTN. , Delhi - 110052	SOUTH	SWEET SHOP (MFG. OF SWEETS AND FOODS).	Orange / Operate	(1)ETP — Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... A complaint has been received in this office regarding air pollution caused by M/s Deep Sweets at , 1/1 Dakshinpuri Extn, New delhi. As he is running a Dhaba in the sweet shop due to that causing air pollution. As decided, inspection was carried out by representatives of DPCC on 14.01.2015 Unit submit its representation on 20.02.2015 stating that:- 1. They have applied for CTE on 17.02.2015. 2. They are in process of installation of Oil & Grease cum settling tank to treat effluent generated in the washing activity. 3. They are in process of installation proper channelization system with adequate stack height with the cooking section as per the prescribed norms of DPCC. Unit requested to grant 30 to 40 days time to complete the all process and submit CTO application with all required documents. Consent Fee Paid by unit till date : Rs.5000/- - A letter has been issued to the unit on 03.05.2019 w.r.t submission of documents. Unit submitted documents on 17.05.2019	N/A	27.12.2018 - Ask the Unit to submit hard copy of Consent Application along with requisite documents. If the unit submits the same and found satisfactory, Consent to Operate granted. If any deficiencies are found, query letter be issued	CTO be granted.
59										

144

Sl. No.	Application Date	Industry Name	Industry Address	Category	District	Activity of the unit	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting]	Last Committee Decision	Decision
58	20-04-18	KAASVI ENTERPRISES (APNIRASOI)	G 3 ODEAN PLAZA PLOAT 13 SECTOR 10 NEW DELHI, Delhi - 110028	Orange/Establish	SOUTH WEST	RESTAURANT. (NO SEATS).	(1) Oil and Grease Trap - Yes (Dimensions of OGT not provided) (2) ECS - N/A (3) D.G. Set: ...N/A... Water Consumption - 1500 Liters/Day (Source- Others) Domestic Effluent - 100 Liters/Day Trade Effluent - 1400 Liters/Day Status of Inspection : 05.05.2017 - Inspection of the unit was carried out on 05.05.2017 and following were the observations: 1. Unit found in operation & engaged in the activity of Dhaba with seating capacity of 20-25 seats. 2. Oil & Grease Trap installed in kitchen area but was found choked. Channelization system provided in kitchen but it has inadequate stack height. One Tandoor also present in kitchen. 5. Waste segregation was not maintained properly. SCN u/s 31(A)/33(A)/5 of EPA details : 10.04.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details : 30.09.2016 As per approval, inspection of the unit was carried out by officials of DPCC on 28.07.2018 and following observation were made: - During inspection unit found operation and engaged in the activity of Restaurant. OGT installed in the premises for treatment of waste water generated from the unit 8ftx4ftx3ft.	N/A	Case of the unit was taken up in cmc meeting headed by MS, DPCC in category II(b) cases held on 11.07.2018 and it was decided that inspection be conducted.	CTE & CTO may be granted

MS (DPCC)

SEE (CMC-II)

SEE (CMC-II)

58	04-11-16	KAASVI ENTERPRISES (APN IRASOI)	G 3 ODEAN PLAZA PLOAT 13 SECTOR 10 NEW DELHI, Delhi - 110028	Orange/O perate	SOUTH WEST	RESTAUR ANT. (NO SEATS).	(1) Oil and Grease Trap-Yes (Dimensions of OGT not provided) (2) ECS - N/A (3) D.G. Set: ...N/A... Water Consumption - 1500 Liters/Day (Source- Others) Domestic Effluent - 100 Liters/Day Trade Effluent - 1400 Liters/Day Status of Inspection : 05.05.2017 - Inspection of the unit was carried out on 05.05.2017 and following were the observations: 1. Unit found in operation & engaged in the activity of Dhaba with seating capacity of 20-25 seats. Oil & Grease Trap installed in kitchen area but was found choked. Channelization system provided in kitchen but it has inadequate stack height. One Tandoor also present in kitchen. Waste segregation was not maintained properly. SCN u/s 31(A)/33(A)/5 of EPA details : 10.04.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details : 30.09.2016 Case of the unit was taken up in cmc meeting headed by MS, DPCC in category II(b) cases held on 11.07.2018 and it was decided that Inspection be conducted. As per approval, inspection of the unit was carried out by officials of DPCC on 28.07.2018 and following observation were made: - During inspection unit found operation and engaged in the activity of Restaurant. OGT installed in the premises for treatment of waste water generated from the unit 8ftx4ftx3ft.	N/A	Case of the unit was taken up in cmc meeting headed by MS, DPCC in category II(b) cases held on 11.07.2018 and it was decided that Inspection be conducted.	CTE & CTO may be granted
----	----------	---------------------------------------	---	--------------------	---------------	--------------------------------	---	-----	---	--------------------------

Arz
MS (DPCC)

SEE 
(CMC-II)


AEE (CMC-II)

MS

59	24-10-18	COFFEED AY GLOBAL LIMITED	G2 PLOT NO 4, AGGARWAL SHOPPING COMPLEX, POCKET-B, SECTOR-10, DWARKA, Delhi - 110040	Orange/O perate	SOUTH WEST	Eating House	Status of Pollution Control System (1)ETP ---- Details not provided. Effluent analysis report dated 28-09-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 26- 06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Water Consumption: 1100 Liters/Day Domestic Effluent: 20 Liters/Day Trade Effluent: 800 Liters/Day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Ni Letter issued to unit for submission of hard copy and requisite documents, same reverted back with the remark on envelop by postman 'Left'	Yes	Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit details of OGT and consent application along with requisite documents. If unit submits the	Application be made infructuous
----	----------	------------------------------------	--	--------------------	---------------	-----------------	---	-----	---	---------------------------------------


MS (DPCC)


SEE (CMC-II)


AEE (CMC-II)

60	07.06.2018	Party Junction	22-23, CHANDRA PARK, OPP. N.S.I.T., NEAR SHANI MANDIR, KAKROLA MOR, DWARKA, Delhi - 110052	Orange / Establish	SOUTH WEST	Party Lawn for Marriage And Social Functions	Status of Pollution Control System - ETP - Physiochemical - Yes (Details not provided) D.G.Set: ...N/A... (a) Noise monitoring report of - 25 - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Water consumption : 2000 Liters/Day, Domestic Effluent - 200 Liters/Day, Trade Effluent - 1600 Liters/Day Month and Year of Commencement of Production - 01-04-2017 (Existing). Status of Inspection : 23.03.2018 SCN u/s 31(A)/33(A)/5 of EPA details :09.04.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details :26.07.2018 SCN issued to unit on 09.04.2018. Unit submitted reply on 24.05.2018 informing the submission of application of CTE and stated that application has been submitted (Challan Enclosed). Further unit submitted reply on 12.06.2018 along with the hard copy of CTE application and documents. File is under submission to MS DPCC for approval of Modified Direction. As per approval at para 24 on N/- 5, urgent inspection of the unit was carried out by DPCC officials on 02.07.2018 and following observation were made : - During inspection unit found operational and engaged in the activity of Banquet Hall. No STP installed in the premises for treatment of waste water generated from the unit. CTE applied but CTO not applied. As approved on file at para 31 at N/7 closure direction was issued to the unit on 26.07.2018.	No	The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 -Put up file administratively.	Consent application may be refused and notice for closure be issued.
----	------------	----------------	--	--------------------	------------	--	---	----	--	--

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

6	10-11-16	METCON INDIA REALTY & INFRASTRUCTURE PVT. LTD.	DDA GROUND, DMRC CC-95 CASTING YARD BEHIND BUSTER PUMP SEC. 20 DWARKA, Delhi - 110005	Orange / Establish	SOUTH WEST	READY MIX CONCRETE PLANT.	water Consumption- 10 Kilo Liter Per Day. Source of Water- Ground Water. Status of Pollution Control System (1)ETP --- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A (a) Stack analysis report dated - N/A . (3)D.G.Set: ...1 No., 125 KVA. (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction : 10000 L/D Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Remarks dated 07.02.2018- -letter regarding clarification from the unit regarding difference of the address of the unit and letter issued by DDA to DMRC regarding extension of lease period on temporary basis for casting yard at Bharat Vandana Park, Sector 9, Dwarka(which is different from the address of the unit) till 10.07.2017 is yet to be issued. As per approval in file, inspection of the unit was carried out by DPCC officials on 07.08.2018 and unit found closed during inspection.		12-02-2018 : File be put up administratively considering the office order w.r.t RMC Plants.	Consent application be refused.
---	----------	--	--	-----------------------	---------------	------------------------------------	---	--	---	---------------------------------------

MS
MS(DPCC)

SEE
SEE (CMC-II)

AF
AF (CMC-II)

62	13-06-15	HI MIRCHEE E (A UNIT OF NEW AGE HOSPITA LITIES)	MANISH LOCATION PLAZA, IIRD FLOOR, PLOT NO. 1, SEC-12, ASHIRWAD CHOWK, DWARKA, Delhi - 110040	Orange / Operate	SOUTH WEST	RESTAUR ANT	(1)ETP ---- ETP - Physiochemical (Proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - No (No report enclosed) (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Inspection details: Conducted on 30.04.2015 and vaious deficiencied were observed SCN u/s 31(A)/33(A): issued on 13.07.2015 and 03.11.2014, Closure directions u/s 31(A)/33(A): No MCD License valid upto 31.03.2016.Delhi Police license valid upto 31.03.2016. Ground water: Nil As decided, in file SCN u/s 31 (A) of Air Act is issued to unit on 08.01.2017 as unit has not submitted fresh noise monitoring report.Decision taken by the consent committee headed by MS, DPCC in category II(b) cases held on 13.02.2018 and it was decided that File be put up administratively. As decided in file,inspection of the unit was conducted on 18.10.2018, and following were the observations: During inspection unit found operational and engaged in the activity of restaurant & bar with 90 seats. Unit has installed ETP which consist of OGT chemical dosing tank (3no.),mixing and clear water tank. No sludge observed in sludge drying bed.Logbook of ETP could not be provided at the time of inspection.Channelization system not provided over 2 gas burner. SCN u/s 31 (A) 33(A) issued to unit 03.05.2019. Unit submitted reply on 22.05.2019 and stated that they have rectified the deficiencies	N/A	Decision taken by the consent committee headed by MS, DPCC in category II(b) cases held on 07.01.2019 and it was decided that SCN may be issued to the Unit wrt rectification of deficiencies	Re-Inspection be conducted
----	----------	---	--	---------------------	---------------	----------------	---	-----	---	----------------------------

MS(DPCC)

SEE (CMC-II)

REE (CMC-II)

62	29-08-18	3H HAVELI	1640, FIRST FLOOR, THANA ROAD , NAJAFGAR H DELHI 110043, NEW DELHI - 110043	Orange Establish	SOUTH WEST	Restaurant (cooking food)	Status of Pollution Control System (1)ETP/OGT --- Details not provided Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water Consumption:N/A Domestic Effluent:N/A Trade Effluent:N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :14.09.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details :No As per complaint SCN u/s 31(A)/33(A) issued to unit on 14.09.2018. Unit submitted representation on 12.10.2018 w.r.t. SCN dated 14.09.2018 and requested for 30 days time for Environmental compliance. As per approval in file, Modified Direction issued to unit Unit submitted hard copy of consent application on 17.11.2018 for applying CTE, CTO & installation of OGT. Unit submitted representation on 03.12.2018 along with hard copy of CTE application .	N/A		Ask the unit to submit the hard copy of Consent application along with requisite documents and valid MCD license, if unit submit the same and found satisfactory, CTE may be grnated.
----	----------	--------------	---	---------------------	---------------	---------------------------	--	-----	--	---

MS(DOCC)

SEE (CMC-II)

AEE (CMC-II)

01	24-02-17	SAPPHIRE FOOD INDIA PVT LTD (KFC)	PLOT NO-230 SECTOR-9 DWARKA, DELHI - 110075	Orange Establish	SOUTH WEST	Restaurant	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,ETP - Bio-logical Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Water consumption- Municipal Authority -5 Liters/Day Ground Water - 5 Liters/Day Other Source of Water - 5 Liters/Day Domestic Effluent: 2 ltr/day Trade Effluent: 10 ltr/day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Consent to Establish and Consent to Operate has been granted to M/s Sapphire Foods Pvt. Ltd. (KFC), GROUND FLOOR AND FIRST FLOOR OF PLOT NO. 230, SERVICE CENTRE, SECTOR 9, DWARKA,New Delhi-110075.	N/A		Issue SCN for refusal.
----	----------	-----------------------------------	---	------------------	------------	------------	--	-----	--	------------------------

MS (DPCC)

SEE (CMC-II)

AEE (CMC-II)

Sl. No	User ID	Consent Reque	Application Date	Industry Name	Industry Address	District	Activity	Category	Brief of the Case	Test Report	Last Committee	Decision (06.06.2019)
1	23272	74263	29.10.2018	Lally Automobiles Pvt. Ltd	Plot No.- 3a, Wazirpur Industrial Area, Delhi - 110052	NW	Service Station Of Cars.	Orange/Renewal	(1)ETP -Yes, of 7000 Liters/day capacity (2)ECS - Stack attached to paint booth (3)D.G.Set: - 1 of capacity 125 KVA with Acoustic enclosure (4)Status of Ground Water extraction : Nil (5)Source of Water: 8000 L per day, Source-outsourced (6)Domestic effluent Discharge - 500 Liters/day which is disposed through sewer. (7)Trade effluent discharge - 6000 liters which is disposed through sewer. (8)Status of Inspection : Yes (9)SCN u/s 31(A)/33(A)/5 of EPA details : No (10)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (11)Inspection conducted on 10.01.2019. SCN was issued to the unit on 20.02.2019. Reply received on 12.03.2019. Inspection conducted on 16.04.2019. deficiency observed. - ETP found non operative. - By-pass arrangement found.	Noise Monitoring Report dated 24.07.2018 and all the parameters are within limit. Effluent Analysis Report dated 17.07.2018 and all the parameters are within limit.	Inspection may be conducted.	1. Consent be refused. 2. Closure directions be issued. 3. Environmental Damages Compensation be imposed. ✓

B.L. CHAWLA
EE

2	42647	73909	24.10.2018	Agrofood Grains Pvt. Ltd.	G-36, Lawrence Road Industrial Area, Delhi - 110035	NW	Manufacturing And Processing Of Pulses And Flour	Green/Operate	(1)ETP - N/A (2)ECS - Bag house (3)D.G.Set - Nil (4)Water Consumption : 300 L per day, Source- DJB. (5)Domestic effluent discharge - 150 L per day and mode of disposal is Sewer. (6) Trade effluent discharge - Nil per day. (7) Status of Inspection : No (8)SCN u/s 31(A)/33(A)/5 of EPA details : No (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10)The gaurd of the unit does not allow entry of inspection team on 19.04.2019 and again DPCC officials visited the unit for inspeetiion on 31.05.2019 but the unit did not allow to inspect.	Emission Monitoring Report dated 12.09.2018 and parameters are within limits. Water: N/A Noise: N/A	Inspection may be conducted.	Issue advance notice for inspection in 7 days.
3	46172	74070	21.10.2018	Ishi Print N Pack	B-28/11, Ground Floor, Lawrence Road Indl. Area, (Near Seven Seas Banquit), Delhi - 110035	NW	Offset Printing With Lamination Without Trade Effluent	Orange/Operate	(1)ETP - not installed (2)ECS - N/A (3)D.G.Set - Nil (4)Water Consumption : 50 L per day, Source- DJB. (5)Domestic effluent discharge - 50 and mode of disposal is Sewer. (6) Trade effluent discharge - Nil per day. (7)Status of Inspection : Inspection of the unit was conducted by DPCC officials on 15.10.2018 and following were observed: -Unit is not complying with HWM Rules, 2016. -Log book of form III was found not maintained. -The trade effluent generated from the washing of rollers and cleaning of plates is discharged into sewer. (8)SCN u/s 31(A)/33(A)/5 of EPA details : SCN u/s 33(A) of Water Act and 31(A) of Air Act issued on 04.07.2018. (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10) Show cause notice for refusal issued on 12.04.2019 and no satisfactory reply received so far.	Air (Emissions) : N/A Water (Effluents) : Not applied. Noise : N/A	Show cause notice may be issue for deficiencies observed during inspection	Consent application be refused.

Ar

[Signature]

fiche
P. B. Chow

Sm

[Signature]

B.L. CHAWLA
EE

4	50197	73980	18.10.2018	MAITRI RESEARCH & DEVELOPMENT FOUNDATION	H.NO.1/4, BLOCK A-1, MANGRAM PARK, DELHI-110086,	NW	EATING HOUSE	Orange / Operate	(1)ETP - OGT of capacity 1000 L per day (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Water Consumption: 1200 L per day, Source- Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A. Letter issued to the unit, hardcopy not submitted.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard Copy not received and MCD certificate, police license and fire safety license not provided. A letter may be issued	Consent to Operate be granted
5	40543	73877	17.10.2018	Sikka Locomotive Pvt. Ltd.	B-72/4, wazirpur Industrial Area, new Delhi, New Delhi - 110052	NW	Automobile Repair And Washing	Orange/ Operate	(1)ETP - Physiochemical of capacity 8000 Liter/day capacity (2)ECS - N/A (3)D.G.Set: - 1 of capacity 125 KVA with Acoustic enclosure (4)Status of Ground Water extraction : Nil (5)Source of Water: 4000 L per day, Source-outside (6)Domestic effluent Discharge - 40 Liters/day which is disposed through sewer. (7)Trade effluent discharge - 3500 liters which is disposed through sewer. (8)Status of Inspection : Yes (9)SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A Letter issued 16.04.2019, reply received stating that deficiencies has been rectified.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Inspection may be conducted and letter may be issued to submit hard copy and analysis report of water effluent and noise monitoring	1. Consent to Operate be granted. 2. Subsequently inspection be conducted.

[Handwritten signatures and initials]

6	49174	73641	17.10.18	PRANTH A HAT	SHOP NO.10, COMM UNITY CENTR E NO.2, G.F. ASHOK VIHAR, PHASE- II, New	NW	Eating House	Operate / Orange	1. ETP- Oil and Grease Trap with design capacity of 200 Litres/day 2. ECS- No 3. DG Set- Nil 4. Water Consumption- 60 Litres/Day 5. Source of Water- Municipal Authorities 6. Trade Effluent- 50 Litres/Day 7. Domestic Effluent- 10 Litres/Day 8. Food Safety licence -Not provided.	✓	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A		Consent be granted with the condition that uni shall submit fire safety license within 03 months of issue of this consent order.
7	40435	73598	13.10.2018	Sanchit Metal	Plot No. A - 131, Group Wazirpur , Indl. Area, Delhi, Delhi - 110052	NW	S.s. Utensi ls (with Buffin g)	Green/ Operate	(1)ETP: N/A (2)ECS: Stack attached to buffing buffing. (3)D.G.Set: Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 90 L per day, Source-others (6)Domestic trade effluent - 50 liters/day and mode of disposal is sewer. (7)Trade effluent discharge - nil. (8)Status of Inspection : Yes (9)SCN u/s 31(A)/33(A)/5 of EPA details : No (10)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (11)Inspection conducted on 18.04.2019 and no deficiency observed.		Emission monitoring report was submitted by DPCC on 13.07.2018 and all the parameters are within the prescribed limit as per the report.	Inspectio n may be conducted.	Consent to Operate be granted.
8	49567	73207	05.10.2018	PISHAW ARI (KOHAT WALE)	G-2, SAGAR COMPL EX, CD- BLOCK, PITAM PURA, DELHI- 110034, Delhi - 110015	NW	EATI NG HOUS E UPTO 20 SEAT S	Orange / Establis h	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Water Consumption: 400 L per day, Source- DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Letter issued to the unit, unit has not submitted hardcopy of the application.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard Copy not received and police license and fire safety license not provided . A letter may be issued	Consent to Establish be granted.

B.L. CHAWLA

✓

✓


✓

9	9574	72858	05.10.2018	Goodlays Creations Pvt. Ltd.	C-38/3, Lawrence Road Industrial Area, Delhi - 110035	NW	Manufacturing Of Lamination Fabrics, Tools And Dies.	Orange/ Renewal	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set - Nil (4)Water Consumption : 100 L per day, Source- other. (5)Domestic effluent discharge - 50 and mode of disposal is Sewer. (6) Trade effluent discharge - Nil per day. (7)Status of Inspection : 20.04.2019 (8)SCN u/s 31(A)/33(A)/5 of EPA details : No (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10)Inspection was conducted on 20.04.2019. Deficiencies observed. -Unit is not compiled with HWM rules 2016.	135	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hardcopy of Consent application not submitted, Inspection may be conducted.	1. Consent to Operate be granted. 2. Letter be issued to the unit to rectify all the deficiencies observed during the inspection regarding HW.
10	45677	73109	04.10.2018	MOVIE TIME CINEPLEX PVT. LTD	KP BLOCK, GOPAL MANDIR ROAD, PITAMPURA, DELHI, Delhi - 110064	NW	EATING HOUSE (TAKAWAY OUTLET)	Orange / Operate	(1)ETP - OGT of capacity 1000 L per day (2)ECS - N/A (3)D.G.Set: - One with capacity of 320 KVA (4)Status of Ground Water extraction : Nil (5)Water Consumption: 500 L per day, Source- Others (6)Status of Inspection : Conducted on 18.05.2018 (7)SCN u/s 31(A) : On 06.07.2018 (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Inspection conducted on 16.04.2019 and deficiencies observed. -Unit has not installed Oil & Grease trap.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : Noise Monitoring Report dated 24.08.2018 and parameters are within limits.	Unit have submitted a reply on 04-10-2018 and stated that Unit have applied for CTO along with condonation fees & have also done noise monitoring test of DG Set and have enclosed Noise monitoring report with reply. An inspection may be conducted.	Consent to Operate be granted.

11	48960	72775	01.10.2018	S S BANQU ET (DREAM BELLS)	C-2/3, WAZIR PUR INDUST RIAL AREA, Delhi - 110031	NW	BAN QUET HALL	Orange / Establis h	(1)ETP - Capacity of 2000 L per day (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Water Consumption: 3000 L per day, Source- Others (6)Status of Inspection : Yes (7)SCN u/s 31(A)/33(A)/5 of EPA details : Yes (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Unit has not submitted MCD Certificate, police license. Inspection of the unit conducted on 12.01.2019 and deficiencies observed. -Entire trade effluent discharging into storm water drain. therefore SCN u/s 33(A) of Water Act issued on 20.02.2019. Unit has submitted its reply on 06.03.2019 stating that they have rectified the deficiencies.	134	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard Copy received and MCD Certificate, police license not provided. A letter may be issued seeking submission of above said documents. Consent may be granted on submission of documents.	1. Consent to Establish be granted. 2. Subsequently inspection be conducted.
----	-------	-------	------------	--	--	----	---------------------	------------------------------	---	-----	--	---	--

✓






B.L. CHAWLA
EE

12	49253	72912	29.09.2018	Goel Steel	Kh. No 877, Gali No 3 (nala Road), Rithala, Delhi - 110085	NW	Manufacturing Of S.s. Kitchen Sink (with Buffing)	Green/Establish	1. ECS: N/A 2.ETP: N/A 3.D.G.Set: Nil 4.Status of Ground Water extraction : Nil 5.Source of Water: 250 L per day, Source-others 6.Status of Inspection : Yes 7.SCN u/s 31(A)/33(A)/5 of EPA details : SCN u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EPA issued to the unit on 29.11.2017 and Modified directions u/s 33(A) of Water Act and u/s 31(A) of Air Act issued to the unit on 12.04.2018 8.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.Inspection conducted on 30.05.2019 and deficiencies observed. -ECS found inadequate. -Operating in the three different premises for which separate application need to be filed.	Air : N/A Water: N/A Noise: N/A	Hardcopy of Consent application not submitted, Inspection may be conducted.	Consent application be refused.
13	21491	72337	28.09.2018	Krish Automotors Pvt. Ltd.	B-62/2, Wazirpur Industrial Area, Delhi - 110052	NW	Workshop Cum Service Station (with Washing)	Orange/Renewal	1. ETP - Yes, of 2000 Liters/day capacity. 2. ECS - Stack attached to paint booth. 3. D.G, set - 1. no. of 125 KVA installed. 4. Water Consumption - 3500 Liters/day and source is Corporation. 5. Domestic effluent Discharge - 150 Liters/day and mode of disposal is CETP drain. 6. Trade effluent Discharge - 2500 Liters/Day 7. Inspected on 04.06.2019, unit has been closed its own.	Effluent Report dated 24.07.2018 and parameters are found within limits. Noise monitoring reports of D.G. sets dated 24.08.2018 and parameters are found within limits. Emission monitoring report dated	Inspection may be conducted.	Consent application be made infructuous.

14	19335	68137	26.09.2018	Shakun Consumer Products (p) Ltd	B-36, Lawrence Road Industrial Area, Delhi - 110035	NW	Mfg. Of Bread And Bakery.	Orange/Renewal	(1)ETP - Biological of capacity 5000 L per day ✓ (2)ECS - N/A (3)D.G.Set: - 3 of capacities 200 KVA, 125 KVA and 180 KVA. (4)Water Consumption : 6000 L per day, Source- DJB and ground water. (5)Domestic effluent discharge - Nil and mode of disposal is Sewer. (6) Trade effluent discharge - 4000 L per day. Status of Inspection : Yes (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Hard copy of consent application submitted. Inspection of the unit conducted on 02.05.2019 and no deficiency observed.	Effluent Analysis Report dated 04.09.2018 and parameters are found within limits. Noise Monitoring Reports of D.G. sets dated 17.09.2018 and parameters are found within limits. Emission Monitoring Reports of Stack attached to ovens dated 13.09.2018 and parameters are found within limits.	Hardcopy of Consent application not submitted, Inspection may be conducted.	Consent be granted.
15	25484	72528	25.09.2018	Abdul Sattar	B-71 (iind Floor), Wazirpur Industrial Area, Delhi - 110052	NW	Copper Wire Drawing (40 Gauge).	Orange/Renewal	1. ETP - N/A. 2. ECS - N/A. 3. D.G. set - Nil. 4. Water Consumption - 20 Liters/day and source is outside. 5. Domestic effluent Discharge - 5 Liters/day and mode of disposal is CETP drain. 6. Trade effluent Discharge -nil. 7. Inspection conducted on 18.04.2019. deficiency observed. -Unit is not complying with HWM rules, 2016.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Inspection may be conducted.	1. Consent be granted 2. Letter be issued for not complying with HWM, rules 2016.

[Handwritten signatures and initials]

B.L. CHAWLA
EE

16	9275	72513	24.09.2018	Lekhsons Pharmacy	Gi-50, Lawrence Road Industrial Area, Delhi - 110035	NW	Mfg. Of Honey And Syrups	Orange/Renewal	(1)ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: - Nil (4)Water Consumption : 500 L. per day, Source- DJB. (5)Domestic effluent discharge - 100 L. per day and mode of disposal is Sewer. (6) Trade effluent discharge - 200 L. per day. (7)Status of Inspection : Yes (8)SCN u/s 31(A)/33(A)/5 of EPA details : No (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10)Inspection was conducted on 20.04.2019. Deficiencies observed. -ETP found non-operational. -Unit is not complying with HWM Rules, 2016.	19)	Air (Emissions) : N/A Water (Effluents) : Not submitted. Noise : N/A	Hardcopy of Consent application not submitted, Inspection may be conducted.	1.Consent be refused.2. SCN for closure be issued. 3. Environmental Damages Compensation be imposed.
17	48852	72501	24.09.2018	BENGAL SWEET CORNER	SUMAN TOWER 36,CENTRAL MARKET PHASE-1, ASIYOK VIHAR, NEW DELHI - 110052	NW	Eating House	Orange / Establishment	1. OGT- N/A 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 700 Litres/Day 5. Source of Water- DJB 6. Trade Effluent- 500 Litres/ Day 7. Domestic Effluent- 200 Litres/Day 8. Municipal trade licence- Not provided. 9. Police License- Not provided. Hard copy received.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	23-04-2019 The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its	1. Consent to Establish be granted.

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

B.L. CHAWLA
EE

[Signature]

18			19.09.2018	Hujo International	A-9/2, wazirpur Industrial Area, delhi, New Delhi - 110052	NW	Automobile Repair And Servicing With Washing	Orange/Establish	1. ETP - Yes, of 4000 Liters/day capacity. 2. ECS - N/a 3. D.G. set - N/a 4. Water Consumption - 1400 Liters/day and source is Outside. 5. Domestic effluent Discharge - 200 Liters/day . 6. Trade effluent Discharge - 1000 Liters/Day (7) Inspection conducted on 18.04.2019. deficiency observed. -Unit is not complying with HWM rules, 2016 -Unit has not installed ETP and found operational without applying for Consent to Operate.	130	Air (Emissions) : N/A Water (Effluents) : Not submitted. Noise : N/A	Consent to Establish may be granted and subsequently inspection may be conducted .	1. Consent be refused 2. Issue SCN for not complying with HW Rules.
19	48414	72055	17.09.2018	KHUSI RESTAURANT AND PARTY HALL	SHOP NO. 302, MP BLOCK, MP MALL, THIRD FLOOR, PITAMPURA, Delhi - 110039	NW	Restaurant And Party Hall	Orange/Establish	(1) ETP - Capacity of 2000 L per day (2) ECS - N/A (3) D.G. Set: - Nil (4) Status of Ground Water extraction : Nil (5) Water Consumption: 1500 L per day, Source- DJB (6) Status of Inspection : Yes (7) SCN u/s 31(A) and 33(A): Yes on 17.10.2017 (8) Closure directions u/s 31(A) and 33(A): issued on 28.05.2018 (9) Closure directions modified as per office order 02.08.2017 on 12.11.2018 (10) Modified directions for closure issued on 12.11.2018. (11) Inspection conducted on 16.04.2019. Deficiencies observed. -Unit has not installed ETP.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard Copy received. MCD certificate is expired. A letter may be issued seeking submission of MCD certificate and fire safety license. Inspection may be conducted.	1. Consent be refused. 2. SCN be issued for closure. 3. Environmental Damages Compensation be imposed.,








B.L. CHAWLA
EE

20	48165	71760	10.09.2018	Narendra Industries	A-43 (group), Wazirpur Industrial Area, Delhi - 110052, Delhi - 110052	NW	Stainless Steel Utensils (with Buffing)	Green/Establish	129 1. ETP- N/A 2. ECS - stack attach to buffing unit 3. DG Set- NIL 4. Water Consumption- 20 Litres/Day 5. Source of Water- Others 6. Trade Effluent- 0 Litres/Day 7. Domestic Effluent- 10 Litres/Day which is disposed through sewer. 8. Letter is issued to the unit on 12.04.2019 and and reply recieved on 16.04.2019, same is found satisfactory	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard copy of consent application has been received on 20.09.2018 and the copy of Rent agreement is not being signed by authorized person.	Consent be granted.
21	41698	69862	30.08.2018	Goodwill Enterprises	Plot No- 50, Block-b, Phase-ii, Mangolpuri Industrial Area, Delhi - 110034	NW	Manufacturing Of Micro cellular Sheet	Green/Operate	(1)ETP - N/A (2)ECS - Stack attached to boiler (3)D.G.Set: - Nil (4)Water Consumption : 350 L per day, Source- DJB . (5)Domestic effluent discharge - 250 L per day and mode of disposal is Sewer. (6) Trade effluent discharge - Nil (7) Status of Inspection :Inspection of the unit was conducted by DPCC officials on 12.10.2018 and observed that the needling and mixing/sheet process is under taken in the basement. (8) SCN was issued to the unit on 12.04.2019. In response of it unit has submitted its reply along with MSME certificate and mentioned that they have stopped the operation of needling and mixing and they will not carry out any activity in basement.	Status of Test Report Emissions Monitoring report issued by DPCC dated 14.08.2018 submitted and all the parameters are within the prescribed limit.	Show cause notice may be issue for deficiencies observed during inspection	1. Consent be granted with the condition that the unit shall not carry out any activity in the basement

An

[Signature]

Pichu

[Signature]

[Signature]

[Signature]

B.L. CHAWLA
EE

22			27-08-2018	A.K. ENTERPRISES	B-51 LAWRENCE ROAD, Delhi - 110035	NW	packaging of drinking water	Orange/Establish	Status of Pollution Control System 1. ETP: N/A 2. ECS: N/A 3. D.G.Set: Nil 4. Status of Ground Water extraction: Nil 5. Source of Water: 7000 L per day, Source-Other 6. Status of Inspection: No 7. SCN u/s 31(A)/33(A)/5 of EPA details: SCN issued to the unit on 11.06.2018 8. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9. During the inspection of the unit conducted on 09.01.2018 unit found operational but in consent application proposed date of production is 01.09.2018.	128	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed. 4. Letter to DM for action against using bore well .
----	--	--	------------	------------------	------------------------------------	----	-----------------------------	------------------	---	-----	--	---

Am

B.L. Chawla

B.L. CHAWLA
SE

Am

filed

P. K. Sharma

Sharma

23	44724	70658	23.08.2018	APNI RASOI (A UNIT OF TUSHAR ENTERP RISES)	SHOP NO-1 DDA MARKE T, PHASE III, ASHOK VIHAR, NORTH DELHI, Delhi - 110064	NW	Restau rant	Orange / Operate	(1)ETP - OGT with Capacity of 450 L per day (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Water Consumption: 500 L per day, Source- DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate granted with the condition that unit shall submit valid MCD, Delhi Police and Fire Safety licenses within 03 months. If unit fails to submit the valid licenses within stipulated	Consent be granted.
----	-------	-------	------------	--	--	----	----------------	------------------------	---	--	---------------------

Am

B.L. Chawla

B.L. CHAWLA
EE

files

Rehman

Shrini

24	45368	70638	23.08.2018	Shri Ram Lubricant Solutions	Plot No B-49, Ph-ii, Mangol Puri, Indl. Area, Delhi - 110034	NW	Packin g Blendi ng Lubric ant	Orange/ Establis h	1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil (4)Water Consumption : 60 L per day, Source- DJB (5)Domestic effluent discharge - 40 L per day and mode of disposal is Sewer. (6) Trade effluent discharge - Nil (7)Status of Inspection : Inspection of the unit was conducted by DPCC officials on 12.10.2018 and following were observed: - As informed by the person contacted that the said oil procured from outside(importers). as per the specification of the oil is being stored in for different storage tank of metal installed in the basement, the capacity of each tank is reported 20,000 L each. - It has been further informed that as per the order they de-cant the lubricating oil from storage tank through barrals and other type quantity containers. - Spillage of said oil was seen and on same areas they have spread saw dust to prevent the slipping and shockage and as informed by the person contacted the saw dust is disposed through dust collector in near by dumping yard. - At the second floor some other footwear unit is operating but the same is not shown. (8)SCN for refusal was issued to the unit on 12.04.2019. No reply received so far.	N/A	Show cause notice may be issue for deficiencies observed during inspection	1. Consent application be refused. 2. Issue SCN.
----	-------	-------	------------	------------------------------	--	----	-------------------------------	--------------------	---	-----	---	--

Am

Shri

File

Shri

Shri

Shri

B.L. CHAWLA
EE

25	24130	69724	08-07-18	SAGAR RATNA HOTELS PVT. LTD (SAGAR RATNA)	33/C-9, SECTO R-7, ROHINI, DELHI - 110085	NW	Restau rant	Orange/ Operate	1. ETP- 2000 Litres/ Day 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 2000 L/D 5. Source of Water- DJB 6. Trade Effluent- 1500 L/D 7. Domestic Effluent- 100 L/D 8. Municipal trade licence- Not submitted 9. Police License- Not submitted. 10. Status of inspection: Yes 11. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 12. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil. Unit found closed during inspection.	75	Air (Emissions) : N/A Water (Effluents) : Test report dated 07.08.2018 and parameters are within limits.	Inspectio n be conducted.	1. Consent application be made infructuous
26	14817	69444	03.08.2018	Rc Goyal Dall Udyog Pvt. Ltd.	B-59, Lawrence Road Industrial Area, Delhi - 110035	NW	Dal Mills.	Green/ Renewal	(1)ETP - N/A (2)ECS - Bag house (3)D.G.Set: - 1 of 75 KVA with acoustic enclosure (4)Water Consumption : 450 L per day, Source- DJB. (5)Domestic effluent discharge - 200 L per day and mode of disposal is Sewer. (6) Trade effluent discharge - Nil (7)Status of Inspection : Yes (8)SCN u/s 31(A)/33(A)/5 of EPA details : No (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10)Gross capital investment of the unit without depreciation is Rs. 14900000 in consent application but in CA certificate Gross capital investment of the unit without depreciation is Rs. 14953843. (11)Letter issued on 12.04.2019 and reply submitted. (12)Inspection was conducted on 20.04.2019. Deficiencies observed. -Stack height of ECS found inadequate. -Some bags of ECS found without cover.		Emissions Monitoring report dated 23.07.2018 and parameters are within the limit. Noise Monitoring report dated 01.08.2018 and parameters are within the limit.	Letter may be issued and Inspection yet to be conducted.	1. SCN for Refusal of Consent be issued.

Am

Am

Am

Am

Am

B.L. CHAWLA
EE

27	40809	69154	30.07.2018	P.m. Industries	B-10/11(group), Wazirpur Industrial Area, Delhi-110052, Delhi - 110052	NW	Manufacturing Of Casserole Plastic And Stainless Steel (with Buffing)	Green/Operate	1)ETP - N/A (2)ECS - Stack attached to buffing. M (3)D.G.Set: - Nil (4)Water Consumption : 20 L per day, Source- outside . (5)Domestic effluent discharge - 10 and mode of disposal is Sewer. (6) Trade effluent discharge - Nil (7)Status of Inspection : Yes (8)SCN u/s 31(A)/33(A)/5 of EPA details : No (9)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (10)Stack height less than building height (11)15-09-2018 : Ask the unit to increase the stack height atleast 02 mts above roof level. If unit does so and submit photographs in this regard, consent to operate be granted. (12)Letter was issued on 27.11.2018 and unit submitted its reply on 10.12.2018 and informed that have increase the stack height atleast 02 meters above roof level. (13)Inspection conducted on 18.04.2019. deficiency observed. -ECS found inadequate.	Emission Monitoring report was submitted by DPCC on 15.06.2018 and all the parameters are within the prescribed limit as per report.	Inspection may be conducted.	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed.
----	-------	-------	------------	-----------------	--	----	---	---------------	--	--	------------------------------	---

Ar

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

B.L. CHAWLA
EE

28	42359	68988	27.07.2018	Bikaner Kesarvala	B-38, Lawrence Road Industrial Area, Delhi - 110035	NW	Manufacturing Of Sweet s And Allied Products	Orange/ Operate	1. OGT- 3000 L/D 2. ECS- N/A 3. DG Set- Nil 4. Water Consumption- 2000 L/D, Source- DJB 5. Trade Effluent- 1000 L/D 6. Domestic Effluent- 150 L/D 7. SCN u/s 31(A)/33(A)/5 of EPA details : Yes 8. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.- Municipal trade licence not submitted. - Unit has not submitted original CA Certificate. - Municipal trade licence not submitted. - Unit has not submitted original CA Certificate. 10. The unit have applied for Consent to Establish under Air act and Water Act on 30.05.2018 and A show cause notice for refusal of Consent under Air (Prevention and Control of Pollution) Act, 1981 and under Water (Prevention and Control of Pollution) Act, 1974 as amended to date issued to the unit on 16.07.2018. A letter seeking Municipal trade licence and original CA Certificate may be issued to the unit. During inspection On 12.04.2018, the unit was found in operation. In the CTE application, the unit has shown as proposed w.e.f. 01.06.2018. Letter issued on 12.04.2019 and no satisfactory reply received so far.	13	Air (Emissions) : N/A Water (Effluents) : Not submitted. Noise : N/A	Letter may be issued and Inspection may be conducted.	1. Consent be granted. 2. EDC be imposed for operating without consent from the date of inspection to date of apply for consent.
----	-------	-------	------------	----------------------	---	----	--	--------------------	--	----	---	--	--

A2





 B.L. CHAWLA
 EE

29	45677	68891	24.07.2018	MOVIE TIME CINEPL EX PVT. LTD	KP BLOCK, GOPAL MANDI R ROAD,P ITAMP URA,DE LHI, Delhi - 110039	NW	EATI NG HOUS E (TAK E AWA Y OUTL ET)	Orange / Establis h	1. ETP- Oil and grease trap with capacity of 1000 Litres/ Day 2. ECS- No 3. DG Set- One with capacity of 320 KVA 4. Water Consumption- 500 Litres/ Day 5. Trade Effluent- 400 Litres/ Day 6. Domestic Effluent- 80 Litres/ Day 7. Municipal trade licence which is valid up to 31.03.2019 8. Police License- Not provided. 9. Status of Inspection : Conducted on 16.04.2019. O&G Trap not installed. 10. SCN u/s 31(A) : On 06.07.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : Test reports within norms (issued by DPCC on 24.08.2018)	Inspection may be conducted	1. Consent to Establish be granted.
30	45088	68664	23.07.2018	Jyoti Trading Co	Shed No. 58, Dside, Wazirpur Industrial Area, Delhi- 110052, Delhi - 110052	NW	Flex Printing And Advertis ing Printing (with Printing) (without Trade Effluent Dischar ge) And Injection Mouldi ng Machin e	Orange/ Operate	(1)ETP - N/A (2)ECS - No. (3)D.G.Set: - Nil (4) Status of Ground Water extraction : Nil (5)Source of Water: 200 L per day, Source- Outside (6)Domestic effluent discharge - 10 and mode of disposal is Sewer. (7) Trade effluent discharge - Nil (8)Status of Inspection : Yes (9)SCN u/s 31(A)/33(A)/5 of EPA details : Yes (10)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A. Inspection of the unit was conducted by DPCC officials on 09.10.2018 and it was observed: -Hazardous Waste is not found maintained as per rule, but the HW is found quiet insignificant. SCN was issued. Reply received and found satisfactory.	No	Show cause notice may be issue for deficienc ies observed during inspectio n	1. Consent be granted 2. Letter be issued for not complying with HWM, rules 2016.

B.L. CHAWLA
EE

31	45168	68353	19.07.2018	SAHNI FISH	G-6, VARDH MAN ARIHA NT CHAMB ER, PLOT NO- KP BLOCK, PITAMP URA NEW DELHI.	NW	EATI NG HOUS E (TAK E AWA Y)	Orange / Establis h	1. ETP- No 2. ECS- N/A 3. DG Set- NIL 4. Water Consumption- 1500 Litres/Day 5. Source of Water- Others 6. Trade Effluent- 1000 Litres/Day 7. Domestic Effluent- 500 Litres/Day 8. SCN u/s 33(A) and 31(A): Yes 9. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 10. Municipal trade licence which is valid up to 31.03.2019 11. Police License- Not provided. 12. Letter has been issued but no reply received so far. Reminder letter may be issued.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	1. Consent be granted
----	-------	-------	------------	---------------	---	----	---	------------------------------	--	--	---	-----------------------

Am

Am

filed

Added

Sm

EE

B.L. CHAWLA
EE

32	41934	68276	13.07.2018	Bikaner Sweet Corner	B-38, Lawrence Road Industrial Area, Delhi - 110035	NW	Manufacturing Of Sweet s And Allied Products	Orange/ Operate	1. OGT- 3000 L/D 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 2000 L/D, Source- DJB 5. Trade Effluent- 1000 L/D 6. Domestic Effluent- 150 L/D 7. Municipal trade licence not submitted. 8. SCN u/s 33(A) and 31(A): Yes 9. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 10. Unit has not submitted original CA Certificate. 11. The unit have applied for Consent to Establish under Air act and Water Act on 28.05.2018 and A show cause notice for refusal of Consent under Air (Prevention and Control of Pollution) Act, 1981 and under Water (Prevention and Control of Pollution) Act, 1974 as amended to date issued to the unit on 16.07.2018. 12. Municipal trade licence not submitted. 13. Unit has not submitted original CA Certificate. 14. The unit have applied for Consent to Establish under Air act and Water Act on 28.05.2018 and A show cause notice for refusal of Consent under Air (Prevention and Control of Pollution) Act, 1981 and under Water (Prevention and Control of Pollution) Act, 1974 as amended to date issued to the unit on 16.07.2018. A letter seeking Municipal trade licence and original CA Certificate may be issued to the unit. During inspection On 12.04.2018, the unit was found in operation. In the CTE application, the unit has shown as proposed w.e.f. 01.06.2018. Letter issued on 12.04.2019 and no satisfactory reply received so far.	(110) Air (Emissions) : N/A Water (Effluents) : Not submitted. Noise : N/A	Letter may be issued and Inspection may be conducted.	1. Consent be granted. 2. EDC be imposed for operating without consent from the date of inspection to date of apply for consent.
----	-------	-------	------------	----------------------------	---	----	--	--------------------	--	--	--	--

Ar

[Signature]

[Signature]

[Signature]

[Signature]

[Signature]

B.L. CHAWLA
EE

33	18705	63997	11.07.2018	Derby Cosmetic s Manufact urers	T- 2/131,ph- i,mangol puri Industria l Area , Delhi - 110083	NW	Mfg. Of Cosm etics (witho ut Trade Efflue nt)	Orange/ Renewa l	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil (4)Water Consumption : 500 L. per day, Source- other . (5)Domestic effluent discharge - 500 L. per day and mode of disposal is Sewer. (6) Trade effluent discharge - Nil (7)Status of Inspection : Inspection of the unit was conducted by DPCC officials on 22.10.2018 and following were observed: -During the inspection freshly prepared sample of shaving cream was found on the first floor of the premises but the person contacted in formed that the unit is not in operation since six month and there are the sample for testing purpose. -No management of HW was found maintained. -Other than these two activities no other activity was found operations at the time of inspection. (9)SCN was issued to the unit on 12.04.2019. (10)Unit has submitted its reply along with photographs and stated that they have rectified all the deficiencies.	109	Air (Emissions) : N/A Water (Effluents) : Not submitted. Noise : N/A	Show cause notice may be issue for deficienc ies observed during inspectio n	1. CTO(R) be granted. 2. Subsequently inspection be carried out.
----	-------	-------	------------	---	---	----	---	------------------------	---	-----	---	--	--

Am

File

File

Abulhasan

Shrin

Ba

B.L. CHAWLA
EE

34	40219	67784	07-05-18	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	K D 1 & 21, GF,CSC, DDA MARKET PITAMPURA, DELHI - 110034	NW	Restaurant	Orange/Operate	1. ETP- oil and grease trap with capacity of 500 Litres/ Day 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 500 L/D 5. Source of Water- DJB 6. Trade Effluent- 450 L/D 7. Domestic Effluent- 50 L/D 8. Municipal trade licence which is expired. 9. Police License- Not provided. 10. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 11. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil	108	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Hard Copy of application not received. Consent may be granted on receipt of hard copy of application with the condition that unit shall submit valid MCD, Delhi Police and Fire Safety licenses within 03 months.	1. Consent be granted
35	39792	67497	02.07.2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, PLOT NO-19, COMMUNITY CENTRE ROAD NO-44, PITAMPURA, Delhi - 110095	NW	Restaurant	Orange / Operate	(1)ETP - OGT of capacity 450 L per day (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 500 L per day, Source- DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Hard Copy has been submitted by unit and inspection has to be conducted.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.	1. Consent be granted

Mr

B.L. CHAWLA
B.L. CHAWLA
EE
Piche
P. Chawla
Sharma

36	14264	66645	24.06.2018	Haryana Food And Gen Mills	C-42/4, Lawrence Road Industrial Area, Delhi - 110035	NW	Dall Mills.	Green/ Renewal	1.ECS: Yes, Bag House 2.ETP: N/A 3.D.G.Set: N/A 4.Status of Ground Water extraction : Nil 5.Source of Water: 350 L per day, Source-DJB 6.Status of Inspection : No 7.SCN u/s 31(A)/33(A)/5 of EPA details : No 8.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.Hardcopy of consent application submitted. 11.inspection was conducted on 20.04.2019 and deficiencies observed. -Stack height of ECS found inadequate. -Unit is using diesel as fuel in dryer.	107	Air (Emissions) : Test reports of stack attached to exhaust of bag house dated 21.06.2018 Water (Effluents) : N/A Noise : N/A	Inspection may be conducted.	1. Consent to operate be granted 2. Issue directions for increasing the stack height of ECS.
37	42003	66251	20.06.2018	NAGPAL FOOD PLAZA	SHOP NO-14, IB- BLOCK, DDA MARKET, ASHOK VIHAR, Delhi - 110020	NW	Eating House (Take away)	Orange / Operate	(1)OGT- N/A (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 2000 Litres/Day from DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)No reply was received of the reminder issued on 27.11.2018 and no reply received so far.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Letter has been issued 31.08.2018 and 22.11.2018 to the unit seeking submission of details of oil and grease trap cum settling tank.	1. Consent be granted,

Am

B.L. CHAWLA
EE

Pichu

Sharma

38	40478	65273	19.06.2018	THE GOOD FOOD CAFE	UG- 1,3,5, VARDH MAN BIG V PLAZA AND PLOT NO.-23 A-1,2,10 N.N. TOWER , ROAD NO.-44, PITAMP URA, Delhi -	NW	REST AUR ANT	Orange / Operate	(1)OGT- N/A (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 2000 Litres/Day from other (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)No reply was received of the reminder	106	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	CMC decision dated 13.12.2018 to 27.12.2018 : Letter has been issued to the unit on 31.08.2018 seeking submission of hard copy of application of Consent to Operate with	1. Consent be granted,
----	-------	-------	------------	-----------------------------	---	----	--------------------	------------------------	---	-----	---	---	------------------------

Am

B.L. Chawla
B.L. CHAWLA
EE

Aditya
Aditya
Aditya

39	42003	65329	09.06.2018	NAGPAL FOOD PLAZA	SHOP NO-14, IB- BLOCK, DDA MARKE T, ASHOK VIHAR, Delhi - 110020	NW	Eating House (Take away)	Orange / Establis h	(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: - Nil Status of Ground Water extraction : Nil Source of Water: 2000 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	105	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	CMC decision dated 13.12.2018 to 27.12.2018 : Letter has been issued 31.08.2018 and 22.11.2018 to the unit seeking submission of details of oil and grease trap cum settling tank. Remin der letter may be issued.	1. Consent be granted,
----	-------	-------	------------	-------------------------	---	----	-----------------------------------	------------------------------	---	-----	---	--	------------------------

Ans

B.L. Chawla
B.L. CHAWLA
EE

Piche

Ashutosh
Sharma

40	42359	65076	30.05.2018	Bikaner Kesarvala	B-38, Lawrenc e Road Industria l Area, Delhi - 110035	NW	Manuf acturin g Of Sweet s And Allied Produ cts	Orange/ Establis h	1.ETP - Oil and Grease Trap (3000 L/D) 2.ECS - N/A 3.D.G.Set:- Nil 4.Status of Ground Water extraction : Nil 5.Source of Water: 2000 L per day, Source-DJB 6.Status of Inspection : Yes 7.SCN u/s 31(A)/33(A)/5 of EPA details : Yes u/s 33 of Water Act and 31 of Air Act. 8.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.The month and year of commencement of production in application form is 01.06.2018 but during the inspection on 12.04.2018 the unit found in operation. 10.Unit has submitted its reply on 31.07.2018 w.r.t SCN dated 16.07.2018 and informed that DPCC officials visited on 12.04.2018 and they were not in operation at that time, they are installing plant and machinery along with keeping the raw material, they were checking the filling of LPG connections, which shall be used for the production , they started their unit w.e.f 01.06.2018 for the operation of their unit. they also informed that, they have filled Consent to Operate application in DPCC on 27.07.2018 and they want to say that on the day of inspection they were completely in operation state but not started the unit as they were waiting for health license. Unit was found in operation during the inspection by DPCC officials. Shown as proposed in the CTE application Letter issued on 12.04.2019 and no satisfactory reply received so far.	104 Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Letter may be issued and Inspectio n may be conducted.	1.1. Consent be granted. 2.EDC be imposed for operating without consent from the date of inspection to date of apply for consent.
----	-------	-------	------------	----------------------	---	----	--	--------------------------	--	---	---	---

me

B.L. Chawla
B.L. CHAWLA
EE

Pickles
Shrin

41	11736	64740	29.05.2018	Shyam Gram Dall Mills	Gi-24, Lawrenc e Road Industria l Area , Delhi - 110035	NW	Dal Mills.	Green/ Renewa l	1.ECS: Yes, Bag House 2.ETP: N/A 3.D.G.Set: 1 of 75 KVA 4.Status of Ground Water extraction : Nil 5.Source of Water: 500 L per day, Source-DJB 6.Status of Inspection : No 7.SCN u/s 31(A)/33(A)/5 of EPA details : No 8.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.Inspection of the addressee unit was conducted by DPCC officials on 31.07.2018 and following were observed: 1. At present the unit was found engaged in the activity of making cattle feed in which discarded/residue material of gram dall was being used to make grinded cattle feed. 2.The process involves during the making of gram dall cattle feed are grading, separation and packaging. Raw material being empty into a collection pit where it is lifted through bucket conveyor to a tank through baram where it is wetted through water in a controlled manner so, that husk from discarded gram dall separated. 3. In the second portion corn/maize being grinded to make it in powder form using a pulverizer and packed in plastic gunny bags (50 kg each). 4. Cyclon followed by bag house being used as emission control system to trap the dust generated from different processes involved. 5. Although dall milling work has been found closed but tool and machinery was found in non-operating condition. Unit has submitted its reply on 01.08.2018 w.r.t SCN dated 16.07.2018 and submitted CA certificate, Gross capital investment in submitted CA certificate is Rs.1138916 whereas Gross capital investment in Consent application is Rs.970062. SCN u/s 31(A) and SCN for refusal of Consent issued to the unit on 30.08.2018. Unit has submitted its reply on 06.09.2018 w.r.t SCNs dated 30.08.2018 and informed that unit has been engaged in the activity of Dall Mill. Cattle feed is the by-product of Dall milling process, both the process are continuous process one is completed and other is started, they are engaged in the activity of grinding of corn/maize and will also Mfg. Dall in future and unit requested to grant Consent to operate for the activity of Dall Milling/Cattle feed. Inspection conducted 28.02.2019 and no deficiency observed.	103	Air (Emissions) : Test reports of stack attached to exhaust of bag house is within norms (issued by DPCC on 21.05.2018) Water (Effluents) : N/A Noise : Test report within norms (issued by DPCC on 16.05.2018)	Inspectio n may be conducted.	1. Consent be granted.
----	-------	-------	------------	--------------------------------	---	----	---------------	-----------------------	---	-----	--	-------------------------------------	------------------------

Ar


B.L. CHAWLA
EE






42	41934	64930	28.05.2018	Bikaner Sweet Corner	B-38, Lawrenc e Road Industria l Area, Delhi - 110035	NW	Manuf acturin g Of Sweet s And Allied Produ cts	Orange/ Establis h	1.ECS: N/A 2.ETP: N/A 3.D.G.Set: Nil 4.Status of Ground Water extraction : Nil 5.Source of Water: 2000 L. per day, Source-DJB 6.Status of Inspection : Yes 7.SCN u/s 31(A)/33(A)/5 of EPA details : Yes u/s 33 of Water Act and 31 of Air Act. 8.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9.The month and year of commencement of production in application form is 01.06.2018 but during the inspection on 12.04.2018 the unit found in operation. 10.Unit has submitted its reply on 31.07.2018 w.r.t SCN dated 16.07.2018 and informed that DPCC officials visited on 12.04.2018 and they were not in operation at that time, they are installing plant and machinery along with keeping the raw material, they were checking the filling of L.P.G connections, which shall be used for the production , they started their unit w.c.f 01.06.2018 for the operation of their unit. they also informed that, they have filled Consent to Operate application in DPCC on 27.07.2018 and they want to say that on the day of inspection they were completely in operation state but not started the unit as they were waiting for health license. Unit was found in operation during the inspection by DPCC officials. Shown as proposed in the CTE application. Letter issued on 12.04.2019 and no satisfactory reply received so far.	102	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Letter may be issue and inspectio n may be conducte d.	1. Consent be granted. 2.EDC be imposed for operating without consent from the date of inspection to date of apply for consent.
----	-------	-------	------------	----------------------------	---	----	--	--------------------------	---	-----	--	---	---

Am






 B.L. CHAWLA
 EE

43	11704	64565	24.05.2018	Metro Press	B-49, Lawrence Road Industrial Area, Delhi - 110035	NW	Printing Press (offset Printing) And Packing Boxes.	Orange/Renewal	1.ECS: N/A 2.ETP: N/A 3.D.G.Set: 1 of 125 KVA 4.Status of Ground Water extraction : Nil 5.Source of Water: 300 L per day, Source-DJB 6.Status of Inspection : yes on 19.04.2019. deficiency observed. 7. Unit is not complying with HWM rules, 2016 8.SCN u/s 31(A)/33(A)/5 of EPA details : No 9.Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 10.Show cause notice u/s 5 of the Environment (protection) Act on 16.07.2018, Unit has submitted its reply on 01.08.2018 w.r.t SCN dated 16.07.2018 and informed that they have complied all HWM guidelines/formalities advised by your DPCC official on 18.06.2018 and submitted photographs of hazardous waste container/room, maintaining records of hazardous waste in form no.3 and log book, display boards.	Air : N/A Water: N/A Noise: Test report dated 24.04.2018 and parameters are within limit.	Inspection may be conducted.	1. Consent be granted. 2. Issue SCN for compliance of HW Rules.
44	41231	63964	19.05.2018	MOTI MAHAL DELUX (A UNIT OF KRISHNAS KITCHEN)	GROUNDFLOOR 157, OPP. PILLAR NO. 355, KAPIL VIHAR PITAMPURA	NW	EATING HOUSE	Orange / Operate	1.ECS: N/A 2. ETP: OGT with capacity of 1000 Litres/ Day 3. D.G.Set: N/A 4. Status of Ground Water extraction : Nil 5. Source of Water: 1800 L per day, Source-DJB 6. SCN u/s 31(A)/33(A)/5 of EPA details : No 7. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 8. Status of Inspection : 11.10.2018 and SCN has been issued on 12.04.2019. 9.Reply Received on 16.04.2019 and found satisfactory.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Inspection has been conducted and decided to issue SCN for refusal and u/s Air Act.	1. Consent be granted. 2. Subsequently inspection be carried out.

Av

[Signature]
B.L. CHAWLA
EE

[Signature]

Piche

[Signature]




[Signature]

45	41349	63874	06.05.2018	CHAWLA A CHICK INN	SHOP NO. 9, BT BLOCK, SHALI MAR BAGH, Delhi - 110055	NW	EATING HOUSE/ VEGETARIAN AND NON VEG	Orange/ /	Establishment	1. ECS: N/A 2. OGT: N/A 3. D.G.Set: N/A 4. Status of Ground Water extraction : Nil 5. Source of Water: 300L per day Source DJB 6. SCN u/s 31(A)/33(A)/5 of EPA details : No 7. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 8. Status of Inspection : yes, 22.04.2019 -OGT was not provided. - Stack of the channelization system was inadequate.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Letter has been issued on 31.08.2018 to the unit seeking submission of documents. Reminder letter may be issued.	1. CTE be granted.
46	39936	63594	27.04.2018	Roop Leasing And Finance Pvt. Ltd.	Khasra No. 1164, Rithala Industrial Area, New Delhi - 110085	NW	Repairing And Dry Service Of Two Wheelers	Orange/ Operate		(1)ETP: N/A (2)ECS: N/A (3)D.G.Set : Nil (4)Status of Ground Water extraction : No, 500 Liters/Day(DJB) (5)Status of Inspection : Yes (6)SCN u/s 31(A)/33(A)/5 of EPA details : No (7)Closure directions u/s 31(A)/33(A)/5 of EPA details : No (8)Reminder letter was issued to the unit seeking the certificate from Industries Department along with the location map and latitude longitude issued on 16.07.2018, No reply has been received so far. (9)Inspection of the unit conducted on 30.05.2019 and deficiencies observed. -Unit is not complying with HWM rules, 2016.	Air (Emissions) :N/A Water (Effluents) : N/A Noise : N/A	Unit had submitted its representati on in DPCC on 19.02.2019 w.r.t the letter vide dt 16.07.2018, As enclosed undertaking and self attested location in Redevelopm ent Area Map. CMC decision dated 13.12.2018 to 27.12.2018: SCN for refusal of consent may be issued to the unit. And Inspection yet to be conducted.	1. Consent be granted 2. Letter be issued for not complying with HWM, rules 2016.

47	40442	62878	06.04.2018	Jugal Kishore Chhabra	Plot No. 7, Block-g, Lawrence Road Industrial Area, Delhi - 110035	NW	Cooling Water Supplier	Green/Operate	1. ECS: N/A 2. ETP: N/A 3. D.G.Set: Nil 4. Status of Ground Water extraction : Nil 5. Source of Water: 350 L per day, Source-DJB 6. Status of Inspection : yes 7. SCN u/s 31(A)/33(A)/5 of EPA details : No 8. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9. Case deferred in the last meeting. 10. Inspection was conducted on 22.04.2019. Deficiencies observed. -Unit has installed one borewell with any permission from CGWA/DJB.	99	Air : N/A Water: N/A Noise: N/A	Inspection may be conducted.	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed. 4. Letter to DM for action against using bore well.
48	34410	62603	27.03.2018	Arihant Marketing (india)	Plot No A-17, Lawrence Road Industrial Area, Delhi - 110035	NW	Mineralised Water/water Treatment Plant.	Green/Operate	1. ECS: N/A 2. ETP: N/A 3. D.G.Set: Nil 4. Status of Ground Water extraction : 12300 L per day 5. Source of Water: NIL 6. Status of Inspection : No 7. SCN u/s 31(A)/33(A)/5 of EPA details : No 8. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A Hard copy not submitted. Only first page of undertaking is uploaded. Case deferred in the last meeting. Hardcopy of consent application submitted.		Air : N/A Water: Effluent analysis report dated 27.02.2018 and parameters are within limits Noise: N/A	Letter may be issued	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed. 4. Letter to DM for action against using bore well .

An


B.L. CHAWLA
EE

49	40442	62765	23.03.2018	Jugal Kishore Chhabra	Plot No. 7, Block-g, Lawrence Road Industrial Area, Delhi - 110035	NW	Cooling Water Supplier	Green/Establish	1. ECS: N/A 2. ETP: N/A 3. D.G.Set: Nil 4. Status of Ground Water extraction : Nil 5. Source of Water: 350 L per day, Source-DJB 6. Status of Inspection : yes 7. SCN u/s 31(A)/33(A)/5 of EPA details : No 8. Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A 9. Case deferred in the last meeting. 10. Inspection was conducted on 22.04.2019. Deficiencies observed. -Unit has installed one borewell without permission from CGWA/DJB.	98	Air : N/A Water: N/A Noise: N/A	CTE may be granted.	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed. 4. Letter to DM for action against using bore well .
50	39792	61939	20.03.2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	GF, PLOT NO-19, COMMUNITY CENTRE ROAD NO-44, PITAMPURA, Delhi - 110095	NW	Restaurant	Orange / Establish	(1)ETP - OGT of capacity 450 L per day (2)ECS - N/A (3)D.G.Set: - Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 500 L per day, Source- DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Hard Copy has been submitted by unit and inspection has to be conducted.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.	1. Consent to Establish be granted.

Am

B.L. CHAWLA
EE

Althous

File

File

Shrin

51	24130	60603	27-12-2017	SAGAR RATNA HOTELS PVT. LTD (SAGAR RATNA)	33/C-9, SECTOR-7, ROHINI, DELHI - 110085	NW	Restaurant	Orange/Operate	1. ETP- 2000 Litres/ Day 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 2000 L/D 5. Source of Water- DJB 6. Trade Effluent- 1500 L/D 7. Domestic Effluent- 100 L/D 8. Municipal trade licence- Not submitted 9. Police License- Not submitted. 10. Status of inspection: Yes 10. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 11. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil Unit found closed during inspection	97	Air (Emissions) : N/A Water (Effluents) : Test report dated 07.08.2018 and parameters are within limits.	Consent to Operate refused. Also seek compliance report.	1. Consent application to made infructuous
52	38838	60716	22.11.2017	BOBBY PUNJAB I RASOI	SHOP NO. 22, 24, KD BLOCK DDA MARKET, PITAMPURA, Delhi - 110033	NW	Eating House	Orange / Establishment	(1)ETP: OGT of capacity 0.45 KLD (2)ECS: N/A (3)D.G.Set: Nil (4)Status of Ground Water extraction: Nil (5)Source of Water: 0.35 KLD from Municipal Authority (6)Status of Inspection : Yes on 17.08.2017 (7)SCN u/s 31(A)/33(A)/5 of EPA details : N/A (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A (9)Letter undelivered as unit is closed.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Reminder letter seeking hardcopy of Consent application along with requisite documents and Show cause notice u/s 33(A) of Water Act and 31(A) of Air act issued to the unit on 10.07.2018 but no reply received till now.	1. Consent application to made infructuous

Am

B.L. Chawla
B.L. CHAWLA
EE

Abhishek

Chawla

Pichay

Smith

53	38422	60387	23-10-2017	KAVYA ENTERPRISES	A-27, PHASE-II, MANGO LPURI INDUSTRIAL AREA, Delhi - 110028	NW	MANUFACTURING OF EVA SHEETS (YOGA MATS/SPORTS SHEETS)	Green/Operate	1. ETP - N/A 2. ECS - Yes (Stack attached with boiler) <i>gb</i> 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA and refusal details -12.04.2019 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil 9. Reply received along with MSME certificate.	Air (Emissions): Test reports within norms (issued by DPCC on 12.10.2017) Water (Effluents): N/A Noise : N/A	CMC decision dated 13.12.2018 to 27.12.2018: SCN for refusal and closure of consent may be issued.	1. Consent be granted.
54	36619	60194	12.10.2017	CAFE COFFEE DAY	SHOP C9/23, GF SECTOR-7, ROHINI, Delhi - 110040	NW	COFFEE SHOP	Orange / Operate	1. ETP - Oil and Grease trap of 1.1 KLD 2. ECS - N/A 3. D.G. Set - 1 of 45 KVA 4. Status of Ground water extraction : Nil 5. Source of water - 1100 L/D, Source- DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil 9. Reminder letters issued on 05.02.2018, 24.05.2018 and on 04.09.2018 but no reply has been received till date.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : Test report dated 13.09.2017 and parameters are within limits.	CMC decision dated 13.12.2018 to 27.12.2018 : Reminder letter has been issued to the unit seeking submission of fresh monitoring report of D. G. set of 45 K V A. Reminder letter may be issued.	1. Consent be granted with the condition to submit noise monitoring report of DG Set.

B.L. CHAWLA
EE

filed

Sanjay

55	36176	59861	28-09-2017	SHANTI ENTERPRISES	A-124, PHASE-II, MANGO LPURI INDUSTRIAL AREA, Delhi - 110040	NW	MANUFAC TURING OF MICROCELLULAR SHEETS	Green/Operate	1. ETP - N/A 2. ECS - Stack attached to thermic fluid boiler 3. D.G. Set - Nil 4. Status of Ground water extraction : Nil 5. Source of water - 350 L/D, Source-DJB 6. Status of inspection - Nil 7. SCN u/s 31(A)/33(A)/5 of EPA details - Nil 8. Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil 9. SCN for refusal was issued to the unit on 12.04.2019. In response of it unit has submitted its reply along with MSME certificate.	95	Air (Emissions): Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	CMC decision dated 13.12.2018 to 27.12.2018 : SCN for refusal and closure of consent may be issued.	1. Consent be granted.
56	32814	59132	21-07-2017	KAMLESH POLYMERS	T-4/67, PHASE-I, MANGO LPURI INDUSTRIAL AREA, Delhi - 110020	NW	MANUFAC TURING OF MICROCELLULAR SHEETS	Green/Operate	(1)ETP - No (2)ECS - Yes, Stack attached with boiler (3)D.G.Set -Nil (4)Status of Ground Water extraction- Nil (5)Source of Water- 350 L per day, Source-Others (6)Status of Inspection - No (7)SCN for refusal- 12.04.2019 (8)Closure directions u/s 31(A)/33(A)/5 of EPA details- No (9)Unit has submitted its reply along with MSME certificate.		Emission Monitoring report - Yes, Within limit-yes	CMC decision dated 13.12.2018 to 27.12.2018 : SCN may be issued.	1. Consent be granted.

Am

[Signature]

B.L. CHAWLA
EE

[Signature]

[Signature]

[Signature]


[Signature]

57	26158	58853	2017.10.07	PURATAN RESTAURANT	SHOP NO 202 & 301, (2ND FLOOR & 3RD FLOOR), PLOT NO 4, GARG TRADE CENTRE, SECTOR-11, ROHINI,	NW	RESTAURANT SERVICES	Orange / Renewal	1. ECS: N/A 2. ETP: (Biological type) capacity 5 KLD along with OGT (capacity 5 KLD) 3. D.G.Set: 1 of 75 KVA capacity with Acoustic Enclosure 4. Source of water supply: 3.5 KLD from other source of water 5. Earlier, Consent to Operate was granted to the unit for the activity of Restaurant Services which expired on 17.05.2014. 6. Status of Inspection : Yes 7. SCN u/s 31(A)/33(A)/5 of EPA details : N/A 8. Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A 9. Inspection was conducted on 22.04.2019. Deficiencies observed. -ETP found non operational. -Stack height of kitchen channelization found inadequate.	Effluent analysis report issued by DPCC dated 06-07-2017 submitted and parameters are within prescribed limit. Noise monitoring report issued by DPCC Lab dated 04-07-2017 submitted	Reminder letter is issued to unit on 31.08.2018 seeking submission of photographs and details (size/dimensions) of ETP as per latest RESDH Policy. Inspection be conducted.	1. Consent application be refused. 2. Issue SCN for closure.
58	23626	56798	2017.05.06	Sunita Enterprises	A-129, Group Wazirpur Industrial Area, Delhi - 110052	NW	Mfg. Of S.s. Utensils With Buffing	Orange / Renewal	1. ETP - N/a. 2. ECS - Stack attached to cyclone. 3. D.G set - No 4. Water Consumption - 200 Liters/Days and source is Corporation. 5. Domestic effluent Discharge - 50 Liters/Days and mode of disposal is CETP drain. 6. Trade effluent Discharge - Nil 7. Status of Inspection : Yes 8. SCN u/s 31(A)/33(A)/5 of EPA details : N/A 9. Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A 10. Letter was issued to the unit on 12.04.2019. Reply submitted by the unit and inspection conducted on 18.04.2019 Deficiencies observed. -ECS found non effective.	Air (Emissions) : Not submitted Water (Effluents) : N/A Noise : N/A	Inspection may be conducted and letter may be issued to ask the emission monitoring report.	1. Consent application be refused. 2. Issue SCN for closure.

Am


B.L. CHAWLA
EE







59	30927	55415	24.01.2017	BAGGA LINK SERVIC E LTD	G.F. 1141/2, RITHAL A, DELHI, DELHI - 110085	NW	SERV ICE STAT ION OF BIKE S.	Orange / Operate	(1)ETP: Physiochemical (2)ECS - N/A (3)D.G. Set(s) of 62.5 KVA. (4)Status of Ground Water extraction :Nil (5)Source of Water: 2.5 KLD from DJB. (6)Status of Inspection : Yes (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : No (9)Unit has submitted its representation on 27.09.2018 and informed that they has requested to SDM (Rohini) and requested to give 45 days time to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within the boundary of the notified redevelopment area. Also Reminder Letter be issued 21.04.2019 for obtaining Undertaking and self attested location of the unit, If provided	93	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Ask the unit to submit certificat e, in original, from Industrie s Departm ent/ concerne d SDM regardin g location of the unit within the boundary of the notified redevelo pment area	1. Inspection be conducted.
60	34410	54891	15.09.2016	Arihant Marketin g (india)	Plot No A-17, Lawrenc e Road Industria l Area, Delhi - 110035	NW	Miner alised Water/ water Treat ment Plant.	Orange/ Establis h	(1)ETP : N/A (2)D.G.Set Noise Report : N/A (3)Status of Ground Water extraction : outside source (4)Status of Inspection : Yes (5)SCN u/s 31(A)/33(A)/5 of EPA details : N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A (7) Activity is not mentioned clearly. (8) Commencement 30.09.2016. (9)As decided Inspection was conducted by DPCC representatives on 08.03.2018 and no deficiency observed.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Consent to Establish may be granted	1. Consent application be refused. 2. Issue Closure direction. 3. Environmental Damages Compensation be imposed. 4.Letter to DM for action against using bore well .

B.L. CHAWLA
EE

[Signature]

[Signature]

[Signature]

[Signature]

61	18299	51177	05.10.2015	DTC NETAJI SUBHAS H PLACE	SUBHA SH PLACE DEPOT., Delhi - 110020	NW	Repair and Maint enance of CNG Low Floor Buses.	Orange / Renewa l	(1)ETP: Physiochemical (2)ECS: N/A (3)D.G.Set: 1 of capacity 62.5 KVA (4)Status of Ground Water extraction : Nil (5)Source of Water: 12 KLD from DJB (6)Status of Inspection : Yes (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : No (9)Inspection was conducted on 22.04.2019. Deficiencies observed. -Unit has not installed ETP.	92	1. Effluent analysis report dated 17.06.2015 and parameters are within limits. 2. Air: N/A 3. Noise monitoring report dated 24.06.2015 and parameters are within limits.	Inspectio n may be conducted.	1. SCN for refusal of consent be issued.
62	31689	50260	06-02-15	HARI RAM BABU LAL ENT.	B-63, WAZIR PUR INDUST RIAL AREA, DELHI - 110052	NW	Annea ling and cold re rolling of S.S. Sheets	Green/E stablish	(1)ETP : N/A (2)ECS : N/A (3)D.G.Set: : Nil (4)Ground Water: Nil (5)Source of Water: 0.02 KLD from home. (6)Status of Inspection : Yes (7)SCN for refusal and u/s 5 of EPA: No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details- No (9)Unit has submitted its reply on 10.04.2018 w.r.t Direction for switching over to PNG stating that M/s Hari ram babu lal was tenant and vacate out the plot and new unit namely M/s Shree Ganesh rolling is running engaged in the activity of Cold Re- rolling of S.S. Sheets. and has applied for Consent.		Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Inspectio n be conducted	The unit was listed in pickling units. During survey it was observed that pickling activity has been stopped. Consent be refused.


B.L. CHAWLA
EE


63	10038	48830	10-10-14	SHREE GANESH ENTERPRISE	A-20(GROUP), WAZIR PUR INDUSTRIAL AREA, DELHI - 110052	NW	MFG. OF PLASTIC TUBES AND BAGS WITH PRINTING.	Orange / Renewal	(1)ETP: N/A (2)ECS : N/A (3)D.G.Set: Nil (4)Ground Water: Nil (5)Source of Water: 0.05 KLD from municipal authority (6)Status of Inspection : Yes (7)SCN for refusal and u/s 5 of EPA on 09.11.2018 for non compliance of HWM rules, 2016 and for Mfg. plastic tubes and bags of thickness less than 50 micron. (8)Closure directions u/s 31(A)/33(A)/5 of EPA details- No (9) Unit has submitted its reply w.r.t issued SCNs Inspection was conducted on 04.06.2019 and found that: 1. Channelisation was not provided on printing machine. Ink was spread all over the printing machine. 2. HWM Rules, 2016 was not comply. 3. Thickness of plastic tubes was found between 10 to 25 microns	91	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	1. Consent be refused. 2. Closure direction be issued. 3. Environmental Damages Compensation be imposed.
64	17589	48642	12.09.2014	Alcit (india) Pvt. Ltd	A-17, Lawrence Road Industrial Area, Delhi - 110035	NW	Manufacturing Of Allergens Vaccines.	Orange/ Renewal	(1)ETP: Physiochemical (2)ECS : N/A (3)D.G.Set : Nil (4)Ground Water: Nil (5)Source of Water: 0.3 KLD from municipal authority (6)Status of Inspection : Yes (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A (9)Inspection of the unit was conducted by DPCC officials on 22.03.2019 and deficiencies observed. -ETP found non operational.		Air (Emissions) : N/A Water (Effluents) : Not submitted Noise : N/A	On processing the decision for compliance, no discrepancy found in the previous inspection to issue show cause notice for refusal of consent. Unit may be re-inspected.	1. Consent be granted.

Am


B.L. CHAWLA
EE







65	30102	48341	08-04-14	BALAJI STEEL	B-8, (GROUP) WAZIR PUR INDUST RIAL AREA, DELHI - 110052	NW	Annea ling and RE Rollin g of S.S. Sheets	Orange/ Operate	(1)ETP:N/A (2)ECS : N/A (3)D.G.Set: : Nil (4)SCN u/s 31(A)/33(A)/5 of EPA details - Nil (5) Closure Directions u/s 31(A)/33(A)/5 of EPA details - Nil Unit has submitted its reply on 06.07.2015 and claimed that they are doing job work and nptot confirmed the name & address of unit where pickling is being carried out and also informed that water is using only for drinking purpose which is brought from home. As approved on file SCN for refusal of consent was issued to the unit on 17.08.2015. In response of it unit has submitted its reply on 28.10.2015 and stated that: - stack height has been provided 2.5m above the adjacent roof level. - M/s Tirupati Metal at B-8 (Group), Wazirpur Industrial Area, Delhi-110052 was the name & address of unit where pickling is being carried out. Unit has submitted reply in response of the issued Direction for switching over to PNG that they have closed the annealing furnacc and the same is observed during inspection on 18.04.2019. unit has change the activity to S.S metal fabrication under white category.	Stack monitoring report dated 22-05-2014 and parameters are within limits Water (Effluents) : N/A Noise : N/A	Issue ⁶⁰ show cause notice for refusal of consent with copy to residenti al address also.	1. Consent be refused
----	-------	-------	----------	-----------------	---	----	--	--------------------	--	---	---	-----------------------

ms

B.L. Chawla
B.L. CHAWLA
EE

Adhikari

Thy

Pdler

Smith

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

89

Sl. No	Application Date	Industry Name	Industry Address	Activity	Category	Brief of the case	Test Report	Last Committee Decision	Decision on 03.06.2019
1.	16/11/2018	North W Sales And Marketing Limited	A-40, Community Centre, Paschim Puri, New Delhi - 110063	Shopping Malls, Housing / Commercial/ Office Complexes Having Built Up Area Less Than 20,000 Sqm	Orange/Operate	Source of Water : DJB (Cat-II) Water consumption : 11000 Liters/Day Status of Ground Water extraction : Nil (1)ETP : ETP Installed (2)ECS : N/A (3)D.G. Set : N/A Status of Inspection : yes Show Cause Notice u/s 33 (A) : yes Directions u/s 33 (A) : Yes -Unit was inspected on 06.4.2018 and observed certain deficiencies -Show Cause Notice u/s 33 (A) was issued to the unit on 11.05.2018. -The unit submitted a reply dated 25.05.2018 -Fresh inspection conducted on 28.06.2018. -During inspection again various deficiencies were observed . -Closure directions issued and CTO revoked on 08.08.2018. -As per office order dated 02.08.2018 issued an order for restoration of power supply, water supply & desealing of the unit on 04.09.2018. -Now unit has submitted fresh application for CTO on 16.11.2018.	- Effluent analysis report dated 19-09-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes -The unit has 2 D.G. Set(s) of 625 KVA and 625 KVA. Noise monitoring report dated 17-09-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	08-08-2018 Decision / Recommended under File Put up Administratively II(b)	Inspection be carried out to verify the rectification of deficiencies.
2.	31/10/2018	Shri Shyam & Company	Khasra No. 50/23, Swaran Park, Mundka Industrial Area, Delhi- 110041, Delhi - 110041	Household/ kitchen Appliances (assembly), Manufacturing Of Footwear Uppers	Green/Operate	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A As per last decision, a letter was issued on 31.05.2019 regarding submission of map indicating its location as per new redevelopment area policy.	NA	The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision	- Letter issued on 03.06.2019 -CTE applied on 30.10.18. - If unit submits map indicating its location along with undertaking as per the recent policy

(Anil Mishra)
EIS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI


Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]


28

				Using Adhesive, Light Engineering Work, Shoe Making And Repairing				online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Consent to Establish applied on 31.10.2018 and its was pending.	dated 21.01.2019, Consent to establish and Operate be granted
3.	10/30/2018	Shri Shyam & Company	Khasra No. 50/23, Swaran Park, Mundka Industrial Area, Delhi-110041, Delhi - 110041	Household/ kitchen Appliances (assembly), Manufacturing Of Footwear Uppers Using Adhesive, Light Engineerin	Green/Establish	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for establishment of unit	Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit	- Letter issued on 03.06.2019 - If unit submits map indicating its location along with undertaking as per the recent policy dated 21.01.2019, Consent be granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

87

				g Work, Shoe Making And Repairing				in the said certificate.	
4.	10/29/2018	World Class Automobile s Pvt Ltd	68/3 Najafgarh Road Industrial Area Delhi 15, Delhi - 110015	Service Station	Orange/Renewal	-Inspection was carried out by DPCC official on 14/11/2018 - Show Cause Notice for Closure u/s 31(A) of Air Act and u/s 33(A) of water Act and u/s 5 of EP Act issued on 19.12.2018. -Re- inspection was conducted on 24.05.2019 and following were observed 1. Unit has installed ETP to treat the effluent generated from process same found operational. 2. Chemical observed in dosing tank. 3 Muddy water observed in sludge drying beds. 4. Used /waste oil stored in underground concrete tank and disposed off through registered recycler. 5. unit has been advised to reuse the treated waste water of ETP for washing/fleshing etc. 6. Also it has been advised to install a flow meter on borewell to measure the quantum of water extraction and obtained permission /authorization from the competent authority. 7. Plastic drums full off mud and discarded spare parts and empty drums of diesel placed near the washing area.	Effluent analysis report dated 07-08-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes --Noise monitoring report dated 29-10-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Case Deferred	-Consent to Establish issued on 14-12-2010 -Consent to Operate be granted
5.	10/23/2018	Super Disco Ispat Pvt. Ltd.	Plot No. - 62/20, Road No. -11, Main Rohtak Road, Mundka Udyog Nagar (south Side), Indl Area Narela Zone,	Steel Re- rolling Industry (less Than 25 Tpd)	Green/Establish	Source of Water: Other Water Consumption: 100 Liters/Day Status of Ground Water extraction : N/A Not applied for CTO	Not required as application for establishment of unit	14-01-2019:The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision	- Letter issued on 03.06.2019 - If unit submits map indicating its location along with undertaking as per the recent policy dated 21.01.2019, Consent be granted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

86

			Mundka, Delhi - 110041					online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	
6.	10/22/2018	RS Lal International	Plot No.-285, (kh. No.-51/2 (1-4)) Swarn Park Udyog Nagar Mundka Industrial Area, Delhi-41, Delhi - 110041	Processing Of Condiments, Spices, Groundnuts And Dal Etc., Pulverizing Units, Spice Grinding	Green/Establish	As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy. Not applied for CTO.	Not required as application for establishment of unit	14-01-2019: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from	- Letter issued on 31.5.2019 - If unit submits map indicating its location along with undertaking as per the recent policy dated 21.01.2019, Consent be granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.


[CMC-IV & VI]

5

								Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	
7.	10/22/2018	Kairos	J-2/3 Ground Floor B K Dutt Market, Rajouri Garden, New Delhi - 110027	Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb Sewer And Having Kitchen And / Or	Orange/Operate	An inspection was carried out by DPCC official on 14/11/2018 on the basis of deficiencies observed as decided a Show Cause Notice for Closure u/s 31(A) of Air Act and u/s 33(A) of water Act and u/s 5 of EP Act issued on 19.12.2018. in response to our show cause notice unit submitted a reply and reported all the deficiencies have been rectified. Accordingly to verify the factual position an inspection was conducted on 24.05.2019 and following were observed 1. No industrial activity observed. 2. at present construction /renovation of building is going on GF, FF, SF & Roof top. 3. as reported the unit has stopped its activity from last 2-3 months. 4. unit has advised do not start any industrial activity before obtaining consent under water & Air act from DPCC Consent to Establish was issued on 19-12-2018.	(A) Effluent analysis report : - Effluent analysis report dated 11-09-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	07-01-2019:The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue Show Cause Notice for refusal of consent, u/s 31(A) of Air Act and u/s 33(A) of water Act for closure of the unit.	Consent to operate may be refused as the unit has stopped its activities


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI


Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.


[CMC-IV & VI]

84

				Laundry Without Boiler					
8.	10/19/2018	Sohwasia Kalyankari Foundation	62, Dall Mill Compound, Kavita Colony, Kirari Road, Nangloi, New Delhi-110041,, New Delhi - 110041	Restaurant s/eating Houses / Dhabas And Other Such Establishm ents (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishm ents (with Annual Average Production Of Less Than One	Orange/Operate	Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Not required as application for eating house having Seating Capacity Less Than 36	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	-Applied for CTE on 19.10.18. Inspection be carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Tonne/day - Connected To / Dischargin g Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
9.	10/19/2018	Sohwasia Kalyankari Foundation	62, Dall Mill Compound, Kavita Colony, Kirari Road, Nangloi, New Delhi- 110041,, New Delhi - 110041	Restaurant s/eating Houses / Dhabas And Other Such Establishm ents (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100	Orange/Establish	Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Not required as application for establishment of unit Applied for CTO on same day	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	Inspection he carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				M2) And /sweet Shops/ Halwais And Other Such Establishments (with Annual Average Production Of Less Than One Tonne/day - Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
10.	10/17/2018	Poorvanchal Samaj Sewa Sangh	Khasra No.39/15, Plot No.1-a, Vikas Vihar, Nilothi Extn., Nangloi, Delhi-	Restaurant/s/eating Houses / Dhabas And Other Such Establishm	Orange/Operate	Source of Water: Other Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set Noise Report : N/A	Not required as application for eating house having Seating Capacity Less Than 36	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	Inspection be carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

81

		110041, New Delhi - 110041	ents (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishm ents (with Annual Average Production Of Less Than One Tonne/day - Connected To / Dischargin g Effluent Into Public / Municipal / Djb Sewer And	Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Applied for CTE on 17.10.18			
--	--	----------------------------------	---	--	--	--	--

Am

(Arun Mishra)
MS, DPCC

B.M.S. Reddy

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

Siddhartha Gautam

(Dr. Siddhartha Gautam)
AEE, CMC-IV

R.K. Sharma

(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

80

				Having Kitchen And / Or Laundry Without Boiler					
11.	10/17/2018	Poorvancha I Samaj Sewa Sangh	Khasra No.39/15, Plot No.1-a, Vikas Vihar, Nilothi Extn., Nangloi, Delhi-110041, New Delhi - 110041	Restaurant s/eating Houses / Dhabas And Other Such Establishm ents (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishm ents (with Annual Average	Orange/Establish	Source of Water: Other Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Applied for CTO on the same day	Not required as application for establishment of unit	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	Inspection be carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Production Of Less Than One Tonne/day - Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler				
12.	10/17/2018	Chanson Grand Wend (A Unit Of Chanson Hospitality Pvt.ltd)	G-6, Community Centre Near Pvr Vikas Puri , New Delhi - 110018	Hotel/ Guest Houses Having Upto 50 Rooms (double Bed) Or 100 Rooms (single Bed) (excluding 3 Star And Above) - Connected To / Discharging	Orange/Establish	Source of Water : DJB Water consumption : 2000 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP : ETP (Physiochemical) installed (2)ECS : N/A (3)D.G.Set : N/A Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A Not applied for CTO	Not required as application for establishment of unit	Consent to Establish be granted. Issue SCN directing the unit to apply for CTO.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				g Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
13.	10/16/2018	Saghan Kshetra Vikas Samiti	H.no.a-2/22, Ground Floor, Kh.no.19/10/ 1, Kunwar Singh Nagar, Nangloi, Delhi- 110041, New Delhi - 110041	Restaurant s/eating Houses / Dhabas And Other Such Establishm ents (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other	Orange/Operate	Source of Water: DJB (Cat-II) Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Sct Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Applied for CTE on the same day	Not required as application for eating house having Seating Capacity Less Than 36	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	Inspection be carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV



(R.K. Sharma)
AEE, CMC-VI

				Such Establishments (with Annual Average Production Of Less Than One Tonne/day - Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
14.	10/16/2018	Saghan Kshetra Vikas Samiti	H.no.a-2/22, Ground Floor, Kh.no.19/10/1, Kunwar Singh Nagar, Nangloi, Delhi-110041, New Delhi - 110041	Restaurant s/eating Houses / Dhabas And Other Such Establishments (having Seating Capacity Less Than	Orange/Establish	Source of Water: DJB (Cat-II) Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set Noise Report : N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Not required as application for establishment of unit	Ask the unit to submit hard copy of consent application along with requisite documents including proof of conformity w.r.t. MPD-2021.	Inspection be carried out to know the extent of pollution and control measures.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishm ents (with Annual Average Production Of Less Than One Tonne/day - Connected To / Dischargin g Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without	Applied for CTO on the same day			
--	--	--	--	---	---------------------------------	--	--	--


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

15.	10/15/2018	The Chinese Kitchen (a Unit Of Jubilant Foodworks Ltd)	Plot No- a4/44, ground Floor, paschim Vihar, New Delhi - 110063	Boiler Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler	Orange/Operate	Source of Water: DJB (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System 1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : Yes No. of seats - 48	Not Submitted		Consent to Establish has been granted on 14.09.218. Consent to Operate be granted
16.	10/13/2018	The Destination (a Unit Of Vvs Enterprises)	Ground Floor, B-10, B-block, Community Centre, Janak Puri, New Delhi - 110058, New	Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin	Orange/Operate	SCN for closure has been issued as deficiencies found during inspection and unit claiming that all deficiencies has been rectified. No inspection carried out	Not Submitted	Issue show cause notice for refusal of consent, u/s 31(A) of Air Act and 33(A) of Water Act to the unit.	-Consent to Establish issued on 20-04-2019 -Consent to Operate be granted -Subsequently inspection be conducted.

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

			Delhi - 110058	g Seating Capacity From 36 To 100 Seats)- Connected To / Discharging Effluent Into Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
17.	9/10/2018	Majestic Crown A Unit Of Vricksh Hospitality	24, Shivaji Marg, New Delhi - 110015	Restaurant s/eating Houses / Dhabas And Other Such Establishments (with Minimum Seating Capacity Of 101) / Banquet Halls/ Party Lawns (with	Orange/Operate	Source of Water: DJB +Borewell Water Consumption: 5000 Liters/Day Status of Ground Water extraction Yes, Status of Pollution Control System (1)ETP: Install (2)ECS: N/A (3)D.G.Set: 320,250,125 Status of Inspection : SCN u/s 31(A)/33(A)- No Closure directions u/s 31(A)/33(A) - No As decided in the CMC meeting inspection was conducted on 28.05.2019 during the inspection following observed. 1. Unit has installed ETP to treat the effluent generated from the process in kitchen however the same found in non-operational condition	Not Submitted	Inspection be conducted.	-Unit was issued consent to Establish on 18.04.2017. -Show Cause for refusal of consent and closure of unit with an EDC of Rs. 50000/- may be issued.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Minimum Floor Area 100 M2) And /sweet Shops/ Halwais And Other Such Establishments (with Annual Average Production Of One Tonne/day Or More) - Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler		and unit is discharging untreated effluent directly in sewer - Unit has not provided proper hood and channaliatins system followed by a stack about 10' above roof lever over the burner, tandoor, etc. also exhaust fan mounted om walls seen without ducting. - Unit is not complying MSW Rules 2016 and has not provided green and blue bins for proper segregation of bio-degradable and non-biodegradable. - Unit has not taken steps to handle the food waste by compositing or any method. - Unit has advised to reuse the treated waste water of ETP for flushing, gardening, floor washing etc. - Unit has advised to installed a flow meter to measure the quantum of water extraction and maintained the record also take permission /registration from the competent authority. - Unit has not provided adequate stack height i.e. 3 meter above the acoustic enclosure.			
18.	9/4/2018	Thakar Exports	Plot No.- 310, (kh. No. 43/16/2, 43/17/1) Swarn Park, Mundka	Spice Grinding	Green/Establish	As per last decision, a SCN has been issued for not submitted map of location as per policy of Redevelopment Area. Not applied for CTO	Not required as application for establishment of unit	Issue show cause notice for refusal of consent.	- Letter issued on 03.06.2019 - If unit submits map indicating its location along with undertaking as per


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

			Industrial Area, Delhi, Delhi - 110041						the recent policy dated 21.01.2019, Consent be granted
19.	8/7/2018	Sara Abode Private Limited	Khasra No.- 87/1, And 87/2/1, Village-mundka, Delhi, 1100041, Delhi - 110041	Varnish Coating Without Furnace	Green/Establish	As per last decision, a SCN has been issued for not submitted map of location as per policy of Redevelopment Area. Not applied for CTO	Not required as application for establishment of unit	Issue show cause notice for refusal of consent.	- Letter issued on 03.06.2019 - If unit submits map indicating its location along with undertaking as per the recent policy dated 21.01.2019, Consent be granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

20.	7/29/2018	Century Overseas	6/6-7, Kirti Nagar Industrial Area, Delhi - 110015	Readymade Garment (with Washing) With Boiler	Orange/Renewal	Source of Water: Corporation (As per undertaking) Water Consumption: 8000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Yes (Physiochemical) (2)ECS: N/A (3)D.G.Set: The unit has 4 D.G. Set(s) of 125 KVA, 125 KVA, 250 KVA and 250 KVA. Noise monitoring report dated 18-07-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Inspection: Unit was visited during PNG related inspection by DPCC officials and during inspection unit was found operational with activity of Mfg. Readymade Garment(with washing and with Boiler), as per the activity unit falls under Orange 2(b) category.	Source of Water: Corporation (As per undertaking) Noise monitoring report dated 18-07-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	Inspection be conducted.	Consent granted subject to the outcome of the study as decided by II(a) Committee.
21.	7/23/2018	Avon Agro Industries Pvt. Ltd.	Khasra No. 93/4, Gali No. 1, Mundka Udyog Nagar (south Side) Industrial Area, Delhi-110041, Delhi -	Processing Of Condiment s, Spices, Groundnut s And Dal Etc , Spice Grinding	Green/Establish	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A As per last decision, a SCN was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy. Not applied for CTO	Not required as application for establishment of unit	Ask the unit to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within the boundary of the notified	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

			110041					redevelopment area clearly mentioning the name and address of the unit.	
22.	7/2/2018	Fabcare Garments And Textile Machinery Pvt. Ltd.	Kh. No. 90/4, 90/5 And 90/6, Road No. 7, Indl. Area, Mundka, South, Mundka, Delhi - 110041	Polishing, Painting, Varnishing Etc On Goods, Furniture Etc.	Orange/Operate	As per last decision, a scn was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy. unit submitted reply alongwith location indicating map which is falls under redevelopment area Applied for CTE on 24.7.2014	Not required as application for activity Without Trade Effluent Discharge	Issue show cause notice for refusal of consent.	- Unit has submitted the map indicating its location and an undertaking to the effect that the same is located within the boundary of the area on 22.4.2019. -Consent be granted
23.	6/5/2018	Nav Prayas	Kasara No 11/8/2, Aksh Vihar, Near Bakarwala Choki, Nangloi-nazafgarh Road, Delhi-110041,	Restaurant s/eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb Sewer And Having	Orange/Establish	No reply received w.r.t, a letter was issued to the unit for submit conformity proof w.r.t MPD-2021 on 18.12.2018. Not applied for CTO	Not required as application for establishment of unit	Case Deferred.	Inspection be carried out to know the extent of pollution and control measures.

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

				Kitchen And / Or Laundry With Boiler					
24.	5/31/2018	DELHI BIETS (A UNIT OF PEE ESS FOODS)	PLOT NO: 3, UNIT NO: G-14 A, T C JAINA TOWER-I, DISTT CENTER, JANAKPUR I., NEW DELHI - 110058	Restaurant	Orange/Operate	Source of Water : Not provided Water consumption : 1000 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP : Oil & Grease Trap installed (2)ECS : N/A (3)D.G.Set : N/A Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Effluent analysis report dated 28-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	-Applied for CTE 14.5.2018	Consent to Establish & Consent to Operate granted
25.	5/31/2018	Skipper Properties Pvt. Ltd.	C-Block, community Centre, Pankha Road, Janakpuri, New Delhi - 110058	Shopping Malls, Housing / Commercial/ Office Complexes Having Built Up Area Less Than 20,000 Sqm	Orange/Establish	Source of Water : DJB (Bill Enclosed) Water consumption : 20000 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP : Installed (Biological) (2)ECS : N/A (3)D.G.Set : 3 set of 200, 2x320 KVA capacity installed Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Not required as application for establishment of unit	-	Consent to Establish granted
26.	5/14/2018	DELHI BIETS (A UNIT OF PEE ESS	PLOT NO: 3, UNIT NO: G-14 A, T C JAINA	Restaurant	Orange/Establish	Source of Water : Not provided Water consumption : 1000 Liters/Day Status of Ground Water extraction : Nil	Effluent analysis report dated 28-05-2018 issued by DPCC submitted. Effluent	Applied for CTO 31.5.2018	Consent to operate granted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

		FOODS)	TOWER-I, DISTT CENTER, JANAKPUR I., NEW DELHI - 110058			Status of Pollution Control System (1)ETP : Oil & Grease Trap installed (2)ECS : N/A (3)D.G.Set : N/A Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Test Report within Limit - Yes		
27.	5/8/2018	New Trimco Enterprises	Nw-78a, Vishnu Garden, Khayala Industrial Area, New Delhi - 110018	Manufactu ring Of Stainless Steel Utensils (with Buffing Activity)	Green/Establish	As per last decision, a SCN has been issued for not submitted map of location as per policy of Redevelopment Area. Not applied for CTO	Not required as application for establishment of unit	Issue show cause notice for refusal of consent.	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
28.	11/9/2017	Radlay Metal Products Private Limited	Plot No. 278, Khasra No. 52/5/1 And 52/6, Udyog Nagar Swaran Park Mundka Industrial Area, Delhi - 110041	Sheet Metal Fabrication , Manufactu ring Of Ferrous And Non- ferrous Metal Products (without Using Any Heating Equipment) With Buffing	Green/Establish	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : No Status of Ground Water extraction : Nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details :no" As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for establishment of unit	Ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. Not applied for CTO	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

[CMC-IV & VI]

29.	6/22/2017	Fancy Print Art	93 Village Pecragarhi Near Ram Lela Ground, New Delhi - 110087	Printing Without Trade Effluent Discharge	Orange/Operate	As per last decision, a scn was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for activity Without Trade Effluent Discharge	Issue show cause notice for refusal of consent. CTE not required	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
30.	3/14/2017	Elroy Automobiles Pvt.ltd.	Kh-544/1 Mundka Industrial Area, Delhi - 110081	Automobile Servicing And Repair Station With Washing Activity With Burner	Orange/Operate	As directed an inspection was carried out by DPCC, Official on 05.04.2017. During inspection following observations were made: 1. During inspection unit found under renovation, no industrial activity such as repairing, washing and servicing of vehicles not observed. 2. ETP found installed & same was under maintenance. 3.D.G Set of 62.50 KVA found under renovation. 4.Hazardous waste room observed under renovation. 5. CTO applied on 14.03.2017. as per the decision dated 06.04.2017 a letter regarding submission of requisite documents was issued to the unit on 21.07.2017 As per last decision, a scn for refusal was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Effluent analysis report: (a) Effluent analysis report dated 08-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report : (a) Stack monitoring report dated 10-03-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	Issue reminder with a copy to Industries Department requesting to clarify whether the address is located within the boundary of redevelopment area. CTE not required	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
31.	1/31/2017	J K Printers	487 221 School Road Peera Garhi, Delhi - 110087	Printing Without Trade Effluent Discharge	Orange/Operate	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil An inspection of the unit was conducted by DPCC officials on 11.10.2017, for verifying the hazardous waste management activity.	Not required as application for Printing Without Trade Effluent Discharge	Ask the unit to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within	- Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

						- During inspection following observation were made : 1. Unit found operational and engaged in the activity of offset printing without trade effluent discharge. 2. No DG set found installed within the premises. 3. Unit is non water as well as non air polluting therefore no ETP/ECS found installed/required. 4. Source of water is Delhi Jal Board for domestic purpose only, no borewell was observed. 5. HWM guidelines being followed. 6. Applied for CTO and Authorization. As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.		the boundary of the notified redevelopment area clearly mentioning the name and address of the unit. If unit submits the same and found satisfactory, Consent to Operate be granted. Application for Authorization under HW Rules be kept in abeyance. CTE not required	map Consent be granted
32.	1/30/2017	Vardhman Industries	Khasra No. 487/51, Peera Garhi, New Delhi - 110087	Copper Wire Drawing Without Super Enamelling, Pickling (dry Process, Wire Drawing (without Pickling/Galvanizing)	Orange/Operate	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for activity Without Trade Effluent Discharge	Issue letter regarding submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area and also inspection is yet to be conducted. CTE not required	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
33.	6/30/2016	Sab	87/18/2 &	Printing	Orange/Operate	As per last decision, a SCN has been issued for not	Not required as	Issue show cause	- Unit has submitted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

65

		International	87/17/2, Mundka Industrial Area, New Delhi - 110041	Without Trade Effluent Discharge		submitted map of location as per policy of Redevelopment Area. Unit was submitted representation on 26/04/2019 alongwith location map highlighting their factory.	application for Printing Without Trade Effluent Discharge	notice for refusal of consent. CTE not required	the map indicating its location and an undertaking to the effect that the same is located within the boundary of the area on 26.4.2019. -Consent be granted
34.	4/21/2016	Fancy Print Art	231/3, Village Peeragarhi, Delhi - 110087	Printing Without Trade Effluent Discharge	Orange/Operate	As per last decision, a scn for refusal was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for Printing Without Trade Effluent Discharge	Issue show cause notice for refusal of consent. CTE not required	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
35.	2/11/2016	Indraprastha Petroproducts Pvt Ltd	Plot No 269,khasara No 52/13 Udyog Nagar,swarn Park,mundka , Delhi - 110041	Petroleum Products (storage And Packing Only)	Orange/Operate	As per last decision, a SCN has been issued for not submitted map of location as per policy of Redevelopment Area.	Not required as application for activity Without Trade Effluent Discharge	Issue show cause notice for refusal of consent. CTE not required	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
36.	2/4/2016	Dandona Automobiles Pvt. Ltd.	70/a-28, Rama Road, Najafgarh Road Industrial Area, New Delhi - 110015	Automobile Repair And Servicing (without Washing)	Orange/Operate	Source of water: outside Water Consumption: 350 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- not install	Not required as application for activity Without Trade Effluent Discharge		-Consent to Establish issued on 01.06.2017. -Expedite inspection.

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

						(2)ECS - N/A (3)D.G.Set:N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
37.	1/28/2016	Memory Repro Systems Pvt. Ltd.	Plot No 7, Road 1a, Khasra No 83/3 And 8, Mundka Udyog Nagar Industrial Area, Delhi - 110041	Polishing, Painting, Varnishing Etc On Goods, Furniture Etc.	Orange/Operate	Source of water: outside Water Consumption: 60 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for activity Without Trade Effluent Discharge	Issue letter regarding submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas	- Unit has submitted the map indicating its location and an undertaking to the effect that the same is located within the boundary of the area on 26.4.2019. -Consent be granted
38.	1/28/2016	Joy D-zign Engineers Pvt. Ltd.	Plot No 13, Road 1a, Khasra No 83/13, Mundka Udyog Nagar Industrial Area, Delhi - 110041	Polishing, Painting, Varnishing Etc On Goods, Furniture Etc.	Orange/Operate	Source of water: outside Water Consumption: 60 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Not required as application for activity Without Trade Effluent Discharge	Issue letter regarding submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area.	- Unit has submitted the map indicating its location and an undertaking to the effect that the same is located within the boundary of the area on 26.4.2019. -Consent be granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

63

						As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.			
39.	10/23/2015	Suman Printers And Publishers	487/35-a, Peera Garhi, Outer Ring Road, New Delhi - 110087	Printing Without Trade Effluent Discharge	Orange/Operate	Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for Printing Without Trade Effluent Discharge	Issue letter regarding submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area. CTE not required	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted
40.	10/20/2015	Bright Motors Pvt. Ltd	C-263, Peeragarhi Outer Ring Road, Delhi - 110087	Automobile Servicing And Repair Station With Washing Activity	Orange/Operate	Source of Water- DJB (Cat-II) name and address matched Water Consumption- 5600 Litres/ Day Status of Ground Water extraction : Nil but copy of CGWA Permission provided and name and address matched) Status of Pollution Control System (1)ETP ---- ETP - Physio chemical (2)ECS - Hood suction system provided. (3)D.G.Set: ...N/A... As decided in the meeting, an inspection was carried	Water Effluent- (a) AR dated Octobar, 2014 issued by Jamia Milia Islamia submitted. (b) Effluent analysis report dated 18-09-2015 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Ask the unit to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within the boundary of the notified redevelopment area	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

						out by the representative of DPCC on 22.12.2016. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of automobiles & repair with washing. 2. ETP installed and same found operational. 3. No D.G set installed in the premises. 4. Hazardous waste transferring to Bharat oil & waste management ltd. 5. ETP log book found maintained. 6. Source of water is borewell. 7. HWM guidelines being followed. As per last decision, a letter was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.		clearly mentioning the name and address of the unit. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued. CTE not required	
41.	2/26/2015	Flabags India	51, Najafgarh Road Industrial Area , Delhi - 110015	Polythene, Plastic And Pvc Goods Through Extrusion Moulding (without Use Of Scrap) , Printing Without Trade Effluent Discharge	Orange/Renewal	Inspection was conducted by DPCC officials on 11.12.2018 and during inspection following observation were made: 1. Unit found operational and engaged in the activity of mfg. Packaging bags including Printing at ground floor. 2. Unit is not complying with Hazardous Waste Management Rules, 2016. As per decision taken by committee a SCN has been issued on 16.01.2019 and w.r.t issued SCN unit submitted reply along with photograph on 31.01.2019 and stated that all deficiencies has been rectified. An inspection was conducted on 08.03.2019 to verify complaince under Plastic Waste Management, 2016 Rules and found unit is operating without obtaining authorization under as above said Rules.HWM guiedlines are being followed.	Not required as application for Printing Without Trade Effluent Discharge	Issue Show Cause Notice for refusal of authorizatoin and u/s 5 of Environment Protection Act.	-Consent to Operate(Rcnewal) be granted . -Issue Show Cause notice for registration under PWM Rules, 2016
42.	2/9/2015	DTC Shadipur	Shadi Pur Depot, Delhi - 110015	Automobil e Servicing And Repair Station	Orange/Renewal	(a) The unit has 2 D.G. Set(s) of 60 KVA and 100 KVA. Noise monitoring report dated 19-09-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Not Submitted	Inspection be conducted	Expedite Inspection.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				With Washing Activity		(b) The unit has 2 D.G. Set(s) of 60 KVA and 100 KVA. Noise monitoring report dated 19-09-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Effluent analysis report dated 12.08.2014 issued by DPCC submitted and parameters found within limit - Yes.			
43.	12/10/2014	Jindal Plastic Industries	70-a, Part Main Rama Road, Najafgarh Road Industrial Area, Delhi - 110015	Reprocessing Of Waste Plastic / PVC (without Washing Activity)	Orange/Operate	Show cause notice for refusal of consent and registration under Plastic Waste Rules was issued on 12.12.2018 as unit was not applied under as per above said Rules. Modified direction was issued on 24.03.2019 for re-submit application under Plastic Waste Rules. Unit Submitted reply alongwith application form for authorization under Plastic Waste Management Rules.	Not required as application for activity Without Trade Effluent Discharge	Case deferred	CTE was valid upto 9.12.2015 Consent to Operate be granted
44.	9/22/2014	Auto Mechanica	Shop No 36, Commercial Complex, South Patel Nagar Market, New Delhi - 110008	Automobile Repair And Servicing (without Washing)	Orange/Operate	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Source of water: Packaged drinking water (30 litres/ day) (7) Inspection Details: As per decision unit was inspected by DPCC representative On 21.04.2015 and during inspection following were observed:- (i) During inspection unit found operating and engaged in the activity of servicing and repairing of Automobiles. (ii) No D.G set found installed. (iii) Unit found involved in the activity of generating hazardous waste and lube oil is stored in the leak proof container during inspection. (iv) Unit has applied for the Consent to Establish	Not Submitted	Ask the unit to submit documentary proof w.r.t. land use conformity with a copy to MCD and DDA.	- Issue a final reminder seeking conformity wrt MPD 2021 - If unit submits the same, Consent be granted


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						Consent to Operate and Authorization under Hazardous waste in DPCC. (v) No water and Air polluting activity at the permices observed. Inspection done. Seek clarification from MCD and DDA regarding permissible activities w.r.t. Master Plan of Delhi at the premises of the unit.			
45.	9/22/2014	Auto Mechanical	Shop No 36, Commercial Complex, South Patel Nagar Market, New Delhi - 110008	Automobile Repair And Servicing (without Washing)	Orange/Establish	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (5) SCN u/s 31(A)/33(A)/5 of EPA details : no (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : no Source of water: Packaged drinking water (30 litres/ day) (7) Inspection Details: As per decision unit was inspected by DPCC representative On 21.04.2015 and during inspection following were observed:- (i) During inspection unit found operating and engaged in the activity of servicing and repairing of Automobiles. (ii) No D.G set found installed. (iii) Unit found involved in the activity of generating hazardous waste and lube oil is stored in the leak proof container during inspection. (iv) Unit has applied for the Consent to Establish Consent to Operate and Authorization under Hazardous waste in DPCC. (v) No water and Air polluting activity at the permices observed. Inspection done. Seek clarification from MCD and DDA regarding permissible activities w.r.t. Master Plan of Delhi at the premises of the unit.	Not required as application for establishment of unit	Ask the unit to submit documentary proof w.r.t. land use conformity with a copy to MCD and DDA.	- Issue a final reminder seeking conformity wrt MPD 2021 - If unit submits the same, Consent be granted
46.	7/24/2014	Fabcare Garments And Textile	Kh. No. 90/4, 90/5 & 90/6, Road No. 7,	Polishing, Painting, Varnishing	Orange/Operate	As per last decision, a scn for refusal was issued on 31.05.2019 regarding submission of locating map as per new redevelopment area policy.	Not required as application for activity Without	Issue show cause notice for refusal of consent.	- Unit has submitted the map indicating its location and an


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

		Machinery Pvt. Ltd.	Indl. Area, Mundka, South, Mundka, Delhi - 110041	Etc On Goods, Furniture Etc.	Applied for CTO on 7.2.2018	Trade Effluent Discharge		undertaking to the effect that the same is located within the boundary of the area on 10.5.2019. -Consent be granted. Inspection be carried out subsequently.
47.	7/10/2014	Pradeep Bansal	Plot No. 548/4, Swarn Park Mundka Redevelopment Industrial Area, New Delhi, New Delhi - 110041	Manufacturing Of Reprocessed Pvc Granules & Other Injection Moulded Items (using Scrap As Raw Material With Washing Activity)	Orange/Operate (1)ETP ---- Other ETP Name : ETP (a) AR dated 25.06.2014 issued by Jamia Millia Islamia. (b) Effluent analysis report dated 07-06-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Effluent Test Report within Limit - No. (2)ECS - N/A (b) Stack monitoring report dated 28-06-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... (4) Inspection details: Yes 06.03.2014 and following were observation. - unit found operating and engaged in the activity of manufacturing of plastic granules using plastic scrap/waste. - Plastic waste is segregated and shredded and washing is also carried out before putting the shredded plastic into hoppers of extruders for mfg. of plastic granules. - Waste Water is generated from the washing activity for which effluent treatment plant (ETP) has not been provided. - No Channelization system provided for the fugitive emission generated from the process. - Unit is operating without obtaining consent under the	Effluent analysis report dated 07-06-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Effluent Test Report within Limit - No. Stack monitoring report dated 28-06-2014 issued by SOPHISTICATED INDUSTRIAL MATERIAL ANALYTIC LABS PVT. LTD. submitted. Stack Test Report within Limit - Yes	Call for personal hearing before SEE, CMC-IV.	- Issue a final reminder seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019 - If unit submits map Consent be granted


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

					Air and Water Acts. - Unit could not provided any documentary proof regarding its existence prior to 07.02.2007. (5) SCN u/s 31(A)/33(A) 21.030.2014 Modified Directions issued on 27.05.2014 (6) Closure directions u/s 31(A)/33(A)/5 of EPA details :No As decided, Show cause notice for refusal of consent under Air Act, 1981 and Water Act, 1974 was issued to the unit on 30.01.2015 and asked to submit the following documents: (i) Regarding roof of confirmative (ii) Existance prior to 07.02.2007 (iii) Ownership proof for plot No. 54814 & 54815 Unit submitted the reply on 12.02.2015 and submitted the following documents: (i) Status as per revenue Record (ii) Submitted MTNL & BSES bill (iii) Chakbandi Record. However, unit was failed to submit the records which were asked in Show cause notice for refusal of consent. As approved by the Authority, it was decided to call the unit for personnel hearing and a letter for the same was issued on 05.03.2015. The representatives attended the hearing on 18.03.2015 in the chamber of SEE, CMC-IV and requested for 10 days more time to search the documents to prone his claim that unit is operational prior to 07.02.2007 and to explain the chronology of events of land procurement and division. Again a personnel hearing was conducted in front of			
--	--	--	--	--	---	--	--	--


 (Arun Mishra)
 MS, DPCC


 (Dr. B.M.S. Reddy)
 EE, CMC-IV & VI



 (Dr. Siddhartha Gautam)
 AEE, CMC-IV


 (R.K. Sharma)
 AEE, CMC-VI

						MS, DPCC on 26.03.2015. Unit submitted the reply during hearing at MS, office on 25.03.2015 regarding submission of documents regarding the proof of conformity w.r.t to M.P.D - 2021 and existence prior to 07.02.2007 to clarify the position for both plots and submitted the following documents: - Copy of BSES Electricity bill and MTNL Telephone bill prior to 07.02.2007 - letter from SDM Punjabi Bagh regarding the plots as per their revenue records confirming that plots exists inside the boundary of layout plan of DSIIIDC for redevelopment area. -Copy of Lal Dora Certificate, Land ownership passbook revealing the conformity of the address. Unit again submitted the reply on 08.05.2015 along with all requestive documents. A letter regarding personal hearing was issued on 05.06.2015 with the direction to appearl on 18.03.2015 along with all the documentary proof. Accordingly, unit was attended the hearing. SCN u/s 5 of EPA was issued on 05.06.2015 since unit has not applied for registraiton form i.e. Form-II. Unit has submitted its replies on 24.06.2015 and 29.06.2015 along with copies of adequacy report & effluent analysis report of ETP, stack monitoring report and Copyof application form i.e. Form-II As per last decision, a letter was issued on 31.05.2019.			
48.	7/1/2014	Jindal Enterprises	H-15, Udyog Nagar Industrial	Eva Footwear And Eva	Orange/Operate	As per decision on 17.09.2018 a Show Cause Notice for Refusal of consent under Air Act, 1981 and under Water Act, 1974 was issued on 11.12.2018.	Not required as application for activity Without	Case deferred	-Consent be granted with condition that unit will submit


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

			Area , Delhi - 110041	Compound , Manufactu ring Of Reprocasse d Pvc Granules And Other Injection Moulded Items (using Scrap As Raw Material Without Washing Activity)		Modified direction was issued on 24.03.2019 for submit application under Plastic Waste Rules.	Trade Effluent Discharge		application for Plastic Waste Management Rules, 2016
49.	25-06-14	Indo Asiatic Engineers (p) Ltd. Car Division	C-102, Mayapuri Phase II, Industrial Area., Delhi - 110064	Denting And Painting Of Vehicles	Orange/Renewal	Water Consumption: 80 Liters/Day () Status of Ground Water Extraction: - Status of Pollution Control Measures: 1. ETP: N/A 2. ECS: N/A, However, paint booth installed and stack monitoring report enclosed. 3. D.G. set(s): 1 D.G Set of 62.5 KVA. - An inspection was conducted on 20.02.2014 and brief of findings are: (i) Unit found operational and engaged in the activity of denting and painting. (ii) 1 D.G Set of 62.5 KVA is installed with acoustic enclosure and inadequate stack height. (iii) 1 Burner for paint booth having inadequate stack height. (iv) The hazardous waste (Cotton cloth use for	1. Stack monitoring report dated 06-06-2014 issued by DPCC submitted, Stack Test Report within Limit - Yes	27.12.2018: Reinspection be conducted.	Expedite inspection

(Arun Mishra)
MS, DPCC

(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

						cleaning the paint & Waste oil) is maintained and properly stored. - A show cause notice for refusal of consent was issued on 04.10.2018 through online mode. - Unit has submitted its reply on 23.10.2018 and informed that the car division (i.e. car painting and repair) has already been stopped since 18.11.2014 (copy of the intimation letter enclosed). However, unit did not mentioned any proof or rectification of the stack height of D.G. set.			
50.	26-08-14	Gymkhana Service Station	Race Course Road, Delhi - 110003	Automobile Fuel Outlet (with Automobile Servicing, Repairing And Painting)	Orange/Renewal	Source of Water: NDMC Connection (copy of bill provided) Water Consumption: 8000 Litres/ Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP -Installed (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA.	1. Effluent analysis report dated 30-12-2014 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 28-07-2014 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06.09.2016: Inspection be conducted.	Expedite inspection
51.	21-10-15	Indigo Restaurant (A Unit Of Degustibus Hospitality Pvt. Ltd.)	Musical Fountain Park, Netaji Nagar,, New Delhi - 110023	Restaurant s/eating Houses / Dhabas And Other Such Establishments (with Minimum Seating Capacity Of 36)/sweet	Orange/Establish	(1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 150 KVA Groundwater- Nil Water consumption- 5000 ltr/day, Source - Corporation MCD license valid upto 31.03.2018 Delhi Police lucense valid upto 31.03.2018	-	-	- Consent to Establish granted

(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

(Dr. Siddhartha Gautam)
AEE, CMC-IV

(R.K. Sharma)
AEE, CMC-VI

				Shops/ Halwais And Other Such Establishm ents (with Annual Average Production Of One Tonne/day Or More)/ Banquet Halls/party -lawns (with Minimum Floor Area Of 100m ^{<sup>} >2</sup>) Connected To Public/mun icipal/djb Sewer					
52.	23-12-15	Sincere Marketing Services Pvt Ltd	K -628, Rangpuri, N H -8, Near Shiv Murti,, New Delhi - 110037	Automobil e Repair And Servicing (without Washing)	Orange/Establish	Source of Water: Not mentioned Water Consumption: Quantity and source not mentioned. Status of Ground Water extraction : Not mentioned Status of Pollution Control System (1)ETP: N/A (2)ECS: Nil (3)D.G.Set: Nil	-	-	- Ask the unit to submit proof of conformity.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						- Proof of conformity not submitted.			
53.	16-12-16	S. K. Crown Park (a Unit Of S. K. Kenny Hotel And Resort)	A-1, Narian Vihar, New Delhi - 110028	Hotel/ Guest Houses Having Upto 50 Rooms (double Bed) Or 100 Rooms (single Bed) (excluding 3 Star And Above) - Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler	Orange/Establish	Source of Water: DJB Water Consumption: 3740 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Yes (oil and grease trap) (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. - CTO	1. Effluent analysis report dated 25-01-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report dated 01-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	-	- Consent to Establish granted
54.	30-03-17	Satguru Enterprises	B-66,ph-ii,mayapuri Industrial Area,delhi-64, New Delhi - 110064	Mineralised Water/water Treatment Plant	Orange/Establish	Water Consumption:40000 litre/day Status of Ground extraction:25000 litre/day Other Source of Water 15000 Liters/Day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A	-	27.12.2018: Case deferred as unit is engaged in the activity of Package Drinking Water.	Consent to establish be refused and a letter to DC may be written regarding ground water extraction. Issue closure directions to

Arun
(Arun Mishra)
MS, DPCC

B.M.S. Reddy
(Dr. B.M.S. Reddy)
EE, CMC-IV & VI

Siddhartha Gautam
(Dr. Siddhartha Gautam)
AEE, CMC-IV

R.K. Sharma
(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

						(3)D.G.Set: N/A - As per decision dated 10.09.2018, an inspection of the unit was conducted by DPCC officials on 06.09.2018. During inspection, following observations were made: 1. Unit found operational and enagegd in the activity of packaging water bottles. 2. 9 KLD capacity R.O. plant installed on 1st floor. 3. One D.G. set installed with inadequate stack and without acoustic enclosure. 4. Borewell permission not shown during inspection. 5. Wastewater from the plant is supplied to adjacent shops and markets for washing purposes. - As per decision dated 17.09.2018, A show cause notice issued for refusal of consent and show cause notice u/s 31(A) of Air Act was issued on 10.10.2018. - Unit has submitted its reply on 29.10.2018 and stated that they have shifted one D.G. set on the premises and that they have already given the declaration of Delhi Jal Board (Borewell declaration) along with borewell SES Charges.			the unit. Also, EDC be levied.
55.	12-04-17	Dr. Wellmans Homocopathic Laboratory (india) Pvt. Ltd.	C-151, Phase-ii, Mayapuri Industrial Area, New Delhi - 110064	Pharmaceuticals Formulation Only (dry Process)	Orange/Operate	Source of water: DJB, Category-II (copy of bill provided) Water Consumption: 3000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A - As per decision dated 23.05.2017, an inspection was carried out by DPCC representatives on 07.07.2017. During inspection following observations were made:	-	27.12.2018: Reinspection be conducted as decided in file.	Expedite inspection


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						1. Unit found operational and engaged in the activity of homeopathic (liquids, orals). 2. No D. G. set found installed within the premises. 3. unit is non-water polluting therefore no ETP, no ECS found installed. 4. HWM guidelines being not followed. - As per decision dated 03.10.2017, Show cause notice for refusal/cancellation of authorization and show cause notice u/s 5 of EP Act was issued to the unit on 10.11.2017. - On 30.11.2017, unit applied for Authorization as required vide Request No. DPCC/HWM/2017/9183. As decided in the meeting an inspection of the unit was conducted by DPCC officials on 08.05.2019. During inspection following observations were made: 1. During inspection unit found closed. 2. Another unit M/s Seagull Pharmaceuticals (Medicine warehouse) is operating at the said address. 3. Trading of medicines was observed and unit is also used as a godown for storage of medicines.			
56.	23-05-17	Cafe Coffee Day	l-csc, Shanti Niketan, New Delhi - 110021	Restaurant s/eating Houses / Dhabas	Orange/Establish	Source of Water: DJB Water Consumption: 1100 Liters/Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP: Nil (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 45 KVA.	1. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	-	- Consent to Establish granted.
57.	01-06-17	Daily Bread Bakers	Bawa Potteries Compound, Aruna Asaf Ali Road, Vasant Kunj, New	Food And Fruit Processing Industry - bakery (bread &	Green/Establish	Source of Water : DJB Water Consumption : 700 litres/day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap	-	-	- Consent to Establish granted.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

			Delhi 110070, New Delhi - 110070	Biscuit) / Blanco Cakes		(2)ECS - N/A (3)D.G.Set : Capacity 35 KVA			
58.	12-10-17	Cafe Coffee Day	1-csc, Shanti Niketan, New Delhi - 110021	Restaurant s/eating Houses / Dhabas And Other Such Establishm ents	Orange/Operate	Source of Water : DJB 1. Water consumption : 1100 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: 1 D.G Set of 45KVA	1. Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit. No	-	- Unit may be asked to submit test reports. If unit submits the same, Consent to Operate may be granted.
59.	11-11-17	Competent Automobile s Co. Ltd	B-83, Ph-i, Mayapuri Indl. Area, New Delhi - 110064	Automobil e Servicing And Repair Station With Washing Activity With Burner	Orange/Renewal	Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP - Installed (2)ECS - Paint booth installed (3)D.G.Set Noise Report : 1 D.G. Sets of 160 KVA - As per decision dated 17.05.2018, an inspection of the unit was carried out by DPCC officials on 01.08.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of Automobile service station, 2. ETP installed and same was found in defunct condition. 3. One D.G. set installed with acoustic enclosure and with adequate stack height. 4. No wet sludge observed. 5. One paint booth installed with adequate stack height. 6. No borewell record produced. Application of	1. Effluent analysis report (a) Effluent analysis report dated 17-10- 2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 09-10- 2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3.Noise monitoring report: (a) The unit has 1	27.12.2018: Issue show cause notice for refusal of consent / authorization, show cause notice u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act.	- Unit was issued Consent to Establish on 22.10.2012. - Consent to Operate granted. Authorization application be kept in abeyance.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						borewell to DJB shown. 7. Log book shown but not maintained. 8. Spent oil authorization not shown. -As per decision, show cause notice for refusal of consent / authorization, show cause notice u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act has been issued to the unit on 02.05.2019 and reply is awaited. - Unit has submitted its representation dated 03.05.2019 wherein they informed that the ETP is functional now (Photos attached), log book is maintained, spent oil records i.e. invoice of M/s Bharat Oil enclosed. Also, unit has enclosed DJB water bill and has requested to withdraw the show cause notice.	D.G. Sets of 160 KVA. Noise monitoring report dated 09-10-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
60.	14-02-18	Samara India (p) Ltd.	B-18, Phasc-i, Mayapuri Industrial Area, Delhi - 110064	Automobile Servicing And Repair Station With Washing Activity With Burner	Orange/Operate	Water Consumption:6000m LPD (outside) Status of Ground Water extraction :NO Status of Pollution Control System (1)ETP - yes (2)ECS - N/A (3)D.G.Set : yes - As per decision dated 14.03.2018, an inspection of the unit was carried out by DPCC officials on 01.08.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of Automobile Service Station. 2. ETP installed and same was found defunct. 3. No wet/ dry sludge observed. 4. One D.G. set of 62.5 KVA installed with acoustic enclosure and inadequate stack height. 5. Borewell record provided (CGWA). 6. One paint booth installed with adequate stack height.	1) Effluent analysis report (a) Effluent analysis report dated 23-01-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) Stack monitoring report (b) Stack monitoring report dated 01-02-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes (3) Noise monitoring report	27.12.2018: Issue show cause notice u/s refusal of consent/authorization and show cause notice u/s 33(A) of Water Act and u/s 31(A) of Air Act.	- Unit was issued Consent to Establish on 26.02.2018. - Consent to Operate may be granted. Authorization application be kept in abeyance.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						7. No spent oil authorized dealership shown at the time of inspection. - As per decision dated 27.12.2018, show cause notice u/s refusal of consent/authorization and show cause notice u/s 33(A) of Water Act and u/s 31(A) of Air Act was issued to the unit on 02.05.2019. - Unit has submitted its representation dated 26.04.2019 wherein they informed that sludge has been stored in a room, stack heights of D.G. set and paint booth has been increased and they are supplying used oil to an authorised vendor and unit has requested to grant consent as they have to apply for renewal of MCD license.	(a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 25-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
61.	07-03-18	Coldsmiths Retail Services Private Limited	Shop No-5, Sector-b, Pocket-10, Vasant Kunj., New Delhi - 110070	Restaurant s/eating Houses / Dhabas	Orange/Establish	1. Water consumption : 200 litres/day (DJB) 2. Other source : 400 litres/day 3. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	-	-	- Consent to Establish granted to the unit.
62.	23-03-18	Nandi Greens (a Unit Of Nandi Caterers Pvt. Ltd.)	Kh. No. 43, 46 And 48, Village-sultanpur, Near Ghitorni Metro Station, Mg Road, New Delhi - 110030	Restaurant s/eating Houses / Dhabas	Orange/Establish	Status of Pollution Control System (1)STP -installed (as mentioned in undertaking) (2)ECS - N/A (3)D.G.Set: 125 Kva. Status of Ground Water extraction : NIL Water Consumption : 50000 lt/day (Source:others) Month and Year of Commencement of Production:	-	27.04.2018: Inspection be conducted.	Consent to establish granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

47

63.	28-03-18	Shakti Shiva Magnets Pvt. Ltd.	G-1-114, Ph-ii, Mayapuri Industrial Area, Delhi - 110064	Copper Wire Drawing With Super Enamelling (dry Process)	Orange/Renewal	25-06-2017 Source of Water: Not mentioned Water Consumption: 200 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Installed (Scrubber) (3)D.G.Set: The unit has 2 D.G. sets of 200 KVA & 80 KVA. An inspection of the unit was conducted by DPCC officials on 10.08.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of manufacturing copper wires. 2. D.G. set installed with acoustic enclosure and adequate stack height. 3. Processing of Copper winding, wire drawing was observed during inspection. 4. On roof top cooling tower installed and in operational condition. 5. Log book shown but not maintained. As decided in the meeting, an inspection was carried out by DPCC officials on 08.05.2019. During inspection following observations were made: 1. During inspection unit found operational & engaged in the activity of copper wire drawing with super enamelling. 2. 2 D.G set installed with a capacity of 200KVA & 80KVA with acoustic enclosure and adequate stack height. 3. Winding of copper wire observed during inspection. 4. Unit had submitted Noise monitoring report on 13.09.2017 and emission monitoring report on 11.09.2017.	1. Stack analysis report: a). Stack analysis report dated 19.09.2017 issued by DPCC submitted and parameters within limit- Yes	27.12.2018: Expedite inspection.	Expedite inspection
-----	----------	--------------------------------	--	---	----------------	--	--	----------------------------------	---------------------


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

64.	05-04-18	Slk Solution And Co	B 126/2 Phase-1, Mayapuri Industrial Area, New Delhi - 110064	Roto And Flexo Printing Without Trade Effluent Discharge, Polythene, Plastic And Pvc Goods Through Extrusion Moulding (without Use Of Scrap)	Orange/Operate	Source of Water: DJB (Cat-II) Water Consumption: 50 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Nil (2)ECS: Nil (3)D.G.Set: Nil - As decided in the meeting dated 27.04.2018, an inspection of the unit was conducted by DPCC officials on 20.07.2018. During inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of manufacturing of plastic packaging material. 2. Garbage packaging plastic manufacturing in process. 3. No hazardous waste is being generated during inspection as no printing is being done at present. 4. As informed by Mr. Siddharth, printing operation is proposed after printing machine provided. - As per decision, an inspection of the unit was conducted by DPCC officials on 09.04.2019. During inspection following observation were made: 1. Unit found operational. 2. Sample of packaging material collected and measured of 77 microns as measured of single sheet. 3. Unit is not using printing machine, hence, no hazardous waste is generating at present. 4. Only manufacturing of plastic packaging material observed.	-	27.12.2018: Inspection be conducted to ascertain the thickness of plastic packaging material. Also ask the unit to apply for authorization under Plastic Waste Rules, 2016	- Unit was issued Consent to Establish on 10.11.2016. - Consent to Operate granted.
65.	09-04-18	Hotel Sky View	House No - 219 Khasra No- 548, New Delhi -	Hotel/ Guest Houses Having	Orange/Establish	Source of Water: Not mentioned Water Consumption: Not mentioned Status of Ground Water extraction : Nil	1) Effluent analysis report (a) Effluent analysis report dated	27.04.2018: Ask the unit to submit hardcopy of consent application along	Consent granted.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

45

			110037	Less Than 20 Rooms (double Bed) Or 40 Rooms (single Bed)		Status of Pollution Control System (1)ETP: STP (2)ECS: Nil (3)D.G.Set: Nil	01.05.2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	with requisite documents. Also inspection be conducted.	
66.	04-05-18	Hotel Sky View	House No - 219 Khasra No- 548, New Delhi - 110037	Hotel/ Guest House	Orange/Operate	Source of Water: Not mentioned Water Consumption: Not mentioned Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP: STP (2)ECS: Nil (3)D.G.Set: Nil	1) Effluent analysis report (a) Effluent analysis report dated 01.05.2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes	-	Consent granted. Inspection be carried out subsequently.
67.	07-05-18	Rule The Rolls (A Unit Of Khan Chacha Kebabs Pvt. Ltd)	49 A,khan Market,new Delhi, New Delhi - 110003	Restaurant s/eating Houses / Dhaba	Orange/Operate	Source of Water: Outside Water Consumption: 800 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Oil and Grease Trap) (2)ECS: N/A (3)D.G.Set: N/A - An inspection of the unit was carried out by DPCC officials on 06.04.2018. During inspection following observations were made: 1. Unit found operational during inspection. 2. Oil & Grease trap installed. 3. No D.G set installed. 4. Channelized kitchen observed with inadequate stack height. 5. NDMC license expired. 6. Solid waste management as per MSW 2016 rule. 7. No consent from DPCC. 8. Fire safety measures are not being adhered.	-	As per decision taken in the Consent to Establish application on 11.07.2018; Decision taken in consent to operate application reviewed. Consent to Establish granted. Also inspection be conducted.	Consent granted. Inspection be carried out subsequently.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI


Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.

[CMC-IV & VI]

44

						9. Coal is being used as a fuel in Tandoor. 10. Borewell record not produced. - On the basis of inspection, a Show Cause Notice u/s 31(A) and 33(A) was issued to the unit. - Unit submitted a reply on 10.05.2018 stating that they have rectified all the deficiencies observed during inspection along with copy of the receipt of the Application for Grant/Renewal of License from NDMC.			
68.	10-05-18	Aksara Autos Pvt. Ltd.	A-1, Mayapuri Industrial Area, Phase-i, New Delhi - 110064	Automobile Servicing And Repair Station With Washing Activity	Orange/Operate	Source of Water: DJB (Cat-II) Water Consumption: 5000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 100 KVA. - As per decision dated 11.07.2018, an inspection of the unit was carried out by DPCC officials on 20.07.2018 and following observations were made:- 1. During inspection unit found operational & engaged in the activity of Auto Service car. 2. One D.G. Set of 100 KVA with acoustic enclosure with adequate Stack height. 3. ETP installed with working condition but no section provided for wet & dry sludge. 4. Hazardous waste section provided for Solid Waste Sludge generated only.	1. Effluent analysis report: a). Effluent analysis report dated 16-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 13-03-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14.01.2019: Expedite inspection.	Expedite inspection
69.	11-05-18	Dominos Pizza Restaurant (a Unit Of	Shop No-6, Basant Lok, Vasant Vihar, New	Restaurants /eating Houses/ Dhabas	Orange/Operate	Source of Water: DJB (Cat-II) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A	1. Effluent analysis report: a). Effluent analysis	-	Unit may be asked to rectify the deficiencies and submit fresh treated


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

		Jubilant Foodworks Ltd)	Delhi 110057, New Delhi - 110057	And Other Such Establishments(having Seating Capacity From 36 To 100 Seats)- Connected To / Discharging Effluent Into Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler		Status of Pollution Control System (1)ETP: Yes (Oil and Grease Trap) (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA.	report dated 04-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - No 2. Noise monitoring report: a). Noise monitoring report dated 03-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - No		effluent test report. If the quality is as per the norms, consent be granted
70.	23-05-18	Singh Fabric Dyeing	C-204/2, Phase-ii, Mayapuri Industrial Area, New Delhi - 110064	Readymade Garment (with Washing) With Boiler, Spray Painting, Paint Baking, Paint Stripping	Orange/Operate	Source of Water: DJB (Cat-II) and Other Water Consumption: 18000 Liters/Day Status of Ground Water extraction :N/A Status of Pollution Control System (1)ETP: Installed (Physiochemical) (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. - As per decision dated 10.07.2018, An inspection of the unit was conducted by DPCC officials on 27.07.2018 and following observations were made:	1. Effluent analysis report: a). Effluent analysis report dated 01-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report:	27.12.2018: Case deferred Found OK during survey	Consent to Operate granted.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						1. During inspection unit found operational & engaged in the activity of Washing Dyeing of ready made garments. 2. ETP found installed & operational. 3. D.G. set of 125 KVA Capacity installed with acoustic enclosure & with adequate Stack height. 4. One boiler found installed with operational condition and adequate stack height. 5. Spray Painting was observed with properly installed hood.	a). Stack monitoring report dated 02-05-2018 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. Noise monitoring report: a). Noise monitoring report dated 11-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
71.	23-05-18	Dominos Pizza Restaurant (a Unit Of Jubilant Foodworks Ltd)	Shop No- 6 , Gf, Commercial Shopping Complex, Shanti Niketan, New Delhi - 110021	Restaurant s /cating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb	Orange/Operate	Source of Water : DJB Water Consumption : 500 litres/day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA.	1. Noise monitoring report dated 04-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit / beyond prescribed limit. 2.Effluent analysis report dated 22-05-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes.	-	- Consent to Establish was issued on 24-01-2019. - Unit has submitted all requisite documents. -Consent to Operate be granted.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Sewer And Having Kitchen And / Or Laundry Without Boiler					
72.	29-05-18	Yashwant Place Service Station	Africa Avenue, Opp. Chanakya Cinema, Delhi - 110021	Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing And Painting)	Orange/Renewal	Source of Water : DJB 1. Water consumption : 2500 litres/day 2. Status of ground water : N/A Status of Pollution Control System (1)ETP - Physiochemical, Oil and Grease Trap, Other ETP Name : DMF AND ACF (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA.	1. Noise monitoring report dated 12-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	-	- Effluent analysis report not attached. - Issue a letter seeking treated effluent analysis report - If submits, grant CTR if the quality is within the norms
73.	31-05-18	Dominos Pizza Restaurant (a Unit Of Jubilant Foodworks Ltd)	Shop No- 30,31&32, upper Gf, Ansal Chambers- I, Bhikaji Cama Place, New Delhi - 110066	Restaurant/s/eating Houses / Dhabas And Other Such Establishments (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor	Orange/Establish	Source of Water : DJB 1. Water consumption : 500 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	-	-	- Consent to Establish granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

40

				Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishm ents (with Annual Average Production Of Less Than One Tonne/day - Connected To / Dischargin g Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
74.	14-06-18	The Touriest(a Unit Of Hilarious Hospitality	Showroom No 1 First And Second Floor Scindia House	Restaurant s /eating Houses/ Dhabas And Other	Orange/Operate	Status of Pollution Control System (1)ETP --- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : Yes	1) Noise monitoring report (a) The unit has 2 D.G. Set(s) of 125	27.12.2018: Issue show cause notice for refusal of consent and show cause notice u/s	Consent granted. - Unit be asked to submit fresh Noise Monitoring Report of D.G. set.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

		Pvt Ltd)	Connaught Circus, New Delhi - 110001	Such Establishments(having Seating Capacity From 36 To 100 Seats)- Connected To / Discharging Effluent Into Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler		- An inspection was carried out by DPCC official on 02.304.2018 and various deficiencies observed during inspection. - SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 19.04.2018. - As per decision dated 09.07.2018, an inspection of the unit was conducted by DPCC officials on 18.07.2018 and following observations were made: 1. During inspection unit found operational and engaged in the activity of Restaurant Cum Bar. 2. Effluent Treatment Plant found installed but in defunct condition as no wet and dry sludge observed. 3. Channelization provided in the Kitchen with adequate stack height. 4. Two coal fired tandoors observed. 5. Unit has installed 2 D.G. sets of 125 KVA both. 6. MSW guidelines are not being followed. - As per decision, show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act was issued to the unit on 02.05.2019.	KVA and 125 KVA. Noise monitoring report dated 18-04-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b) The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 12-01-2018 issued by DPCC submitted. Noise monitoring report within Limit - No	33(A) of Water Act.	
75.	15-06-18	S.j. Packaging Pvt. Ltd.	A-22, Phase-i, Mayapuri Industrial Area, Delhi - 110064	Printing Without Trade Effluent Discharge	Orange/Renewal	Source of Water: DJB (Cat-II) Water Consumption: 3000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS - N/A (3)D.G.Set: N/A - As per decision dated 09.07.2018, an inspection of the unit was conducted by DPCC representatives on 20.07.2018 and following observations were made: 1. During inspection unit found operational & engaged in an activity of Manufacturing of Cardboard	-	27.12.2018: Issue show cause notice for refusal of consent /authorization and show cause notice u/s 31(A) of Air Act and u/s 5 of EP Act.	- Unit has been issued Consent to Establish on 07.06.2010. - As the unit complied with the directions, Consent to Operate (Renewal) granted.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]


38

						box & printing. 2. Hazardous Waste Management being not followed as there is not separate section provided for hazardous waste. 3. Log Book shown during inspection. 4. One D.G. Set of 125 KVA installed with acoustic enclosure but inadequate stack height. - As per decision, show cause notice for refusal of consent /authorization and show cause notice u/s 31(A) of Air Act and u/s 5 of EP Act was issued to the unit on 02.05.2019. - Unit submitted a representation dated 06.05.2019 w.r.t. the Show Cause Notice wherein they informed that they have made separate enclosure for the storage of Hazardous Waste (Photos enclosed). Also, it is informed that the stack height of D.G. set has been increased by 10 ft. (Photos enclosed).			
76.	06-07-18	Leos Artisan Pizzas (a Unit Of Leos Hospitality)	Ground Floor And Mezzanine Floor, 28, Basant Lok Community Centre, Vasant Vihar, New Delhi - 110057	Restaurants /eating Houses/ Dhabas And Other Such Establishments(having Seating Capacity From 36 To 100 Seats)- Connected To / Discharging Effluent	Orange/Operate	Source of Water : DJB 1. Water consumption : 3600 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	-	-	- Unit has applied for Consent to Establish on 08.05.2018 and the same is pending. - Test reports not submitted. -Ask the unit to submit test report. If the quality is as per the norms, consent be granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Into Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
77.	11-07-18	Foremost Friendly Foods Private Limited	Shop No 97, meharchand Market, Iodhi Road, New Delhi - 110003	Restaurant/s/eating Houses / Dhabas And Other Such Establishments (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such	Orange/Establish	Source of Water : DJB 1. Water Consumption: 1000 litres/day 2. Status of ground water extraction : N/A Status of Pollution Control System (1)ETP : Oil & Grease trap (2)ECS : N/A (3)D.G.Set: N/A	-	-	Consent to Establish granted


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Establishments (with Annual Average Production Of Less One Tonne/day - Not Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
78.	16-07-18	Shri Industries	B-78, Ph-ii, Mayapuri Industrial Area, Delhi - 110064	Copper Wire Drawing Without Super Enamelling, Pickling (dry Process)	Orange/Renewal	Source of Water: Outside (As per undertaking) Water Consumption: 275 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA - As per decision dated 15.09.2018, an inspection of the unit was conducted by DPCC representatives on 05.10.2018 and following observations were made:	1. Noise monitoring report: a). Noise monitoring report dated 09-07-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	27.12.2018: Issue show cause notice for refusal of consent/authorization and u/s 31(A) of Air Act and u/s 5 of EP Act.	Consent to Operate (Renewal) granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI


Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]


35

						1. During inspection unit found operational and engaged in the activity of Mfg. bare copper wire. 2. Process of wire drawing observed during inspection (i.e. from 8mm to 0.17mm). 3. One D.G. set of 62.5 KVA installed with acoustic enclosure. 4. No dust collector provided for dust generating from process. 5. HWM guidelines not being followed as per rules. - As per decision, show cause notice for refusal of consent/authorization and u/s 31(A) of Air Act and u/s 5 of EP Act was issued to the unit on 02.05.2019. - Unit submitted its reply on 14.05.2019 wherein they informed that they have changed their activity from 15.09.2018 and now they are manufacturing Bare copper wire by wire drawing machine without carrying the activity of super enameling/ pickling/ galvanizing.			
79.	24-07-18	2 Bandits Restaurant (a Unit Of Multiple Hospitality Llp)	16, 1st And 2nd Floor, Satya Niketan, New Delhi, New Delhi - 110021	Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into	Orange/Establish	Source of water: DJB Water consumption : 2800 litres/day Status of ground water extraction: N/A Status of Pollution Control System (1)ETP: Oil & Grease trap (2)ECS - N/A (3)D.G.Set: N/A	-	-	Consent to Establish granted.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
80.	26-07-18	Nandi Greens (a Unit Of Nandi Caterers Pvt. Ltd.)	Kh. No. 43, 46 And 48, Village-sultanpur, Near Ghitorny Metro Station, Mg Road, New Delhi - 110030	Restaurant s/eating Houses / Dhabas And Other Such Establishments (with Minimum Seating Capacity Of 101) / Banquet Halls/ Party Lawns (with Minimum Floor Area 100 M2) And /sweet Shops/ Halwais And Other Such Establishments (with	Orange/Operate	Source of Water: Outsource Water Consumption: 50000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Installed (2)ECS - N/A (3)D.G.Set Noise Report :The unit has 2 D.G. Set(s) of 30 KVA and 180 KVA	1. Effluent analysis report dated 15-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: a). Noise monitoring report dated 06-07-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes b). Noise monitoring report dated 06-07-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	15.09.2018: Consent to Establish granted. Also inspection be conducted.	Consent granted. Subsequent inspection carried out. be


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV



(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

23

				Annual Average Production Of One Tonne/day Or More) - Not Connected To / Discharging Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
81.	26-07-18	Hakikat Rai Plastic Works	B-26, Phase-i, Mayapuri Industrial Area, Delhi - 110064	Rubber Moulded Goods Excluding Production Of Tyres And Tubes (without Reclamation And Devulcanisation Of Rubber)	Green/Renewal	Source of Water: Other (as per undertaking) Water Consumption: 150 Liters/Day Status of Ground Water extraction :NIL Status of Pollution Control System (1)ETP: Yes (Physiochemical) (2) ECS: Installed (3) D.G.Set Noise Report : 1 D.G. Set of 125 KVA - A PGMS complaint was received against the unit on 15.06.2018. On the basis of complaint, an inspection of the unit was carried out by DPCC officials on 11.07.2018. During inspection following observations were made:	-	27.12.2018: Implement the earlier CMC decision.	Consent to Operate (Renewal) granted.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

					1. During inspection unit found open but not in operation. 2. Lot of scrap material found in the premises like rubber, plastic etc. 3. No measures taken for pollution generated from molding process and other operations. 4. No Consent to Operate (Renewal) applied since 2009. - On the basis of inspection findings, a Show Cause Notice has been proposed and same is being issued to the unit through online mode. - As decided in meeting dated 15.09.2018, file was put up administratively and a Show Cause Notice u/s 33(A) of Water Act, 31(A) of Air Act and u/s 5 of EP Act was issued to the unit on 24.09.2018 through online mode and 26.09.2018 by post. - Unit submitted a reply in this regard on 28.09.2018 and informed that they have rectified the deficiencies observed during inspection. - Based on the reply, re-inspection of the unit was conducted by DPCC officials on 18.12.2018 to verify the facts stated in the reply. During inspection following observations were made: 1. Unit found non-operational and engaged in the activity of rubber molding. 2. As told by owner, industry is working 2-4 days in a month. 3. A lot of scrap was seen during the inspection and owner told that it will be used in the near future. 4. Two molding machines and one lathe machine was seen but not in operation. 5. Adequate stack height was provided in chimney.			
--	--	--	--	--	--	--	--	--


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV



(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]


31

						- As per inspection findings no deficiencies observed, therefore, in view of a complaint through PGMS, unit was issued a Show Cause Notice asking about safety measures required for the industry with a copy of the same to Fire Services Department on 22.03.2019. - Now, Unit has submitted its response in this regard on 30.04.2019 wherein they informed that they have taken all the safety measures as required including providing stack over the mixing machine followed by hood section to control fumes, all scrap has been removed/ re-used and fire safety measures (photos enclosed). Unit has requested to withdraw the above mentioned notice.			
82.	28-07-18	Surya Polymers	C-40, Phase II, Mayapuri Industrial Area, Delhi - 110064	Polythene, Plastic And Pvc Goods Through Extrusion Moulding (without Use Of Scrap), Gravure Printing (dry Process)(without Trade Effluent Discharge)	Orange/Renewal	Source of Water: DJB Water Consumption: 300 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: N/A (2)ECS: N/A (3)D.G.Set: N/A - An inspection of the unit was carried out by DPCC officials on 08.08.2018. During inspection following observations were made: 1. Unit found operational and engaged in the activity of manufacturing of plastic bags and printing. 2. D.G. set found in premises with defunct condition. 3. Hazardous Waste Management guidelines being followed. 4. Log book shown and maintained. - As decided in meeting dated 15.09.2018, a letter asking registration under Plastic Rules was issued to	-	27.12.2018: Implement the earlier CMC decision.	- Unit has been issued Consent to Establish on 23.04.2015. - As no deficiencies observed during inspection, Consent to Operate (Renewal) granted


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

						the unit on 29.10.2018. - Unit submitted a representation in this regard on 19.11.2018 wherein they informed that they are not manufacturers of any kind of plastic bags and neither of multi-layered plastics. They are manufacturers of plain and printed poly bags/ rolls which are used in industries as packaging material. Also, unit has coated and enclosed a notification of G.S.R. 320E dated 18.03.2016 as amended 27.03.2018 and has stated that they are not covered under Plastic Rules. - Also, re-inspection of the unit was conducted on 21.12.2018 by DPCC officials. During inspection following observations were made: 1. Unit found operational and engaged in the activity of making plastic bags (packaging) for industrial use. 2. Plastic packaging does not include plastic bags (manufacturing) and only cutting and printing was observed. 3. Two printing machines, one extruder and four cutting machines were observed. 4. Extruder was non-operational and rest of the machines were operational. 5. Hazardous waste was kept in closed containers and marking was properly done. 6. Unit has applied for CTO (Renewal) after the expiry of the consent. 7. Samples collected and found greater than 60 micron.			
83.	25-08-18	Bikkane Biryani (a Unit Of Shlakas)	P-2/90, P-Block, Ground Floor, Connaught Place, New	Restaurant s /eating Houses/ Dhabas And Other Such	Orange/Operate	Source of Water: NDMC Water Consumption: 1000 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP: Yes (Oil and Grease Trap)	1. Effluent analysis report: a). Effluent analysis report dated 02-07-2018 issued by DPCC	14.09.2018: Consent to establish granted. Take action as decided in file put up w.r.t. the High Court case in the	Consent granted. Inspection be carried out subsequently.


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI



(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

			Delhi, New Delhi - 110001	Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler	(2)ECS - N/A (3)D.G.Set; N/A. - Earlier an inspection of the unit was conducted by DPCC officials on 23.03.2018. During inspection various discrepancies were observed. - On the basis of inspection findings a Show Cause Notice for closure u/s 33(A) of the Water Act, 1974 and u/s 31 (A) of the Air Act, 1981 was issued to the unit on 19.04.2018. - Unit submitted a reply on 15.05.2018 and informed that they have applied for CTE and rectified all the discrepancies observed during last inspection. - Again an inspection of the unit was conducted by DPCC officials on 26.07.2018 to verify the facts stated in the reply and following observations were made: 1. During inspection unit found operational & engaged in the activity of Eating House/Restaurant. 2. ETP not installed but oil & Grease trap installed but same found in defunct condition & by pass arrangement observed. 3. One D.G. Set installed but as informed by Mr. Naresh it is not being used & has been disconnected. 4. One coal based tandoor is being used. 5. Solid Waste Management guidelines are not being followed. - Modified Directions issued to the unit on 25.10.2018 w.r.t. the deficiencies observed during inspection. - Unit submittted a reply dated 14.11.2018, wherein they informed that they have rectified the deficiencies observed during inspection.	submitted. Effluent Test Report within Limit - Yes	matter of Manjit Singh Vs. NDMC and Ors.	
--	--	--	---------------------------------	---	--	--	--	--


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

28

84.	10-09-18	Dominos Pizza Restaurant (a Unit Of Jubilant Foodworks Ltd)	Shop No- 30,31&32, upper Gf, Ansal Chambers- 1, Bhikaji Cama Place, New Delhi - 110066	Restaurant s/eating Houses / Dhabas And Other Such Establishments (having Seating Capacity Less Than 36) / Banquet Halls/ Party Lawns (with Floor Area Less Than 100 M2) And /sweet Shops/ Halwais And Other Such Establishments (with Annual Average Production Of Less Than One Tonne/day - Connected	Orange/Operate	Source of Water: DJB Water Consumption : 500 litres/day Status of Ground Water extraction: N/A Status of Pollution Control System (1)ETP: Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: Unit has a D.G Set of 45KVA	Test reports not attached with the online application.	-	Consent to Establish and Consent to Operate granted.
-----	----------	---	--	---	----------------	--	--	---	--


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV



(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

27

				To / Dischargin g Effluent Into Public / Municipal / Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
85.	04-10-18	Bar Company (a Unit Of Khilwani Associates Private Limited)	Ground Floor, Rg-13, Metro Station, Airport Express Lane, New Delhi - 110002, New Delhi - 110002	Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Connected To / Dischargin g Effluent Into Public/mun	Orange/Operate	Status of Pollution Control system Devices- 1. OGT- Yes 2. ECS-Proposed 3. D.G. set- No Plot Area-186.75 sq mt Date of Establishment/ Commencement-01.08.2017 Status of Ground Water Extraction-No 1. Water consumption- 2300 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018. No of Seats-48	1. Effluent Analysis Report-Yes, issued by DPCC on 24.09.2018. Parameters are within prescribed limits.	-	Consent to operate granted


(Arun Mishra)
MS, DPCC



(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

				icipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler					
86.	16-10-18	The Golden Dragon Vasant Vihar	C-2, Main Market, Vasant Vihar, New Delhi 110057, New Delhi - 110057	Restaurant s /eating Houses/ Dhabas And Other Such Establishm ents(havin g Seating Capacity From 36 To 100 Seats)- Not Connected To / Dischargin g Effluent Into Public/mun icipal/ Djb Sewer And Having Kitchen And / Or Laundry With Boiler	Orange/Establish	Source of Water: Outside (Bill not provided) Water Consumption: 500 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Yes (Oil and Grease Trap) (2)ECS - N/A (3)D.G.Set: N/A	-	-	Consent to Establish granted.


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

87.	02-11-18	Pizza Hut (a Unit Of Devyani International Ltd.)	58, Janpath, New Delhi - 110001	Restaurants/eating Houses/Dhabas And Other Such Establishments(having Seating Capacity From 36 To 100 Seats)- Connected To / Discharging Effluent Into Public/municipal/ Djb Sewer And Having Kitchen And / Or Laundry Without Boiler	Orange/Establish	Source of Water: NDMC Water Consumption: 3400 Liters/Day Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Yes (Physiochemical) (2)ECS : N/A (3)D.G.Set : N/A -Earlier an inspection of the unit was conducted by DPCC officials on 04.04.2018. During inspection various discrepancies were observed. 1. During inspection unit found operational and engaged in the activity of restaurant. 2. 1 D.G Set of 125 KVA of capacity installed with acoustic enclosure but inadequate stack height. 3. ETP installed but same was found not maintained. No wet/dry sludge sludge observed. 4. ETP logbook shown and maintained. 5. No segregation of solid waste as per MSW 2016 rules. 6. Kitchen is provided with channelization but without adequate stack height. 7. Seating as per license is not maintained. 8. Fire safety measures are not being adhered. 9. Coal is being used as a fuel in tandoor. 10. Borewell record not produced. - On the basis of inspection findings a Show Cause Notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31 (A) of the Air Act, 1981 was issued to the unit on 19.04.2018. - Unit submitted a reply on 16.05.2018 and informed that they are in process to apply on DPCC and they have rectified all the discrepancies observed during	-	-	Consent to Establish granted
-----	----------	--	---------------------------------	---	------------------	--	---	---	------------------------------


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Decisions of the Committee constituted for II(b) category cases held on 03.06.2019.
[CMC-IV & VI]

24

						last inspection. - Since, unit didn't applied for CTE and CTO under Orange Category direction for closure were issued dated 14.09.2018. - Unit submitted a reply dated 15.04.2019 along with ECS of 2 Lakhs and undertaking as per office order dated 02.08.2017. - On the basis of reply letter for Restoration of power supply, water supply and desealing of the unit was issued to the unit dated 23.04.2019.			
--	--	--	--	--	--	---	--	--	--


(Arun Mishra)
MS, DPCC


(Dr. B.M.S. Reddy)
EE, CMC-IV & VI


(Dr. Siddhartha Gautam)
AEE, CMC-IV


(R.K. Sharma)
AEE, CMC-VI

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
4	21-10-2018	ANNPURNA PLASTIC INDUSTRIES	C-255, SECTOR-5, DSIIDC BAWANA INDUSTRIAL AREA, DELHI, Delhi - 110039	Orange / Establish	MANUFACTURING OF PLASTIC DANA (WITH REPROCESSING)	Unit has submitted hardcopy. Status of Pollution Control system Devices- ETP- Proposed ECS- Proposed D.G. set- No Plot Area-250 sq mt Date of Commencement- 31.10.2018 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- DSIIDC (Bill not submitted) Applied for CTO on 18.02.2019	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be granted.	CTE be granted.
5	20-10-2018	NEW DARVESH RESTAURANT	1, B.D MARKET TIMARPUR, Delhi - 110052	Orange / Operate	RESTAURANT	A complaint was received and unit inspected on 25.04.2018 and SCN issued on 14.05.2018 and closure directions issued on 19.09.2018. Unit has applied for CTE on 28.08.2018 which was refused on 14.11.2018 in view of office order dated 02.08.2017. Unit has submitted undertaking and ECS on 26.11.2018. Unit has also filed a suit in Dist. Court against the complainant and Court vide its order dated 28.12.2018 directed to maintain status quo. WS filed by DPCC. Court has allowed petitioner to withdraw the present suit with liberty to file a fresh suit on legal grounds.	Effluent Analysis Report-Yes, issued by DPCC on 01.10.2018. Parameters are within prescribed limits. Emission Monitoring Report - No Noise Monitoring report-N/A	CTO may be refused and compliance of closure directions may be sought.	CTO be refused and compliance of closure directions be sought.
6	15-10-2018	MICRO EDUCATION & SOCIAL WELFARE SOCIETY	PLOT NO.154/647, GROUND FLOOR EXTENSION, LAL DORA VILLAGE POOTH KHURD, LANDMARK NEAR PHIRNI ROAD, Delhi - 110020	Orange / Operate	EATING HOUSE (Mid day meal)	Applied for CTE on 15.10.2018 and pending As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Inspection is yet to be conducted. Status of Pollution Control system Devices- ETP- Proposed ECS- Proposed D.G. set- No Plot Area-1217 sq mt Date of Commencement- 03.06.2018 Status of Ground Water Extraction-No Water consumption- 800 L/day Source- MCD (Bill not submitted) NDMC license valid upto 31.03.2018 Police license and fire safety license not submitted.	Effluent Analysis Report-No Emission Monitoring Report - No Noise Monitoring report-N/A	CTE and CTO may be refused. SCN for closure	Inspection be conducted.


Member Secretary


Incharge (CMC-V II)


EE (CMC-VII)


AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
7	15-10-2018	MICRO EDUCATION & SOCIAL WELFARE SOCIETY	PLOT NO.154/647, GROUND FLOOR EXTENSION, LAL DORA VILLAGE POOTH KHURD, LANDMARK NEAR PHIRNI ROAD, Delhi - 110020	Orange / Establish	EATING HOUSE	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date.. Inspection is yet to be conducted. Applied for CTO & pending Status of Pollution Control system Devices- ETP- Proposed ECS- Proposed D.G. set- No Plot Area-1217 sq mt Date of Commencement- 03.06.2018 Status of Ground Water Extraction-No Water consumption- 800 L/day Source- MCD (Bill not submitted) NDMC license valid upto 31.03.2018 Police license and Fire safety license not submitted.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE and CTO may be refused. SCN for closure	CTE be granted.
8	10-10-2018	BALWANT DHABA	A-1500, NEW SUBZI MANDI, AZADPUR, DELHI, Delhi - 110033	Orange / Establish	DHABA	Unit has submitted hardcopy Status of Pollution Control system Devices- OGT- Yes ECS- Proposed D.G. set- No Plot Area-17 sq mt Date of Commencement- 05.06.2013 Status of Ground Water Extraction-No Water consumption- 1000 L/day Source- Outside (Bill not submitted) Inspection status- No MCD License and Police License not submitted. Not applied for CTO	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	SCN for CTO may be issued	CTE be granted and SCN for Closure for Operating without CTO.
9	10-10-2018	KAMLESH DHABA	A-1065, NEW SUBZI MANDI, AZADPUR, DELHI, Delhi - 110033	Orange / Establish	DHABA	Unit has submitted hardcopy. Status of Pollution Control system Devices- OGT- Yes, ECS- Proposed D.G. set- No Plot Area-19 sq mt Date of Commencement- 04.04.2011 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- Outside (Bill not submitted) Inspection status- No MCD License & Police License submitted and valid upto 31.03.2019. Not applied for CTO	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	SCN for CTO may be issued	CTE be granted and SCN for Closure for Operating without CTO.


Member Secretary


Incharge (CMC-V II)


EE (CMC-VII)


AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
10	29-09-2018	BABA GUEST HOUSE	A 17 KEWAL PARK EXTN MANDI ROAD AZADPUR, Delhi - 110095	Green / Establish	guest house	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- ETP-No ECS- Proposed D.G. set- No Plot Area-129.6 sq mt Date of Commencement- 03.07.2014 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- DJB (Bill submitted) MCD license uploaded and valid upto 31.03.2018. Police License valid upto 31.03.2018. Fire safety license not submitted. No. of seats-48 Not Applied for CTO.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be refused.. SCN for closure.	CTE be granted and SCN for Closure for Operating without CTO.
11	27-09-2018	PURE FOOD PRODUCTS	B-2552, DSIDC NARELA INDUSTRIAL AREA, DELHI, Delhi - 110040	Orange / Establish	MANUFACTURING OF BREAD AND BAKERY ITEMS	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- ETP-Yes ECS- Yes D.G. set- No Plot Area-250 sq mt Date of Commencement- 17.01.2019 Status of Ground Water Extraction-No Water consumption- 1600 L/day Source- Outside (Bill not submitted) Not Applied for CTO.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be refused.. SCN for closure.	CTE be granted and SCN for Closure for Operating without CTO.



Member Secretary



Incharge (CMC-V II)



EE (CMC-VII)



AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
12	26-09-2018	HONEY'S FAST FOOD	105, BHAI PARMANAND COLONY, Delhi - 110009	Orange / Establish	Dhaba	Unit has submitted hardcopy. Status of Pollution Control system Devices- OGT- Yes ECS- Yes D.G. set- No Plot Area-26.75 sq mt Date of Commencement- 11.05.2009 Status of Ground Water Extraction-No Water consumption- 2000 L/day Source- DJB (Bill submitted) MCD License & Police submitted and valid upto 31.03.2019. Applied for CTO on 13.12.2018 (109263) & granted in last meeting.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be granted.	CTE be granted.
13	25-09-2018	KAMDHENU FAMILY CORNER	5469, OPP. TOWN HALL, CHANDNI CHOWK, DELHI- 110006	Orange / Establish	EATING HOUSE BELOW 20 SEATS	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- OGT- Yes, ECS- Proposed D.G. set- No Plot Area- 46 sq mt Date of Commencement- 09.04.2008 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- DJB (Bill not submitted) MCD License & Police license submitted and valid upto 31.03.2019. No. of seats- below 20 Not applied for CTO.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be refused.. SCN for closure.	CTE be granted and SCN for Closure for Operating without CTO.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC-VII)



 AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
14	21-09-2018	SHIV SHAKTI INDUSTRIES	OUT OF KH NO. 30/14, GALI NO. 4, MASTER MOHALLA, LIBASPUR INDUSTRIAL AREA, Delhi - 110033	Green / Establish	Mfg. of Household Kitchen Appliances	Letter was issued to the unit regarding boundary certificate on 09.04.2019 but no reply have been submitted till date. Status of Pollution Control system Devices- ETP- Proposed ECS- proposed D.G. set- No Plot Area-250 sq mt Date of Commencement- 06.08.2013 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- Outside (Bill not submitted) Unit has again applied for CTE and CTO in new software on 15.04.2019 and 25.04.2019 respectively.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be refused.. SCN for closure.	CTE be granted.
15	17-09-2018	NULITE PRODUCTS	B-20, GALI NO.14, RAILWAY ROAD, SAMAYPUR INDUSTRIAL AREA, SAMAYPUR BADLI, Delhi - 110039	Green / Establish	Bakelite Powder mfg. using Phenol Formaldehyde Resin As Raw Material and Bakelite Products	Letter was issued to the unit regarding boundary certificate on 10.04.2019 but no reply have been submitted till date. Status of Pollution Control system Devices- ETP- N/A ECS- proposed D.G. set- No Plot Area-210 sq mt Date of Commencement- 18.09.2018 Status of Ground Water Extraction-No Water consumption- 50 L/day Source- Outside (Bill not submitted) Unit has again applied for CTE in new software on 13.05.2019 and not applied for CTO.	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	CTE may be refused.. SCN for closure.	CTE be infructuos as unit has applied fresh CTE on 13.05.2019. Issued SCN for Closure for operating without CTO.
16	17-09-2018	VIKAS CABLES PVT. LTD.	PLOT NO.108, PKT-F, SEC-3 BAWANA INDL. AREA, Delhi - 110052	Orange / Renewal	WIRE DRAWING WITH SUPER ENAMELING	CTO granted on 15.09.2012 valid upto 16.07.2017. Inspection conducted on 09.01.2019 and the findings are as follows- 1. Channelization provided with suction and wet scrubber and found functional. 2. Only electricity used in machine and heating oven. 3. HWM rules are complied with.	Effluent Analysis Report-N/A Emission Monitoring Report - Yes, issued by DPCC on 16.04.2018. Parameters are within prescribed limits. Noise Monitoring report-Yes, issued by DPCC on 09.04.2018. Parameters are within prescribed limits.	CTO (R) maybe granted.	CTO (R) be granted.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC-VII)


 AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
17	06.09.2018	HOTEL RAJ INTERNATIONAL DX	PLOT NO: 9835/A-7, AHATA THAKUR DASS, OPP. SARAI ROHILLA RAILWAY STATION, NEW ROHTAK ROAD, NEW DELHI - 110005	Orange / Operate	GUEST HOUSE (36 ROOMS AND 42 BED)	Status of Pollution Control system Devices- ETP/OGT-Yes Channelization-Yes D.G. set- Nil Plot Area-378 sq mt Date of Commencement- 10-08-2017 Status of Ground Water Extraction-No Water consumption- 2500 L/day Source- Outside (Bill not submitted) MCD License submitted valid upto 31.03.2018. Police license and Fire NOC not submitted. No. of Rooms-36 CTE granted on 01.10.2018.	Effluent Analysis Report-No Emission Monitoring Report - No Noise Monitoring report-N/A	Letter for deficiencies (Valid MCD, Police License and NOC from Fire Deptt.)	Issue SCN for Closure for deficiencies.
18	01-09-2018	APN AGRO PVT. LIMITED	11-1190, DSIIDC NARELA INDUSTRIAL AREA, DELHI-110040	Green / Operate	SORTEX CLEAN MOONG DHOWA (DAL MILL/pulse mill)	Hardcopy submitted. Status of Pollution Control system Devices- ETP- N/A ECS- Yes, Stack attached to exhaust of dal mill. D.G. Set- No Plot Area- 350 sq mt Date of Commencement- 01.07.2017 Status of Ground Water Extraction-No Water consumption- 50 L/d. Source- DSIIDC (Water Bill not submitted) Status of Inspection-No CTE granted on 09.10.2018	Effluent monitoring report -N/A Emission monitoring report- Yes, issued by DPCC on 24-08-2018. parameters are within prescribed limits. Noise monitoring report : N.A	CTO may be granted.	CTO be granted.
19	01-09-2018	DEV PALACE	A4 PANCHWATI AZADPUR, Delhi - 110033	Green / Establish	GUEST HOUSE	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- ETP/OGT-N/A Channelization-proposed D.G. set- Nil Plot Area-400 sq mt Date of Commencement- 23.08.2016 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- DJB (Bill submitted) MCD License submitted valid upto 31.03.2018. Police license not submitted. No. of Rooms-18 No. of Beds-20 Not applied for CTO.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be refused.. SCN for closure.	CTE be granted and SCN for Closure for Operating without CTO.


Member Secretary


Incharge (CMC-V II)


EE (CMC-VI)


AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
20	10-08-2018	SHAHNAI BANQUET HALL	MCD CAR PARKING, ASAF ALI ROAD, Delhi - 110002	Orange / Operate	BANQUET HALLS/CONFERENCE HALLS	CTE granted on 31.01.2019. As decided, inspected on 19.03.2019 and the observations are as follows- 1. During inspection, no function was going on in the said premises. 2. The premises is being used for banquet purpose only and no cooking is done at the premises, 3. Contact person also informed that the hall is given on rent and only washing of utensils used in the function. 4. ETP provided to treated effluent generated from washing of utensils. 5. ETP was found in non-operating condition and oil and Grease trap was also not provided. No record W.r.t. operation of ETP was shown. SCN for Closure was issued to the unit on 12.04.2019. File is under submission.	Effluent monitoring report -yes, issued by DPCC on 13.03.2018. Parameters are within prescribed limits. Emission monitoring report- N/A Noise monitoring report : N.A	File may be put up administratively	File be put up administratively
21	02-08-2018	YADAV SWEETS	2087/6A, PREM NAGAR, GALI NO.22,, Delhi -	Orange / Operate	Sweets Shop	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- ETP/OGT-Yes Channelization-proposed D.G. set- Nil Plot Area-83.61 sq mt Date of Commencement- 17.06.2011 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- DJB (Bill submitted) MCD License submitted valid upto 31.03.2018. Police license not submitted.	Effluent monitoring report -No Emission monitoring report- No Noise monitoring report : N.A	CTO may be refused. SCN for closure	CTO be granted.


Member Secretary


Incharge (CMC-V II)


EE (CMC-VII)


AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
22	30-07-2018	YADAV SWEETS	2087/6A, PREM NAGAR, GALI NO.22,, Delhi -	Orange / Establish	Sweets Shop	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Applied for CTO on 02.08.2018 Status of Pollution Control system Devices- ETP/OGT-Yes Channelization-proposed D.G. set- Nil Plot Area-83.61 sq mt Date of Commencement- 17.06.2011 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- DJB (Bill submitted) MCD License submitted valid upto 31.03.2018. Police license not submitted.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be refused.. SCN for closure.	CTE be granted.
23	30-07-2018	POPULAR CHEMICALS	H BLOCK , PLOT NO-60, SECTOR- 1, BAWANA INDUSTRIAL AREA, DELHI- 110039	Orange / Operate	PAINT INK ,SCREEN PRINTING INK, MANUFACTURING ONLY BY MIXING AND BLENDING at small scale	As decided, inspection of the unit was conducted by DPCC officials on 13.02.2019 and the observations are as follows- 1. Unit is engaged in manufacturing of ink by mixing only. 2. Container is not marked with specified label. 3. Date does not mention on which storage of Hazardous waste began indicated on each container. 4. HWM Rules are not complies with. 5. Daily record of Hazardour waste not maintained in form-3. SCN for Closure was issued to the unit on 27.02.2019. Unit submitted the representation on 14.03.2019 stated that the unit is engaged in mixing activity of ink only, mainly water based ink is being prepared- screen/fabric ink only and stated that the unit enclosed photographs of other deficiencies but no photoes were attached. Applied for CTE on 17.07.2018 & is pending	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE and CTO may be granted. Subsequent inspection	CTO be granted. Subsequent inspection.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC-VII)


 AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
24	27-07-2018	PUNJABI DHABA CHICKEN CORNER	A-1, SANJAY GANDHI TRANSPORT NAGAR, DELHI, Delhi - 110052	Orange / Establish	EATING HOUSE/VEG AND NON VEG	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- OGT-Proposed. Channelization-proposed. D.G. set- Nil Plot Area-50 sq mt Date of Commencement- 14.08.2018 Status of Ground Water Extraction-No Water consumption- 300 L/day Source- DJB (Bill submitted) MCD License and Police license not submitted. MSME license uploaded. Not applied for CTO.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be refused.. SCN for closure.	CTE be granted and SCN for Closure for Operating without CTO.
25	19-07-2018	S S POLYMERS	H-1338,NARELA INDUSTRIAL AREA,DELHI, Delhi - 110040	Orange / Operate	Manufacturing of Dana (With Reprocessing without washing)	As decided, inspection of the unit was conducted by DPCC officials on 15.02.2019 and the observations are as follows- 1. Unit found operating, engaged in plastic reprocessing (mfg. of plastic granules from plastic waste/scrap). 2. Channelisation provided over extruder and found working. CTE granted on 11.07.2018	Effluent monitoring report -No Emission monitoring report- No Noise monitoring report : N.A	CTO may be granted.	CTO be granted.


 Member Secretary


 Incharge (CMC-V II)


 EE (SMC-VII)



 AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
26	14-07-2018	POPULAR CHEMICALS	H BLOCK, PLOT NO-60, SECTOR- 1, BAWANA INDUSTRIAL AREA, DELHI- 110039	Orange / Establish	PAINT INK, SCREEN PRINTING INK, MANUFACTURING ONLY BY MIXING AND BLENDING at small scale	As decided, inspection of the unit was conducted by DPCC officials on 13.02.2019 and the observations are as follows- 1. Unit is engaged in manufacturing of ink by mixing only. 2. Container is not marked with specified label. 3. Date does not mention on which storage of Hazardous waste began indicated on each container. 4. HWM Rules are not complies with. 5. Daily record of Hazardous waste not maintained in form-3. SCN for Closure was issued to the unit on 27.02.2019. Unit submitted the representation on 14.03.2019 stated that the unit is engaged in mixing activity of ink only, mainly water based ink is being prepared- screen/fabric ink only and stated that the unit enclosed photographs of other deficiencies but no photos were attached.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be granted. Subsequent inspection	CTE be granted.
27	30-06-2018	ROBIN CHEMICAL WORKS	SECTOR-5, POKHIT-K, PLOT NO-229 BAWANA INDUSTRIAL AREA, Delhi - 110039	Green / Establish	MFG. OF SHOE POLISH on small scale	As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Status of Pollution Control system Devices- ETP-Proposed ECS-proposed. D.G. set- Nil Plot Area-200 sq mt. Date of Commencement- 10.04.2018 Status of Ground Water Extraction-No Water consumption- 20 L/day Source- Outside (Bill not submitted) Not applied for CTO.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be refused	CTE be granted and SCN for Closure for Operating without CTO.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC-VII)


 AEE (CMC-V)

SL No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
28	04-05-2018	SAMRAT RESTAURANT	SHOP NO.74 AOUTRAM LANE, KINGSWAY CAMP, Delhi - 110009	Orange / Operate	Restaurant	CTE granted on 25.10.2017. As decided, inspection of the unit was conducted by the officials of DPCC on 21.02.2019 and the observations are as follows- 1. Restaurant found in operation. 2. Oil and Grease trap found installed but the same was not found in operation as septic condition. 3. Hood and suction arrangement not provided in the backyard kitchen. 4. Hood and suction arrangement provided in the front kitchen but stack height was not proper. SCN for Closure and SCN for Refusal of Consent was issued to the unit on 12.04.2019. Unit submitted reply on 07.05.2019 that they have rectify the deficiencies.	Effluent monitoring report -Yes, issued by DPCC on 05.02.2018. Parameters are within prescribed limits. Emission monitoring report- N/A Noise monitoring report : N.A	CTO may be granted.	CTO be granted.
29	25-04-2018	ANKIT POLYMERS	PLOT NO. 183-198, POCKET-M, SECTOR-1, DSIDC INDUSTRIAL AREA, BAWANA, Delhi - 110039	Green / Operate	MICROCELLULAR SHEET	CTE granted on 18.05.2018. As decided, letter issued to the unit on 10.04.2019 seeking hard copy of consent application. However, no reply have been received till date. Inspection is yet to be conducted. Status of Pollution Control system Devices- ETP-Yes ECS-Yes D.G. set- Nil Plot Area-300 sq mt Date of Commencement- 15.03.2018 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- DSIDC (Bill submitted) CTE already granted on 18.05.2018.	Effluent Analysis Report-No Emission Monitoring Report - No Noise Monitoring report-No	CTO may be refused.	CTO be granted.
30	18-04-2018	MASTER AUTO SPARES	PLOT NO-15 SECTOR-D, BAWANA II BHORGARH, Delhi - 110039	Orange / Establish	MFG OF SPRING	Unit has submitted hardcopy. Status of Pollution Control system Devices- ETP- Proposed ECS- Proposed D.G. set- No Plot Area-100.575 sq mt Date of Commencement- 15.07.2018 Status of Ground Water Extraction-No Inspection status- No Not applied for CTO	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	SCN for CTO may be issued	CTE be granted and SCN for Closure for Operating without CTO.


Member Secretary


Incharge (CMC-V II)


EE (CMC-V II)


AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
31	15-03-2018	SILICON CIRCUITS	PLOT NO. F - 1981, DSHDC, NARELA, (NDL. AREA, Delhi - 110040	Orange / Establish	FOR PLASTIC DANA	As decided, SCN for Closure and SCN for refusal of Consent was issued to the unit on 24.12.2018. Unit submitted the representation on 03.01.2019 sated that the unit have installed proper chimney/ stack to control air emission and proper hood and suction arrangement and also mentioned that unit is not manufacturing PU footwear. Applied for CTO , however file not opened in software.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE may be granted. Re-inspection may be conducted.	CTE be granted. Re-inspection be conducted.
32	23-01-2018	TRIUMPH MOTORS (UNIT KHUSHI TRADEX PVT LTD)	D-34,S.M.A INDL AREA,G.T.KARNAL RD,AZADPUR, Delhi - 110033	Orange / Establish	REPAIRING,SERVICING,DENTING,PAINTING AND WASHING	SCN for closure & refusal issued on 02.04.2019 for the deficiencies observed during inspection dated 17.07.2018. Unit was asked to deposit EC of Rs. 2 lakhs. Unit has submitted Demand Draft of Rs. One lac Only on 27.04.2019 and requested time to submit remaining DD. But no further reply /DD submitted till date . Applied for CTO on 12.06.2018. Inspection is yet to be conducted.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	CTE and CTO may be refused as unit has not submitted balance EC. Expedite inspection.	CTE and CTO be refused as unit has not submitted balance EC. Expedite inspection.
33	11-12-2017	SOUTH INDIAN CAFE	140, SHANKAR ROAD MARKET, NEW RAJENDER NAGAR, Delhi - 110060	Orange / Operate	EATING HOUSE (SNACKS AND VEG FOOD)	Status of Pollution Control System Devices- Oil and Grease Trap-Yes Channelisation-Yes D.G. set- No Plot Area-14.86 sq mt No. of Seats- 28. Date of Commencement- 01.04.2017 Status of Ground Water Extraction-No Water consumption-500 L/day Source- DJB (Water Bill not submitted) Status of Inspection- Yes(31.08.2017) MCD health license valid upto 25.10.2017. Police license valid upto 31.03.2015. As decided in the meeting, Letter has been issued to the unit for balance consent fee on 27.03.2019. Unit has submitted the balance Consent fee in the form of Demand Draft of Rupees 4392/- bearing No. 827143 dated 18.04.2019. CTE granted on 11.01.2019.	Effluent Analysis Report-No Emission Monitoring Report -No Noise Monitoring report-N/A	CTO may be granted.	CTO be granted.


Member Secretary


Incharge (CMC-V II)


EE (CMC-VII)


AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
34	01-11-2017	HOTEL RAJ	8494-8495 ARAKASHAN ROAD PAHARGANJ, NEW DELHI - 110055	Orange / Operate	hotel/guest house	Applied for CTF on 09.06.2017 & pending Status of Pollution Control system Devices- ETP/OGT-Yes Channelization-Yes D.G. set- Yes, 1X32 KVA Plot Area-74.24 sq mt No. of Rooms-36 Date of Commencement- 23.11.2011 Status of Ground Water Extraction-No Water consumption- 3000 L/day Source- DJB (Bill not submitted) MCD License submitted valid upto 31.03.2018. Police license and Fire NOC not submitted.	1. Effluent analysis report-Yes, issued by DPCC dated 22-08-2017 submitted. 2. Stack monitoring report- Yes, issued by DPCC dated 11-09-2017 submitted. 3. Noise monitoring report issued by DPCC dated 26-09-2017 submitted.	Letter for deficiencies (Valid MCD, Police License and NOC from Fire Deptt.)	CTE be granted. Issue SCN for Closure for deficiencies.
35	25-10-2017	BIKANERVALA	10181-82, CHOWK GURDWARA ROAD KAROL BAGH NEW DELHI, Delhi - 110005	Orange / Operate	MANUFACTURING OF SWEETS AND NAMKEEN	As decided, inspected on 19.03.2019 and the observations are as follows- 1. Premises found being used for restaurant (First Floor) and for sale of sweets (Ground Floor). 2. ETP found installed at the top floor of the building. 3. The installed Effluent Treatment Plant followed by Oil and Grease trap, was not found in operating condition and sludge was observed in the sludge drying bed. 4. No record with respect to operation of Effluent Treatment Plant shown. On the basis of Inspection findings, SCN for Closure and SCN for refusal of consent was issued to the unit on 15.04.2019. Unit has submitted reply and as decided, unit is yet to be inspected.	Effluent monitoring report -N/A Emission monitoring report- No Noise monitoring report : N.A	Inspection may be conducted.	Expedite Inspection



Member Secretary



Incharge (CMC-V II)



EE (CMC-V)



AEE (CMC-V)

Sl. No	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
36	31-08-2017	ASSOCIATES PACKAGING	D - 1555, DSHDC, NARELA, INDL. AREA, DELHI - 110040	Orange / Operate	PRINTING PRESS	CTE granted on 01.06.2017. Unit was inspected on 28.06.2018 and the findings are as follows- 1. Unit found operating, engaged in manufacturing of Packaging material, lamination and printing including bags (non-woven bag sample taken having thickness 15 microns). 2. NO Channelization provided. 3. HWM Rules not complied 4. Unit has not applied under Plastic waste Management Rules, 2016. SCN was issued to the unit on 08.04.2019 but no reply received within stipulated time.	Effluent monitoring report -N/A Emission monitoring report- No Noise monitoring report : N.A	CTO may be refused. Directions for closure may be issued.	CTO be refused and issued direction for Closure also impose Environmental Compensation of Rupees 2 Lacs.
37	06-06-2017	HOTEL CITY CASTLE	CITY CASTLE 1100/12 NAIWALA, LAHI BAKSH ROAD KAROL BAGH NEW DELHI, NEW DELHI - 110005	Orange / Establish	Hotel/ Guest Houses	Status of Pollution Control system Devices- ETP/OGT-Yes Channelization-Yes D.G. set- 35 KVA Plot Area-195 sq mt Date of Commencement-13.04.1991 Status of Ground Water Extraction-No Water consumption-100 l/day Source- DJB (Bill not submitted) MCD License submitted valid upto 31.03.2018. Police license not submitted. Not applied for CTO	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	SCN for refusal of CTE. SCN for CTO	CTE be granted and SCN for Closure for Operating without CTO.
38	26-04-2017	DWARKA (A UNIT OF CHANDHOK SYNDICATE)	3-F, KAMLA NAGAR, Delhi - 110007	Orange / Renewal	Restaurant	As decided, inspected on 28.02.2019 and the observations are as follows- 1. Restaurant is being operated at ground floor of the premises. 2. ETP found installed but the same was not in operating condition. 3. Hood and suction arrangement provided in the kitchen to channelize the emission. SCN for Closure and SCN for Refusal of Consent was issued to the unit on 02.04.2019. In response to the SCN, unit has submitted a reply on 30.04.2019 and stated that they have rectified all the deficiencies. File under submission.	Effluent Analysis Report-Yes, issued by DPCC on 18.04.2017. Parameters are within prescribed limits. Emission Monitoring Report - N/A Noise Monitoring report-N/A	File may be put up administratively	CTO (R) be granted.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC-VII)


 AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
39	07-11-2016	LAXMI PLASTIC UDYOG	E-21, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA, Delhi - 110039	Orange / Operate	MFG. OF PLASTIC PRODUCTS VIZ TARPAULIN.	CTE granted on 19.11.2009 and valid upto 18.11.2010. Unit was Inspected and found engaged in mfg of plastic dana & sheet, thickness found less than 50 microns. As decided, SCN for closure was issued to the unit on 28.03.2019. Unit submitted a representation on 10.04.2019 along with enclosed form No.2, under Plastic Rules 2016.	Effluent monitoring report -N/A Emission monitoring report- No Noise monitoring report : N.A	CTO may be granted. Subsequently, inspection may be conducted.	Re-inspection be conducted.
40	16-08-2016	STAR PACKERS	PLOT NO H-1362, DSIDC, NARELA INDUSTRIAL AREA, Delhi - 110040	Orange / Operate	GRAVURE PRINTING (DRY PROCESS) (WITHOUT TRADE EFFLUENT DISCHARGE).	As decided, Inspection was conducted by DPCC officials on 15.02.2019 and findings are as follows- 1. Unit found operating, engaged in the activity of rotogravure printing and lamination. 2. Channelization provided and working. 3. HWM rules are complied with.	Effluent monitoring report -N/A Emission monitoring report- No Noise monitoring report : N.A	CTO may be granted.	CTO be granted.
41	30-07-2015	GUPTA POLYMERS	O-52, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA, Delhi - 110039	Orange / Operate	MFG. OF PRINTING OF POLYTHENE BAGS.	Inspected on 13.02.2019 and the findings are as follows- 1. Unit is engaged in manufacturing of Polythene bags/ tubes for packing purpose only. 2. Basement for Cutting & FF of the premises is being used for printing on polythene bags/ tubes. 4. HWM rules are not complied with. 5. Unit has also not applied with PWM Rules, 2016. 6. Sample of Packing material collected during inspection and thickness of the sample found less than 50 microns. SCN and Letter for Environmental Compensation fine of rupees 50,000/- was issued to the unit on 11.03.2019. Unit has not submitted any reply, so Closure Directions was issued to the unit on 06.05.2019. Unit submitted representation on 15.05.2019, DD of Rs 50,000/- and ECS of Rupees 2 Lac along with undertaking and requested to revoke the directions dated 06.05.2019. File under submission for desecuring letter.	Effluent monitoring report -N/A Emission monitoring report- No Noise monitoring report : N.A	CTO may be granted. Subsequently, inspection may be conducted.	CTO be granted. Subsequent inspection be conducted.


 Member Secretary


 Incharge (CMC-V II)



 EE (CMC-VII)


 AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
42	01-11-2018	HARSH CREATION	C-57 AND C-179 JOINT BUILDING, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA, Delhi -39	Orange / Establish	READYMADE GARMENT WASHING WITH SPRAY PAINT WITH GAS FIRED BOILER	The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc
43	17-09-2018	GURUJI WASH	N-143, SECTOR-5, DSIIDC INDUSTRIAL AREA, BAWANA, DELHI-110039	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc
44	03-08-2018	PIONEER CREATIVE BLUES	E-4, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA, Delhi - 110033	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc
45	13-07-2018	JAGADAMBA JEANS	S-82, PH-I, BADLI INDUSTRIAL ESTATE, DELHI, Delhi - 110033	Orange / Establish	READYMADE JEANS WASHING.	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.


 Member Secretary


 Incharge (CMC-V II)


 EE (CMC VII)


 AEE (CMC V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
46	12-07-2018	DOCTOR DENIMCREATION S	SECTOR 2 A BLOCK NUMBER 6 DSIIDC, Delhi - 110040	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.
47	09-07-2018	DENIM DAYS	KH NO 28/12,SIRASPUR ROAD,LIBASPUR INDUSTRIAL AREA, Delhi - 110033	Orange / Operate	READYMADE JEANS WASHING.	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.		May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.
48	06-07-2018	SHREE KRISHNA CREATION	N1-9,SECTOR-5,BAWANA INDUSTRIAL AREA,DELHI-110039	Orange / Establish	READYMADE JEANS WASHING.	The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.
49	08-06-2018	VINOD KUMAR LEEIA	S-60,II FLOOR,PH-1,BADLI INDUSTRIAL ESTATE,DELHI, Delhi - 110042	Orange / Establish	READYMADE GARMENT WASHING	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	Effluent monitoring report -N/A Emission monitoring report- N/A Noise monitoring report : N.A	May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.



Member Secretary



Incharge (CMC-V II)



EE (CMC-VII)



AEE (CMC-V)

Sl. No.	Application Date	Industry Name	Industry Address	Category	Activities	Brief of the Case	Status of the test Report	Remarks/ Recommendations	Decision of Committee
50	20-12-2017	KESHAV PROCESSOR	G-1026 DSIIDC NARELA, Delhi - 110040	Orange / Operate	WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.		May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.
51	01-07-2017	COLOR COMBINATION	H-19, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA, Delhi - 110039	Orange / Operate	Job work of washing of readymade garments (With oil fired boiler)	The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.		May be kept in abeyance	Kept in abeyance in view of decision taken in the meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.



Member Secretary



Incharge (CMC-V II)



EE (CMC-VII)



AEE (CMC-V)

Sr. No	User ID	Consent request ID	Application Date	Industry Name	Industry Address	District	Activity of the unit	Category	Brief Status of Case/ ATR	Status of Test Report	Last Committee Decision	Decision
1	38630	60619	08.10.2018	Shapoorji Pallonji and Company Pvt. Ltd. and Shapoorji Pallonji Qatar WLL	Indain Trade Promotion Organisation ,Pragati Bhawan , Pragati Maidan New Delhi- 110001	New Delhi	RMC Plant	Green /Operate	Source of Water: DJB (Cat-II) and Ground Water Water Consumption: 130000 Liters/Day Status of Ground Water extraction: 120000 Liters/Day (1) STP capacity: 15000 Liters/day (2) ETP capacity: N/A (3) ECS: N/A (4) DG Set: 1X500KVA Status of inspection: No Show Cause Notice u/s 33(A): Yes -Case was put up administratively & as decided letter issued on 04.01.2019 to submit the following: 1. Clarification for the explanation for obtaining the Consent to Establish without showing the trade effluent discharge. 2. Effluent analysis report of STP. 3. The point wise compliance report of dust control measures as per policy regarding operation of RMC issued vide office order DPCC/CMCI/RMC/2017/2596-2614 dated 27.12.2017 (copy enclosed). SCN for refusal of Consent issued on 14.03.2019, as unit has not replied to the letter dated 04.01.2019.	1. The Unit has submitted Noise Monitoring Report of DG set (500 KVA) issued by DPCC lab on 03.10.2018 and found within prescribed standards. 2. The Unit has submitted Monitoring Report of stack attached with dust collector, issued by DPCC lab on 05.10.2018 and found within prescribed standards. 3. The Unit has submitted ambient air report dated 21.08.2018 issued by M/s SIIR.	Nil	SCN for closure be issued.


 Arun Mishra, MS, DPCC


 Pankaj Kapil, SEE


 S.K. Goyal, AEE


 S. Singh, AEE