



## CONSENT MANAGEMENT

Decisions taken by the Committee for 2(d) Category cases headed by Chairman DPCC in its 21st meeting on 04.03.2015 w.r.t. Agenda Item No 2 - 32 Consent to Operate / Renewal cases under Orange Category of the period 21.12.2014 to 20.02.2015 (Annexure II ).

[Generate Excel](#)

| S. No. | Date of Application | Enquiry Counter I.D. No | Industry Name & Address                                  | Industrial Area / District | Category          | Activitiy / Product                                                                                                                        | Decision                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------|---------------------|-------------------------|----------------------------------------------------------|----------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | 24-12-2014          | DPCC/EC/2/1/2014/9762   | THE TAJ MAHAL HOTEL<br>NUMBER ONE MANSINGH ROAD          | NEW DELHI                  | Orange<br>Renewal | HOTEL.<br><br>Hotels (3 star and above) having kitchen and/or laundry with Boiler                                                          | <b>04-03-2015</b><br><br>Inspection be conducted by a team constituted by MS, DPCC within 10 days.                                                                                                                                                                                                                                                                                                                           |
| 2      | 05-02-2015          | DPCC/EC/2/1/2015/10045  | JAI PARAS STEEL<br><br>A-16, WAZIRPUR INDUSTRIAL AREA    | Wazirpur Industrial Area   | Orange<br>Operate | PICKLING OF S.S. SHEETS.<br><br>Stainless Steel Pickling                                                                                   | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 3      | 05-02-2015          | DPCC/EC/2/1/2015/10046  | DURGA INDUSTRIES<br><br>A-99/4, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area   | Orange<br>Operate | PICKLING AND RE-ROLLING OF S.S. SHEET / PATTI.<br><br>Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day) | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned                                                                                                                                                                                                               |

|   |            |                        |                                                             |                          |                |                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|---|------------|------------------------|-------------------------------------------------------------|--------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   |            |                        |                                                             |                          |                | Stainless Steel Pickling                                                                                                                                              | Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.                                                                                                                                                                                                                |
| 4 | 05-02-2015 | DPCC/EC/2/1/2015/10047 | MITTAL RE-ROLLING INDUSTRIES<br>A-76/2, WAZIRPUR INDL. AREA | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling   | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 5 | 05-02-2015 | DPCC/EC/2/1/2015/10048 | BHAWANI INDUSTRIES<br>B-62/1, WAZIRPUR INDL. AREA           | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling   | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 6 | 05-02-2015 | DPCC/EC/2/1/2015/10050 | ARTI INDUSTRIES<br>A-97/1, WAZIRPUR INDUSTRIAL AREA         | Wazirpur Industrial Area | Orange Operate | PICKLING, ANNEALING AND RE-ROLLING OF S.S SHEETS.<br><br>Stainless Steel Pickling<br><br>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day) | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |

|    |            |                        |                                                                   |                          |                |                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|-------------------------------------------------------------------|--------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7  | 05-02-2015 | DPCC/EC/2/1/2015/10051 | SARASWATI TRADERS<br><br>A-96/2, WAZIRPUR INDUSTRIAL AREA         | Wazirpur Industrial Area | Orange Operate | PICKLING, ANNEALING AND RE-ROLLING OF S.S. SHEETS.<br><br>Stainless Steel Pickling<br><br>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day) | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 8  | 05-02-2015 | DPCC/EC/2/1/2015/10052 | SHRI RAM INDUSTRIES<br><br>A-132, GROUP, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling   | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 9  | 05-02-2015 | DPCC/EC/2/1/2015/10053 | SHIV SHAKTI INDUSTRIES<br><br>A-84/1,WAZIRPUR INDUSTRIAL AREA     | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling  | <b>04-03-2015</b><br><br>Case deferred.                                                                                                                                                                                                                                                                                                                                                                                      |
| 10 | 05-02-2015 | DPCC/EC/2/1/2015/10055 | PREMIER INDUSTRIES<br><br>B-62, WAZIRPUR INDUSTRIAL AREA          | Wazirpur Industrial Area | Orange Operate | PICKLING OF S.S. SHEETS.<br><br>Stainless Steel Pickling                                                                                                               | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take                                                                                                                                                                       |

|    |            |                        |                                                           |                          |                |                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|-----------------------------------------------------------|--------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        |                                                           |                          |                |                                                                                                                                                                        | necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.                                                                                                                                                                                                                                                        |
| 11 | 05-02-2015 | DPCC/EC/2/1/2015/10059 | G.S. ENTERPRISES<br><br>A-74/2, WAZIRPUR INDUSTRIAL AREA  | Wazirpur Industrial Area | Orange Operate | PICKLING AND COLD RE-ROLLING S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 12 | 05-02-2015 | DPCC/EC/2/1/2015/10060 | VISHAL INDUSTRIES<br><br>C-55/1, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling   | <b>04-03-2015</b><br><br>Case deferred.                                                                                                                                                                                                                                                                                                                                                                                      |
| 13 | 05-02-2015 | DPCC/EC/2/1/2015/10061 | A.K. INDUSTRIES<br><br>A-102/1A, WAZIRPUR INDL. AREA      | Wazirpur Industrial Area | Orange Operate | PICKLING OF S.S. SHEETS.<br><br>Stainless Steel Pickling                                                                                                               | <b>04-03-2015</b><br><br>Case deferred.                                                                                                                                                                                                                                                                                                                                                                                      |
| 14 | 06-02-2015 | DPCC/EC/2/1/2015/10063 | GOYAL ENTERPRISES<br><br>B-7, GROUP WAZIRPUR INDL. AREA   | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling  | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing                                          |

|    |            |                        |                                                            |                          |                |                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|------------------------------------------------------------|--------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        |                                                            |                          |                |                                                                                                                                                                         | CETPs and STPs as per last order of NGT.                                                                                                                                                                                                                                                                                                                                                                                     |
| 15 | 06-02-2015 | DPCC/EC/2/1/2015/10064 | BISHWANATH<br><br>B-9, GROUP, WAZIRPUR INDUSTRIAL AREA     | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling    | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 16 | 06-02-2015 | DPCC/EC/2/1/2015/10065 | J.N. STEEL<br><br>A-111/1, WAZIRPUR INDUSTRIAL AREA        | Wazirpur Industrial Area | Orange Operate | PICKLING, ANNEALING AND RE-ROLLING OF S.S. SHHEETS.<br><br>Stainless Steel Pickling<br><br>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day) | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 17 | 09-02-2015 | DPCC/EC/2/1/2015/10074 | BHARAT IMPEX<br><br>B-73, PHASE I,MAYAPURI INDUSTRIAL AREA | Mayapuri Industrial Area | Orange Renewal | PLATING ON C.P. BATHROOM FITTINGS.<br><br>Plating - Nickel and Chrome Plating with less than 5 KLD                                                                      | <b>04-03-2015</b><br><br>Inspection be conducted w.r.t. extraction of ground water and compliance of HWM Rules.                                                                                                                                                                                                                                                                                                              |
| 18 | 10-02-2015 | DPCC/EC/2/1/2015/10090 | SUBHASH GOEL<br><br>B-29/2, WAZIRPUR INDUSTRIAL AREA       | Wazirpur Industrial Area | Orange Operate | PICKLING OF S.S. SHEETS.<br><br>Stainless Steel Pickling                                                                                                                | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be                                                                                   |

|    |            |                        |                                                                 |                          |                |                                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|-----------------------------------------------------------------|--------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        |                                                                 |                          |                |                                                                                                                                                                      | asked to use treated water from existing CETPs and STPs as per last order of NGT.                                                                                                                                                                                                                                                                                                                                            |
| 19 | 13-02-2015 | DPCC/EC/2/1/2015/10125 | JAYNA STRIPS<br><br>A-97/1A, WAZIRPUR INDUSTRIAL AREA           | Wazirpur Industrial Area | Orange Operate | Pickling of S.S. Sheets.<br><br>Stainless Steel Pickling                                                                                                             | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 20 | 13-02-2015 | DPCC/EC/2/1/2015/10126 | SHRI RAM ROLLING WORKS<br><br>A-93/14, WAZIRPUR INDUSTRIAL AREA | Wazirpur Industrial Area | Orange Operate | Pickling of S.S. Sheets.<br><br>Stainless Steel Pickling                                                                                                             | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 21 | 13-02-2015 | DPCC/EC/2/1/2015/10127 | SHIV INDUSTRIES<br><br>B-7, GROUP, WAZIRPUR INDUSTRIAL AREA     | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHHEETS.<br><br>Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 22 | 13-02-2015 | DPCC/EC/2/1/2015/10132 | DURGA INDUSTRIES                                                | Wazirpur Industrial      | Orange Operate | Pickling and Re Rolling of S.S. Sheets.                                                                                                                              | <b>04-03-2015</b>                                                                                                                                                                                                                                                                                                                                                                                                            |

|    |            |                        |                                                                   |                          |                |                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|-------------------------------------------------------------------|--------------------------|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        | A-97/3, WAZIRPUR INDL. AREA                                       | Area                     |                | Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling                                                  | Case deferred.                                                                                                                                                                                                                                                                                                                                                                                                               |
| 23 | 13-02-2015 | DPCC/EC/2/1/2015/10133 | BRIJ MOHAN RAM MOHAN<br><br>A-86/2, WAZIRPUR INDUSTRIAL AREA      | Wazirpur Industrial Area | Orange Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S.S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling   | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 24 | 13-02-2015 | DPCC/EC/2/1/2015/10134 | SHREE KRISHNA METAL INDUSTRIES<br><br>B-22/2, WAZIRPUR INDL. AREA | Wazirpur Industrial Area | Orange Operate | PICKLING, ANNEALING AND RE-ROLLING OF S.S SHEETS.<br><br>Stainless Steel Pickling<br><br>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day) | <b>04-03-2015</b><br><br>Case deferred.                                                                                                                                                                                                                                                                                                                                                                                      |
| 25 | 16-02-2015 | DPCC/EC/2/1/2015/10141 | P.B. STEELS<br><br>A-24, WAZIRPUR INDUSTRIAL AREA                 | Wazirpur Industrial Area | Orange Operate | PICKLING OF S.S. SHEET.<br><br>Stainless Steel Pickling                                                                                                               | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 26 | 17-02-2015 | DPCC/EC/2/1/2015/10157 | GANGA INDUSTRIES                                                  | Wazirpur                 | Orange         | PICKLING AND COLD RE-ROLLING                                                                                                                                          | <b>04-03-2015</b>                                                                                                                                                                                                                                                                                                                                                                                                            |

|    |            |                        |                                                                        |                          |                |                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|----|------------|------------------------|------------------------------------------------------------------------|--------------------------|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        | A-113, GROUP, WAZIRPUR INDL. AREA                                      | Industrial Area          | Operate        | <p>OF S.S. SHEETS.</p> <p>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)</p> <p>Stainless Steel Pickling</p>                           | <p>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.</p>                          |
| 27 | 17-02-2015 | DPCC/EC/2/1/2015/10158 | <p>U-LIKE EXPORTS</p> <p>C-34, WAZIRPUR INDUSTRIAL AREA</p>            | Wazirpur Industrial Area | Orange Operate | <p>PICKLING, ANNEALING AND RE-ROLLING OF S.S. SHEETS.</p> <p>Stainless Steel Pickling</p> <p>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)</p> | <p><b>04-03-2015</b></p> <p>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.</p> |
| 28 | 17-02-2015 | DPCC/EC/2/1/2015/10159 | <p>KALYAN STEEL ROLLING MILL</p> <p>A-130,WAZIRPUR INDUSTRIAL AREA</p> | Wazirpur Industrial Area | Orange Operate | <p>PICKLING, ANNEALING AND RE-ROLLING OF S.S. SHEETS.</p> <p>Stainless Steel Pickling</p> <p>Stainless steel rerolling and anealling (with capacity less than 25 MT/ day)</p> | <p><b>04-03-2015</b></p> <p>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.</p> |
| 29 | 17-02-2015 | DPCC/EC/2/1/2015/10160 | <p>METAL FABRICATORS</p> <p>A-85/3, WAZIRPUR INDUSTRIAL AREA</p>       | Wazirpur Industrial Area | Orange Operate | <p>PICKLING, ANNEALING AND RE-ROLLING OF S.S. SHEETS.</p> <p>Stainless Steel Pickling</p> <p>Stainless steel rerolling and</p>                                                | <p><b>04-03-2015</b></p> <p>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned</p>                                                                                                                                                                                                               |



|    |            |                        |                                                                              |                                |                   |                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----|------------|------------------------|------------------------------------------------------------------------------|--------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |            |                        |                                                                              |                                |                   | anealling (with capacity less than 25 MT/ day)                                                                                                                                                                                                                                                                                                                    | Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT.                                                                                                                                                                                                                |
| 30 | 19-02-2015 | DPCC/EC/2/1/2015/10177 | ACG HOSPITALITY PVT. LTD<br><br>1A SUB DISTT. CENTRE, HARI NAGAR             | WEST                           | Orange<br>Renewal | 3 STAR CATEGORY HOTEL.<br><br>Hotels (3 star and above) having kitchen and/or laundry                                                                                                                                                                                                                                                                             | <b>04-03-2015</b><br><br>Inspection be conducted.                                                                                                                                                                                                                                                                                                                                                                            |
| 31 | 19-02-2015 | DPCC/EC/2/1/2015/10181 | VIJAY ENTERPRISES<br><br>A-15(GROUP),WAZIRPUR INDUSTRIAL AREA                | Wazirpur<br>Industrial<br>Area | Orange<br>Operate | PICKLING AND RE-ROLLING OF S.S. SHEETS.<br><br>Cold re Rolling Without Pickling of S .S. Sheets (with capacity less than 25 MT/ day)<br><br>Stainless Steel Pickling                                                                                                                                                                                              | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water. Unit can be asked to use treated water from existing CETPs and STPs as per last order of NGT. |
| 32 | 20-02-2015 | DPCC/EC/2/1/2015/10199 | SKYGOURMET CATERING PVT. LTD.<br><br>IGI AIRPORT COMPLEX, NEAR CENTURE HOTEL | NEW DELHI                      | Orange<br>Renewal | FLIGHT CATERING.<br><br>Restaurants/Eating Houses / Dhabas and other such establishments (with minimum Seating Capacity of 36)/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of One Tonne/Day or more)/ Banquet Halls/Party-Lawns (with minimum Floor Area of 100m2) not connected to public/municipal/DJB sewer with Boiler | <b>04-03-2015</b><br><br>Ask the unit to submit the copy of permission for extraction / drawl of ground water from Delhi Jal Board / CGWA within 15 days, failing which consent shall be refused and concerned Dy. Commissioner shall be asked to take necessary action w.r.t. Notification dated 12.07.2010 for ground water.                                                                                               |