


DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/24th Meeting /2019/10027-3/ Dated: 1.11.2019

Subject: Minutes of the 24th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on **19.10.2019, 21.10.2019 & 22.10.2019** in the conference room of DPCC, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006.

Please find enclosed herewith the Minutes of the **24th Meeting** of the aforementioned Committee, held on **19.10.2019, 21.10.2019 & 22.10.2019** in the conference room of DPCC, 5th Floor, ISBT Building, Kashmere Gate, Delhi-110006.

All concerned are required to take necessary action as per the decisions taken by the Committee and submit the compliance report to MS, DPCC through Incharge, CMC-V.


(Satender Kumar)
Incharge, CMC-V & VII


1. Member Secretary, DPCC.
2. Incharges /SEEs (CMC I/II/III/IV/V/VI/VII).
3. EEs/AEEs (CMC I/II/III/IV/V/VI/VII).

Copy for information to:


1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
- ✓ 2. SEE (IT) Cell: to take immediate necessary action w.r.t. decision taken in the said minutes and also upload the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(Satender Kumar)
Incharge, CMC-V & VII


S.No	Application date	Industry Name	Industry Address	District	Activities	Categor y	Last Decision	REMARKS	Decision taken in the meeting held on 19.10.2019
1	10.08.2017	A.I. ENTERPRISES	J-18, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Copper Wire Drawing only	Orange / Renewal	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1.Inspection of the unit was carried out on 23.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
2	30.06.2018	RAJINDRA MOTORS	A-17, DSIDC, JHILMIL INDUSTRIAL AREA, SHAHDARA, DELHI - 110095	SHAHDA RA	SERVICING AND WASHING, DENTING AND PAINTING OF TWO WHEELERS	Orange / Operate	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite inspection.	1.Inspection of the unit was carried out on 23.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
3	17.09.2018	BOKARIA PAPER INDUSTRIES	PLOT NO. 1/536-B/1, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA SHAHDARA, DELHI - 110095	SHAHDA RA	MFG OF FLEXIBLE PRINTED AND LAMINATED FILMS AND PAPERS	Orange / Renewal	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1.Inspection of the unit was carried out on 23.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted	Consent to Operate granted.



ARUN MISHRA
(Member Secretary)



MOUDARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


4	23.05.2017	SEMICONDUCTOR APPLICATIONS	B-67, DSIDC JHILMIL INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Offset Printing Lamination and Binding.	Orange / Operate	25-04-2019 As decided in CMC meeting of II (b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Inspection be conducted, if facts verified and found satisfied Consent To Operate be granted. Application for Authorization under HW Rules be kept in abeyance.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted	Consent to Operate granted.
5	18-09-2017	PRIYA PANCHWATI RESTAURANT	C-11/8, YAMUNA VIHAR, DELHI - 110053	SHAHDA RA	Restaurant (North Indian Food)	Orange / Renewal	18-09-2018 File be put up administratively.	1. Inspection of the unit was carried out on 20.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms Consent to Operate be granted	Consent to Operate granted.
6	29.10.2018	JAINEX INDIA	PLOT NO.14, DAMODAR PARK, DILSHAD GARDEN INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	MANUFACTURING OF PACKAGING MATERIALS WITH PRINTING	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	Unit submitted reply on 13.09.2019 stating that they have closed the activity from 01.07.2019. This application be refused.	Consent to Operate Refused.
7	28.10.2018	S.K. PLASTIC UDYOG	SHED NO. 12, D.S.I.D.C., JHILMIL INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	MFG. OF PVC COMPOUND (REPROCESSING WITHOUT WASHING)	Orange / Renewal	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1. Inspection of the unit was carried out on 20.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted	Consent to Operate granted.
8	17.10.2018	GURU NANAK RASOI	GROUND FLOOR, DDA SHOP NO 3, BLOCK A, OPP. DUSTBIN, DILSHAD GARDEN, DELHI - 110095	EAST	EATING JOINT	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1. Inspection of the unit was carried out on 20.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted	Consent to Operate granted.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


9	16.10.2018	SHUB CONDUCTORS LIMITED LIABILITY PARTNERSHIP	340A/30, GALI NO.1A, FRIENDS COLONY INDUSTRIAL AREA, SHAHDARA,, DELHI - 110095	SHAHDA RA	COPPER WIRE DRAWING WITH ANNEALING	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1.Inspection of the unit was carried out on 20.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit is following the Hazardous Waste Mangement Rules Consent to Operate be granted	Consent to Operate granted.
10	12.10.2018	ADIMURTI FOODS AND BEVERAGES PVT. LTD	1/49 LALITA PARK, LAXMI NAGAR, MAIN VIKAS MARG, DELHI - 110092	EAST	Guest House	Orange / Establish	25-04-2019 As decided in CMC meeting of II (b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, issue letter for submitting undertaking.	Recommended for grant of Consent to Establish.	Consent to Establish granted.
11	12.10.2018	NARENDRA METAL	1/536-A/2, GALI NO 4 FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Mfg. of Pressure Cooker with buffing	Green / Renewal	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1.Inspection of the unit was carried out on 20.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms Consent to Operate be granted	Consent to Operate granted.
12	22.09.2018	RISHAB INDUSTRIES	A-10/1 JHILMIL INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	COPPER WIRE DRAWING,PVC COMPOUND,WIR E AND CABLES	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1.Inspection of the unit was carried out on 20.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit is following the Hazardous Waste Mangement Rules Consent to Operate be granted	Consent to Operate granted.


ARUN MISHRA
(Member Secretary)


MONDARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


13	13.09.2018	GOYAL BROTHERS	423-24, GALI NO. 7, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	COPPER AND ALUMINUM WIRE DRAWING.	Orange / Renewal	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
14	10.09.2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP NO-G-28, GF, TRIVENI SHOPPING COMPLEX, LSC COMMUNITY CENTER, SHEIKH SARAI, NEW DELHI - 110017	NORTH EAST	Restaurant	Orange / Operate	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	This application be transferred to CMC-II as it pertains to south district.	This application be transferred to CMC-II as it pertains to south district.
15	04.08.2018	DEVKEE POLYMERS PVT. LTD	PLOT NO 340A/32, GALI NO 1A, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Roto Grovure Printing (without trade effluent discharge).	Orange / Renewal	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
16	05.07.2018	SATGUR THE PRINT SHOP	B-2/1, GOLDEN PARK, SHIV PURI EXTN. ILLAQA SHAHDARA, DELHI, DELHI - 110051	EAST	PRINTING PRESS	Orange / Establish	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to establish be granted.	Consent to establish granted.



ARUN MISHRA
(Member Secretary)



MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


17	04.07.2018	DEE KAY ELECTRICALS	A-10, JHILMIL INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	COPPER WIRE DRAWING.	Orange / Renewal	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
18	04.07.2018	SINGH SERVICE CENTRE (A UNIT OF SIKKA MOTORS PVT. LTD)	FC-8, LONI ROAD, SHAHDARA, DELHI - 110094	EAST	PETROL PUMP CUM SERVICE STATION	Orange / Operate	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
19	03.07.2018	CONCORDE MOTORS INDIA LTD	338, FIE, PATPARGANJ INDUSTRIAL AREA, DELHI - 110092	SHAHDA RA	AUTOMOBILE REPAIR WITH WASHING.	Orange / Operate	30-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, File be Put up administratively.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
20	14.06.2018	SOM DHABA	SHOP NO. 101 AND 102 DDA SEELAMPUR MKT SANATAN DHARAM MANDIR NAI BASTI SEELAMPUR SHADARA DELHI, DELHI - 110053	SHAHDA RA	EATING HOUSE (20 Seats)	Orange / Operate	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


21	30.05.2018	BATH ZONE SANITATION	458-466, THIRD FLOOR, GALI NO.-8, FRIENDS COLONY INDUSTRIAL AREA, DELHI-95, DELHI - 110095	SHAHDA RA	MFG. OF SANITARY GOODS WITH BUFFING	Green / Establish	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Establish be granted.	Consent to Establish granted.
22	28.05.2018	SOM DHABA	SHOP NO. 101 & AMP; 102 DDA SEELAMPUR MKT SANATAN DHARAM MANDIR NAI BASTI SEELAMPUR SHADARA DELHI, DELHI - 110053	SHAHDA RA	EATING HOUSE (20 Seats)	Orange / Establish	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Establish be granted.	Consent to Establish granted.
23	16.05.2018	INDER PREET	1/536/J/12 FRINDS COLONY INDUSTRIAL AREA DELHI-110095, DELHI - 110095	SHAHDA RA	Assembly of Sanitary Goods with Buffing	Green / Establish	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Establish be granted.	Consent to Establish granted.
24	28.03.2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PLOT NO- 7, LSC, (NEAR SAMACHAR APPARTMENTS) MAYUR VIHAR EXT, NEW DELHI - 110091	EAST	Restaurant	Orange / Operate	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(Secy, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


25	12.01.2018	SINGH SERVICE CENTRE (A UNIT OF SIKKA MOTORS PVT. LTD)	FC-8, LONI ROAD, SHAHDARA, DELHI - 110094	EAST	PETROL PUMP CUM SERVICE STATION	Orange / Establish	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Establish be granted.	Consent to Establish granted.
26	09.01.2018	ANJALI ENTERPRISES	PLOT NO 421-A/4, GALI NO 6, FRIENDS COLONY INDL. AREA, DELHI - 110095	SHAHDA RA	wire drawing with super enamelling	Orange / Renewal	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 23.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
27	27.12.2017	S.K. JAIN AND BROS HELMET INDIA PVT. LTD.	PLOT NO. 1/536-J/12, GALI NO. 5, FRIENDS COLONY INDL. AREA, SHAHDARA, DELHI - 110095	SHAHDA RA	SERVICING OF VEHICLES (TWO WHEELERS) WITH WASHING	Orange / Establish	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Establish be granted.	Consent to Establish granted.
28	12.12.2017	LOKNATH PRASAD GUPTA	PLOT NO 406, F.I.E. PATPARGANJ INDUSTRIAL AREA, NEW DELHI - 110092	SHAHDA RA	PAAN MASALA (MOUTH FRESHNER)	Green / Operate	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.



ARUN MISHRA
(Member Secretary)



MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


29	26.10.2017	BALA JEE METALTEK PVT. LTD.	SHED NO. A-1, DSIIDC JHILMIL INDL. AREA, DELHI - 110095	SHAHDA RA	mfg.of aluminium sheets and circles	Orange / Renewal	19-12-2018 As direction for closure was issued to the unit on 11.06.2018, consent made infructuous.	As direction for closure was issued to the unit on 11.06.2018, consent made infructuous.	Renewal of Consent to Operate be made infructuous.
30	05.09.2017	JUGAL TARA MAFG. CO. PVT. LTD.	2/359, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	MANUFACTURING OF PRESSURE COOKER RUBBER PARTS.	Green / Renewal	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1.Inspection of the unit was carried out on 25.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.
31	25.08.2017	KUMBHAT METAL INDUSTRIES	B-25/2, JHILMIL INDUSTRIAL AREA, DELHI-110095, NEW DELHI - 110095	SHAHDA RA	COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING.	Orange / Operate	17-05-2018 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act.	Show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act was issued to the unit on 04.07.2018. No reply received till date.	Inspection of the unit maybe conducted and if no deficiency is observed Consent to Operate be granted. If deficiency observed Consent to Operate be refused.
32	08.06.2017	BINSAR AUTOMOBILES	PLOT NO 28/21, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	TWO WHEELERS WORKSHOP (WASHING AND REPAIRING).	Orange / Operate	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1.Inspection of the unit was carried out on 25.09.2019 2.During inspection everything found OK and the unit is complying with the DPCC norms. 3.Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
33	01.05.2017	LOKNATH PRASAD GUPTA	PLOT NO 406, F.I.E. PATPARGANJ INDUSTRIAL AREA, NEW DELHI - 110092	SHAHDA RA	PAAN MASALA (MOUTH FRESHNER)	Green / Establish	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	The unit has submitted reply on 06.09.2018 and it is found satisfactory hence CTE be granted.	Consent to Establish granted.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


34	30.03.2017	THE BARBEQUE COMPANY (A UNIT OF SKY HOSPITALITY)	GROUND FLOOR PROPERTY NO-4, UPPER GROUND FLOOR, HARGOVIND ENCLAVE, NEW DELHI - 110092	SHAHDA RA	RESTAURANT (48 SEATS).	Orange / Operate	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.
35	09.01.2017	UTOPIA (M/S RVN RESTAURANT & HOTEL PVT LTD.)	PLOT NO-7, KARKARDOOMA, COMMUNITY CENTRE, DELHI - 110092	SHAHDA RA	RESTAURANT HAVING SEATING CAPACITY 48 SEATS.	Orange / Operate	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.
36	02.1.2016	ROLLMATES	SHOP G-4, PLOT NO. 10, CHETAN COMPLEX, A-BLOCK MARKET, SURAJMAL VIHAR, DELHI - 110092	EAST	Eating House/Take away of Fast food	Orange / Operate	17-09-2018 Expedite inspection.	The inspection was conducted on 20.02.2019 and following were observed :- 1. Unit found closed, no such restaurant found exist. 2. Neighbor informed it has been closed since long. This consent application be made infructuous	Consent to Operate is hereby infructuous
37	21.06.2016	OPTION PRINTOFAST	PLOT NO 64, FIE, PATPARGANJ INDUSTRIAL AREA, NEW DELHI - 110092	SHAHDA RA	OFFSET PRINTING AND BOOK BINDING (WITHOUT TRADE EFFLUENT).	Orange / Operate	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)

38	24.05.2016	AVON ALLOYS PVT LTD	B-8, JHILMIL INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	MANUFACTURING OF ALUMINIUM INGOTS AND ALUMINIUM WIRE RODS (LESS THAN 25 MT/DAY)	Orange / Operate	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.
39	02.03.2016	DEV MATTEL INDUSTRIAL	1/424/63, GALI NO IB FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110032	SHAHDA RA	WIRE DRAWING WITH SUPER ENAMELLING(DRY PROCESS).	Orange / Renewal	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
40	09.02.2016	A.S. TRADERS	355-A/1, OLD PLOT NO.45, KH. NO.336/313, GALI NO.6, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Mfg. of Auto Parts With Die Casting.	Orange / Operate	18-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. Consent to Operate be granted.	Consent to Operate granted.
41	29.01.2016	VIKAS MANUFACTURING INDS.	PLOT NO.494, PATPARGANJ INDUSTRIAL AREA, DELHI - 110092	SHAHDA RA	mfg. of Auto Parts (With Oven and Spray Painting)	Orange / Operate	22-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	Inspection was conducted on 29.08.2019 and findings were as follows : 1. Premises is being used as godown of automobile parts, No industrial activity exist during inspection. Therefore, this consent application be made infructuous.	Consent to operate is hereby infructuous.


ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


42	09.11.2015	MANOJ KUMAR JAIN	PLOT NO 1/536/A/10, GALI NO 4, FRIENDS COLONY INDUSTRIAL AREA, DELHI - 110095	SHAHDA RA	Copper Wire Drawing.	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1. Inspection of the unit was carried out on 25.09.2019 2. During inspection everything found OK and the unit is complying with the DPCC norms. 3. Unit has been found complying with Hazardous Waste Management Rules Consent to Operate be granted.	Consent to Operate granted.
43	24-10-2018	COFFEEDAY GLOBAL LIMITED	A-47, GURU NANAK PURA, LAXMI NAGAR, DELHI - 110092	EAST	COFFEE SHOP.	Orange / Operate	—	Consent to Operate be granted and subsequently inspection be conducted.	Consent to Operate granted
44	03-10-2018	COFFEEDAY GLOBAL LIMITED	STAR CITY MALL, MAYUR PLACE DISTRICT CENTER, MAYUR VIHAR, PHASE-I, DELHI - 110091	EAST	COFFEE SHOP.	Orange / Operate	—	Consent to Operate be granted and subsequently inspection be conducted.	Consent to Operate granted
45	03-10-2018	COFFEEDAY GLOBAL LIMITED	9B AND 9C, CROSS RIVER MALL, NEW DELHI - 110092	EAST	COFFEE SHOP.	Orange / Operate	—	Consent to Operate be granted and subsequently inspection be conducted.	Consent to Operate granted


ARUN MISHRA
(Member Secretary)


MOND ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


46	03-10-2018	COFFEEDAY GLOBAL LIMITED	G-08 AND G-09, PARSAVANATH MALL, DELHI - 110092	EAST	COFFEE SHOP.	Orange / Operate	—	Consent to Operate be granted and subsequently inspection be conducted.	Consent to Operate granted
47	03-10-2018	COFFEEDAY GLOBAL LIMITED	MAX HOSPITAL, 108-A, I.P. EXTENSION, PATPARGANJ, DELHI - 110092	EAST	COFFEE SHOP.	Orange / Operate	—	Consent to Operate be granted and subsequently inspection be conducted.	Consent to Operate granted
48	30-09-2018	MAKIKA (A UNIT OF VPM HOSPITALITY LLP)	GROUND FLOOR SG-36,37 AND S.F.-25, PLOT NO.-9 G.F. AND F.F. ADITYA MEGA MALL, C.B.D. GROUND, VISHWAS NAGAR, DELHI, NEW DELHI - 110032	EAST	EATING HOUSE	Orange / Establish	—	Consent to establish be granted and subsequently inspection be conducted.	Consent to establish granted
49	14-08-2018	SHRI SAI POLYCHEM INDUSTRIES	PLOT NO. 115, KH. NO. 94, KARAWAL NAGAR INDUSTRIAL AREA, DELHI, DELHI - 110094	NORTH E	INKS AND PASTES USED FOR PRINTING ON GARMENTS AND PASTESUSED FOR COLOURING TAPES	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.


ARUN MISHRA
(Member Secretary)



MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


50	09-01-2018	J.K. CONSULTANTS & ENGINEERS	KH. NO. 13/3/2 GALI NO. 1 WEST KAMAL VIHAR, KARAWAL NAGAR, DELHI - 110094	NORTH E	PAINT (BY MIXING PROCESS ONLY) EXCEPT NITROCELLULOSE AND ALKD RESIN BASED PAINTS	Orange / Operate	24-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
51	02-11-2017	ANKUSH INDUSTRIES	KHASRA NO 15/5, MAIN ROAD, NEW MANDOLI IND. AREA, DELHI - 110093	SHAHDAI	MANUFACTURING OF COPPER INGOTS.	Orange / Operate	17-05-2018 Case deferred.	The file was put up administratively and it was decided by competent authority that CTO application dated 02.11.2017 be made infructuous.	Take decision as approved in the file.
52	01-11-2017	SHIVA MOTORS	B-3, DILSHAD GARDEN, NORTH OF G.T. ROAD INDUSTRIAL AREA,, DELHI - 110095	SHAHDAI	AUTOMOBILES SERVICING AND REPAIR STATION WITH WASHING ACTIVITY OF VEHICLES (TWO WHEELERS)	Orange / Operate	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.



ARUN MISHRA
(Member Secretary)


MOHD ARIE
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


53	26-10-2017	BHAWANI METAL	835/70, GANESH GALI, NEW MANDOLI INDUSTRIAL AREA, DELHI - 110093	SHAHDA	Manufacturing of Copper Ingots.	Orange / Operate	21-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
54	16-06-2017	ESS AAR ENTERPRISES	E-10/1, MANDOLI REDEVELOPMENT AREA PHASE-II, DELHI - 110093	SHAHDA	ALUMINIUM PRESSURE DIE CASTING	Orange / Operate	13-04-2019 As decided in CMC meeting of II (b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
55	20-03-2017	KOUTSA ENTERPRISES	F-24, KH. NO 17/5, MILAN GARDEN, MANDOLI, SHAHDARA, DELHI - 110093	NORTH E	Copper Wire Drawing with Super Enamelling (Dry Process)	Orange / Operate	17-09-2018 Expedite inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.



ARUN MISHRA
(Member Secretary)


MOHD ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


56	19-12-2016	WINDSOR WOOD PRODUCT	KHASRA NO- 16/1 POLE 1895 SEWA DHAM ROAD, MANDOLI DELHI 110093, DELHI - 110093	NORTH E	MANUFACTURIN G SEWING MACHINE PLY WOOD TABLE TOP.	Orange / Operate	13-04-2019 As decided in CMC meeting of II (b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
57	25-11-2016	J.K. PACKAGING COMPANY	KH. NO.-12/11/18/219, SEWA DHAM ROAD, NEW MANDOLI INDUSTRIAL AREA, DELHI - 110093	NORTH E	CORRUGATED AND CARD BOARD BOXES WITH PRINTING AND PACKAGING.	Orange / Operate	17-09-2018 File be put up administratively.	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
58	28-06-2016	SATISH GOYAL	60-A, DILDHAD GARDEN INDUSTRIAL AREA (NOTH OF G.T. ROAD), DELHI - 110092	SHAHDA	MFG. OF CARDBOARD BOXES WITH PRINTING AND PACKAGING.	Orange / Renewal	22-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	Consent to Operate(renewal) be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.


ARUN MISHRA
(Member Secretary)


MOND ARIF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)

59	27-11-2015	GAURAV METALS PVT. LTD.	12/8-9, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), DELHI - 110095	SHAHDARA	COPPER WIRE DRAWING WITH SUPER ENAMELING.	Orange / Renewal	22-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	Consent to Operate be granted after submission of map of the location of the unit within the boundary of the redevelopment area in prescribed format alongwith undertaking and subsequently inspection be conducted.	Ask the unit to submit the required documents including boundary map of location of the unit inside the boundary of the redevelopment area within 15 days. If the unit submit the same Consent to Operate maybe granted. If unit fails to submit the required documents Consent to Operate be refused.
60	14-03-2016	BANSAL TRADERS	PLOT NO.1/488-504, DAMODAR PARK, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), DELHI - 110095	SHAHDARA	COPPER WIRE DRAWING WITH SUPER ENAMELLING.	Orange / Renewal	22-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	1. Unit found operational and engaged in the activity of copper wire drawing with super enamelling (Dry process) . 2. No water pollution found exists. 3. One D.G Set of 110 KVA found exists with adequate stack height. 4. Hazardous waste i.e copper waste residue stored in isolated area. 5. Logbook of hazardous waste found maintained. Therefore consent to operate be granted.	consent to operate granted.


ARUN MISHRA
(Member Secretary)


MOND ARIFF
(SEE, CMC-I)


SUNIL KUMAR
(EE, CMC-I)


61	10-08-2018	TATA MOTORS LIMITED	NO.1, GAZIPUR, DELHI - 110096	EAST	AUTOMOBILE REPAIR/SERVICE CENTRE.	Orange / Renewal	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	Inspection of the unit was conducted on 17.09.2019 and findings were as follows: 1. Unit found in operation and engage in the activity of repairing and Servicing of Four wheeler. 2. ETP found installed to treat in-fluent generated from servicing of vehicles. 3. ETP Consist of Oil and Grease tank followed by oil skimmer, collection tank, air blower/ Flash mixer, Tube Settler, Sludge holding tank, Filter feed tank, MGF, ACF, Final Discharge. 4. Chemical found in dosing tank (3 PVC) Alum, lime and poly electrolyte. 5. Flow Meter at inlet & Outlet installed. 6. Record for operation of ETP maintained. 7. Separate storage room for hazardous waste & waste oil provided. 8. D.G Set with acoustic enclosure provided and installed at the back. 9. Treated effluent is collected in separate underground tank and same found in use for horticulture. 10. Unit also installed STP for domestic sewage treatment where dry and wet sludge observed. Recommended for grant of consent to operate.	consent to operate granted.
----	------------	---------------------	-------------------------------	------	-----------------------------------	------------------	--	--	-----------------------------



ARUN MISHRA
(Member Secretary)


MONDARIF
(SEE, CMC-I)


SUNILKUMAR
(EE, CMC-I)

62	08-09-2018	VYOME THERAPEUTICS LIMITED	PLOT NO. 501, F.I.E. PATPARGANJ INDUSTRIAL AREA, NEW DELHI - 110092	SHAHDAI	FORMULATION OF MEDICINES	Orange / Operate	23-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection.	1. Inspection done on 29.08.19, It is a research lab operating at first floor as reported they procure chemicals, reagents and solvents to make new molecules in multi step reactions and screening 2. Unit has installed ETP for lab effluent based on physio chemical process (batch types). 3. Chemical found in dosing tank and machinery found in operation condition. 4. Dry & Wet sludge found in sludge drying beds. 5. Complying HWM rules. 6. DPCC effluent report reveal that parameters are within limits. 7. Have agreement with SMS for discarded chemicals etc. Recommended for grant of consent to operate.	consent to operate granted.
63	30-06-2016	ANUIP METALS	7D, DAMODAR PARK, DILSHAD GARDEN, NORTH OF G.T. ROAD INDUSTRIAL AREA, SHAHDARA, DELHI - 110095	SHAHDAI	Copper Wire Drawing.	Orange / Renewal	22-01-2019 As decided in CMC meeting of II(b) cases headed by MS, DPCC held on 13.12.2018 and 27.12.2018, Expedite Inspection	Inspection of the unit was conducted on 26.08.2019 and findings were as follows:- 1. Unit found operational and engaged in the activity of copper wire drawing with electric annealing. 2. NO. D.G. set found. 3. Six wire drawing machine, two annealing(electric) and one acid dipping found operational at ground floor and one bunching machine found at first floor. 4. Hazardous waste i.e. copper waste residue found stored in isolated area within the premises. 5. logbook of hwm found maintained. Therefore consent to operate be granted	consent to operate granted


ARUN MISHRA
(Member Secretary)



MOHD ARIF
(SEE, CMC-I)



SUNIL KUMAR
(EE, CMC-I)


Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

CMC-II

s.no	Application Date	Industry Name	Industry Address	Category	District	Activity of the unit	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last decision	decision
1	13-06-15	HI MIRCHEEE (A UNIT OF NEW AGE HOSPITALITIES)	MANISH LOCATION PLAZA, IIIRD FLOOR, PLOT NO. 1, SEC-12, ASHIRWAD CHOWK, DWARKA, Delhi - 110040	Orange / Operate	SOUTH WEST	RESTAURANT	(1)ETP ---- ETP - Physiochemical (Proposed) (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 07-10-2015 issued by DPCC submitted. Noise monitoring report within Limit - No (No report enclosed) (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. (4) Inspection details: Conducted on 30.04.2015 and vaious deficiencied were observed (5) SCN u/s 31(A)/33(A): issued on 13.07.2015 and 03.11.2014 (6) Closure directions u/s 31(A)/33(A): No MCD license valid upto 31.03.2016 Delhi Police license valid upto 31.03.2016 Ground water: Nil As decided, in file SCN u/s 31 (A) of Air Act is issued to unit on 08.01.2017 as unit has not submitted fresh noise monitoring report. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases held on 13.02.2018 and it was decided that File be put up administratively. As decided in file,inspection of the unit was conducted on 18.10.2018, and following were the observations: 1) During inspection unit found operational and engaged in the activity of restaurant & bar with 90 seats. 2) Unit has installed ETP which consist of OGT chemical dosing tank (3no.),mixing and clear water tank. 3) No sludge observed in sludge drying bed. 4) Logbook of ETP could not be provided at the time of inspection. 5) Channelization system not provided over 2 gas burner. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases held on 07.01.2019 and it was decided that SCN may be issued to the Unit wrt rectification of deficiencies. SCN u/s 31 (A) 33(A) issued to unit 03.05.2019. Unit submitted reply on 22.05.2019 and stated that they have rectified the deficiencies Inspection of the unit was carried on 24.06.2019 and following was observed:- 1) during inspection unit found operational and engaged in the activity of restaurant with the capacity of 90 seats. 2) earlier ETP was installed now same has disconnected. 3) OGT installed for the treatment for the waste water generated. 4) channelization system provided in the kitchen with 2.5 meter stack.	N/A	Inspection be conducted	Consent to Operate Granted.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case


2	29-08-18	3H HAVELI	1640, FIRST FLOOR, THANA ROAD ,NAJAFGARH DELHI 110043, NEW DELHI - 110043	Orange Establis h	SOUTH WEST	Restaurant (cooking food)	Brief of the cases Status of Pollution Control System (1)ETP/OGT --- Details not provided Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. Water Consumption:N/A Domestic Effluent:N/A Trade Effluent:N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :14.09.2018 Closure directions u/s 31(A)/33(A)/5 of EPA details :No Status of Test Report Remarks/Recommendation As per complaint SCN u/s 31(A)/33(A) issued to unit on 14.09.2018. Unit submitted representation on 12.10.2018 w.r.t. SCN dated 14.09.2018 and requested for 30 days time for Environmental compliance. As per approval in file, Modified Direction issued to unit Unit submitted hard copy of consent application on 17.11.2018 for applying CTE, CTO & installation of OGT. Unit submitted representation on 03.12.2018 along with hard copy of CTE application . Fee Status Consent Fee Paid by unit till date : Rs.3100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3100/- Fee Status :	N/A	Ask the unit to submit the hard copy of Consent application along with requisite documents and valid MCD license, if unit submit the same and found satisfactory, CTE may be grnated.	consent application made infructuous as unit applied agaian on 24.02.2019
---	----------	-----------	---	-------------------------	---------------	---------------------------	--	-----	---	---



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

S.No	Application Date	Industry Name	Industry Address	District	Activity as per Affidavit	Industry Category / Consent Type	Brief of the Case	Status of Test Report (NA/Meeting the Norms (Yes/No)	Last Decision	Decision
3	01-06-18	TATVA HOSPITALITY (REHAB CAFE)	30, SECOND FLOOR, REAR PORTION, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	RESTAURANT 48 SEATS	Orange/Ope rate	Status of Pollution Control System (1)ETP — ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil water consumption-4 kilo liters per day Trade Effluent:3 kilo liters per day Domestic Effluent:0.5 kilo liters per day Status of Inspection :yes on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 In view of Office Order, Inspection of the unit was carried out by the officials of DPCC/representatives and it was found that unit was not operating commercially. Month and year of commencement of production- 01.01.2017 Existing Status of Test Report Effluent analysis report dated 02-01-2018 issued by DPCC submitted. All parameters analyzed which are within limit-Yes Remarks/Recommendation. Fee Status- Consent Fee Paid by unit till date : Rs.10000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.10000/- Fee Status : Correct Fee Received As decided in the meeting for Committee II(b) cases, SCN was issued to the unit for submission of Fire clearance and MCD license within 15 days of the issuance of the notice on 22.06.2019. the unit submitted its representation on 15.07.2019 along with MCD License. Unit has applied for fire NOC on 10.02.2016 and it is still pending for license approval.	Effluent analysis report dated 02-01-2018 issued by DPCC submitted. All parameters analyzed which are within limit-Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Operate refused.



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

4	22-12-2017	THE ROOST (A UNIT OF PILOT FISH FOOD PRIVATE LIMITED)	30, HAUZ KHAS VILLAGE, DELHI - 110016	South	Restaurant 48 Seats	Orange/Establish	Status of Pollution Control System (1)ETP -Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption-4 Kilo liter per day (MCD) Domestic Effluent- 0.5 Kilo liter per day Trade Effluent-3 Kilo liter per day Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Status of Test Report N/A Remarks/Recommendation Fee Status-Consent Fee Paid by unit till date : Rs.7300/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.7300/- Fee Status : Correct Fee Received	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
---	------------	---	---------------------------------------	-------	---------------------	------------------	---	-----	--	-------------------------------


 (Arun Mishra)
 Member secretary, DPCC



 (Dr. Chandra Prakash)
 Incharge (CMC-II)


 (Krishan Kumar)
 EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

5	23-11-2017	THE TEA ROOM FROM BLOSSOM KOCHHAR	1, 2ND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House	Orange Operate	Status of Pollution Control System (1)Oil and Grease Trap (Dimension: 38x36x24, all dimensions in inches, photograph enclosed) (2)D.G.Set: Nil (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - Water Consumption:200 litres/day (Source:Delhi Jal Board) Trade Effluent Discharge:110 litres/day(Mode of disposal:Sewer) Domestic Effluent Discharge:60 litres/day(Mode of disposal:Sewer) Status of Ground Water extraction :Nil Status of Inspection :29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :No Status of Test Report-No Remarks/Recommendation The unit was inspected on 29.03.2017. Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017 as the unit was operating without valid Consent and was not having Oil and Grease Trap. Unit submitted its representation on 20.04.2017 informing about the rectification measures being taken. Modified Directions u/s 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention and Control of Pollution) Act, 1974 were issued to the unit giving time of 15 days to rectify their deficiencies. Unit applied for Consent to Establish on 16.11.2017 and for Consent to Operate on 23.11.2017 for the activity of Eating House with a seating capacity of 10 seats. Unit has submitted photographs of Oil and Grease Trap but has not submitted fresh MCD License. Fee Status-Consent Fee Paid by unit till date : Rs.5000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.5000/- Fee Status : Correct Fee Received	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure..	Consent to Operate refused.
---	------------	---	--	-------	--------------	-------------------	---	-----	---	-----------------------------


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

6	23-11-2017	THE TEA ROOM FROM BLOSSOM KOCHHAR	1, 2ND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House	Orange /Establish	Brief of the cases Status of Pollution Control System Status of Ground Water extraction :Nil Status of Inspection :29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 Status of Test Report-No Remarks/Recommendation The unit was inspected on 29.03.2017 it was observed that Common ETP was not in operation . Hence, the unit was issued Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act on 10.04.2017 and for revocation/cancellation/withdrawal of Consent under Air and Water Act. The unit was having consent valid upto 11.12.2018. Closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act were issued and the consent to the unit was refused on 21.07.2017 and the unit was sealed by SDM (Hauz Khas) on 23.09.2017. The unit has now submitted a representation along with Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 29.09.2017. The unit has applied for Consent to Operate(Renewal) on 06.10.2017. Unit submitted a representation on 18.10.2017 requesting for de-sealing of the unit. File is under submission. Fee Status-Consent Fee Paid by unit till date : Rs.10000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.10000/- Fee Status : Correct Fee Received	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
7	13-10-2017	THE PINK ROOM (A UNIT OF B.S.H AND E PVT. LTD.)	29A, (S.F. AND T.F.), HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	EATING HOUSE.	Orange Renewal	Status of Pollution Control System Status of Ground Water extraction :Nil Status of inspection :29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 The unit was inspected on 29.03.2017 it was observed that Common ETP was not in operation . Hence, the unit was issued Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act on 10.04.2017 and for revocation/cancellation/withdrawal of Consent under Air and Water Act. The unit was having consent valid upto 11.12.2018. Closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act were issued and the consent to the unit was refused on 21.07.2017 and the unit was sealed by SDM (Hauz Khas) on 23.09.2017. The unit has now submitted a representation along with Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 29.09.2017. The unit has applied for Consent to Operate(Renewal) on 06.10.2017. Unit submitted a representation on 18.10.2017 requesting for de-sealing of the unit. File is under submission.	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to renewal refused


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)

(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

8	10-07-17	VILLAGE BALCONY (A UNIT OF VILLAGE PEOPLE RESTAURANTS LLP	26, 1ST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating house	Orange operate	Brief of the cases 1) Oil and Grease Trap- Yes (3500 liter/day) (A) Effluent analysis report dated 03-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -3000 Liters per day Trade Effluent- 1000 liters per day Domestic Effluent-400 l/day Status of Inspection :yes on 22.03.2017 SCN u/s 31(A)/33(A)/ details- yes 10.04.2017 Closure directions u/s 31(A)/33(A)/ details :21.07.2017 Status of Test Report (A) Effluent analysis report dated 03-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/Recommendation An inspection was carried out on 22.3.2017 and following were the brief observations: 1. Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 48 seats. 2. As informed, unit has connection of Common Effluent Treatment Plant installed at the roof of building however same found not in operation. 3. Channelization system provided in Kitchen with inadequate stack height. 4.As informed, unit has connection of common D.G. set of capacity 125 KVA installed at roof of building No. 26 and have Acoustic Enclosure and adequate stack height. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Operate on 07.10.2017 for the activity of EATING HOUSE of capacity of 48. Unit installed OGT but size/ dimension and photograph of OGT is not provide. Unit has not submitted Valid MCD license and not submitted Hard copy of Consent Application. As decided in last meeting on 22-09-2017 Case deferred in view of ongoing case in Honorable NGT and Honorable High Court regarding restaurants operating in Hauz Khas area. Fee Status Consent Fee Paid by unit till date : Rs.15000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.15000/- Fee Status : Correct Fee Received	(A) Effluent analysis report dated 03-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
---	----------	--	---	-------	--------------	-------------------	---	---	--	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

9	10-02-17	WOODCHUCK (UNIT OF RASRUNI HOSPITALITY PVT LTD.)	26, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House (Seating Capacity 18 Persons)	Orange/ope rate	Brief of the cases Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption : 75 ltr/day (Source DJB) Month and Year of Commencement of Production :19-10-2016 Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Status of Test Report Remarks/Recommendation Unit has not Submitted hard copy of Consent Application so far. Fee Status-Consent Fee Paid by unit till date : Rs.3100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3100/- Fee Status : Correct Fee Received	N/A	Ask the unit to submit hard copy of consent application with all requisite documents, if found satisfactory CTO may be granted.	Consent to Operate refused
10	10-02-17	WOODCHUCK (UNIT OF RASRUNI HOSPITALITY PVT LTD.)	26, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	Eating House (Seating Capacity 18 Persons)	Orange Establish	Brief of the cases Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption : 75 ltr/day (Source DJB) Month and Year of Commencement of Production :19-10-2016 Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Status of Test Report Remarks/Recommendation Unit has not Submitted hard copy of Consent Application so far. Fee Status-Consent Fee Paid by unit till date : Rs.3100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3100/- Fee Status : Correct Fee Received	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)


11	28-09-2017	NEW YORK SLICE (A UNIT OF B.M. CREATIONS PVT. LTD.)	50, GROUND FLOOR, HAUZ KHAS VILLAGE, NEW DELHI - 110016	South	EATING HOUSE.	Orange Renewal	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap (yes) : 550 Litres/day (2) D.G.Set: Nil (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Issued by - N/A - submitted and parameters within limit / not satisfactory. Water Consumption: 150 litres/day Trade Effluent Discharge :50 litre/day (Mode of disposal : sewer) Domestic Effluent Discharge: Nil Status of Ground Water extraction : Nil Status of Inspection :24.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 Status of Test Report-No Remarks/Recommendation The unit was inspected on 24.03.2017 it was observed that stack height was inadequate. Hence, unit was issued Show Cause Notice u/s 31(A) of Air Act revocation/cancellation/withdrawal of Consent under Air and Water Act on 10.04.2017. The unit was having consent valid upto 27.12.2020. Closure directions u/s 31(A) of Air Act were issued and the consent to the unit was revoked on 21.07.2017 and the unit was sealed by SDM(Hauz Khas) on 23.09.2017. The unit has now submitted a representation along with Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 28.09.2017 and applied for Consent to Operate(Renewal) on 28.09.2017 with a seating capacity of 10 seats. Unit has MCD License valid upto 31.03.2018. It is recommended that CTO may be granted after the unit submits details of Oil & Grease Trap. Fee Status-Consent Fee Paid by unit till date : Rs.10000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.10000/- Fee Status : Correct Fee Received	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure..	Consent to renewal refused
----	------------	--	---	-------	---------------	-------------------	--	-----	---	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

12	23-09-2017	BULL DOGS (UNIT OF S AND A HOSPITALITY)	T-6B, SECOND AND THIRD FLOOR, HAUZ KHAS VILLAGE, DELHI - 110016	south	Eating House	Orange Establish	Brief of the cases Status of Pollution Control System Oil and Grease Trap: 550 litres/day(Dimension not provided) Water Consumption:1200 litres/day(Source: DJB) Trade Effluent Discharge:500 litres/day (Mode of disposal: sewer) Domestic Effluent Discharge:560 litres/day (Mode of disposal: sewer) Status of Ground Water extraction :Nil Status of Inspection :31.03.2017, SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 Status of Test Report-N/A Remarks/Recommendation The unit was inspected on 31.03.2017 and it was observed that oil & grease Trap did not exist and unit was operating without Consent to Establish and Consent to Operate. Hence, In view of the above, unit was issued Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act on 10.04.2017. Closure directions u/s 31(A) of Air Act and u/s 33(A) of Water Act were issued on 21.07.2017 and the unit was sealed by SDM (Hauz Khas) on 23.09.2017. The unit now submitted Environmental Compensation Security of Rs. 2.0 lacs and an undertaking on 25.09.2017 along with a representation requesting for desealing so that they can apply for CTO . The unit has applied for Consent to Establish under Air and Water Act on 23.09.2017 for the activity of Eating House with a seating capacity of 48 seats. Unit has submitted another letter on 28.09.2017, stated that they have Consent in the name of M/s thirty Nine Restaurant and Bar and have valid Consent upto 29.10.2018. The unit has also filed a writ petition in Honble High Court of Delhi. The Honble High Court of Delhi vide its order dated 10.10.2017, directed DPCC that an opportunity of hearing may be granted to the petitioners . Accordingly, an opportunity of hearing was granted to the unit on 17.10.2017, wherein the unit requested for the desealing of their premises, taking a plea that they have submitted all required documents to DPCC in terms of DPCC Office Order dated 02.08.2017 and Stated that they will not run the business without obtaining fresh CTE/CTO. Unit has MCD License valid upto 31.03.2018. It is recommended that CTE may be granted to the unit if the unit submits details of Oil and Grease Trap. Fee Status Consent Fee Paid by unit till date : Rs.3650/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3650/- Fee Status : Correct Fee Received.	N/A	Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	---	---	-------	--------------	------------------	--	-----	--	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

13	13-09-2018	URBAN DRIFT	GROUND FLOOR SHOP NO. 26, HAUZ KHAS VILLAGE, HAUZ KHAS, DELHI- 110016, Delhi - 110033	South	Eating House	Orange/Ope rate	(1)Oil and Grease Trap: 220 ltr/day as mentioned in consent application. (2)ECS - N/A (3)D.G.Set: ...N/A... Water Consumption :180 ltr/day (Source: corporation) Trade effluent discharge:180 ltr/day. Month and Year of Commencement of Production: 10-09-2018 MCD license attached. Status of Ground Water extraction : NIL Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Hard copy of CTO application along MCD license submitted on 17.09.2018. Consent Fee Paid by unit till date : Rs.5000/- 27.12.2018:: Inspection may be carried out thereafter put up administratively.- Inspection of the unit has been carried out on 01.05.2019 and unit found closed and no authorised person was available to sign the report	Domestic effluent discharge: details not provided.	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Operate refuse
----	------------	-------------	---	-------	--------------	--------------------	---	--	---	------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

14	31-08-2018	CAPITOL HILLS HOTELS AND RESORTS	GROUND FLOOR, FIRST FLOOR, SECOND FLOOR C-42, GREATER KAILASH PART NO. 1, DELHI-110048, DELHI-110048	SOUTH	Guest House	Orange / Operate	(1)ETP ---- Oil and Grease Trap: 850 ltr/day as mentioned in CTE application. (2)ECS - N/A (3)D.G.Set: 82.5 KVA Water Consumption :2500 ltr/day (Source: corporation) Trade effluent discharge: 500 ltr/day. Domestic effluent discharge:1600 ltr/day Status of Ground Water extraction : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Inspection of the unit was carried out by officials of DPCC on 07.06.2018 and following observations were made: - During inspection unit found operational and engaged in the activity of Guest House with 15 rooms. - Unit is operating without Consent from DPCC. - No treatment plant installed for the treatment of waste water generated from premises. - Waste water is being directly discharging without any treatment. SCN was issued to unit on 01.08.2018. - Unit submitted reply on 08.08.2018 and stated that: - they have installed OGT cum Settling tank. - They have applied for CTE on 02.08.2018. - They are in process of Applying of CTO. Also inspection has been approved in file to check facts provided by unit in its reply w.r.t SCN. Inspection yet to be conducted.	Effluent analysis report dated 14-08-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. number of parameters analyzed which are within limit : Yes.	SCN u/s 31 (A) and 33 (A) may be issued as deficiencies observed during inspection.	
							Consent Fee Paid by unit till date : Rs.15325.52/- 27.12.2018 - Expedite Inspection. Inspection of the unit has been conducted on 16.05.2019, unit is having an OGT of size (0.4m x 0.15m x 0.3m) but same was not found cleaned and possessing extreme septic condition. -Channelization system not provided in kitchen. two bin system not provided for solid waste. -Unit is having one D.G set of 82.5 KVA with stack height 0.6m which is inadequate.			



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

15	29.05.2018	MADHUBAN INN	B-71, GREATER KAILASH-I, NEW DELHI, Delhi - 110018	South	Guest House	Orange / Operate	(1)ETP --- ETP - Physiochemical: 7500 ltr/day as mentioned in CTO application. (2)ECS - N/A (3)D.G.Set :125 KVA and 125 KVA Water Consumption :10000 ltr/day (Source: corporation) Trade effluent discharge: 7500 ltr/day. Domestic effluent discharge:1800 ltr/day Status of Ground Water extraction : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Inspection of the unit was carried out on 07.06.2018 and following observations were made: - During inspection unit found operational and engaged in the activity of hotel/guest house with 40 rooms. - unit has installed ETP and found not operating regularly. - log book of ETP not maintained. SCN was issued to unit on 01.08.2018. Unit submitted its reply on 16.08.2018 and stated that: -They have applied for CTO. - That unit has maintained the logbook of ETP and the plant is regularly functioning. 27.12.2018 -Expedite inspection. -As per the decision inspection of the unit has been carried out on 30.04.2019 and unit found operational and unit installed ETP, found in septic condition, not functioning properly, clear water tank was filled with water and grease floating at the top. No wet sludge observed and only some dry sludge observed in sludge drying bed. Logbook of ETP maintained. Unit having two D.G. set of 125 KVA capacity with acoustic enclosure and adequate stack height. Channelization system provided in kitchen with adequate stack height.	Effluent analysis report dated 08-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit : Yes. -The unit has 2 D.G. Set(s) of 125 KVA and 125 KVA. Noise monitoring report dated 06-06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes. All parameters analyzed which are within limit: Yes.	SCN may be issued as deficiencies observed during inspection.	Show Cause Notice be issued. If unit submit the Reply w.r.t Rectification of Deficiencies and found Satisfactory, Consent to Operate Granted. Other Refused.
----	------------	--------------	--	-------	-------------	------------------	---	--	---	--



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

16	06-05-18	CENTRE FOR NATIONAL DEVELOPMENT INITIATIVE	PLOT NO: 3, RATIA MARG, SANGAM VIHAR, NEW DELHI - 110062, Delhi - 110033	South	CATERING	Orange/Establish	(1)ETP/ OGT ---- N/A (as discharge is showing N/A in application) (2)ECS - N/A (3)D.G.Set: ...N/A... Month and Year of Commencement of Production : 06-06-2018 (Proposed) Status of Ground Water extraction :NIL Water Consumption:35 ltr/day (Source: Others) as mentioned in consent application. Trade Effluent Discharge:N/A as mentioned in consent application. Domestic Effluent Discharge:N/A as mentioned in consent application. Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL Unit has neither attached undertaking along with application nor submitted hard copy of undertaking. Unit has not submitted MCD license. Consent Fee Paid by unit till date : Rs.2000/- Letter was issued to unit 21.08.2018 to submit conformity proof w.r.t MPD-2021. Letter leaflet was return back 17.09.2018 with remark no such address. letter may be delivered by hand. <i>The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 -Inspection may be carried out.</i> -Inspection yet to be conducted.	Effluent analysis report dated 08-06-2018 issued by DPCC submitted. Effluent Test Report within Limit - Yes. All parameters analyzed which are within limit : Yes.	Inspection may be carried out.	Inspection of the unit be conducted. If no deficiencies observed during inspection Consent to Establish Granted. Other Refused.
----	----------	--	--	-------	----------	------------------	---	--	--------------------------------	---



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

17	17-05-2018	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	PVR, ANUPAM SAKET, COMMUNITY CENTER, ASHOK VIHAR, SAKET, Delhi - 110033	South	Restaurant	Orange/Establish	(1)ETP --- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set - 45 KVA Status of Ground Water extraction : Nil Water Consumption -500 litre per day (Source- Corporation) Trade Effluent Discharge - 450 litre per day Domestic Effluent Discharge - 50 litre per day Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Consent Fee Paid by unit till date : Rs.150000/ copy of Consent application but effluent test report submitted by the unit which was issued by DPCC on 04.04.2018 not meeting the prescribed limit. Unit may asked to submit fresh effluent test report. Unit submitted hard copy of Consent application but effluent test report submitted by the unit which was issued by DPCC on 04.04.2018 not meeting the prescribed limit. <i>Issue SCN for refusal of Consent & Closure u/s 33 (A) of Water Acts</i> - As per the decision, a SCN for refusal of Consent & Closure u/s 33 (A) of Water Act has been issued on 03.05.2019. Unit submitted hard copy of Consent application but effluent test report submitted by the unit which was issued by DPCC on 04.04.2018 not meeting the prescribed limit. A reply has been recieved on 16.05.2019 stating that, earlier old software was not working and they could not apply on new software for re-testing and now the old software is working and they have requested for re-testing on dated 23.04.2019, with receipt no. 930941	Effluent analysis report dated 04-04-2018 issued by DPCC submitted. Effluent Test Report within Limit - No . All parameters analyzed which are not within limit. -The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 17-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	Unit has submitted fees for water testing if unit submits the report and found satisfactory CTE may be granted.	ask the unit to submit requisite documents/report. If they submit the same and found satisfactory CTE granted. Other refused.
----	------------	---	---	-------	------------	------------------	--	---	--	--



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

18	03-03-18	MAFIO SO (A UNIT OF RKC ENTERTAINMENT & HOSPITALITY)	28, SECOND FLOOR, HAUZ KHAS VILLAGE, Delhi - 110005	South	Restaurant	Orange / Operate	Brief of the cases Status of Pollution Control System (1)ETP - No Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes (2)ECS - N/a (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC. Noise monitoring report within Limit - Yes. Number of parameters analyzed are within limit - Yes Status of Ground Water extraction : Water Consumption - (Total - 2000 Liters/Day) Domestic Purpose - 500 Liters/Day Industrial cooling or boiler feeds - 1500 Liters/Day (Source- Municipal Authority) Trade Effluent Discharge - 1500 Liters/Day Domestic Effluent Discharge - 200 Liters/Day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Status of Test Report Oil and Grease Trap -Yes Effluent analysis report dated issued by DPCC on 13.09.2017 Number of parameters analyzed are within limit - Yes D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC on 09.01.2018 . Noise monitoring report within Limit - Yes. Number of parameters analyzed are within limit - Yes Remarks/Recommendation Unit has submitted the hard copy of Consent application on 17.04.2018 along with requisite documents. Fee Status-Consent Fee Paid by unit till date : Rs.15000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.15000/- Fee Status : Correct Fee Received	Oil and Grease Trap - Yes	Effluent analysis report dated issued by DPCC on 13.09.2017	Number of parameters analyzed are within limit - Yes	-The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report issued DPCC on 09.01.2018 . Noise monitoring report within Limit - Yes.	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Operate refused.
----	----------	--	---	-------	------------	------------------	---	---------------------------	---	--	--	---	-----------------------------



 (Arun Mishra)
 Member secretary, DPCC



 (Dr. Chandra Prakash)
 Incharge (CMC-II)


 (Krishan Kumar)
 EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

19	11.12.2017	JUNCTION (A UNIT OF TEWARI CAFE PVT. LTD.)	SHOP NO- 3,4,5,6,7,8,9 AND 10, G.F., CSC COMPLEX, HAUZ KHAS, Delhi - 110020	South	RESTAURANT CUM BAR	Orange / Operate	Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report Remarks/Recommendation -Consent to Establish may be granted. Fee Status Consent Fee Paid by unit till date : Rs.4150/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4150/- Fee Status : Correct Fee Received	1. Effluent analysis report: (a) Effluent analysis report dated 08-11-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-11-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	unit may be asked to submit fresh MCD and fire license. If unit submits the same consent may be granted or if not submitted within one month application may be Refused.	Consent to operate refused
----	------------	--	---	-------	--------------------	------------------	--	--	--	----------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

20	30-10-2017	RABBIT HOLE (A UNIT OF ROYALTY HOTELS PVT LTD)	THIRD FLOOR, FORTH FLOOR 30 HAUZ KHAS VILLAGE, Delhi - 110035	South	RESTAURANT 48 SEATS	Orange / Operate	Status of Pollution Control System (1) ETP - Physiochemical (yes) (b) Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit (3) D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption: 4 kilo litres/day (Source: DIB) Trade effluent discharge: 3 kilo litres/day (Mode of disposal-sewer) Status of inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No Status of Test Report Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit Remarks/Recommendation Unit has applied for Consent to Operate on 30.10.2017 for the activity of restaurants with 48 seats. Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit. Unit has submitted valid MCD License. It is recommended that CTO may be granted to the unit. Fee Status Consent Fee Paid by unit till date : Rs.20000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.20000/- Fee Status : Correct Fee Received	Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
----	------------	--	---	-------	---------------------	------------------	---	--	---	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

21	27-10-17	THE UNPLUGGED (A UNIT OF JUTEBOX CAFE PVT. LTD.)	1-A, HAUS KHAS VILLAGE NEW DELHI, Delhi - 110092	South	RESTAURANT	Orange / Establish	Status of Pollution Control System (1)Oil and Grease Trap: 2000 litres/day (Dimension not provided) Water Consumption: 3000 litres/day (Source: Municipal Corporation) Trade Effluent Discharge: 1900 litres/day. (Mode of disposal: sewer) Domestic Effluent Discharge: 800 litres/day (3)D.G.Set:Nil Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Month and year of commencement : 02.12.2016 Status of Test Report N/A Remarks/Recommendation Unit has applied for Consent to Establish on 27.10.2017 for the activity of RESTAURANT with a seating capacity of 41 seats. Unit has MCD License valid upto 31.03.2018 It is recommended that CTE may be granted to the unit after unit submits details of Oil & Grease Trap. Fee Status Consent Fee Paid by unit till date : Rs.1550/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.1550/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	----------	---	---	-------	------------	-----------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

22	12.10.2017	CAFE COFFEE DAY	E-29, HAUZ KHAS MAIN MARKET, Delhi - 110028	South	Cafe And Restaurant	Orange/Ope rate	Status of Pollution Control System (1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set: 45 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of Commencement of Production-19.09.2013 Existing Status of Test Report (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation Unit applied for Consent to Operate on 12.10.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Effluent and Noise monitoring Report issued by DPCC are under Prescribed Limit. Unit not Submitted hard Copy of Consent To Operate with requisite documents. Fee Status Consent Fee Paid by unit till date : Rs.15000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.15000/- Fee Status : Correct Fee Received	(a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 15-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
----	------------	-----------------	---	-------	------------------------	--------------------	--	--	--	-----------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

23	10-04-17	JUNCTION (A UNIT OF TEWARI CAFE PVT. LTD.)	SHOP NO- 3,4,5,6,7,8,9 AND 10, G.F., CSC COMPLEX, HAUZ KHAS, Delhi - 110039	South	RESTAURANT CUM BAR.	Orange / Establish	Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report Remarks/Recommendation -Consent to Establish may be granted. Fee Status Consent Fee Paid by unit till date : Rs.4150/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4150/- Fee Status : Correct Fee Received.	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
24	20-09-2017	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI, Delhi - 110040	South	Eating House	Orange / Operate	Status of Pollution Control System (1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and year of Comensentment -of production- 01.09.2017 Status of Test Report Remarks/Recommendation Unit applied for CTO on 20.09.2017 for the activity ofm Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.5000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.5000/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

25	19-09-2017	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI, Delhi - 110085	South	Eating House	Orange/Establish	1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and Year of Commencement of production-01.09.2017 Status of Test Report Remarks/Recommendation Unit applied for CTE on 19.09.2017 for the activity of Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.500/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.500/- Fee Status : Correct Fee Received.	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
26	19-09-2017	YUMMY KITCHEN TEA AND SNACKS	34A, GROUND FLOOR, HAUZ KHAS VILLAGE, Delhi - 110040	South	Bakery, Snacks and Confectionery Items (Take Away)	Orange/Establish	1) Oil and Grease Trap- Yes (150 liter/day) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -50 Liters per day Trade Effluent- 30 litersv per day Domestic Effluent-N/A Status of Inspection :Nil SCN u/s 31(A)/33(A)/ details- Nil Closure directions u/s 31(A)/33(A)/ details :Nil Month and year of commencement of production- 10.10.2017 Status of Test Report Remarks/Recommendation Unit applied for CTE on 19.09.2017 for the activity of Bakery, Snacks and Confectionery Items (Take Away). Unit installed OGT but Size and Photograph of OGT not provided . Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.500/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.500/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to establish refused.



 (Arun Mishra)
 Member secretary, DPCC



 (Dr. Chandra Prakash)
 Incharge (CMC-II)


 (Krishan Kumar)
 EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

27	16-09-2017	VILLAGE BALCONY (A UNIT OF VILLAGE PEOPLE RESTAURANTS LLP)	26, 1ST FLOOR, HAUZ KHAS VILLAGE, Delhi - 110014	South	EATING HOUSE	Orange/Estab lish	Brief of the cases 1) Oil and Grease Trap- Yes (3500 liter/day) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -3000 Liters per day Trade Effluent- 1000 litersv per day Domestic Effluent-400 l/day Status of Inspection :yes on 22.03.2017 SCN u/s 31(A)/33(A)/ details- yes 10.04.2017 Closure directions u/s 31(A)/33(A)/ details :21.07.2017 Month and year of commencement of production- 09.10.2015 Status of Test Report Remarks/Recommendation An inspection was carried out on 22.3.2017 and following were the brief observations: 1. Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 48 seats. 2. As informed, unit has connection of Common Effluent Treatment Plant installed at the roof of building however same found not in operation. 3. Channelization system provided in Kitchen with inadequate stack height. 4.As informed, unit has connection of common D.G. set of capacity 125 KVA installed at roof of building No. 26 and have Acoustic Enclosure and adequate stack height. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 16.09.2017 for the activity of EATING HOUSE of capacity of 48. Unit installed OGT but size/ dimension and photograph of OGT is not provide. Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.7300/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.7300/- Fee Status : Correct Fee Received.	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	---	-------	--------------	----------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

28	09-08-17	RABBIT HOLE (A UNIT OF ROYALTY HOTELS PVT LTD)	THIRD FLOOR, FORTH FLOOR 30 HAUZ KHAS VILLAGE, Delhi - 110039	South	RESTAURANT 48 SEATS	Orange / Establish	Status of Pollution Control System (1) Oil and Grease Trap- Yes (mentioned in Application Form) (2) ETP-(Physiochemical) Yes (mentioned in Application Form) (3)D.G.Set: N/A Status of Ground Water extraction : No water consumption-4 Kilo liter/ day Trade Effluent: 3 Kilo liter/ day Domestic Effluent:0.5 Kilo liter/ day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/details :NO Month and year of commencement of production- 09.06.2017 Status of Test Report Remarks/Recommendation Unit has applied for CTE on 08.09.2017 for the activity of RESTAURANT 48 SEATS. In the CTE application filed the unit has informed about installation of OGT or ETP/OGT, however in the project report the unit has informed about installation of ETP but no detail of ETP have been provided. It is recommended CTE be garnted if the unit submit hard copy of CTE along with all requisite document and a valid MCD liceance along with details of ETP/OGT. Fee Status Consent Fee Paid by unit till date : Rs.4100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4100/- Fee Status : Correct Fee Received	Effluent analysis report dated 13-10-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . number of parameters analyzed which are within limit.	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	----------	--	---	-------	------------------------	-----------------------	---	--	---	----------------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)



(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

29	09-07-17	WAI WAI CITY (A UNIT OF CG SPECIALITY RESTAURANTS PVT. LTD)	GROUND FLOOR 29, G.F. MIDDLE PORTION, KHASRA NO. 624/278 HAUZ KHAS VILLAGE DELHI 110016, Delhi - 110095	South	Restaurants with 18 covers	Orange / Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes (mentioned in Application Form) (2) ETP- Yes (mentioned in Application Form) (3) D.G.Set: N/A Status of Ground Water extraction : Nil, water consumption-Not provided Trade Effluent: Not provided, Domestic Effluent: Not provided Status of Inspection :yes on 27.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 Month and year of commencement of production- 19.09.2016 Status of Test Report Remarks/Recommendation An inspection was carried out on 27.3.2017 and following were the brief observations: 1. Unit found Operational & engaged in the activity of Eating House with seating capacity of 18 seats. 2. No Oil & Grease Trap cum Settling Tank installed in kitchen for waste water treatment. 3. Channelization system installed in Kitchen with inadequate stack height (Appx. 4 meter from Ground level) 4. Proper segregation of waste observed. 5. Unit is Operating without Consent from DPCC. 6. Unit has MCD License with validity up to 31.03.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 07.09.2017 for the activity of Restaurants with 18 covers. Unit has not informed about quantum of water Consumption and its source. No undertaking has been submitted and hard copy of application has not been received and also not submit Environmental Compensation Security of Rs. 2, 00,000 (Rupees Two lakh only) along with undertaking. Unit installed OGT but size/ dimension and photograph of OGT is not provided. It is recommended that the unit may be asked to submit proper information and required document along with Consent application Fee Status Consent Fee Paid by unit till date : Rs.3100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3100/- Fee Status : Correct Fee Received.	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	----------	---	---	-------	----------------------------	--------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC




(Dr. Chandra Prakash)
Incharge (CMC-II)




(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

30	22-08-2017	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8-A GF HAUZ KHAS VILLAGE, Delhi - 110064	South	RESTAURANT 30 SEATS	Orange / Operate	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes 1500 l/day (24x 18x16) inch (2)D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A)f details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Appliocation for CTO submitted on -22.08.2017 Status of Test Report Remarks/Recommendation An inspection was carried out on 24.3.2017 and following were the brief observations: 1. Unit found Operational & engaged in the activity of Eating House with seating capacity of 36 seats. 2. No Oil & Grease Trap cum settling tank provided, 3 Channelization system installed in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste. 5. No record provided at the time of inspection regarding MCD License, Police License etc. 6. Operating without Consent to Establish and Consent to Operate from DPCC. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTO under Air &Water Act be Granted and Closure direction be made infectious. Fee Status Consent Fee Paid by unit till date : Rs.20000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.20000/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Operate refused
----	------------	--	---	-------	---------------------	------------------	--	-----	---	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

31	20-08-2017	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8-A GF HAUZ KHAS VILLAGE, Delhi - 110040	South	RESTAURANT 30 SEATS	Orange / Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes 1500 l/day (24x16x18) inch (2)D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A)f details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Application of Consenr To Establish Submitted on - 20.08.2017 Status of Test Report Remarks/Recommendation An inspection was carried out on 24.3.2017 and following were the brief observations: 1. Unit found Operational & engaged in the activity of Eating House with seating capacity of 36 seats. 2. No Oil & Grease Trap cum settling tank provided. 3 Channelization system installed in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste. 5. No record provided at the time of inspection regarding MCD License, Police License etc. 6. Operating without Consent to Establish and Consent to Operate from DPCC. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Appllied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTE under Air & Water Act be Granted and Closure direction be made infectious. Fee Status Consent Fee Paid by unit till date : Rs.12500/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.12500/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	---	-------	---------------------	--------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

32	18-08-2017	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & AMP; 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE, Delhi - 110005	South	EATING HOUSE	Orange / Operate	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (3) D.G. Set: 62.5 KVA (proposed) (a) Noise monitoring report of DG Set - N/A Status of Ground Water extraction : Nil Water consumption : 3000 litres/day Trade effluent - 1000 litres/day Status of Inspection : Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/Recommendation Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. And unit applied for CTO on 18.08.2017 for the activity of Eating House and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs.15000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.15000/- Fee Status : Correct Fee Received	(a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
----	------------	---	--	-------	--------------	------------------	---	---	---	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

33	18-08-2017	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & 50D FF, HAUZ KHAS VILLAGE, Delhi - 110040	South	EATING HOUSE	Orange/Operate	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (3) D.G. Set: 62.5 KVA (proposed) Status of Ground Water extraction : Nil Water consumption : 3000 litres/day Trade effluent-1000 litres/day Status of Inspection : Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report (A) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/Recommendation Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Unit applied for Consent to Operate on 18.08.2017 for the activity of Eating House with a seating capacity of 48 seat and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license. Fee Status Consent Fee Paid by unit till date : Rs. 15000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs. 15000/- Fee Status : Correct Fee Received	(A) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
----	------------	--	--	-------	--------------	----------------	---	---	---	----------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

34	18-08-2017	WELCOME POINT	33 GF HAUZ KHAS VILLAGE, Delhi - 110064	South	Eating House (Take Away)	Orange / Operate	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes (32x16x12) inches a) Effluent analysis report dated - N/A - Issued by - N/A - submitted. 2) ECS - N/A (3) D.G. Set: ...N/A... Status of Ground Water extraction : N/A Water Consumption: 70 Liter per Day. Source: DJB Trade Effluent: 70 Liter per day Domestic Effluent/A Status of Inspection : 30.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Closure directions u/s 31(A)/33(A)/details : 21.07.2017 Status of Test Report Remarks/Recommendation An inspection was carried out on 30.3.2017 and following were the brief observations: 1. Unit found in Operation & engaged in the activity of Take Away Restaurant. 2. Unit has not installed Oil & Grease Trap Cum Settling Tank. 3. Channelization system not provided in Kitchen. 4. Unit has not applied for Consent to Establish & Consent to Operate to DPCC. 5. Food is served in disposable plates. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit submitted its reply on 02.08.2017 along with Hard copy of Consent to Operate application for the activity of Eating House (Take Away) and Environmental Compensation Security of Rupees Two lakh only (Rs. 2,00,000/-) along with undertaking and also provide Size /Dimension and photo graph of OGT i.e ((32x16x12) inches. It is recommended that Consent To Establish and Consent To Establish under Air & Water Act may be Granted and Closure Direction be made infectious. Fee Status Consent Fee Paid by unit till date : Rs.5000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.5000/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to operate refused
----	------------	---------------	---	-------	-----------------------------	---------------------	---	-----	---	----------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

35	09.09.2018	WELCOME POINT	SO-D, GF, HAUZ KHAS VILLAGE, Delhi - 110005	South	Eating House (Take Away)	Orange / Operate	Brief of the cases Status of Pollution Control System (1)Oil and Grease Trap- Yes (18x18x14 inche) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent: Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report Remarks/Recommendation The Case of Consent to Establish of the unit was placed before CMC- II (b) meeting held on 10.08.2017and it is decided that : Inspection be Conducted. As inspection has not been conducted yet.It is recommended that Consent to operate may be decided after carrying out inspection of the unit. Fee Status Consent Fee Paid by unit till date : Rs.5000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.5000/- Fee Status :	Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	consent to operate refused
----	------------	---------------	---	-------	-----------------------------	---------------------	--	-----	---	----------------------------


(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

36	08-03-17	LEVELS (A UNIT OF ELTERNITY ENTERTAINMENT & HOSPITALITY PVT. LTD.)	30, 3RD & 4TH FLOOR HAUZ KHAS VILLAGE, NEW DELHI, Delhi - 110085	South	Eating House	Orange / Establish	Brief of the cases Status of Pollution Control System (1)ETP -Common ETP of 40 KLD (2)ECS - N/A (3)D.G.Set: Common D.G set of capacity of 750&380 KVA Status of Ground Water extraction :Nil Status of Inspection : yes on 31.03.2017 SCN u/s 31(A)/33(A)/details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : yes on 21.07.2017 Status of Test Report Remarks/Recommendation An inspection is carried out on 31.03.2017 and following are the brief of observations: 1.Unit found Operational & engaged in the activity of Restaurant with seating capacity of 48 seats. 2.As informed unit is having connection to Common ETP (Capacity 40 KL) installed in the Building . 3 Channelization system provided in Kitchen with adequate stack height. 4.Separate bins provided for dry and wet waste. 5.Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. And unit is operated without CTE & CTO. And Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017. And unit failed to reply for aforesaid SCN issued to the unit and therefore direction of closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 21.07.2017. Thereafter Unit applied for CTE on 3.08.2017 for the activity of Eating House of capacity 48 seats. Unit has submitted request for revocation of direction along with undertaking security bond of Rs 200000. Unit has not submitted hard copy of CTE yet. It is recommended that CTE may be granted after the unit submits hard copy along with all Requisite documents and with the condition that unit apply for CTO within 30 days . As per the Policy of revocation, revocation orders may be issued. Fee Status Consent Fee Paid by unit till date : Rs.7300/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.7300/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	----------	---	--	-------	--------------	--------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

37	08-01-17	M/S POISON (A UNIT OF FINO HOSPITALITY)	PLOT NO.30,3RD FLOOR,HAUZ KHAS VILLAGE,, Delhi - 110041	South	Restaurant	Orange/Establish	Brief of the cases Status of Pollution Control System (1)ETP- ETP/OIL and (Grease Trap Purposed) (2)ECS - N/A (3)D.G.Set:2 No. (380 KVA & 750 KVA) Status of Ground Water extraction :Nil Water Consumption:4000 litres/day(Source:DJB) Trade Effluent Discharge:3200 litres/day Status of Inspection :carried out on 24.03.2017 SCN u/s 31(A)/33(A) of EPA details :10.04.2017 Closure directions u/s 31(A)/33(A) of EPA details :21.07.2017 Status of Test Report N/A Remarks/Recommendation Inspection of the unit was carried out on 24.03.207 and following were the observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 44 seats. 2.As informed unit is having connection to Common ETP installed in the Building and waste water is discharged after passing through the Oil & Grease Trap installed at the bottom of sink. 3.Channelization system provided in Kitchen with adequate stack height. 4.Separate bins provided for dry and wet waste. 5.Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. 6. Unit has not applied for Consent to Establish and Consent to Operate to DPCC. And SCN u/s 31(A)/33(A) of EPA was issued on 10.04.2017.And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Now ,Unit has applied for Consent to Establish on 01.08.2017 for the capacity of restaurant with a seating capacity of 44 seats.Hard copy of document shave not been submitted yet.As per the application OGT/ETP has been provided but size/dimensions and Photograph of OGT not provided . It is recomended that CTE may be granted after the unit submit hard copy &detail of OGT cum settling tank (if they are of appropicate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.7300/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.7300/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	----------	--	---	-------	------------	------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)




(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

38	08-01-17	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE, Delhi - 110040	South	Eating House (Take Away)	Orange/Operate	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent:100Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report Remarks/Recommendation Unit Applied for Consent to Operate on 01.08..2017 for the activity of Eating House (Take Away). Unit has not submitted hard copy yet.As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTO may be granted after the unit submit hard copy & detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.5000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.5000/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Operate refused
----	----------	------------------------------	--	-------	--------------------------	----------------	--	-----	---	----------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)




(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

39	29-07-2017	WELCOME POINT	33 GF HAUZ KHAS VILLAGE, Delhi - 110052	South	Eating House (Take Away)	Orange / Establish	Brief of the cases Status of Pollution Control System (1)Oil and Grease Trap- Yes (Capacity-200 litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :70 Liter per Day. Source:DJB Trade Effluent:70Liter per day Domestic Effluent:N/A Status of Inspection : 30.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017 Status of Test Report Remarks/Recommendation An inspection was carried out on 30.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Take Away Restaurant. 2.Unit has not installed Oil & Grease Trap Cum Settling Tank. 3 Channelization system not provided in Kitchen. 4.Unit has not applied for Consent to Establish & Consent to Operate to DPCC. 5.Food is served in disposable plates. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). Unit has submit request for revocation of direction along with undertaking and security bond of Rs. 200000 & MCD liceance As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recomended that CTE may be granted after the unit submit hard copy &detail of OGT cum settling tank (if they are of appropieate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.3650/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.3650/- Fee Status : Correct Fee Received	Yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	---------------	---	-------	-----------------------------	-----------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)




(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

40	29-07-2017	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE, Delhi - 110035	South	Eating House (Take Away)	Orange / Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A) /5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report Remarks/Recommendation Unit Applied for Consent to Operate 29.07.2017 for the activity of Eating House (Take Away). As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.2600/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.2600/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	------------------------------	--	-------	--------------------------	--------------------	--	-----	---	-------------------------------


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

41	29-07-2017	WELCOME POINT CAFÉ	50-D, GF, HAUZ KHAS VILLAGE, Delhi - 110052	South	Eating House (Take Away)	Orange/Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap- Yes (250 Litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2) ECS - N/A (3) D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report Remarks/Recommendation Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.1025/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.1025/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--------------------	---	-------	--------------------------	------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

42	22-07-2017	ALI BABA CAVES (UNIT OF ABC ENTERTAINMENT)	30,HAUZ KHAS VILLAGE, Delhi - 110005	South	Restaurant	Orange/Establish	Brief of the cases Status of Pollution Control System (1)ETP /OGT (proposed) (2)D.G.Set: .Nil (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction :Nil Water Consumption:3500 litres/day(Source: Municipal Authority) Trade Effluent Discharge:2500 litres/day Status of Inspection :Carried out on 24.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :issued on 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :21.07.2017 Status of Test Report N/A Remarks/Recommendation An inspection was carried out on 24.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 47 seats. 2.As informed unit is discharging the waste water into Common ETP of Building. 3 Channelization system provided in Kitchen with adequate stack height. 4.Separate bin provided for dry and wet waste. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit applied for Consent to Establish on 22.07.2017 for the activity of restaurant with seating capacity of 30 seats. It is recommended tha CTE may be granted if the unit provides information about the capcity of ETP/OGT. Fee Status Consent Fee Paid by unit till date : Rs.10450/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.10450/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	--------------------------------------	-------	------------	------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

43	20-07-2017	VAPOUR BAR EXCHANGE (UNIT OF RINGLETS TRADEX PVT LTD)	11 HOUSE KHAS VILLAGE NEW DELHI, Delhi - 110055	South	RESTAURANT	Orange / Establish	Brief of the cases Status of Pollution Control System (1)ETP- Yes (Adequacy report not provided) (2)D.G.Set: No Status of Ground Water extraction :Nil Water consumption: 4.5KL per Dy Trade Effluent: 3 Kl per Day Domestic Effluent: 0.8kl Per day Status of Inspection :Inspection of the unit was carried out on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :Issued on 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Status of Test Report N/A Remarks/Recommendation Inspection of the unit was carried out on 23.03.2017 wherein it was found that : 1.Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 120 seats. 2.Unit has installed ETP & same found in Operation. 3 Channelization system provided in Kitchen with adequate stack height. 4..Separate bins provided for dry and wet waste . 4.As informed, unit is having connection to the D.G Set of 380 KVA Capacity of M/s Out of The Box . SCN u/s 31(A) of Air Act & u/s 33(A) of Water Act issued to the unit on 10.04.2017 to apply for CTE & CTO. Unit has applied for Consent to Establish on 20.07.2017 for the activity of restaurant with a seating capacity of 48 seats (Hard copy of Consent application not revived). It is recommended that an inspection may be carried out to check the factual position. Fee Status Consent Fee Paid by unit till date : Rs.4100/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4100/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	--	-------	------------	-----------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

44	24-04-2017	RANG DE BASANTI URBAN DHABA (A UNIT OF ZING RESTAURANTS PVT. LTD.)	1-A, FIRST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI-110016, Delhi - 110015	South	Restaurant	Orange / Establish	Brief of the cases Status of Pollution Control System (1) Oil & Grease Trap: capacity: 1560 litres/day (b) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3) D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :NIL Water Consumption:2.5 KL/d (Source:DJB) Trade effluent discharge:1.5 KL/day Status of Inspection :Inspection carried out on 24.03.2017 SCN u/s 31(A)/33(A) details :Issued on 10.04.2017 Status of Test Report Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation Inspection of the unit was carried out on 24.03.2017 wherein it was found that the unit was operating without Consent to Establish & Consent to Operate but no Oil and Grease Trap Cum settling Tank observed during inspection. SCN u/s 31(A)/33(A) was issued to the unit on 10.04.2017 w.r.t. the deficiencies observed. The unit applied for Consent to Establish on 23.04.2017 & for Consent to Operate on 14.07.2017 for the activity of Restaurant with a seating capacity of 48 seats. No Details of Size of Oil and Grease Trap Cum settling Tank has been given. It is recommended that CTE may be granted after the unit provide the Size/ Dimensions of Oil and Grease Trap Cum settling Tank and an inspection of the unit may be carried out before deciding CTO. Fee Status Consent Fee Paid by unit till date : Rs.20000/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.20000/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	---	-------	------------	--------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

45	31-03-2017	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & SOD FF, HAUZ KHAS VILLAGE, Delhi - 110052	South	Restaurant	Orange / Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) (a)Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report N/A Remarks/Recommendation Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.4150/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4150/- Fee Status : Correct Fee Received	yes	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	--	--	-------	------------	--------------------	---	-----	---	-------------------------------


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

46	18.09.2018	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE, Delhi - 110054	South	EATING HOUSE	Orange Establish	Brief of the cases Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2) ECS - N/A (3) D.G.Set:62.5 KVA (proposed) (a) Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Status of Test Report N/A Remarks/Recommendation Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats. Month and year of Commencement is 21.07.2016. Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Fee Status Consent Fee Paid by unit till date : Rs.4150/- Consent Fee Paid by Unit before placing case for committee meeting: Rs.4150/- Fee Status : Correct Fee Received	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	---	---	-------	--------------	------------------	--	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)




(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

47	25-04-2016	NO FILTER CAFE AND BAR (A UNIT OF RESIDENCY HOSPITALITY SERVICES PVT. LTD.)	C-18, FF, COMMUNITY CENTRE, SAFDARJUNG DEVELOPMENT AREA OPP. IIT MAIN GATE, Delhi - 110052	South	RESTAURANTS 48 SEATS.	Orange / Operate	Brief of the cases Status of Pollution Control System (1)ETP - Yes (a)Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 4000 ltrs/day , Source- Outside MCD license valid up to 31.03.2016 Delhi police license valid up to 31.03.2016 Status of Test Report Effluent analysis report dated 04-03-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 21-03-2016 issued by MAULANA AZAD MEDICAL COLLEGE submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation Unit has applied for Consent to Establish and Consent to Operate for 48 seats. Fee Status Consent Fee Paid by unit till date : Rs.10100/- Consent Fee Paid by Unit before placing case for committee meeting: ----- an inspection of the unit was carried out by DPCC on 24.06.2019 and following observed :- 1) unit found operational and engaged in the activity of Eating house with 48 seats. 2) unit has installed oil and grease cum settling tank. 3) two bins system provided for segregation of solid waste (wet & dry solid waste). as informed dispose the same through SDMC.	N/A			- Consent to Operate granted.
----	------------	---	--	-------	-----------------------	------------------	--	-----	--	--	-------------------------------



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

48	26-11-2015	EDESIA FOODS LLP (TRATTORIA LOUNGE)	30, 2ND FLOOR (REAR PORTION), HAUZ KHAS VILLAGE, Delhi - 110035	South	EATING HOUSE.	Orange / Establish	Brief of the cases Status of Pollution Control System (1)ETP - CETP installed (common for building) (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water consumption - 1800 ltrs/day Source of water- DJB (Bill not provided) MCD & Delhi Police License License valid upto 31.03.2016 for 48 seats In compliance of order of Honourable Minister of Home, Power, PWD, Health & Industries in its Minutes of Meeting held on 31.08.2015. A rapid survey of Restaurant / Eating House in Hauz Khas Village was carried out by the representatives of Delhi fire service (DFS), South Delhi Municipal Corporation (SDMC) and DPCC on 17.09.2015 and it was observed that unit is operating without Consent from DPCC and as informed connected to Common Effluent treatment Plant. SCN u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 05.10.2015. Unit has submitted reply on 16.10.2015 w.r.t. SCN & stating that they are in process of submitting applications for CTE & CTO and requested for 45 days time for the same. Unit has applied for CTE on 26.11.2015 Modified Directions u/s 33(A) of water Act & u/s 31(A) of the Air Act issued to the unit on 15.01.2016 to submit application of Consent to Establish & Operate alongwith required documents / test reports. Status of Test Report N/A Remarks/Recommendation Even after 5 months of Modified Directions unit has not applied for Consent to Operate Fee Status Consent Fee Paid by unit till date : Rs.6100/- Consent Fee Paid by Unit before placing case for committee meeting: ---- Fee Status :	N/A	20-06-2019 : Issue letter to the unit for submission of Fire clearance and MCD license within 15 days. If unit submits the same Consent be granted, or otherwise Consent application be refused along with SCN for closure.	Consent to Establish refused.
----	------------	---	---	-------	---------------	-----------------------	---	-----	---	-------------------------------



(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case


49	27-03-2015	HOTEL PARK RESIDENCY / THE CLAY OVEN RESTAURANT (A UNIT OF ALLIANCE ENTERPRISES)	D-1, GREEN PARK, Delhi - 110020	South	QUICK RESTAURANT SERVICES	Orange / Operate	Brief of the cases Status of Test Report Remarks/Recommendation (1)ETP — ETP - Bio-logical (a) AR dated: not submitted. (b) Effluent analysis report dated 26.12.2014 issued by DPCC submitted. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-03-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes MCD (commercial) license valid upto 31.03.2015. Unit has submitted consent to Operate under Orange category. File has been received in view of remarks of worthy MS, DPCC and also unit has submitted renewal form for the eating house from Delhi Police licensing branch dated 16.07.2014. Unit has also submitted an undertaking stating that they have submitted the Adequacy fee in department of Civil Engineering faculty of Engg Tech, Jamia Millia Islamia along with receipt. Unit has submitted CTE application on 14.11.2013 along with an affidavit stated that unit shall submit CTO application along with required adequacy reports test report of ETP within 3 months from the date of submission of CTE application. However after more than 1 year unit has failed to submit CTO applications along with required document. As approved in file, inspection was carried out by representatives of DPCC on 23.12.2014 and following were observed:- 1. Unit found in operation. 2. Unit has installed an ETP located outside the premises in temporary shed and same found not in operation & septic conditions were observed in ETP. 3. As informed they have installed ETP for waste water generated from kitchen of restaurant and pantry of hotel. 4. Waste water generated from kitchen and pantry is being discharged directly without any treatment in sewer. 5. Unit has provided channelization system with kitchen but stack height found inadequate. 6. Unit having one DG Set of 65 kVA lying outside the premises in temporary shed with acoustic enclosure and adequate stack height.	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 09-03-2015 issued by DPCC submitted. Noise monitoring report within Limit - Yes	If applied separately for consent application and found satisfactory, Consent may be granted.	application made infructuous as unit submit fresh application on 21.07.2018.
----	------------	--	---------------------------------	-------	---------------------------	------------------	--	---	---	--


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

							7. Unit operating without CTO from DPCC. As approved, SCN u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to the unit on 14.01.2015 w.r.t. deficiencies observed during inspection. Unit has submitted its representation on 21.01.2015 along with copy of Effluent Analysis Report dated 29.12.2014 issued by DPCC reveals parameters within limits and stating as under:- 1. They have installed ETP for the kitchen waste water and it is functional. 2. Unit is under backwash mode, as they have to backwash the filters after 2-3 days. 3. There is no bypass arrangement, as all the kitchen waste water is first collected in to underground equalization tank and thereafter pumped to the Reaction Tank and then for Clarification and Filtration. 4. Stack height of the channelization system is inadequate but they are in process of increasing it up to the desired standard. It will be done in 15 days. 5. DG Set is fully acoustically enclosed and has proper stack height and applied for NMR to DPCC. 6. They have applied to Jamia Millia Islamia to obtain Adequacy Report. After receiving the same they will apply Consent to Operate (CTO) along with required documents. Unit requested to grant 45 days of time to obtain Adequacy Report, NMR, provide adequate stack height with channelization system of kitchen and submit CTO application. As decided, Modified Directions u/s 33(A) of the Water Act and u/s 31(A) of the Air Act was issued to the unit on 23.03.2015 to install adequate stack height with channelization system of Kitchen (2 mtr above the building height) & submit application for Consent to Operate along with Adequacy Report of ETP and Noise Monitoring Report within 45 days. Fee Status Consent Fee Paid by unit till date : Rs.20000/- Consent Fee Paid by Unit before placing case for committee meeting: ----- Fee Status : Unit applied CTE and CTO on 21.07.2018 and 12.08.2018.			
--	--	--	--	--	--	--	---	--	--	--


(Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Krishan Kumar)
EE (CMC-II)

50	28-07-2014	COMPETENT AUTOMOBILES COMPANY LIMITED	895/C-8, NEAR JAIN MANDIR DADABARI MEHRAULI, Delhi - 110005	SOUTH	Repair and services of vehicals	Orange / Establish	(1)ETP ---- Other ETP Name : ETP Proposed (2)ECS - proposed (3)D.G.Set Noise Report : 3 DG Set of 75 X2 and 160 KVA proposed. Unit has not submitted MCD License alongwith the consent application Consent Fee Paid by unit till date : Rs.720000/- File put up administratively and as per decision taken on file, letter was issued to MCD (South) on 10.02.2015 and copy of letter was send to unit to provide comments w.r.t. latest position of the High Court Case of the unit and also provide status of MCD License in respect of said unit within 15 days. But no reply was received on till date. The unit under consideration is prior to 01.08.1990 as per Consent application, Honble Supreme Court ordered closure for the units who started their operation after 01.08.1990 in the judgement dated 07.05.2004, therefore the unit is not liable for Closure in pursuance to the Honble Supreme Court Order on the ground of non- conformity though it is existing in non-conforming land-use. As per DPCC policy, the Consent is being granted only to the conforming unit. However, in the present case, in which unit is entitled to run for the same activity, as confirmed in the desealing order dated 30.11.2003. therefore, DPCC cannot ignore the adherence to pollution control measure in such case. Moreover it is service industry. therefore, CMC may take a view for bringing the unit in Consent mechanism for the objective of pollution control with rider that such Consent will not construct as a proof with respect to MPD in any manner. In view of the above, most particularly, Honble Supreme Court Judgement dated 07.05.2004 in MC Mehta case, proof submitted by unit with regard to existence prior to 01.08.1990, CMC can process the Consent application with the objective of pollution control with a rider that such Consent will not be construed as a proof of conformity with respect to MPD in any manner whatsoever. 10-01-2019 :: The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Put up and decide in file	N/A	The case may be discuss and consider in CMC meeting.	Application made infructous since unit closed their operation.
----	------------	--	---	-------	------------------------------------	-----------------------	---	-----	--	--



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Krishan Kumar)
EE (CMC-II)

51	04-06-11	DEUTSCHE MOTOREN PVT. LTD	H-5/B-I, MOHAN CO-OPERATIVE INDUSTRIAL ESTATE, MATHURA ROAD, Delhi - 110028	SOUTH EAST	SERVICS REPAIR AND MAINTENANCE OF CARS.	Orange / Operate	(1)ETP --- ETP - Physiochemical (b) Effluent analysis report dated 04-03-2011 issued by DPCC submitted. Effluent Test Report within Limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. (a). The unit has installed an ETP (batch type) having two Nos of reaction cum settling tank out of one is not connected with sludge drying bed. (b). The ETP was not found in operation even one of reaction cum settlin tank was filled with raw effluent. (c). No wet sludge was observed. Only small quantity of dry sludge was found stored in a drum at roof top. (d). No proper filter media i.e., gravel, sand etc have been provided in SDBs. (e). It was also observed that trade effluent from the washing area is also discharged into rain water harvesting pit. (f). Adequate stack height has not been provided with the paint booth. (g). The unit is not complying with the provisions of HWM Rules. (h). ETP log book is not being maintained since 29.01.09. (i). Filterate of SBD and waste water of filter has not been connected to collection cum equalisation tank. 05-08-2015 :: Expedite inspection. -As per the decision, inspection of the unit has been conducted on 22.03.2018 and unit found closed, no any person was contacted during visit for inspection.	Noise monitoring report dated 29-03-2011 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	As unit found closed, application may be infructuous.	Application made infructuous since unit closed their operation.
----	----------	---------------------------	---	------------	---	------------------	---	--	---	---


(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Krishan Kumar)
EE (CMC-II)


Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

CMC-II.

Sl. No.	Applic. on Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last Committee Decision	Decision taken by committee on 19.10.2019
1	31-10-18	YI INTERNATIONA L PRIVATE LIMITED	D-62 OKHLA INDUSTRIAL AREA PHASE 1, Delhi - 110027	SOUTH EAST	Readymade Garment with Washing	Orange / Operate	Status of Pollution Control System (1)ETP --- ETP - Physiochemical, Capacity: 3000 L/day (2)ECS - N/A (3)D.G.Set installed :Yes, Status of Ground Water extraction : N/A, Water Consumption: 500, 3000 L/day, Source: Municipal and Others, Domestic Effluent Discharge: 480 L/day Trade Effluent Discharge: 2500 L/day, Dispose of in: Sewer, Date of commencement: 17-04-2017 (existing), Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A, The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Consent to operate shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.07.2018 As per decision taken by the committee on 03.06.2019. An inspection of the unit was carried out by DPCC official on 09.08.2019 and following observed :- - Unit found in operation and engaged in the activity of readymade garments with washing. - unit has installed an ETP and same found in operation. - logbook of ETP maintained. - wet/dry sludge observed in sludge drying bed. - unit is having one boiler running on electricity.	Status of Test Report Effluent analysis report dated 10-10-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 26-10-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	Inspection be conducted	Consent to Operate granted with condition, unit shall comply with the outcome of environmental study.
2	17-10-2018	AROMA CHEMICAL AGENCIES (INDIA) PVT. LTD.	D-91/4, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110020	SOUTH EAST	Warehouse and Small Laboratory for testing (In-house only).	Orange / Renewal	(1)ETP --- ETP - Physiochemical, (2)ECS - N/A, (3)D.G.Set Noise Report : 45 kVA Status of Ground Water extraction : N/A, Water Consumption: 300 L/day Source: Others, Domestic Effluent Discharge: 150 L/day, Trade Effluent Discharge: 75 L/day, Dispose of in: Sewer, Status of Inspection : N/A, SCN u/s 31(A)/33(A)/5 of EPA details : N/A, Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Inspection be conducted to check the compliance of provisions of Hazardous Waste Management Rules, 2016. As decided, an inspection of the Unit was carried out by DPCC Officials on 28.05.2019 and following observations were made- - During Inspection unit found operational and engaged in the activity of Warehouse and Small Laboratory for testing (In-house only). - Unit has installed ETP and same found defunct. - Log Book of ETP not maintained. - Wet/dry sludge not observed in sludge drying bed. - Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016. As decided, Show cause notice issued to unit on 27.06.2019. Unit submitted it's reply w.r.t SCN issued on 10.07.2019 with Enviromental compensation of Rs. 1,000,000/-. An inspection of the unit was carried out by DPCC representation to verify the facts mention in reply on 28.08.2019 - - Unit found in operation and engaged in the activity of warehouse & laboratory for testing (In house only). - Unit has installed effluent treatment plant and same found in operation. - logbook of ETP maintained. - wet/dry sludge observed in sludge drying bed. - unit is complying with the provision of HWM rule, 2016.	Effluent analysis report dated 05-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 14-09-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes	Issue SCN for refusal of Consent, SCN u/s 33(A)/5 of EPA and imposing Environmental Compensation.	Consent to operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last Committee Decision	Decision taken by committee on 19.10.2019
3	12-10-2018	S.M.S EXPORT S	D-28, PHASE-I, OKHLA INDUSTRIAL AREA, Delhi - 110039	SOUTH EAST	MANUFACTURING OF READYMADE GARMENTS WITH WASHING.	Orange / Renewal	Status of Pollution Control System (1)ETP --- ETP - Physiochemical, (2)ECS - N/A, (3)D.G. Set Noise Report : Yes The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 31-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption : 6000 Liters/Day (Source - DGB), Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil, Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Hard copy of consent application is yet to be received. unit has submitted representation on 18.12.2018 along with an undertaking and copy of agreement with IGL for PNG Connection and stating that activity of the unit is Manufacturing of Readymade garments with boiler with washing, they will not use diesel in boiler in future and would use only PNG in Boiler. The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit hard copy of consent application along with requisite documents. Thereafter, Consent to operate renewal shall be kept in abeyance, till outcome of Environmental Study as per decision taken by the Committee headed by Chairman DPCC for II (a) category cases in its meeting held on 24.07.2018 As decided letter was issued to the unit on 04.02.2019. Unit submitted a reply on 20.02.2019 w.r.t the letter and enclosed hard copy of the consent application along with all the requisite documents and same found satisfactory. As decided Inspection of the unit was carried on 28.08.2019 by the DPCC representative and following was observed:- - unit found in operation and engaged in the activity of readymade garments with washing. - unit has installed on effluent treatment plant (ETP) and same found in operation. - wet/dry sludge observed in sludge drying bed.	Stack monitoring report dated 15-06-2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes Effluent analysis Report dated 22.05.2018 issued by DPCC submitted. Number of parameters analyzed within limit- Yes The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 31-05-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Inspection be conducted	Consent to operate (Renewal) granted with condition, unit shall comply with the outcome of Environmental Study
4	18-06-15	HIMALAYA INDUSTRIES	C-20, PHASE I, OKHLA INDUSTRIAL AREA, Delhi - 110095	SOUTH EAST	Manufacturing of Ice Slabs	Orange / Renewal	(1)ETP --- N/A, (2)ECS - N/A, (3)D.G. Set Noise Report : 1 Ground Water:- Nil, Water Consumption:- 2500 ltr/ day (source- ground water, copy of certificate of registration from CGWA is enclosed) - Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 13-02-2018 - Expedite inspection. As decided, an inspection of the unit was carried out by the Officials/Representatives of DPCC on 09.05.2018 and various discrepancies observations were made. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-05-2018 - Ask the unit to rectify the deficiencies observed during inspection and submission of required documents. As decided, a letter was issued to unit on 06.06.2018 asking to rectify the deficiencies observed during inspection and submit required documents, however, no reply has been received so far w.r.t said letter. unit has submitted reply on 09.07.2018 w.r.t letter issued on 06.06.2018 along with hard copy of bill of Water supplier and Noise monitoring report of DG set from Center for occupational and environment Health and stated below: - They are using water from outside source for requirements and previously borewell has been disconnected and closed as per government direction.		Issue SCN for Refusal of Consent and SCN for closure as unit is manufacturing ice using water from unauthorized source and for imposing Environmental Compensation.	As the unit has submitted the required documents Consent to operate be granted.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last Committee Decision	Decision taken by committee on 19.10.2019
							One Dg set of 160 KVA the noise monitoring report of the DG set where conducted at the time of filling the application has been attached. - Proper Sprinkler system has been installed in an around the installation where ammonia gas is being used. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 17-09-2018 - Case deferred. As decided, earlier decision case was deferred. Decision / Recommended under File Put up Administratively Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Case deferred. - As decided, SCN was issued to unit on 27.06.2019 with direction to submit 1 lakhs rupees for causing damage to environment. Unit submitted its reply w.r.t SCN with 1 lakhs rupees on 15.07.2019. Unit also attached DJB water tankers bill and DJB commercial bills with the reply.			
5	27-09-17	NORTHERN INDIA TRADING CO.	D-18/1, PHASE-I, Okhla Industrial Area Delhi	SOUTH EAST	Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Renewal / Green	Status of Pollution Control System (1) ETP - Yes (2) ECS - N/A (3) D.G. Set: 140 KVA Status of Ground Water extraction : Nil Water Consumption - 400 ltr/day, (Source- DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A) details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil Inspection of the unit was conducted on 18.10.2019 and following observations were made:- Unit found Non- operational. No electric/Diesel Fired boiler exist only stitching machine exist in the unit. As informed unit is operational after getting bulk order from the client(only cutting & stitching work).	Noise Monitoring report issued by DPCC Laboratory on 01.09.2017 submitted. Number of parameters tested within limit - Yes.	Inspection be conducted.	Consent to Operate refused.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision taken by committee on 19.10.2019
6	29-04-2015 & 07-05-2015	AL LAZEEZ	SHOP NO 22, GF, GURU NANAK MARKET, LAJPAT NAGAR PART-IV, Delhi - 110052	South East	24 Seating Restaurant	Orange / Establish and Operate	(1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Ground Water:- Nil, Water Consumption:- 1000 ltr/day (source- DJB, Bill enclosed) Remarks:- Unit is required to submit following documents:- (a) Copy of valid MCD license (unit has submitted only copy of receipt dated 13.04.2015 for renewal of MCD license). (b) Copy of valid Delhi Police License (unit has submitted only copy of receipt dated 20.01.2015 for renewal of Delhi Police License). (c) Undertaking, in prescribed format incorporate the information w.r.t. Oil & Grease Trap. (d) photographs of Oil & Grease Trap. Unit has submitted the reply on 13.05.2015 stating that:- 1. Unit found in operation and engaged in activity of restaurant with seating capacity of 24 seats without OGT installed. They have 24 seating cover of restaurant & as per the DPCC norms they have already ordered OGT and it will be installed within 2-3 working days. 2. They already applied for CTE & CTO (receipt enclosed). Unit request for 60 days time to complete all the prescribed formalities adhering to all norms mentioned as per DPCC. Categorization of orange category cases and decision taken in II (b) category cases by the consent committee headed by MS, DPCC Date : 08-06-2015 Category of the cases as per office order- File be put up administratively. File is yet to be put up. As per remark of enquiry counter unit is required to submit the following documents: Copy of valid MCD license (unit has submitted only copy of receipt dated 13.04.2015 for renewal of MCD license), Copy of valid Delhi Police license (unit has submitted only copy of receipt dated 20.01.2015 for renewal of Delhi Police license), Undertaking in prescribed format incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 18-07-2016 - Ask the unit to submit fresh undertaking incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap. If unit submits the same and found satisfactory, Consent to Establish and Consent to Operate granted. Letter regarding submission of fresh undertaking incorporating the information w.r.t. Oil & Grease Trap, Photographs of Oil & Grease Trap is yet to be issued.	N/A	27.12.2018 - Issue Show Cause Notice for Refusal of Consent.	Consent to Establish and Operate refused since another unit namely M/s Al Lazeez Restaurant applied fresh CTE and CTO at the said premises.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision taken by committee on 19.10.2019
							Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Date : 06-09-2016 - Implement the decision dated 29.06.2016 and 18.07.2016. Letter issued but no reply received so far. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 -Issue Show Cause Notice for Refusal of Consent. As decided, a SCN for refusal of consent was issued to unit on 15.02.2019. Unit submitted its representation on 14.03.2019 w.r.t the SCN dated 15.02.2019 stating that: • Unit has newly taken over Al Lazeez Restaurant on rent basis from last year. • Unit is under process of applying for CTE. • Unit have engaged vendor for installation and commissioning of Oil and Grease Trap. • Unit requests to withdraw the said SCN for refusal of consent. Unit submitted representation w.r.t. SCN on 12.07.2019 stating that they have submitted fresh application with required document			



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision taken by committee on 19.10.2019
7	29.05.2018	RED MAPLE DELHI GUEST HOUSE	49 Amrit Nagar, South Extension Part - 1, New Delhi - 110003	South East	Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange/Establish	(1)ETP /OGT: N/A, (2)ECS - N/A (3)D.G.Set: N/A Water consumption : 0 ltr/day (As mentioned in application) Domestic effluent discharge- 0 ltr/day (As mentioned in application) Trade effluent discharge- 0 ltr/day (As mentioned in application) Status of Ground Water extraction : NIL, Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL Unit has not uploaded MCD health license and also not submitted hard copy of the consent application with required documents. Decision taken by the consent committee headed by MS, DPCC in category II(b) cases, Date : 10-07-2018 Ask the unit to submit hard copy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued. Hardcopy of application for CTE received on 31.05.2018 but not submitted valid MCD License and also not applied for CTO. Hardcopy of application for CTE received on 31.05.2018 but not submitted valid MCD License , undertaking submitted along with hardcopy of CTE application is not as per the prescribed format and also not applied for CTO. Decision / Recommended under File Put up Administratively, Date : 09-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Issue reminder to submit valid MCD and hardcopy of Consent application.If unit submits the same and found satisfactory, Consent to Establish be granted.As decided, letter was issued to unit on 07.02.2019. No reply received from the unit. Unit has submitted representation on 8.07.19 w.r.t. SCN dated 27.06.19 and informed that they have closed down the hotel and premises is now residence.	N/A	03.06.2019 issue SCN u/s 33(A) of water Act & u/s 31(A) of Air Act for closure of unit.	Consent to Establish refused.
8	01.11.2018	PIZZA HUT A UNIT OF DEVYANI INTERNATIONAL LIMITED	L-15 KALKAJI, CRPARK MAIN ROAD, NEW DELHI, Delhi - 110052	South East	Restaurant	Orange / Establish	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Size 0.4 m X Width 0.4 m X 1.2 m (2)ECS - N/A (3)D.G.Set: ...50 KVA Status of Ground Water extraction :NIL Water Consumption DJB Water -2450 Litres/day Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL Unit has not applied for Consent to Operate.	NA		Consent to Establish Granted.


Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)



(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision taken by committee on 19.10.2019
9	01.11.2018	PIZZA HUT A UNIT OF DEVYANI INTERNATIONAL LIMITED	K 95, LAJPAT NAGAR 2, LAJPAT NAGAR, Delhi - 110064	South East	Restaurant	Orange / Establish	Status of Pollution Control System (1)ETP ---- Oil and Grease Trap Size 0.4 m X Width 0.4 m X 1.2 m (2)ECS - N/A (3)D.G.Set: ...50 KVA Status of Ground Water extraction :NIL Water Consumption DJB Water -2450 Litres/day Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL has not applied for Consent to Operate.	NA		Consent to Establish Granted.
10	26.10.2018	DTC SRINIWAS PURI	SRINIWAS PURI DEPOT, Delhi - 110064	SOUTH	REPAIRING AND MAINTENANCE OF DTC BUSES	Orange / Renewal	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated - 08.05.2018 issued by DPCC Laboratory submitted. Parameter are within the Limits. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : NIL Status of Inspection :Inspection of the unit was carried out on 24.09.2019 and following were observed: -Unit found in operation and engaged in the activity of Automobile servicing and repair with washing of DTC buses. -Unit has installed an Effluent Treatment Plant and same found operational. - Log book of ETP maintained. - Wet/ Dry Sludge observed in Sludge drying Bed. -Unit is complying with the provisions of HWM Rules, 2016 SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL	Effluent analysis report dated - 08.05.2018 issued by DPCC Laboratory submitted. Parameter are within the Limits. The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-06-2018 issued by DPCC submitted. Noise monitoring report within Limit - Yes		Consent to operate (Renewal) Granted. Application for Authorization under HWM Rules, kept in abeyance.



 Arun Mishra)
 Member secretary, DPCC



 (Dr. Chandra Prakash)
 Incharge (CMC-II)


 (Ramesh Chandra)
 EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	Last committee Decision	Decision taken by committee on 19.10.2019
11	20-05-18	CITRUS	SHOP NO 4, PLOT 1 H AND J MARKET, PANKAJ PLAZA, SARITA VIHAR, DELHI - 110076	South East	Dhabha	Orange Establish	Status of Pollution Control System (1)ETP - NA (2)ECS - N/A (3)D.G.Set: ...NA Status of Ground Water extraction :NIL Water Consumption DJB Water - 500 Litres/day Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL	NA		Consent to Establish Granted
12	20-05-18	CITRUS	SHOP NO 4, PLOT 1 H AND J MARKET, PANKAJ PLAZA, SARITA VIHAR, DELHI - 110076	South East	Dhabha	Orange Operate	Status of Pollution Control System (1)ETP - NA (2)ECS - N/A (3)D.G.Set: ...NA Status of Ground Water extraction :NIL Water Consumption DJB Water - 500 Litres/day Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL	NA		Ask the unit to submit details and size of OGT if they submit the same and found satisfactory Consent to Operate Granted.
13	04.07.2018	UPTOWN HOSPITALITY LLP	FF, SF, 3 SANT NAGAR, DELHI, DELHI - 110065	South East	Guest House	Green Establish	Status of Pollution Control System (1)ETP - NA (2)ECS - N/A (3)D.G.Set: ...NA Status of Ground Water extraction :NIL Water Consumption DJB Water - 0 Litres/day Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL Unit has not applied for Consent to Operate.	NA		Consent to Establish Granted.



Arun Mishra)
Member secretary, DPCC


(Dr. Chandra Prakash)
Incharge (CMC-II)


(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS,DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision taken by committee on 19.10.2019
14	29-09-18	kaushlaya Auto	93, ISHWAR NAGAR FRIENDS COLONY MATHUR AROAD DELHI	South East	PETROL PUMP CUM SERVICE STATION	ORANGE/RENEWAL	Status of Pollution Control System (1)ETP - Physiochemical Test report of ETP issued by DPCC laboratory submitted. Number of parameters analysed which are within limit.-yes. (2)ECS - N/A (3)D.G.Set: . 50 KVA the unit has one DG set of 50 KVA. Noise monitoring report dated 14.06.2018 issued by DPCC submitted. Number of parameters analysed which are within limit.-yes. Status of Ground Water extraction :NIL Water Consumption : 1700 litres/day source - others Status of Inspection :NIL SCN u/s 31(A)/33(A)/5 of EPA details :NIL Closure directions u/s 31(A)/33(A)/5 of EPA details :NIL As decided by the committee on 27.12.18 letter was issued to the unit on 04.02.2019 to submit details of ETP. unit has submitted its representation on 20.02.2019 along with details of ETP and photographs. As decided inspection of the unit was carried out on 15.10.2019 and following observations were made:- • During inspection unit found operational and engaged in the activity of Petrol Pump cum service station (with washing). • ETP installed and same was found operational. ETP consist of collection tank, dosing cum settling tank, sludge drying bed and ACF. • Logbook shown and maintained. • Wet/dry sludge observed in the sludge drying bed. • Unit is complying with the provisions of HWM Rules, 2016.	Status of Test Report - The unit has one DG set of 50 KVA Noise monitoring report dated 14.06.2018 issued by DPCC submitted. Number of parameters analysed which are within limit.-yes. Test report of ETP issued by DPCC laboratory submitted. Number of parameters analysed which are within limit.-yes	27.12.2018 - ask the unit to submit details of ETP along with photographs and inspection be conducted to check compliance of provisions of HWM Rules, 2016.	Consent to Operate (Renewal) Granted. Application for Authorization under HWM Rules, kept in abeyance.



(Arun Mishra)
Member secretary, DPCC



(Dr. Chandra Prakash)
Incharge (CMC-II)


(Ramesh Chandra)
EE (CMC-II)

Decision taken by committee for II(b) Category cases Headed by MS, DPCC in its Meeting held on 19.10.2019 w.r.t Pending cases of Consent under Orange Category case

Sl. No.	Application Date	Industry Name	Industry Address	District	Activity of the unit	Industry Category/ Consent Type	Brief Status of Case/ ATR	Status of Test Report [NA/Meeting the Norms (Yes/No)]	last committee Decision	Decision taken by committee on 19.10.2019
15	28-09-2018	BASIL AND THYME	28, GROUND FLOOR, SUNDER NAGAR MARKET, NEW DELHI, Delhi - 110040	South East	EATING HOUSE	Orange / Establish	(1)ETP --- Oil and Grease Trap (The Capacity of oil & Grease Trap cum Settling Tank mentioned in online application Point No. 16 is small/ inadequate as compared to quantity of Trade Effluent Discharge mentioned in online application point No. 15.) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil, Water Consumption : 2500 Liters/Day (Source - DJB), MCD License Status : Valid, Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil The Capacity of oil & Grease Trap cum Settling Tank mentioned in online application Point No. 16 is small/ inadequate as compared to quantity of Trade Effluent Discharge mentioned in online application point No. 15. Harcopy of CTE received on 04.10.2018 but not submitted details of OGT. Decision / Recommended under File Put up Administratively, Date : 06-01-2019 The Committee, for II(b) Category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 - Ask the unit to submit details of Oil & Grease Trap cum Settling Tank along with photographs and schematic diagram. If found satisfactory, Consent to Establish granted. If any deficiencies are found, query letter be issued. As decided a letter was issued to the unit on 04.02.2019. Unit submitted its reply on 13.02.2019 enclosing the photographs and diagrams of OGT but the capacity of OGT found not satisfactory w.r.t the seating capacity of the restaurant. Notice u/s 33(A) of water Act & u/s 31(A) of Air Act was not available in file.	N/A	Issue notice u/s 33 (A) of water Act & u/s 31 (A) of Air Act for apply CTO	Consent to Establish Granted.


 Arun Mishra)
 Member secretary, DPCC



 (Dr. Chandra Prakash)
 Incharge (CMC-II)


 (Ramesh Chandra)
 EE (CMC-II)

CMC-III Cases II(b) 19.10.2019

Sl. No	User ID	Consent Request ID	Application Date	Industry Name	Industry Address	District	Activity	Category	Brief of the Case	Test Report	ATR/Decision
1		68880	02.09.2018	M/s New Laxmi Dairy & Sweets	D-7/227-228, Sec-6, New Delhi-85	North West	Eating House(having seating capacity less than 36)	Orange/Establish	1. OGT- Not installed 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 1600 Litres/Day 5. Source of Water- DJB 6. Trade Effluent- 100 Litres/ Day 7. Domestic Effluent- 1000 Litres/Day 8. Municipal trade licence- Not provided. 9. Police License- Not provided. 10. SCN u/s 33(A) & 31 (A) issued on 01.05.19. Hard copy received.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Recommendation: CTE may be Refused as unit has not applied for CTO application.
2			12.08.16	M/s Mc Donald's Family Restaurant	16, Manglam Place, DDA Central Market, Sec-3, Rohini, N.D. 85	North West	Eating House	Orange/Operate	1. ETP- 4800 L/Day 2. ECS- No 3. DG Set- NIL 4. Water Consumption- 4300 Litres/Day 5. Source of Water- DJB 6. Trade Effluent- 4300 Litres/ Day 7. Domestic Effluent- 500 Litres/Day 8. Municipal trade licence- provided. 9. Police License- provided.	Air (Emissions) : N/A Water (effluent test report): Valid report dated 19.09.2016 Noise : N/A	Recommendation: Consent to Operate may be granted.

An

3			30-10-2018	JAIVEER FOODS	G-95, AGGARWAL CITY PLAZA, SEC-3 , ROHINI, Delhi - 110052	North West	Eating House	Orange / Establish	1. ETP- OGT with Capacity of 3000 Litres/Day 2. ECS- No 3. DG Set- NA 4. Water Consumption- Litres/Day 5. Source of Water- MCD 6. Trade Effluent- 1000 Litres/Day 7. Domestic effluent: 1500 Litres/day 8. Proof of possession: rent agreement dated 01.06.2018 9. MCD license not attached. 10. Police license not attached.	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	Recommendation: Consent to Establish may be granted.
---	--	--	------------	------------------	---	------------	-----------------	-----------------------	---	---	--

Am

guy

Boh

CMC-IV

S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
1	23.05.2018	MYSTIC	C-147 (A-147), PHASE-II, MAYAPURI INDUSTRIAL AREA, DELHI - 110064	Red Renewal	WASHING OF GARMENTS.	-	Date : 02-07-2018 - An inspection of the unit was carried out by DPCC officials on 11.06.2018 and following observations were made: 1. During inspection unit found operational and engaged in the activity of Garment washing. 2. ETP installed but same was found in defunct condition. 3. D.G. set of 125 KVA capacity found installed with adequate stack height.	Renewal of consent to operate is granted.
2	20.02.2018	BURGER SINGH (A UNIT OF TIPPING MR PINK PVT. LTD.)	H-45, BLOCK -H, GROUND AND MEZZANINE FLOOR, CONNAUGHT PLACE, NEW DELHI - 110001	Orange / Operate	RESTAURANT	14-09-2018 Consent to establish granted. Take action as decided in file put up w.r.t. the High Court case in the matter of Manjit Singh Vs. NDMC and Ors.	-	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.
3	24.02.2018	2 BANDITS RESTAURANT (A UNIT OF MULTIPLE HOSPITALITY LLP)	16, 1ST AND 2ND FLOOR, SATYA NIKETAN, NEW DELHI, NEW DELHI - 110021	Orange / Establish	RESTAURANT	-	Source of water: DJB Water consumption : 2800 litres/day Status of ground water extraction: N/A Status of Pollution Control System (1)ETP: Oil & Grease trap (2)ECS - N/A (3)D.G.Set: N/A	Consent to Establish is granted.


(Arun Mishra)
Member Secretary


((Dr. B.M.S. Reddy)
Sr. Env. Engineer


(Dr. Siddhartha Gautam)
Env. Engineer

Minutes of the II(b) category Committee's meeting headed by Member Secretary in its meeting held on 19.10.2019.


S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
4	16.02.2018	SHRI INDUSTRIES	B-78, PH-II, MAYAPURI INDUSTRIAL AREA, DELHI - 110064	Orange / Renewal	MFG OF BARE COPPER WIRE	17-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent/authorization and u/s 31(A) of Air Act and u/s 5 of EP Act.	SCN issued to the unit on 06.03.2019 Unit has submitted its reply stating that they have rectified all the deficiencies observed during inspection.	Consent to Operate is granted.
5	11.02.2018	FOREMOST FRIENDLY FOODS PRIVATE LIMITED	SHOP NO 97, MEHARCHAND MARKET, LODHI ROAD, NEW DELHI - 110003	Orange / Establish	Restaurent-cooking and serving food	-	Source of Water : DJB 1. Water Consumption: 1000 litres/day 2. Status of ground water extraction : N/A Status of Pollution Control System (1)ETP : Oil & Grease trap (2)ECS : N/A (3)D.G.Set: N/A Status of Test Report	Consent to Establish is granted.


(Arun Mishra)
Member Secretary



(Dr. B.M.S. Reddy)
Sr. Env. Engineer


(Dr. Siddhartha Gautam)
Env. Engineer


S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
6	10.02.2018	AKSARA AUTOS PVT. LTD.	A-1, MAYAPURI INDUSTRIAL AREA, PHASE-I, NEW DELHI - 110064	Orange / Operate	AUTO SERVICE CENTER.	14-01-2019 Expedite inspection.	Inspection ye to be conducted.	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.
7	28.02.2018	SHAKTI SHIVA MAGNETS PVT. LTD.	G-1-114, PH-II, MAYAPURI INDUSTRIAL AREA, DELHI - 110064	Orange / Renewal	MANUFACTURING OF COPPER WINDING AND COPPER WIRES.	Date : 22-06-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 03.06.2019 and decided to Expedite inspection.	Inspection ye to be conducted.	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.



(Arun Mishra)
Member Secretary




((Dr. B.M.S. Reddy)
Sr. Env. Engineer




(Dr. Siddhartha Gautam)
Env. Engineer


S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
8	03.06.2017	ALLIED POLY BAGS (P) LTD	A-4/3, PHASE-II, MAYAPURI INDUSTRIAL AREA, DELHI - 110064	Orange / Renewal	MFG. OF POLYTHENE PACKING BAGS/ROLLS	30-06-2018 Inspection be conducted.	Inspection ye to be conducted.	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.
9	01.02.2017	DAILY BREAD BAKERS	BAWA POTTERIES COMPOUND, ARUNA ASAF ALI ROAD, VASANT KUNJ, NEW DELHI 110070, NEW DELHI - 110070	Green / Establish	Food and Fruit Processing Industry - Bakery (Bread and Biscuit)	-	Source of Water : DJB 1. Water consumption : 3600 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.




(Arun Mishra)
Member Secretary




((Dr. B.M.S. Reddy)
Sr. Env. Engineer


(Dr. Siddhartha Gautam)
Env. Engineer


S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
10	12.02.2017	DR. WELLMANS HOMOEOPATHIC LABORATORY (INDIA) PVT. LTD.	C-151, PHASE-II, MAYAPURI INDUSTRIAL AREA, NEW DELHI - 110064	Orange / Operate	Homeopathic medicines (liquid Orals.)	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Reinspection be conducted as decided in file.	Inspection ye to be conducted.	Inspection be conducted. If findings of inspection is found satisfactory, Consent to Operate be granted. In case, findings of inspection is found unsatisfactory, Consent to Operate be refused.
11	08.05.2018	LEOS ARTISAN PIZZAS (A UNIT OF LEOS HOSPITALITY)	GROUND FLOOR AND MEZZANINE FLOOR, 28, BASANT LOK COMMUNITY CENTRE, VASANT VIHAR, NEW DELHI - 110057	Orange / Establish	Restaurant	-	Source of Water : DJB 1. Water consumption : 3600 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	Consent to Establish is granted.



(Arun Mishra)
Member Secretary



(Dr. B.M.S. Reddy)
Sr. Env. Engineer


(Dr. Siddhartha Gautam)
Env. Engineer

S.No	Application Date	Industry Name	Industry Address	Category	Activities	Last Committee Decision	Remarks / ATR	Decisions of the Committee on 19.10.2019
12	06.07.2018	LEOS ARTISAN PIZZAS (A UNIT OF LEOS HOSPITALITY)	GROUND FLOOR AND MEZZANINE FLOOR, 28, BASANT LOK COMMUNITY CENTRE, VASANT VIHAR, NEW DELHI - 110057	Orange / Operate	Restaurant	-	Source of Water : DJB 1. Water consumption : 3600 litres/day 2. Status of Ground Water extraction : N/A Status of Pollution Control System (1)ETP : Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A	Consent to Operate is granted.
13	23.02.2017	SINCERE MARKETING SERVICES PVT LTD	K -628, RANGPURI, N H -8, NEAR SHIV MURTI,, NEW DELHI - 110037	Orange / Establish	Automobile Repair and Servicing (Without Washing)	-	Brief of the cases Source of Water: Not mentioned Status of Ground Water extraction : Not mentioned Status of Pollution Control System (1)ETP: N/A (2)ECS: Nil (3)D.G.Set: Nil Status of Test Report	Consent to Establish is granted.


(Arun Mishra)
Member Secretary


(Dr. B.M.S. Reddy)
Sr. Env. Engineer


(Dr. Siddhartha Gautam)
Env. Engineer

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
1	20-10-14	Orange / Operate	UNIQUE PRINT AND PACK INDUSTRIES	PP-54, GALI NO -10, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Tin Printing.	19-05-15 Implement the earlier decision dated 21.11.2014. Ask the unit to submit the details of water supplier(s) including source of water with documentary evidence within 15 days. Unit can be asked to use treated water from existing CETPs and STPs. 19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Implement the earlier CMC decision.	Consent application be made infructuous since the period of submitted consent fee is lapsed. Also issue show cause notice for operating without consent to operate.
2	31-10-14	Orange / Renewal	L.K. PLASTICS	4/64-66 GALI NO.4V, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MANUFACTURING OF PLASTIC DANA.	19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Implement the earlier CMC decision.	Consent application be made infructuous since the period of submitted consent fee is lapsed. Also issue show cause notice for operating without consent to operate.
3	04-12-15	Orange / Renewal	DURGA INDUSTRIES	PLOT NO. N-22B, GALI NO. 9, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG. OF ENAMELLED COPPER WIRE.	19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Implement the earlier CMC decision.	Consent application be made infructuous since the period of submitted consent fee is lapsed. Also issue show cause notice for operating without consent to operate.
4	08-04-16	Orange / Operate	UNIQUE STITCH & AMP; STICK PRIVATE LIMITED	PLOY NO 18/30 GALI NO 5 RAILWAY LINE SIDE ANAND PARBAT INDUSTRIAL AREA, NEW DELHI - 110005	Printing by offset printing machine (Without Effluent Discharge)	19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit


Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
5	03-01-17	Orange / Renewal	LLOYD SAFE CO.	N/29-A, GALI NO.4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MANUFACTURING OF STEEL AND WOODEN FURNITURE (WITHOUT PHOSPHATING ACTIVITY).	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Expedite inspection.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
6	08-02-17	Orange / Renewal	CAR CARE CENTRE	31X/17, GALI NO. 3, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Car Repairing and Denting Painting (Without Washing activity)	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
7	10-02-17	Orange / Renewal	R.K. PACKAGING	PLOT NO. A-23A, GALI NO. 4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MANUFACTURING OF OFFSET PRINTING.	19-05-2015 Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
8	17-02-17	Orange/Renewal	Sunproof Elastomers	641/3,rz Block,gali No.-4, Anand Parbat Industrial Area, Delhi - 110005	Manufacturing Of Rubber Moulded Oil Seals	16-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.


Arun Mishra)
Member Secretary


(Sateender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019


Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
9	16-04-17	Orange/Renewal	Shri Ram Auto Product	Plot No D-2e/31, Gali No 4d, Anand Parbat Industrial Area, Delhi - 110005	Mfg. Of Rubber Parts And Oil Seal	-	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
10	22-05-17	Orange / Renewal	R.K. ENTERPRISE S	PLOT NO A/26B, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	OFFSET PRINTING WITHOUT EFFLUENT DISCHARGE.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
11	22-05-17	Orange / Renewal	R.K. ENTERPRISE S	PLOT NO A/26B, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	OFFSET PRINTING WITHOUT EFFLUENT DISCHARGE.	19-05-2015 Consent application dated 19.04.2012 be made infructuous since unit has again applied for consent on 17.04.2015. Issue Show Cause Notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
12	27-05-17	Orange / Renewal	PANCHSHEEL METAL INDUSTRIES	29/17, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	SMALL FOUNDRY(NON FERROUS METAL CASTING BY PIT FURNACE)	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit


(Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V

(Sunder Singh)
Asstt. Env. Engineer, CMC-V

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
13	30-05-17	Orange / Renewal	RAMA ENGG. WORKS	J-25 GALI NO. -7, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	GRAVURE PRINTING (DRY PROCESS).	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Expedite inspection.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
14	10-06-17	Orange / Renewal	R.K. MOULDERS	PLOT NO. 50/17A, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG. OF CLUTCH PLATE	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
15	06-07-17	Orange / Renewal	GRAPHIC PRINTERS	7/12-A, STREET NO. 7, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Printing without Trade Effluent Discharge	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
16	12-07-17	Green/Renewal	Dang Engineering Works	29/29, Gali No.6, New Rohtak Road, Anand Parbat Industrial Area, Delhi - 110005	Mfg. Of Rubber Auto Parts.	16-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
17	22-07-17	Green/Renewal	S P Enterprises	631 Rz Block, anand Parvat Ind Area, New Delhi - 110005	Mfg. Of Rubber Oil Seals	16-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.



(Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V



(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
18	25-07-17	Green/Renewal	Harkrishan Auto Industries	Plot No. 51/1a, Gali No 13, Anand Parbat Industrial Area, Delhi - 110005	Mfg. Of Rubber Oil Seal/mixing Of Rubber.	16-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
19	08-08-17	Green/Renewal	Sareen Engg. Works	Plot No 52/11 D-1, Gali No 16, Anand Parbat Industrial Area, Delhi - 110005	Rubber Mixing And Mfg Of Rubber Parts	17-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
20	16-08-17	Green/Renewal	S.k. Industries (regd)	Plot No. 7, Gali No.4, Anand Parbat Industrial Area, Delhi - 110005	Mfg. Of Rubber Parts.	20-09-2019 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted. Letter issued on 25.09.2018	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
21	19-08-17	Green/Renewal	P.c.industries	Plot No 48/48, Gali No.6, Nai Basti, Anand Parbat Industrial Area, Delhi - 110005	Rubber Sheet, Rubber Mixing.	17-05-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
22	23-08-17	Green/Renewal	National Chassis Works	Plot No.29/24, Gali No. 6, Anand Parbat Industrial Area, Delhi - 110005	Powder Coating Without Phosphating	20-09-2017 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
23	29-08-17	Orange / Renewal	GENERAL FORGINGS	P-5, GALI NO.10, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	STEEL FORGING OF AUTOMOBILE PARTS (EXCEPT PNEUMATIC HAMMER AND MORE THAN 4 T HAMMER	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit.



(Arun Mishra)
Member Secretary



(Satender Kumar)
Sr. Env. Engineer, CMC-V



(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
24	29-09-17	Green / Operate	SUKHMANI AUTO (INDIA)	PLOT NO-29-RC, GALI NO-4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Mfg. of Auto Parts, Rubber Sheet.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
25	17-10-17	Green / Renewal	JENNIS AUTO INDUSTRIES	PLOT NO. M-17B, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG.OF RUBBER OIL SEAL.	17-05-2018 Consent to Operate (Renewal) granted.	Implement the earlier CMC decision.
26	31-10-17	Orange/Renewal	Parveen Auto Industries	B-13, Gali No 7, Anand Parbat Industrial Area, Delhi - 110005	Aluminium Pressure Die Casting.	06-12-2017 Consent to Operate (Renewal) granted with the condition to switch over to Piped Natural Gas(PNG) as a fuel before 15.03.2018.	Implement the earlier CMC decision.
27	21-11-17	Orange / Renewal	PREMIER PAINT & COLOUR INDUSTRIES	PLOT NO.17/7, NEW ROHATAK ROAD, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG.OF DRY COLOURED DISTAMPURE	19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
28	14-01-18	Green / Renewal	BOMBAY RUBBER INDUSTRIES	29/20,GALI NO. 6, ANAND PARBAT INDUSTRIAL AREA, NEW ROHTAK ROAD, DELHI - 110005	Mfg. of Rubber Goods/ Materials for Re Treading Services.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit report for VOC emission or SSI / MSME Registration. If found same Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.


(Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
29	18-01-18	Green / Renewal	PANTHER INDUSTRIES	PLOT NO.-408/4-A, STREET NO-4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MANUFACTURING OF RUBBER OIL SEALS.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.	Implement the earlier CMC decision.
30	02-02-18	Orange/Renewal	Krishna Metal Forging Industries	17/23, Street No. 11, Anand Parbat Industrial Area, Delhi - 110005	Forging.	14-03-2018 Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.
31	07-02-18	Orange/Renewal	Abhinav Printers	Plot No. B-5, Gali No. 1, Anand Parbat Industrial Area, Delhi - 110005	Printing By Offset Printing Machine(without Effluent Discharge).	17-05-2019 Consent to Operate(Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	Implement the earlier CMC decision.
32	05-03-18	Orange/Renewal	Naveen Foundry Works	Plot No 9/102, Gali No 9, Anand Parbat Industrial Area, Delhi - 110005	Small Foundry (pit Furnace)	14-03-2018 Consent to Operate(Renewal) granted. Subsequently, inspection be conducted.	Implement the earlier CMC decision.
33	24-04-18	Green / Renewal	ALLIED INDUSTRIES	29/29, GALI NO.6, ANAND PARBAT INDUSTRIAL AREA, NEW ROHTAK ROAD, DELHI - 110005	MFG OF RUBBER GOODS VIZ RUBBER SHEET(UNCURED)	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration yet to be issued. If unit submits the same, Consent to Operate(Renewal) be granted.	Implement the earlier CMC decision.
34	25-04-18	Green / Renewal	NOBLE AUTO INDUSTRIES	PLOT NO.-52/75, A-5, GALI NO.28, NAI BASTI, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG. OF RUBBER PARTS.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.	Implement the earlier CMC decision.


(Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
35	08-05-18	Orange / Operate	KALSI DRYCLEANERS AND DYERS	PLOT NO.T-9, GALI NO. 10, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	WASHING AND DRYCLEANING OF CLOTHES(WITH PRESS AND PACKING)	19-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
36	10-05-18	Green / Establish	SHANTI RUBBERS	PLOT NO-8/87-A, GALI NO-8, ANAND PARBAT INDUSTRIAL AREA, NEW DELHI-5, NEW DELHI - 110005	MFG OF RUBBER PRODUCTS	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
37	21-05-18	Green / Operate	SHANTI RUBBERS	PLOT NO-8/87-A, GALI NO-8, ANAND PARBAT INDUSTRIAL AREA, NEW DELHI-5, NEW DELHI - 110005	MFG OF RUBBER PRODUCTS	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
38	16-07-18	Green / Establish	NEHA INDUSTRIES	PLOT NO.-452/2, GALI NO.-8, ANAND PARBAT INDUSTRIAL AREA, NEW DELHI-110005, NEW DELHI - 110005	MFG. OF RUBBER AUTO PARTS.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit

(Arun Mishra) 
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
39	03-08-18	Green / Renewal	VISHAL RUBBER MILL	31/3, GALI NO. 2, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Rubber Mixing (Job Works)	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
40	07-09-18	Green / Renewal	ANITA AUTO INDUSTRIES	PLOT NO.52/1-A, GALI NO.16, NAI BASTI, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	Mfg. of Auto Rubber Parts (W/o Vulcanization).	17-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Issue show cause notice for refusal of consent.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
41	06-10-18	Green / Establish	JAGSON INDIA	PLOT NO.-M-13, GALI NO.-1, ANAND PARBAT INDUSTRIAL AREA, NEW DELHI-5, NEW DELHI - 110005	MFG. OF ELECTRICAL EARTHING ROD AND RUBBER PARTS.	17-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit. If unit submits the same and found satisfactory, Consent to Establish be granted. If any deficiencies are found, query letter be issued.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit.
42	18-10-18	Green / Renewal	BALWANT RAJ AND SONS	PLOT NO. M-12, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MAKING OF RUBBER SHEETS (JOB WORK).	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit report for VOC emission or SSI / MSME Registration. If found same Consent to Operate(Renewal) granted.	Implement the earlier CMC decision.

(Arun Mishra)
Member Secretary

(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Minutes of the 24th CMC meeting for II(b) category cases headed by Member Secretary, DPCC held on 19.10.2019

Sl. No	Application Date	Industry Category / Consent Type	Industry Name	Industry Address	Activity of the Unit	Earlier Decisions	Decision of the CMC meeting on 19.10.2019
43	18-10-18	Green / Renewal	UPPAL RUBBER INDUSTRIES	PLOT NO. 50/25, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MAKING OF RUBBER SHEETS.	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit stack monitoring report of Volatile Organic Compound (VOC) parameter or SSI/MSME Registration. If unit submits the same, Consent to Operate(Renewal) be granted.	Implement the earlier CMC decision.
44	26-10-18	Green / Establish	NEW ERA METAL & AMP; GENERAL INDUSTRIES	50/25, STREET NO.4, ANAND PARBAT INDUSTRIAL AREA, DELHI - 110005	MFG. OF BRIGHT STEEL BARS BY SHOT BLASTING	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection to be conducted. Also all earlier consent applications be made infructuous.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit
45	31-10-18	Green / Operate	ASK AUTO COMPONENT S PVT. LTD.	PLOT NO.-15-A, GALI NO.-3, RAILWAY LINE SIDE, ANAND PARBAT INDUSTRIAL AREA, NEW DELHI-5, NEW DELHI - 110005	MFG. OF AUTO COMPONENTS	14-01-2019 The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit certificate, in original, from Industries Department/ concerned SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit. If unit submits the same and found satisfactory, Consent to Operate be granted. If any deficiencies are found, query letter be issued.	Inspection be conducted. If the findings of inspection is found satisfactory, Consent to Operate(Renewal) be granted. In case, findings of inspection is not satisfactory, Consent to Operate(Renewal) be refused and issue show cause notice for closure of the unit.


(Arun Mishra)
Member Secretary


(Satender Kumar)
Sr. Env. Engineer, CMC-V


(Surender Singh)
Asstt. Env. Engineer, CMC-V

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

Sl. No.	Application Date	Industry Name	Industrial Address	District	Industry Category/Consent	Activities	Brief of the Cases	Status of Reports	Last Committee Decision	Decision
1	16-11-2018	KRISHNA INTERNATIONAL	PLOT NO. 12A, KHASRA NO. 7/25, RAILWAY STATION, SAMAYPUR INDUSTRIAL AREA, DELHI-110042	North	Green / Establish	FABRICATED M.S. AND S.S. SHEET METAL PRODUCTS (WITH BUFFING)	Status of Pollution Control system Devices- 1. ETP- Proposed, 2. ECS- Proposed 3. D.G. set- Yes, 1X30KVA Plot Area-334 sq mt Date of Commencement- 01.01.2005 Status of Ground Water Extraction-No Water consumption- 100 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report-N/A Emission Monitoring Report - N/A Noise Monitoring report-N/A	Meeting held on 03.06.2019 and decided that SCN for refusal of CTE for deficiencies and SCN for Closure for Operating without CTO.	CTE granted. Issue SCN to apply for CTO
2	02-11-2018	BESTO CABLES	F-101, SECTOR-1, DSIDC INDL. AREA, BAWANA, NEW DELHI - 110039	North	Orange / Operate	GRANULES/COMPOUND/DANA FROM REPROCESSING OF WASTE PVC/PLASTIC SCRAPS (without washing activity)	Status of Pollution Control system Devices- 1. ETP- No, 2. ECS/Channelization-Yes, Stack attached to suction hood over mixture machine 3. D.G. Set- No Plot Area- 150 sq mt Date of Establishment/ Commencement-15.07.2018 Status of Ground Water Extraction-No Water consumption- 350 L/day Source- DSIDC (Bill Submitted).	Effluent Analysis Report- N/A Emission Monitoring Report- Yes, issued by DPCC on 26.10.2018, All the parameters are within prescribed limits. Noise Monitoring Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO & Registration under PWM Rules granted.
3	01-11-2018	HARSH CREATION	C-57 AND C-179 JOINT BUILDING, SECTOR-2, DSIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Establish	READYMADE GARMENT WASHING WITH SPRAY PAINT WITH GAS FIRED BOILER	Status of Pollution Control system Devices- 1. ETP- Yes, 2. ECS- Proposed 3. D.G. set- No Plot Area-450 sq mt Date of Establishment/ Commencement-09.11.2018 Status of Ground Water Extraction-No Water consumption- 9300 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be granted. Issue SCN to apply for CTO. Inspection also be conducted.
4	01-11-2018	PINDI BAR BEQUE	SHOP NO: 1, PLOT NO: 1963, BANK STREET, KAROL BAGH, NEW DELHI, NEW DELHI - 110005	Central	Orange / Operate	RESTAURANT SERVICE PROVIDER	Status of Pollution Control system Devices- 1. OGT- Yes, 2. ECS-No, 3. D.G. set-No Plot Area-19 sq mt Date of Establishment/ Commencement-01.11.2018 Status of Ground Water Extraction-No Water consumption- 400 L/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

CMC-V 8/11

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

5	01-11-2018	INDIA INTERNATIONAL	GI/37, G T KARNAL, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Green / Renewal	MFG. OF UTENSILS / PRESSURE COOKER.	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Yes, Stack attached to exhaust of buffing section. 3. D.G. set- No Plot Area-208 sq mt Date of Establishment/ Commencement-01.04.1985 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Report-No Emission Monitoring Report - Yes, issued by DPCC on 29.10.2018. Parameters are within prescribed limits. Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO (Renewal) be granted.
6	26-08-2018	GANESH ENTERPRISES	PLOT NO.12, SEC-5, POCKET-O, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MFG. AND PRINTING OF INDUSTRIAL POLY BAGS.	Status of Pollution Control system Devices- 1. ETP- N/A. 2. ECS- N/A. 3. D.G. set- No Plot Area- 200 sq mt Status of Ground Water Extraction-No Water consumption- 24000 L/day Source- DSIIDC (Bill Submitted). Inspected on 14.06.2019 and unit found operating having thickness of Plastic Packaging material of above 50 microns, HWM rules complied with.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO and Registration granted. Application under HWM Rules be kept in abeyance.
7	25-07-2018	SURESH KUMAR KARNANI	E-675, DSIIDC, NARELA INDUSTRIAL AREA, DELHI - 110040	North	Orange / Operate	MFG. OF NON-WOVEN CARRY BAGS WITH PRINTING	Status of Pollution Control system Devices- 1. ETP- No 2. ECS- Yes 3. D.G. set- No Plot Area- 350 sq mt Date of Establishment/ Commenceent-16.07.2018 Status of Ground Water Extraction-No Water consumption- 200 l/day Source- DSIIDC (Bill Submitted). Unit has also applied for Authorisation under HWM Rules 2016	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO and Registration granted. Application under HWM Rules be kept in abeyance.
8	30-10-2018	VALENTINE HOTEL AND RESORTS PVT. LTD.	KH NO. 40/15, MIN (1-07), 17 MIN (2-04), 18 MIN (0-12), 40/13 MIN (0-13), 14 MIN (0-14), 41/11 (2-06), 20 (0-17), 40/15 MIN (1-01), 40/13 MIN (1-00), 14 MIN (2-19), 15 MIN (2-08), VILLAGE- NANGLI POONA, MAIN G.T. KARNAL ROAD, DELHI - 110036	North	Orange / Renewal	HOTELS AND RESORTS FOR 13 ROOMS.	Status of Pollution Control system Devices- 1. STP- Yes 2. ECS- Yes 3. D.G. set- Yes Plot Area-14290 sq mt Date of Commencement- 01.10.2006 Status of Ground Water Extraction-No Water consumption- 34000 L per day Source- Outside (Bill not submitted) Inspection status- No MCD license submitted and Valid upto 31.03.2019. Police license not submitted. No. Of Rooms-13 Unit have Consent to Operate Renewal valid upto 22.09.2018.	Effluent treatment report- issued by DPCC on 30.10.2018 and parameters are within prescribed limits. Emission Monitoring report- no Noise monitoring report- issued by DPCC by 22.10.2018 and parameters are within prescribed limits.		CTO (Renewal) granted.

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

9	25-09-2018	ORIENT MULTIPRODUCTS WORLDWIDE PRIVATE LIMITED	D-1606, DSIDC, NARELA INDUSTRIAL AREA, DELHI-110040	North	Orange / Operate	MFG AND PRINTING OF INDUSTRIAL POLY BAGS, BIO MEDICAL POLY BAGS AND (PVC EDGE BAND TAPE USE FOR INTERIOR DECORATION)	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-Yes 3. D.G. set- No Plot Area-350 sq mt Date of Establishment/ Commencement-24.09.2018 Status of Ground Water Extraction-No Water consumption- 200 l/day Source-DSIDC (Bill Submitted) Unit have applied for Form-I under HWM Rules.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	CTO granted. Application under HWM be kept in abeyance.
10	25-10-2018	MEGA ENTERPRISES	F-247, SEC-1, DSIDC BAWANA, DELHI, DELHI - 110039	North	Orange / Operate	Electrical and Electronic Goods involving use of varnish	Status of Pollution Control system Devices- 1. ETP-No 2. ECS- No 3. D.G. set- Nil Plot Area-100 sq mt Date of Establishment/ Commencement-17.08.2018 Status of Ground Water Extraction-No Water consumption- 400 L/day Source- Dsiidc (Bill submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
11	23-10-2018	SUNRIZE MARRIAGE PARTY HALL	A-1, MAIN BUS STAND, VILLAGE DHIRPUR, DELHI - 110009	North	Orange / Establish	BANQUET HALL	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS-Proposed 3. D.G. set- No Plot Area-400 sq mt Date of Establishment/ Commencement-01.09.2013 Status of Ground Water Extraction-No Water consumption- 2000 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018. No of Seats-100	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
12	20-10-2018	ALKA FOODS PVT. LTD.	26, GTK ROAD, S.S.I INDUSTRIAL AREA, DELHI - 110033	North	Orange / Renewal	Mfg. of Confectionery and Ayurvedic products.	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Yes, Stack attached to oven. 3. D.G. set- Nil Plot Area-1012 sq mt Date of Establishment/ Commencement- 26.07.2002 Status of Ground Water Extraction-No Water consumption- 350 L/day Source- Outside (Bill not submitted) Inspection status- No Unit have applied for Form-I under HWM Rules.	Effluent Report-Yes, issued by DPCC on 19.09.2018. Parameters are within prescribed limits. Emission Monitoring Report - Yes, issued by DPCC on 13.09.2018. Parameters are within prescribed limits. Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN. HWM application be kept in abeyance.
13	19-10-2018	REST POINT	7923, ARAKASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Green / Operate	GUEST HOUSE (15 BEDS IN 12 ROOMS) W/O KITCHEN AND LAUNDRY	Hard copy not submitted.		Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Ask the unit to submit requisite documents. If unit submit the same & found in order, CTO be granted otherwise SCN be issued.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)



(M. S. Rawat) EE(CMC-VII)
(Surender Singh) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

14	20-07-2018	J. K. REMEDIES	PLOT NO 196, SECTOR-1, POCKET-F, DSIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MFG. OF PHARMACEUTICALS FORMULATION (SYRUP).	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. Set- Nil Plot Area- 150 sq mt Date of Commencement- 01.04.2017 Status of Ground Water Extraction-No Water consumption- 200 L/d. Source- DSIDC (Water Bill submitted) Status of Inspection-No Unit has applied Form -I under HWM Rules.	Effluent monitoring report : Yes, issued by DPCC lab, dated 07.03.2018, parameters are within prescribed limit. Stack monitoring report- No Noise Report N.A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO granted. Application under HWM be kept in abeyance.
15	16-10-2018	NEEL GAGAN	7974, ARAKASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Green / Operate	GUEST HOUSE (20 BEDS IN 18 ROOMS) W/O KITCHEN AND LAUNDRY	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-No 3. D.G. set-No Plot Area-85.3 sq mt Date of Establishment/ Commencement-10.02.2012 Status of Ground Water Extraction-No Water consumption-2000 L/day Source- DJB (Bill submitted) Cat II. Inspection status- No MCD License valid upto 31.03.2019. Police License valid upto 31.03.2018. No. of rooms-18 No. of Beds-20	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
16	16-10-2018	NAZEER HOSPITALITY PVT. LTD.	3622, NETAJI SUBHASH MARG, DARYA GANJ, OPP. PLAZA HOUSE, NEW DELHI - 110002	Central	Orange / Operate	RESTAURANT WITH 48 SEATS	Status of Pollution Control system Devices- 1. OGT- Yes 2. Channelization-Yes 3. D.G. Set-Nil Plot Area- 204 sq mt Date of Establishment/ Commencement-20.11.2017 Status of Ground Water Extraction-No Water consumption- 700 L/day Source- DJB (Bill Submitted). MCD license Submitted and valid upto 20.01.2018 Police License not Submitted. No. of Seats-48	Effluent Report- Yes, issued by DPCC on 23.09.2018, Parameters within prescribed limits. Emission Report- No Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO granted.
17	29-08-2018	AGRAWAL PHARMACEUTICALS	B-2644, NARELA INDUSTRIAL AREA, DELHI - 110040	North	Orange / Renewal	FORMULATION OF MEDICINES.	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- Yes, 1X25 KVA Plot Area-250 sq mt Date of Establishment/ Commencement- 01.01.2004 Status of Ground Water Extraction-No Water consumption-1500 L/day Source- DSIDC (Bill submitted) Unit has applied Form -I under HWM Rules. Inspection conducted. ETP was operational, HWM rules are complied with.	Water Effluent Report-Yes, issued by DPCC on 17-07-2018. parameters are within prescribed limits. Emission Monitoring Report - N/A Noise Report-Yes, issued by DPCC on 25-07-2018. parameters are within prescribed limits.	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO granted. Application for authorization be kept in abeyance.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)

 
(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

18	15-10-2018	MICRO EDUCATION & SOCIAL WELFARE SOCIETY	PLOT NO.154/647, GROUND FLOOR EXTENSION, LAL DORA VILLAGE POOTH KHURD, LANDMARK NEAR PHIRNI ROAD, DELHI-110039	North	Orange / Operate	EATING HOUSE	Hard copy not submitted.		Meeting held on 03.06.2019 and decided that inspection be conducted.	Issue SCN for closure & refusal.
19	13-10-2018	SHREE RAM FOOD PRODUCTS	M-4/1, BADLI INDUSTRIAL AREA, PHASE-I, DELHI - 110042	North	Green / Operate	Manufacturing of Bread and Bakery Products	Status of Report- 1. ETP- Yes 2. ECS-No 3. D.G. set- No Plot Area-544 sq mt Date of Establishment/ Commencement-01.06.2017 Status of Ground Water Extraction-No Water consumption- 200 l/day Source-DJB (Bill Submitted)	Effluent Report-Yes, issued by DPCC on 01.10.2018. Parameters are within prescribed limits. Emission Monitoring Report - No Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	CTO granted.
20	12-10-2018	SETHI RESTAURANT	SHOP NO. 3077, D.B. GUPTA ROAD, PAHARGNAJ, NEW DELHI - 110055	Central	Orange / Operate	DHABA	Status of Pollution Control system Devices- 1. OGT- Yes 2. ECS-Proposed 3. D.G. set- No Plot Area-29.55 sq mt Date of Establishment/ Commencement-10.02.1998 Status of Ground Water Extraction-No Water consumption- 1000 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018. No. Of Seats-11	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
21	12-10-2018	ARISHMA PLASTICS	PLOT-284, PKT-E, SEC-5,DSIIDC, BAWANA INDUSTRIAL AREA, DELHI, DELHI - 110039	North	Green / Establish	VERTICAL INJECTION MOLDING FOR MAKING SHOE ACCESSORIES USING NYLON DANA AND SPARE PARTS OF SHOES MACHINERY USING M.S/S.S/AL BY LIGHT ENGG. WORK	Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-No 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement-18.10.2018 Status of Ground Water Extraction-No Water consumption- 20 l/day Source-Outside (Bill not Submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	CTE be granted. Issue SCN for CTO
22	12-10-2018	PIND BALLUCHI (A UNIT OF ARV HOSPITALITY)	2 C/2, GROUND FLOOR, ABOVE STILT PARKING, NEW ROHTAK ROAD, KAROL BAGH, NEW DELHI - 110005	Central	Orange / Operate	RESTAURANT	Status of Pollution Control system Devices- 1. Oil & Grease Trap- Yes, 2. ECS-Yes 3. D.G. set- No Plot Area-176.51 sq mt Date of Establishment/ Commencement-14.07.2017 Status of Ground Water Extraction-No Water consumption- 2200 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018. No. of Seats-48	Effluent Report-Yes, issued by DPCC on 05.10.2018. Parameters are within prescribed limits. Emission Monitoring Report - N/A Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) EE(CMC-VII)
(Surender Singh) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

23	06-10-2018	KAMAL RESTAURANT	3967, KASERU WALAN, GALI HARI MANDIR, PAHARGANJ, DELHI - 110055	Central	Orange / Operate	EATING HOUSE	Status of Pollution Control system Devices- 1. OGT- Yes 2. ECS-No 3. D.G. set- No Plot Area-50 sq mt Date of Establishment/ Commencement-30.04.2014 Status of Ground Water Extraction-No Water consumption- 500 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
24	21-05-2014	JAIN CELLO CORPORATION	PLOT NO.15, SECTOR-3, POCKET-K, DSIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Renewal	ROTO PRINTING PAPERS AND POLYTHENE TUBE AND FILM.	Inspection is yet to be conducted.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO renewal be infructuous. Issue letter to apply for consent afresh if not applied as the fee period is lapsed. Inspection also be conducted.
25	04-10-2018	VEERAJ RE ROLLING	61, RAJASTHANI UDYOG NAGAR, G.T. KARNAL ROAD, DELHI - 110033	North	Green / Establish	HOT RE-ROLLING OF S.S. SHEETS	Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-Proposed 3. D.G. set- No Plot Area-585 sq mt Date of Establishment/ Commencement-07.07.2017 Status of Ground Water Extraction-No Water consumption- 50 l/day Source-DSIIDC (Bill Submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	CTE be granted. Issue SCN to apply for CTO
26	03-10-2018	HOTEL KAMAL PALACE	3339, GALI HARI MANDIR, PAHARGANJ, NEW DELHI, NEW DELHI - 110055	Central	Green / Operate	GUEST HOUSE	Status of Pollution Control system Devices- 1. ETP- No 2. ECS- No, 3. D.G. set- Nil Plot Area-100 sq mt Date of Establishment/ Commencement- 25.08.2017 Status of Ground Water Extraction-No Water consumption- 400 L/day Source- DJB (Bill submitted) Cat II Inspection status- No MCD health license valid upto 31.03.2018. Police license not submitted. No. of Rooms- 17	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
27	29-09-2018	PUNJAB HOTEL	669, CHURCH MISSION ROAD, FATEHPURI, DELHI - 110006	Central	Orange / Operate	GUEST HOUSE	Status of Pollution Control system Devices- 1. ETP- Yes 2. Channelization-Yes 3. D.G. set- Nil Plot Area- 400 sq mt Date of Establishment/ Commencement-29.07.2016 Status of Ground Water Extraction-No Water consumption- 2000 L/day Source-Outside (Bill not Submitted). MCD & Police license Submitted No. of Rooms-73	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat) (Sunder Singh)
EE(CMC-VII) AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

29	06-06-2017	V K BOX INDUSTRIES	B-99, GTK ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Operate	MFG.OF CARBOARD AND PRINTING PRESS AND LAMINATION WITH PLATE MAKING.	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. HWM authorization be kept in abeyance. If violation observed, issue SCN.
29	26-09-2018	LE FAIRWAY	2206, 1ST FLOOR, RAJ GURU ROAD, CHUNA MANDI, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Establish	LE FAIRWAY	Status of Pollution Control system Devices- 1. ETP/ Oil & Grease Trap-Proposed 2. ECS- Proposed 3. D.G. set- No Plot Area-2000 sq mt Date of Establishment/ Commencement- 25.07.2018 Status of Ground Water Extraction-No Water consumption- No Information l/day Source-No Information Inspection status- No MCD and Police License not submitted.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	CTE be granted. Issue SCN for CTO. Inspection also be conducted.
30	01-11-2018	NEEKUNJ PRINT PROCESS	315/22, SHAHZADA BAGH INDUSTRIAL AREA DAYA BASTI, DELHI - 110035	Central	Orange / Operate	OFFSET PAPER PRINTING (WITHOUT TRADE EFFLUENT)	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-No 3. D.G. set- No Plot Area-317 sq mt Date of Establishment/ Commencement-01.01.1993 Status of Ground Water Extraction-No Water consumption- 200 l/day Source-Outside (Bill not Submitted) Inspection status- No Undertaking along with all the requisite documents not submitted.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
31	25-09-2018	K BAR & RESTAURANT (A UNIT OF AMBREEN ENTERPRISES)	PROPERTY NO. 7/7, GROUND FLOOR, D. B. GUPTA ROAD, PAHARGANJ, NEW DELHI - 110055, NEW DELHI - 110055	Central	Orange / Operate	RESTAURANT	Status of Pollution Control system Devices- 1. Oil & Grease Trap- Yes 2. ECS-No 3. D.G. set- No Plot Area-278.54 sq mt Date of Establishment/ Commencement-25.05.2018 Status of Ground Water Extraction-No Water consumption- 3500 l/day Source-DJB (Bill Submitted) Cat II Inspection status- No MCD License valid upto 31-03-2019. Police License valid upto 31.03.2018. No. of seats-80	Effluent Report-Yes, Submitted by DPCC on 12.09.2018. Parameters are within prescribed limits. Emission Monitoring Report - No Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

32	01-11-2018	PRINCE PRINT PROCESS	315/22, SHAHZADA BAGH INDUSTRIAL AREA DAYA BASTI, DELHI - 110035	Central	Orange / Operate	OFFSET PAPER PRINTING (WITHOUT TRADE EFFLUENT)	Status of Pollution Control system Devices- 1. ETP- NO 2. ECS/Channelization-No, 3. D.G. Set- Nil Plot Area- 104 sq mt Date of Establishment/ Commencement-01.01.1993 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- DJB (Bill not Submitted). Applied for HWM Authorization.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
33	24-09-2018	TRIMURTI ENTERPRISES	PLOT NO-227,SECTOR-2,POCKET-C, INDUSTRIAL AREA,BAWANA, DELHI - 110039	North	Green / Establish	Cement products (Small Scale)	Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-Proposed 3. D.G. set- Nil Plot Area-100 sq mt Date of Establishment/ Commencement-30.11.2018 Status of Ground Water Extraction-No Water consumption- 200 l/day Source-DJB (Bill not Submitted).	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTE be granted. Issue SCN to apply for CTO
34	17-09-2018	GURUJI WASH	N-143, SECTOR-5, DSIIDC INDUSTRIAL AREA,BAWANA, DELHI- 110039	North	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS-Proposed 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement-24.09.2018 Status of Ground Water Extraction-No Water consumption- 20,000 l/day Source-DSIIDC (Bill Submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be granted with condition for use of PNG as fuel. Issue SCN for CTO. Inspection also be conducted.
35	11-09-2018	JUNEJA ELECTROPLATING	289 SEC- II, DSIIDC BAWANA -II BHORGARH DELHI, DELHI - 110040	North	Green / Establish	JOB WORK ELECTROPLATING	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- Proposed 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 11.09.2020 Status of Ground Water Extraction-No Water consumption-No information available	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Case be transferred to 2(a) Committee.
36	06-09-2018	HOTEL RAJ INTERNATIONAL DX	PLOT NO: 9835/A-7, AHATA THAKUR DASS, OPP. SARAI ROHILLA RAILWAY STATION, NEW ROHTAK ROAD, N DELHI - 05	Central	Orange / Operate	GUEST HOUSE (36 ROOMS AND 42 BED)	SCN for Closure u/s 31 (A) of Air Act and u/s 33 (A) of Water Act was issued to the unit on 01.07.2019. Unit has submitted reply on 19.07.2019 along with all the requisite documents and also uploaded the same.	Effluent Analysis Report-No Emission Monitoring Report - No Noise Monitoring report-N/A	Meeting held on 03.06.2019 and decided that Issue SCN for Closure for deficiencies.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

Arun

(Arun Mishra)

Member Secretary, DPCC

Satender Kumar

(Satender Kumar)

SEE (CMC-V)

M. S. Rawat

(M. S. Rawat)

EE(CMC-VII)


Surender Singh

(Surender Singh)


AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

37	30-10-2018	JYOTI PLASTIC MANUFACTURING CO.	71, S.S.I INDUSTRIAL AREA GTK ROAD, DELHI - 110033	North	Orange / Renewal	ROTO GRAVURE PRINTING ON PLASTIC PACKAGING MATERIALS. (without mfg. of plastic / polythene bags)	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS-Yes 3. D.G. set- No Plot Area-549 sq mt Date of Commencement- 01.04.1993 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- Outside (Bill not submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A		Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
38	02-09-2018	HOTEL LAFFAIRE BY WELCOME PALACE AU OF MAANK HOTEL PVT. LTD.	17A/12, WEA, GURUDWARA ROAD, KAROL BAGH, NEW DELHI, DELHI - 110005	Central	Orange / Operate	Guest house with 29 rooms and 55 beds	Inspection of the unit was conducted by the officials of DPCC on 17.09.2019 and the observations are as follows- 1. Unit is a guest house i.e. Lodging without kitchen, having 29 Rooms and 55 Beds. 2. Basement used for storage, reception at ground floor including office, lift, 9 rooms at first floor, 10 rooms at second floor and 10 rooms at third floor, D.g. set, water heater (Electric) and domestic water storage tanks are lying at roof. 3. Police license renewed upto 31.03.2019 with condition to submit DPCC license. 4. MCD health License is valid upto 31.03.2020.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - Yes, issued by DPCC on 12-07-2018. Parameters are within prescribed limits.	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTO be granted.
39	01-09-2018	HOTEL DREAM PALACE	44, ARAKASHAN ROAD, RAM NAGAR, PAHARGANJ, NEW DELHI - 110055	Central	Green / Operate	GUEST HOUSE (28 ROOMS).	Status of Pollution Control system Devices- 1. ETP- No 2. ECS/Channelization-No 3. D.G. Set- 15 KVA Plot Area- 215 sq mt Date of Establishment/ Commencement-17.04.2009 Status of Ground Water Extraction-No Water consumption- 2500 L/day Source-DJB (Bill Submitted). MCD License submitted and valid up to 31.03.2010, Police License not submitted. No. of Rooms-28	Effluent Report- No Emission Report- No Noise Report - Yes, issued DPCC, on 30.08.2018, parameters are within prescribed limits.	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
40	31-08-2018	PACKWELL AND CO.	PLOT NO. 135, SEC-I, POCKET-F, BAWANA INDUSTRIAL AREA, DELHI- 110039	North	Orange / Establish	Printing (Job Work)	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- No, Plot Area-150 sq mt Date of Establishment/ Commencement-01.01.2005 Status of Ground Water Extraction-Yes Water consumption- 1500 L/day Source- Outside(Bill not submitted) Unit has submitted Form I for authorization under HWM rules, 2016. Unit has also applied under white category for paper stationery items, cutting and book binding	Fresh Effluent Analysis Report issued by DPCC Lab on 18.04.2018. Meeting the norms. Emission Monitoring Report - N/A. Noise Report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	CTE be infructious. Inspection be conducted.


(Arun Mishra)
Member Secretary, DPCC



(Satender Kumar)
SEE (CMC-V)



(M. S. Rawat)
EE(CMC-VII)




(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

41	17-10-2018	POLYLAM PRINTERS PVT LTD	PLOT NO.130, POCKET-H, SECTOR-4, DSIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	OFFSET PRINTING PRESS	Status of Pollution Control system Devices- 1. ETP- No 2. ECS- No 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement- 10.02.2017 Status of Ground Water Extraction-No Water consumption- 500 L/day Source- MCD (corporation or ground water) (Bill not submitted) Inspection status- No Unit have applied for Form-I under HWM Rules.	Effluent Analysis Report-No Emission Monitoring Report - No Noise Monitoring report-N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
42	26-08-2018	SOCIAL AFFAIRE RESTRO BAR	17A/12 WEA KAROL BAGH, DELHI - 110005	Central	Orange / Operate	EATING HOUSE WITH 48 SEATS	Inspection of the unit was conducted by the officials of DPCC on 17.09.2019 and the observations are as follows- 1. Unit is a guest house i.e. Lodging without kitchen, having 29 Rooms and 55 Beds. 2. Basement used for storage, reception at ground floor including office, lift, 9 rooms at first floor, 10 rooms at second floor and 10 rooms at third floor, D.g. set, water heater (Electric) and domestic water storage tanks are lying at roof. 3. Police license renewed upto 31.03.2019 with condition to submit DPCC license. 4. MCD health License is valid upto 31.03.2020.	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - Yes, issued by DPCC on 12-07-2018. Parameters are within prescribed limits.		CTO granted.
43	15-10-2018	SONAL OFFSET PRESS	A-65/5, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Renewal	Offset Printing.(without trade effluent discharge)	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS/Channelization-No 3. D.G. Set- Nil Plot Area- 334 sq mt Date of Establishment/ Commencement-01.01.1980 Status of Ground Water Extraction-No Water consumption- 200 L/day Source-DJB (Bill Submitted). Applied for HWM Authorization.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
44	04-10-2018	NANDAN PRINTERS & PACKERS	PLOT NO-31, BLOCK-J, SECTOR I, BAWANA INDUSTRIAL AREA, DELHI- 39	North	Orange / Operate	Manufacturing of Non-Woven fabric Bags along with other activity of printing	Status of Pollution Control system Devices- 1. ETP/ Oil & Grease Trap- No, 2. ECS- No, 3. D.G. set- No Plot Area-250 sq mt	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)

 
(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)

45	10-08-2018	SHAHNAI BANQUET HALL	MCD CAR PARKING, ASAF ALI ROAD, NEW DELHI - 110002	Central	Orange / Operate	BANQUET HALLS/CONFERENCE HALLS	As decided, inspection of the unit was conducted by the officials of DPCC on 19.03.2019 and the observations are as follows- 1. During inspection, no function was going on in the said premises. 2. The premises is being used for banquet purpose only and no cooking is done at the premises is used for washing of utensils use in the function. 3. No Contact person also informed that the hall is given on rent and the premises is used for washing of utensils use in the function. 4. ETP has been provided for untreated effluent generated from washing of utensils. 5. ETP was found in non-operating condition and no oil and Grease trap was provided. No record W.r.t.operation of ETP was shown. On the basis of Inspection findings, SCN for Closure was issued to the unit on 12.04.2019 followed by Direction for closure issued. 6. Unit has submitted representation that it has rectify the deficiencies. Subsequently, desecuring orders issued.		Meeting held on 03.06.2019 and decided that File be put up administratively.	CTO granted.
46	27-09-2018	DURGA PLASTIC	C-475, DSIIDC, NARELA, DELHI - 110040	North	Orange / Operate	Gravure Printing	Status of Pollution Control system Devices- 1. ETP/ Oil & Grease Trap-No 2. ECS- No 3. D.G. set-No Plot Area-350 sq mt Date of Establishment/ Commencement- 13.04.2017 Status of Ground Water Extraction-No Water consumption- 400 l/day Source-DSIIDC (Bill not submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
47	07-08-2018	UNITED ENTERPRISES	N BLOCK, PLOT NO- 7, 8 SECTOR-5 BAWANA INDUSTRIAL AREA, DELHI- 110039	North	Orange / Operate	Manufacturing of Surgical Instruments and Equipment-OT LEDs lights and OT Tables, Hospital Furniture etc.	Status of Pollution Control system Devices- 1. ETP-No 2. ECS- No 3. D.G. set- Nil Plot Area- 500 sq mt Date of Establishment/ Commencement-26.06.2017 Status of Ground Water Extraction-No Water consumption- 50 l/day Source-Outside (Bill not submitted) Inspection is yet to be conducted.	Effluent Analysis Report-No Emission Monitoring Report- No Noise Monitoring Report- No	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)

Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat)

EE(CMC-VII)

(Surender Singh)

AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

48	03-08-2018	PIONEER CREATIVE BLUES	E-4, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA, NEW DELHI - 110039	North	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D.G. set- No Plot Area- 400 sq mt Date of Establishment/ Commenceent-20.08.2018 Status of Ground Water Extraction-No Water consumption- 24000 L/day Source- DSIIDC (Bill Submitted).	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be granted. Issue SCN to apply for CTO
49	25-09-2018	PRIYA PRINTERS	PLOT NO. GI-36, G.T.KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Operate	OFFSET AND FLEXO PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS-Proposed 3. D.G. set- No Plot Area-334 sq mt Date of Establishment/ Commencement-10.12.2014 Status of Ground Water Extraction-No Water consumption- 300 l/day Source-DSIIDC (Bill Submitted) Inspection status- No Unit have applied for Form-I under HWM Rules.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided Inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
50	24-07-2018	DREAM HERITAGE BANQUETS	882, EAST PARK ROAD, KAROL BAGH, NEW DELHI - 110005	Central	Orange / Establish	BANQUET HALL.	Status of Pollution Control system Devices- 1. ETP-Proposed 2. ECS-Proposed 3. D.G. set- 125 KVA Plot Area- 116 sq mt Date of Establishment/ Commenceent-01.02.2018 Status of Ground Water Extraction-No Water consumption- 9500 l/day Source- Outside (Bill not Submitted). MCD license valid upto 01-02-2018. Police License not submitted. No. of seats-300	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTE be granted. Issue SCN to apply for CTO
51	05-09-2018	ASHOKA ART PRESS	PLOT NO.124 GF, POCKET-H, SECTOR-2, DSIIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	Printing without Trade Effluent Discharge	Letter has been issued to the unit on 10.04.2019 but no reply have been received till date. Inspection is yet to be conducted.		Meeting held on 13.12.2018/ 27.12.2018 and decided to issue letter for hardcopy and inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat) EE(CMC-VII)
(Surender Singh) AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

52	13-07-2018	ARUN PLASTIC	PLOT NO-251, POCKET-I, SECTOR-5, DSIDC INDUSTRIAL AREA, BAWANA, DELHI - 110039	North	Orange / Operate	MFG. OF GRANULES/ DANA FROM REPROCESSING OF PLASTIC/PVC WASTE	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes, Stack attached to exhaust hood over extruder and mixture machine. 3. D.G. set- N/A Plot Area- 150 sq mt Date of Establishment/ Commenceent-15.03.2018 Status of Ground Water Extraction-No Water consumption- 350 l/day Source- DSIDC (Bill not Submitted).	Effluent Report- No Emission Report-Yes, issued by DPCC on 16-05-2018. Parameters are within prescribed limits. Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO granted.
53	13-07-2018	JAGADAMBA JEANS	S-82, PH-I, BADLI INDUSTRIAL ESTATE, DELHI, NEW DELHI - 110042	North	Orange / Establish	READYMADE JEANS WASHING.	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Proposed 3. D.G. set- N/A Plot Area- 450 sq mt Date of Establishment/ Commenceent-26.07.2018 Status of Ground Water Extraction-No Water consumption- 4800 l/day Source- Outside (Bill not Submitted).	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be granted. Issue SCN to apply for CTO. Inspection also be conducted.
54	12-07-2018	DOCTOR DENIM CREATIONS	SECTOR 2 A BLOCK NUMBER 6 DSIDC, DELHI - 110039	North	Orange / Establish	JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	Status of Pollution Control system Devices- 1. ETP-Ycs 2. ECS- Proposed 3. D.G. set- Nil Plot Area- 250 sq mt Date of Establishment/ Commenceent-26.07.2018 Status of Ground Water Extraction-No Water consumption- 17000 l/day Source-DSIDC (Bill submitted) Unit is listed in list of defaulter units provided by DSIDC. Unit was inspected on 02.08.2019. Following are observations: Unit found operational. ETP installed but found in non-functional condition. Trade effluent is being discharged directly in conveyance system. Settling cum mixing tank found dry, no dry/wet sludge found in premises, Channelization system not provided for spray painting activity, Unit has not applied for authorisation under Hazardous Waste Management Rules, 2016. As reported unit has started operation since January, 2019. Total no. of days for EDC (from 01.01.2019 to date of inspection i.e. 02.08.2019) is 213 days. Closure Directions issued with imposition of EDC Rs. 42,60,000/-	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be infructuous.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

55	14-08-2018	NORTHERN SERVICE STATION	SARAI BASTI ROAD, NO-40, SHASTRI NAGAR, DELHI - 110035	Central	Orange / Renewal	FILLING CUM SERVICE STATION WITH WASHING FACILITY.	Inspection is yet to be conducted.		Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
56	09-08-2018	FRONTLINE PACK WORLD	G-257 AND 258, DSIIDC, SECTOR-2, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	FLEXOGRAPHIC AND ROTOGRAVURE PRINTING WITH CUTTING AND SEALING	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS/Channelisation- No 3. D.G. set- N/A Plot Area- 400 sq mt Date of Establishment/ Commenceent-01.04.2018 Status of Ground Water Extraction-No Water consumption- 100 l/day Source- DSIIDC (Bill Submitted).	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring Report - N/A	Meeting held on 13.12.2018/ 27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
57	09-07-2018	ESS AAR SANITATIONS	L-106, SECTOR-3, DSIIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MANUFACTURING OF BATH ROOM FITTINGS, ACCESSORIES AND TOYS (BY INJECTION MOULDING) WITH SPRAY PAINTING AND PAD PRINTING	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-No 3. D.G. set- N/A Plot Area- 100 sq mt Date of Establishment/ Commenceent-21.06.2018 Status of Ground Water Extraction-No Water consumption- 240 l/day Source- DSIIDC (Bill Submitted). Unit has applied Form -I under HWM Rules.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
58	06-07-2018	SHREE KRISHNA CREATION	N1-9, SECTOR-5, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Establish	READYMADE JEANS WASHING.	Status of Pollution Control system Devices- 1. ETP-Proposed 2. ECS- Proposed 3. D.G. set- Nil Plot Area- 250 sq mt Date of Establishment/ Commenceent-24.04.2017 Status of Ground Water Extraction-No Water consumption- 4400 l/day Source-DSIIDC (Bill submitted). Inspection conducted on 12.09.2019 and found activity jeans dyeing. ETP was not functional and HWM Rules not complied with. Closure directions with EDC issued separately.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be refused.
59	06-07-2018	MANOHAR FILAMENTS PVT LTD	B-59, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Renewal	MANUFACTURING OF GARMENT LABELS AND TAGS (WITHOUT WASHING AND DYEING).	Status of Pollution Control system Devices- 1. ETP-Proposed 2. ECS-Proposed 3. D.G. set- Yes, 1X125 KVA Plot Area- 600 sq mt Date of Establishment/ Commenceent-21.02.1974 Status of Ground Water Extraction-No Water consumption- 400 l/day Source- DJB (Bill Submitted). Unit has applied Form -I under HWM Rules.	Effluent Report- No Emission Report- No Noise Report - Yes, Issued by DPCC on 05-06-2018. Parameters are within prescribed limits.	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

58 60	09-07-2018	BRIGHT SKILL TECHNOLOGIES	L-107, SECTOR-3, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MANUFACTURING OF BATH ROOM FITTINGS, ACCESSORIES AND TOYS (BY INJECTION MOULDING) WITH SPRAY PAINTING	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS-NO 3. D.G. set- N/A Plot Area- 100 sq mt Date of Establishment/ Commenceent-20.06.2018 Status of Ground Water Extraction-No Water consumption- 200 l/day Source- DSIDC (Bill Submitted). Unit has applied Form -I under HWM Rules.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
61	03-07-2018	UNITED OFFSET PRESS	PLOT NO N-268, PKT-O, SEC-1, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Renewal	OFFSET PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE)	Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- No 3. D.G. set- Nil Plot Area- 250 sq mt Date of Establishment/ Commenceent-31.10.2009 Status of Ground Water Extraction-No Water consumption- 300 l/day Source-DSIDC (Bill submitted) Unit have applied for Form-I under HWM Rules, 2016.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
62	26-06-2018	REX (U AND A) REMEDIES PVT. LTD.	A-51/1, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Renewal	MANUFACTURING OF AYURVEDIC and YUNANI MEDECINES	Status of Pollution Control system Devices- 1. ETP-Yes, 2. ECS-No 3. D.G. set- Yes, 1X62.5 KVA Plot Area- 400 sq mt Date of Establishment/ Commenceent-01.01.1995 Status of Ground Water Extraction-No Water consumption- 2000 l/day	Effluent Report- Yes, issued by DPCC on 20-03-2018. Parameters are within prescribed limits. Emission Report- No Noise Report- Yes, issued by	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
63	14-06-2018	BRANDAVAN FOOD PRODUCTS	1/12 GROUND FLOOR, ASAF ALI ROAD, JEEVAN RAKSHA BUILDING, NEW DELHI-110006	Central	Orange / Operate	Manufacturing of Food Products (Base Kitchen)	1. ETP-Yes 2. ECS-N/A 3. D.G. set- No Plot Area-325.7 sq mt Date of Establishment/ Commenceent- 20.06.2017 Status of Ground Water Extraction-No Water consumption- 4000 l/day Source- DJB (Bill Submitted) Inspection status- No MCD License valid upto 31-03-2018.	Effluent Analysis Reports submitted on 23.03.2018 issued by DPCC. Parameters are within prescribed limits. Emission Report-N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
64	11-06-2018	HOTEL ROSSETTE	8708, D.B. GUPTA ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	Guest House 24 Rooms	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC



(Satender Kumar)
SEE (CMC-V)



(M. S. Rawat)
EE(CMC-VII)



(Surender Singh)
AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

65	08-06-2018	VINOD KUMAR LEELA	S-60, II FLOOR, PH-I, BADLI INDUSTRIAL ESTATE, DELHI, DELHI - 110042	North	Orange / Establish	READYMADE GARMENT WASHING	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-N/A 3. D.G. set-No Plot Area-100 sq mt Date of Establishment/ Commenceent-26-06-2018 Status of Ground Water Extraction-No Water consumption-2800 L/day Source- Outside (Bill submitted).	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	CTE be granted. with condition for use of PNG as fuel. Issue SCN for CTO. Inspection also be conducted.
66	07-06-2018	DURO MATTRESSES PVT. LTD.	28/30, LIBASPUR INDUSTRIAL AREA, LANE NO. 16, DELHI - 110042	North	Orange / Operate	MANUFACTURING OF BONDED FORM MATTRESSES, CUSION, PILLOWS WITH BOILER	Status of Pollution Control system Devices- 1. ETP-N.A. 2. ECS-Yes, Stack attached to boiler. 3. D.G. set- No Plot Area- 550 sq mt Date of Establishment/ Commenceent-29.04.2003 Water consumption- 500 l/day Source- Outside (Bill not Submitted). Unit have submitted Boundary certificate.	Effluent Report- No. Emission Report-Yes, issued by DPCC on 03.05.2018, Parameters are within prescribed limits. Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO be granted.
67	14-06-2018	PREETI TRADERS	C-18, SECTOR 3, DSIIDC, BAWANA, , DELHI - 110039	North	Orange / Operate	Gravure Printing (Dry process)(without Trade Effluent Discharge)	Hardcopy not submitted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
68	02-06-2018	JEWEL PLASTICS	A-77/1, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Operate	MFG. OF PLASTIC PRODUCTS WITH PRINTING (USE FOR PACKAGING PURPOSE ONLY).	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-Yes, attached to Extruder(Proposed) 3. D.G. set- No Plot Area-379 sq mt Date of Establishment/ Commenceent- 01.01.1967 Status of Ground Water Extraction-No Water consumption- 250 L/day Source- Outside Unit has submitted Form 1 under HWM Rules.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

69	27-05-2018	M/S BHARAT PRINT MEDIA	AT BLOCK P-8 SECTOR 5, BAWANA INDUSTRIAL AREA, DELHI-39	North	Orange / Operate	Non-Woven fabric Bags along with other activity of printing	Status of Pollution Control system Devices- 1. ETP- No 2. Channelization/ECS- No 3. D.G. Set- N/A Plot Area- 200 sq mt Date of Establishment/ Commenceent-30.03.2018 Status of Ground Water Extraction-No Water consumption- 30 L/day Source- DSIIDC (CETP Bill Submitted). Status of Inspection : No	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
70	25-05-2018	M/S BHARAT PLASTIC INDUSTRIES	BLOCK L- 10 SECTOR 5, BAWANA INDUSTRIAL AREA, DELHI-39, DELHI - 110039	North	Orange / Operate	of PP-fabric Bags along with other activity of printing and lamination Using fresh dana	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- No 3. D.G. set- No Plot Area-250 sq mt Date of Establishment/ Commencement- 13.12.2017 Status of Ground Water Extraction-No Water consumption-50 L/day Source- Outside (Bill not submitted)	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
71	17-05-2018	DELHI METRO RAIL CORPORATIO N LTD.	MUKUNDPUR DEPOT OF LINE-7 OF PH-III MRTS PROJECT, NEW DELHI - 110084	North	Orange / Establish	Auto coach washing plant, offices and canteen	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTE be granted. Subsequently inspection be conducted.
72	22-05-2018	VIRAT ECOBAGS PRIVATE LIMITED	N-47,48,49, SECTOR-1, BAWANA INDUSTRIAL AREA, DELHI-110039	North	Orange / Operate	PAPER CARRY BAGS (WITH PRINTING) (Without Trade Effluent Discharge)	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-No 3. D.G. set- No Plot Area-750 sq mt Date of Establishment/ Commenceent- 11.05.2018 Status of Ground Water Extraction-No Water consumption- 200 L/day Source- Outside, Inspection status- No	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
73	17-05-2018	PREM CHAND ANIL KUMAR GOYAL	B-36/11, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Operate	PRINTING PRESS AND STATIONERY AND BOOK BINDING.	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-No 3. D.G. set-No Plot Area-110 sq mt Date of Establishment/ Commenceent-14.04.2015 Status of Ground Water Extraction-No Water consumption-50 L/day Source- DSIIDC (Bill submitted). Inspection status- No Unit has not submitted form-I under HWM Rules. Unit has Valid CTE. Inspection is yet to be conducted.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)


Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

74	26-04-2018	SAWERA INTERNATIONAL	7875, ARAKASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	Guest House 27 Rooms	Status of Pollution Control system Devices- 1. ETP/OGT-Yes 2. Channelization/ECS- Yes 3. D.G. set- 32 KVA Plot Area-110 sq mt Date of Establishment/ Commencement-14.03.2016 Status of Ground Water Extraction-No Water consumption- 1500 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2018. Police license valid upto 31-03.2018. No. of Rooms-27	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
75	22-03-2018	THE GRACE REDEFINING BANQUETS (A UNIT OF M/S MALHOTRA REALTECH PVT. LTD.)	B-10, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI - 110033	North	Orange / Establish	BANQUET HALL	Status of Pollution Control system Devices- 1. OGT/ETP- Yes 2. ECS-Proposed 3. D.G. set- Yes, 125 KVA Plot Area-200 sq mt Date of Establishment/ Commencement-01.02.2015 Status of Ground Water Extraction-No Water consumption- 8000 l/day Source-Outside (Bill not Submitted). Inspection status- No MCD License not submitted. Police License not submitted.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTE be granted. Issue SCN to apply for CTO
76	09-05-2018	KOHLSON PAINT & VARNISH CO.	11/2/2, SAMAI PUR INDUSTRIAL AREA, DELHI - 110042	North	Orange / Renewal	MFG. OF SYNTHETIC ENAMEL PAINT (WITHOUT USE OF NITRO CELLULOSE).	Status of Pollution Control system Devices- 1. ETP-No 2. ECS-No 3. D.G. set- No Plot Area-669 sq mt Date of Establishment/ Commencement- 01.01.2002 Status of Ground Water Extraction-No Inspection conducted. No kitchen, No Laundry.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
77	04-03-2018	HOTEL EMPEROR PALMS	15A/7, WEA, KAROL BAGH, NEW DELHI - 110005	Central	Orange / Operate	GUEST HOUSE (27 ROOMS WITH 36 BEDS) W/O KITCHEN AND LAUNDARY.			Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO granted.
78	18-02-2018	NIHARIKA PLASTIC IND	PLOT NO-160, SEC-2, PKT-N, DSIDC BAWANA INDL. AREA, DELHI - 110039	North	Orange / Renewal	MANUFACTURING OF PLASTIC GRANULES WITH WASHING.	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	CTO granted (renewal) and registration
79	15-03-2018	MANSHA PLASTIC INDUSTRIES	MANSHA PLASTIC INDUSTRIES, DELHI - 110039	North	Orange / Operate	Flexo and Roto Printing	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

80	01-02-2018	OM INTERNATION AL	7/7, D.B. GUPTA ROAD, PAHARGANJ, NEW DELHI- 110055	Central	Orange / Operate	GUEST HOUSE (36 ROOMS FOR 72 PERSONS) WITH MEALS AND LAUNDRY	Status of Pollution Control system Devices- ETP/OGT- Yes, ECS - Yes, DG set - 1 x 125 KVA No. of Rooms - 36 Kitchen - Yes Laundry - Yes Boiler/HWG - No Water consumption - 6000 L/day, DJB submitted. Discharge - 6000 L/day MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 01/09/2017 Plot Area- 278.54 sq. mt. Unit has Kitchen facility.	Effluent Report- Issued by DPCC lab on 23.08.2017. Meeting the norms. Emission Report- Issued by DPCC lab on 22.01.2018. Meeting the norms. Noise Reports- Issued by DPCC lab on 25.10.2017. Meeting the norms.	Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
81	23-01-2018	TRIUMPH MOTORS (UNIT KHUSHI TRADEX PVT LTD)	D-34, S.M.A INDL AREA, G.T.KARNAL RD, AZADPUR, NEW DELHI - 110033	North	Orange / Establish	REPAIRING, SERVICING, DEN TING, PAINTING AND WASHING	Unit was asked to Pay Env Compensation of Rs. 2 lakhs in the form of DD for the violations observed. Unit has submitted EC of Rs. One Lac only. Unit has been closed.	Effluent Report- N/A Emission Report- N/A Noise Report - N/A	Meeting held on 03.06.2019 and decided that CTE and CTO be refused as unit has not submitted balance Environmental Compensation. Expedite inspection.	CTE be refused. Issue reminder to unit's Directors to deposit Rs. One Lac balance Environmental Compensation. Also issue letter to SDM to recover the same.
82	17-02-2018	SUMIT SALES CORPORATIO N	PLOT NO 11, POCKET- D, SECTOR-4 BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	PRINTING OF PLASTIC PRODUCTS AND FEXIBLE PACKAGING	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
83	27-12-2017	THE VEGAS CAFE(A UNIT OF GURUJI ENTERPRISES)	2527 HUDSON LANEGROUND FLOOR KINGSWAY CAMP HRB NAGAR, DELHI - 110009	North	Orange / Operate	Restaurant cum bar Having seating capacity of 48	Decision taken by the consent committee headed by MS, DPCC in category II(b) cases date : 08-02-2018 Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017. The unit has been closed.		As decided in the meeting conducted by the consent committee headed by MS, DPCC in category II(b) cases held on 08-02-2018 and decided Consent to be Operate granted.	CTO infructuous.
84	18-01-2018	GRAPHIC PRINTING INK MFG. CO.	91-A, GALI NO. 7, SAMAIPUR INDUSTRIAL AREA, DELHI - 110042	North	Orange / Operate	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided inspection be conducted.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

85	02-12-2017	DIVINE PLASTIC INDUSTRIES	PLOT NO 214, BLOCK-H, POCKET-G, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	Manufacturing of Reprocessed Plastic Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Ask the unit to apply for registration under PWM Rules. If the unit submit the same and found satisfactorily, CTO granted and registration.
86	14-11-2017	ANNPURNA BHOJ AND GUEST HOUSE	680, CHURCH MISSION ROAD, FATEHPURI, DELHI - 110006	Central	Orange / Operate	GUEST HOUSE AND EATING HOUSE 48 SEATS	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
87	10-11-2017	HOTEL S.B. INN	897-898, GALI CHANDIWALI, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	guest house with 11 beds (nos. of rooms-11).	As per consent application; No of Rooms: Less than 20, Kitchen/ Pantary: No DG Set: 10 KVA Boiler: Yes Categorisation Committee in its meeting dated 27.07.2018 & 09.08.2018 decided that hotels/ Guest house having less than 20 rooms without Kitchen/ Pantry/ DG Set/ Boiler /any other source of pollution, may be categorised under White Category.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
88	01-11-2017	HOTEL RAJ	8494-8495 ARAKASHAN ROAD PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	hotel/guest house	As decided in the meeting, SCN for Closure was issued to the unit on 01.07.2019. In response to the referred SCN, unit has submitted a reply on 08.07.2019 and enclosed the DJB Bill, MCD License valid upto 31.03.2019 and Police License valid upto 31.03.2019, Fire Safety Certificate.		Meeting held on 03.06.2019 and decided that CTE be granted. Issue SCN for Closure for deficiencies.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
89	25-10-2017	BIKANERVAL A	10181-82, CHOWK GURDWARA ROAD KAROL BAGH, NEW DELHI - 110005	Central	Orange / Operate	MANUFACTURING OF SWEETS AND NAMKEEN	As decided, inspection of the unit was conducted by the officials of DPCC on 07.10.2019 and the observations are as follows- 1. First Floor of the premises id being used for Restaurant. 2. Ground floor of the premises is being used for sale of sweets. 3. Effluent treatment Plant followed by Oil and Grease trap has been provided to treat effluents generated from the restaurant. 4. hood and suction arrangement has been provided to channelize the emissions generated from cooking of eatable items in the kitchen. 5. Records in respect of operation of ETP found maintained		Meeting held on 03.06.2019 and decided that Expedite Inspection.	CTO granted
90	13-10-2017	HOTEL INDIA (A UNIT OF AYUSHI INDIA HOLDING PVT. LTD)	691, BAGH DIWAR, QUEENS GARDEN,, DELHI - 110006	Central	Orange / Operate	Guest House 22 Rooms	No. of Rooms - 22, Kitchen - No, Laundry -No, Boiler/HWG - No Water consumption - 1500 L/day Discharge - 800 L/day ETP/OGT- N/A, ECS - N/A, DG set - No MCD License - Valid upto 31/03/2020 Police License - Valid upto 31/03/2020 Commencement date- 01.06.2011	Effluent Analysis Report- N/A Emission Monitoring Report - N/A Noise Monitoring reports issued - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.

(Arun Mishra)

Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat)


EE(CMC-VII)

(Sunder Singh)



AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

91	13-10-2017	HOTEL CHITRA	176, KATRA BARIYAN, FATEHPURI, DELHI - 110006	Central	Orange / Operate	GUEST HOUSE	Room 28 with kitchens, DG set- Nil, Oil & Grease Trap proposed		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.
97	12-10-2017	IMPERIAL HOTEL	4875, CHURCH MISSION ROAD, FATEHPURI, DELHI - 110006	Central	Orange / Operate	Guest House 28 Rooms	Room 28 with kitchens, DG set- Nil, Oil & Grease Trap proposed		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.
98	06-10-2017	SAHARA INTERNATIONAL AL. DX	3162/63/34/35, GF, FF, SF, SANGAT RASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	GUEST HOUSE (35 ROOMS WITH 67 BEDS) W/O KITCHEN AND LAUNDRY.	Status of Pollution Control system Devices- 1. ETP/ OGT- N/A, 2. ECS - N/A, 3. D.G. Set- Yes, 20 KVA Plot Area- 160 sq mt Date of Commencement-28.07.2010 Status of Ground Water Extraction-No Water consumption- 3000 L/day. Source- DJB (Water Bill not submitted) MCD & Police License valid upto 31.03.2018. Status of Inspection-No No. of Rooms-35 No. of Beds-67	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
99	03-10-2017	SHAKUNTALA M GARDEN	KH. NO 45/11-12-38 VILLAGE BAKOLI BAKHTAWARPUR ROAD, DELHI - 110036	North	Orange / Renewal	FARM HOUSE (A PARTY LAWN).	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 3243 sq mt Date of Establishment/ Commencement- 2007 Status of Ground Water Extraction-No Water consumption- 350 L/day Source- Outside (Bill not submitted)	Effluent Analysis Report- submitted on 08.08.2017 issued by DPCC. Parameters are within prescribed limits. Emission Monitoring Report - N/A Noise Monitoring report- N/A	Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act for closure of the unit.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
94	26-09-2017	RAJ PLASTIC INDUSTRIES	I-2047, DSIDC, NARELA INDUSTRIAL AREA, DELHI - 110040	North	Orange / Renewal	Plastic Granual. Cutting and washing of Plastic scrap.	Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- yes channelization 3. D.G. set- N/A Plot Area- 150 sq mt Date of Establishment/ Commencement- 2007 Status of Ground Water Extraction-Yes Water consumption- 350 L/day Source- DSIDC (Bill not submitted) Inspection done on 18.07.2018, ETP and ECS found operational.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO renewal granted and registration under PWM rules granted.
95	12-09-2017	HOTEL PAULS COURT (A UNIT OF A. N. OVERSEAS PVT. LTD.)	5/62, WEA, AJMAL KHAN ROAD, KAROL BAGH, NEW DELHI - 110055	North	Orange / Operate	Hotel (without kitchen, laundry and boiler)	Hardcopy not received		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Ask the unit to submit the requisite documents and inspection be conducted. If unit submit the same and found satisfactorily, CTO granted.



(Arun Mishra)
Member Secretary, DPCC



(Satender Kumar)
SEE (CMC-V)


 
(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)


Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

96	30-08-2017	HOTEL BOMNAY ORIENT (PROP. SISA HOTELS PVT. LTD)	941-943 AND 945-949, GALI SHYAM LAL, JAMA MASJID, DELHI, DELHI - 110006	Central	Orange / Operate	Hotel Without Restaurant.	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Ask the unit to submit the requisit documents and inspection be conducted. If unit submit the same and found satisfactorily, CTO granted.
97	20-08-2017	HOTEL AURA	1185/31 ARAKASHAN ROAD PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	hotel/guest house	No. of Rooms - 25, Kitchen - No, Laundry -No Water consumption - 3000 L/day Discharge - 2000 L/day ETP/OGT- N/A, ECS - Yes, DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 01/04/2009	Effluent Analysis Report- N/A Emission Report issued (boiler) by DPCC on 19.07.2017 Noise Reports issued by DPCC on 10.07.2017	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
98	01-08-2017	DE-HOCKS DELUXE	8/7, D.B GUPTA ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	Guest House 33 Rooms	Status of Pollution Control system Devices- 1. OGT-Yes 2. Channelization-Yes 3. D.G. set-Yes, 1X25 KVA Plot Area- 278 sq mt Date of Establishment/ Commencement-08.09.2008 Status of Ground Water Extraction-No Water consumption- 2500 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2018. Police license valid upto 31-03.2018. No. of Rooms-33	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
99	25-07-2017	HOTEL GOLDEN DELUXE	12A/7, WEA, SARASWATI MARG, KAROL BAGH, NEW DELHI-110005, DELHI - 110005	Central	Orange / Operate	Guest House with 23 rooms having 35 beds	Status of Pollution Control system Devices- 1. OGT-No 2. Channelization-No 3. D.G. set-Nil Plot Area- 214.05 sq mt Date of Establishment/ Commencement-01.11.1996 Status of Ground Water Extraction-Yes. submitted copy of CGWA registration Water consumption- 1000 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2018. Police license valid upto 31-03.2018. No. of Rooms-23 No. Of beds-35	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
100	23-07-2017	HOTEL LAKSHMI PALACE	PLOT NO: 6/65, W.E.A., GURUDWARA ROAD, KAROL BAGH, , NEW DELHI - 110005	Central	Orange / Operate	GUEST HOUSE WITH 27 ROOMS WITH 56 BED	Status of Pollution Control system Devices- 1. OGT-Yes, 2. Channelization-Yes, 3. D.G. set-Nil Plot Area- 231 sq mt Date of Establishment/ Commencement-15.05.2015 Status of Ground Water Extraction-No Water consumption- 2000 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2018. Police license submitted and valid upto 31.03.2018. No. of Rooms-27 No. of Beds-56	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.


(Arun Mishra)
Member Secretary, DPCC


(Satender Kumar)
SEE (CMC-V)


(M. S. Rawat)
EE(CMC-VII)


(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

101	14-07-2017	PALM DOR	8595/1, DB GUPTA ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	Guest House	No. of Rooms - 29, Kitchen - Yes Water consumption - 2000 L/day, Discharge - 1740 L/day ETP/OGT - Yes, ECS - No, DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 27/07/2010		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
102	20-12-2017	KESHAV PROCESSOR	G-1026 DSIIDC NARELA, DELHI - 110040	North	Orange / Operate	WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided: kept in abeyance in view of decision taken in the	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
103	05-07-2017	INDRAPRASTHA SERVICE STATION	IP. ESTATE, RING ROAD, DELHI - 110002	Central	Orange / Renewal	FILLING CUM SERVICING OF VEHICLES	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
104	30-06-2017	PHILIPS BRAKES RUBBER CO.	KH. NO. 80, STREET NO. 8, SAMAI PUR INDUSTRIAL AREA, DELHI - 110042	North	Orange / Renewal	manufacturer of auto parts	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
105	30-06-2017	MARCO POLO	8593/1, BASTI ARAKASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	GUEST HOUSE with 22 rooms (without Kitchen, Laundry and Boiler)	Status of Pollution Control system Devices- 1. OGT-Yes, 2. Channelization-Yes 3. D.G. set-Nil Plot Area-259.56 sq mt Date of Establishment/ Commencement-12.11.2008 Status of Ground Water Extraction-No Water consumption- 2000 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2017. Police license valid upto 31-03.2017. No. of Rooms-22	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
106	27-06-2017	BIKANERVALA	16/10175/2T, GURUDWARA ROAD, KAROL BAGH, DELHI - 110005	Central	Orange / Renewal	SALE AND MANUFACTURING OF SWEETS AND NAMKEENS	As decided, inspection of the unit was conducted by the officials of DPCC on 07.10.2019 and the observations are as follows- 1. The premises is being used for manufacturing of sweets and namkeens. 2. Oil and Grease trap has been provided to treat effluents generated during sweets and Namkeens manufacturing. 4. Hood and suction arrangement has been provided to channelize the emissions generated during cooking and manufacturing of sweets and namkeens.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted (renewal)
107	20-06-2017	LAMBA FOOD PRODUCTS	PLOT NO. 3 - 4, PKT - I, SEC - 4, DSIIDC, BAWANA, INDL AREA, DELHI - 110039	North	Orange / Operate	SNACKS AND NAMKEEN ETC	Unit was inspected by DPCC officials on 27.12.2017 and based on inspection SCN u/s 31 (A) of Air Act and 33 (A) of Water Act issued on 18.01.2018. Unit has submitted reply on 16.02.2018 complying with all the deficiencies and Requested to grant Consent to Operate.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)

Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat)
EE(CMC-VII)

(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21st and 22nd Oct. 2019 (old software cases till 02.11.2018)

108	13-06-2017	GLOW INN	448, GALI CHANDI WALI, PAHARGUNJ, NEW DELHI - 110055	Central	Green / Operate	GUEST HOUSE (24 ROOMS).	Status of Pollution Control system Devices- 1. OGT-N/A, 2. Channelization-N/A 3. D.G. set- Nil Plot Area- 250 sq mt Date of Establishment/ Commencement-24.09.2008 Status of Ground Water Extraction-No Water consumption- 2500 l/day Source-DJB (Bill Submitted). MCD license Submitted and Valid upto 31.03.2018. Police license valid upto 31-03.2018. No. of Rooms-24 No. Of beds-32		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.
109	07-06-2017	INDRAPRASTHA	17A/54, W.E.A., KAROL BAGH, NEW DELHI - 110005	Central	Green / Operate	GUEST HOUSE (18 ROOMS).	As per consent application, No of Rooms: Less than 20, Kitchen/ Pantary: No DG Set: Nil, Boiler: Nil Categorisation Committee in its meeting dated 27.07.2018 & 09.08.2018 decided that hotels/ Guest house having less than 20 rooms without Kitchen/ Pantry/ DG Set/ Boiler /any other source of pollution, may be categorised under White Category.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
110	01-07-2017	COLOR COMBINATION	H-19, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	Job work of washing of readymade garments (With oil fired boiler)	Inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided, kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
111	05-06-2017	ANOOP GUEST HOUSE(A UNIT OF HOTEL SINGH EMPIRE DX)	1566 ,MAIN BAZAR PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	guest House 30 Rooms	Inspection is yet to be conducted.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.
112	05-06-2017	THE ROYAL INN	T-565, CHAMLLIAN ROAD (NEAR IDGAH CIRCLE) ,DELHI, DELHI - 110006	Central	Orange / Operate	Guest House 25 Rooms	inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.
113	04-06-2017	WHITE HOUSE TOURIST LODGE	8177-8178, ARAKASHAN ROAD, PAHARGANJ, NEW DELHI - 110055	Central	Orange / Operate	guest House 30 Rooms	As per undertaken unit has installed ETP and guest house is 30 room without boiler without kitchen.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted.

(Arun Mishra)

Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat)
EE(CMC-VII)

(Surender Singh)
AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

114	02-06-2017	NATIONAL LODGE	24A/7880, ARAKASHAN ROAD PAHAR GANJ, NEW DELHI - 110055	Central	Orange / Operate	GUEST HOUSE	DG set of 31 KVA however not mentioned in the consent form	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
115	28-04-2017	SHRI TIRUPATI PACKAGING	H-122, SECTOR-5, DSIDC BAWANA INDUSTRIAL AREA, DELHI-110039.	North	Orange / Operate	MFG. OF PLASTIC LAMINATION AND FLEXO PRINTING (W/O ANY TRADE EFFLUENT)	inspection is yet to be conducted.		Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
116	28-04-2017	HOTEL GREEN CASTLE	1419-21, 1424-25 LOTHIAN ROAD KASHMERE GATE, DELHI - 110006	Central	Orange / Operate	Guest House	inspection is yet to be conducted.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
117	09-03-2017	ARJUN PLASTIC	PLOT NO-255 POCKET-I SECTOR-3 DSIDC BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MANUFACTURING OF PLASTIC PRODUCT WITH SCREEN PRINTING	Reinspection be conducted for sampling of plastic packaging material	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
118	25-01-2017	PYARE LAL GOEL	B-2561, NARELA INDUSTRIAL AREA, DELHI - 110040	North	Orange / Operate	Manufacturing of Poly Bag	SCN for Closure u/s 31 (A) of Air Act and u/s 5 of EP Act was issued to the unit on 09.08.2016. Directions for Closure u/s 31 (A) of Air Act and u/s 5 of EP Act was issued to the unit on 19.12.2016. Unit has submitted that rectification has been done. Desealing letter was issued to the unit 01.12.2017.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO granted and registration
119	07-11-2016	LAXMI PLASTIC UDYOG	E-21, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MFG. OF PLASTIC PRODUCTS VIZ TARPAULIN.	SCN for Closure u/s 31 (A) of Air Act and u/s 5 of EP Act was issued to the unit on 28.03.2019. Unit submitted representation on 10.04.2019.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 03.06.2019 and decided that Re-inspection be conducted.	CTO granted and registration
120	01-02-2016	VIJAY SHRI PAKAGING	39/14, BAWANA ROAD, SAMAI PUR INDUSTRIAL AREA, DELHI - 110042	North	Orange / Renewal	PLASTIC BAG AND ROTO GRAVURE PRINTING.	SCN for Closure u/s 31 (A) of Air Act and u/s 5 of EP Act was issued to the unit on 08.12.2015. Unit has submitted reply that necessary rectification has been done.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.
121	18-09-2015	BURAD INTERNATIONAL (P) LTD.	197, PH-II, SHAHZADA BAGH INDUSTRIAL AREA, OLD ROHTAK ROAD, DELHI - 110035	Central	Orange / Renewal	PLASTIC PRODUCTS (TUBES AND BAGS FOR INDUSTRIAL USE ONLY) WITH FLEXO PRINTING.	Inspection is yet to be conducted.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN.

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) EE(CMC-VII)
(Surender Singh) AEE(CMC-V)

Decision of Consent Committee for category 2 (b) cases headed by Member Secretary, DPCC held on 19th, 21th and 22nd Oct. 2019 (old software cases till 02.11.2018)

123	30-07-2014	NAG BANSI RAMA RUBBER INDUSTRIES	PLOT NO.129, POCKET-F, SECTOR-I, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Operate	MFG. OF RUBBER AUTO PARTS W/O TYPE AND TUBES.	Status of Pollution Control system Devices- 1. ETP-N/A. 2. ECS-As per stack monitoring report unit has provided Channelization system and using only electricity. 3. D.G. set- No Date of Establishment/ Commenceent-10.07.2014 Water consumption- 500 l/day Source- Outside (Bill not Submitted). The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Consent to Operate granted. But due to software problem, Consent could not be granted.	Effluent Report- N/A Emission Report -Yes. Meeting the norms. Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Consent to Operate granted. SCN for HMW and subsequently inspection be conducted.	CTO be infructous. Issue letter to apply for consent afresh if not applied as the fee period is lapsed. Inspection also be conducted.
123	09-07-2018	DENIM DAYS	KH NO 28/12,SIRASPUR ROAD, LIBASPUR INDUSTRIAL AREA, DELHI - 110042	North	Orange / Operate	READYMADE JEANS WASHING.	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS-Yes, Stack attached to boiler. 3. D.G. set- N/A Plot Area- 350 sq mt Date of Establishment/ Commenceent-04.12.2006 Status of Ground Water Extraction-No Water consumption- 4400 l/day Source- Outside (Bill not Submitted). Unit have submitted Boundary certificate. Applied for Authorisation under HWM Rules on 11.07.2018	Effluent Report- No. Emission Report-Yes, issued by DPCC on 19.06.2018. Parameters are within prescribed limits. Noise Report - N/A	Meeting held on 13.12.2018/27.12.2018 and decided Kept in abeyance in view of decision taken in the Meeting held on 24.07.2018 by Committee headed by Chairman, DPCC in respect to garment washing units etc.	Inspection be conducted. If found complied with the norms, CTO granted. If violation observed, issue SCN. Application under HWM Rules be kept in abeyance.
124	19-05-2014	SAGAR INDIA	E-694, GROUND FLOOR, DSIDC NARELA INDUSTRIAL AREA, DELHI - 110040	North	Orange / Operate	Plastic Dana with Plastic Scrap.	Status of Pollution Control system Devices- 1. ETP-N/A. 2. ECS-As per stack monitoring report unit has provided Channelization system and using only electricity. 3. D.G. set- No Date of Establishment/ Commenceent-10.07.2014 Water consumption- 500 l/day Source- Outside (Bill not Submitted). The Case was taken by the Consent Committee headed by MS, DPCC in category II(b) cases in its meeting held on 13.12.2018/27.12.2018 and decided Consent to Operate granted. But due to software problem, consent could not be issued.	Effluent Report- N/A Emission Report -Yes, meeting the norms Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Consent to Operate granted. Subsequently inspection be conducted.	CTO be infructous. Issue letter to apply for consent afresh if not applied as the fee period is lapsed. Inspection also be conducted.
125	12-02-2014	FAIR PLAST & SYNTHETIC INDUSTRIES	PLOT NO.-12, POCKE-L, SECTOR-3, DSIDC, BAWANA INDUSTRIAL AREA, DELHI - 110039	North	Orange / Renewal	Mfg. of Plastic Goods and Packing Material (Without Trade Effluent) and Mfg. of Plastic Carry Bags.	As decided by committee on 15.02.2018, Inspection is yet to be conducted.	Effluent Report- N/A Emission Report -N/A Noise Report-N/A	Meeting held on 13.12.2018/27.12.2018 and decided Expedite Inspection.	CTO be infructous. Issue letter to apply afresh as the fee period is lapsed. Inspection also be conducted.

(Arun Mishra)
Member Secretary, DPCC

(Satender Kumar)
SEE (CMC-V)

(M. S. Rawat) (Surender Singh)
EE(CMC-VII) AEE(CMC-V)


S. No	Enquiry Counter I.D. No	Application Date	Industry Name	Industry Address	District	Category	Activities	Last Committee Decision	Committee decision on 19.010.2019
1		16-11-2018	NORTH WEST SALES AND MARKETING LIMITED	A-40, COMMUNITY CENTRE, PASCHIM PURI, New Delhi - 110028	WEST	Orange / Operate	SHOPPING COMPLEX.	26-06-2019 :: As decided in the meeting 2 b held on 03.06.2019 in the conference room ISBT Kashmiri Gate, Inspection be carried out to verify the rectification of deficiencies.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused
2		23-10-2018	NAIVEDYAM	25/35, GROUND FLOOR, EAST PATEL NAGAR, Delhi - 110014	WEST	Orange / Establish	RESTAURANT 45 SEATS	23-04-2019 :: The case was taken by the Consent Committee, headed by MS, DPCC in category II (b) cases in its meeting held on 13.12.2018/ 27.12.2018 and decided issue letter for hardcopy.	consent to establish granted.
3		19-10-2018	SOHWASIA KALYANKARI FOUNDATION	62, DALL MILL COMPOUND, KAVITA COLONY, KIRARI ROAD, NANGLOI, NEW DELHI-110041,, Delhi - 110028	WEST	Orange / Establish	EATING HOUSE	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)

4		19-10-2018	SOHWASIA KALYANKARI FOUNDATION	62, DALL MILL COMPOUND, KAVITA COLONY, KIRARI ROAD, NANGLOI, NEW DELHI-110041,, Delhi - 110088	WEST	Orange / Operate	EATING HOUSE	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Applied for CTE on 19.10.18. Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused
5		18-10-2018	BALWANT RAJ AND SONS	PLOT NO. M-12, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA , Delhi - 110075	WEST	Green / Renewal	MAKING OF RUBBER SHEETS (JOB WORK).	14-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Ask the unit to submit report for VOC emission or SSI / MSME Registration. If found same Consent to Operate(Renewal) granted.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)


6		17-10-2018	POORVANCHAL SAMAJ SEWA SANGH	KHASRA NO.39/15, PLOT NO.1-A, VIKAS VIHAR, NILOTHI EXTN., NANGLOI, DELHI-110041, Delhi - 110052	WEST	Orange / Operate	EATING HOUSE	26-06-2019 :: he Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 03.06.2019 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused
7		17-10-2018	POORVANCHAL SAMAJ SEWA SANGH	KHASRA NO.39/15, PLOT NO.1-A, VIKAS VIHAR, NILOTHI EXTN., NANGLOI, DELHI-110041, Delhi - 110039	WEST	Orange / Establish	EATING HOUSE	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted for Confirmity of the unit if found satisfactory Consent to Operate be issued otherwise consent be refused


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)


8		16-10-2018	SAGHAN KSHETRA VIKAS SAMITI	H.NO.A-2/22, GROUND FLOOR, KH.NO.19/10/1, KUNWAR SINGH NAGAR, NANGLOI, DELHI-110041, Delhi - 110083	WEST	Orange / Establish	EATING HOUSE	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 03.06.2019 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted for Confirmity of the unit if found satisfactory Consent to Establish be issued otherwise consent be refused
9		16-10-2018	SAGHAN KSHETRA VIKAS SAMITI	H.NO.A-2/22, GROUND FLOOR, KH.NO.19/10/1, KUNWAR SINGH NAGAR, NANGLOI, DELHI-110041, Delhi - 110052	WEST	Orange / Operate	EATING HOUSE	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 03.06.2019 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted for Confirmity of the unit if found satisfactory Consent to operate be issued otherwise consent be refused


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)


10		27-08-2018	COSMIQUE GLOBAL	A-17, NARAINA INDUSTRIAL AREA, PHASE-II, Delhi - 110039	WEST	Orange / Renewal	Home Furnishing With Washing Unit.	17-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Expedite inspection.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused
11		01-08-2018	HEADPHONES RESTAURENT(UNIT OF NITIN ENTERPRISES)	PLOT NO 1, 2ND FLOOR NWA CLUB ROAD PUNJABI BAGH, Delhi - 110052	WEST	Orange / Operate	RESTAURANT AND BAR WITH SEATING CAPACITY 48	17-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused
12		29-07-2018	CENTURY OVERSEAS	6/6-7, KIRTI NAGAR INDUSTRIAL AREA, Delhi - 110044	WEST	Orange / Renewal	MFG. OF READYMADE GARMENTS (LEATHER / WOVEN ACCESSORIES) WITH WASHING ONLY.	17-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted if found satisfactory Consent to Operate be issued otherwise consent be refused


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)

13		05-06-2018	NAV PRAYAS	KASARA NO 11/8/2, AKSH VIHAR, NEAR BAKARWALA CHOKI, NANGLOI- NAZAFGARH ROAD, DELHI-110041, Delhi - 110020	WEST	Orange / Establish	CATERING	26-06-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 03.06.2019 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be carried out to know the extent of pollution and control measures.	Inspection be conducted for confirmity if found satisfactory Consent to Operate be issued otherwise consent be refused
14		31-05-2018	DELHI BIETS (A UNIT OF PEE ESS FOODS)	PLOT NO: 3, UNIT NO: G-14 A, T C JAINA TOWER-I, DISTT CENTER, JANAKPURI,, Delhi - 110033	WEST	Orange / Operate	RESTAURANT AND BAR SERVICE PROVIDER	::	Consent to operate granted.
15		14-05-2018	DELHI BIETS (A UNIT OF PEE ESS FOODS)	PLOT NO: 3, UNIT NO: G-14 A, T C JAINA TOWER-I, DISTT CENTER, JANAKPURI,, Delhi - 110054	WEST	Orange / Establish	RESTAURANT AND BAR SERVICE PROVIDER	::	Consent to Establish granted.


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)


16		09-11-2017	RADLAY METAL PRODUCTS PRIVATE LIMITED	PLOT NO. 278, KHASRA NO. 52/5/1 AND 52/6, UDYOG NAGAR SWARAN PARK MUNDKA INDUSTRIAL AREA, Delhi - 110035	WEST	Green / Establish	SHEET METAL WORKS	26-06-2019 :: The Committee, for inspection be conducted if found satisfactory Consent to Establish be issued otherwise consent be refused Issue a letter seeking map indicating its location along with undertaking as per the recent policy dated 21.01.2019, If unit submits map Consent be granted
17	DPCC/EC/2 /1/2017/16 933	30-01-2017	VARDHMAN INDUSTRIES	KHASRA NO. 487/51, PEERA GARHI, Delhi - 110055	WEST	Orange / Operate	COPPER AND ALUMINUM WIRE DRAWING.	14-01-2019 :: The Committee, for inspection be conducted if found satisfactory Consent to operate be issued otherwise consent be refused Issue letter regarding submission of certificate, in original, from Industries Department, Govt. of NCT of Delhi / SDM regarding its location within the boundary of the notified redevelopment area and also inspection is yet to be conducted.


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)

18	DPCC/EC/2 /1/2016/16 465	28-11-2016	LUMAN AUTOMOTIVE SYSTEMS PVT LTD	P NO 23-A KH NO 487 ,PEERAGARHI INDUSTRIAL AREA, Delhi - 110028	WEST	Orange / Operate	sheet metal work	14-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Refuse Consent to Operate.	
19	DPCC/EC/2 /1/2015/10 914	26-05-2015	DESIGN CENTRE	2/2, KIRTI NAGAR INDUSTRIAL AREA, Delhi - 110018	WEST	Orange / Operate	SPRAY PAINTING OF WOODEN FURNITURE (JOB WORK).	17-09-2018 :: Show Cause Notice for refusal of consent/Authorization and Show Cause Notice u/s 31 of air act and u/s 5 of EP Act be issued to the unit.	Inspection be conducted if found satisfactory Consent to Establish be issued otherwise consent be refused
20	DPCC/EC/2 /1/2015/10 084	09-02-2015	DTC SHADIPUR	SHADI PUR DEPOT, Delhi - 110042	WEST	Orange / Renewal	Repair and Maintenance and washing of DTC Buses.	19-01-2019 :: The Committee, for II(b) category cases, headed by MS, DPCC took the following decision offline in its meeting held on 27.12.2018 and decided to upload the decision online using user rights of the Incharge of the CMC: Inspection be conducted.	Inspection be conducted and if no deficiencies are observed, consent to operate is granted. In case the deficiencies are observed, show cause notice under relevant act(s) be issued


Arun Mishra
(Member Secretary)


Sanjay Vats
EE (CMC-VI)


M.I. Siddiqui
AEE (CMC-VI)