



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)


F. No. DPCC/Committee II(b) Category/2nd Meeting /2017/435-40

Dated: 10-7-17

Subject: Minutes of the 2nd Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 06.07.2017 in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Please find enclosed herewith the Minutes of the 2nd Meeting of the aforementioned Committee, held on 06.07.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. SEE (WMC-II) : to take necessary action as per decision taken by the Committee.
2. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
3. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

Minutes of the 2nd Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 06.07.2017, in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Fresh Cases of the period 06.06.2017 to 05.07.2017.

Decisions were taken online in individual cases and list of 49 no. of units (Cases of Consent to Establish) including decisions taken in these cases are at Annexure I and list of 66 no. of units (Cases of Consent to Operate/Renewal) including decisions taken in these cases are at Annexure II.

In case of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas, the Committee decided to take up all cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas in a separate meeting to have uniform decision in such cases.

Agenda Item No 2: Pending cases of the period 01.04.2016 to 31.03.2017

This agenda could not be taken up due to paucity of time, the Committee decided to take up this agenda in the next CMC meeting.

[Handwritten signatures and initials]

1

Table Agenda Item No 1: - Following cases were taken up by the Committee with the permission of Chair:-

Decisions were taken offline after briefing the cases by the concerned engineers and decisions taken are given in the following table:-

Sl. No	CMC	Name & Address	Date of Consent Application	Activity of the Unit	Remarks	Decisions taken by the Committee on 06.07.2017
1	I	M/s Himgiri Auto (India) Private Limited, A-9/1, Jhilmil Industrial Area, Delhi-110095	02.06.2017 [Consent to Operate] & 02.06.2017 Authorization]	Repairing and Servicing of Car with Washing	Directions for closure u/s 33(A) of Water Act, u/s 31(A) of Air Act and u/s 5 of EP Act on 26.06.2017. Inspection conducted on 22.06.2017.	Consent to Operate granted. Authorization under H&OW Rules, 2016, shall be issued after submission of proof of maintaining the record, container marked with specified level and date of storage begin. Subsequently for rest of the issues, file shall be put up administratively.
2	I	M/s Orchid Grand Hospitality Pvt. Ltd., A Block, Karkardooma Metro Complex, Delhi	01.06.2017 [Consent to Operate]	Restaurant and Banquet Hall	The unit was inspected on 17.02.2017 by the Sub-Committee No.-IV constituted w.r.t. Hon'ble NGT order and during inspection, ETP was found defunct and other deficiencies were observed. ETP was also found defunct and other deficiencies observed during inspection by DPCC on 15.03.2017. Directions for closure u/s 33(A) of Water Act issued on 02.05.2017.	Inspection be conducted.

The bottom of the page contains several handwritten signatures and initials in blue ink. From left to right, there is a signature that appears to be 'Bakul', followed by '2 As C', and then a signature that looks like 'Shrin'. There are also some other initials and marks scattered around.

3	II	M/s Reliance Ambit Trade Pvt. Ltd., Commercial Building Plot No 1, City Centre, Sector-13, Dwarka, Delhi-110045	28.04.2017 [Consent to Operate]	Commercial Building	Inspection conducted on 09.06.2017. STP found operational and treated effluent is used for gardening purpose / toilet.	Consent to Operate granted.
4	III	M/s Krish Automotors Pvt. Ltd., A-3, Wazirpur Industrial Area, Delhi-110052	19.09.2016 [Consent to Operate] & 19.09.2016 [Authorization]	Servicing / Repairing of Automobiles with Washing	Inspection conducted on 17.02.2017. ETP found operational and unit found complying with H&OW Rules, 2016.	Consent to Operate and Authorization under H&OW Rules, 2016, granted.
5	III	M/s Tata Power Delhi Distribution Ltd., TPDDL, PP-1, Store Near Power House, Red Light Madhuban Chowk, Pitampura, New Delhi-110088	24.03.2017 [Authorization]	Power Distribution Company (DISCOM) - Storage of Used Transformer Oil	Inspection conducted on 28.06.2017.	Authorization under H&OW Rules, 2016, granted.
6	III	M/s Club & Sports Centre (I.U.A. Trust Regd.), Sector-XIII, Rohini, Delhi-110085	09.07.2015 [Consent to Operate]	Recreational Centre/ Club and Sports Centre	Inspection conducted on 16.12.2016. STP found operational, kitchen having channelization system and D.G. Set with acoustic enclosure & adequate stack height.	Consent to Operate granted.
7	V	M/s S.D. Udyog, 62, Rajasthani Udyog Nagar Industrial Area, Delhi-33	24.06.2017 [Consent to Establish] & 26.06.2017 [Consent to Operate]	S.S. Wire Drawing without Pickling	Letter issued on 22.05.2017 for Reinforcement of Directions for closure issued on 21.03.2016. Inspection conducted on 05.07.2017 and unit found engaged in activity of S.S. Wire	Consent to Establish and Consent to Operate granted for S.S. Wire Drawing without Pickling with the condition that hazardous waste generated earlier from the S.S. Pickling activity shall be stored safely and managed


Handwritten signatures and initials are present at the bottom of the page, including names like "Sudip Singh", "S. S. Wire", "Rajasthani", and others, along with dates and stamps.


					Drawing only and no water polluting activity carried out.	as per H&OW Rules, 2016. For rest of the issues, file shall be put up administratively.
8	IV	M/s Café Coffee Day, 1-CSC, Shanti Niketan, New Delhi-110021	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
9	II	M/s Café Coffee Day, K-1/14, C.R. Park, New Delhi-110019	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
10	II	M/s Café Coffee Day, M-6, Ground Floor, Greater Kailash-2 Market, New Delhi	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
11	III	M/s Café Coffee Day, Plot No 36/37, Shop No 34B Block, Prashant Vihar, New Delhi-110085	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

A series of handwritten signatures and initials in blue ink are located at the bottom of the page, below the table. The signatures are somewhat stylized and overlapping.

12	II	M/s Café Coffee Day, Shop No 1,2 and 3, CSC, Nilgiri Market, Alaknanda, New Delhi-110019	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
13	IV	M/s Café Coffee Day, Shop No 58, Meherchand Market, Lodhi Colony, New Delhi-110003	23.05.2017 [Consent to Establish]	Coffee Shop	The case could not be taken up in the previous meetings held in June, 2017.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
14	II	M/s Café Coffee Day, C-64, Shivalik Colony, Malviya Nagar, Delhi-110017	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
15	II	M/s Café Coffee Day, E-12, DDA Market, Masjid Moth, Greater Kailash-2, New Delhi	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.








16	II	M/s Café Coffee Day, HPCL Petrol Pump, Opp. MCD Office, Green Park, Delhi-110016	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
17	II	M/s Café Coffee Day, M-39, M Block Market, Greater Kailash-1, New Delhi-110048	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
18	II	M/s Café Coffee Day, Plot No 12, Community Centre, New Friends Colony, New Delhi	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
19	II	M/s Café Coffee Day, Plot No 5, Community Centre, Saket, New Delhi-110017	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

Dupar Singh

 Same

 [Other illegible signatures and initials]

20	II	M/s Café Coffee Day, Shop No 3, Community Centre, Saket, New Delhi-110017	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
21	II	M/s Café Coffee Day, Shop No 22, New Market, Malviya Nagar, New Delhi-110017	14.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
22	II	M/s Café Coffee Day, E-129, Amar Colony, Lajpat Nagar, New Delhi-110024	27.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
23	II	M/s Café Coffee Day, S-34, Green Park Main, New Delhi-110016	27.06.2017 [Consent to Establish]	Coffee Shop	The case was not figuring in the online agenda generated through software.	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left, a signature in the center, and several initials and smaller signatures on the right.

Attention of the Committee was drawn towards the following directions u/s 5 of Environment (Protection) Act, 1986, issued by Central Pollution Control Board to DPCC vide letter dated 19.05.2016 :-

- (i) To ensure renewal of authorization shall not be granted to existing industries with effect from 31st July, 2017;
- (ii) To ensure that incinerable and other compatible hazardous waste is sent to cement plants located in Other States for co-processing with immediate effect; and
- (iii) To monitor the setting-up of Common TSDF at Delhi by following up regularly with DSIIDC.



The issue was discussed and it was decided that a letter be sent to CPCB requesting to extend the time period upto 31st December, 2017 w.r.t. directions at (i) above.




Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on such lists (**Annexure I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

In future, if any case is falling in the chronology of the period selected for meeting however not appearing in the agenda item generated through existing software, such cases be brought before the Committee for taking offline decision.










If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

				
(S.M. Ali) Member Secretary, DPCC	(D.K. Singh) SEE, CMC-II	(M. Arif) SEE, CMC-V	(B.L. Chawla) SEE, CMC-I	(Satender Kumar) SEE, CMC-III & IV

				
(Surender Singh) EE, CMC-V	(D.K. Srivastava) EE, CMC-III	(M.S. Rawat) EE, CMC-V	(Sanjay Vatts) EE, CMC-II EE, CMC-I	(Shyam Sunder) EE, CMC-I
EE, CMC-III EE, CMC-I	 (Ramesh Chandra) EE, CMC-II	 (Amit Chaudhary) EE, CMC-III	EE, CMC-IV	 (K. Kumar) EE, CMC-IV

Attendance Sheet for 2nd Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on **06.07.2017** in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	On Training
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I),DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC V), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	On Leave
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 2nd meeting on 06.07.2017 w.r.t. Agenda Item No 1 -- 66 Fresh Consent to Operate / Renewal cases of the period 06.06.2017 to 05.07.2017(Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	LD MANUFACTURING PRIVATE LIMITED	KHASRA NO. 26, BALAJI GALI NEW MANDOLI INDUSTRIAL AREA	06-06-2017		Re-rolling mill hot (oil or gas fired) (with capacity less than 25 MT/ day) Copper / Aluminium Re-Rolling Industry(Foils and Strips Etc.) with Capacity less than 25MT/Day	Green Operate	Non-SPI		1.ETP- No 2. ECS - Wet scrubber and cyclone 3.. D.G.Set: 1240 KVA, Stack height 12 m 4. OLMS-Installed. 5. Proof prior to 2007-Yes, Mahanagar telephoneNigam Limited delhi registered on 31.03.1995. 6. Documents in original for boundary by industry Department- No 7. Display Board- No. 8. Fuel used - HCS. - The inspection of the unit was conducted on 07.05.2016. - Direction of the closure was issued to the unit on 07.05.2016 at the time of inspection. - Temporary revocation for closure direction was issued on 12.07.2016. -Again an inspection was conducted on 20.03.2016. - Direction for closure was issued on 19.05.2016 in view of the deficiencies observed during the above said inspection. - Refusal of consent was issued on 19.05.2017. - The unit applied for consent to operate on 08.06.2017.	-Emission Monitoring report was submitted by DPCC on 27.12.2016 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommendation for inspection.	06-07-2017 Inspection be conducted.
2	V K BOX INDUSTRIES	B-99, GTK ROAD INDUSTRIAL AREA	06-06-2017	2	MFG.OF CARBOARD AND PRINTING PRESS AND LAMINATION WITH PLATE MAKING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-08-2009 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 392 sq mt Date of commencement- 01.04.2011 Status of Ground Water Extraction-No 1. Water consumption- 1000 L/day.	Effluent analysis report - issued by DPCC lab, on 16.05.2017 submitted, Parameters are found within limit. Emission monitoring report -N/A Noise monitoring report - N/A	06-07-2017 Inspection may be conducted.	06-07-2017 Inspection be conducted.

								HWM Application No. 2 Application Date 15-12-2010 Authorisation Status Pending	a) Source of water- Outside (copy of bill not submitted) Unit has also applied under form-I of HWM rules.			
								HWM Application No. 3 Application Date 06-06-2017 Authorisation Status Pending				
3	BAJAJ MACHINE TOOLS	C-184, NARAINA INDUSTRIAL AREA PHASE - I	06-06-2017	MFG. OF DIFFERENT TYPES OF ENGINEERING MACHINE, LATHE MACHINE, POWER PRESS. Spray Painting, Paint Baking, Paint Stripping	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-09-2011 Authorisation Status Approved Authorisation Issue Date 31-08-2012 Authorisation Expiry Date 19-09-2016 HWM Application No. 2 Application Date 06-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017	06-07-2017 Inspection be conducted.	
4	MEMBRANE TYRES PVT LTD	PLOT-56, FIE, PATPARGANJ INDUSTRIAL AREA, DELHI-92	07-06-2017	PRECURED TYRE RETREADING Tyre Retreading (with Boiler)	Orange Renewal	Non-SPI		1. ETP- No 2. ECS- No 3. Water Consumption - 74 L/day 4. Trade Effluent- 40 L/day 5. Fuel Type- High Speed Diesel	- Noise Monitoring Report was submitted by DPCC on 01.06.2017 and all the parameters are within the prescribed limits. - Emission Monitoring Report was submitted by DPCC on 05.06.2017 and all the parameters are within the prescribed limits.	06-07-2017 Recommended for inspection.	06-07-2017 Inspection be conducted.	
											06-07-2017	

06-07-2017

DPCC : Administrative Area

5	AMBE AUTO	C-148, PHASE-I, OKHLA INDUSTRIAL AREA	07-06-2017	Servicing and repairing of two wheelers automobiles Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-06-2017 Authorisation Status Pending	status of Pollution Control System (1)ETP ---- Yes (Physiochemical) (2)ECS - N/A (3)D.G.Set : 1 (15 KVA) Status of Ground Water extraction : Nil Water Consumption: 4000 Liters/Day (Source - DJB & Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 Consent to Establish issued on 29-05-2015.	Inspection be conducted.
6	LA SUITE HOTEL	E-2/14, EAST PATEL NAGAR	07-06-2017	Hotel Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System water consumption: 14000 litre/day Status of Ground Water extraction : nil (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA. Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Effluent analysis report: (a) Effluent analysis report dated 24-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to operate may be granted.	06-07-2017 Case deferred.
7	NEW SHAMA LABORATORIES PVT. LTD.	PLOT NO 310, FIE, PATPARGANJ INDUSTRIAL AREA	07-06-2017	MFG OF AYURVEDIC AND UNANI MEDICINES Medicines / Pharmaceutical Formulation- with Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-06-2017 Authorisation Status Pending	1. ETP- Yes, physiochemical of design capacity of 3000L/D. 2. ECS- No 3. D.G. Set- No (40KVA as given in undertaking) 4. Trade Effluent Discharge- 1000 L/D, disposed into public. 5. Domestic Trade Effluent-300 L/D, disposed into public sewer. 6. Water Consumption- 1000 L/day source is Corporation.	Emission Monitoring Report was submitted by DPCC on 25-04-2014 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent report was submitted by DPCC on 01-05-2017 and all the parameters are within the prescribed limit as per the report. Noise Monitoring Report was submitted by DPCC on 21-03-2014 and all the parameters are within the prescribed limit as per the report	06-07-2017 Recommended for Inspection.	06-07-2017 Inspection be conducted.
8	HOTEL GOLDEN GRAND	W-1/10MAIN PATEL ROAD,	08-06-2017	Hotel Hotel/ Guest Houses	Orange Operate	Non-SPI		Source of water: DJB, Category-II water consumption: 5500	Effluent analysis report: (a) Effluent analysis report dated 24-04-2017 issued	06-07-2017	06-07-2017 Case deferred.

		WEST PATEL NAGAR		having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				litre/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP - ETP - Physiochemical, Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 200 KVA -An inspection was carried out by the representatives of DPCC on 20.01.2017, during inspection following observations were made: 1. Unit found operational and engaged in the activity of Hotel having 33 rooms (double bedded). 2. Effluent Treatment Plant installed and same found operational. 3. One D.G. set of 200 KVA installed with acoustic enclosure and adequate stack height 4. Channelisation provided in the kitchen with adequate stack height of chimney. 5. Not applied for Consent to Operate and Consent to Operate yet. -A show cause notice was issued to the unit on 01.03.2017. -A modified direction was issued to the unit on 13.04.2017.	by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 25-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
9	PRAKASH TEXTILE	F-28/3, PHASE 2, OKHLA INDUSTRIAL AREA	08-06-2017	READYMADE GARMENTS AND ACCESSORIES WITHOUT WASHING. Readymade Garment with oil fired boiler (without Washing/Dying)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 140 KVA (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil	Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 stack monitoring report of boiler and noise monitoring report of DG set reveals that the height of stacks are inadequate.	06-07-2017 Ask the unit to provide adequate stack height for D.G. Set and boiler.

									Water Consumption: 300 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
10	BINSAR AUTOMOBILES	PLOT NO 28/21, GALI NO 3, FRIENDS COLONY INDUSTRIAL AREA	08-06-2017		TWO WHEELERS WORKSHOP (WASHING AND REPAIRING). Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. Water Consumption : 1700 L/ day 4. Trade Effluent Generated: 1550 L/ day - Consent to Establish was issued to the unit on 06.07.2016.	Analysis Report of water effluent was submitted by DPCC on 15.03.2017 and all the parameters are within the prescribed limit.	06-07-2017 Recommended for inspection.	06-07-2017 Inspection be conducted.
11	MAURYA PRINTERS	D 150 FLATTED FACTORY COMPLEX OKHLA III	08-06-2017		PRINTING OF PLAIN , PRINTED LABELS (STICKERS) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A (2)ECS - N/A (a) Stack analysis report dated - N/A (3)D.G.Set: ...N/A... (a) Noise monitoring report of - N/A - Water consumption: 2 kilo liters per day Source of water is corporation. Trade effluent _Nil Domestic effluent- 5 kiloliters per day.(Sewer/ Drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A Month and years of Commencement of Production- 10.10.2016 Existing	06-07-2017 unit applied for Consent to establish and consent to operate on 19.01.2017 and 08.06.2017 for the activity of printing of plain and printed labels (Stickers). It is recommended CTE may be granted and inspection may be carried out to check the current status before deciding CTO and Authorization.	06-07-2017 Consent to Establish granted. Also inspection be conducted.	
12	DRUMS OF HEAVEN	S-14, GROUND FLOOR, GREEN PARK EXTN. MARKET	10-06-2017		RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap capacity 2000 liters per day (Size not provided) (a) Effluent analysis report dated		06-07-2017 Unit is applied for CTO on 10.06.2017 for the activity of Restaurant with seating capacity of	06-07-2017 Inspection be conducted.

					Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				- N/A - issued by - N/A - submitted. (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... a) Noise monitoring report of - N/A Status of Ground Water extraction : Nil Water Consumption- 4800 Liters per Day (DJB) Trade Effluent- 3480 Liters per day (Sewer) Domestic Effluent- 1920 liters per day (Sewer) SCN u/s 31(A)/33(A)/5 of EPA details :24.07.2015 Status of Inspection : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of Commencement of Production- June 1994 Existing		34. Unit has installed Oil and Grease Trap of capacity 2000 liters per day. Dimension of Oil and grease trap is not provided. As decided in file Inspection may be carried to know the present status of effluent treatment system / Oil and Grease Trap before taking necessary action in this case. Inspection yet to be conducted. It is recommended an inspection may be conducted.	
13	R.K. MOULDERS	PLOT NO. 50/17A, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	10-06-2017		MFG. OF CLUTCH PLATE Aluminium Pressure Die Casting	Orange Renewal	Non-SPI		water consumption: 80 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Stack monitoring report: b) Stack monitoring report dated 23-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	06-07-2017	06-07-2017 Case deferred.
14	THE BACKYARD (A UNIT OF SLURP HOSPITALITY)	GROUND FLOOR, 49, NORTH WEST AVENUE, PUNJABI BAGH EXTN	12-06-2017		RESTAURANT 98 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or	Orange Operate	Non-SPI		Source of Water: Delhi Jal Board (CAT-II) Name not matched and address matched Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A	1) Noise monitoring report: The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 08-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.

					Laundry without Boiler				(3)D.G.Set: The unit has 1 D.G. Set(s) of 82.5 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD and Delhi Police License valid upto 31.03.2016			
15	SUNRISE AUTO WORLS PVT. LTD	PLOT NO.-2, I.P. EXTN., NEAR MOTHER DAIRY PLANT,	13-06-2017		SERVICE STATION OF CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-12-2010 Authorisation Status Approved Authorisation Issue Date 17-10-2013 Authorisation Expiry Date 14-12-2015 HWM Application No. 2 Application Date 22-12-2016 Authorisation Status Pending	1. ETP- Physicochemical 2. D.G. Set- 125 KVA and 250 KVA. 3. Water Consumption- 10000 L/day 4. Trade effluent Discharge- 8000 L/day 5. Domestic Effluent Discharge- 1600 L/day - The unit has applied for consent to operate and is valid upto 31.07.2017. - Show Cause Notice u/s 33 (A) of Water Act, u/s 5 of EPA Act and revocation of consent was issued to the unit on 31.02.2017 in view of the deficiencies observed during the inspection conducted on 15.12.2016. - The unit submitted its reply on 28.04.2017 informing that they have rectify all the deficiencies observed. -The inspection of the unit was again conducted on 05.06.2017.	Noise Monitoring Report was submitted by DPCC on 23.05.2017 and all the parameters are within the prescribed parameters. -Analysis Report of water effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed parameters. -Emission Monitoring Report was submitted by DPCC on 23.05.2017 and all the parameters are within the prescribed parameters.	06-07-2017 Recommended for the grant of Consent to Operate.	06-07-2017 Inspection conducted on 05.06.2017 and ETP found operational and unit is complying HW Rules. Consent to Operate(Renewal) and authorization under HWM Rules granted.
16	PREMIER RADIO	C-29, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	13-06-2017		MANUFACTURING OF ELECTRICAL GOODS. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-07-2017 Authorisation Status Pending	water consumption: 150 litre/day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		06-07-2017 -Consent to operate may be granted.	06-07-2017 Inspection be conducted.
17	O.M.G (A UNIT OF TEWARI	F-14 & 15 (FIRST & SECOND FLOOR), INNER	13-06-2017		Restaurant Restaurants /Eating	Orange Operate	Non-SPI		water consumption: 7000 litre/day Status of Pollution Control	1. Effluent analysis report: (a) Effluent analysis report dated 03-05-2017 issued	06-07-2017 -consent to	06-07-2017 Case deferred.

	RESTAURANT (LTD.)	CIRCLE, CONNAUGHT PLACE			houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				System (1)ETP -Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil -An inspection was carried out on 10.10.2016 and during inspection various deficiencies were observed. -SCN u/s 31(A) and u/s 33(A) was issued to the unit on 09.12.2016. -unit submitted its reply on 06.01.2017 and informed that they are in process to rectify the deficiencies and also to apply application of CTE/CTO as per the directions of DPCC. -Unit has again submitted its reply on 09.01.2017 and informed that they have submitted online application for Consent to Establish (vide id DPCC/CMC/orange/2017/55541). -Again an inspection was carried out on 12.04.2017 and following were observation made: -unit found operational and engaged in the activity of Restaurant cum Bar having seat cover 98. - one D.G. set installed having capacity 125 KVA with acoustic enclosure and adequate stack height. (stack cannot be seen because terrace form sealed. - proper channelisation found in the kitchen but the stack of kitchen chimney cannot be seen because terrace was sealed.	by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	operate may be granted.	
18	SHOW STOPPER (A UNIT OF KSV HOSPITALITY INC)	GROUND FLOOR, FIRST FLOOR, J- 2/6 B.K. DUTT MARKET RAJOURI GARDEN	13-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption: 6000 litre/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 82.5 KVA Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA	1) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report: The unit has 1 D.G. Set(s) of 82.5 KVA, Noise monitoring report dated 07-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to operate may be granted.	06-07-2017 Case deferred.

								details :no				
								Closure directions u/s 31(A)/33(A)/5 of EPA details :no				
19	ANSUN MULTITECH (INDIA) LTD	B-123, PH-I, OKHLA INDUSTRIAL AREA	13-06-2017		Manufacturing of Zip Fasteners and Components Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 07-05-2007 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Scrubber Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 500 KVA The unit has 1 D.G. Set(s) of 500 KVA. Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Borewell (Registration Number - DLOFCT/74274) Water Consumption: 3000 Liters/Day (Source - Borewell) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017	06-07-2017
20	THE VAULT CAFE (A UNIT OF TEWARI HOUSE HOSPITALITY PVT. LTD.)	F-60, SECOND FLOOR, MALHOTRA BUILDING, CANNAUGHT PLACE	14-06-2017		RESTAURANT (97 seats) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		water consumption: 4000 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : Noise monitoring report -An inspection was carried out by the representatives of DPCC on 10.10.2016, during inspection following observations were made: 1. Unit found operational and engaged in the activity of	1) Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes 2) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate (Renewal) may be granted.	06-07-2017 Case deferred.

								Restaurant cum bar. 2.1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and adequate stack height 3. ETP plant was installed but not operational properly. 4. Hood and suction system provided in the kitchen with adequate stack height of chimney. 5. ETP plant log book not maintained. -A show cause notice was issued to the unit on 09.12.2016. -Unit submitted its reply on 29.12.2016 and informed that their ETP is operational and they maintained the copy of ETP log book (copy enclosed). -Again an inspection was carried out by the representatives of DPCC on 21.04.2017, during inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of restaurant cum bar with seating capacity of 98 seats. 2. Hood & suction system provided in the kitchen with adequate stack height of chimney. 3. ETP found installed and same was found in nonoperational condition. 4. ETP log book not found maintained. 5. One D.G Set found installed having capacity 200 KVA with acoustic enclosure and adequate stack height of chimney. 6. Unit is having Consent to Operate, valid up to 28.01.2020. -A closure direction was issued to the unit on 18.05.2017. - A reply received from the unit wherein they informed that he has rectified all the deficiencies observed during the inspection.			
21	FAIRLIE HOTEL & RESORTS PVT. LTD.	579 SATBARI ROAD SATBARI	14-06-2017		motel, Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and	Orange Renewal	Non-SPI	Status of Pollution Control System (1) STP - Yes b) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) ECS - N/A (a) Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Stack Test	Effluent Analysis Report: Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Emission Report: Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Stack monitoring report	06-07-2017 Unit has applied for Consent to Operate (Renewal) on 14.06.2017 for the activity of motel with 74 no of beds. Unit submitted its Noise report and water analysis report and stack emission report and same found within	06-07-2017 Consent to Operate(Renewal) granted.

					having Kitchen and / or Laundry with Boiler			Report within Limit - Yes Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 3 (a) The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Water Consumption- 39.69 kilo liters per days (Bore well) Status of Ground Water extraction : Yes Bore well Trade Effluent Discharge- 36 kilo liter per day (Drain) Domestic Effluent discharge- 3.69 kilo liters per day (Drain)	dated 12-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise Report : 3 D.G. Sets (a) The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 3 D.G. Set(s) of 320 KVA,320 KVA and 320 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	permissible limit. It is recommended CTO may be granted.
22	MASABAA THE TREASURY (A UNIT OF VSR FOODS INDIA)	2ND & 3RD FLOOR, 37, NORTH WEST AVENUE CLUB ROAD, PUNJABI BAGH	14-06-2017	RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJSB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI	water consumption: 4000 Liters/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ----ETP (2)ECS - N/A (3)D.G.Set: one no of 125 KVA capacity (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD license : Valid up to 31.03.2016. (8) Delhi Police License: Valid up to 31.03.2016. (8) Seating capacity: 198 As per MCD license -An inspection was carried out by DPCC officials on 22.12.2015 and	(1) Effluent analysis report: (a) Effluent analysis report dated 03-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G. Set Noise Report : 1 D.G. Set(s) of 125 KVA. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate (renewal) may be granted.	06-07-2017 Case deferred.

								various deficiencies were observed. - Based on findings of inspection a show cause notice was issued to the unit on 01.02.2016. -Unit has submitted a reply on 08.02.2016 & 11.02.2016 and informed that the ETP is now properly functional and there is no bypass arrangement, they have increased the stack height of D.G Set with acoustic enclosure and the proper channelization and stack height provided in the kitchen, they have sealed the borewell permanently. Again an inspection was conducted by DPCC, Officials on 30.06.2016 and following observations were observed: a) ETP installed and found operational. b) Log book w.r.t ETP operation found maintained. c) D.G Set found acoustically treated and stack height increased and found adequate. d) Proper channelization done in the kitchen with adequate stack. e) Unit is using D/B water, copy of bill provided. -During inspection effluent sample was also taken and as per the report of Water Lab, DPCC it was found ok.			
23	CHICKEN INN	SHOP NO-13,14,15, PANDARA ROAD MARKET	15-06-2017		RESTAURANT SERVICES. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	water consumption: 8.5 KLD source of water: Municipal Authority as well as Ground water Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Yes -Inspection details:Inspection was conducted on 11.03.2014 and following observation were made. - Unit found operational and engaged in the activity of Restaurant. -ETP found installed and is in	Effluent analysis report: (a) Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -consent to operate may be granted.	06-07-2017 Case deferred,

								working condition. -Seating capacity is 100. -Channelisation System was provided in Kitchen with stack height approx 3 m from the roof. - No D.G. Set installed. -Unit was operating without taking Consent from DPCC. -NDMC health license was shown by the officials. - SCN u/s 33(A) was issued on 25.03.2014. -Unit has submitted NDMC and Delhi Police License valid up to 31.03.2015. -A letter was issued to the unit on 02.02.2015 for submission of permission from DJB/NDMC for extraction /drawl of ground water. -Perusal of the record reveals that the unit is not extracting any ground water and the source of water is NDMC.				
24	SOHAN LAL & SONS	A-41, PHASE-II, MAYAPURI INDUSTRIAL AREA	15-06-2017		MANUFACTURING OF ADHESIVE. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-09-2004 Authorisation Status Pending HWM Application No. 2 Application Date 26-09-2012 Authorisation Status Approved Authorisation Issue Date 11-12-2012 Authorisation Expiry Date 25-09-2017	water consumption:1116 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		06-07-2017 -consent to operate (renewal) may be granted.	06-07-2017 Inspection be conducted.
25	CHINA PEARLS	SHOP NO. 10-13, A-31, FRONT SIDE, KAILASH COLONY MARKET	15-06-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (5000 liters per day) Dimension Not provided. (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	Water Analysis Report: Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise Monitoring Report: Noise monitoring report	06-07-2017 Unit has applied for CTO (Renewal) on 15.06.2017 for the activity of Restaurant of seating capacity of 64 and unit has installed Oil and Grease Trap of	06-07-2017 Inspection be conducted.

				into Public/Municipal/DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Water Consumption- 5 kilo liters per day (DJB) Trade Effluent- 4 kilo liters per day (disposal in Sewer) Domestic Effluent- 0.4 kilo liters per day (disposal in Sewer) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A month and year of commencement of production- 12.10.2004	dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	Capacity 5000 liters per day(Dimension not provided) Unit submitted Water analysis Report and Noise monitoring report and same found in permissible limit.	
26	GUPTA AUTOMOBILES	6A, NAJAFGARH ROAD INDUSTRIAL AREA	15-06-2017	WHEEL BALANCING ALIGNMENT, REPAIRS OF CARS AND SALE OF SPARE PARTS ETC. Automobile Repair and Servicing (without Washing)	Orange Renewal	Non-SPI		Water consumption: 100 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		06-07-2017 -Consent to Operate (renewal) may be granted.	06-07-2017 Ask the unit to apply for authorization under HW Rules. Also inspection be conducted.
27	DURATUF GLASS INDUSTRIES PVT. LTD	S-59,60,PH-1,BADLI INDUSTRIAL ESTATE,DELHI-110042	16-06-2017	Manufacturing of Toughened Glass Glass Processing (Cutting, Grinding, Polishing etc.) with Trade Effluent Discharge and without Furnace	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- N/A Plot Area- 1000 sq mt (S 60 is 620 sq yd. and S 59 is 527 m) Date of Commissioning- 29.11. 2016 Status of Ground Water	Effluent analysis report - issued by DPCC, lab on 03.01.2017. Meeting the norms. Emission monitoring report -Issued by DPCC, lab on 09.06.2017. Meeting the norms.	06-07-2017	06-07-2017 Ask the unit to submit balance consent fee. Also inspection be conducted.

								Extraction-No 1. Water consumption-4400 L/day. a) Source of water- Outside(copy of outside water bill not submitted) Status of Inspection- No. However, DPCC lab inspected the unit and lifted the treated sample of waste water on 04.01.2016 and meeting the norms. Show cause notice for closure u/s 33 (A) of the Water Act, 1974 and u/s 31(A) of the Air Act, 1981 issued on 03.08.2016 as unit is operational without valid consent. Modified directions be issued for submission of consent to operate application incorporating the issue of date of establishment and consent fee within 30 days. CTE applied and shown its commencement on 29.11.2016.	Noise monitoring report - N/A		
28	CHAYOS (A UNIT OF SUNSHINE TEAHOUSE PVT. LTD.)	F-14/15, MEZZANINE FLOOR, CONNAUGHT PLACE	16-06-2017		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Water consumption: 3500 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 -An inspection was carried out by the representatives of DPCC on 10.10.02016, during inspection various discrepancies were observed. -A show cause notice u/s 31 (A) & 33 (A) was issued to the unit on 09.12.2016. -Unit has submitted a reply on 0601.2017 and wherein they requesting to grant 90 days for the installation of oil & grease cum settling tank and to apply CTO application in DPCC. -a modified direction u/s 31 (A) & 33 (A) was issued to the unit on 02.02.2017. -A letter was issued to the unit regarding submission of CTO application in DPCC. -Unit has submitted application of CTO on 16.06.2017.	Effluent analysis report : (a) Effluent analysis report dated 06-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 30-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be issued.	06-07-2017 Case deferred.
29	SARVODAYA METAL INDUSTRIES	16/487, ZB DILSHAD GARDEN INDUSTRIAL AREA	16-06-2017		MANUFACTURIG OF ALUMINIUM UTENSILS VIZ. COOKER ETC. WITHOUT TRADE EFFLUENT.	Green Renewal	Non-SPI	1. ETP- No. 2. ECS -Stack attached to buffing. 3. D.G. Set - No. 4. Water Consumption - 100 Liters/day and source is local drinking water suppliers.	Emission Monitoring Report was submitted by DPCC on 11-04-2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommended to grant the Consent.	06-07-2017 Consent to Operate (Renewal) granted.

				Process Involving Buffing				5. Domestic effluent discharge - 50 liters/day and mode of disposal is sewer.			
30	ANAND RESTAURANT	15/96-97, SCINDIA HOUSE, CONNAUGHT PLACE	16-06-2017	DHABHA FOOD Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water consumption: NDMC Water consumption: 4000 litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(1) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.
31	RAVAYAT (A UNIT OF SV LIFE LLP)	H-7, GROUND FLOOR, TROPICAL BUILDING, CONNAUGHT CIRCUS	16-06-2017	RESTAURANT HAVING SEATING CAPACITY 17 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption:800 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil -An inspection was carried out on 13.10.2016, during inspection following observations were made: 1. During inspection unit found operational & engaged in the activity of restaurant having seating capacity of 16 seats. 2. No D.G Set installed. 3. Oil & grease trap not installed in the kitchen. 4. NDMC license not shown during inspection. -A Show Cause Notice u/s 31 (A) & 33 (A) was issued to the unit on 09.12.2016. -A closure direction u/s 31 (A) & 33 (A) was issued to the unit on 13.02.2017, as the unit has not submitted any reply w.r.t Show Cause Notice. -Unit has submitted a reply on 10.03.2017 and informed that at this address instead of M/s Shaan-e-awadh, H-7, ground		06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.

								floor, tropical building, connaught place M/s Ravayat (A Unit of SV LIFE LLP) is operating and also submitted an application for Consent to Establish on 09.03.2017 along with security bond of Rs. 2 lakhs & an undertaking as per office order dated 18.06.2015. also requested to revoke the closure direction. -A per decision a temporary revocation was issued to the unit on 14.03.2017 for submission of Consent to Operate in DPCC.			
32	A.M. FASHIONS INDIA OPC PVT. LTD.	B-155, PHASE-I, OKHLA INDUSTRIAL AREA	16-06-2017		Mfg. of Readymade Garments without washing Readymade Garment with oil fired boiler (without Washing/Dying)	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 100 KVA (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 500 Liters/Day (source - DJB) Status of Inspection : An inspection of the Addressee was carried out by the Officials of DPCC on 29.03.2017 and following observation were made:- -Unit found in operation and engaged in the activity of Manufacturing of Readymade Garments with washing. -Unit having 1 HSD fired Boiler at roof top with adequate stack height. Unit also having two electric Boilers. -Unit has not installed ETP to treat waste water generating from washing activity and waste water found directly discharged without any treatment. -Unit having one DG Set (100 KVA) with acoustic enclosure but inadequate stack height(approx 1m from acoustic level).	Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 As decided inspection of the unit was carried out by officials/ representatives of DPCC on 29.03.2017 and following observation were made: -Unit found operational and engaged in the activity of manufacturing of ready made garment with washing. -unit having 1 HSD fired boiler at roof top with adequate stack height. unit also having two electric boiler. - Unit has not installed ETP to treat waste water generating from washing activity and waste water directly discharge without any treatment. -Unit having 1 DG set (100 KVa) with acoustic enclosure but inadequate stack height (approx 1m from acoustic level). In view of above and as decided a SCN was issued to unit on 05.05.2017. unit has applied for Consent to Operate on 16.06.2017 for the activity of	06-07-2017 Inspection be conducted.

									SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 05.05.2017 Unit has applied for Consent to Operate on 16-06-2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		ready made garment with oil fired boiler (without washing / dyeing).	
33	ESS AAR ENTERPRISES	E-10/1, MANDOLI REDEVELOPMENT AREA PHASE-II	16-06-2017		ALUMINIUM PRESSURE DIE CASTING Aluminium Pressure Die Casting	Orange Operate	Non-SPI		1. ETP- No. 2. ECS- Yes (Stack attached to Wet Scrubber) . 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007-Not provided 6. Documents in original for boundary by industry Department- No 7. Display Board- No. 8. Fuel used - LDO.	-Emission Monitoring report was submitted by DPCC on 12.06.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 -Recommended to ask the unit to submit the certificates in originals by the Industry Department locating the premises within the boundary of the redevelopment area.	06-07-2017 Ask the unit to submit the certificate in original from the Industry Department regarding location of the unit within the boundary of the redevelopment area of Mandoli, display board, OLMS etc.
34	PRINCE AUTOMOBILES	A-5, DSIDC INDUSTRIAL AREA, ROHTAK ROAD, NANGLOI	17-06-2017		SALES AND SERVICE CENTRE OF TWO WHEELERS (with washing) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-06-2017 Authorisation Status Pending	water consumption: 2500 Liters/Day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 19-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Inspection be conducted.
35	DHALL CASTINGS	50, DSIDC SHED, PHASE-I, OKHLA INDUSTRIAL AREA	18-06-2017		Die Casting Aluminium Pressure Die Casting	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set: Nil Status of Ground Water extraction : Nil Status of Inspection : An inspection of the unit was carried out by DPCC Representatives on 18.04.2017 and following were the deficiencies observed:	Stack monitoring report dated 12-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017	06-07-2017 Consent to Operate(Renewal) granted.

								-Unit found operational and engaged in the activity of Aluminum Casting. -Unit having one HSD fired furnace with adequate stack height. -Unit has provided copy of purchase bill of HSD. SCN u/s 31(A)/33(A)/5 of EPA details : april 2017 as unit has not applied for Consent after expiry of earlier Consent. Unit has applied for renewal of Consent to Operate on 18-06-2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
36	M/S NAND LAL & SONS	PROPERTY NO. VI/6449-52, (NEW) SITUATED AT KATRA BARYAN, FATEHPURI, DELHI	18-06-2017	SWEETS AND SNACKS	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. OGT -Yes (proposed) (photographs submitted) 2. ECS- N/A 3. D.G. set- No Plot Area- 70 sq mt & built up area - 70 sq mt Date of Establishment/ Commencement-18.04.1966 Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DJB & Ground water (Bill submitted) CAT II Inspection status- Yes (25.05.2017) and the findings are as follows: 1. Unit is located on a road between Fatehpuri Masjid towards Farashkana and Chawri Bazar. 2. First floor and second floor of premises is being used for manufacturing of sweets and namkeen. 3. LPG is used as fuel for cooking. 37 LPG cylinders found stored/ used in the premises. 4. O&G Trap installed and found cleaned. 5. Channelization system provided over 5 cooking bhattis followed by ducts (Sno.s) 6. MCD License in the name of M/s Chaina Ram Sindhi Halwai (Applicant: Nand Lal & Sons) valid upto 31.03.03.2017. 7. As informed by Sh. Hari Gidwans, unit has applied for renewal of MCD license. 8. One borewell exist and in use. Permission from DJB/CGWA not shown during inspection.	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Case deferred.

20/33

40	J. RAKASH INDUSTRIES	PLOT NO. H-239, SEC-2, BAWANA INDL. AREA	21-06-2017		MFG. OF SECONDARY ABS DANA Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Renewal	Non-SPI		Hard copy not submitted.		06-07-2017	06-07-2017 Inspection be conducted.
41	SAROVAR PORTICO (EARLIER LIVING ROOM A UNIT OF BLISSPOINT DEVELOPERS AND INFRASTRUCTURE PVT LTD)	A9 NARAINA VIHAR	21-06-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB (Bill provided) water consumption:1350 Liters/Day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. -An inspection was carried out by DPCC representatives on 12.01.2017. during inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of hotel having 39 rooms (with kitchen & without laundry). 2. Kitchen channelization provided with suction system having adequate stack height of chimney. 3. Two nos. of D.G. set 1x160 KVA & 1x200 KVA installed at roof level with acoustic enclosure and adequate stack height. 4. Water supply from DJB, no borewell observed during inspection. 5. Oil & Grease Trap found installed in the unit. 6. MCD license, Delhi Police license, Electricity bills, water bill not shown during inspection. 7. Not applied for Consent to Establish & Consent to Operate yet. -A Show Cause u/s 31 (A) and u/s 33 (A) was issued on 17.03.2017.	(1)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017	06-07-2017 Case deferred.
42	SHIV ENGG. WORKS	J-89, SECTOR-1, DSIDC BAWANA INDUSTRIAL AREA	21-06-2017		DIES MAKING AND DIE CASTING Aluminium Pressure Die Casting	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- Yes (attached to suction hood) 3. D.G. set- No	Effluent Analysis Report - N/A Emission Monitoring Report issued by DPCC submitted on 13.06.2017.	06-07-2017	06-07-2017 Consent to Operate granted.

									Plot Area- 100 sq mt & built up area - 100 sq mt Date of Establishment/ Commencement-24.04.2007 Status of Ground Water Extraction-No 1.Water consumption- 250 L/day Source- DSIIDC (Bill submitted) Inspection status- No CTE expired on 24.08.2017. SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details :	Noise Monitoring reports - N/A		
43	J.D.I. PAINTS INDUSTRIES	A-93, PHASE - II, OKHLA INDUSTRIAL AREA	21-06-2017		Mixing of Enamel Paints and Packing (except Nitro Cellulose and alkylated resin based paint). Enamel Paints	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-01-2011 Authorisation Status Approved Authorisation Issue Date 30-08-2012 Authorisation Expiry Date 13-01-2016 HWM Application No. 2 Application Date 21-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water consumption : 200 ltr (Source DSB) Date of commencement : 01.01.1985 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	06-07-2017 Earlier Consent valid upto 10.07.2017	06-07-2017 Inspection be conducted.	
44	MANTUNGA PRAKASHAN (P) LTD.	184, F.I.E., PATPARGANJ INDUSTRIAL ESTATE,	22-06-2017		OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI		1. ETP - No 2. ECS - No 3. D.G Set - Yes, of capacity 20 KVA installed. 4. Water Consumption - 100 liters/day 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6. Municipal Corporation of Delhi - provided 7. Police Licence of Delhi - Not provide	- Noise Monitoring report was submitted by DPCC on 09.05.2017 and all the parameters are within the prescribed limit as per the report	06-07-2017 -Recommended for inspection.	06-07-2017 Ask the unit to apply for authorization under HW Rules. Also inspection be conducted.
45	AKASH PRESS	PLOT NO. 19/3, BOLCK-B, PHASE-II, OKHLA INDUSTRIAL AREA	22-06-2017		OFFSET PRINTING PRESS Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application 22-06-	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A		06-07-2017 Hard copy of Consent application form along with required	06-07-2017 Hard copy submitted. Inspection be conducted.

								Date Authorisation Status	2017 Pending	(3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 300 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		documents is yet to be received.	
46	PARAS PRINTERS	347, FIE, PATPARGANJ INDUSTRIAL ESTATE	22-06-2017		Printing, Book Binding, Embossing and photogram (Without Plate Washing) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 22-06- 2017 Pending	1. ETP -No 2. ECS - No 3. D.G Set - Yes,of capacity 20 KVA Installed . 4. Water Consumption - 100 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 50 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil - Consent to Establish was issued to the unit on 03.03.2015. -The unit has applied for Consent to Operate and HWM application on 22.06.2017 .	-Noise Monitoring Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommendation for inspection.	06-07-2017 Inspection be conducted.
47	FANCY PRINT ART	93 VILLAGE PEERAGARHI NEAR RAM LELA GROUND	22-06-2017		OFF SET PRINTING Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 22-06- 2017 Pending	water consumption:200 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		06-07-2017 -Inspection may be conducted.	06-07-2017 Inspection be conducted.
48	SONU ENTERPRISES	8-2618, OSIIDC INDUSTRIAL AREA, NARELA	24-06-2017		MFG. OF PP FABRIC PACKAGING MATERIAL WITH FLEXO PRINTING WITHOUT ANY TRADE EFFLUENT Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status Authorisation	1 31-05- 2016 Rejected 26-05-	Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- No 3. D.G. set- N/A Plot Area- 250 sq m. Date of Commissioning- 22.06.2017 Status of Ground Water Extraction-No 1. Water consumption-200	Effluent analysis report - N/A Emission monitoring report - N/A Noise monitoring report - N/A	06-07-2017	06-07-2017 Inspection be conducted.

				Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)			Refused Date 2017	L/day. a) Source of water- Outside (copy of outside water bill not submitted) Status of Inspection- Based on deficiencies observed during earlier inspection, refusal of consent and authorization and closure directions u/s 5 of EPA and u/s 31 (A) of Air act was issued to the unit. However, unit has again applied for consent and also applied under Form-I of Plastic rules, 2016.			
							HWM Application No. 2 Application Date 24-06-2017 Authorisation Status Pending				
49	THE POST OFFICE CAFE (A UNIT OF SMILE HOSPITALITY)	J-2/S, GROUND FLOOR RAJOURI GARDEN,	25-06-2017	Restaurant 47 seats Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water consumption: DIB Water consumption:1500 litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(1)Effluent analysis report: (a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.
50	HIMGIRI AUTOMOBILES PVT. LTD	A-19, NEW JHILMIL INDUSTRIAL AREA	28-06-2017	Service Station (Washing and Repairing of Bikes) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-03-2012 Authorisation Status Rejected Authorisation Refused Date 23-08-2012 HWM Application No. 2 Application Date 01-10-2012 Authorisation Status Revoked Authorisation 20-03-	1. ETP - Yes, having design capacity 1000 Liters/Day. 2. ECS - No. 3. D.G Set - 62.5 KVA. 4. Source of Water Supply - 8000 Liters/Day (Corporation and outsource supply). 5.Domestic effluent discharged -2400 Liters/Day which is disposed through Sewer. 6. Industrial effluent discharged -5000 Liters/Day which is disposed through Sewer.	N/A	06-07-2017 Recommended for inspection.	06-07-2017 Inspection be conducted,

							Issue Date 2015 Authorisation 30-09- Expiry Date 2017 Authorisation 19-05- Revoked Date 2017 HWM Application No. 3 Application Date 29-06- 2017 Authorisation Status Pending				
51	DEEPIKA ENTERPRISES	519/1/23 SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	29-06-2017	OFFSET PRINTING WITHOUT TRADE EFFLEUNT Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 29-06-2017 Authorisation Status Pending	1. ETP- No. 2. ECS -No. 3. D.G. Set - No. 4. Water Consumption - 50Liters/day and source is drinking water suppliers. 5. Domestic effluent discharge - 20 liters/day and mode of disposal is sewer.	N/A	06-07-2017 Recommended for Inspection.	06-07-2017 Inspection be conducted.
52	PRAM OFFSETTERS	A-9, PH-I, OKHLA INDUSTRIAL AREA	30-06-2017	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 20-10-2006 Authorisation Status Pending HWM Application No. 3	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 82.5 KVA (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption: 500 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Noise monitoring report dated 02-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	06-07-2017 Hard copy of Consent application form along with required documents is yet to be received.	06-07-2017 Ask the unit to submit hard copy of consent & authorization applications along with requisite documents. Also inspection be conducted.

								Application Date 03-07-2017 Authorisation Status Pending				
53	SINGLAS A UNIT OF SINGLAS RETAIL PRIVATE LIMITED	2/13, MALL ROAD, TILAK NAGAR	30-06-2017		RESTAURANT AND SWEET SHOP Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB water consumption: 400 Litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report :The unit has 1 D.G. Set(s) of 82.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 02-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.
54	PHILIPS BRAKES RUBBER CO.	KH. NO. 80, STREET NO. 8, SAMAI PUR INDUSTRIAL AREA	30-06-2017		manufacturer of auto parts Manufacturing of Auto parts using Adhesive	Orange Renewal	Non-SPI		Hard copy not submitted,		06-07-2017	06-07-2017 Ask the unit to apply for authorization under HW Rules. Also inspection be conducted.
55	G.K.S. BATTERY INDUSTRIES	PLOT NO.-136, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA	30-06-2017		Assembly and Charging of Batteries. Battery Charging without trade effluent discharge	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 150 sq mt & built up area - 150 sq mt Date of Establishment/ Commencement-19.11.2010 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- DSIDC (Bill submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Consent to Operate granted.
56	PICCADILY HOTEL	DISTRICT CENTRE JANAKPURI	01-07-2017		FIVE STAR HOTEL. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap,ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Sets of 1500 KVA and 1500 KVA 1. During inspection unit found operational and engaged in the activity of 5 star hotel with	(1) Effluent analysis report: (a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 02-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	06-07-2017 Consent to operate (renewal) may be granted.	06-07-2017 Case deferred.

								restaurant, bar & banquet. 2. STP of 200 KLD was installed & same was in operational conditions, with zero discharge. Treated water reused in gardening, flushing, fountains & cooling tower. 3. 2 no. of D.G set having 1500 KVA capacity installed at ground level with acoustic enclosure & adequate stack height. 4. Three kitchen of banquet, restaurant & Hotel were observed with proper channelization & adequate stack height. 5. 4 nos. of rainwater harvesting pits were observed with working conditions. 6. Solid waste & other domestic wastes handed over to HRA E-Waste Pvt. Ltd for further processing. 7. Consent to Operate (Renewal) valid up to 01.05.2017.	(3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1500 KVA and 1500 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes			
57	COLOR COMBINATION	H-19, SECTOR-5, DSIIDC, BAWANA INDUSTRIAL AREA	01-07-2017		Job work of washing of readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-07-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP - Yes 2. ECS- Yes (attached to boiler) 3. D.G. set- No Plot Area- 100 sq mt & built up area - 95 sq mt Date of Establishment/ Commencement-22.10.2016 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- DSIIDC (Bill submitted) Inspection status- Yes Unit has applied for authorisation(form 1) under HWM rules. Reply received on 07.11.2016 wherein the unit submitted Security Bond of Rs. 5 lakhs along with the undertaking. As per undertaking it is informed that security bond is submitted for dyeing activity but they are doing only washing. As decided in common file, Closure Directions revoked temporarily for 30 days on 22.11.2016 for necessary testing/compliances & to apply for Cosent to operate/authorization etc. It was also decided that final revocation shall be considered only after inspection. Inspection conducted on 04.05.2017. 1.Unit found operational and engaged in the activity of washing of readymade garments. 2.ETP found installed but not in working condition.	Effluent Analysis Report issued by DPCC on 12.01.2017 Emission Monitoring Report issued by DPCC on 14.02.2017. Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Inspection be conducted.

									3.Channelization not provided over spray paint section. 4.One diesel fire boiler found installed but not functional at the time of inspection.whereas,another boiler is found in working condition using wood. Itt was decided in the meeting dated 25.05.2017 to put up the file administratively .			
58	AGGARWAL AUTOMOTIVE PVT. LTD	PLOT NO-2, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	03-07-2017		Automobile Service Station with washing and paint booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-04-2016 Authorisation Status Rejected Authorisation Refused Date 02-06-2017 HWM Application No. 2 Application Date 03-07-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Channelization with paint booth) 3. D.G. set- Yes (63 KVA) Plot Area-2150 sq mt Date of commencement- 01.05.2015 Status of Ground Water Extraction-No 1. Water consumption- 5000 L/day. a) Source of water- Outside (copy of bill not submitted) Unit has also applied under form-I of HWM rules. Closure directions was also issued on 02.06.2017. Unit submitted representation on 14.06.2017 that deficiencies observed during inspection have been rectified . ETP has been repaired and made operational. Scrap material has been removed from SDB. Stack attached to paint booth section has been increased. Inspection done on 05.07.2017. Following are the observations- 1. Unit found operating, engaged in the activity of automobile service station. 2. ETP found installed and functional. Dry and wet sludge seen. 3. Channelization with suitable stack height provided with paint booth. 4. HWM rules are complied with.	Effluent analysis report - issued by DPCC, lab on 20.06.2017. Meeting the norms. Emission monitoring report -issued by DPCC, lab on 03.07.2017. Meeting the norms. Noise monitoring report - issued by DPCC, lab on 19.06.2017. Meeting the norms.	06-07-2017	06-07-2017 Consent to Operate and authorization under HW Rules granted.
59	ADISH RESTAURANT	AB-2 SAFDARJUNG ENCLAVE	03-07-2017		RESTAURANT (44 SEAT). Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 63 KVA -An inspection of the unit was conducted on 11.05.2015 and following were observation made. a. Unit found in operation and engaged in the activity of	Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to operate may be granted.	06-07-2017 Case deferred.

					Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				restaurant having seating capacity of 44. b. No ETP found installed for treatment of effluent from kitchen. c. Ducting/ Channelization provided in the kitchen however, height of ducting found inadequate. d. One D.G. Set found installed with capacity 65 KVA as informed, however, the same could not be inspected as key for upper roof not available. e. The nit is having MDC license valid upto 31.03.2016. The unit has applied for renewal of Police License as informed. f. The unit is having connection of Delhi Jal Board. No Borewell in the unit. (5) SCN u/s 31(A)/33(A)/5 of EPA details :06.07.2015 -unit submitted its reply on 15.07.2015 and requested to grant a time period of two months to submit consent application.			
60	THE BARBEQUE COMPANY (A UNIT OF SAVOUR HOSPITALITY)	HL-1 AND HL-2, L BLOCK, ANAND VIHAR, JAI ROAD, HARI NAGAR	03-07-2017		Restaurant (98 Seat) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System water consumption: 6500 litre/day (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 125 KVA. Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	Effluent analysis report: (1) Effluent analysis report dated 08-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 04-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted.	06-07-2017 Case deferred.
61	VELFIX INDUSTRIES	C-153, NARAINA INDUSTRIAL AREA PHASE - I	04-07-2017		MFG. OF ADHESIVE. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-07-2004 Authorisation Status Approved Authorisation Issue Date 21-10-2004 Authorisation Expiry Date 20-10-2006	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA		06-07-2017 -Consent to Operate (renewal) may be granted.	06-07-2017 Ask the unit to apply for authorization under HW Rules. Also inspection be conducted

								details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No HWM Application No. 2 Application Date 08-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 11-06-2012 Authorisation Status Approved Authorisation Issue Date 26-09-2012 Authorisation Expiry Date 10-06-2017			
62	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS)	SHOP NO. G1, G2, AND G3, ALLIED CHAMBER, B-BLOCK, COMMUNITY CENTRE JANAKPURI	04-07-2017	Restaurant (Seating 48 Seats)	Orange Operate	Non-SPI		Status of Pollution Control System Water consumption: 500 litre/day Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017	06-07-2017
63	KAVERI WASH	H-1351 DSIIDC INDUSTRIAL AREA NARELA	04-07-2017	Washing of Readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-07-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- N/A Plot Area-350 sq mt Date of commencement- 25.04.2016 Status of Ground Water Extraction-No 1. Water consumption- 9800 L/day. a) Source of water- DSIIDC (copy of bill submitted) Applied under HWM rules. Closure Directions dated 09.09.2016 already reinforced on 22.06.2017.	Effluent analysis report issued by DPCC lab on 12.01.2017.Parameters are within prescribed limits Emission monitoring report issued by DPCC lab on 14.02.2017.Parameters are within prescribed limits Noise monitoring report - N/A	06-07-2017	06-07-2017

								Unit has again applied for consent. Unit submitted reply on 03.07.2017 requested for revocation of reinforcement direction for closure notice. ETP installed applied for CTO and authorization.			
64	ROUTE O 4 RESTAURANT (A UNIT OF M/S TRINITY HOTELS AND RESORSTS PVT. LTD.)	K-2, MIDDLE CIRCLE, CONNAUGHT PLACE	04-07-2017		RESTAURANT AND BAR Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI	Status of Pollution Control System (1)ETP- No. Trade effluent 2.KLD generated and discharge into sewer/drain. (2)ECS - Cyclone (Proposed) (3)D.G.Set: 100KVA installed Status of Pollution Control System (4) Status of Ground Water extraction :nil -An inspection of the unit was carried out 14.10.2016 and during inspection various deficiencies were observed. -Unit submitted its reply on 29.12.2016 and informed that ETP is operational and they maintained the copy of ETP log book (copy enclosed), acoustic enclosure and adequate stack height has been provided to the D.G set -Again an inspection of the unit was carried out 21.04.2017 and during inspection following observations were made: 1.Unit found operational and engaged in the activity of restaurant cum bar with 180 seating capacity. 2.Channelization provided in the kitchen with adequate stack height of chimney. 3.D.G Set found installed having capacity of 100 KVA with acoustic enclosure & adequate stack height of chimney. 4.Unit is having valid CTO, valid up to 10.06.2017. 5.Effluent Treatment Plant found installed & same found in operational condition. 6.ETP log book found maintained.	Effluent analysis: (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to operate (renewal) may be granted.	06-07-2017 Case deferred.
65	BRAHM ART COTTAGE	PLOT NO 342, FIE PATPARGANJ INDL. AREA	05-07-2017		OFFSET PRINTING PRESS W/O TRADE EFFLUENT. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-03-2012 Authorisation Status Approved 1. ETP- No 2. ECS- No 3. D.G. Set- Nil 4. Trade Effluent Discharge-Nil 5. Domestic Trade Effluent-80 L/day, disposed into public sewer. 6. Water Consumption- 100 L/day.	N/A	06-07-2017 Recommended for grant of Consent.	06-07-2017 Ask the unit to submit hard copy of consent application along with requisite documents and apply for authorization under HW Rules. Also inspection be conducted

							Authorisation 23-05- Issue Date 2012 Authorisation 14-03- Expiry Date 2017				
66	SWARUP MOTORS PVT. LTD.	186-187, FIE, PATPARGANJ INDUSTRIAL AREA	05-07-2017		AUTOMOBILE SERVICE AND REPAIRS (TWO WHEELERS). Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application 1 No. Application 12-07- Date 2004 Authorisation Status Approved Authorisation 30-07- Issue Date 2004 Authorisation 29-07- Expiry Date 2006 HWM Application 2 No. Application 07-08- Date 2006 Authorisation Status Pending HWM Application 3 No. Application 13-04- Date 2011 Authorisation Status Approved Authorisation 10-09- Issue Date 2012 Authorisation 12-04- Expiry Date 2016 HWM Application 4 No. Application 05-07- Date 2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. D.G. Set- 63 KVA 4. Trade Effluent Discharge- 2700 L/day, disposed into public sewer. 5. Domestic Trade Effluent-450 L/day, disposed into public sewer. 6. Water Consumption- 2700 L/day. - Noise Monitoring Report was submitted by DPCC on 26.05.2017 and all the parameters are within the prescribed limit as per the report. - Analysis Report of Water effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommended for inspection.	06-07-2017 Ask the unit to submit hard copies of consent & authorization applications along with requisite documents. Also inspection be conducted.



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 2nd meeting on 06.07.2017 w.r.t. Agenda Item No 1 -- 49 Fresh Consent to Establish cases of the period 06.06.2017 to 05.07.2017.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	ARISTO CRATIC CAR SERVICES PVT. LTD.	A-290, PHASE-I, OKHLA INDUSTRIAL AREA	07-06-2017		SERVICING, REPAIRING AND WASHING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		unit has submitted hard copy of consent application.		06-07-2017	06-07-2017 Hard copy submitted. Consent to Establish granted.
2	SANCA INTERNATIONAL HOTEL	13/26, EAST PATEL NAGAR (OPP. HOTEL SIDDHARTH)	07-06-2017		Hotel Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Water consumption:2000 litre/day (1)ETP -Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	08-06-2017 -Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall apply for Consent to Operate within 30 days and shall provide adequate Oil & Grease Trap cum Settling Tank as per RESDH policy of DPCC.	
3	M/S NAND LAL & SONS	PROPERTY NO. VI/6449-52, (NEW) SITUATED AT KATRA BARYAN, FATEHPURI, DELHI	08-06-2017		SWEETS AND SNACKS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with	Orange Establish	Non-SPI		Status of Pollution Control system Devices:- 1. OGT -Yes (proposed) (photographs submitted) 2. ECS- N/A 3. D.G. set- No Plot Area- 70 sq mt & built up area- 70 sq mt Date of Establishment/ Commencement- 18.04.1966 Status of Ground Water Extraction-No 1. Water consumption- 2000 L/day	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Case deferred.

7/7/2017

DPCC : Administrative Area

				Annual Average Production of less one Tonne/Day - not connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry with Boiler				Source- D/B & Ground water (Bill submitted) CAT II Inspection status- Yes (25.05.2017) and the findings are as follows: 1. Unit is located on a road between Fatehpuri Masjid towards Farashkara and Chawri Bazar. 2. First floor and second floor of premises is being used for manufacturing of sweets and namkeen. 3. LPG is used as fuel for cooking. 37 LPG cylinders found stored/ used in the premises. 4. O&G Trap installed and found cleaned. 5. Channelization system provided over 5 cooking bhattis followed by ducts (Sno.s) 6. MCD License in the name of M/s Chaina Ram Sindhi Halwai (Applicant: Nand Lal & Sons) valid upto 31.03.03.2017. 7. As informed by Sh. Hari Gidwans, unit has applied for renewal of MCD license. 8. One borewell exist and in use. Permission from D/B/CGWA not shown during inspection. MCD license valid upto 31.03.2018 & Police license not submitted. SCN under section 31(A) of Air act & 33(A) of water act issued.		
4	AKASHDEEP PRINTERS	B-292, PH-1, OKHLA INDUSTRIAL AREA	09-06-2017	PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPJ	HWM Application No. 1 Application Date 19-04- 2005 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction :Nil Water consumption: 100 ltr (source- outside) Date of commencement- 01.08.2017 (proposed) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s	06-07-2017	06-07-2017 Check w.r.t. consent fee submitted by the unit since the unit is operational for several years however shown date of commencement 01.08.2017. Inspection be also carried out.

7/7/2017

DPCC : Administrative Area

5	SHRI GANESH PLASTIC	E-54, SECTOR-5, BAWANA INDUSTRIAL AREA	09-06-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Establish	Non-SPI		31(A)/33(A)/5 of EPA details : Nil Status of Pollution Control system Devices- 1. ETP -Yes (proposed) 2. ECS- attached to extruder 3. D.G. set- No Plot Area- 250 sq mt & built up area - 230 sq mt Date of Establishment/ Commencement- 27.04.2016 Status of Ground Water Extraction-No 1. Water consumption- 4400 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Inspection be conducted.	
6	HARPREET MOTORS PVT. LTD.	PLOT NO. 29, NAJAFGARH ROAD	12-06-2017		REPAIRING, SERVICING, DENTING AND PAINTING OF CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Water Consumption: 9000 litre/day Source of Water: Other Source Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		06-07-2017 Consent to Establish may be granted	06-07-2017 Case deferred.	
7	SIGMA ROLLERS PVT. LTD.	C-26 & C-27, SECTOR-2, DSIDC, BAWANA INDUSTRIAL AREA	12-06-2017		Manufacturing of Offset Printing Roller (Without Trade Effluent Discharge) Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- Yes (proposed) (attached to boiler & bhatti) 3. D.G. set- No Plot Area- 500 sq mt & built up area - 500 sq mt Date of Establishment/ Commencement- 26.06.2017 Status of Ground Water Extraction-No 1. Water consumption- 700 L/day Source- Tanker (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Consent to Establish granted. Also inspection be conducted.	
8	GALAXY AUTOMOBILES	PLOT NO C-44/1, PHASE-II, OKHILA	12-06-2017		REPAIRING AND SERVICING OF CARS	Orange Establish	Non-SPI	HWM	1	Status of Pollution Control System		06-07-2017 Unit has obtained	06-07-2017

https://www.dpcc.delhi.govt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

	PVT. LTD.	INDUSTRIAL AREA		Automobile Servicing and Repair Station with Washing Activity			Application No. Application Date 30-05-2016 Authorisation Status Approved Authorisation Issue Date 16-12-2016 Authorisation Expiry Date 29-05-2021 (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: 62.5 KVA Status of Ground Water extraction : Nil Water Consumption: 6500 Liters/Day (Source - Others) Date of Commencement: 01.05.2016 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Consent to operate for the activity of servicing of cars without washing now they have applied for Consent to Establish for change of activity repairing and servicing of cars with washing.	Consent to Establish granted. Inspection also be conducted.
9	ABBUS	U22 BGN, GROUND FLOOR, RAJOURI GARDEN METRO STATION, NEW DELHI-110027	13-06-2017	Take away and fine dining Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average	Orange Establish	Non-SPI	Water Consumption: 5000 litre/day Source of Water : DMRC Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted	06-07-2017 Case deferred.

7/7/2017

DPCC : Administrative Area

					Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DDB Sewer and having Kitchen and / or Laundry without Boiler								
10	AGGARWAL AUTOMOTIVE PVT. LTD	PLOT NO-2, RAJASTHAN UDYOG NAGAR INDUSTRIAL AREA	13-06-2017		Automobile Service Station with washing and paint booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-04-2016 Authorisation Status Rejected Authorisation Refused Date 02-06-2017 HWM Application No. 2 Application Date 03-07-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Channelization with paint booth) 3. D.G. set- Yes (63 KVA) Plot Area-2150 sq mt Date of commencement- 01.05.2015 Status of Ground Water Extraction-No 1. Water consumption- 5000 L/day. a) Source of water- Outside (copy of bill not submitted) Unit has also applied under form-I of HWM rules. Closure directions was also issued on 02.06.2017. Unit submitted representation on 14.06.2017 that deficiencies observed during inspection have been rectified . ETP has been repaired and made operational. Scrap material has been removed from SDB. Stack attached to paint booth section has been increased. Inspection done on 05.07.2017. Following are the observations- 1. Unit found operating, engaged in the activity of automobile service station. 2. ETP found installed and functional. Dry and wet sludge seen. 3. Channelization with suitable stack height provided with paint booth. 4. HWM rules are complied with.	Effluent analysis report - issued by DPCC, lab on 20.06.2017, Meeting the norms. Emission monitoring report -issued by DPCC, lab on 03.07.2017. Meeting the norms. Noise monitoring report - issued by DPCC, lab on 19.06.2017, Meeting the norms.	06-07-2017 CTE may be granted. Closure Direction dated 02.06.2017 may be revoked.	06-07-2017 Consent to Establish granted.	
11	CAFE COFFEE DAY	PLOT NO JA-25/26, GF, DLF TOWER NO 10, JASOLA DISTT. CENTRE	14-06-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water			06-07-2017 Unit has not provided proof of establishment, original CA certificate and not signed on the Consent application. Unit has not applied for	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

				area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				extraction : Nil Water Consumption: 1100 Liters/Day (Source - DJB) Date of Commencement: 29.12.2011 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		Consent to Operate with required documents and information w.r.t installation of Oil & Grease trap cum settling tank, as per Consent application unit is existing since 29.12.2011.	
12	CAFE COFFEE DAY	BLD. NO. 27, GROUND FLOOR, NEW DELHI HOUSE, BARAKHAMBHA ROAD	14-06-2017	COFFEE SHOP, Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
13	CAFE COFFEE DAY	C-14, MEZZANINE FLOOR, INNER CIRLCE, CONNAUGHT PLACE	14-06-2017	COFFEE SHOP, Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s		06-07-2017	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

14	CAFE COFFEE DAY	AB-12, SAFDARJUNG ENCLAVE	14-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	31(A)/33(A)/5 of EPA details : no Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
15	CAFE COFFEE DAY	SHOP NO 14, PLOT NO 5, DDA MARKET, SARITA VIHAR	14-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP -NIL (2)ECS - N/A (3)D.G.Set:45 KVA Status of Ground Water extraction :NIL Water consumption: 1100 ltr (source - others) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	06-07-2017 Unit have submitted application for CTE on 14.06.2017 for the activity of coffee shop but hard copy of required document is yet to be submitted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
16	CAFE COFFEE DAY	40-42, JANPATH	14-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

7/7/2017

DPCC : Administrative Area

									Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
17	CAFE COFFEE DAY	44, JANPATH	14-06-2017		COFFEE SHOP, Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
18	CAFE COFFEE DAY	M-37, GROUND FLOOR, CONNAUGHT PLACE	14-06-2017		COFFEE SHOP, Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
19	CAFE COFFEE DAY	3631, NETAJI SUBHASH MARG, DARYA GANJ	14-06-2017		COFFEE SHOP, Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to /	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- N/A 3. D.G. set- 1 x 45 KVA Plot Area- 74.32 sq mt & built up area - 74.32 sq mt Date of Establishment/ Commencement-	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

				Discharging Effluent into Public/Municipal/DJB Sewer and having Kitchen and / or Laundry without Boiler				25.09.2010 Status of Ground Water Extraction-No 1.Water consumption- 1100 L/day Source- DJB (Bill submitted) CAT II Inspection status- No MCD license valid upto 31.03.2017.		submission of signed copy of all requisite documents.
20	CAFE COFFEE DAY	E-29, HALU KHAS MAIN MARKET	14-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated - N/A - (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of Commencement of Production-19.09.2013 Existing	06-07-2017 Unit applied for Consent to Establish on 27.06.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) Inch. Month and years of Commencement of Production-19.09.2013. It is recommended CTE may granted with condition that unit applied for CTO within 30 days.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
21	CAFE COFFEE DAY	DCM BUILDING NO 16, BARAKHAMBIA ROAD	14-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

7/7/2017

DPCC : Administrative Area

								Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
22	MODEST OFFSET PRINTWELL	A-199, PHASE-I, OKHLA INDUSTRIAL AREA	15-06-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Water Consumption: 100 Liters/Day (Source - Others) Date of Commencement: 01.08.2014 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : nil	06-07-2017 As per online record, unit has obtained Consent to Operate for the activity of offset printing with trade effluent discharge, now they have changed the activity for printing without trade effluent discharge and applied for Consent to Establish for the same but they have not submitted application for Consent to Operate and application for Authorization.	06-07-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate and authorization under HW Rules within 30 days. Also inspection be conducted.
23	HOTEL AMRAPALI GRAND	PLOT NO: 2/16, EAST PATEL NAGAR,	15-06-2017		GUEST HOUSE HAVING 36 ROOM AND 75 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI	Water Consumption: 3500 litre/day Source of Water: Municipal Authority - 500 litre/day, Other Source- 3000 litre/day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted.	06-07-2017 Case deferred.
24	HOTEL RANGOLI	PLOT NO: 9/26, EAST PATEL NAGAR,	15-06-2017		GUEST HOUSE (20 ROOM 20 BED)	Orange Establish	Non-SPI	Water Consumption: 1500 litre/day Source of Water: Municipal	06-07-2017 Consent to	06-07-2017 Case deferred.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

				Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry with Boiler				Authority- 500 liter/day, Other Source- 1000 liter/day Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		Establish may granted.	
25	KUMBHAT METAL INDUSTRIES	B-25/2, JHILML INDUSTRIAL AREA, DELHI-110095	15-06-2017	COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Establish	Non-SPI		1. ETP - No 2. ECS - No 3. D.G Set - No 4. Water Consumption - 100 liters/day and source is outside. 5. Quantity of Domestic Effluent Generated - 80 Liters/Day which is disposed through public sewer. 6 Quantity of Trade Effluent Generated - Nil liters/day .	N/A	06-07-2017 Recommended to grant the Consent.	06-07-2017 Take action as decided in file.
26	M/S NAND LAL & SONS	PROPERTY NO. VI/6449-52, (NEW) SITUATED AT KATRA BARYAN, FATEHPURI, DELHI	16-06-2017	SWEETS AND SNACKS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Devices- 1. OCT -Yes (proposed) (photographs submitted) 2. ECS- N/A 3. D.G. set- No Plot Area- 70 sq mt & built up area - 70 sq mt Date of Establishment/ Commencement- 18.04.1966 Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- D/B & Ground water (Bill submitted) CAT II Inspection status- Yes (25.05.2017) and the findings are as follows: 1. Unit is located on a road between Fatehpuri Masjid towards Farashkana and Chawri Bazar, 2. First floor and second	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Case deferred.

7/7/2017

DPCC : Administrative Area

								floor of premises is being used for manufacturing of sweets and namkeen. 3. LPG is used as fuel for cooking. 37 LPG cylinders found stored/ used in the premises. 4. O&G Trap installed and found cleaned. 5. Channelization system provided over 5 cooking bhattis followed by ducts (Sno.s) 6. MCD License in the name of M/s Chaina Ram Sindhvi Halwai (Applicant: Nand Lal & Sons) valid upto 31.03.2017. 7. As informed by Sh. Hari Gidwans, unit has applied for renewal of MCD license. 8. One borewell exist and in use. Permission from DJB/CGWA not shown during inspection. MCD license valid upto 31.03.2018 & Police license not submitted. SCN under section 31(A) of Air act & 33(A) of water act was issued.			
27	KADHAI TADKA RESTAURANT	R-549, GF FF, SHANKER ROAD, NEW RAJINDER NAGAR	21-06-2017	Restaurant having 98 seats Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	06-07-2017	06-07-2017 Case deferred.	
28	SHIVA ENTERPRISES	B-98, PHASE-I, OKHLA INDUSTRIAL AREA	21-06-2017	COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)EC5 - N/A (3)D.G.Set Noise Report : N/A Status of Ground Water extraction : Nil Water Consumption: 100 Liters/Day (Source - Others)	06-07-2017 As per online record, unit has obtained Consent to Operate for the activity of Copper wire drawing which was expired on 11.07.2003, now they have submitted application for Consent to Establish for the activity of copper wire drawing without super	06-07-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate and authorization under HW Rules within 30 days. Also inspection be conducted.	

7/7/2017

DPCC : Administrative Area

								Date of Commencement: 01.07.2003 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil-	Enamelling but they have not submitted application for Consent to Operate and application for Authorization.	
29	PANCHRATNA THAAL	28/8,GROUND FLOOR EAST PATEL NAGAR	21-06-2017	RESTAURANT 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System Water Consumption: 4000 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A -Status of Inspection : An inspection of the unit was done on 21.04.2017, by DPCC representative in response to a anonymous complaint received in this office on 09.03.2017. During inspection following observation were made :- - Unit found operational and engaged in the activity of restaurant with seating capacity of 48 seats. - No oil and grease trap found installed. - Effluent generated from the process being directly discharge in to public sewer. - No DG set found installed within the premises. - MCD license and Delhi Police license was not shown during inspection, only receipt for application was shown for obtaining MCD license. - Not applied for Consent to Establish and Consent to Operate in DPCC.	06-07-2017 Consent to Establish may be granted.	06-07-2017 Case deferred.

7/7/2017

DPCC : Administrative Area

									-SCN u/s 31(A)/33(A)/5 of EPA details: on the basis of deficiencies which were observed during inspection SCN u/s 31(A) and 33(A) was issued on 30.05.2017. - Unit has been submitted a representation on 20.06.2017, in response to SCN issued to them on 30.05.2017. in their reply unit has stated that they are in the process to apply Consent to establish and Consent to Operate and installation of oil and grease trap also requested to grant 45 days time for the same. - Unit has been applied for Consent to Establish on 21.06.2017.			
30	SONU ENTERPRISES	B-2618, DSJDC INDUSTRIAL AREA, NARELA	22-06-2017		MFG. OF PP FABRIC PACKAGING MATERIAL WITH FLEXO PRINTING WITHOUT ANY TRADE EFFLUENT Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 31-05-2016 Authorisation Status Rejected Authorisation Refused Date 26-05-2017 HWM Application No. 2 Application Date 24-06-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- No 3. D.G. set- N/A Plot Area- 250 sq m. Date of Commissioning- 22.06.2017 Status of Ground Water Extraction-No 1. Water consumption-200 L/day. a) Source of water- Outside(copy of outside water bill not submitted) Status of Inspection- Based on deficiencies observed during earlier inspection, refusal of consent and authorization and closure directions u/s 5 of EPA and u/s 31 (A) of Air act was issued to the unit. However, unit has again applied for consent and also applied under Form-I of Plastic rules, 2016.	Effluent analysis report - N/A Emission monitoring report - N/A Noise monitoring report - N/A	06-07-2017	06-07-2017 Consent to Establish dated 15.03.2016 be made infructuous. Also inspection be conducted.
31	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS)	SHOP NO. G1, G2, AND G3, ALLIED CHAMBER, B-BLOCK, COMMUNITY CENTRE JANAKPURI	24-06-2017		Restaurant (Seating 48 Seats) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or	Orange Establish	Non-SPI		Water consumption: 500 litre/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 45 KVA	Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to establish may be granted.	06-07-2017 Case deferred.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

					Laundry without Boiler					Status of Ground Water extraction : no Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
32	SHAKUN PRINTERS	241, F.T.E. PATPARGANJ INDUSTRIAL AREA	24-06-2017		Offset Printing with Plate Making, Washing and Book Binding Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-09-2004 Authorisation Status Approved Authorisation Issue Date 26-10-2004 Authorisation Expiry Date 25-10-2006 HWM Application No. 2 Application Date 22-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 23-08-2011 Authorisation Status Approved Authorisation Issue Date 29-08-2012 Authorisation Expiry Date 22-08-2016 HWM Application No. 4 Application Date 24-06-2017	1. ETP - Yes, having design capacity 500 Liters/Day. 2. Oil and Grease Trap - No. 3. ECS - No. 4. D.G Set - No. 4. Source of Water Supply - 300 Liters/Day (Purchase Water). 5. Domestic effluent discharged - 150 Liters/Day which is disposed through Disposal Sewer. 6. Industrial effluent discharged - 100 Liters/Day which is disposed through Disposal Sewer. - Show Cause Notice u/s 33 (A) Of Water Act, u/s 5 of EPA Act and refusal of consent was issued to the unit on 03.02.2017 in view of the deficiencies observed during the inspection conducted on 08.12.2016. - The reply of the unit was received on 21.02.2017 informing that the installation of ETP is in process. - Direction for Closure u/s 5 of EPA Act and 33 (A) of Water Act and Refusal of Consent was issued to the unit on 16.06.2017.	N/A	06-07-2017 Recommended for inspection.	06-07-2017 Consent to Establish granted. Subsequently, inspection be conducted to verify the claim of the unit for installation of ETP. Consent to operate dated 30.10.2015 be refused which was submitted without trade effluent. Also ask the unit to apply for consent to operate along with requisite documents.

7/7/2017

DPCC : Administrative Area

							Authorisation Pending Status				
33	CAFE COFFEE DAY	AWWA PALLAVI SHOPPING COMPLEX, OPP. TAJ PLACE, CHANAKYAPURI	27-06-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
34	CAFE COFFEE DAY	S-4, GREEN PARK	27-06-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap - yes (20x24x20) inch (a) Effluent analysis report dated - N/A - (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of	06-07-2017 Unit applied for Consent to Establish on 27.06.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Month and years of Commencement of Production- 19.09.2013. It is recommended CTE may granted with condition that unit applied for CTO within 30 days.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

https://www.dpcc.delhi.govt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

								Commencement of Production-06.07.2013 Existing		
35	SAMARA AUTOMAX PVT LTD	DSIDC SHED 1-8,OKHLA INDUSTRIAL AREA PHASE-II	27-06-2017		Service Station Of cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP -10 KLD (Physiochemical,Oil and Grease Trap,Other) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : NIL Consumption of water: 8.5 KLD (Trade-8 KLD & Domestic- 0.5 KLD) (Source others) Date of commencement :14.08.2017 (proposed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	06-07-2017	06-07-2017 Consent to Establish granted.
36	SAMARA INDIA PVT LTD	1-8 DSIDC SHED OKHLA INDUSTRIAL AREA PHASE-II	27-06-2017		Service Station of cars with washing and paint booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP - 10 KLD (2)ECS - N/A (3)D.G.Set: 250 KVA Status of Ground Water extraction : Nil Water Consumption: 8500 Liters/Day (Source - Others) Date of Commencement: 14.08.2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	06-07-2017	06-07-2017 Consent to Establish granted.
37	CONCORDE MOTORS (	G-14, MANUFACTURERS	27-06-2017		Service Station of cars with washing and	Orange Establish	Non-SPI	water consumption:6500 litre/day	06-07-2017 -Consent to	06-07-2017

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

	INDIA) LIMITED	COOPERATIVE INDUSTRIAL ESTATE LTD UDYOG NAGAR PEERAGARHI CHOWK		paint booth Automobile Servicing and Repair Station with Washing Activity with burner				Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : ACF and DMF (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	establish may be granted.	Case deferred.
38	CAFE COFFEE DAY	B-6/6, COMMERCIAL COMPLEX SAFDARJUNG	27-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption: 1100 litre/day Source of Water: Municipal Authority Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	06-07-2017 Consent to Establish may be granted	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
39	CAFE COFFEE DAY	102/44, 1ST FLOOR DINNER BHAWAN, NEHRU PLACE	27-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil & Grease Trap cum Settling Tank (proposed) (2)ECS - N/A (3)D.G.Set: 45 KVA Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - D/B)	06-07-2017 Unit has not submitted proof of establishment of unit, original CA certificate and also not signed on the Consent application, unit has not applied Consent to Operate with required documents & information w.r.t installation of oil & grease trap cum	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.

7/7/2017

DPCC : Administrative Area

								Date of Commencement: 31.03.2014 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	settling tank, as they have mentioned the date of commissioning since 31.04.2014.	
40	CAFE COFFEE DAY	A 6, SHIVALIK COLONY MALVIYA NAGAR	27-06-2017	COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap - yes (20x24x20) Inch (a) Effluent analysis report dated - N/A - (2)ECS - N/A (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: 45 KVA (a)Noise monitoring report of - N/A - Status of Ground Water extraction : Nil Water Consumption- 1100 liters per day (DJB) Trade Effluent- 800 (Sewer/Drain) Domestic Effluent- 20 Liters per Day (disposal in sewer connected to drain) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33(A)/5 of EPA details : Month and years of Commencement of Production-19.09.2013 Existing	06-07-2017 Unit applied for Consent to Establish on 27.06.2017 for the activity of Coffee Shop with seating capacity of 42 seats. . Unit has installed Oil and grease tarp with Dimension (20x24x20) inch. Month and years of Commencement of Production- 19.09.2013. It is recommended CTE may granted with condition that unit applied for CTO within 30 days.	06-07-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESOH policy and to be issued after submission of signed copy of all requisite documents.
41	SWISS INTERNATIONAL (A UNIT OF GURU BUILDERS PVT.LTD.)	13/15,EAST PATEL NAGAR	27-06-2017	GUEST HOUSE 15 ROOM 18 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and	Orange Establish	Non-SPI		Water Consumption: 2000 litre/day Source of Water: Others Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP -Oil and Grease Trap	06-07-2017 Consent to Establish may be granted	06-07-2017 Case deferred.

7/7/2017

DPCC : Administrative Area

				having Kitchen and / or Laundry with Boiler				(2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no			
42	SIDH ENTERPRISES PLOT NO B-28 SECTOR -2 DSIDC BAWANA INDUSTRIAL AREA DELHI -110039	SIDH ENTERPRISES PLOT NO-28 POCKET B SECTOR 2 DSIDC INDUSTRIAL AREA BAWANA DELHI 110039	28-06-2017	DRY PROCESSING OF READY MADE GARMENTS WITHOUT WASHING AND DYEING WITH SPRAY PAINTS AND OIL FIRED BOILER Readymade Garment with oil fired boiler (without Washing/Dyeing) Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- Yes (proposed) (attached to suction boiler) 3. D.G. set- No Plot Area- 250 sq mt & built up area - 200 sq mt Date of Establishment/ Commencement- 28.06.2017 Status of Ground Water Extraction-No 1.Water consumption- 100 l/day Source- Outside (Bill not submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Consent to Establish granted.
43	G.K.S. BATTERY INDUSTRIES	PLOT NO.-136, POCKET-C, SEC-3, DSIDC BAWANA INDUSTRIAL AREA	30-06-2017	Assembly and Charging of Batteries. Battery Charging without trade effluent discharge	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 150 sq mt & built up area - 150 sq mt Date of Establishment/ Commencement- 19.11.2010 Status of Ground Water Extraction-No 1.Water consumption- 100 l/day Source- DSIDC (Bill submitted) Inspection status- No	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Consent to Establish granted.
44	KRISHNA WIRE PRODUCTS	A-5/1-2, JHILMIL INDUSTRIAL AREA	01-07-2017	COPPER WIRE DRAWING WITH SUPER ENAMELLING Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Establish	Non-SPI		1. ETP- No. 2. ECS -yes, stack attached to super enamelling. 3. D.G. Set - 100 KVA. 4. Water Consumption -170liters/day and source is purchase water. 5. Domestic effluent discharge - 100 liters/day and mode of disposal is sewer.	N/A	06-07-2017 Recommended to grant the Consent.	06-07-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
45	CHITRAKUT BHOJALAYA	SHOP NO.-30,AD MARKET,SHALIMAR BAGH	01-07-2017	EATING HOUSE 20 SEATS Restaurants/Eating Houses / Dhabas and other such	Orange Establish	Non-SPI		Unit has not submitted its hard copy of the application and its enclosures.Earlier the unit was inspected on 17.05.2017 and as		06-07-2017	06-07-2017 Ask the unit to submit hard copy of consent application along with requisite documents including documentary proof regarding date

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmo/cmcReportResultChecklistMeetingPrint.php

7/7/2017

DPCC : Administrative Area

				area less than 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler				Extraction-No 1. Water consumption- 500 L/day. a) Source of water- DSIIIDC (copy of bill not submitted) MCD license submitted.			
49	4 STAR HOSPITALITY	K.NO. 224, MUKHMELPUR VILLAGE, MUKHMELPUR BANDH, BEHIND HANUMAN MANDIR, G.T.K. ROAD	05-07-2017	PARTY LAWN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m ²) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP - N/A 2. ECS- Yes 3. D.G. set- 1x125 KVA Plot Area- 45000 sq mt & built up area - 500 sq mt Date of Establishment/ Commencement- 15.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 1200 L/month Source- Outside (Bill not submitted) Inspection status- No M/s Royal garden was present at this premises earlier. Closure direction was issued to the unit on 14.02.2017. Unit has submitted security bond and undertaking on 07.04.2017	Effluent Analysis Report - N/A Emission Monitoring Report -N/A Noise Monitoring reports - N/A	06-07-2017	06-07-2017 Consent to Establish granted.