




DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/4th Meeting /2017/702-06 **Dated: 17-08-2017**

Subject: Minutes of the 4th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 09.08.2017, 10.08.2017 & 11.08.2017 in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Please find enclosed herewith the Minutes of the **4th Meeting** of the aforementioned Committee, held on 09.08.2017, 10.08.2017 & 11.08.2017 in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.



(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(D.K. Singh)

Sr. Env. Engineer (CDC)
Consent Management Cell- II

Minutes of the 4th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 09.08.2017, 10.08.2017 & 11.08.2017 in the conference room of DPCC at 5th Floor, ISBT Building, Kashmere Gate, Delhi-06.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheet is enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

At the outset of the meeting office order dated 02.08.2017 regarding "policy to be followed with regard to the units which were issued closure directions and intend to either run the same unit or remove of plant and machinery to close down the unit" was discussed and decisions were taken accordingly in the applicable cases.


Agenda Item No 1: Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the Period 11.07.2017 to 05.08.2017

Decisions were taken online in these cases and list of 77 no. of units including decisions taken in these cases are at Annexure - I.

In case of M/s Lally Automobiles Pvt. Ltd., D-196, Phase-I, Okhla Industrial Area, New Delhi-110020, online decision taken and mentioned at S. No. 46 of Annexure - I [Consent to Operate (Renewal) and Authorization under HW Rules granted), was reviewed and the Committee decided to grant Consent to Operate (Renewal) and authorization application to be decided later on in view of directions received from CPCB.

Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.04.2016 to 05.06.2017

Pending cases of Consent to Establish and Consent to Operate / Renewal of the period 01.04.2016 to 05.06.2017 were to be taken up by the Committee however Committee could take up the cases of the period 01.04.2016 to 30.09.2016 which were appearing in the online generated list through existing software and Decisions were taken online in individual cases and list of 36 no. of units (Cases of Consent to Establish and Consent to Operate / Renewal) including decisions taken in these cases are at Annexure - II.

The bottom of the page features several handwritten signatures and initials in blue ink. From left to right, there is a signature that appears to be 'J. Kumar', followed by 'Deepak Singh', then a signature that looks like 'Ravi', and finally a signature that appears to be 'Rajendra'. There are also some initials and marks scattered around these signatures.

In case of M/s Dosa Chatni, Food Court, PVR 3, CS MALL, 2nd Floor, 15, Firoz Gandhi Marg, Lajpat Nagar, Delhi online decision taken and mentioned at S. No. 11 of Annexure - II (Consent to Operate granted) , was reviewed since Modified Directions u/s 33 (A) of Water Act has been issued to the unit on 25.07.2017 with following directions :-

"Either unit shall install Common Effluent Treatment Plant (ETP) to treat the waste water generated from all restaurant operating in the said food court (i.e. namely M/s Darya, Moti Mahal, China Wall, Mcdonalds with this unit) and submit full details of common ETP & latest effluent analysis report from approved laboratory of DPCC within 30 days"

Or

"Otherwise unit shall install Oil & Grease Trap cum Settling Tank for holding the effluent arising from kitchen and washing activity for atleast 4 hours duration and submit full details of Oil & Grease Trap & latest effluent analysis report from approved laboratory of DPCC within 30 days"

In view of above, Committee decided to defer this case.

It was decided by the Committee that remaining cases of the period 01.04.2016 to 05.06.2017 shall be taken in the next meeting.

Hon'ble National Green Tribunal in its order dated 16.06.2017 in O.A. No. 449 of 2016 in the matter of Delhi Hotel & Restaurant Owner's Association Vs MOEF&CC & Ors. has directed that "the consent applications submitted by guest houses not having kitchen and/or laundry be not processed by DPCC till further orders".

In view of the above, the Committee decided to take up all cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas in a separate meeting to have uniform decision in such cases however Inspection shall be carried out in cases where the unit has applied for Consent and having Kitchen and or Laundry.

Following Table Agenda Items were taken by the Committee with the permission of Chairman of the Committee :

Table Agenda Item No. 1 : 10 Cases of CMC II & IV

Decisions were taken online in these cases and are at Annexure - III.

The bottom of the page contains several handwritten signatures and initials in blue ink. From left to right, there is a signature that appears to be 'S. Singh', followed by 'S. Singh', 'S. Singh', 'S. Singh', 'S. Singh', 'S. Singh', and 'S. Singh'. There are also some initials and marks scattered around these signatures.

Table Agenda Item No. 2

Following cases were taken up in this Table Agenda and Decisions were taken offline in these cases and are given in following Table:

Sl. No	CMC	Name & Address of the Unit	Date of Consent Application	Activity of the Unit	Decisions taken by the Committee on 06.07.2017
1	I	M/s Khandelwal Sales Corporation, M-19, New Mandoli Redevelopment Area, Delhi	07.12.2016 [Consent to Operate]	Mfg. of Copper Ingots by Casting	Ask the unit to submit certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name & address of the unit in the said certificate and provide user name & password of installation of OLMS. If unit submits the same, Consent to Operate be granted.
2	I	M/s Tirupati Industries, Block-I, Plot No 5-8, Khasra No 36, Vishnu Gali, Saboli, New Mandoli, Delhi-110093	27.05.2017 [Consent to Establish] & 27.05.2017 [Consent to Operate]	Copper Re-Rolling Industry	Ask the unit to submit certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name & address of the unit in the said certificate. If unit submits the same, Consent to Establish be granted. Also a letter be issued asking the unit to increase the stack height attached with the heating furnace and low speed ship engine to be used for operation of fly wheel of rolling mill and provide acoustic enclosure with the said ship engine and to submit stack as well as noise monitoring report of the said ship engine before operation of the rolling mill.
3	I	M/s LD Manufacturing Private Limited, Khasra No 26, Baljai Gali, New Mandoli Industrial Area, Delhi-110093	06.06.2017 [Consent to Operate]	Re-Rolling of Copper	Ask the unit to submit certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name & address of the unit in the said certificate, provide adequate stack height as per the prescribed standards and submit stack monitoring report of D.G. Set(s) having capacity more than 1000 KVA. If unit submits the same, Consent to Operate be granted.

[Handwritten signatures and initials are present below the table, including names like 'K Singh', 'Jai', 'Smita', 'Ash', and 'Indrani'.]

	II	M/s Print Connection, C-73, DDA Shed, Phase-I, Okhla Industrial Area, New Delhi-110020	18.09.2015 [Consent to Operate] & 18.09.2015 [Authorization]	Printing Job (without Plate Making)	Direction for closure u/s 5 of EP Act was issued to the unit on 16.06.2017. BSES vide letter dated 28.07.2017 has informed that electricity supply of the said premises / unit has been disconnected on 28.07.2017 and proprietor has informed that SDM has sealed the premises on 05.07.2017. The proprietor of the unit has informed that they have closed down its operation and sold out the plant and machinery and requested to de-seal the premises so that he can vacate / remove all the plant & machinery and submitted an environmental compensation security of Rupees Two Lakh and an undertaking as per the office order dated 02.08.2017. In view of the above, premises of the unit be desealed for 15 days for removal of plant and machinery. However, the electricity / water connection shall remain disconnected and the premises owner shall ensure that earlier generated hazardous waste is stored safely as per Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Application for Consent to Operate dated 18.09.2015 and Authorization under HW Rules dated 18.09.2015 be made infructuous.
5	II	M/s Café Coffee Day, 1-2-3 and 3A, Ground Floor, Mool Chand Metro Station, Lajpat Nagar-IV, New Delhi-110024	23.05.2017 [Consent to Establish]	Coffee Shop	Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
6	IV	M/s T&T Motors Ltd., B-81, Phase-I, Mayapuri Industrial Area, New Delhi-110064	29.12.2016 [Consent to Operate] & 29.12.2016 [Authorization]	Automobile Workshop cum Service Station	Inspection conducted on 31.03.2017. During inspection, ETP found operational and unit is complying with the Hazardous and Other Waste Rules. Consent to Operate granted. Authorization application to be decided later on in view of directions received from CPCB.
7	IV	M/s T&T Motors Ltd., B-92, Phase-I, Mayapuri Industrial Area, New Delhi-110064	29.12.2016 [Consent to Operate] & 29.12.2016 [Authorization]	Automobile Workshop cum Service Station	Inspection conducted on 31.03.2017. During inspection, ETP found operational and unit is complying with the Hazardous and Other Waste Rules. Consent to Operate granted. Authorization application to be decided later on in view of directions received from CPCB.







IV	M/s Teddy Boy (A unit of YPA Restaurant Pvt. Ltd.), N-86, First Floor, Connaught Place, New Delhi-110001	21.04.2017 [Consent to Operate]	Restaurant cum Bar (98 Seats)	Consent to Operate granted.
----	--	------------------------------------	-------------------------------	-----------------------------


In view of the Directions u/s 5 of Environment (Protection) Act, 1986, issued by Central Pollution Control Board to DPCC vide letter dated 19.05.2016 "To ensure renewal of authorization shall not be granted to existing industries with effect from 31st July, 2017", the Committee has already decided in its meeting on 06.07.2017 that a letter be sent to CPCB requesting to extend the time period upto 31st December, 2017 w.r.t. said directions and the matter has already been put up in this regard. It was decided that the matter be expedited to seek extension from CPCB however all the applications of Authorizations under the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" shall not be decided by the Committee and such cases shall be taken up / decided later on after the extension is granted by CPCB.

Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I, Annexure-II & Annexure- III**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.


(S.M. Ali)
Member Secretary, DPCC


(D.K. Singh)
SEE, CMC-II


(M. Arif)
SEE, CMC-V


(B.L. Chawla)
SEE, CMC-I



(Satender Kumar)
SEE, CMC- IV & V


(D.K. Srivastava)
EE, CMC-III


(M.S. Rawat)
EE, CMC-V


(Sanjay Vatts)
EE, CMC-II


(Surender Singh)
EE, CMC-V


(Shyam Sunder)
EE, CMC-I









(Ramesh Chandra)
EE, CMC-II


(Amit Chaudhary)
EE, CMC-III


(K. Kumar)
EE, CMC-IV

Annexure "A"

Attendance Sheet for 4th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 held on 09.08.2017 ^{10.08.2017 & 11.08.2017} in the Conference Room of DPCC at ISBT Building, Kashmere Gate, Delhi.

S.No.	Name	Designation	Signature
1.	Sh. S. M. Ali	Member Secretary, DPCC	
2.	Sh. D.K. Singh	SEE(CDC)(CMC II), DPCC	
3.	Sh. M. Arif	SEE(CDC) (CMC III), DPCC	
4.	Sh. P. S. Pankaj	EE, Incharge CMC IV, DPCC	On Training
5.	Sh. B. L. Chawla	SEE(CDC)(CMC I), DPCC	
6.	Sh. Satender Kumar	SEE(CDC) (CMC ^{IV} V), DPCC	
7.	Sh. D. K. Srivastava	EE(CDC) (CMC III), DPCC	
8.	Sh. M. S. Rawat	EE(CDC) (CMC V), DPCC	
9.	Sh. Sanjay Vatts	EE(CDC) (CMC II), DPCC	
10.	Sh. Surender Singh	EE(CDC) (CMC V), DPCC	
11.	Sh. Shyam Sunder	EE(CDC) (CMC I), DPCC	
12.	Sh. Ramesh Chandra	EE(CDC) (CMC II), DPCC	
13.	Sh. Amit Chaudhary	EE(CDC) (CMC III), DPCC	
14.	Sh. Sunil Kumar	EE(CDC) (CMC IV), DPCC	Present -Absent-
15.	Sh. K. Kumar	EE(CDC) (CMC IV), DPCC	



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 4th meeting on 9th to 11th August 2017 w.r.t. Agenda Item No 1 - 77
Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the period 11.07.2017 to 05.08.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non-SPI)	Authorization Status [Granted/Applied - Fresh/Renewal]	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	SPECTRUM PRINTING PRESS PVT. LTD.	23, COMPUTER COMPLEX, DSIDC SCHEME-I, PHASE-II, OKHLA INDUSTRIAL AREA	11-07-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge.	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date: 27-01-2009 Authorisation Status: Pending HWM Application No. 2 Application Date: 11-07-2017 Authorisation Status: Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set : 62.5 Kva The unit has 1 D.G. Set(s) of 62.5 KVA. Status of Ground Water extraction : Nil Water consumption : 100 lit/day (source : DGB) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.number of parameters analyzed which are within limit.	20-07-2017 Earlier, unit has applied Consent to Operate (Renewal) for the activity of Offset Printing with Washing on 27.01.2009. Now, they have submitted application for Consent to Operate (Renewal) for the activity of printing without any trade effluent discharge but they have not applied for Consent to Establish for the change of activity.	09-08-2017 Inspection be conducted.
2	SODA BOTTLE OPENERWALA (A UNIT OF OLIVE BAR & KITCHEN PVT. LTD)	FLAT NO-73, 1ST FLOOR & IIND FLOOR, KHAN MARKET	11-07-2017		RESTAURANT AND BAR (48 SEATS). Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DGB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 2000 Liters/Day Status of Pollution Control System (1)ETP - ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : BATCH TYPE (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G Set of 62.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of	Effluent analysis report: (a) Effluent analysis report dated 17-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 04-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-07-2017 -Consent to Operate may be granted after submission of the hard copy along with all requisite documents of the consent application Remarks/ATR on 08-08-2017 -Unit has submitted hard copies of the Consent to Operate application.	09-08-2017 Consent to Operate granted.

								EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
3	DEEP HYUNDAI A UNIT OF DEEP (INDIA) ENTERPRISES PVT. LTD.	T-5/1, MANGOLPUR INDUSTRIAL AREA, PHASE-1,	11-07-2017		Repairing servicing with washing with denting and painting of cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP - Proposed (2)ECS - Proposed (Adequate stack Height with paint booth). (3)D.G.Set: -1 of 125 KVA Status of Ground Water extraction : Nil Source of Water: 10000 L per day, Source- Others Status of Inspection : No SCN u/s 31(A)/33(A): No Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Test reports Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	04-08-2017 Earlier unit has applied for CTO in the name of M/s Deep India Enterprises Pvt. Ltd. for the activity of servicing repairing of various cars which expired on 15.08.2017. Now unit has again applied for CTE for the activity of Repairing servicing with washing with denting and painting of cars D.G. set details not given in application form but given in undertaking. Also only first page of project report, proof of possession of plot and undertaking is uploaded. Uploaded authorisation letter is not signed. However, hard copy of all the documents is submitted.	09-08-2017 Consent to Establish granted.
4	M. R. INDUSTRIES	PLOT NO 22/2, (OLD NO 5-12), ANAND PARBAT INDUSTRIAL AREA	11-07-2017		FORGING (POWER PRESS) Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI	Water consumption: 120 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - Stack attached to boiler (3)D.G.Set: N/A Status of Ground Water extraction :NIL Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1. Stack monitoring report: (a) Stack monitoring report of the Stack attached to boiler dated 05-07-2017 issued by DPCC submitted. Stack Test Report within limit - Yes	20-07-2017 -Ask the unit to submit hard copy along with all requisite documents of the consent application. Remarks/ATR on 08-08-2017 -Unit has submitted hard copies of the Consent to Operate (Renewal) application.	09-08-2017 Ask the unit to submit ambient noise monitoring report as per requirement in such cases.
5	HOTEL FREESIA (A UNIT OF M/S FREESIA HOTELS PVT LTD)	E-19, DEFENCE COLONY	11-07-2017		HOTEL WITH KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set : 180 KVA The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated		20-07-2017 Now, unit has submitted application for Consent to Operate online on 11.07.2017 however hard copy of Consent application along with required document is yet to be received.	09-08-2017 Inspection to be conducted.

					Kitchen and / or Laundry with Boiler				23-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Water consumption: 9000 ltr/day (Domestic-5000 ltr/day & Kitchen Washing-4000 ltr/day) (Source : Others) Status of Ground Water extraction : NIL Status of Inspection : Inspection of the unit was carried out by officials of DPCC on 28.12.2016 and following observation were made: -Unit found in operation and engaged in the activity of Hotel with Kitchen with capacity of 30 rooms. -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization system not provided in the kitchen. -Unit having 1 boiler (oil fired), however stack height found inadequate. -Unit having 1 D.G set with capacity of 180 KVA with acoustic enclosure with inadequate stack height. SCN u/s 31(A)/33(A)/5 of EPA details : issued on 17.01.2017 Unit has submitted reply on 02.02.2017 and informed that ETP is being operated regularly & properly, Logbook of ETP is being maintained, they are in process of installing Channelization system in kitchen, ordered for increase in stack height of D.G set & Boiler and requested for grant of 45 days to carry out the same Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL	Remarks/ATR on 08-08-2017 Unit has submitted hard copy of Consent application along with required documents/ test reports on 27.07.2017. As decided in common file of Defence Colony Market, inspection yet to be conducted.		
6	P.K. TECHNO PROJECT PVT. LTD.	D-43, GTK ROAD, S.M.A INDUSTRIAL AREA	12-07-2017		ENGINEERING GOODS VIZ. RUBBER PARTS AND RAIL TRACK PARTS	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Stack attached to	Effluent analysis report - N/A Emission monitoring report	20-07-2017	09-08-2017 Ask the unit to submit monitoring report for VOC parameter or

				Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler				thermal Fluid Heater 3, D.G. set- 160 KVA Plot Area- 400 sq mt Date of commencement- 01-01-1989 Status of Ground Water Extraction-No 1. Water consumption-700 L/day. a) Source of water-DJB (copy of water bill submitted) Status of Inspection-No	Issued by DPCC, Lab on 03.07.2017. Parameters are within the prescribed limit. Noise monitoring report - issued by DPCC, Lab on 22.05.2017. Parameters are within the prescribed limit.	Remarks/ATR on 08-08-2017	certificate from Industries Department regarding SSI unit and also check stack height for channelization system as per prescribed standard. Inspection be also conducted.
7	BLUFOX INTERNATIONAL	11-A, GALI NO.4, FRIENDS COLONY INDUSTRIAL AREA	12-07-2017	Mfg. of Bakelite Powder Bakelite Powder mfg. using Phenol Formaldehyde Resin As Raw Material and Bakelite Products	Green Operate	Non-SPI	HWM Application No. 1 Application Date 16-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006	1. ETP - No 2. ECS - No 3. D.G.Set: No 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day	N/A	18-07-2017 Recommended for inspection.	09-08-2017 Consent to Operate granted.
8	ROSEMETALS PVT. LTD.	D-1/116, MAYAPURI INDUSTRIAL AREA, PHASE-II	12-07-2017	MFG. AND REPAIRING OF AUTOMOBILE CATALYST CONVERTOR AND LIGHT ENGINEERING WORKS WITH PAINTS. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 14-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		20-07-2017 Consent to Establish may be approved. Remarks/ATR on 08-08-2017 -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. & repairing of automobile catalyst converter and light engg. Works.. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. Source of water supply is other (only for domestic purpose) no borewell was observed. 5. HWM guidelines being followed.	09-08-2017 Consent to Establish granted.
9	CHA BAR (A UNIT OF APEEJAY OXFORD	N-81, CONNAUGHT PLACE, NEW DELHI	12-07-2017	RESTAURANT Restaurants /Eating houses/ Dhabas and	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil and Grease		20-07-2017 -unit has not submitted hard copy of the consent application.	09-08-2017 Consent to Establish granted.

	BOOKSTORES PVT. LTD.)				other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler				Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		Remarks/ATR on 09-08-2017	
10	KAKAJI CORNER	J-39, DOUBLE STOREY, LAJPAT NAGAR, NIRMAL PURI	13-07-2017		MFG. OF FOOD PRODUCTS Restaurants/Eating Houses / Dhahas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP/Oil & Grease Trap - (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : NIL Water Consumption- 400 ltr/day (domestic- 100 ltr/day & Washing - 300 ltr/day) (Source -D/B , Bill enclosed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : 28.02.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : NIL		20-07-2017 Unit has submitted letter w.r.t Show Cause Notice dated 28.02.2017 and inform that they have applied online for Consent to Operate on 11.07.2017. Submitted Hard copy of the said application on 14.07.2017 in DPCC. After perusal of the record submitted by the unit that MCD Health License was expired on 31.03.2007 and Delhi Police License expired on 31.12.2007 and also unit has not provided photograph and detail of Oil & Grease trap cum settling tank. Hence, unit is required to submit valid MCD Health License and Police License & photograph/ detail of Oil & Grease trap cum settling tank. And also asked to submit details of capacity of the unit.	09-08-2017 Ask the unit to submit required documents and photographs and details(size/dimensions) of Q&G Trap cum Settling Tank as per latest RESDH policy.
11	ASHOKA CABLE WORKS (INDIA)	A-59, PHASE-II MAYAPURI INDUSTRIAL AREA	13-07-2017		RUBBER/ PVC INSULATED WIRE CABLE (WITHOUT PROCESSING OF PLASTIC WASTE). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Stack attached to boiler. (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s	ed 10-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 1. Stack monitoring report: (a) Stack monitoring report of the Stack attached to boiler dat	20-07-2017 -Unit has not submitted hard copy of consent application. Remarks/ATR on 08-08-2017 -Unit has submitted hard copies of the Consent to Operate (Renewal) application. -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made:	09-08-2017 Ask the unit to submit monitoring report for VOC parameter or certificate from Industries Department regarding SSI unit and also check stack height for channelization system as per prescribed standard.

									31(A)/33(A)/5 of EPA details :no		1. Unit found operational and engaged in the activity of rubber/PVC insulated wire cable (without processing of plastic waste). 2. No D.G Set found installed within the premises. 3. Unit is non water polluting therefore no ETP installed. 4. One boiler found installed in working condition. 5. Emission Control System provided with adequate stack height.	
12	RANG DE BASANTI URBAN DHABA (A UNIT OF ZING RESTAURANTS PVT. LTD.)	1-A, FIRST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI-110016	14-07-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil & Grease Trap: capacity: 1560 litres/day (b) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :NIL Water Consumption:2.5 KL/d (Source:DJB) Trade effluent discharge:1.5 KL/day Status of Inspection :Inspection carried out on 24.03.2017 SCN u/s 31(A)/33(A)details :Issued on 10.04.2017	Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-07-2017 Inspection of the unit was carried out on 24.03.2017 wherein it was found that the unit was operating without Consent to Establish & Consent to Operate but no Oil and Grease Trap Cum settling Tank observed during inspection. SCN u/s 31(A)/33(A) was issued to the unit on 10.04.2017 w.r.t. the deficiencies observed. The unit applied for Consent to Establish on 23.04.2017 & for Consent to Operate on 14.07.2017 for the activity of Restaurant with a seating capacity of 48 seats. No Details of Size of Oil and Grease Trap Cum settling Tank has been given. It is recommended that CTE may be granted after the unit provide the Size/ Dimensions of Oil and Grease Trap Cum settling Tank and an inspection of the unit may be carried out before deciding CTO.	09-08-2017 Consent to Establish granted however to be issued after submission of photographs and details(size/dimensions) of Oil & Grease Trap cum Settling Tank as per latest RESDH policy and if found adequate. Also inspection be conducted.
13	A&M DESIGN AND PRINT PRODUCTION	65, PATPARGANJ INDUSTRIAL AREA	14-07-2017		Printing without Trade Effluent Discharge. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 07-07-2004	1. ETP- No 2. ECS- No 3. DG Set-125 KVA 4. Domestic effluent discharge- 150L/D which is disposed through public sewer.	N/A	21-07-2017 Inspection to be conducted	09-08-2017 Inspection be conducted in view of the hazardous waste generated and operating unit. Also check the fee since unit has applied for Consent to Establish.

DPCC : Administrative Area

								Authorisation Approved Status Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 08-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-03-2012 Authorisation Status Approved Authorisation Issue Date 29-05-2012 Authorisation Expiry Date 19-03-2017 HWM Application No. 4 Application Date 17-07-2017 Authorisation Status Pending 5. Trade effluent discharge- Nil 6. Source of water supply- Water/drinking water suppliers. 7. Water consumption- 250L/D for human use.		
14	ROSEMETALS PVT. LTD.	D-1/116, MAYAPURI INDUSTRIAL AREA, PHASE-II	14-07-2017		MFG. AND REPAIRING OF AUTOMOBILE CATALYST CONVERTOR AND LIGHT ENGINEERING WORKS WITH PAINTS. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-07-2017 Authorisation Status Pending Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction:Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	20-07-2017 Remarks/ATR on 08-08-2017 -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity	09-08-2017 Consent to Operate and authorization under HW Rules granted.

								Closure directions u/s 31(A)/33(A)/5 of EPA details :No		of mfg. & repairing of automobile catalyst converter and light engg. Works.. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. Source of water supply is other (only for domestic purpose) no borewell was observed. 5. HWM guidelines being followed.	
15	INVITATION CERAMONIAL	B-52,G.T. KARNAL ROAD INDUSTRIAL AREA	14-07-2017	BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set-250 Plot Area- 510 sq mt Date of commencement- 01-03-2000 Status of Ground Water Extraction-No 1. Water consumption- 4500 L/day. a) Source of water-DJB (copy of water bill submitted) Status of Inspection-No	Effluent analysis report - issued by DPCC, Lab on 12.06.2017. Parameters are within the prescribed limit. Emission monitoring report -N/A Noise monitoring report - issued by DPCC, Lab on 03.07.2017. Parameters are within the prescribed limit.	21-07-2017 Remarks/ATR on 08-08-2017	09-08-2017 Consent to Operate (Renewal) granted.
16	ROYAL EASTERN HOSPITALITIES PVT. LTD. (PANCHSHILA RENOVIOUS COMPLEX)	T-540, PANCHSHILA PARK, MALVIYA NAGAR ROAD	15-07-2017	RESTAURANT/BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - Yes (Biological) (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 160 KVA and 320 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 160 KVA and 320 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	(1)ETP - Yes (Biological) (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 160 KVA and 320 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 160 KVA and 320 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-07-2017 unit has applied for Consent To Operate (Renewal) on 15.07.2017 for the activity of RESTAURANT/BANQUET HALL. Unit submitted its Effluent Analysis report and Noise Report and it is within prescribed limits. It is recommended CTO (Renewal) may be granted.	09-08-2017 Consent to Operate (Renewal) granted.

								Status of Ground Water extraction : Nil Water consumption: 7 KL per Dy Trade Effluent: 5 KL per Day Domestic Effluent: 1 KL Per day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		
17	MASALA LIBRARY (A UNIT OF MASSIVE RESTAURANT PVT. LTD.)	21-A, JANPATH	15-07-2017	RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water consumption: 6500 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	20-07-2017 -Unit has not submitted hard copy of Consent to Establish. Remarks/ATR on 08-08-2017 -Unit has submitted hard copies of the Consent to Establish application.	09-08-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate along with requisite documents within 30 days however Consent to Establish be issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDC policy.
18	FARZI CAFE (A UNIT OF MASSIVE RESTAURANT PVT. LTD.)	E-38-39, INNER CIRCLE, CONNAUGHT PLACE	15-07-2017	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water consumption: 10000 Liters/Day Status of Pollution Control System (1)ETP- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	20-07-2017 -Unit has not submitted hard copy of Consent to Establish. Remarks/ATR on 08-08-2017 -Unit has submitted hard copy of the Consent to Establish application.	09-08-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate along with requisite documents within 30 days however Consent to Establish be issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDH policy.
19	SHIVA AUTOMOBILES	PLOT NO. 426, GALI NO. 7, FREINDS	15-07-2017	AUTOMOBILE SERVICING AND	Orange Establish	Non-SPI		1. ETP -Yes, of design capacity 500 l/day.	19-07-2017 Recommended for	09-08-2017

		COLONY INDL AREA, SHAHDARA			REPAIR STATION WITH WASHING ACTIVITY OF VEHICLES (TWO WHEELERS) Automobile Servicing and Repair Station with Washing Activity				2. ECS - No 3. D.G.Set: Yes 4. Water Consumption : 700 L/day and source is purchase water. 5. Domestic Trade Effluent : 150 L/day mode of disposal is sewer. 6. Trade effluent Discharge - 500 liters/day mode of disposal is sewer.		Inspection.	Consent to Establish granted. Also inspection be conducted.
20	ANGAD METAL	1/488-S04/A-3, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	15-07-2017		MANUFACTURING OF PRESSURE COOKER AND ALUMINUM UTENSILS WITH BUFFING Process Involving Buffing	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Yes 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day	N/A	18-07-2017 Recommended for inspection.	09-08-2017 Inspection be conducted.
21	DADA JI DI PUNJABI RASOI	SHOP NO-43, AD BLOCK DDA MARKET SHALIMAR BAGH	17-07-2017		DHABA 35 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECS: N/A ETP: OGT of capacity 2 KLD D.G.Set: 1 of capacity 7 KVA Source of water supply: 2 KLD from DJB. hard copy of Consent application is not submitted by the unit. Acoustic Enclosure is not provided for D.G. Set. Effluent Analysis and Noise Monitoring reports are not uploaded by the unit. MCD License not submitted by the unit. Proof of date of commencement of production not submitted by the unit.		20-07-2017 Remarks/ATR on 09-08-2017 Unit has submitted its reply on 24.07.2017 mentioned that its actual seating capacity is 30 and on the day of inspection some guest of owner of unit had come for whom they arrange of owner of unit had come for whom they arrange more seats. Also unit has applied for Consent to Establish and Consent to Operate on 17.07.2017 and 27.07.2017 respectively. Remarks/ATR on 08-08-2017 Unit has submitted hard copy of consent application vide letter dated 20.07.2017 ETP:Oil and Grease Trap (capacity 2 KLD) ECS: N/A D.G.Set: 7 KVA Source Of Water:2 KLD from DJB CA certificate submitted by unit is not in prescribed format. Earlier, Unit was inspected by DPCC Representatives on 17.05.2017 and following were observed: -Unit is engaged in the activity of Restaurant (seating-56)	09-08-2017 Ask the unit to submit documentary proof regarding seating capacity, proper CA Certificate, submit balance consent fee accordingly and submit photographs and details(size/dimensions) of O&G Trap as per latest RESDH policy etc.

											- As reported Unit has MCD License and Police License. However, same could not be shown during the inspection. -Unit is having one kitchen and one washing area. However, no waste water treatment equipment (OGT and ETP) has been installed by the unit. -Channelization system along with chimney in the area. However stack of the same could not be seen. SCN u/s 33(A) of Water Act and u/s 31(A) was issued to the unit on 19.06.2017	
22	AGGARWAL SWEET CORNER PVT. LTD.	3/33, 3/34 AND 3/35, DOUBLE STOREY, NAJAFGARH ROAD, TILAK NAGAR	17-07-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)OGT (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 82.5 KVA Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1). Effluent analysis report dated -yes, issued by DPCC on 14.03.2017. Analysis Report of water Effluent within limit. (2) D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 01-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - No	20-07-2017 -Ask the unit to submit hard copy along with all requisite documents of the consent application. Remarks/ATR on 09-08-2017 -An inspection was carried out by the Officials of DPCC on 08.08.2017. During inspection following observations were made: 1. Restaurant cum sweet shop found in operation. 2. Effluent Treatment Plant followed by oil & grease trap on tap floor and ground floor of the premises found installed but the same were not in operation. 3. No log book w.r.t. operation of treatment plant found maintained. 4. Effluent Treatment Plant as observed was not being operated for long time and no wet and dry sludge was seen.	09-08-2017 Issue show cause notice for refusal of consent and u/s 33(A) of Water Act for closure of the unit.
23	KANWARJI RAJKUMAR	1972-73, CHANDNI CHOWK, CORNER GALI	17-07-2017		SWEETS, NAMKEEN AND SNACKS. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns	Orange Operate	Non-SPI		Refusal of consent decided on file and same has been refused on 06.04.2017. Direction for closure also. Issued on 06.04.2017. Unit was fined with imprisonment by the Court of additional Chief MM, Tis Hazari. Writ petition filed before high Court was	Effluent analysis report - N/A Emission monitoring report -N/A Noise monitoring report - N/A	20-07-2017 Remarks/ATR on 09-08-2017 Status of Pollution Control system/Devices- 1. OGT- Yes	10-08-2017 Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.

				(with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				dismissed as withdrawn on 09.05.2017. Unit has submitted that they have rectified the deficiencies and security bond of Rs. one lakh alongwith undertaking and requested for revocation of closure directions. Unit has again applied for consent to operate. Status of Pollution Control system/Devices- 1. ETP- No 2. ECS- N/A 3. D.G. set-250 Plot Area- 27.87 sq mt Date of commencement- 01-01-1995 Status of Ground Water Extraction-No 1. Water consumption-600 L/day. a) Source of water-DJB (copy of water bill submitted)		2. Channelization- Yes 3. D.G. set- No Effluent analysis report- N/A Emission monitoring report-Not submitted Noise monitoring report-N/A	
24	A&M DESIGN AND PRINT PRODUCTION	65, PATPARGANU INDUSTRIAL AREA	17-07-2017	Printing without Trade Effluent Discharge. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 08-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 20-03-2012 Authorisation Status Approved Authorisation Issue Date 29-05-2012	1. ETP- No 2. ECS- No 3. DG Set-125 KVA 4. Domestic effluent discharge- 150L/D which is disposed through public sewer. 5. Trade effluent discharge- Nil 6. Source of water supply- Water/drinking water suppliers. 7. Water consumption- 250L/D for human use.	N/A	21-07-2017 Inspection to be conducted	09-08-2017 Inspection be conducted in view of the hazardous waste generated and operating unit. Also check the fee since unit has applied for Consent to Establish.

								Authorisation 19-03- Expiry Date 2017				
								HWM Application No. 4 Application Date 17-07-2017 Authorisation Status Pending				
25	SHIVA INDUSTRIES (PROP. RAJINDER KUMAR)	1/488-504/A-10, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	17-07-2017		FABRICATION OF FERROUS AND NON FERROUS METAL (ENGINEERING WORKS) WITH POWDER COATING WITHOUT PHOSPHATING Powder Coating without phosphating Light Engineering work	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Yes 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent : 100 L/day - Show Cause Notice was issued to the unit on 25.02.2017.	N/A	18-07-2017 Recommended for inspection.	09-08-2017 Ask the unit to submit certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate.
26	UPPAL HOTELS PVT. LTD.	THE UPPAL AT VILLAGE SAMALKHA MEHRAULI NEAR IGI AIRPORT OPPOSITE SHIV MURTI NEW DELHI 110037	18-07-2017		Hotel (3 Star and Above) -not connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler Hotel (3 Star and Above) -not connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Establish	Non-SPI		Status of Pollution Control System (1) STP- Yes (400 kLD) SBR technology (purposed) (a) Effluent analysis report dated - N/A (2)ECS - Boiler 3 lac kilo calories/ hr (a) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set:Yes (3x 1250) (a)Noise monitoring report of - N/A b) Stack monitoring report (for more than 1000 KVA) dated - N/A Status of Ground Water extraction :N/A water Consumption- 450 KL/D (Tanker) Trade effluent- Nil Domestic Effluent- 334 KL/D (And reused for Cooling,Flushing, Backwash, Gardening, Purpose) Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A		09-08-2017 Unit has applied for Consent to Establish on 18.07.2017 for the activity of Hotel (3 Star and Above). As per the undertaking the unit has obtain water from tanker supply. Unit has proposed to install STP of capacity of 400 KLD and stated that it will Generate Nil Trade Effluent and reuse its domestic effluent 334 KL/D for Cooling,Flushing, Backwash, Gardening, Proposed. Unit has also proposed to install 5 Rain water harvesting pits. Its is recommended that CTE may be granted to unit.	09-08-2017 Consent to Establish granted with the condition that unit shall comply with the conditions imposed in environmental clearance.

								Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A			
27	CHINA GARDEN RESTAURANT (UNIT OF FOUR SEASONS CUISINE INDIA PVT. LTD.	M-73, M BLOCK MARKET, GREATER KAILASH-II	18-07-2017	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical Effluent analysis report dated 17-07-2017 of DPCC laboratory (online generated) submitted without signature of Officials of DPCC laboratory. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G Sets : 2 (62.5 KVA each) The unit has 2 D.G. Set(s) of 62.5 KVA and 62.5 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction: Nil Water Consumption: 8500 Liters/Day (source - DJB) as per Consent application Water Consumption: 6900 Liters/Day (as per letter dated 19.07.2017. Status of Inspection: Last inspection of the unit was carried out by the representative of DPCC on 04.05.2017 and following observation were made: -Unit found in Operation and engaged in the activity of Restaurant. During inspection restaurant is having 78 seats at 1st floor and 4 seats at ground floor. However, 2nd floor of the Restaurant is under renovation and as informed, seats of the said floor are temporarily removed. Hence total seating capacity of restaurant would be more than 100 seats. -ETP found installed (at roof top). All units/tanks of ETP including dosing tanks found filled up with clear water. Conditions of the	The unit has 2 D.G. Set(s) of 62.5 KVA and 62.5 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 17-07-2017 of DPCC laboratory (online generated) submitted without signature of Officials of DPCC laboratory. Number of parameters analyzed which are within limit - Yes	21-07-2017 Unit has submitted representations dated 30.05.2017 regarding request for temporarily Revocation of Directions. As per approval on file by the Chairman DPCC, a letter was issued to unit on 04.07.2017 and directed to either install adequate Effluent Treatment Plant to treat the waste water generated from the restaurant for existing seating capacity for 195 seats, install flow meter at Inlet and Outlet of ETP and submit the full details after installing the adequate ETP and also submit security bond of Rupees One Lac and undertaking regarding closure of unit, as per office order dated 18.06.2015 and accordingly submit fresh application for Consent to Operate along with required documents. Or Unit shall restrict the seating capacity of restaurant upto 98 seats, as per adequacy report of installed ETP and submit fresh MCD Health Trade License and Delhi Police License for 98 seats and install flow meter at Inlet and Outlet of ETP and also submit security bond of Rupees One Lakh and undertaking regarding closure of unit, as per office order dated 18.06.2015 and accordingly submit fresh application for Consent to Operate along with required documents. BSES has submitted compliance report w.r.t Closure Direction dated 25.05.2017 vide letter	11-08-2017 As per the letter of BSES dated 03.07.2017, the electricity of the unit has been disconnected on 28.06.2017. Consent to Operate granted with the condition that unit shall submit fresh license from Delhi Police for 98 seats within 30 days from date of issue of consent to operate. After issuance of consent to operate, letter be issued for making directions for closure issued on 25.05.2017 infructuous as per office order dated 02.08.2017. Thereafter, inspection be conducted as per said office order. Name of the unit be also changed in the online record in view of the request submitted by the unit.

ETP reveals that its not
Operating regularly.
-No wet/dry sludge
observed. Flow Meter at
Inlet and Outlet of ETP not
installed.
-Waste water generated
from kitchen is being
directly discharging into
sewer.
-Contacted person didnt
co-operate with the
inspection team and not
provided copies of MCD
Health License, Police
License, DIB bill and
electricity bill. Log book of
ETP could not be shown.
-DG sets (2X62.5 KVA)
found with acoustic
enclosure and adequate
stack height.
-Kitchen emissions
channelized with hood and
suction arrangement and
adequate stack height.

SCN u/s 31(A)/33(A)
details : issued on
13.01.2015 and
19.05.2016

Closure directions u/s
33(A)details : Issued on
25.05.2017

dated 03.07.2017 and
informed that Electricity
supply of the said
premises/unit has been
disconnected on
28.06.2017 from Bus-
bar.

Unit has submitted
representations on
19.07.2017 w.r.t letter
dated 04.07.2017 along
with Environmental
Compensation Security
of Rs 2 Lakhs and
undertaking regarding
Closure of unit in
pursuance of decision
taken in DPCC Board
Meeting held on
23.06.2017 and
informed as under.

- That they have
restricted the seating
capacity of restaurant
to 98 seats and that
they
shall not increase the
same without seeking
prior
permission/approval
from DPCC and
informed that they
have applied for
amendment/renewal of
MCD License for 98
seats. As
renewed MCD license is
required in order to
apply for renewal of
Police license, the
application for
amendment/Renewal
for the same shall be
done and receipt
submitted as soon
as renewed MCD
license is received.

- That they have shut
down/ closed down
their restaurant on
12.06.2017 in
compliance of
Closure Direction dated
25.05.2017. The
Electricity connection
has been disconnected
on
28.06.2017 and the
premises has also been
sealed by SDM on
12.07.2017. It is
mentioned
that for submission of
Consent to Operate,
Effluent analysis report
of ETP and Noise
monitoring report of DG
set are mandatory,

therefore they have operated the DG set on 07.07.2017 and ETP on 11.07.2017 for only testing purpose.
- That they have installed flow meter at Inlet and outlet of ETP (photographs provided).
- That they have submitted Environmental Compensation Security of Rs 2 lakhs for a period of One year, undertaking in pursuance of decision taken in DPCC Board meeting held on 23.06.2017 and stating that the unit is lying closed w.e.f 12.06.2017 and shall not run/ operate any commercial / industrial activity in the said premises before fresh Consent to Operate is granted under the relevant Acts/ rules and they further undertake that in case of undersigned/aforesaid unit violates any of the Directions passed by DPCC, they shall pay DPCC a sum of Rs 2 lakhs without demur and default in form of demand draft in favors of DPCC within 7 days of issuance of letter by DPCC in this regards.
- That they have obtained Consent to Establish under Water and Air Acts by DPCC on 30.07.2014 and applied online for fresh CTO along with required documents/ test reports on 18.07.2017 and also sent hard copy of Consent application to DPCC on 19.07.2017. It is further informed that copy of analysis report of ETP dated 17.07.2017 (downloaded from DPCC website), since the concerned officer/signing authority is on leave, as informed

by DPCC laboratory whenever signed copy received they will submit the same at the earliest.
- That during the submission of Consent application online, they had filled wrong information about water consumption, water discharge and DG set inadvertently and submitted a letter with correct information to DPCC on 19.07.2017 i.e total water consumption (8000 ltr/day)- Domestic purpose -1200 ltr/day, preparation of food / kitchen purpose -6800 ltr/day and total waste water discharge (6900 ltr/day) - Domestic purpose -900 ltr/day, preparation of food / kitchen purpose -6000 ltr/day. Apart from this it is also stated that unit is having 2 DG set of 62.5 KVA with adequate stack height and acoustic enclosure for which Noise monitoring have also conducted by DPCC laboratory and the same submitted with Consent to Operate application. Unit has requested to Revoke the Closure Direction, direct to SDM for desailing the premises and to BSES for restoration of electricity supply and issue Consent to Operate at earliest.

In view of above it is submitted that unit was operating to conduct the effluent analysis of ETP on 11.07.2017 and Noise monitoring of DG set on 07.07.2017 during Closure Direction dated 25.05.2017. However unit informed in this regard that for submission of Consent to Operate, Effluent

analysis report of ETP and Noise monitoring report of DG set are mandatory, therefore they have operated the DG set on 07.07.2017 and ETP on 11.07.2017 for only testing purpose. Unit has not submitted fresh MCD Health License and Delhi police License for 98 seats in compliance of letter dated 04.07.2017. In this regards unit has informed that they have applied for amendment/renewal of MCD License for 98 seats. As renewed MCD license is required in order to apply for renewal of Police license, the application for amendment/Renewal for the same shall be done and receipt submitted as soon as renewed MCD license is received.

Remarks/ATR on 11-08-2017

Unit has submitted representation on 10.08.2017 along with copy of online generated Health License from SDMC with the name of M/s: China Garden Takashi Terrace Bar & Cafe at M-73, M-block Market, Greater Kailash-II, New Delhi-110048. However, Unit has obtained Consent to Establish on 30.07.2014, applied for Consent to Operate on 11.01.2016 and Direction for Closure u/s 33(A) of Water Act were issued to unit on 25.05.2017 with the name of M/s China Garden Restaurant (unit of Four Seasons Cuisine India Pvt. Ltd.). Unit has submitted application for Consent to Operate along with documents/test reports on 18.07.2017 with the name of M/s China

Garden Restaurant (unit of Four Seasons Cuisine India Pvt. Ltd.) however they have submitted Environmental Compensation Security and Undertaking w.r.t Office Order dated 02.08.2017 with the name of M/s China Garden Takashi Terrace Bar & Cafe.

Now, they have submitted representation on 11.08.2017 along with an undertaking w.r.t their communication dated 19.07.2017, 04.08.2017 & 10.08.2017, and informed as under:

- That Henry Wang, one of the Directors of Four Seasons Cuisine India Pvt. Ltd. running restaurant in the name of M/s China Garden Takashi Terrace Bar & Cafe (Formerly M/s China Garden Restaurant) at M-73,M-block Market, Greater Kailash-II, New Delhi-110048 and hereby declare that whilst the restaurant name has been amended, the company remains the same.
- That they have obtained Consent to Establish in the name of M/s China Garden Restaurant (unit of Four Seasons Cuisine India Pvt. Ltd.) for the activity of Restaurant issued on 30.07.2014
- That earlier Unit has applied for Consent to Operate in the name of M/s China Garden Restaurant (unit of Four Seasons Cuisine India Pvt. Ltd.) for the activity of Restaurant on 11.01.2016
- That the above said consent to operate application dated 11.01.2016 in the name of M/s China Garden Restaurant (unit of Four Seasons Cuisine India Pvt. Ltd)

has been refused on 08.09.2016 and directions for closure was issued on 25.05.2017.

-That they have changed their trade name from M/s China Garden Restaurant to M/s China Garden Takashi Terrace Bar & Cafe within the last year. Since, there is no provision to change/amend the name in the DPCC online software, therefore, they have re-applied for Consent to Operate along with requisite documents afresh online on 18.07.2017 in the name of M/s China Garden Restaurant (Unit of Four Seasons Cuisine India Pvt. Ltd.) for the activity of Restaurant.

-That at the time of applying for consent to operate application, they have mentioned partner in place of Director inadvertently. In this regard, they are enclosing the proof of directorship and requesting to treat the same as a Director.

-That they however have submitted an Environmental Compensation Security (ECS) and an undertaking in view of DPCC office order dated 02.08.2017 mentioning the Amended name of the unit M/s China Garden Takashi Terrace Bar & Cafe engaged in the activity of Restaurant having 98 Seats to DPCC on 04.08.2017.

-That also as committed earlier, they have submitted health license certificate generated on 10.08.2017 (valid upto 31.03.2018) in the amended name of M/s China Garden Takashi Terrace Bar & Cafe, to DPCC on 10.08.2017.

-That now that they have received the

health license, and commenced the process for applying for renewal of Delhi Police license in the Amended name of M/s China Garden Takashi Terrace Bar & Cafe and as soon as they get the license, the same will be submitted to DPCC.

-That they are informing that presently there is only one restaurant i.e. M/s China Garden Takashi Terrace Bar & Cafe (Unit of Four Seasons Cuisine India Pvt. Ltd.) operating at M-73, M-block Market, Greater Kailash-II, New Delhi-110048.

-That there is no change in the activity / ownership of the unit and only trade name has been changed from M/S China Garden restaurant to M/S China Garden Takashi Terrace bar & Cafe which is still a unit of Four Seasons Cuisine India Pvt. Ltd..

-That If they make any changes in the activity / seating capacity / address /name etc., they will take prior permission/approval from DPCC.

-That they will comply with all the directions / orders of DPCC.

In view of above, They are enclosing herewith an undertaking incorporating the all facts and requested to consider all submissions like application for consent to operate, environmental compensation security and undertaking etc. In the name of M/s China Garden Takashi Terrace Bar & Cafe (Unit of Four Seasons Cuisine India Pvt. Ltd.) and requested to update the name of the unit in DPCC records and also requested to revoke the directions for closure with the direction to SDM for desailing the premises and to BSES

										for restoration of electricity/ water supply and issue consent to operate in the name of M/s China Garden Takashi Terrace Bar & Cafe (Unit of Four Seasons Cuisine India Pvt. Ltd.) for the activity of Restaurant having 98 Seats.	
										Remarks/ATR on 09-08-2017 Unit has submitted representation on 25.07.2017 along with original Effluent Analysis Report Dated 17.07.2017 from DPCC Laboratory and also submitted fresh environmental compensation along with undertaking on 04.08.2017 w.r.t Office order Dated 02.08.2017.	
28	MAHATTA TOWERS PVT LTD	STAR CITY, 01A, MAYUR PLACE, MAYUR VIHAR PH-1 EXTN.	19-07-2017	COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		1. ETP- yes, of design capacity 2100 L/D 2. ECS- No 3. DG Set- 4, of capacity 390,910,910,990 KVA 4. Domestic effluent discharge- 180L/D which is disposed through sewer. 5. Trade effluent discharge- 20000L/D which is disposed through sewer. 6. Source of water supply- Borewell. 7. Water consumption- 20180 L/D .	Noise Monitoring Report has been submitted by DPCC on 31-05-2015 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent has been submitted by DPCC on 03-05-2017 and all the parameters are within the prescribed limit as per the report.	21-07-2017 Recommended for inspection.	09-08-2017 Inspection be conducted.
29	VAPOUR BAR EXCHANGE (UNIT OF RINGLETS TRADEX PVT LTD)	11 HOUSE KHAS VILLAGE NEW DELHI	20-07-2017	RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ D/B Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP- Yes (Adequacy report not provided) (2)D.G.Set: No Status of Ground Water extraction :Nil Water consumption: 4.5KL per Dy Trade Effluent: 3 Kl per Day Domestic Effluent: 0.8kl Per day Status of Inspection : Inspection of the unit was carried out on 23.03.2017	N/A	21-07-2017 Inspection of the unit was carried out on 23.03.2017 wherein it was found that : 1. Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 120 seats. 2. Unit has installed ETP & same found in Operation. 3. Channelization system provided in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste . 4.As informed, unit is having connection to the D.G Set of 380 KVA Capacity of M/s Out of The Box .	09-08-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents with complete information within 15 days.

									SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 10.04.2017		SCN u/s 31(A) of Air Act & u/s 33(A) of Water Act issued to the unit on 10.04.2017 to apply for CTE & CTO.	
									Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		Unit has applied for Consent to Establish on 20.07.2017 for the activity of restaurant with a seating capacity of 48 seats (Hard copy of Consent application not revived).	
											It is recommended that an inspection may be carried out to check the factual position.	
30	PINE PHARMA PVT. LTD.	D-91/2, PHASE-I, OKHLA INDUSTRIAL AREA	20-07-2017		MFG. OF DRUGS AND MEDICINES (HAEMODIALYSIS FLUID LIQUID AND POWDER) Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption: 700 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A) of EPA details : Nil Closure directions u/s 31(A)/33(A) of EPA details : Nil	Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit has submitted application for Authorization under HWM Rules, 2016 on 20-07-2017 with next 5 years fee however they have not submitted condonation fee for the same and also not submitted hardcopy of Consent application along with required documents/ test reports so far.	09-08-2017 Inspection be conducted.
31	BALDEV INDUSTRIES	103, DSIIDC, PHASE-I, OKHLA INDUSTRIAL AREA	20-07-2017		MFG. OF COSMETIC ITEMS WITH TRADE EFFLUENT DISCHARGE. Perfumes and Cosmetics (With Effluent Discharge)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - Not mentioned. (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 700 Liters/Day (Source - Others)		08-08-2017 Unit has not submitted application for Consent to Operate and also not informing regarding installation of pollution control devices, since unit is existing/ operating since 01.04.1994.	09-08-2017 Consent to Establish granted. Also inspection be conducted.

									Date of Commencement: 01.04.1994		
									Status of Inspection : Nil		
									SCN u/s 31(A)/33(A) of EPA details : Nil		
									Closure directions u/s 31(A)/33(A) of EPA details : Nil		
32	SNV MOTORS PVT. LTD.	B-49, MAYAPURI INDUSTRIAL AREA, PHASE-I	20-07-2017		AUTOMOBILE WORKSHOP CUM SERVICE STATION. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Water consumption:2500 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	20-07-2017 -Consent to establish may be granted after submission of the hard copy along with all requisite documents of the consent application. Remarks/ATR on 08- 08-2017 -Unit has submitted hard copies of the Consent to Establish application.	09-08-2017 Consent to Establish granted. Also inspection be conducted.
33	ESS KAY ENTERPRISES	E-14, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	21-07-2017		PRINTING OF POUCHES Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-04- 2008 Authorisation Status Pending HWM Application No. 2 Application Date 25-07- 2017 Authorisation Status Pending	Water consumption: 150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 3. No D.G Set found installed within the premises.	08-08-2017	09-08-2017 File be put up administratively w.r.t Plastic Rules, 2016.

								4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017			
34	ESS KAY ENTERPRISES	H-8, DSIDC INDUSTRIAL COMPLEX, NANGLOI	21-07-2017	MANUFACTURING OF PRINTING LAMINATION, SLITTING AND POUCHING. Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-07-2017 Authorisation Status Pending	water consumption: 150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017		08-08-2017 -Unit has submitted hard copies of the CTO application.	09-08-2017 File be put up administratively w.r.t Plastic Rules, 2016.
35	ANKIT POLYMERS	T-2/160, PHASE-J, MANGOLPURI INDUSTRIAL AREA	21-07-2017	MFG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - No (2)ECS - Yes (Stack attached with boiler) (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source- Others Status of Inspection : No SCN u/s 31(A)/33(A): No Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Emission Monitoring report - Yes Within limit-yes	10-08-2017 Consent to Operate may be granted.	11-08-2017 Ask the unit to submit monitoring report for VOC parameter or certificate from Industries Department regarding SSI unit and check stack height for channelization system as per prescribed standard.
36	FLORIANA	B-48, G.T KARNAL	21-07-2017	Banquet Hall	Orange	Non-SPI		Status of Pollution Control	Effluent analysis report -	08-08-2017	09-08-2017

	BANQUET (A UNIT OF ESS VEE HOSPITALITY)	ROAD INDUSTRIAL AREA,		Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwals and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Operate			system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- Yes (125 x 2 KVA) Plot Area- 508 sq mt Date of commencement -04.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- DJB (water bill submitted) (category-II) MCD license receipt of Rs. 250 enclosed.	Issued by DPCC, lab on 17.04.2017 submitted. Meeting the norms. Emission monitoring report -N/A Noise monitoring reports - issued by DPCC, lab on 24.04.2017 submitted. Meeting the norms.		Consent to Operate granted.
37	KAMLESH POLYMERS	T-4/67, PHASE-I, MANGOLPURI INDUSTRIAL AREA	21-07-2017	MFG. OF MICROCELLULAR SHEET. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - No (2)ECS - Yes, Stack attached with boiler (3)D.G.Set -Nil. Status of Ground Water extraction- Nil Source of Water- 350 L per day, Source- Others Status of Inspection - No SCN u/s 31(A)/33(A)- No Closure directions u/s 31(A)/33(A)/5 of EPA details- No	Emission Monitoring report - Yes, Within limit-yes	10-08-2017 Hard copy of Authorization letter is not submitted however soft copy is uploaded but in soft copy Fathers name is not matching with undertaking and other document submitted by the applicant. Recommendations - A letter may be issued to submit the hard copy of original authorization letter and applicant should clarify his Fathers name and further submit the Undertaking accordingly.	11-08-2017 Ask the unit to submit monitoring report for VOC parameter or certificate from Industries Department regarding SSI unit, check stack height for channelization system as per prescribed standard and also seek lacking information/clarification.
38	KESHAV PROCESSOR	G-1026 DSII DC NARELA	21-07-2017	WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Spray Painting, Paint Baking, Paint Stripping Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		1. ETP- Propsed 2. ECS- Propsed 3. D.G. set- N/A Plot Area- 350 sq mt Date of commencement -26.07.2017 Status of Ground Water Extraction-No 1. Water consumption- 14000 L/day. a) Source of water- DSII DC (water bill submitted)	Effluent analysis report - N/A Emission monitoring report -N/A Noise monitoring report - N/A	08-08-2017	09-08-2017 Consent to Establish granted.
39	LION AND LIONS (INDIA)	SHED NO. 15, DSIDC COMPLEX, JHILMIL INDUSTRIAL AREA SHAHDARA	21-07-2017	HEAT TREATMENT Hardening by Oil Quenching without use of any salt / chemical without trade effluent discharge and with annealing in oil fired furnace	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-01-2004 Authorisation Status Approved Authorisation 01-10-	1. ETP- No 2. ECS- Stack attached to furnace 3. DG Set - No. 4. Domestic effluent discharge- 50L/D which is disposed through public sewer. 5. Trade effluent discharge- Nil.	Emission monitoring report was submitted by DPCC on 09-07-2017 and all the parameters are within the prescribed limit as per the report.	01-08-2017 Recommended for inspection.	09-08-2017 Inspection be conducted.

								Issue Date 2004 Authorisation 30-09- Expiry Date 2006 HWM Application No. 2 Application Date 02-03-2007 Authorisation Status Pending HWM Application No. 3 Application Date 30-07-2017 Authorisation Status Pending	6. Water consumption-110L/D.		
40	J C PROCESSOR	H-191 SECTOR-5 DSIIDC	21-07-2017		JOB WORK OF WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI	Status of Pollution Control system Devices- 1. ETP- Proposed 2. ECS-Proposed 3. D.G. set- No Plot Area-200 sq mt Date of Establishment/ Commencement- 27.07.2017 Status of Ground Water Extraction-No 1.Water consumption- 1100 L/day Source- Outside (Bill not submitted) Inspection status- No	Effluent analysis report - N/A Emission monitoring report -N/A Noise monitoring report - N/A	09-08-2017	09-08-2017 Consent to Establish granted.
41	ALI BABA CAVES (UNIT OF ABC ENTERTAINMENT)	30,HAUZ KHAS VILLAGE	22-07-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	Status of Pollution Control System (1)ETP /OGT (proposed) (2)D.G.Set: Nil (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction :Nil Water Consumption:3500 litres/day(Source: Municipal Authority) Trade Effluent Discharge:2500 litres/day	N/A	09-08-2017 An inspection was carried out on 24.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 47 seats. 2.As informed unit is discharging the waste water into Common ETP of Building. 3 Channelization system provided in Kitchen with adequate stack height. 4.Separate bin provided	10-08-2017 Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.

								Status of Inspection : Carried out on 24.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details : issued on 10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : 21.07.2017	for dry and wet waste. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit applied for Consent to Establish on 22.07.2017 for the activity of restaurant with seating capacity of 30 seats. It is recommended the CTE may be granted if the unit provides information about the capacity of ETP/OGT.	
42	HOTEL REGENT GRAND	2/6, EAST PATEL NAGAR, OPP. METRO PILLAR NO-167	22-07-2017		GUEST HOUSE	Orange Operate	Non-SPI	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 82.5 KVA and 200 KVA Status of Ground Water extraction : nil -A complaint was received on 29.09.2016 regarding illegal operation of high polluting restaurants, guest houses operating in areas of Rajouri Garden, Hari Nagar, South Patel Nagar and East Patel Nagar. -An inspection was carried out by representatives of DPCC on 12.01.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel with kitchen and without laundry. 2.No D.G Set found installed within the premises. 3.Proper hood and suction system provided for kitchen channelization with adequate stack height. 4. Water supply from Delhi Jal Board, no borewell was observed during inspection.	1. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 200 KVA. Noise monitoring report dated 02-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 82.5 KVA and 200 KVA. Noise monitoring report dated 02-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 13-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	09-08-2017 09-08-2017 Inspection be conducted.

									5. Oil & grease trap found installed and same was in defunct condition, no proper treatment was carried out. 6. No any documents like MCD License, Delhi Police License, Electricity bills, water bills shown during inspection. -A Show Cause Notice u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued to the unit on 01.03.2017. -A Modified Directions u/s 31(A) of Air Act & u/s 33(A) of Water Act for 30 days issued to the unit on 13.04.2017.		
43	COMPU DATA SERVICE	SHED NO. 42, DSIDC COMPLEX, SCHEME-I, PH-II, OKHLA INDUSTRIAL AREA	22-07-2017	Offset Printing, Lamination, Designing and Binding (without Plate Making) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-11-2009 Authorisation Status Pending HWM Application No. 2 Application Date 15-11-2010 Authorisation Status Approved Authorisation Issue Date 03-12-2012 Authorisation Expiry Date 14-11-2015	Status of Pollution Control System: (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 30 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit has not submitted application for Authorization under HWM, Rules after expiry of earlier Authorization on 14-11-2015.	09-08-2017 Inspection be conducted.
44	SAS PHARMACEUTICALS (INDIA)	C-55/1 OKHLA INDUSTRIAL AREA PHASE II NEW DELHI 110020	23-07-2017	Ayurvedic/herbal Medicines manufacturing and processing Medicines / Pharmaceutical Formulation- without Boiler Tea/Coffee, Coffee Processing	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Not mentioned (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Not mentioned Date of Commencement: 01.07.2017		09-08-2017 Unit has submitted application for Consent to Establish online on 23-07-2017 but not submitted hardcopy of Consent application along with required documents so far. As per the online application, unit has not disclosed/ mentioned details of Water Consumption as well as	09-08-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days. Also inspection be conducted.

									Water Consumption: Not mentioned		other required information.	
									Status of Inspection : Nil			
									SCN u/s 31(A)/33(A) of EPA details : Nil			
									Closure directions u/s 31(A)/33(A) of EPA details : Nil			
45	RICH GRAPHICS & PRINTERS	D-142-143, PHASE-I, OKHLA INDUSTRIAL AREA	24-07-2017		PRINTING PRESS (JOB WORK) WITHOUT READE EFFLUENT. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 24-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 200 liters/Day (Source - DGB) Date of Commencement: 1/5/2010 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	09-08-2017	09-08-2017 Inspection be conducted.
46	LALLY AUTOMOBILES PVT. LTD.	D-196, PH-1 OKHLA INDUSTRIAL AREA	24-07-2017		SERVICING OF CARS UNIT. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-05-2012 Authorisation Status Revoked Authorisation Issue Date 06-08-2012 Authorisation Expiry Date 20-05-2017 Authorisation Revoked Date 02-11-2016	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical, Oil and Grease Trap Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Effluent analysis report dated 24-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within	Effluent analysis report dated 24-04-2017 & 13-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Stack monitoring report of Paint Booth dated 04-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 26-04-2017 issued by	09-08-2017 Unit has submitted application for renewal of Consent online on 24-07-2017 for the premises no. D-196, OIA, Phase-I, however hard copy of same along with required documents is yet to be received so far. Earlier, as decided, inspection of the unit was carried by representatives of DPCC on 28.12.2016 and following observation were	09-08-2017 Consent to Operate(Renewal) and authorization under HW Rules granted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

	ENRICHED RESTAURANT PVT. LTD.)			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		-Unit has submitted hard copies of the CTE application.	be issued after submission of signed copy of all requisite documents.
48.	PIONEER CREATIVE BLUES	P-41 AND 48, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	24-07-2017	WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Spray Painting, Paint Baking, Paint Stripping Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS- Attached to boiler 3. D.G. set- No Plot Area-400 sq mt Date of Establishment/ Commencement- 07.03.2016 Status of Ground Water Extraction-No 1.Water consumption- 15000 L/day Source- Outside (Bill not submitted) Inspection status- No Unit has submitted Form 1 for authorization under HWM Rules(photographs of display board and containers are enclosed)	Effluent analysis report - issued by DPCC Lab on 19.10.2016, Meeting the norms. Emission monitoring report -issued by DPCC Lab on 06.12.2016, Meeting the norms. Noise monitoring report - N/A	09-08-2017	10-08-2017 Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.
49	NEW CHAUDHARY PLASTIC	PLOT NO 98, PKT 3, SECTOR 5, DSIDC INDL AREA BAWANA	25-07-2017	Recycling of Plastic Waste with washing activity Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-07-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS- Attached to exhaust hood over extruder machine 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 01.08.2017 Status of Ground Water Extraction-No 1.Water consumption- 5300 L/day Source- Outside (Bill submitted) Inspection status- No Unit has submitted Form 1 for authorization under HWM Rules(photographs of display board and containers are enclosed)	Effluent analysis report - issued by DPCC Lab on 29.06.2017, Meeting the norms. Emission monitoring report -issued by DPCC Lab on 24.07.2017, Meeting the norms. Noise monitoring report - N/A	09-08-2017	09-08-2017 Inspection be conducted.
50	SRI PADMAWATI METALS	A-61 (GROUP), WAZIRPUR INDUSTRIAL AREA	25-07-2017	Mfg. of Aluminium Sheet Aluminium Casting	Orange Establish	Non-SPI		ECS: Proposed ETP: N/A D.G.Set: Nil Status of Ground Water		08-08-2017	09-08-2017 Consent to Establish granted.

				(except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing				extraction : NIL Date of commencement of production : 01.06.2017 Source of water: 0.2KLD from other source of water			
51	SAURASHTRA MFG. CORPORATION	C-79 , PH-II , MAYAPURI INDUSTRIAL AREA	26-07-2017	MFG. OF DOMESTIC APPLIANCES WITH CASTING AND STEEL ELECTROPLATING. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-07-2006 Authorisation Status Pending HWM Application No. 2 Application Date 19-06-2009 Authorisation Status Pending HWM Application No. 3 Application Date 01-11-2010 Authorisation Status Approved Authorisation Issue Date 19-12-2012 Authorisation Expiry Date 31-10-2015 HWM Application No. 4 Application Date 16-02-2016 Authorisation Status Pending	water consumption: 200 Liters/Day Status of Pollution Control System (1)ETP - ETP - Physiochemical. (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of domestic appliances with casting & tin electroplating. 2. ETP found installed and same found non-operational due to seasonal off. 3. No D.G Set found installed within the premises. 4. hood & suction system provided on pit furnace with adequate stack height. 5. HWM guidelines being followed. 6. CTO (R) applied on 26.07.2017. 7. No borewell observed during inspection source of water is outside.	1. Effluent analysis report: (a) Effluent analysis report dated 18-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 20-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	08-08-2017 -Unit has submitted hard copies of the Consent to Operate (Renewal) application.	09-08-2017 Activity of the unit falls under Seriously Polluting Industry(SPI) and the case be placed before concerned committee headed by Chairman, DPCC.
52	SANDOZ RESTAURANT	23/90,GROUND FLOOR CORNER SHOP RAI HOUSE ,CONNAUGHT PLACE	26-07-2017	Restaurant cum bar Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to /	Orange Operate	Non-SPI		Status of Pollution Control System Status of Pollution Control System (1)ETP - ETP - Physiochemical	Effluent analysis report : (a) Effluent analysis report dated 13-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-08-2017 -unit has not submitted hard copy of the CTO application.	09-08-2017 Ask the unit to submit hard copy of the consent application along with requisite documents.

					Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
53	DARZI BAR (A UNIT OF RADIOACTIVE LLP)	H-55 AND H-89, OUTER CIRCLE, CONNAUGHT PLACE	26-07-2017		Restaurant Having seating capacity of 98 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: Effluent analysis report dated 04-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-08-2017	09-08-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate along with requisite documents within 30 days however Consent to Establish be issued after submission of photographs and details(size/dimensions) of O&G Trap as per latest RESDH policy.
54	KOPPER KADAI	J2/6B FIRST AND SECOND FLOOR B X DUTTA MARKET RAJOURI GARDEN	26-07-2017		Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-08-2017	09-08-2017 Consent to Establish granted with the condition that unit shall apply for consent to operate along with requisite documents within 30 days however Consent to Establish be issued after submission of photographs and details(size/dimensions) of O&G Trap as per latest RESDH policy.
55	S.D.M. ELECTRIC PRODUCTS (PVT.) LTD.	B-88/3, PH-I, MAYAPURI INDUSTRIAL AREA	27-07-2017		Mfg. of Poly Bags tube, Paper bags and flexo printing. Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 31-08-2004 Authorisation Status Approved Authorisation 27-03-	water consumption: 200 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A		09-08-2017	10-08-2017 Inspection be conducted to check w.r.t. Plastic Rules, 2016 and HW Rules, 2016.

Ask the unit to submit documentary proof regarding seating capacity, proper CA Certificate, submit balance consent fee accordingly and submit photographs and details (size/dimensions) of O&G Trap as per latest RESDH policy and photographs of stack provided with channelization system etc.

								prescribed format in column no.5 of consent application form			
57	MITTAL ENTERPRISES	PLOT NO. 485 F.T.E. PATPARGANJ DELHI	27-07-2017	Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set- No. 4. Domestic effluent discharge- 80 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil 6. Source of water supply- Outside. 7. Water consumption- 100L/D	N/A	01-08-2017 Recommended for inspection.	11-08-2017 Inspection be conducted since there was a unit engaged in the activity of electroplating operated in the said premises earlier.
58	SHREE BALAJI METAL SHEET	PROPERTY NO. P-4, BALAJI GALLI, KHASRA NO. 47, PHASE - I, NEW MANDOLI REDEVELOPMENT AREA	27-07-2017	CASTING OF ALUMINUM INGOTS AND SHEET METAL WORK. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (process and fuel stacks attached to furnace) 3. D.G Set- 02 (140 KVA and 40 KVA). 4. OLMS- Not installed. 5. Proof prior to 2007- Rent Agreement dated 09.02.1994. 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No 8. Fuel Used : HSD. -Closure of direction was issued to the unit on 07.09.2016. -Revocation for closure of direction was issued to the unit on 23.09.2016 for dismantling of the Aluminium Casting furnaces within 10 days. -The unit applied for Consent to Establish application dated 22.09.2016 vide id no-16203 under green category for the Activity of Engineering workshop. -Inspection of the unit was conducted on 02.03.2017 and the casting of furnace was found in operation thus violating the condition of said revocation directions. -Closure of directions was issued to the unit on 07.04.2017 u/s 33(A) of	1. Emission Monitoring Report Submitted by DPCC on 25.07.2017 and Parameters are within the prescribed limit in the report. 2. Noise Monitoring Report Submitted by DPCC on 20.07.2017 and Parameters are within the prescribed limit in the report.	09-08-2017 Recommendation for refusal of consent.	10-08-2017 File be put up administratively.

									the Water(Prevention & Control of Pollution) Act,1974 and u/s 31(A) of the Air (Prevention and Control of Pollution) Act,1981. In response, the unit submitted a letter dated 20.04.2017 stating that they have already submitted application for consent to operate under orange category and they have installed Air pollution control devices and OLMS.			
59	MAURYA PRINTERS PVT. LTD.	A-109, FIRST FLOOR, OKHLA INDUSTRIAL AREA, PHASE-II	28-07-2017	OFFSET PRINTING INCLUDING PLATE MAKING, LAMINATION, MFG. OF CORRUGATED BOXES. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated 12-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 12-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit submitted application for Authorization under HWM Rules on 28-07-2017 but not submitted condonation fee for the same.	10-08-2017 Inspection be conducted.	
60	PARADISE BANQUET (A UNIT OF KHATRI FINANCE & LEASING)	138/9,KISHAN GARH,VASANT KUNJ	28-07-2017	Banquet Halls/ Party Lawns Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum floor area 100 m2) and	Orange Establish	Non-SPI		Water consumption: 4000 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water		08-08-2017 Recommendation / Action Taken Details (EE/AEE) on 11-08-2017 Unit has submitted hard copy of the Consent to Establish application.	10-08-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days.	

				/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		
61	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE	29-07-2017	Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A) /5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	09-08-2017 Unit Applied for Consent to Operate 29.07.2017 for the activity of Eating House (Take Away). As per application OGT has been provided but size/dimensions and Photograph of GGT not provided. It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension).	10-08-2017 Inspection be conducted.
62	WELCOME POINT	33 GF HAUZ KHAS VILLAGE	29-07-2017	Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (Capacity-200 litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :70 Liter per Day. Source:DJB Trade Effluent:70Liter per day Domestic Effluent:N/A Status of Inspection : 30.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Closure directions u/s 31(A)/33(A)/details : 21.07.2017	09-08-2017 An inspection was carried out on 30.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Take Away Restaurant. 2.Unit has not installed Oil & Grease Trap Cum Settling Tank. 3.Channelization system not provided in Kitchen. 4.Unit has not applied for Consent to Establish & Consent to Operate to DPCC. 5.Food is served in disposable plates. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on	10-08-2017 File be put up administratively in view of office order dated 02.08.2017.

										21.07.2017. Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). Unit has submit request for revocation of direction along with undertaking and security bond of Rs. 200000 & MCD liceance As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit hard copy &detail of OGT cum settling tank (if thcy are of appropriate size/ dimension).	
63	WELCOME POINT CAFE	50-D, GF, HAUZ KHAS VILLAGE	29-07-2017	Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (250 Litres/day) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	09-08-2017 Unit Applied for Consent to establish on 29.07.2017 for the activity of Eating House (Take Away). As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension).	10-08-2017 Inspection be conducted.	
64	MILLION DOLLAR (A UNIT OF PARAM HOSPITALITY)	G-51,GF, KRISHNA APRA BUISNESS SQUARE,NETAJI SUBHASH PLACE,PITAMPURA	31-07-2017	EATING HOUSE 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Unit has not submitted hard copy of consent application.	08-08-2017	10-08-2017 Consent to Establish granted. Ask the unit to submit hard copy of Consent to Operate application with requisite documents within 15 days.	
65	SHRI GANESH PLASTIC	E-54, SECTOR-5,BAWANA INDUSTRIAL AREA	31-07-2017	Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste	Orange Operate	Non-SPI		Hardcopy not submitted.	09-08-2017	10-08-2017 Ask the unit to submit hard copy of Consent to Operate application with requisite documents with complete	

Information within 15 days. Also inspection be conducted.

66	WAREHOUSE CAFE (A UNIT OF SUKHIA BAR AND GRILL PRIVATE LIMITED)	D-19 AND 20, FIRST FLOOR, INNER CIRCLE, CONNAUGHT PLACE	01-08-2017	Plastic / PVC (with Washing Activity)	RESTAURANT CUM BAR (98 SEATS), Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 5500 Liters/Day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	09-08-2017	10-08-2017 Consent to Establish granted with the condition that unit shall install adequate Oil & Grease Trap cum Settling Tank having retention period of atleast four hours as per RESDH policy and to be issued after submission of signed copy of all requisite documents.
67	GLOBUS MOTOCORP (P) LTD	B-31, JHILMIL INDUSTRIAL AREA, BEHIND JHILMIL METRO STATION	01-08-2017	Servicing and Repair of Auto mobile/ Cars Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 01-08-2017 Authorisation Status Pending	(1)ETP - No (2)ECS - Suction hood with stack on Pit furnace (3)D.G.Set Noise Report : NIL (4) Water Consumption: 1200 L/ Day Source: Tanker (5) Domestic Effluent Discharge - 100 L/ day (6) Trade Effluent Discharge- 1000 L/ Day - Show Cause Notice u/s 33 (A) of Water Act, 1974 was issued to the unit on 25.04.2017. - The reply of the unit was received on 25.05.2017 to withdraw the issued show cause notice.	- Analysis of Water Effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed limit.	09-08-2017 Recommendation for inspection.	10-08-2017 Inspection be conducted.
68	M/S POISON (A UNIT OF FINO HOSPITALITY)	PLOT NO.30,3RD FLOOR,HAUZ KHAS VILLAGE,	01-08-2017	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP- ETP/OIL and (Grease Trap Purposed) (2)ECS - N/A (3)D.G.Set: 2 No. (380 KVA & 750 KVA) (Status of Ground Water extraction :Nil Water Consumption:4000 litres/day(Source:DJB) Trade Effluent Discharge:3200 litres/day Status of Inspection	N/A	09-08-2017 Inspection of the unit was carried out on 24.03.207 and following were the observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 44 seats. 2.As informed unit is having connection to Common ETP installed in the Building and waste water is discharged after passing through the Oil & Grease Trap installed at the bottom of sink.	10-08-2017 Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.

								carried out on 24.03.2017		3 Channelization system provided in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste. 5. Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. 6. Unit has not applied for Consent to Establish and Consent to Operate to DPCC. And SCN u/s 31(A)/33(A) of EPA was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Now, Unit has applied for Consent to Establish on 01.08.2017 for the capacity of restaurant with a seating capacity of 44 seats. Hard copy of document have not been submitted yet. As per the application OGT/ETP has been provided but size/dimensions and Photograph of OGT not provided. It is recommended that CTE may be granted after the unit submit hard copy & detail of OGT cum settling tank (if they are of appropriate size/ dimension).
69	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE	01-08-2017	Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwals and Other such Establishments (with Annual Average	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - Issued by - N/A - submitted. (2) ECS - N/A (3) D.G. Set: ...N/A... Status of Ground Water extraction :N/A	09-08-2017 Unit Applied for Consent to Operate on 01.08.2017 for the activity of Eating House (Take Away). Unit has not submitted hard copy yet. As per the application OGT has been provided but size/dimensions and Photograph of OGT not provided. It is recommended that CTO may be granted after the unit submit hard	10-08-2017 Inspection be conducted.

				Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler				Water Consumption : 100 Liter per Day Trade Effluent: 100 Liter per day Domestic Effluent: Nil Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : n/a Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A		copy & detail of OGT cum settling tank (if they are of appropriate size/ dimension).	
70	CLARK HEIGHTS	1/1, WEST PATEL NAGAR	02-08-2017	GUEST HOUSE (34 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Water consumption: 1200 Liters/Day Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no	Effluent analysis report: (a) Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report: (a) Stack monitoring report dated 19-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	08-08-2017 Unit is having MCD license.	10-08-2017 Inspection be conducted.
71	NUMBER ONE BAR (A UNIT OF HIGH HUT FASHION)	N-1 N BLOCK MARKET SECOND AND THIRD FLOOR GREATER KAILASH PART 1	02-08-2017	Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - yes Physio chemical (4000 liters/day) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 3000 Liter/Day (Source - DIB) Domestic Effluent : 500 liters/day Trade Effluent: 2500 liters/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s		09-08-2017 Unit has applied for CTE on 02.08.2017 for the activity of Restaurant Having seating capacity of 48. Month and year of commencement of production is 08.04.2017. As per application ETP has been provided but adequacy report not provided. Hard copy of Consent application has not been received. It is recommended that CTE may be granted after the unit submits hard copy along with all requisite documents.	10-08-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents with complete information within 15 days. Also inspection be conducted.

72	LEVELS (A UNIT OF ELTERNITY ENTERTAINMENT & HOSPITALITY PVT. LTD.)	30, 3RD & 4TH FLOOR HAUZ KHAS VILLAGE, NEW DELHI	03-08-2017	Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	31(A)/33(A)/5 of EPA details : Nil Status of Pollution Control System (1)ETP -Common ETP of 40 KLD (2)ECS - N/A (3)D.G.Set: Common D.G set of capacity of 750&380 KVA Status of Ground Water extraction :Nil Status of Inspection : yes on 31.03.2017 SCN u/s 31(A)/33(A)/details :10.04.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details : yes on 21.07.2017	09-08-2017 An inspection is carried out on 31.03.2017 and following are the brief of observations: 1.Unit found Operational & engaged in the activity of Restaurant with seating capacity of 48 seats. 2.As informed unit is having connection to Common ETP (Capacity 40 KL) installed in the Building . 3 Channelization system provided in Kitchen with adequate stack height. 4,Separate bins provided for dry and wet waste. 5.Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. And unit is operated without CTE & CTO. And Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017. And unit failed to reply for aforesaid SCN issued to the unit and therefore direction of closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 21.07.2017. Thereafter Unit applied for CTE on 3.08.2017 for the activity of Eating House of capacity 48 seats. Unit has submitted request for revocation of direction along with undertaking security bond of Rs 200000. Unit has not submitted hard copy of CTE yet. It is recommended that CTE may be granted after the unit submits hard copy along with all Requisite documents and with the condition that unit apply for CTO within 30 days . As per the Policy of revocation,	10-08-2017 Ask the unit to submit hard copy of Consent to Establish application with requisite documents. Also ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.
----	---	--	------------	---	------------------	---------	---	---	--

										revocation orders may be issued.	
73	LOVELY WASH CARE COMPANY	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	03-08-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending	Hardcopy not submitted.	09-08-2017	10-08-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.
74	PRATHAM INFRA TECH PVT. LTD.	PLOT NO 6, SECTOR 14 (NORTH), CITY CENTRE, DWARKA	04-08-2017		HOTEL WITH GENERAL COMMERCIAL INCLUDING MULTIPLEX. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)STP of 800 KLD proposed. (2)D.G. set of 2 x 2000 KVA, 4 x 1500 KVA and 1 x 325 KVA proposed. (3) Water consumption: 1298 (4) Domestic Effluent: 323 liters/Day (5) Trade Effluent: 316 liters/day (6) Inspection details: N/A (7) SCN u/s 31(A)/33(A)/5 of EPA details : N/A (8) Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	09-08-2017 Unit has applied for extension of Consent to Establish on 04.08.2017 for the activity of HOTEL WITH GENERAL COMMERCIAL INCLUDING MULTIPLEX and intends to operate hotel on 24.12.2018. Vide letter dated 03.08.2017, unit informed that earlier unit had applied for Consent to Establish(Renewal) on 05.08.2015 for a period of two years. But by mistake, the said certificate was issued wrongly for the period of one year. i.e. valid upto 04.08.2016. The mistake has been corrected manually on the certificate but the same was not corrected in the system due to which while applying for further renewal of Consent to Establish, penalty fees is being shown. . unit has requested for the correction of the same and same had been corrected. Unit has applied for extension of Consent to Establish on 04.08.2017 for the activity of HOTEL WITH GENERAL COMMERCIAL INCLUDING MULTIPLEX and intends to operate hotel on 24.12.2018. Unit has proposed to install STP of 800 KLD Unit also Proposed to install 7 Rain water harvesting pit. It is Recommended that	10-08-2017 Consent to Establish granted.

										extension of CTE may be granted to the unit.	
75	A.R. STAMPINGS	C-5, MANDOLI INDUSTRIAL AREA, PHASE-I, NEAR SHIVANI DHARAM KANTA	04-08-2017	MFG.OF ELECTRICAL STAMPING (CORE) WITH ALUMINIUM METAL CASTING BY PIT FURNACE. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		(1)ETP - No (2)ECS - Suction hood with stack on Pit furnace (3)D.G.Set Noise Report : 82.5 KVA (4) Water Consumption: 150 L/ Day Source: Tanker (5) Domestic Effluent Discharge - 100 L/ day (6) Trade Effluent Discharge- Nil -The unit has submitted a letter on 03.11.2016 along with copy of receipt of letter written to Commissioner of Industries regarding location of the unit. -Letter was issued to the unit on 04.11.2016 for submitting the certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit and for installation of online monitoring system. -The letter has been received back undelivered.	- Noise Monitoring Report was submitted by DPCC on 01.08.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report was submitted by DPCC on 01.08.2017 and all the parameters are within the prescribed limit.	09-08-2017 Recommended for inspection.	10-08-2017 Expedite inspection. Issue reminder for submission of certificate, in original, from Industries Department / SDM regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit and for installation of online monitoring system. Consent to operate application dated 25.07.2016 be made infructuous since unit has again applied for consent to operate.
76	V.R. INDUSTRIES	G-12, DSIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	04-08-2017	ALUMINIUM PRODUCTS WITH TEFLON COATING WITHOUT CASTING Spray Painting, Paint Baking, Paint Stripping Household/kitchen appliances (assembly)	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	10-08-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.
77	V.R. INDUSTRIES	G-12, DSIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	04-08-2017	ALUMINIUM PRODUCTS WITH TEFLON COATING WITHOUT CASTING Spray Painting, Paint Baking, Paint Stripping Household/kitchen appliances (assembly)	Orange Operate	Non-SPI		Hardcopy not submitted.		09-08-2017	10-08-2017 Ask the unit to submit hard copy of the consent application along with requisite documents. Also inspection be conducted.



DELHI POLLUTION CONTROL COMMITTEE
(Government of N.C.T. of Delhi)
4th Floor, J.S.B.T. Building, Keshavnagar, Gurgaon, Delhi - 110006
Website : <http://www.dpcc.delhigovt.nic.in>

**CONSENT MANAGEMENT**

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 4th meeting on 9th to 11th August 2017 w.r.t. Agenda Item No 2 - 36 Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.04.2016 to 30.09.2016 (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No.	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	M.S. GARMENTS PVT. LTD	A-39, JHILMIL INDUSTRIAL AREA SHAHDARA	11-08-2016	DPCC/EC/2/1/2016/15753	Manufacturing of Sequines (Decorative Goods). Plastic Processed Goods Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-04-2011 Authorisation Status Approved Authorisation Issue Date 01-01-2013 Authorisation Expiry Date 17-04-2016 HWM Application No. 2 Application Date 11-08-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS ---- N/A (3)D.G.Set Noise Report : 1 (4) water Consumption: 100 Liters/Day Source: DIB (5) Ground Water: Nil	The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 02-08-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	26-09-2016 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 11-08-2017 As per the committee decision on 29/09/2016, inspection of the unit was carried out on 22/4/2017 and following observations were made 1. The unit was found in operation. 2. The management of HW is not being adopted as informed at present. The intire HW generated is being disposed through sweeper reportly and the disposal mechanism /site is not known to Sh. Manoj Jain (son of director). 3. The fugitive emission generated is being dispersed through exhaust fan provided in the working area, channelization not provided. 4.The stack provided with the lamination m/c (2 nos.) were found inadequate in height. 5. DG set of 40kva found installed at roof top acoustic enclosure not provided, only door made acoustic. For the discrepancy, following SCNs were issued to the unit on 9/06/2017.	11-08-2017 Inspection be conducted and file be put up administratively.

1. SCN for refusal of consent under Air Act, 1981 and under Water Act, 1974 as amended to date.
 2. SCN under section 31(A) of the Air Act, 1981 as amended to date.
 3. SCN u/s 5 of the Environment Act, 1986 as amended to date.
 4. SCN for refusal of authorization under rule 6(4) hazardous & other wastes.

In response to the above SCNs issued, letter dated 3/07/2017 was received, in which the unit has stated that

1. They have complied with the directions issued to them for storage of hazardous waste.
 2. Display Boards has also been provided outside the th main gate of our unit.
 3. For their D.G. set, they are making rectification in their DG set room. they are providing proper stack height, and channelization for the emission generated in their unit. the same is under fabrication and will take 25 to 30 days.

keeping in view of the above they have requested DPCC to grant them one month time to complete the fabrication work. they also request DPCC to please withdraw the aforementioned SCNs issued to them.

30-08-2016
 Unit has also applied for CTO on 11.08.2016

11-08-2017

Implement the decision dated 04.11.2016,

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016
 As per Decision of committee on 04.11.2016 Consent to Establish to be issued.

Recommendation / Action Taken Details (EE/AEE) on 04-11-2016
 As decided by the

2

A AND V ZIPPERS PVT. LTD.

E-46/3, OKHLA INDUSTRIAL AREA, PHASE-II

11-08-2016

DPCC/EC/2/1/2016/15779

BASE KITCHEN(NO SEATING ARRANGEMENT AND NO BY PRODUCTS).

Orange-Establish

Non-SP1

Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler

Status of Pollution Control System

(1)ETP - Yes
 (a) Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted, Effluent Test Report within Limit - No.

(2)ECS - N/A

(3)D.G.Set- Yes
 (a) The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise

Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No. The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes

									monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption- 4800 litres/day , Source- D3B (Bill enclosed)		Committee, Show Cause Notice u/s 33(A) of Water Act issued on 22.09.2016. The unit has submitted replies on 29.09.2016 & 21.10.2016 w.r.t. Show Cause Notice dated 22.09.2016 along with Effluent Analysis Report from DPCC Laboratory. The unit has informed that they have installed ETP which is regularly operated and maintained by their operator with proper care. The unit has also informed that they would follow all the norms of DPCC and requested to withdraw the show cause notice. Effluent Analysis Report from DPCC Laboratory dated 10.10.2016, submitted by the Unit along with its Letter dated 21.10.2016, reveals that the parameters are within the prescribed limit. As decided, inspection of the unit was carried out by the Officials / Representatives of DPCC on 03.11.2016 and following were observed- - Unit found in operation & engaged in the activity of Base Kitchen. - Unit has provided Oil & grease Trap at ground floor. - Unit has installed ETP (Operational) consists of Aeration tank, Equalization tank, Filters but capacity / size of the ETP is need to be increased & also requires to provide sludge drying bed. - Channelization system with hood are provided with 4 burners / range, however hood not provided with 2 burners / range & also stack height upto roof level.	
3	A AND V ZIPPERS PVT. LTD.	E-46/3, OKHLA INDUSTRIAL AREA, PHASE-II	11-08-2016	DPCC/EC/2/1/2016/15780	BASE KITCHEN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report	Effluent analysis report dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No	30-08-2016 Unit has applied for CTE and CTO on 11.08.2016.	11-08-2017 Inspection be conducted.

seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Holwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler

dated 01-07-2016 issued by SHRIRAM INSTITUTE submitted. Effluent Test Report within Limit - No.

(2)ECS - N/A

(3)D.G.Set- Yes
(a) The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes

Status of Ground Water extraction : Nil
Water consumption- 4800 litres/day , Source- DIB (Bill enclosed)

The unit has 2 D.G. Set(s) of 125 KVA. Noise monitoring report dated 27-05-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes

Remarks/ATR on 05-07-2017

Unit submitted another representation on 22.12.2016 along with photographs of ETP and Channelization system in Kitchen & informed that capacity of ETP has been increased and Hood over the 2 remaining burners has been provided with proper channelization system.

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016

As per Decision of committee on 04.11.2016 Show Cause Notice for refusal of consent and Show Cause Notice u/s 33(A) of Water Acts & 31(A) Air Acts was issued to unit on 17.11.2016. Unit show its representation on 05.12.2016 and stated that they have started the work of increasing the capacity of effluent treatment plant to make it adequate to cater all the daily effluent generation. further, sludge drying bed is also being made for sludge generated from tube settlers and are also providing hood over the remaining two burners and connecting it to channelization system. further process of increasing height of stack above the building as required is also in the process and requested for grant of 30 days for completion of above said and submission of effluent analysis report.

Recommendation / Action Taken Details (EE/AEE) on 04-11-2016

As decided by the Committee, Show Cause Notice u/s 33(A) of Water Act issued on 22.09.2016.

The unit has submitted replies on 29.09.2016 & 21.10.2016 w.r.t. Show Cause Notice

dated 22.09.2016 along with Effluent Analysis Report from DPCC Laboratory. The unit has informed that they have installed ETP which is regularly operated and maintained by their operator with proper care. The unit has also informed that they would follow all the norms of DPCC and requested to withdraw the show cause notice. Effluent Analysis Report from DPCC Laboratory dated 10.10.2016, submitted by the Unit along with its Letter dated 21.10.2016, reveals that the parameters are within the prescribed limit.

As decided, inspection of the unit was carried out by the Officials / Representatives of DPCC on 03.11.2016 and following were observed:-

- Unit found in operation & engaged in the activity of Base Kitchen.
- Unit has provided Oil & grease Trap at ground floor.
- Unit has installed ETP (Operational) consists of Aeration tank, Equalization tank, Filters but capacity / size of the ETP is need to be increased & also requires to provide sludge drying bed.
- Channelization system with hood are provided with 4 burners / range, however hood not provided with 2 burners / range & also stack height upto roof level.

4	DURGA ALLOYS	E-2, NEW MANDOLI INDUSTRIAL AREA	11-08-2016	DPCC/EC/2/1/2016/15787	MFG. OF COPPER INGOTS Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	(1)ETP ---- N/A (2)EC5 - Wet Scrubber (3)D.G.Set: ...N/A... (4) Water Consumption: 50 L/ Day Source: Outside Water (5) Ground Water: Nil	Stack monitoring report dated 27-06-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes. One number of parameters analyzed which are within prescribed limit.	30-08-2016 Redevelopment Area Recommendation / Action Taken Details (EE/AEE) on 11-08-2017 Expedite Inspection Remarks/ATR on 24-05-2017 A Joint inspection was conducted by the team	11-08-2017 Expedite Inspection
---	--------------	----------------------------------	------------	------------------------	---	----------------	---------	--	--	---	--

of DPCC , Industrial Department and SDM Seemapuri on 22.02.2017 and it was found that the unit falls within the boundaries of the redevelopment area.

A letter has been submitted by the unit on 20.03.2017 stating that they have complied the deficiencies observed during the inspection and requested to update the status. They also informed that the OLMS will be delivered 10 days.

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016

Letter was issued to the unit on 02.11.2016.

Unit has submitted its reply on 19.12.2016 and informed that: It has ordered for Online Monitoring System.

The unit has written letter to Department of Industries for providing certificate regarding location of industry within the redevelopment area. (Copy Attached)

However the unit has not install OLMS.

Inspection yet to be conducted.

Recommendation / Action Taken Details (EE/AEE) on 04-11-2016

Letter has been issued to the unit on 02.11.2016 for submitting the certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit and for installation of online monitoring system.

Inspection yet to be

											conducted.	
											Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 Inspection yet to be conducted.	
5	JAIN ELECTRICAL MANUFACTURING CO.,	S-30, PH-II, BADLI INDUSTRIAL ESTATE	12-08-2016	DPCC/EC/2/1/2016/15802	MFG. OF PLASTIC GRANULES(REPROCESSING) W/O WASHING AND KNITTING OF M.S.JALI. Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Renewal	Non-SPI		1. ETP- N/A 2. ECS- Yes (stack attached to extruder) 3. D.G. set- N/A 4. Status of Ground Water Extraction-No a) Water consumption- 225 L/day b) Source of water : Outside (copy of water bill submitted) Inspection : Yes on 15.06.2015. Following are findings. 1. Unit found operating with trade effluent discharge without consent industry Air/Water Act and without Registration under Plastic Rules 2011. 2. No ECS/ Channellisation installed. 3. No ETP installed. 4. One borewell connection exist without permission from CGWA/DJB. Form 2 for registration under plastic rules submitted. Form 2 found incomplete and not as per the prescribed performance as per new Plastic rules 2016. SCN u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 07.08.2015 in name of Mohan Lal Jain. No reply was received. Reminder Notice u/s 31(A) of Air Act, 33(A) of Water Act & u/s 5 of EPA issued on 05.02.2016. Subsequently unit has applied for consent for the activity MFG. OF PLASTIC GRANULES(REPROCESSING) W/O WASHING AND KNITTING OF M.S.JALI. As per Rule 13 (Registration of producer, recyclers and manufacturer) of Plastic rules 2016, further sub-rule (5) says that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of	Effluent analysis report - N.A Emission monitoring report submitted on 11.08.2016 issued by DPCC, Lab. Parameters are within prescribed Limit. Noise monitoring report - N.A	14-12-2016 SEE Incharge may like to peruse the file/details of unit with brief facts. Recommended for grant of consent. Direction for closure may be revoked. A letter may be issued to the unit to submit certificate of registration issued by Industries Dept, Govt of NCT Delhi and New Form for registration under Plastic rules 2016 within 30 days. Subsequently inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 07-07-2017 Inspection is yet to be conducted.	11-08-2017 Expedite inspection.

									1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard. sub-rule (7) says that On receipt of the application complete in all respects for the registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfillment of the conditions as may be laid down in terms of registration. sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years.		
6	DYNA INTERNATIONAL BEAUTY PRODUCTS	B-46/4, WAZIRPUR INDUSTRIAL AREA	12-08-2016	DPCC/EC/2/1/2016/15806	MFG. OF PERFUMERY AND COSMETICS AND PLASTIC MOULDED ITEMS WITH HOT STAMPING. Perfumes and Cosmetics Plastic Processed Goods	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-09-2013 Authorisation Status Pending	ETP: Nil ECS: Nil DG Set: Nil Source of Water: 0.4 KLD from DJB Date of commencement of production: Feb, 2010 -Inspection of the unit was carried by DPCC representatives on 27.12.2016 and deficiencies were observed w.r.t to H&O&M Rules, 2016. -Show Cause Notice u/s 5 of EP Act was issued to the unit vide office letter dated 17.01.2017. -No reply was received from the unit in stipulated time. -Directions for Closure u/s 5 of EP Act was issued to the unit vide office letter dated 05.04.2017. -Unit has submitted its representation on 07.04.2017, 19.04.2017, 08.06.2017 and 15.06.2017. In its representation dated 15.06.2017, unit has	20-07-2017	11-09-2017 In view of office order dated 02.08.2017, applications for consent to operate dated 12.08.2016 and authorization dated 02.09.2013 be treated as null and void and accordingly letter for refusal of consent/authorization shall be issued. Also ask the unit to apply for Consent to Operate and authorization under HW Rules afresh and submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017.

									submitted a surety bond of rupees 2 lakhs (Rs 2,00,000) along with undertaking and copy of Hazardous Waste record in Form-3 and photographs of display boards and Hazardous waste drums and informed that unit has provided display boards, leak proof containers and isolated storage for hazardous waste.			
7	GOKUL OFFSET PVT LTD	D-159-A, PHASE I, OKHLA INDUSTRIAL AREA	12-08-2016	DPCC/EC/2/1/2016/15812	OFFSET PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 02-05-2005 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 12-12-2008 Authorisation Status Pending HWM Application No. 3 Application Date 12-08-2016 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 140 KVA The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 02-09-2016 issued by DPCC submitted, Number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water Extraction: Nil Water consumption : 100 lit/day (source : D/B) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 02-09-2016 issued by DPCC submitted, Number of parameters analyzed which are within limit / beyond prescribed limit.	09-08-2017	11-08-2017 Inspection be conducted.
8	NANDA MINERALS	D-106, KESHOPUR INDUSTRIAL AREA, VIKASPURI	12-08-2016	DPCC/EC/2/1/2016/15820	MINERAL WATER. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI		Source of water: Through tanker Category-II (copy of bill not provided) Water consumption: 4000 litre/day Status of Ground Water extraction:Nil Status of Pollution Control System (1)ETP ---- proposed (2)ECS - N/A (3)D.G.Set : Nil As per approval unit was inspected by DPCC, Officials on 17.08.2015 and during inspection following were observed: (a) Unit found operational		31-08-2016 Remarks/ATR on 05-04-2017 -Unit has submitted a reply w.r.t. Show Cause Notice and informed that he has installed sequential (RO plant) using high quality membrane and also informed that he has applied for Effluent Analysis Report in DPCC Lab. -As decided in the file ,	11-08-2017 Ask the unit to submit permission from Delhi Jal Board for extraction of ground water since the activity is Mineral Water which is using water as a raw material.

and engaged in the activity of manufacturing and trading of RO Water.
(b) One borewell found exist, however, one is in defunct state.
(c) No D.G. Set found installed at the premises.
(d) One RO plant found in the premises use for bottling plant.
(e) Rain water harvesting pit is used to store the rain water and RO reject water.

-As per inspection findings a Show Cause Notice for closure u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued to the unit on 08.09.2015 & also letter was issued to concerned Dy. Commissioner w.r.t. extraction of ground water on 08.09.2015.

-Unit has submitted its reply along with an undertaking on 28.09.2015 and informed that the activity of the unit falls under Orange category and shall apply for Consent to Establish and Operate and requesting to grant 30 days time to comply with all the pollution norms.

-Again a Modified Direction u/s 33 (A) of water act & 31 (A) of Air act sent to the unit on 04.12.2015 & also reminder issued to concerned Dy. Commissioner w.r.t. extraction of ground water.

an inspection was carried out by representative of DPCC on 14.03.2017. During inspection following observations were made:

- 1. During inspection unit found operational & engaged in the activity of Mineral Water.
- 2. No D.G Set found installed within the unit/premises.
- 3. Sequential RO plant with high quality membrane found installed & same was found operational, without zero discharge (boiling /evaporation not carried out).
- 4. Treated effluent is being used in horticulture/gardening.
- 5. Log book of RO plant in manner of daily check/record of mineral water is maintained properly.

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016

-A Show cause notice for closure was issued to the unit on 22.12.2016.

Recommendation / Action Taken Details (EE/AEE) on 03-11-2016

Recommendation / Action Taken Details (EE/AEE) on 30-09-2016

As per decision an inspection of the unit has been carried out by DPCC, Officials on 16.09.2016, during inspection following observations were made:

- unit found operational and engaged in the activity of mtg. of mineral water.
- No. D.G Set found installed.
- Reverse Osmosis (RO) plant found installed at the first floor of the building & same found operational.

-A Show cause notice for closure may be

											issued to the unit to install sequential RO Plant using High quality membrane and zero discharge. If, unit fails to do so consent application be infructuous and also closure direction may be issued.	
9	COVER GIRL LABORATORIES	T-2/207, PHASE-I, MANGOLPURI INDUSTRIAL AREA	12-08-2016	DPCC/EC/2/1/2016/15831	MFG. PERFUMERY AND COSMETICS Perfumes and Cosmetics	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-08-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	N/A	30-09-2016 N/A Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 Recommendation / Action Taken Details (EE/AEE) on 02-12-2016 Inspection may be conducted to know the trade effluent discharge.	11-08-2017 Expedite inspection.
10	RAHUL PRINT PACK (P) LTD.	A-118, MANGOLPURI INDUSTRIAL AREA PHASE-II	12-08-2016	DPCC/EC/2/1/2016/15833	OFFSET PRINTING MATERIAL Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-08-2006 Authorisation Status Pending HWM Application No. 2 Application Date 23-06-2010 Authorisation Status Pending HWM Application No. 3 Application Date 12-08-2016 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... (4)Status of Inspection :N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details :N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	N/A	30-09-2016 N/A Remarks/ATR on 09-08-2017 Inspection of the unit was carried out on 08.08.2017 and the following were observed: - The unit was found operational and engaged in the activity of offset printing and hand printing on insole, footwear uppers. - Basement of the unit is used for storing of raw material (duplex board, paper sheets) and for manufacturing process. - First floor of the unit is used by Alsten Enterprises for the process of hand printing and cutting of insole and making footwear upper without taking Consent from DPCC. - Hazardous waste management not found as per rules. Only display boards were provided. These are as follows: 1. Hazardous waste not stored in leak proof container. 2. Hazardous waste container not marked with specified label.	11-08-2017 Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act for the deficiencies observed during inspection. Also issue notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EPA to M/s Alsten Enterprises found during inspection.

3. Hazardous waste container not stored in isolated area.
4. Hazardous waste not stored on pucca floor & in covered area.
5. Date on which storage began not indicated on Hazardous waste container.
6. Daily record of Hazardous waste not found maintained.

Recommendation / Action Taken Details (EE/AEE) on 21-07-2017

Recommendation / Action Taken Details (EE/AEE) on 02-12-2016

Inspection may be conducted to know the trade effluent.

11	DOSA N CHUTNEY	FOOD COURT PVR 3 CS MALL 2ND FLOOR 15 FIROZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15839	RESTAURANT, Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Status of Pollution Control System (1) Oil and Grease Trap (not informed regarding Installation of Oil and Grease Trap cum Settling Tank) (2)ECS - N/A (3)D.G. Set: ...N/A... Status of Ground Water extraction : Nil Water consumption-1200 liters/day, Source- DJB (Bill enclosed) MCD license and Delhi Police license valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of 3CS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.06.2016 and it was found that M/s China Wall was also operating, hereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC. Unit submitted its reply on 16.08.2016 and stated that they have applied for CTE and CTO and also stated	N/A	31-08-2016 Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 As decided by the Cell Incharge, DPCC inspection was carried out by DPCC official on 04.05.2017 and following observation were made:- 1. Unit found operational and engaged in the activity of restaurant with 20 seat during inspection 2. Unit has installed Oil & Grease Trap cum settling tank common with Darya, China Wall and Moti Mahal. 3. Hood and Suction system provided in the kitchen with channelisation. 4. Unit having common 2 DG set with capacity 380 & 125 KVA with acoustic enclosure and having adequate stack height. 5. Size of Oil & Grease Trap cum settling tank-3.1m x 1.3m x 1.2m	11-08-2017 Consent to Operate granted.
----	-------------------	---	------------	------------------------	---	-------------------	---------	---	-----	---	--

									w.r.t. SCN which was issued to M/s Cream Bell Ice Cream Kiosk that Kiosk of Ice Cream is a part of their outlet Dosa n Chutney and it does not have separate entry.		As decided in file, Modified Direction u/s 33 (A) of Water Act and 31(A) of Air Act was issued to unit on 15.07.2017 however no reply has been received so far.	
											Remarks/ATR on 06-12-2016 Inspection yet to be carried out.	
12	CHINA WALL (A UNIT OF A P FOOD)	FOOD COURT PVR 3 CS MALL 2ND FLOOR, 15 FIROZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15843	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DIB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 1200 liters/day, Source- DJB (Bill enclosed) MCD license and Delhi Police licence valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of JCS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.06.2016 and it was found that M/s China Wall was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC. Unit submitted its reply on 16.08.2016 and stated that they have applied for CTE and CTO.	N/A	26-08-2016 Now unit has applied for CTE and CTO on 12.08.2016 Recommendation / Action Taken Details (EE/AEE) on 10-08-2017 As decided by the Cell Incharge, DPCC inspection was carried out by DPCC official on 04.05.2017 and following observation were made:- 1. Unit found operational and engaged in the activity of restaurant with 24 seat during inspection. 2. Unit has installed Oil & Grease Trap cum settling tank common with Darya, Moti Mahal and Dosa & Chutney. 3. Hood and Suction system provided in the kitchen with channelisation. 4. Unit having common 2 DG set with capacity 380 & 125 KVA with acoustic enclosure and having adequate stack height. 5. Size of Oil & Grease Trap cum settling tank- 3.1mX1.3mX1.2m As decided in file, a fresh inspection be conducted to verify the facts.	11-08-2017 Inspection be carried out as decided in file.
13	DARYA (A UNIT OF A P FOOD)	FOOD COURT PVR 3 CS MALL 2ND FLOOR, 15 FIROZ GANDHI MARG LAJPAT NAGAR	12-08-2016	DPCC/EC/2/1/2016/15846	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption- 1200 liters / day , Source- DJB	N/A	24-08-2016 Now unit has applied for CTE and CTO on 12.08.2016 Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 As decided by the Cell Incharge, DPCC inspection was carried	11-08-2017 Case deferred.

					Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				(Bill enclosed) MCD license and Delhi Police licence valid up to 31.03.2017 An inspection of the M/s Sagar Ratna in Food court of JCS Alankar Complex Building, Firoz Gandhi Marg, Lajpat Nagar, was carried out by representatives of DPCC on 07.05.2016 and it was found that M/s Darya was also operating, thereafter as decided SCN u/s 33(A) of the Water Act and u/s 31 (A) of the Air Act was issued to unit on 26.07.2016 as unit is operating without obtaining consent from DPCC.		out by DPCC official on 04.05.2017 and following observation were made:- 1. Unit found operational and engaged in the activity of restaurant with 22 seat during inspection 2. Unit has installed Oil & Grease Trap cum settling tank common with Moti Mahal, China Wall and Dosa & Chutney. 3. Hood and Suction system provided in the kitchen with channalisation. 4. Unit having common 2 DG set with capacity 380 & 125 KVA with acoustic enclosure and having adequate stack height. 5. Size of Oil & Grease Trap cum settling tank-3.1m x 1.3m x 1.2m As decided in file, Modified Direction u/s 33(A) of Water Act was issued to unit on 25.07.2017 however no reply has been received so far.	
14	KROWN BISCUIT(P) LTD.	A-10,LAWRENCE ROAD INDUSTRIAL AREA	16-08-2016	DPCC/FC/2/1/2016/15864	MANUFACTURING OF CONFECTIONERY ITEM (COOKIES FOOD) WITHOUT TRADE EFFLUENT. Confectionery without Trade Effluent and having electric oven without boiler Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Operate	Non-SPI		(1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report of oven dated 21-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Stack Test Report within Limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.2 KVA. Noise monitoring report dated 21-07-2016 issued by FICCI RESEARCH ANALYSIS CENTRE submitted. Noise monitoring report within Limit - Yes. (4)Status of Ground Water extraction :N/A (5)Status of Inspection :N/A (6)SCN u/s 31(A)/33(A)/5 of EPA details :N/A (7)Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	N/A	30-09-2016 N/A Remarks/ATR on 09-08-2017 Inspection of the unit was carried out on 08.08.2017 and the following were observed: - The unit was found operational and engaged in the activity of mfg. of confectionery items (cookies, biscuits, etc.) without trade effluent. - Ground floor of the unit was for storing of raw material and for manufacturing process of cookies, biscuits. - First floor of the unit is used for storing of raw material and ready products. There is 2 heat rooms and 3 mixer on this floor. - The unit has one D.G. set of 62 KVA	11-08-2017 Consent to Operate granted with the condition that unit shall provide adequate stack height with PNG fired ovens (atleast 03 meter above the roof level) and submit compliance report within 15 days.

with adequate stack height.
- The unit has two PNG fired ovens. Height of stack attached with these ovens is not adequate (below the roof level of building).

Recommendation / Action Taken Details (EE/AEE) on 06-07-2017

The unit found locked during inspection on 28.06.2017 and 29.06.2017.

Recommendation / Action Taken Details (EE/AEE) on 02-12-2016

Inspection be conducted to know the trade effluent.

Effluent analysis report - N/A
Emission monitoring report - N/A
Noise monitoring report - N/A

Remarks/ATR on 20-07-2017

Recommendation / Action Taken Details (EE/AEE) on 07-07-2017

Inspection conducted on 05.07.2017. Observations are as follows-
1. Unit found operating & engaged in the activity of Gravure printing and mfg. of packaging materials.
2. Channelization provided over printing machine with inadequate stack height.
3. HWM rules are not complied with.

09-08-2017

11-08-2017

Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act. Also ask to provide adequate stack height for channelization system.

11-08-2017

Inspection be conducted.

15 STAR PACKERS

PLOT NO H-1362, DSIDC, NARELA INDUSTRIAL AREA

16-08-2016

DPCC/EC/2/1/2016/15868

GRAVURE PRINTING (DRY PROCESS) (WITHOUT TRADE EFFLUENT DISCHARGE).

Orange Operate

Non-SPI

HWM Application No. 1
Application Date 16-08-2016
Authorisation Status Pending

1. ETP- N/A
2. ECS- N/A
3. D.G. set- N/A
4. Status of Ground Water Extraction-No
a) Water consumption- 30 L/day.
b) Source of water :DSIDC (copy of water bill submitted)

Effluent analysis report - N/A
Emission monitoring report - N/A
Noise monitoring report - N/A

14-12-2016
SEE Incharge may like to peruse the file/details of unit with brief of the case. Inspection may be conducted in view of HWM Rules 2016

Remarks/ATR on 20-07-2017

Recommendation / Action Taken Details (EE/AEE) on 07-07-2017

Inspection conducted on 05.07.2017. Observations are as follows-
1. Unit found operating & engaged in the activity of Gravure printing and mfg. of packaging materials.
2. Channelization provided over printing machine with inadequate stack height.
3. HWM rules are not complied with.

09-08-2017

11-08-2017

Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act. Also ask to provide adequate stack height for channelization system.

11-08-2017

Inspection be conducted.

16 SUNTORA INDUSTRIES

E-807, DSIDC NARELA INDUSTRIAL AREA

16-08-2016

DPCC/EC/2/1/2016/15870

COPPER WIRE DRAWING AND TIN COATING WITHOUT PICKLING

Orange Renewal

Non-SPI

HWM Application No. 1
Application Date 08-07-2004
Authorisation Status Approved
Authorisation Issue Date 03-08-2004
Authorisation Expiry Date 02-08-2006

Status of Pollution Control system/Devices-
1. ETP- N/A
2. ECS- N/A
3. D.G. set- N/A
Plot Area- 350 sq mt
Date of commencement- 1998
Status of Ground Water Extraction-No
1. Water consumption- 100 L/day.
a) Source of water- DSIDC (copy of bill submitted)

Effluent analysis report - N/A.
Emission monitoring report -N/A.
Noise monitoring report - N/A

09-08-2017

11-08-2017

Issue show cause notice for refusal of authorization and show cause notice u/s 5 of EP Act. Also ask to provide adequate stack height for channelization system.

11-08-2017

Inspection be conducted.

								HWM Application No. 2 Application Date 02-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-08-2016 Authorisation Status Pending				
17	RAJDHANI WIRE ELECTRICAL INDUSTRIES	S-16, BADALI INDUSTRIAL AREA, PHASE-I	16-08-2016	DPCC/EC/2/1/2016/15881	COPPER WIRE DRAWING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-11-2007 Authorisation Status Pending HWM Application No. 2 Application Date 16-08-2016 Authorisation Status Pending	1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A 4. Status of Ground Water Extraction-No a) Water consumption- 50 L/day. b) Source of water : Outside (copy of water bill not submitted)	Effluent analysis report - N/A Emission monitoring report -N.A Noise monitoring report - N.A	14-12-2016 SEE Incharge may like to peruse the file/details of unit with brief of the case. Inspection may be conducted. Remarks/ATR on 21-07-2017 Inspection conducted on 20.07.2017. Findings are- 1. Unit found operational and engaged in the activity of copper wire drawing. 2. HWM rules are complied with. Recommendation / Action Taken Details (EE/AEE) on 07-07-2017 Inspection yet to be conducted.	11-08-2017 Consent to Operate(Renewal) granted. Authorization application to be decided later on in view of directions received from CPCB.
18	SHIV METAL WORKS	29, Q/6, STREET NO. 4K, ANAND PARBAT INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15889	CASTING BY PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM 2	Source of water:Outside (Copy of bill not provided) water consumption:40 litre/day Status of ground water:Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - stack attached to exhaust of pit furnace (3)D.G.Set: ...N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of	Stack Monitoring Report: (a) Stack monitoring report dated 01-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	30-08-2016 It is a case of redevelopment area. Remarks/ATR on 05-04-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 As decided in file, an inspection of the unit was carried out by DPCC representatives on 22.12.2016 and	11-08-2017 Case deferred.

									Application No. Application Date Authorisation Status	06-10-2006 Pending	EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	following observations were made:- 1. Unit found operational and engaged in the activity of casting by pit furnace (casting of non-ferrous metal). 2. No D.G. set installed in the premises. 3. Unit is not water polluting i.e. no ETP installed in the unit. 4. Exhaust system provided with adequate stack height. Recommendation / Action Taken Details (EE/AEE) on 03-11-2016 -As decided, a letter regarding submitting the details about operation of the unit within 15 days failing which consent application be infructuous. Also send the letter at correspondence address was issued to the unit on 03.11.2016 Recommendation / Action Taken Details (EE/AEE) on 30-09-2016 -As per decision an inspection of the unit has been carried out by DPCC, Officials on 22.09.2016. During inspection as informed by the neighbours unit has been closed from past three months. -A letter may be issued to submit details about operation of the unit within 15 days failing which consent application be infructuous.
19	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15902	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date-01.07.2004 Status of Ground Water Extraction-No 1. Water consumption- 4000 l/day. a) Source of water- DSIDC (copy of DSIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection-	Water(Effluent)-N/A Emission monitoring report -N/A Noise Test Report- N/A	30-08-2016 Remarks/ATR on 20-07-2017 Remarks/ATR on 07-07-2017 As decided, inspection was conducted by DPCC officials on 05.05.2017 and following are the observations- 1. Unit found operational and	11-08-2017 Consent to Establish granted for the activity of Mfg. of PVC Dana with Reprocessing and without Washing. Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017. Activity / Categorization of the unit be changed from Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity) to Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using

Yes(28.12.2015)
Inspection findings-
1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge.
2. No ECS installed.
3. No ETP installed and waste water is being discharged directly into sewer without any treatment.
4. Unit is operating without valid consent/ registration under air, water acts/plastic rules respectively.
5. One Borewell connection exists without permission from DJB/CGWA.
Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 22.02.2016. No reply received

Directions for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA issued on 28.04.2016

engaged in the activity of Mfg. of plastic house hold goods.
2. Channelization provided over extruder and mixture.
Scrap As Raw Material without Washing Activity) in view of the information given by unit vide letter dated 23.01.2017 and inspection carried on 05.05.2017.

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016
Being PGMS complaint, Direction for closure u/s 31 (A) of the Air Act, u/s 33 (A) of the Water Act, 1974 and u/s 5 issued vide letter dated 28.04.2016. Subsequently, Letter to concerned agencies seeking compliance of closure directions issued on 24.10.2016 and SCN for refusal of consent also issued on 24.10.2016.

Unit has submitted representation alongwith security bond of two lakhs and an undertaking to abide with pollution control norms and requested revocation of closure directions. As approved on file Temporary Revocation of closure directions issued for 30 days on 09.12.2016 for necessary testing and compliance etc. Final revocation shall be considered after inspection of the unit.

Remarks/ATR on 03-11-2016
SCN for refusal of consent issued on 24.10.2016. Letter to consent agencies seeking compliance of closure directions issued on 24.10.2016. Compliance is yet to be received.

Recommendation / Action Taken Details (EE/AEE) on 27-09-2016
Inspection conducted on 19.09.2016 findings are as follows-
1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge.

2. ETP found installed but not in operational condition and No wet and dry sludge seen.
3. ECS found installed with adequate stack height.
4. One Borewell connection exists without permission from DJB/CGWA.
5. HWM rules are not complied with.
Form 2 for registration under plastic rules submitted. Form 2 found incomplete and not as per the prescribed performance as per new Plastic rules 2016.
As per Rule 13 (Registration of producer, recyclers and manufacturer) of Plastic rules 2016, further sub-rule (5) says that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard.
sub-rule (7) says that On receipt of the application complete in all respects for the registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfilment of the conditions as

may be laid down in terms of registration sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years. Compliance of closure direction dated 28.04.2016 is not received from the concerned authorities.

20	LAXMI PLASTIC	G-969, DSIDC NARELA INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15903	MANUFACTURING OF PVC DANA WITH WASHING. Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Operate	Non-SPI	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes (Stack connected to mixer) 3. D.G. set- No Plot Area- 350 sq.mt. Proposed Date-01.07.2004 Status of Ground Water Extraction-No 1. Water consumption- 4000 L/day. a) Source of water- DSIDC (copy of DSIDC water bill not submitted) Complaint against this unit made by Sh. Rohit Gupta. Status of Inspection- Yes(28.12.2015) Inspection findings- 1. Unit found operating and engaged in the activity of mfg. of plastic dana & plastic goods using plastic scrap as a raw material with trade effluent discharge. 2. No ECS installed. 3. No ETP installed and waste water is being discharged directly into sewer without any treatment. 4. Unit is operating without valid consent/ registration under air, water acts/plastic rules respectively. 5. One Borewell connection exists without permission from DJB/CGWA. Show cause notice for closure u/s 31 (A) of the Air, u/s 33 (A) of the Water Act, 1974 and u/s 5 of EPA. Issued on 22.02.2016. No	Water(Effluent)-report dated 28.07.2016 issued by FICCI submitted. Parameters are within prescribed limit. Stack monitoring report dated 26.05.2016 issued by Shriram Institute for Industrial Research submitted. Parameters are within prescribed limit. Noise Test Report- N/A	30-08-2016 - Remarks/ATR on 20-07-2017 - Remarks/ATR on 07-07-2017 As decided, inspection was conducted by DPCC officials on 05.05.2017 and following are the observations- 1. Unit found operational and engaged in the activity of Mfg. of plastic house hold goods. 2. Channelisation provided over extruder and mixture. Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 Being PGMS complaint, Direction for closure u/s 31 (A) of the Air Act, u/s 33 (A) of the Water Act, 1974 and u/s 5 issued vide letter dated 28.04.2016. Subsequently, Letter to concerned agencies seeking compliance of closure directions issued on 24.10.2016 and SCN for refusal of consent also issued on	11-08-2017 Ask the unit to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017. Activity / Categorization of the unit be changed from Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity) to Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material without Washing Activity) in view of the information given by unit vide letter dated 23.01.2017 and inspection carried on 05.05.2017.
----	---------------	-------------------------------------	------------	------------------------	--	----------------	---------	--	---	--	---

and manufacturer) of Plastic rules 2016, further sub-rule (5) says that The State Pollution Control Board or the Pollution Control Committee shall not issue or renew registration to plastic waste recycling or processing units unless the unit possesses a valid consent under the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) and the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) along with a certificate of registration issued by the District Industries Centre or any other Government agency authorised in this regard. sub-rule (7) says that On receipt of the application complete in all respects for the registration for recycling or processing of plastic waste under sub-rule (3), the State Pollution Control Board may, after such inquiry as it considers necessary and on being satisfied that the applicant possesses appropriate facilities, technical capabilities and equipment to handle plastic waste safely, may grant registration to the applicant on fulfilment of the conditions as may be laid down in terms of registration. sub-rule (8) says that Every State Pollution Control Board or Pollution Control Committee shall take a decision on the grant of registration within ninety days of receipt of an application which is complete in all respects. sub-rule (9) says that The registration granted under this rule shall initially be valid for a period of one year, unless revoked, suspended or cancelled and shall subsequently be granted for three years.

											Compliance of closure direction dated 28.04.2016 is not received from the concerned authorities.	
21	VYOME BIOSCIENCES PVT LTD	PLOT NO-465, GROUND FLOOR, PATPARGANJ INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15908	LABORATORY/PHARMACEUTICAL RESEARCH DEVELOPMENT. Medicines / Pharmaceutical Formulation- without Boiler	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-08-2016 Authorisation Status Pending	(1)ETP ---- ETP (2)ECS - N/A (3)D.G.Set Noise Report : 1 (4) Water Consumption: 1000 L/ Day Source: Outside (5) Ground Water: Nil	Effluent analysis report dated 22-06-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes. 13 number of parameters analyzed which are within prescribed limit. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 23-03-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes. number of parameters analyzed which are within prescribed limit.	30-08-2016 Recommended for Inspection Recommendation / Action Taken Details (EE/AEE) on 20-02-2017 Show cause notice for refusal of consent, show cause notice u/s 33(A) of Water Act and show cause notice u/s 5 of EP Act dated 17.01.2017 was issued to the unit. The unit has submitted the reply of notices on 27.01.2017 and requested to grant 20 days time to rectify the deficiencies observed during inspection and make the ETP plant operational. Recommendation / Action Taken Details (EE/AEE) on 04-11-2016 Inspection of the unit was conducted on 03.11.2016 and following were observed. 1. Unit found in operation and engaged in the activity of pharmaceuticals research development. 2. ETP was found installed at the backside of the premises. ETP consists of reaction cum settling tank, oil and grease tank and two chambers sludge drying beds, ACF and PSF. 3. ETP was not found in operation. Untreated effluent in the reaction cum settling tank was seen below the agitator (mixing). 4. No chemical was seen in the chemical dosing tanks. Lid of the side containers were found covered with significant deposition of fine dust which indicate that the	11-08-2017 Inspection be carried out.

unit rarely open the dosing tank for chemical storing.
5. SDBs found with improper filter media and the leachate pipes not connected to the collection tank.
6. No wet and dry sludge was seen.

Recommendation / Action Taken Details (EE/AEE) on 20-09-2016
Inspection yet to be conducted.

22	CHAWALA S	SHOP NO 3,4,5 AND 6, 1ST FLOOR, WADHWA PLAZA II, PLOT NO 5, CENTRAL MARKET, SECTOR-10, DWARKA	16-08-2016	DPCC/EC/2/1/2016/15915	RESTAURANT. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil & Grease Trap (2)D.G.Set: ...N/A. (a)Noise monitoring report of - N/A - Water Consumption:1.30 kl/day(Source-outside) Trade Effluent discharge: 1.040 kl/day. SCN u/s 31(A)/33(A)/5 of EPA details :SCN u/s 31(A)/33(A) issued on 02.05.2016 Modified directions u/s 31(A)/33(A) issued on 30.08.2016 Status of Inspection :Inspection of the unit was carried out on 05.05.2017 and following were the observations: 1. Unit found in operation & engaged in the activity of Restaurant with seating capacity of 30 seats. 2. Channelization system provided in Kitchen and it is has adequate stack height. 3. Oil & Grease Trap installed in Kitchen Area. 4. One Tandoor also present in Kitchen. 5. Separation of waste is done in Kitchen, proper bins provided for waste (Dry & Wet).	N/A	09-08-2017 SCN u/s 31(A)/33(A)/5 of EPA details :SCN u/s 31(A)/33(A) issued on 02.05.2016 Modified directions u/s 31(A)/33(A) issued on 30.08.2016 Status of Inspection :Inspection of the unit was carried out on 05.05.2017 and following were the observations: 1. Unit found in operation & engaged in the activity of Restaurant with seating capacity of 30 seats. 2. Channelization system provided in Kitchen and it is has adequate stack height. 3. Oil & Grease Trap installed in Kitchen Area. 4. One Tandoor also present in Kitchen. 5. Separation of waste is done in Kitchen, proper bins provided for waste (Dry & Wet). Unit has applied for Consent to Establish on 16.08.2016 for the activity of Restaurant with seating capacity of 30 seats. It is recommended that CTE may be granted	11-08-2017 Consent to Establish granted however to be issued only after submission of additional consent fee.
23	GKB RX LENS PVT. LTD.	E-26, B-1, EXTENSION, MOHAN CO-OPERATIVE INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15933	MFG. OF OPHTHALMIC LENSES. Optical Glass (Surfacing/Grinding Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-12-2008 Authorisation Status Pending	Status of Pollution Control System (1)ETP Installed. (a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)EC5 - N/A	(a) Effluent analysis report dated 18-05-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise	30-08-2016 Unit has applied for Renewal of consent to operate on 16.08.2016. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017	11-08-2017 Inspection be conducted. Earlier applications of Consent to Establish and Consent to Operate be made infructuous.

										(3) D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 16-05-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water consumption: 7960 ltrs/day, Source: outside (bill not enclosed). In compliance of the order dated 11.08.2015 of Honble NGT in application no. 300 of 2013 in matter of Manoj Mishra and Ors versus Union of India and others. As per survey by DPCC, an inspection of the unit was carried out by Officials / Representatives of DPCC on 27.08.2015 and following were observed: (a) ETP found installed and in working condition. Effluent samples collected during inspection by DPCC lab. (b) No permission shown for extraction of ground water. (c) Log book maintained and shown for operation of ETP. Show Cause Notice u/s 33(A) of the Water Act & u/s 31(A) of the Air Act on 07.09.2015 and Letter to DC for groundwater extraction on 07.09.2015. Unit submitted its representation on 24.09.2015 w.r.t SCN along with photographs of ETP, copy of receipt for water test report & adequacy report of ETP and requested to grant 60 days time to submit renewal of CTO. Modified direction was issued to unit on 18.04.2016 to apply for application of renewal of CTO with all required documents. Unit has applied for Renewal of consent to operate (CTR) on 16.08.2016. In the CTR application the unit has informed that they are not extracting any ground water.	monitoring report within Limit - Yes Show Cause Notice for Refusal of Consent to Operate under Water (Prevention and Control of Pollution) Act, 1974 and Air (Prevention and Control of Pollution) Act, 1981 and Show Cause notice u/s 31 (A) of Air (Prevention and Control of Pollution) Act, 1981 and u/s 33 (A) of water Prevention and Control of Pollution) Act, 1974 issued to the unit on 03.08.2017 Recommendation / Action Taken Details (EE/AEE) on 04-11-2016 As decided, unit was inspected by officials of DPCC on 07.10.2016 and following observation were made: 1. The unit was found in operation. 2. ETP found installed & operational. 3. Mechanism to convey effluent to ETP needs to be made proper. 4. Proper records of operation of ETP needs to be maintained. 5. pH of Treated water was checked as 10.5. 6. Backwash from ACF & DMF needs to be taken back to ETP. 7. Door of Acoustic enclosure found broken. 8. No records of sludge found. Recommendation / Action Taken Details (EE/AEE) on 29-09-2016 Inspection is yet to be conducted.	
24	PACKERS PRINTING PRESS	A-38/4, PHASE-1, MAYAPURI INDUSTRIAL AREA	16-08-2016	DPCC/EC/2/1/2016/15939	PRINTING PRESS (WITHOUT ANY TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004	Source of water: DIB, Category-II (Copy of bill provided) water consumption: 50 litre/day Status of ground water: Nil		30-08-2016	11-08-2017 inspection be conducted.

DPCC : Administrative Area

								Authorisation Approved Status Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection :No HWM Application No. 2 Application Date 30-08-2006 Authorisation Status Pending SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No HWM Application No. 3 Application Date 16-08-2016 Authorisation Status Pending		
25	M.P. FRAGRANCES	A-19, NARAINA INDUSTRIAL AREA PHASE - II	22-08-2016	DPCC/EC/2/1/2016/15998	MANUFACTURING OF BLENDING OF PERFUMES AND FRAGRANCES. Fragrances and Industrial Perfume	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-08-2016 Authorisation Status Pending Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No Water Consumption 60 liters/day and its source DJB of CAT-II bill enclosed.	30-08-2016 Remarks/ATR on 09-08-2017 -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of blending & mixing of perfumes & fragrances. 2. The required aromas are mixed in a tank consist of a stirrer the required ratio which is desired. 3. HWM guidelines are being followed.	11-08-2017 Consent to Operat granted. Authorization application to be decided later on in view of directions received from CPCB.
26	LOVELY WASH CARE COMPANY	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	05-09-2016	DPCC/EC/2/1/2016/16067	READYMADE JEANS WASHING, Readymade Garment (with Washing) with Boller Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- Proposed 3. D.G. set- No Plot Area- 250 sq mt Date of commissioning - October 2016 Status of Ground Water Extraction-No Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report- N.A	27-09-2016 Remarks/ATR on 20-07-2017 SCN for refusal and SCN for closure u/s 31A), 33(A) & 5 of EPA was issued on	11-08-2017 Consent to Establish granted , Subsequently inspection be carried out.

1. Water consumption-2000 L/day.
a) Source of water- Outside (copy of Outside water bill not submitted)
Status of Inspection- No

10.01.2017.
Unit has submitted a representation on 28.02.2017 wherein it is mentioned that unit have removed the wood boiler and using diesel boiler and requesting for time to submit the test report alongwith the application for consent and authorization. Subsequently, Modified direction u/s 31A), 33(A) & 5 of EPA was issued on 19.04.2017.

Recommendation / Action Taken Details (EE/AEE) on 23-12-2016
File is under submission.

Recommendation / Action Taken Details (EE/AEE) on 03-11-2016
Inspection conducted on 07.10.2016
Inspection Findings are-
1. Unit found in operation and engaged in the activity dyeing and washing of jeans with spray painting work. (without boiler use).
2. No ETP found installed and Waste water is being discharged without any treatment.
3. HWM rules are not complied with.
4. Unit is having two boiler. One is wood fired (400 kg/hour) which was in use. Another is diesel fired which is not in use.
5. Unit has applied for consent to establish but found operational without consent to operate.

File is under submission with proposal SCN for refusal of consent and SCN for closure.

27	KAG LAMPACK	G-1153, DSIDC, NARELA INDUSTRIAL AREA	05-09-2016	DPCC/EC/2/1/2016/16074	MFG. OF PACKAGING MATERIAL WITH PRINTING. Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A 4. Status of Ground Water Extraction- No a) Water consumption- 70 L/day. b) Source of water: Outside	Effluent analysis report - N.A Emission monitoring report - N.A Noise monitoring report - N.A	14-12-2016 SEE Incharge may like to peruse the file/details of unit with brief of the case. Recommended for grant of consent.	11-08-2017 Issue show cause notice u/s 31(A) of Air Act, u/s 33(A) of Water Act and u/s 5 of EP Act for deficiencies observed during inspection and also since unit found operating without consent to operate and authorization under HW Rules.
----	-------------	---------------------------------------	------------	------------------------	--	------------------	---------	--	--	---	---	--

									(copy of water bill not submitted)		Remarks/ATR on 20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 07-07-2017 Inspection is conducted on 05.07.2017 and findings are- 1. Unit found operational and engaged in the activity of Mfg. of packaging material with printing. 2. ECS/channelization provided over extruder. 3. HWM rules are not complied with. Recommendation / Action Taken Details (EE/AEE) on 07-07-2017 Inspection is conducted on 05.07.2017 and findings are- 1. Unit found operational and engaged in the activity of Mfg. of packaging material with printing. 2. ECS/channelization provided over extruder. 3. HWM rules are not complied with.	
28	ASHISH GARG	KHASRA NO 833/65, POLE NO 2033-2034, NEW MANDOLI INDUSTRIAL AREA	07-09-2016	DPCC/EC/2/1/2016/16098	MFG. OF COPPER INGOTS, Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Scrubber, Cyclone (a) Stack monitoring report dated 22-08-2016 issued by DPCC submitted, Stack Test Report within Limit - Yes . (3)D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 19-08-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes. Status of Ground Water extraction : No, Water is purchased from outside, bill enclosed. The unit has submitted copy of Income Tax Return for the financial year 01.04.2004 to 31.03.2005 submitted to Income Tax	Stack monitoring report dated 22-08-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes . D.G.Set Noise Report : (a) The unit has 2 D.G. Set(s) of 62.5 KVA(not in use) and 62.5 KVA. Noise monitoring report dated 19-08-2016 issued by DPCC submitted, Noise monitoring report within Limit - Yes	04-11-2016 As per the decision taken on 30.09.2016 unit may be asked to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit including other deficiencies in respect of the consent application. Recommendation / Action Taken Details (EE/AEE) on 11-08-2017 Expedite inspection Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 Letter was issued to the unit on 01.12.2016	11-08-2017 Expedite inspection.

									Department on 01.04.2006 as proof of establishment before 07.02.2016. The unit has not installed online monitoring system.		for submitting the certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area clearly mentioning the name & address of the unit and for installation of online monitoring system. Letter has been received back undelivered. Recommended for inspection.	
29	HOTEL AMALTAS INTERNATIONAL	6, GREEN PARK MAIN ROAD,	08-09-2016	DPCC/EC/2/1/2016/16101	GUEST HOUSE (30 ROOMS) WITH KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP: Yes Effluent analysis report dated 28-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit (a) Stack monitoring report dated 07-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 09-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report (for more than 1000 KVA) dated 07.12.16 issued by DPCC and parameters within limit / not satisfactory. Yes Status of Ground Water extraction :N/A Water consumption:5.0 kl/day (source-water tankers) Trade effluent discharge:2.5 kl/day Status of Inspection :01.09.2015 SCN u/s 31(A)/33(A)/5 of EPA details :02.09.2015 Closure directions u/s	Effluent analysis report dated 28-11-2016 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 07-12-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 09-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit submitted the abovementioned test reports on 22-12-2016. Vide letter dated 15.09.2016, it was informed that the unit has applied for connection to sewer from DJB but no documents were provided. PGC vide its order no. PGC/2013/SDMC/1272 dated 16.03.2017 has directed that the unit is requires to install STP since the hotel has not taken proper sewerage connection. As decided, a letter was issued to the unit on 25.05.2017 for installation of STP. Reply has not been recieved yet. It is recommended that reminder letter may be issued to the unit regarding the installation of STP.	09-08-2017 Unit has applied for Consent to Operate on 08.09.2016 for the activity of Guest House (30 Rooms with Kitchen). As decided, unit has been granted conditional Consent to Operate for 60 days on 24.10.2016 with the condition that fresh ETP, Stack Emission & Noise Monitoring report should be submitted within the stipulated period. Unit submitted the abovementioned test reports on 22-12-2016. Vide letter dated 15.09.2016, it was informed that the unit has applied for connection to sewer from DJB but no documents were provided. PGC vide its order no. PGC/2013/SDMC/1272 dated 16.03.2017 has directed that the unit is requires to install STP since the hotel has not taken proper sewerage connection. As decided, a letter was issued to the unit on 25.05.2017 for installation of STP. Reply has not been recieved yet. It is recommended that reminder letter may be issued to the unit regarding the installation of STP.	11-08-2017 Issue show cause notice for refusal of consent, thereafter, inspection be conducted to know the present status.

30	TIVOLI PUSHPANJALI (A UNIT OF T.G. LEISURE AND RESORTS PVT LTD)	F-20 PUSHPANJALI DWARKA LINK ROAD BIJWASAN	08-09-2016	DPCC/EC/2/1/2016/16108	BANQUET HALL PARTY LAWN. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI	31(A)/33(A)/5 of EPA details :18.11.2015 Status of Pollution Control System (1) STP (Proposed) (2)ECS - N/A (3)D.G.Set: 1 (125 KVA) Status of Ground Water extraction : Water Consumption: 1780 ltrs/day, Source: Outside. Status of Inspection : Unit was inspected by the officials of DPCC on 10.08.2016 during visit to the area. The unit was found in operating without any CTE/CTO and without any ETP/STP. Following were the observations during the inspection:- -It was informed that the party lawn had started their operation approx. 6-7 months back. -No ETP/STP found attached. -The acoustic enclosure attached with DG Set was not proper as Gates of DG Set were found broken. SCN u/s 31(A) of Air Act & 33(A) of Water Act and also for Refusal of Consent to Operate was issued to unit on 29.08.2016 w.r.t deficiencies observed during inspection. Unit has submitted its reply on 14.09.2016 w.r.t SCN issued to unit on 29.08.2016 that the unit has applied for CTE on 08.09.2016 and requested 90 days time to submit CTO.	27-09-2016 Applied for Consent to Establish on 08.09.2016. Recommendation / Action Taken Details (EE/AEE) on 09-08- 2017 The unit submitted its representation on 04.05.2017 w.r.t. Directions u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 33(A) of the Water (Prevention & Control of Pollution) Act, and stated that: 1.They are engaged in a party lawn in the name of M/s Tivoli Pushpanjali (a Unit of T.G. Leisure & Resorts Pvt. Ltd.) situated at F-20, Pushpanjali , Dwarka Link Road, Bijwasan, New Delhi. 2.They have already ordered for installation of STP in their premises through a consultant. (Photograph enclosed). 3. They have already applied for Consent to Establish from DPCC under Orange Category. 4. They have installed one D.G. Set in their premises with proper acoustic enclosure and stack height 3.5m high above the roof level. 5. They have already submitted application in DPCC for noise monitoring reporting; STP test report online on 24.04.2017 (copy enclosed). 6. They have already submitted application for extension of time period on 28.04.2017 (copy enclosed). 7. They have submitted Security Bond of 5, 00,000/- along with report. 8. They have applied for test reports and the reports are in process in DPCC. In their letter they requested for a time of 90 days for installation	11-08-2017 Expedite inspection as decided in file and file be put up administratively.
----	---	--	------------	------------------------	---	---------------------	---------	---	--	---

of ETP and submission of Consent to Operate along with test reports. Further they have requested to revoke closure directions as early as possible.
As decided by Member Secretary DPCC on 16.05.2017 inspection is allowed no revocation of closure direction.
Inspection yet to be conducted.

Recommendation / Action Taken Details (EE/AEE) on 04-11-2016
File under submission.

29-09-2016
Category of the unit is II (b).

Remarks/ATR on 19-01-2017
The unit has submitted its reply on 26.12.2016 in response of SCN for refusal, u/s 31 (A) and u/s 33(A). In the reply the unit has mentioned that ETP has never been installed as they have RO system and they are not manufacturing PET glasses or not doing any printing activity. They purchase PET glasses from outside sources. Also it was mentioned that the borewell is 15 to 20 years old and permission has not taken.

Recommendation / Action Taken Details (EE/AEE) on 30-11-2016
Show Cause notice for refusal of consent, show cause notice u/s 31(A) of Air Act and u/s 33(A) of Water Act have been issued.

Recommendation / Action Taken Details (EE/AEE) on 03-11-2016
Inspection has been conducted on 07-10-2016. The unit is engaged in the activity of mineralised water/water treatment plant. ETP has been

11-08-2017
Case deferred.

31	ARIHANT MARKETING (INDIA)	PLOT NO A-17, LAWRENCE ROAD INDUSTRIAL AREA	15-09-2016	DPCC/EC/2/1/2016/16148	MINERALISED WATER/WATER TREATMENT PLANT. Mineralised Water/Water Treatment Plant	Orange Establish	Non-SPI	(1)ETP ---- Proposed (2)D.G.Set Noise Report : N/A (3)Status of Ground Water extraction : outside source (4)Status of Inspection : N/A (5)SCN u/s 31(A)/33(A)/5 of EPA details : N/A (6)Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A (7) Activity is not mentioned clearly. (8) Commencement 30.09.2016.	N/A
----	---------------------------	---	------------	------------------------	---	------------------	---------	--	-----

										installed by the unit and it was informed that earlier ETP was installed and the same has been removed now. Waste water is generated from RO wastage and sand filter back washing process. The unit is also manufacturing packaged glass water. No DG set was found. One borewell for groundwater extraction was also found in the premises and no permission was shown. The unit is also manufacturing PET glasses with printing activity. Plastic and aluminium scrap was found stored in the premises.	
32	GIAN FOUNDRY WORKS	B-1 TO B-5, MAYAPURI INDUSTRIAL AREA, PHASE-II	21-09-2016	DPCC/EC/2/1/2016/16196	C.I. CASTING THROUGH PIT FURNACE Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI	Source of Water: Outside (copy of bill not provided) Water Consumption: 100 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - Proposed (3)D.G.Set: ...N/A... -A complaint received in office and as approved, an inspection is conducted by DPCC officials on 10.02.2016 and unit found operating without taking consent and without ESC over cupola furnace. -A show cause notice was issued to the unit on 13.05.2016. -Unit failed to submit reply w.r.t show cause notice. -Accordingly, a closure direction was issued to the unit on 19.07.2016. -Unit submit its reply w.r.t closure direction and submit its application for consent to establish and rectify the deficiencies observed during inspection and requested to revoke the closure direction. - As decided, a temporary revocation was issued to the unit on 22.08.2016 for 30 days for submitting consent	Stack monitoring report: (a) Stack monitoring report dated 07-09-2016 issued by DPCC submitted. Stack Test Report within Limit - Yes	04-11-2016 Remarks/ATR on 09-08-2017 Remarks/ATR on 05-04-2017 - As per direction, an inspection was carried out by representatives of DPCC, on 03.04.2017, during inspection following observations were made: 1. During inspection unit found operational and engaged in the activity of C.I casting by pit furnace. 2. No D.G Set installed in the unit. 3. Unit is non water polluting i.e no ETP installed. 4. Exhaust/hood & suction provided on pit furnace with adequate stack height. 5. Unit is using hard coal in the furnace. -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 23-12-2016 -As decided in the meeting an inspection was carried out by representatives of DPCC, on 23.12.2016, during inspection following observations	11-08-2017 Case deferred.

								to operate application with all requisite documents.		were made: 1. During inspection unit found operational and engaged in the activity of C.I casting by pit furnace. 2. Unit is not water polluting i.e. no ETP installed. 3. Exhaust/hood & suction provided on pit furnace with adequate slack height.	
33	GURU PRASHAD OFFSET	PLOT NO 520 POCKET D KH NO 55/12/1 HASTSAL INDUSTRIAL AREA UTTAM NAGAR	23-09-2016	DPCC/EC/2/1/2016/16214	OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 23-09-2016 Authorisation Status Pending	Source of water: outside (Copy of bill not enclosed) Water Consumption: 40 litre/day Extraction of Ground Water: Nil D.G Set: N/A Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	09-08-2017	11-08-2017 Ask the unit to submit certificate, in original, from Industries Department / concerned SDM regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. The conformity w.r.t. redevelopment area also be checked.
34	SHANKY INDUSTRIES	B-1/148,	26-09-2016		SAUNE PROCESSING AND MANUFACTURING Confectionery without Trade Effluent and having Gas Stove without Boiler/Oil Fired Furnace Food and Fruit Processing Industry - Confectioneries Spice Grinding Supari (Betelnut) and Pan Masala Grinding	Orange Establish	Non-SPI		Water Consumption: Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	05-04-2017 -Consent to Establish may be granted. Remarks/ATR on 05-04-2017 -Address of this unit is not clear. However tried to obtain complete address of this unit over telephone. Project proponent has informed that this unit is operating in residential area i.e. in Vishnu Garden, New Delhi-110018.	11-08-2017 Inspection be conducted.
35	NATIONAL SERVICE STATION	KHASRA NO 28, A BLOCK, WAZIRPUR	26-09-2016	DPCC/EC/2/1/2016/16220	SERVICING,REPAIRING AND WASHING OF LIGHT VEHICLES. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Establish	Non-SPI		-ETP :proposed. -ECS :Nil -Water source:2.2 KLD from outside source (water tank) -Ground water:nil -DG set:nil -Proposed Year of Commencement:January 2017	02-11-2016 Remarks/ATR on 06-07-2017 Unit has submitted its reply on 17.02.2017 and informed that unit required 3 weeks time on medical grounds.However unit has not submitted any response thereafter.As	11-08-2017 Inspection be conducted as decided in file.

approved in file,
Inspection of the unit
is to be conducted.

**Remarks/ATR on
17-01-2017**
Show Cause Notice for
refusal of Consent to
establish under Water
and Air Act has been
issued vide this office
letter dated
17.01.2017.

**Recommendation /
Action Taken Details
(EE/AEE) on 22-12-
2016**
As decided, a letter
was issued to the unit
on 28.11.2016. No
reply was received
from the unit so far.

06-07-2017
If approved, Consent
to Establish granted.

11-08-2017
Consent to Establish granted
however to be issued after
submission of photographs and
details(size/dimensions) of O&G
Trap as per latest RESDH policy.

36	BIKANERVALA FOODS PVT LTD	SHOP NO 102, FIRST AND SECOND FLOOR ITL TWIN TOWER, B 9 SUBHASH PALACE PITAM PURA	29-09-2016	DPCC/EC/2/1/2016/16254	SHOP / RESTAURANT WITH 48 SEATING. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boller	Orange Establish	Non-SP1		(1)Oil & Grease Trap:Proposed (2)ECS: N/A (3)D.G.Set: Nil (4)Source of water supply:5 KLD from Municipal Corporation (applied for new connection). (5)Date of commencement of production:04..05,2015	N/A	
----	------------------------------	---	------------	------------------------	---	---------------------	---------	--	---	-----	--



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi)

4th Floor, I.S.B.T. Building, Kashmere Gate, Delhi - 110006

Website : <http://www.dpcc.delhigovt.nic.in>



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 4th meeting on 9th to 11th August 2017 w.r.t. Table Agenda Item No 1 - 10 Cases (Annexure III).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decision
1	KENNIS INTERNATIONAL	S-47 OKHLA INDUSTRIAL AREA PHASE 2	05-06-2017		MFG. OF READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP - NIL (2)ECS - N/A (3)D.G.Set: NIL Status of Ground Water extraction : Nil Water Consumption: 270 Liters/Day (Source - Others) Date of Commencement: FEB 2016 Status of Inspection : Inspection of the unit was carried out by officials/representatives of DPCC on 18.11.2016 and following observation were made: -Unit found in operation & engaged in the activity of readymade garments with washing. -Unit is engaged in washing activity, however no ETP is installed to treat the waste water generated from washing activity. -unit has installed one DG set of 62.5 KVA, but stack height found inadequate. -Unit is operating without consent from DPCC. SCN u/s 31(A)/33(A) details : issued on 01.02.2017. Closure directions u/s 31(A)/33(A)details : issued on		08-08-2017	11-08-2017 As per the letter of BSES dated 21.06.2017, the electricity of the unit has been disconnected on 08.06.2017. Consent to Establish and Consent to Operate granted for the activity of Mfg. of Readymade Garments without Washing, Dyeing & Bleaching (with Electric Boiler). After issuance of consent to operate, letter be issued for making directions for closure issued on 26.05.2017 infructuous as per office order dated 02.08.2017. Thereafter, inspection be conducted as per said office order.

26.05.2017
As decided Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 31(A) of Air Acts & 33(A) of Water Acts was issued to unit on 01.02.2017. Unit had failed to submitted reply/representation w.r.t said SCN dated 01.02.2017. Therefore, as decided Closure Direction u/s 31(A) of Air Acts & 33(A) of Water Acts were Issued to unit on 26.05.2017 and Consent to Establish was refused vide letter dated 26.05.2017.

BSES has submitted compliance report w.r.t Closure Direction dated 26.05.2017 vide letter dated 21.06.2017 and informed that Electricity supply of the said premises/unit has been disconnected on 08.06.2017 from feeding point.

Unit has submitted its representations on 30.06.2017 , 20.07.2017 and 21.07.2017 along with Environmental Compensation Security of Rs 2 Lakhs, Undertaking regarding Closure of unit in pursuance of decision taken in DPCC Board Meeting held on 23.06.2017. The unit has informed as under:

- That their activity was manufacturing of readymade garments with a small washing with electric boiler but their client has some personal issues for closing washing, so they were permanently closed washing of readymade garments and it was informed that now their actual activity is manufacturig of readymade garments without washing with electric boiler.
- That they were engaged in mfg. of readymade garments without washing in the name of M/s Kennis International at S-47, Okhla Industrial Area , Phase-II New Delhi-20.
- That they have already removed the DG set (62.5 KVA) from the premises . If they shall installed DG set in future, they shall take prior permission from DPCC.
- That unit is lying closed with effect from 08.06.2017 in view of Closure Direction dated 26.05.2017.
- That electricity supply of the unit has already been

								disconnected on 08.06.2017 by BSES. - That the premises/unit has already been sealed by the SDM on 12.07.2017. - That they have submitted Environmental Compensation Security of Rs 2 Lakhs for a period of one year, Undertaking in pursuance of decision taken in DPCC Board Meeting held on 23.06.2017 and stating that the unit is lying closed w.e.f. 08.06.2017 and shall not run / operate any commercial / industrial activity in the said premises before fresh consent to Establish / Consent to Operate is granted under the relevant Acts and rules and they further undertake that in case the undersigned / aforementioned unit violates any of the directions passed by the DPCC, they shall pay DPCC a sum of Rupees Two lakhs without demur and default in form of Demand Draft in favour of DPCC within seven days of issuance of letter by DPCC in this regard. - That they have applied for Consent to Establish and Consent to Operate online on 05.06.2017 and 12.06.2017 under Green category for the activity of manufacturing of readymade garments without washing with electric boiler and also submitted hard copy of the same on 15.06.2017. In view of above unit has requested to withdrawal the above said Closure direction and issue CTE & CTO as early as possible. unit has submitted another representation on 07.08.2017 along with fresh environmental compensation security and undertaking.		
2	KENNIS INTERNATIONAL	S-47 OKHLA INDUSTRIAL AREA PHASE 2	12-06-2017		MFG. OF READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Operate	Non-SPI	Status of Pollution Control System (1)ETP - NIL (2)ECS - N/A (3)D.G.Set: NIL Status of Ground Water extraction : Nil Water Consumption: 270 Liters/Day (Source - Others)	08-08-2017	11-08-2017 As per the letter of BSES dated 21.06.2017, the electricity of the unit has been disconnected on 08.06.2017. Consent to Establish and Consent to Operate granted for the activity of Mfg. of Readymade Garments without Washing, Dyeing & Bleaching (with Electric Boiler). After issuance of consent to operate, letter be issued for making directions for closure issued on

Date of Commencement: FEB 2016

Status of Inspection : Inspection of the unit was carried out by officials/representatives of DPCC on 18.11.2016 and following observation were made:
-Unit found in operation & engaged in the activity of readymade garments with washing.
-Unit is engaged in washing activity, however no ETP is installed to treat the waste water generated from washing activity.
-unit has installed one DG set of 62.5 KVA, but stack height found inadequate.
-Unit is operating without consent from DPCC.

SCN u/s 31(A)/33(A) details : issued on 01.02.2017.

Closure directions u/s 31(A)/33(A)details : Issued on 26.05.2017
As decided Show Cause Notice for Refusal of Consent and Show Cause Notice u/s 31(A) of Air Acts & 33(A) of Water Acts was issued to unit on 01.02.2017. Unit had failed to submitted reply/representation w.r.t said SCN dated 01.02.2017. Therefore, as decided Closure Direction u/s 31(A) of Air Acts & 33(A) of Water Acts were issued to unit on 26.05.2017 and Consent to Establish was refused vide letter dated 26.05.2017.

BSES has submitted compliance report w.r.t Closure Direction dated 26.05.2017 vide letter dated 21.06.2017 and informed that Electricity supply of the said premises/unit has been disconnected on 08.06.2017 from feeding point.

Unit has submitted its representations on 30.06.2017, 20.07.2017 and 21.07.2017 along with Environmental Compensation Security of Rs 2 Lakhs, Undertaking regarding Closure of unit in pursuance of decision taken in DPCC Board Meeting held on 23.06.2017. The unit has informed as under:

26.05.2017 infructuous as per office order dated 02.08.2017. Thereafter, inspection be conducted as per said office order.

- That their activity was manufacturing of readymade garments with a small washing with electric boiler but their client has some personal issues for closing washing, so they were permanently closed washing of readymade garments and it was informed that now their actual activity is manufacturing of readymade garments without washing with electric boiler.

- That they were engaged in mfg. of readymade garments without washing in the name of M/s Kennis International at S-47, Okhla Industrial Area , Phase-II New Delhi-20.

- That they have already removed the DG set (62.5 KVA) from the premises . If they shall installed DG set in future, they shall take prior permission from DPCC.

- That unit is lying closed with effect from 08.06.2017 in view of Closure Direction dated 26.05.2017.

- That electricity supply of the unit has already been disconnected on 08.06.2017 by BSES.

- That the premises/unit has already been sealed by the SDM on 12.07.2017.

- That they have submitted Environmental Compensation Security of Rs 2 Lakhs for a period of one year, Undertaking in pursuance of decision taken in DPCC Board Meeting held on 23.06.2017 and stating that the unit is lying closed w.e.f. 08.06.2017 and shall not run / operate any commercial / industrial activity in the said premises before fresh consent to Establish / Consent to Operate is granted under the relevant Acts and rules and they further undertake that in case the undersigned / aforementioned unit violates any of the directions passed by the DPCC, they shall pay DPCC a sum of Rupees Two lakhs without demur and default in form of Demand Draft in favour of DPCC within seven days of issuance of letter by DPCC in this regard.

- That they have applied for Consent to Establish and Consent to Operate online on 05.06.2017 and 12.06.2017 under Green category for the activity of

								manufacturing of readymade garments without washing with electric boiler and also submitted hard copy of the same on 15.06.2017.			
								In view of above unit has requested to withdrawal the above said Closure direction and issue CTE & CTO as early as possible.			
								unit has submitted another representation on 07.08.2017 along with fresh environmental compensation security and undertaking.			
3	HARPREET MOTORS PVT. LTD.	PLOT NO. 29, NAJAFGARH ROAD	12-06-2017		REPAIRING, SERVICING, DENTING AND PAINTING OF CARS Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	Water Consumption: 9000 litre/day Source of Water: Other Source Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		06-07-2017 Consent to Establish may be granted Recommendation / Action Taken Details (EE/AEE) on 10-08-2017 Water Consumption: 9000 litre/day Source of Water: Other Source Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no -Unit has submitted hard copy of the consent application.	11-08-2017 Consent to Establish granted.
4	THE BACKYARD (A UNIT OF	GROUND FLOOR, 49, NORTH	12-06-2017		RESTAURANT 98 SEATS	Orange Operate	Non-SPI	Source of Water: Delhi Jal Board (CAT-II) Name not matched and address matched	1) Noise monitoring report: The unit has 1 D.G. Set(s)	06-07-2017 -Consent to Operate may be	11-08-2017 Consent to Operate granted

	SLURP HOSPITALITY)	WEST AVENUE, PUNJABI BAGH EXTN			Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler			Water Consumption: 4000 Litres/ Day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- ETP - Bio-logical (2)ECS - N/A (3)D.G.Set: The unit has 1 D.G. Set(s) of 82.5 KVA Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details : No MCD and Delhi Police License valid upto 31.03.2016	of 82.5 KVA. Noise monitoring report dated 08-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	granted.	however to be issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDH policy.
5	O.M.G (A UNIT OF TEWARI RESTAURANT PVT. LTD.)	F-14 & 15 (FIRST & SECOND FLOOR), INNER CIRCLE, CONNAUGHT PLACE	13-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	water consumption: 7000 litre/day Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil -An inspection was carried out on 10.10.2016 and during inspection various deficiencies were observed. -SCN u/s 31(A) and u/s 33(A) was issued to the unit on 09.12.2016. -unit submitted its reply on 06.01.2017 and informed that they are in process to rectify the deficiencies and also to apply application of CTE/CTO as per the directions of DPCC. -Unit has again submitted its reply on 09.01.2017 and informed that they have submitted online application for Consent to Establish (vide id DPCC/CMC/orange/2017/55541). -Again an inspection was carried out on 12.04.2017 and following	1. Effluent analysis report: (a) Effluent analysis report dated 03-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit has submitted hard copy of consent to operate with all requisite documents. MCD and Delhi Police License submitted (vvalid up to 31.03.2019)	11-08-2017 Consent to Operate granted however to be issued after submission of photographs and details(size/dimensions) of Oil & Grease Trap cum Settling Tank as per latest RESDH policy.

								were observation made: -unit found operational and engaged in the activity of Restaurant cum Bar having seat cover 98. - one D.G. set installed having capacity 125 KVA with acoustic enclosure and adequate stack height. (stack cannot be seen because terrace form sealed. - proper channelisation found in the kitchen but the stack of kitchen chimney cannot be seen because terrace was sealed.			
6	THE VAULT CAFE (A UNIT OF TEWARI HOUSE HOSPITALITY PVT. LTD.)	F-60, SECOND FLOOR, MALHOTRA BUILDING, CANNAUGHT PLACE	14-06-2017		RESTAURANT (97 seats)	Orange Renewal	Non-SPI	water consumption: 4000 litre/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : Noise monitoring report -An inspection was carried out by the representatives of DPCC on 10.10.2016, during inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar. 2.1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and adequate stack height 3. ETP plant was installed but not operational properly. 4. Hood and suction system provided in the kitchen with adequate stack height of chimney. 5. ETP plant log book not maintained. -A show cause notice was issued to the unit on 09.12.2016. -Unit submitted its reply on 29.12.2016 and informed that their ETP is operational and they maintained the copy of ETP log book (copy enclosed). -Again an inspection was carried out by the representatives of DPCC on 21.04.2017, during inspection following observations were made: 1.During inspection unit found	1) Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes 2) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 -A closure direction was issued to the unit on 18.05.2017. - Unit has submitted hard copy of CTO(R) will all requisite documents, - Unit has valid MCD and Delhi Police Licence (Valid up to 31.03.2018) -Unit has submitted a letter on 08.08.2017 regarding revocation against closure directions with Environmental Compensation Security of 2 lacs rupees.	11-08-2017 Consent to Operate granted. After issuance of consent to operate, letter be issued for making directions for closure issued on 18.05.2017 infructuous as per office order dated 02.08.2017. Thereafter, inspection be conducted as per said office order. The earlier consent to operate issued on 19.03.2015 be made infructuous since unit has again applied for consent to operate afresh.

								operational and engaged in the activity of restaurant cum bar with seating capacity of 98 seats. 2.Hood & suction system provided in the kitchen with adequate stack height of chimney. 3. ETP found installed and same was found in nonoperational condition. 4. ETP log book not found maintained. 5.One D.G Set found installed having capacity 200 KVA with acoustic enclosure and adequate stack height of chimney. 6.Unit is having Consent to Operate, valid up to 28.01.2020. -A closure direction was issued to the unit on 18.05.2017. - A reply received from the unit wherein they informed that he has rectified all the deficiencies observed during the inspection.		
7	MASABAA THE TREASURY (A UNIT OF VSR FOODS INDIA)	2ND & 3RD FLOOR, 37, NORTH WEST AVENUE CLUB ROAD, PUNJABI BAGH	14-06-2017	RESTAURANT	Orange Renewal	Non-SPI	water consumption: 4000 Liters/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ----ETP (2)ECS - N/A (3)D.G.Set: one no of 125 KVA capacity (4) Inspection details: No (5) SCN u/s 31(A)/33(A)/5 of EPA details : No (6) Closure directions u/s 31(A)/33(A)/5 of EPA details : No (7) MCD license : Valid up to 31.03.2016. (8) Delhi Police License: Valid up to 31.03.2016. (8) Seating capacity: 198 As per MCD license -An inspection was carried out by DPCC officials on 22.12.2015 and various deficiencies were observed. - Based on findings of inspection a show cause notice was issued to the unit on 01.02.2016. -Unit has submitted a reply on	(1) Effluent analysis report: (a) Effluent analysis report dated 03-05-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 D.G. Set(s) of 125 KVA. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Water consumption: 4 kilo liters/day Status of Pollution Control System (1)ETP -Oil and Grease Trap & ETP (Physio chemical) (2)ECS - N/A (3)D.G.Set : 1 D.G set(s) of 125 KVA -An inspection was carried out by DPCC officials on 16.12.2016 and following observations were made: i. During inspection unit found operational & engaged in the activity of Restaurant cum bar having seating capacity of 198	11-08-2017 Unit has submitted environmental compensation security and an undertaking on 09.08.2017 in view of office order dated 02.08.2017. Consent to Operate granted(Renewal) granted. After issuance of consent to operate(renewal), letter be issued for making directions for closure issued on 13.04.2017 infructuous as per office order dated 02.08.2017. Thereafter, inspection be conducted as per said office order.

08.02.2016 & 11.02.2016 and informed that the ETP is now properly functional and there is no bypass arrangement, they have increased the stack height of D.G Set with acoustic enclosure and the proper channelization and stack height provided in the kitchen, they have sealed the borewell permanently.

Again an inspection was conducted by DPCC, Officials on 30.06.2016 and following observations were observed:

- a) ETP installed and found operational.
- b) Log book w.r.t ETP operation found maintained.
- c) D.G Set found acoustically treated and stack height increased and found adequate.
- d) Proper channelization done in the kitchen with adequate stack.
- e) Unit is using DJB water, copy of bill provided.

-During inspection effluent sample was also taken and as per the report of Water Lab, DPCC it was found ok.

seats.
ii. D. G set found installed having capacity of 125 KVA with acoustic enclosure & adequate stack height.
iii. ETP found installed & same found non-operational.
iv. ETP log book found not properly maintained.
v. Exhaust fans are installed within the premises which are creating loud noise
vi. Noise Control measures are not installed to Control the noise due to exhaust fans.
-A show cause notice was issued to the unit on 02.01.2017.
-A direction was issued to the unit on 13.04.2017.
-Unit has submitted a reply on 23.01.2017 and informed that ETP operating properly and log book maintained and also installed noise controlling measures.
- Again Unit submitted a reply on 24.04.2017 and inform ETP operated properly and also attaching photos of ETP, noise control measures, photocopy of log book.
-A Temporary Revocation was issued to the unit on 27.04.2017.
-Unit has submitted a reply on 08.05.2017 and informed they rectified all the discrepancies and requested to revoke closure.
- A letter was

										issued to the unit on 08.06.2017 to directed a unit to apply fresh CTO along with all requisite documents. - Unit applied for CTO under orange category on 14.06.2017.		
8	CHAYOS (A UNIT OF SUNSHINE TEAHOUSE PVT. LTD.)	F-14/15, MEZZANINE FLOOR, CONNAUGHT PLACE	16-06-2017		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption: 3500 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 -An inspection was carried out by the representatives of DPCC on 10.10.02016, during inspection various discrepancies were observed. -A show cause notice u/s 31 (A) & 33 (A) was issued to the unit on 09.12.2016. -Unit has submitted a reply on 0601.2017 and wherein they requesting to grant 90 days for the installation of oil & grease cum settling tank and to apply CTO application in DPCC. -a modified direction u/s 31 (A) & 33 (A) was issued to the unit on 02.02.2017. -A letter was issued to the unit regarding submission of CTO application in DPCC. -Unit has submitted application of CTO on 16.06.2017.	Effluent analysis report : (a) Effluent analysis report dated 06-04-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 30-03-2017 issued by DPCC submitted, Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be issued. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit has submitted hard copy of consent to operate with all requisite documents. MCD and Delhi Police License not submitted.	11-08-2017 Consent to Operate granted however to be issued after submission of photographs and details(size/dimensions) of Oil & Grease Trap cum Settling Tank as per latest RESDH policy.
9	ANAND RESTAURANT	15/96-97, SCINDIA HOUSE, CONNAUGHT PLACE	16-06-2017		DHABHA FOOD Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water consumption: NDMC Water consumption: 4000 litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no	(1) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted, Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit has submitted hard copy of consent to operate with all requisite documents. MCD and Delhi Police License	11-08-2017 Consent to Operate granted however to be issued after submission of photographs and details(size/dimensions) of Oil & Grease Trap cum Settling Tank as per latest RESDH policy.

								Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		submitted valid up to 31.03.2017.	
10	THE G.T. ROAD (A UNIT OF CAPITAL FOODWORKS LLP)	M-39, GROUND FLOOR & MEZZANINE FLOOR, CONNAUGHT CIRCUS	20-06-2017		EATING HOUSE Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / D3B Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI	Source of Water: D3B Water consumption:8500 Liters/Day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1.) Effluent analysis report: (a) Effluent analysis report dated 28-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 320 KVA. Noise monitoring report dated 01-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit has submitted hard copy of consent to operate with all requisite documents. MCD and Delhi Police License not submitted.	11-08-2017 Consent to Operate granted however to be issued after submission of photographs and details(size/dimensions) of ETP as per latest RESDH policy.