

DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/5th Meeting /2017/ 4/26-30 Dated: 26/9/17

Subject: Minutes of the 5th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 18.09.2017 & 20.09.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 5th Meeting of the aforementioned Committee, held on 18.09.2017 & 20.09.2017 in the conference room of Chairman, DPCC, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.

26/9
BCE (F)
In-Charge
4/26/9


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 5th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 18.09.2017 & 20.09.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 18.09.2017 & 20.09.2017 are enclosed as Annexure "A" & "B" respectively.

Following are the Minutes of the Meetings:-

Agenda Item No 1: Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the Period 06.08.2017 to 13.09.2017

Decisions were taken online in these cases and list of 121 no. of units including decisions taken in these cases are at Annexure - I.


Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.04.2016 to 05.06.2017

This agenda could not be taken by the Committee due to paucity of time and it was decided to take up these cases in the next meeting.

Further, it was decided by the Committee that the cases from 14-09-2017 to 21-09-2017 and pending cases of the period **01.01.2017 to 05.08.2017 in reverse chronology** shall be taken in the next meeting scheduled to be held on 22.09.2017.

In case of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas, the Committee decided to take up all cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas in a separate meeting to have uniform decision in such cases.



In view of the Directions u/s 5 of Environment (Protection) Act, 1986, issued by Central Pollution Control Board to DPCC vide letter dated 19.05.2016 "To ensure renewal of authorization shall not be granted to existing industries with effect from 31st July, 2017", the Committee has already decided in its meeting on 06.07.2017 that a letter be sent to CPCB requesting to extend the time period upto 31st December, 2017 w.r.t. said directions and the matter has already been put up in this regard. It was decided that the matter be expedited to seek extension from CPCB however all the applications of Authorizations under the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" shall not be decided by the Committee and such cases shall be taken up / decided later on after the extension is granted by CPCB.

A collection of approximately ten handwritten signatures in black ink, arranged in two rows. The signatures are of varying lengths and styles, some appearing to be initials or full names. They are located at the bottom of the page, below the main body of text.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the list mentioned above (**Annexure-I**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.

 (S.M. Ali) Member Secretary, DPCC	 (Dr. Chandra Prakash) SEE, CMC-II	 (M. Arif) SEE, CMC-III	 (B.L. Chawla) SEE, CMC-I	 (P.S. Pankaj) Incharge / EE, CMC-I
---	---	---	--	--

 (Satender Kumar) SEE, CMC- V	 (Shyam Sunder) EE, CMC- I	 (M.S. Rawat) EE, CMC-V	 (Sanjay Vatts) EE, CMC-II	 (Ramesh Chandra) EE, CMC-II
--	---	---	---	---

 (Amit Chaudhary) EE, CMC-III	 (Sunil Kumar) EE, CMC-IV	 (Surender Singh) EE, CMC-V	 (K. Kumar) EE, CMC-IV
--	--	---	---



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 5th meeting on 18.09.2017 and 20.09.2017 w.r.t. Agenda Item No 1 - 121 Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the period 06.08.2017 to 13.09.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	SINGHAL ENTERPRISES	1/536/J-2A, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA GT ROAD SHAHDARA	06-08-2017		MFG.OF AL. KITCHEN WARES AND UTENSILS, PRESSURE COOKER WITH BUFFING WITHOUT ANODIZING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: NIL 4. Water Consumption : 200 L/day 5. Domestic Trade Effluent : 150 L/day	N/A	17-08-2017 Recommended for grant of CTO.	18-09-2017 Consent to Operate(Renewal) granted.
2	SAREEN ENGG. WORKS	PLOT NO 52/11 D-1, GALI NO 16, ANAND PARBAT INDUSTRIAL AREA	08-08-2017		Rubber Mixing and Mfg of Rubber Parts Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Water consumption: 100 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set - N/A -An inspection was carried out by representatives of DPCC on 31.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of rubber mixing & manufacturing of rubber parts. 2. No D.G set found installed within the premises. 3. Unit is non-water polluting therefore no ETP found installed. 4. Channelization with hood 7 suction system provided for the emission having 3 meter stack height above roof level. 5. Applied CTO on 08.08.2017.		01-09-2017 -Unit has submitted hard copy of CTO (R) application. Remarks/ATR on 14-09-2017 CTO(R) may be granted.	18-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
3	CHITRAKUT BHOJNALAYA	SHOP NO.-30,AD MARKET,SHALIMAR BAGH	08-08-2017		EATING HOUSE 20 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ECS: N/A ETP: Oil & Grease Trap of capacity of 4 KLD D.G.Set: Nil Source of water supply: 1 KLD from DJB Date of commencement of production: 02.04.2002 Unit has submitted MCD Licence dated 05.02.2002 and Police Licence valid up to 31.03.2014. As per column no. 14 (a) water consumption is 1 KLD and as per column no. 16 (01) unit has installed OGT of capacity 4 KLD. In accordance with OGT description provided along with application, size of OGT is 0.54 KLD.		01-09-2017 Earlier in CTE application submitted by unit on 01.07.2017, modified directions u/s 33 (A) of Water Act and 31 (A) of Air Act was issued to the unit vide office letter dated 18.08.2017.A letter regarding submission of hard copy of CTE application was issued vide office letter dated 18.08.2017. Reply awaited.	18-09-2017 Reply received. Consent to Establish granted. Ask the unit to modify Oil & Grease Trap for the capacity of 4m3 and submit compliance within 15 days.
4	DURGA METAL WORKS		08-08-2017		Mfg. of Aluminium Products (Kitchen		Non-SPI		1. ETP -No 2. ECS - No	N/A	17-08-2017 Recommendation for grant of CTO.	18-09-2017

		1/536, GALI NO.4, FRIENDS COLONY INDL. AREA			Utensils) With Buffing. Process Involving Buffing	Green Renewal			3. D.G.Set: NIL 4. Water Consumption : 200 L/day 5. Domestic Trade Effluent : 100 L/day		Consent to Operate(Renewal) granted.	
5	CHARU MOTORS PVT. LTD.	A-57, NARAINA INDL. AREA, PHASE-I	09-08-2017		REPAIRING, SERVICING, DENTING AND PAINTING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-06-2012 Authorisation Status Approved Authorisation Issue Date 11-09-2012 Authorisation Expiry Date 27-06-2017 HWM Application No. 2 Application Date 09-08-2017 Authorisation Status Pending	water consumption: 8500 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - Electrostatic Precipitator (3)D.G.Set Noise Report : 1 D.G. Set of 160 KVA. Status of Ground Water extraction :Nil -An inspection was carried out by DPCC Officials on 30.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of automobile service station (with effluent discharge). 2. ETP found installed & same found in operational condition. 3. ETP is based on SBR technology. 4. 1 D.G Set of 160 KVA installed with acoustic enclosure & adequate stack height. 5. One paint booth was installed in the premises with adequate stack height. 6. HWM guidelines are being complied.	1. Effluent analysis report : (a) Effluent analysis report dated 28-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Effluent analysis report dated 10-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Stack monitoring report: a) Stack monitoring report dated 03-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 3. Noise monitoring report: a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14-09-2017 -Unit has submitted copy of Consent to Operate (Renewal) application.	20-09-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
6	TAMASHA (UNIT OF CURZONS HOSPITALITY LLP)	28A, ANAND HOUSE GF/FF, KG MARG	09-08-2017		RESTAURANT CUM BAR WITH 98 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption: 5500 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 140 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 04-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set of 140 KVA. Noise monitoring report dated 21-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2017 -Unit has submitted hard copy of CTO application.	20-09-2017 Consent to Establish and Consent to Operate granted.
7	WELCOME POINT CAFE	50-D, GF, HAUZ KHAS VILLAGE	10-08-2017		Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (18x18x14 inch) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day. SOURCE: DJB Trade Effluent :100 Liter per day Domestic Effluent: Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :n/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	.	13-09-2017 The Case of Consent to Establish of the unit was placed before CMC- II (b) meeting held on 10.08.2017and it is decided that : Inspection be Conducted. As inspection has not been conducted yet.It is recommended that Consent to operate may be decided after carrying out inspection of the unit.	20-09-2017 Expedite inspection.
8			10-08-2017				Non-SPI				20-09-2017	

	J.B. METAL INDUSTRIES	E-719 DSIDC NARELA INDUSTRIAL AREA			ALUMINIUM CASTING (Pit Furnace only). Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal			Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes 3. D.G. set- No Plot Area- 350 sq mt Date of commencement-2012 Status of Ground Water Extraction- No 1. Water consumption-30 L/day. a) Source of water- DSIIDC(copy of water bill not submitted) Status of Inspection-No	Effluent analysis report -N/A Emission monitoring report issued by DPCC, Lab on 24.07.2017. Parameters are within prescribed limit. Noise monitoring report -N/A	01-09-2017 .	Consent to Operate(Renewal) granted.
9	D.K. INDUSTRIES	A-13 (BACKSIDE) GROUP WAZIRPUR INDUSTRIAL AREA	10-08-2017		Manufacturing of Stainless Steel Utensils (With Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Operate	Non-SPI		ECS: (cyclone) Stack attached to exhaust of buffing section ETP: N/A D.G.Set: Nil Source of water: 0.05 KLD from other source	Air (Emissions) : Test reports within norms (Issued by DPCC on 09.07.2017) Water (Effluents) : N/A Noise : N/A	30-08-2017 Earlier, the Consent to Operate was issued to the unit under orange category for Mfg. of stainless steels trays which expired on 29/03/2014. Unit again applied for Consent to Operate on 22.03.2017 and it was decided in the meeting held on 06.04.2017 that issue show cause notice for refusal of consent as wrong information was submitted by unit. Now unit again applied for Consent to operate under green category on 10.08.2017 for the activity of manufacturing of stainless steel utensils (with buffing). Inspection is yet to be conducted.	20-09-2017 Expedite inspection.
10	A.I. ENTERPRISES	J-18, GALI NO.5, FRIENDS COLONY INDUSTRIAL AREA	10-08-2017		Copper Wire Drawing only Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-08-2005 Authorisation Status Pending HWM Application No. 2 Application Date 01-09-2009 Authorisation Status Approved Authorisation Issue Date 27-10-2009 Authorisation Expiry Date 26-10-2011 HWM Application No. 3 Application Date 10-08-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 100 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 170L/D whose source is purchase water.	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
11	BAWA FRUIT PRODUCTS	B-25, LAWRENCE ROAD INDUSTRIAL AREA	11-08-2017		MANUFACTURING AND SALES OF FOOD PRODUCT. Jam, Jellies and Fruit Preserves, Citrus Fruit Concentrated, Vinegar, Tomato Ketchup and Vegetable Sauce etc. Pickles, Chutney & Murabba	Orange Renewal	Non-SPI		ECS: N/A ETP: Physiochemical of capacity 0.6 KLD D.G.Set: Nil Source of water supply: 1 KLD from DJB Certificate from Chartered Accountant is not as per DPCC guidelines. CETP membership proof is not uploaded.	Effluent analysis report issued by DPCC Lab dated 25.07.2017 is submitted and parameters are within limits.	31-08-2017 Certificate from Chartered Accountant is not as per column no.5 (capital investment given with depreciation) of Consent application.	20-09-2017 Ask the unit to submit CA Certificate as per column no 5 of consent application form. If unit submits correct CA Certificate and accordingly fee submitted. Consent to Operate(Renewal) be granted.
12	ASK ADVERTISING AIDS PVT .LTD	88, DSIDC COMPLEX PHASE-I, OKHLA INDUSTRIAL AREA	11-08-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT.	Orange Renewal	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A	.	13-09-2017 Unit has obtained Consent to Operate for the activity of Offset Printing including Washing of Plates, Films & Rollers which was expired on 15.06.2007. Thereafter submitted renewal of Consent for the same activity on 12.12.2007. Now, they have submitted application for	20-09-2017 Inspection be conducted.

					Printing without Trade Effluent Discharge			Application Date15-01-2004	(3)D.G.Set: N/A...		Renewal of Consent for activity of Offset Printing without Trade Effluent Discharge.	
								Authorisation StatusApproved	Status of Ground Water extraction : NILL			
								Authorisation Issue Date15-07-2004	Total water consumption : 2850 Liters/Day (source- DJB)			
								Authorisation Expiry Date14-07-2006	Total waste generated : 280 Liters/Day (Domestic)			
									Status of Inspection : N/A			
								HWM Application No.2	SCN u/s 31(A)/33(A)/5 of EPA details : N/A			
								Application Date23-05-2006				
								Authorisation StatusPending	Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A			
								HWM Application No.3				
								Application Date11-08-2017				
								Authorisation StatusPending				
13	S.P.A. PRINTERS PVT. LTD	B-17/3, OKHLA INDUSTRIAL AREA PH-II	12-08-2017		Offset Printing with Trade Effluent Discharge Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No.1	(1)ETP ---- ETP - Physiochemical Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	14-09-2017 As approved on para 14 at N/5, Inspection of the unit was carried out representatives of DPCC on 13.09.2017 and following observation were made: -Unit found operational and engaged in the activity of the offset printing with trade effluent discharge. -Unit has installed ETP which consists of collection tank, dosing tank, settling tank, sludge drying bed etc and same found operational. -Sludge observed in sludge drying bed, logbook of ETP maintained (copy enclosed). -Unit having 1 DG set (125 KVA) with acoustic enclosure and having stack height of 2.5m above roof level. -Unit is complying with the provisions of Hazardous waste management rules, 2016.	20-09-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
								Application Date15-01-2004	(2)ECS - N/A			
								Authorisation StatusApproved	(3)D.G.Set Noise Report : 2	The unit has 1 D.G. Set(s) of 125 KVA. Number of parameters analyzed which are within limit - Yes		
								Authorisation Issue Date22-09-2004	The unit has 1 D.G. Set(s) of 125 KVA. Number of parameters analyzed which are within limit - Yes			
								Authorisation Expiry Date21-09-2006	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes		
								HWM Application No.2	Status of Ground Water extraction : Nil			
								Application Date15-09-2006	Water consumption: 600 Liters/Day (Source- DJB)			
								Authorisation StatusPending	Status of Inspection : An inspection of the unit was carried out by Officials/ Representatives of DPCC on 27.04.2017 and following observations were made:-			
								HWM Application No.3	-Unit found operational and engaged in the activity of Offset Printing with Trade Effluent Discharge.			
								Application Date12-08-2017	-Unit having 1 D.G. set of capacity 82.5 KVA at roof top with acoustic enclosure and having inadequate stack height.			
								Authorisation StatusPending	-Unit has installed an ETP but same found not operational and lying disconnected at roof top. Effluent generated from Plate Making section is being discharged into sewer without any treatment.			

									-Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016 i.e. Display Board not provided, no leak proof container provided for storage of Hazardous Waste marked with specified label & for date of beginning and ending of storage to be kept in an isolated place and also no record of Hazardous Waste Maintained in Form-3. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.05.2017 Unit has submitted its reply on 01.06.2017 along with photographs of display board, ETP, D.G. Set & hazardous waste containers and copy of form-3 for hazardous waste record & payment receipt of CTO (R) dated 27.11.2007 and informed that the height of the Exhaust with D.G. Set has been raised, all connections of ETP has been made & its now fully operational, provided display boards in prescribed format, placed the hazardous containers in isolated room marked with specific label, maintaining proper record of hazardous waste and initiated the process of applying for CTO and Authorization under HWM Rules. Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil			
14	INSTACAR	D-11 OKHLA INDUSTRIAL AREA PHASE 1	13-08-2017		Automobile Repair and service (without washing) Automobile Repair and Servicing (without Washing)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: Nil KVA Status of Ground Water extraction : Nil Water Consumption : 1000 Liters/Day (Source - Others) Date of commencement : 20.09.2017 (Proposed) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		13-09-2017 Unit has not submitted hardcopy of application for Consent to Establish along with required documents so far.	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
15	HINDUSTAN ENTERPRISES	KH. NO. 29, BALAJI GALI, SABOLI, NEW MANDOLI INDUSTRIAL AREA	14-08-2017		Mfg. of PVC and LD Granules without washing (Using Scrap Material) Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Nil	Emission monitoring report was submitted by DPCC on 19.06.2017, in which the parameters are within the prescribed limit.	14-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name and address of the unit.	20-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name and address of the unit. Also ask the unit to apply for registration under Plastic Waste Rules and inspection be conducted.
16	DEEP MOTORS		14-08-2017				Non-SPI	1				20-09-2017

		K-1, PEERAGARHI CROSSING UDYOG NAGAR INDUSTRIAL AREA, ROHTAK ROAD			CAR SERVICING AND REPAIRING OF VARIOUS CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal		HWM Application No. Application Date 19-01-2004 Authorisation Status Pending HWM Application No. Application Date 21-09-2006 Authorisation Status Pending HWM Application No. Application Date 04-03-2009 Authorisation Status Pending HWM Application No. Application Date 23-04-2010 Authorisation Status Approved HWM Application No. Application Date 17-10-2012 Authorisation Status 22-04-2015 HWM Application No. Application Date 14-08-2017 Authorisation Status Pending	water consumption: 10000 litre/day Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Sets of 125 KVA Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 01.09.2017. During inspection following observations were made: 1.unit found operational and engaged in the activity of servicing of car. 2. ETP found installed & same found operational. 3. One D.G set of 125 KVA found installed at roof level with acoustic enclosure having 3 meter stack height from roof level. 4. Unit is non air polluting therefore no ECS found installed/required. 5. Source of water is borewell which is approved by CGQA , Govt. of India. 6. Used oil handed over to M/s OM Industry for further processing. 7. Applied for CTO (R) & authorization on 14.08.2017.	1. Effluent analysis report: (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise Monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 02-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	04-09-2017 Remarks/ATR on 14-09-2017 CTO(R) may be granted.	Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
17	GKB HI TECH LENSES PVT. LTD.	C-67/1, OKHLA INDUSTRIAL AREA	14-08-2017		MFG. OF OPHTHALMIC LENSES WITH TREADE EFFLUENT DISCHARGE. Contact Lens (with Trade Effluent)	Green Operate	Non-SPI		Brief of the cases Status of Pollution Control System (1) ETP - Yes (2) ECS - N/A (3)D.G.Set: 160 KVA Noise Monitoring report issued by DPCC on 26.04.2017 submitted. Number of parameters tested within limit - Yes. Status of Ground Water extraction : Nil Water Consumption - 5000 ltr/day, Source- DJB (Bill not enclosed)	Noise Monitoring report issued by DPCC on 26.04.2017 submitted. Number of parameters tested within limit - Yes.	13-09-2017 Unit submitted its representations on 13.03.2017 & 30.08.2017 and informed that they rectified all the deficiencies observed during inspection & have submitted application for Consent to Operate with required documents/ test reports. However, unit has failed to submit required balance Consent fee w.r.t Letter dated 13.02.2017.	20-09-2017 Consent to Establish and Consent to Operate granted. Also inspection be conducted.

									Status of Inspection : Yes on 12.01.2017 As decided in common file, the unit was inspected by DPCC Officials / representatives on 12.01.2017 during inspection of unit M/s P. R. Apparel Pvt. Ltd. in the premises and following were observed during inspection:- - Unit found in operational and engaged in the activity of Mfg. of Ophthalmic Lenses with trade effluent discharge. - Unit has has installed ETP and same found in operational however sludge drying bed found dry and no wet / dry sludge observed at site. hence it reveals its not operating ETP regularly. - Logbook of ETP not maintained / available at site. flowmeter at inlet and outlet of ETP not installed. - Unit having 1 DG Set (160 KVA) lying at G.F. with acoustic enclosure however, stack height inadequate. - 1 borewell exist and permission from from DJB / CGWA not shown. - Unit operating since October 2016 without obtaining CTO from DPCC. SCN u/s 31(A)/33(A)details : Issued on 13.02.2017. And also, Letter was issued on 13.02.2017 to submit required Consent fee for the period unit became operational. Unit submitted its representations on 13.03.2017 & 30.08.2017 and informed that they rectified all the deficiencies observed during inspection & have submitted application for Consent to Operate with required documents/ test reports. However, unit has failed to submit required balance Consent fee w.r.t Letter dated 13.02.2017. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
18	COOL FLOW INDUSTRIES	J-223, SEC-1, BAWANA INDUSTRIAL AREA COMPLEX	14-08-2017		FOR AUTO PARTS HYDRAULIC MOULDING Manufacturing of Auto parts using Adhesive	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-08-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area- 100 sq mt Date of commencement-09.01.2012 Status of Ground Water Extraction- No 1. Water consumption-90 L/day. a) Source of water- DSIIDC (copy of water bill submitted) Status of Inspection-No Applied under HWM rules.	Effluent analysis report -N/A Emission monitoring report -N/A Noise monitoring report -N/A	14-09-2017	20-09-2017 Inspection be conducted.
19	SHREE SHYAM JEE INDUSTRIES	KHASRA NO. 16/9/1 AND 16/10, NEW MANDOLI INDUSTRIAL AREA,	14-08-2017		MANUFACTURING OF COPPER RE ROLLING MILL Copper / Aluminium Re-Rolling Industry (Foil and Strips Etc.) with Capacity less than 25MT/Day	Green Establish	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Nil 4. Water Consumption : 40 L/day 5. Domestic Trade Effluent : 20 L/day	N/A	17-08-2017 Recommended for grant of CTE.	20-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name and address of the unit. Also unit shall provide OLMS and display board and inspection be conducted.

20	THE BUNK HOUSE (A UNIT OF BEER BUNKER CAFE PVT. LTD.)	6, FIRST, SECOND AND THIRD FLOOR, HAUZ KHAS VILLAGE	14-08-2017		Eating House Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)OIL AND GREASE TRAP - perposed (2)ECS - N/A (3)D.G.Set : 45 KVA Status of Ground Water extraction :Nil water Consumption: 2000 l/D Trade Effluent: 750 L/D Domestic Effluent: 100 L/D Status of Inspection :Inspection of the unit carried out on 29.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Month and year of commencement of production-05.12.2016		13-09-2017 An inspection was carried out on 29.3.2017 and following were the brief observations: 1.Unit found Operational & engaged in the activity of Eating House with seating capacity of 48 seats. 2.Unit has not installed Oil & Grease Trap Cum Settling Tank and directly discharging wastewater into sewer. 3 Channelization system installed in Kitchen with adequate stack height. 4.Unit has a D.G. Set of capacity 45 KVA with acoustic enclosure however stack height is inadequate. 5.Unit is operating without Consent from DPCC and applied for change of name from M/s The Same Place (A Unit of Young Minds Hospitality) to M/s The Bunk House (A Unit of Beer Bunker Cafe Private Limited) to Excise Department. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. Unit Applied for Consent to Establish on 14.08.2017 for the activity of Eating House . Unit installed OGT but Size and Photograph of OGT not provided . It is recommended that Consent to Establish be granted if the unit submit size/ dimension and photograph of OGT.	20-09-2017 Consent to Establish be granted if the unit submit size/ dimension and photograph of OGT.
21	DEEP HYUNDAI A UNIT OF DEEP (INDIA) ENTERPRISES PVT. LTD.	T-5/1, MANGOLPURI INDUSTRIAL AREA, PHASE-1,	14-08-2017		Repairing servicing with washing with denting and painting of cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-08-2017 Authorisation Status Pending	ECS: N/A ETP: Physiochemical of capacity 10 KLD D.G.Set: 1 of capacity 125 KVA with Acoustic Enclosure Source of water supply: 10 KLD from other source of water	Effluent analysis report issued by DPCC Lab dated 28.07.2017 is submitted and parameters are within limits. Emission monitoring report issued by DPCC Lab dated 08.08.2017 is submitted and parameters are within limits. Noise monitoring report issued by DPCC Lab dated 02.08.2017 is submitted and parameters are within limits.	01-09-2017 Remarks/ATR on 20-09-2017 An inspection was carried out by DPCC representatives on 15.09.2017 and following were observed: - Unit is operational and engaged in the activity of Automobile servicing and repair station with washing activity with paint booth. -Unit has installed ETP and same found operational. Log book of ETP is maintained. Photocopy of samre is enclosed. However, by-pass arrangement is also observed and no flow meter is attached with ETP. -D.G. set is placed on public pedestrian and stack attached is 3 meter above acoustic enclosure which is much lower than the building height. -Paint booth stack is upto roof level of building. -Unit is not complying with HWM Rules, 2016 w.r.t. container marked with specified label, date on which storage began indicated on each container. Also spillage of used oil on ground is observed. - Unit is handed over used oil to authorized recycler. However, agreement with authorized recycler is not shown at the time of inspection.	20-09-2017 Issue show cause notice for refusal of consent / cancellation of authorization. Also issue Show Cause Notice u/s 33(A) of Water Actt, show cause notice u/s 31(A) of Air Act and Show Cause Notice u/s 5 of EP Act.
22	JAIN METALS	KHASRA NO.-53, VILLAGE SABOLI RADHA VIHAR, NEW MANDOLI REDEVELOPMENT AREA	15-08-2017		ALUMINIUM CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Ventury Wet Scrubber) 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke.	Emission monitoring report was submitted on 17.07.2017 by DPCC and all the parameters are within the prescribed limit.	14-09-2017 Ask the unit to submit hard copy of the online application. Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate.	20-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly mentioning the name and address of the unit. Also unit shall provide OLMS and display board and inspection be conducted.
23	M&M CONSULTANT	C-153, PH-II, MAYAPURI INDUSTRIAL AREA	16-08-2017		MFG. OF AGRICULTURE INSTRUMENTS (W/O CASTING AND FORGING). Spray Painting, Paint Baking, Paint Stripping	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 16-08-2017 Authorisation Status Pending	water consumption: 400 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil -An inspection was caried out by representataives of DPCC on 31.08.2017. During inspection follwing observations were made: i) Unit found operational and engaged in the activity of manufacturing of agricultural instruments..		01-09-2017 -Unit has submitted hard copy of CTO (R) application.	20-09-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

									ii) No D.G sets found within the premises. iii) Unit is non water polluting therefore no ETP found installed. iv) Source of water supply is corporation no borewell was observed. v) HWM guidelines being followed. vi) Applied for CTO (R) and authorization on 28.04.2017.			
24	NANDO S (A UNIT OF JANPATH RESTAURANTS PVT. LTD.)	F-29, 30-A, GROUND FLOOR & MEZZANINE FLOOR, MALHOTRA BUILDING, CONNAUGHT PLACE,	16-08-2017		restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water Consumption:4500 litre/day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 200 KVA -A complaint was received in this office dated 14.09.2016 from Iabal, 913/78, Jamia Nagar, Delhi regarding illegal operations of restaurants/hotls/bars operating in Connaught Place. -As per direction of Worthy MS, DPCC an inspection was carried out on 10.10.2016. During inspection various deficiencies were observed. -A show cause notice was issued to the unit on 09.12.2016. -Unit has submitted a reply on 21.12.2016 and informed that they have rectified their deficiencies and asking for a week of time to apply application for CTE & CTO. -A modified direction was issued to the unit on 02.02.2017. -Unit has again submitted a reply on 21.03.2017 and informed that they are in process to submit application of CTE & CTO and requesting to provide some time for the same. -Again as per approval an inspection was carried out on 15.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of restaurant cum bar with 98 seating capacity. 2. Kitchen channelization provided with adequate stack height. One D.G Set of 200 KVA found installed with acoustic enclosure and adequate stack height. 3.Effluent treatment plant found installed and same was found operational. 4. Log book of ETP maintained. Unit have valid license from NDMC, Delhi Police and applied for excise.	1. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 01-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-09-2017 -Unit has submitted hard copy of CTO application. Remarks/ATR on 14-09-2017 -Consent to Operate may be granted.	20-09-2017 Consent to Establish and Consent to Operate granted.
25	NANDO S (A UNIT OF JANPATH RESTAURANTS PVT. LTD.)	GROUND FLOOR 25, UPPER GROUND FLOOR, NWA CLUB ROAD, PUNJABI BAGH,	16-08-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption: 4500 litres/day Status of Pollution Control System 1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA	1. Effluent analysis report: (a) Effluent analysis report dated 16-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	01-09-2017 Remarks/ATR on 14-09-2017 -Consent to Operate may be granted.	20-09-2017 Consent to Establish and Consent to Operate granted.

									details :no			
									Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
26	S.K. INDUSTRIES (REGD)	PLOT NO. 7, GALI NO.4, ANAND PARBAT INDUSTRIAL AREA	16-08-2017		MFG. OF RUBBER PARTS. Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI		Source of Water:300 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A -An inspection was caried out by representataives of DPCC on 31.08.2017. During inspection follwing observations were made: i) Unit found operational and engaged in the activity of manufacturing of rubber parts. ii) No D.G sets found within the premises. iii) Unit is non water polluting therefore no ETP found installed. iv) Hood & suction provided for emission having 3 meter stack height above roof level. v) Raw materials for the activity are synthetic rubber, stayric, carbon black, rubber oil, M.B.T/C.B.S. etc. vi) Applied for CTO (R) on 09.08.2017.		01-09-2017 -Unit has submitted hard copy of consent to operate (renewal) application. Remarks/ATR on 14-09-2017 -Consent to Operate (Renewal) may be granted.	20-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
27	ANAND PRINTERS & PACKERS	C-57/1, PH-II, OKHLA INDUSTRIAL AREA	16-08-2017		OFFSET PRINTING WITH WASHING AND PACKAGING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 17-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-08-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 02-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 12400 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 02-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 110 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 Unit submitted application for Consent to Operate with required documents/ test reports on 28.08.2017.	20-09-2017 Inspection be conducted.
28	RICHA FASHION PVT. LTD.	F-23/2, PH-II, OKHLA INDL. AREA	16-08-2017		MFG. OF READYMADE GARMENT WITH WASHING. Readymade Garment (with Washing) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 11-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes (2)ECS - N/A (a) Stack monitoring report of boiler	(Effluent analysis report dated 11-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit- Yes Stack monitoring report of boiler dated 07-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017	20-09-2017 Consent to Operate (Renewal) granted.

									dated 07-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction :6100 Liters/Day(Source-DJB) Trade Effluent discharge : 3000 Litre/Day Domestic effluent discharge : 2500 Litre/Day Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details : N/A	The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes		
29	LENSKART EYETECH PRIVATE LIMIED	C-57/3, PHASE-2, OKHLA INDUSTRIAL AREA	17-08-2017		Mfg. of Lens Contact Lens (with Trade Effluent)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 18-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - Nil (3)D.G.Set: 250 KVA he unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : Nil Water Consumption -2750 ltr/day, Source- DJB Status of Inspection : An inspection of the unit was carried out by representatives/ officials of DPCC on 03.11.2016 and following observations were made - -Unit found operational and engaged in the activity of Mfg. of Lens (With trade effluent Discharge) -unit has installed an ETP but the size of ETP very small and no sludge drying bed/ filter press observed with the said ETP. -No wet/ dry sludge observed at site. -1 D.G Set of 250 KVA with acoustic enclosure but stack height found inadequate. -Unit obtained CTE issued on 18.07.2016 but not applied for Consent to Operate and also not complying with the consent conditions. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 08.12.2016	Effluent analysis report dated 18-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-09-2017 Now, unit has submitted application for Consent to Operate along with required documents/ tests reports.	20-09-2017 Consent to Operate granted. Also inspection be conducted.

									Unit submitted its representation on 27.12.2016 & 02.08.2017 and informed that capacity of ETP has been increased & is now fully operational, stored dry & wet sludge in filter press, stack height of D.G. Set has been raised to 3.5 m above roof level and in process of applying for Consent to Operate along with required documents/ tests reports.			
									Closure directions u/s 31(A)/33(A)/5 of EPA details : No			
30	KIRPA IMPEX	A-83/1, WAZIRPUR INDUSTRIAL AREA	17-08-2017		MFG. OF STAINLESS STEEL UTENSILS WITH BUFFING. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: Cyclone (stack attached to exhaust of buffing section). ETP: N/A D.G.Set: 1 D.G SET of 62.5 KVA. Source of water: 0.5 KLD from DJB	Test reports Air (Emissions) : Test reports within norms (Issued by DPCC on 01.08.2017) Water (Effluents) : N/A Noise :Test reports within norms (issued by DPCC on 22.05.2017)	30-08-2017 In application form, details of D.G SET is not given but Noise monitoring report of D.G SET of 62.5 KVA is submitted. CTO(R) expired on 22.02.2015 under Orange category. Fee Balance: Rs.5500 Recommendation: Letter may be issued to submit the balance fee.	20-09-2017 Ask the unit to submit balance consent fee. If unit submits the same and found in order, Consent to Operate(Renewal) granted.
31	SIKKA MOTORS PVT. LTD	B-72/4,WAZIRPUR INDUSTRIAL AREA,DELHI	17-08-2017		AUTOMOBILE REPAIR AND WASHING WITH PAINT BOOTH Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-08-2017 Authorisation Status Pending	ECS: N/A ETP: Physiochemical of capacity 8 KLD D.G.Set: 1 of 100 KVA with Acoustic enclosure Unit has a Paint booth Source of water supply: 4.4 KLD from other source of water Submitted hardcopy and uploaded softcopy of Electricity bill is blurred.	Effluent analysis report issued by DPCC Lab dated 19.06.2017 is submitted and parameters are within limits. Noise monitoring report of D.G set issued by DPCC Lab dated 12.06.2017 is submitted and parameters are within limits. Emission monitoring report issued by DPCC Lab dated 04.07.2017 is submitted and parameters are within limits.	31-08-2017 .	20-09-2017 Inspection be conducted.
32	PARAG METAL UDYOG	C-36/2, WAZIRPUR INDL. AREA	17-08-2017		ALUMINUM CASTING (BY PIT FURNACE ONLY), ROLLING AND ANNEALING. Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 28-11-2003 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 18-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 18-07-2007 Authorisation Status Pending	ECS: Scrubber ETP: N/A D.G.Set: Nil Source of water supply: 0.05 KLD from DJB	Emission monitoring report issued by DPCC Lab dated 02.08.2017 is submitted and parameters are within limits.	01-09-2017 .	20-09-2017 Consent to Operate(Renewal) granted.
33	PREMIER BAG S	A-2, PHASE-1, MAYAPURI INDUSTRIAL AREA	17-08-2017		Mfg. of Paper Bags with Printing. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-08-2017 Pending	Source of Water:300 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A	.	01-09-2017 .	20-09-2017 Inspection be conducted.

								Authorisation Status	Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
34	PARSVNATH DEVELOPERS LTD (COMMERCIAL/OFFICE COMPLEX)	SHAHDARA METRO STATION, SHAHDARA	18-08-2017		COMMERCIAL/OFFICE COMPLEX Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Renewal	Non-SPI		1. ETP- No 2. STP- Yes, design capacity of 45000L/D 3. ECS- Stack attached to Scrubber 4. DG Set - four, each of capacity 750 KVA . 5. Domestic effluent discharge- Nil L/D . 6. Trade effluent discharge- Nil. 7. Water consumption- 64200 L/D whose source is Treated waste water/corporation Municipal Supply/ Tube well/ Tankers .	Noise Monitoring Reports was submitted by DPCC on 09.08.2017 and all the parameters are within the prescribed limit as per the record. Time of Monitorings are 12:55,13:10,13:25. Analysis Report of Water Effluent was submitted by DPCC on 18.07.2017 and all the parameters are within the prescribed limit as per the record.	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
35	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE	18-08-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) (a)Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit.	(a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-09-2017 Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. And unit applied for CTO on 18.08.2017 for the activity of Eating House and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license.	20-09-2017 Ask the unit to submit details and photographs of OGT cum settling tank and also submit valid MCD license.
36	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & 50D FF, HAUZ KHAS VILLAGE	18-08-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (a) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit.	(A) Effluent analysis report dated 26-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	13-09-2017 Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. Unit applied for Consent to Operate on 18.08.2017 for the activity of Eating House with a seating capacity of 48 seat and also submitted Effluent analysis report dated 26-07-2017 and same found within Limit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided. And MCD license provided by the unit is valid till 31.03.2017. It is recommended that Consent to Establish and Consent To Operate may be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license.	20-09-2017 Ask the unit to submit details and photographs of OGT cum settling tank and also submit valid MCD license.
37	WELCOME POINT	33 GF HAUZ KHAS VILLAGE	18-08-2017		Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than	Orange Operate	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (32x16x12)inches a) Effluent analysis report dated - N/A - issued by - N/A - submitted. 2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption: 70 Liter per Day. Source:DJB Trade Effluent:70Liter per day	.	13-09-2017 An inspection was carried out on 30.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Take Away Restaurant. 2.Unit has not installed Oil & Grease Trap Cum Settling Tank. 3 Channellization system not provided in Kitchen. 4.Unit has not applied for Consent to Establish & Consent to Operate to DPCC. 5.Food is served in disposable plates. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit submitted its reply on 02.08.2017 along with Hard copy of Consent to Operate application for the activity of Eating House (Take Away) and	20-09-2017 Consent to Establish and Consent to Operate granted. Direction for closure be made infructuous in view of office order dated 02.08.2017.

					one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Domestic Effluent/A Status of Inspection : 30.03.2017 SCN u/s 31(A)/33(A)/5 details : 10.04.2017 Closure directions u/s 31(A)/33(A)/details :21.07.2017		Environmental Compensation Security of Rupees Two lakh only (Rs. 2,00,000/-) along with undertaking and also provide Size /Dimension and photo graph of OGT i.e ((32x16x12)inches. It is recommended that Consent To Establish and Consent To Establish under Air & Water Act may be Granted and Closure Direction be made infectious.	
38	J.P. POLYMERS	H-34, ROHTAK ROAD, UDYOG NAGAR INDUSTRIAL AREA	18-08-2017		PLASTIC PACKING MATERIAL (USE FOR PACKING PURPOSE ONLY) Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-08-2009 Authorisation Status Approved Authorisation Issue Date 30-12-2009 Authorisation Expiry Date 29-12-2011 HWM Application No. 2 Application Date 16-06-2015 Authorisation Status Pending	Source of Water:250 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		04-09-2017 -Unit has submitted hard copy of Consent to Operate (Renewal) application. Remarks/ATR on 14-09-2017 -Consent to Operate (Renewal) may be granted.	20-09-2017 Inspection be conducted.
39	SATISH KUMAR	B-26, LAWRENCE ROAD INDUSTRIAL AREA	19-08-2017		MFG. AND PRINTING OF PLASTIC BAGS Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 2 Application Date 04-02-2011 Authorisation Status Pending HWM Application No. 3 Application Date 07-09-2017 Authorisation Status Pending	ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water.		01-09-2017 unit has not submitted hardcopy of Consent application Remarks/ATR on 13-09-2017 ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water Date of commencement of production: 21.08.2015. Uploaded undertaking and project report is incomplete. Hard copy of Consent application is submitted.	20-09-2017 Ask the unit to submit balance consent fee and project report. If unit submits the same and found in order, Consent to Establish be granted.
40	SHEETAL ENTERPRISES (UNIT-2)	A-124, GROUP, WAZIRPUR INDUSTRIAL AREA	19-08-2017		Buffing. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: Cyclone (stack attached to exhaust of buffing section). ETP: N/A D.G.Set: Nil Source of water: 0.05KLD from other source of water	Air (Emissions) : Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	30-08-2017 If approve consent may be grant.	20-09-2017 Renewal of Consent to Operate granted.
41	SWAGAT STEEL	B-50 GROUP, WAZIRPUR INDUSTRIAL AREA	19-08-2017		ANNEALING OF FERROUS AND NON FERROUS SHEETS. Stainless steel rerolling	Green Renewal	Non-SPI		ECS: Stack attached to suction hood over annealing furnace ETP: N/A D.G.Set: Nil	Air (Emissions) : Test reports within norms (issued by DPCC on 09.07.2017) Water (Effluents) : N/A Noise : N/A	30-08-2017 If approve consent may be grant.	20-09-2017 Ask the unit to submit name and address of the unit where pickling activity is being carried out for the

					and anealling (with capacity less than 25 MT/ day)				Source of water: 0.02 KLD from other source			raw material being used for annealing process.
42	P.C.INDUSTRIES	PLOT NO 48/48, GALI NO.6, NAI BASTI, ANAND PARBAT INDUSTRIAL AREA	19-08-2017		rubber sheet, rubber mixing. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Source of Water:50 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		04-09-2017 Remarks/ATR on 14-09-2017 -Consent to Operate (Renewal) may be granted.	20-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
43	M/S INKA HOME CRAFTS PVT.LTD.	E-25,B-1,EXT.MOHAN COOPRATIVE,INDUSTRIAL ESTATAE,NEW DELHI-110044	19-08-2017		manufacturing and washing of readymade garments with washing with printing Cotton and Silk Printing by Screen Printing with trade effluent discharge Readymade Garment (with Washing)	Orange Establish	SPI	HWM Application No. 1 Application Date 21-08-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes(Physiochemical) (a) Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 14-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Trade Effluent- 1500 L/day Domestic Effluent- 500L/day Status of Inspection :yes on 30.08.2017 SCN u/s 31(A)/33(A)/5 of EPA details :17.07.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	(a) Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 14-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-09-2017 Show Cause Notice U/s 31 (A) of Air Act & 33 (A) of water Act and u/s 5 m of EPA was issued to the unit on 17.07.2017. The unit has informed through the reply regarding removal of deficiencies on 22.08.2017. An Inspection of the unit was carried out by officials of DPCC on 30.08.2017 and it was observed that the unit has rectified the deficiencies observed and ETP installed was found operational and unit was found complying with Air Act , Water Act & HWM rules. Unit applied for CTO on 21.08.2017 for the activity of manufacturing and washing of readymade garments with washing with printing. Unit submitted Effluent analysis Report and Noise Monitoring report and same found within prescribe limit. It is Recommended Consent To Esablish may be granted to the unit.	20-09-2017 Consent to Establish granted.
44	DYNA INTERNATIONAL BEAUTY PRODUCTS	B-46/4, WAZIRPUR INDUSTRIAL AREA	20-08-2017		MFG. OF PERFUMERY AND COSMETICS AND PLASTIC MOULDED ITEMS WITH HOT STAMPING. Perfumes and Cosmetics Plastic Processed Goods	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-09-2013 Authorisation Status Pending HWM Application No. 2 Application Date 20-08-2017 Authorisation Status Pending	(1)ETP: N/A (2)ECS: N/A (3)D.G.Set: Nil (4)Source of water supply: 0.4 KLD from DJB		01-09-2017 Earlier,directions for closure was issued to the unit vide office letter dated 05.04.2017 in CTO application submitted by unit on 12.08.2016. Further,unit has submitted photographs of display board and hazardous waste containers, copy of HW log book in form 3 vide letter dated 15.06.2017. Unit has submitted its representation on 21.08.2017 w.r.t directions for closure issued vide office letter dated 05.04.2017 along with an undertaking and Environmental Compensation Security of rupees 2,00,000 (Rs 2 lakhs) and requested to revoke the directions for closure. Unit has now applied afresh CTO and authorization under HWM Rules.	20-09-2017 all earlier applications be made infructuous. Application for Authorization under HW Rules be kept in abeyance. Directions for clousre be made infructuous in view of office order dated 02.08.2017.
45	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8-A GF HAUZ KHAS VILLAGE	20-08-2017		RESTAURANT 30 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes 1500 l/day (24x16x18) inch (2)D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day		13-09-2017 An inspection was carried out on 24.3.2017 and following were the brief observations: 1. Unit found Operational & engaged in the activity of Eating House with seating capacity of 36 seats. 2. No Oil & Grease Trap cum settling tank provided. 3 Channelization system installed in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste. 5. No record provided at the time of inspection regarding MCD License, Police License etc.	20-09-2017 Consent to Establish granted.

					/Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A)f details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Application of Consenr To Establish Submitted on - 20.08.2017		6. Operating without Consent to Establish and Consent to Operate from DPCC. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTE under Air &Water Act be Granted and Closure direction be made infectious.	
46	HOTEL AURA	RZ-293, A BLOCK, NH-8, MAHIPALAPUR	20-08-2017		GUET HOUSE. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		water consumption: 8000 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Ground Water extraction :nil It is recalled that closure direction was issued to the unit on 17.07.2017 for non compliance of environmental norms. And now as per the new office order F. No. DPCC/CMC-1/Revocation/2017/1323-1333 dated 02.08.2017 unit has submitted Consent to establish application on 20.08.2017 along with Environmental Compensation Security of Rs. 5 Lakh & an undertaking as per the above mentioned office order. Accordingly, permission for restoration of power supply, water supply & desealing of the unit was issued to the unit on 04.09.2017.		14-09-2017 Unit has submitted hard copy of CTE application.	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted.
47	AKAL PRINTERS	N-7, GALI NO.-10, ANAND PARBAT INDUSTRIAL AREA	21-08-2017		OFFSET TIN PRINTING (WITHOUT TRADE EFFLUENT AND PLATE MAKING) WITH LPG FIRED OVEN Sheet Metal Printing without Oil fired Oven or Furnace	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2 Application Date 25-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 21-08-2017 Pending	Source of Water:50 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		30-08-2017 Remarks/ATR on 14-09-2017 Consent to Operate may be granted Remarks/ATR on 04-09-2017 -An inspection was carried out by representative of DPCC on 31.08.2017. During inspection following observations were made: 1. Unit found operational & engaged in the activity of offset tin printing without trade effluent. 2. No D.G set found installed within the premises. 3. Unit is non water polluting therefore no ETP found installed. 4. One LPG oven found installed within premises in working condition having 5m stack height above roof level. 5. HWM guidelines being followed.	20-09-2017 Consent to Operate granted. All earlier consent applications be made infructuous. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Status				
48	AVON STEEL	A-93/5,WAZIRPUR INDUSTRIAL AREA	21-08-2017		HOT RE-ROLLING OF S.S.SHEETS Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Renewal	Non-SPI		ECS: Stack attached to hood over furnace ETP: N/A D.G.Set: Nil Source of water: 0.05 KLD from other source	Test reports Air (Emissions) : Test reports within norms (Issued by DPCC on 01.08.2017) Water (Effluents) : N/A Noise :N/A	30-08-2017 If approved consent may be grant.	20-09-2017 Ask the unit to submit name and address of the unit where pickling activity is being carried out for the raw material being used for annealing process.
49	NL-7 INDIA	535, FIE PATPARGANJ INDUSTRIAL AREA	21-08-2017		MFG. OF WOOVEN AND PRINTED LABELS WITH LAMINATION (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-07-2012 Authorisation Status Approved Authorisation Issue Date 31-08-2012 Authorisation Expiry Date 09-07-2017 HWM Application No. 2 Application Date 21-08-2017 Authorisation Status Pending	1. ETP- No 2. ECS-No 3. DG Set- No 4. Trade Effluent- Nil 5. Domestic Effluent-100L/D and its mode of disposal is sewer 6. Water Consumption-150L/D and its source purchases water	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
50	SATISH KUMAR	B-26, LAWRENCE ROAD INDUSTRIAL AREA	21-08-2017		MFG. AND PRINTING OF PLASTIC BAGS Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-10-2006 Authorisation Status Pending HWM Application No. 2 Application Date 04-02-2011 Authorisation Status Pending HWM Application No. 3 Application Date 07-09-2017 Authorisation Status Pending	ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water Date of Commencement of production in Consent to Establish application is 21.08.2015, Whereas Date of Commencement of production in Consent to Operate application is 19.08.2017.	.	01-09-2017 Unit has not submitted hardcopy of Consent application Remarks/ATR on 13-09-2017 ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.2 KLD from other source of water Date of Commencement of production in Consent to Establish application is 21.08.2015, Whereas Date of Commencement of production in Consent to Operate application is 19.08.2017. Uploaded undertaking and project report is incomplete. Each paper of hard copy of Consent of application is not signed by authorised person. Gross capital investment of the unit in Consent application form is 850000. Whereas, according to submitted CA certificate gross capital investment of the unit is 9032172.	20-09-2017 Inspection be conducted.
51	SHREE SHYAM JEE INDUSTRIES	KHASRA NO. 16/9/1 AND 16/10, NEW MANDOLI INDUSTRIAL AREA,	21-08-2017		MANUFACTURING OF COPPER RE ROLLING MILL Copper / Aluminium Re-Rolling Industry (Foil and Strips Etc.)	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Nil 4. Water Consumption : 40 L/day 5. Domestic Trade Effluent : 20 L/day	N/A	14-09-2017 Recommended for Inspection.	20-09-2017 Ask the unit to submit certificate in original from SDM (Seemapuri)/ Industry department regarding location of the unit within the boundary of the notified Redevelopment Area clearly

					with Capacity less than 25MT/Day							mentioning the name and address of the unit. Also unit shall provide OLMS and display board and inspection be conducted.
52	M/S INKA HOME CRAFTS PVT.LTD.	E-25,B-I,EXT.MOHAN COOPRATIVE,INDUSTRIAL ESTATE,NEW DELHI-110044	21-08-2017		manufacturing and washing of readymade garments with washing with printing Readymade Garment (with Washing)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-08-2017 Authorisation Status Pending	1)ETP - Yes (Physiochemical) (a) Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2) D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 14-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction: Nil Trade Effluent- 1500 L/day Domestic Effluent- 500L/day Status of Inspection: yes on 30.08.2017 SCN u/s 31(A)/33(A)/5 of EPA details: 17.07.2017 Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	(a) Effluent analysis report dated 08-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (a) The unit has 1 D.G. Set(s) of 50 KVA. Noise monitoring report dated 14-08-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-09-2017 Show Cause Notice U/s 31 (A) of Air Act & 33 (A) of water Act and u/s 5 m of EPA was issued to the unit on 17.07.2017. The unit has informed through the reply regarding removal of deficiencies on 22.08.2017. An Inspection of the unit was carried out by officials of DPCC on 30.08.2017 and it was observed that the unit has rectified the deficiencies observed and ETP installed was found operational and unit was found complying with Air Act , Water Act & HWM rules. Unit applied for CTO on 21.08.2017 for the activity of manufacturing and washing of readymade garments with washing with printing. Unit submitted Effluent analysis Report and Noise Monitoring report and same found within prescribe limit. It is Recommended Consent To Operate may be granted to the unit.	20-09-2017 Consent to Operate granted.
53	S.S. CON-BUILD PRIVATE LIMITED	PLOT NO.1 (BETWEEN BG-1 & BG-2), LSC, PASCHIM VIHAR, NEW DELHI-110063	22-08-2017		Construction of Commercial Complex Capitol City Mall Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		Source of Water:20000 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		30-08-2017 Remarks/ATR on 13-09-2017 Source of Water:20000 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted.
54	TATA STARBUCKS PVT. LTD.	M-11, G.F. G.K.-II, M-BLOCK MKT.	22-08-2017		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 08-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption: 1000 Liters/ Day (Source - MCD) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	Effluent analysis report dated 08-09-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 Unit has not applied for Consent to Operate since its operation on 10.12.2013.	20-09-2017 Consent to Establish granted.
55	TATA STARBUCKS PVT. LTD.	M-33, FIRST FLOOR, G.K.-I	22-08-2017		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - perposed (2)ECS - N/A (3)D.G.Set : 1x62.5KVA Status of Ground Water extraction :Nil		13-09-2017 Unit has applied for CTE on 31.07.2017 for the activity of Coffee House with setting capacity of 48. In the CTE application filed the unit has not informed about installation of OGT or ETP,however in the project report the unit has informed about installation of ETP but no detail of ETP have been provided. It is recommended that Consent to Establish may be Granted if the unit submits the desired details.	20-09-2017 Consent to Establish may be Granted if the unit submits the desired details w.r.t. pollution control devices.

					into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				water Consumption: 1000 l/D Trade Effluent: 500 L/D Domestic Effluent: 300 L/D Status of Inspection :Nil SCN u/s 31(A)/33(A)f details : Nil Closure directions u/s 31(A)/33(A) details : Nil Month and year of commencement of production-18.01.2013			
56	TATA STARBUCKS PVT. LTD.	G-10 AND 11, G.F. HB TWIN TOWERSNETAJI SUBHASH PALACE, PITAMPURA	22-08-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECS: N/A ETP: N/A D.G.Set: 1 of capacity 62.5 KVA with Acoustic enclosure Source of water supply: 1 KLD from DJB Date of commencement of production:17.10.2013		13-09-2017	20-09-2017 Consent to Establish granted.
57	AMBA AUTO AGENCIES	10/60 C INDUSTRIAL AREA KIRTI NAGAR	22-08-2017		NA Automobile Repair and Servicing (without Washing)	Orange Establish	Non-SPI		Source of Water:200 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		30-08-2017	20-09-2017 Consent to Establish granted.
58	TATA STARBUCKS PVT. LTD.	1/83, G.F. WEST PUNJABI BAGH, CLUB ROAD	22-08-2017		COFFEE HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of Water:1000 Litres/day Ground Water extraction: Nil ETP -N/A ECS - N/A D.G.Set: N/A Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		30-08-2017 Remarks/ATR on 14-09-2017 -Consent to Establish may be granted.	20-09-2017 Consent to Establish granted.
59	ALPS PRINTERS	C-13, DDA SHEDS, OKHLA INDUSTRIAL AREA , PHASE-I	22-08-2017		OFFSET PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 10-08-2006	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1. (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption : 100 Liters/Day (Source - DJB) Status of Inspection : The unit was inspected by the Representatives/ Officials of DPCC on 29.03.2017 and following observations were made	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 Unit submitted hardcopy of application for Consent to Operate along with required documents/ test reports on 30.08.2017. Also, unit submitted representations on 30.08.2017 & 08.09.2017 and informed that they have already submitted application for Renewal of consent to Operate for address C-12,13, Phase- I, Okhla industrial Area, New Delhi - 110020 on 10.08.2006 (provided copy of application) however DPCC records shows only C-13, Phase- I, Okhla industrial Area, New Delhi - 110020.	20-09-2017 Consent to Operate granted. Also inspection be conducted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Status	Pending	during inspection:- -Unit found in operation and engaged in the activity of Offset Printing (Without Trade Effluent Discharge). -As informed, plate making is outsourced. No plate making observed during inspection. However, ETP found lying at the roof of the premises and dismantled. As informed, it is lying for sale purpose. -Unit having one DG sets of 125 with acoustic enclosure with adequate Stack height. -Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 03.05.2017 Unit submitted its representations on 24.05.2017 & 13.07.2017 along with copy of receipt of lab test payment & SCN dated 03.05.2017, photographs of display board & hazardous waste containers marked with specific label and informed that hazardous waste is now being stored in leak proof container marked with specific label stored in isolated room, display boards have been provided and record of hazardous waste is being properly maitaned in DPCC form-3 Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
60	TULSI WASHING UNIT	C-392, DSIIDC INDUSTRIAL AREA NARELA	22-08-2017		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Establish	Non-SPI			Status of Pollution Control system/Devices- 1. ETP- Proposed 2. ECS- N/A 3. D.G. set- No Plot Area- 350 sq mt Date of commencement-25.08.2017 Status of Ground Water Extraction- No 1. Water consumption-14000 L/day. a) Source of water-Outside (copy of water bill not submitted) Status of Inspection-No	Effluent analysis report -N/A Emission monitoring report issued-N/A Noise monitoring report -N/A	01-09-2017	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted.
61	WOW MOMO (A UNIT OF WOW MOMO FOODS PVT.LTD)	PROP NO- 8-A GF HAUZ KHAS VILLAGE	22-08-2017		RESTAURANT 30 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI			Status of Pollution Control System (1) Oil and Grease Trap- Yes 1500 l/day (24x 18x16) inch (2)D.G.Set: Nil Status of Ground Water extraction :Nil Water Consumption-1500 L/Day Trade Effluent:1300 L/Day Domestic Effluent-200 l/Day Status of Inspection :Yes on 24.03.2017 SCN u/s 31(A)/33(A)f details : Yes on 10.04.2017 Closure directions u/s 31(A)/33(A) details : 21.07.2017 Month and year of Commencement- 02.08.2015 Appliocation for CTO submitted on -22.08.2017		13-09-2017 An inspection was carried out on 24.3.2017 and following were the brief observations: 1. Unit found Operational & engaged in the activity of Eating House with seating capacity of 36 seats. 2. No Oil & Grease Trap cum settling tank provided. 3 Channelization system installed in Kitchen with adequate stack height. 4. Separate bins provided for dry and wet waste. 5. No record provided at the time of inspection regarding MCD License, Police License etc. 6. Operating without Consent to Establish and Consent to Operate from DPCC. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 20.08.2017 for the activity of RESTAURANT 30 SEATS. Unit installed OGT of Size (24x16x18) inch. It is recommended that CTO under Air &Water Act be Granted and Closure direction be made infectious.	20-09-2017 Consent to Operate granted. Directions for closure be made infructuous in view of office order dated 02.08.2017.
62			22-08-2017				Non-SPI				N/A		20-09-2017

	UNITED AUTOMOBILES	B-24/1, WAZIRPUR INDUSTRIAL AREA			Repairing and Service Station of Two Wheelers Automobile Servicing and Repair Station with Washing Activity	Orange Establish			ECS: N/A ETP: Physiochemical of capacity 12 KLD D.G.Set: Nil Source of water supply: 6 KLD from DJB Date of commencement of production: 28.09.2017		01-09-2017	Consent to Establish granted.
63	HOTEL SUNCITY INN	NH 8 NEXT TO HOTEL RADISSON BLUE RANGPURI	22-08-2017		Guest House Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 3000 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no -It is recalled that closure direction was issued to the unit on 25.04.2017 for non compliance of environmental norms. And now as per the new office order F. No. DPCC/CMC-1/Revocation/2017/1323- 1333 dated 02.08.2017 unit has submitted Consent to establish application on 22.08.2017 along with Environmental Compensation Security of Rs. 5 Lakh & an undertaking as per the above mentioned office order. Accordingly, permission for restoration of power supply, water supply & desealing of the unit was issued to the unit on 28.08.2017.		14-09-2017 -Unit has submitted hard copy of CTE application.	20-09-2017 File be put up administratively.
64	NATIONAL CHASSIS WORKS	PLOT NO.29/24, GALI NO. 6, ANAND PARBAT INDUSTRIAL AREA	23-08-2017		Powder Coating without phosphating Powder Coating without phosphating	Green Renewal	Non-SPI		Source of Water:140 Litres/day Ground Water extraction: Nil ETP -N/A ECS - Stack attached to exhaust of powder coating unit. D.G.Set: Nil Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	1. Stack monitoring report: (a) Stack monitoring report of the stack attached to exhaust of electroplating dated 23.05.2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	30-08-2017 Remarks/ATR on 14-09-2017 CTO(R) may be granted.	20-09-2017 Consent to Operate(Renewal) granted.
65	AMAR NATH UTHRA	B-6, TIMBER BLOCK, WHS, KIRTI NAGAR INDUSTRIAL AREA	23-08-2017		SAW MILL. Saw Mill	Green Operate	Non-SPI		Source of Water:50 Litres/day Ground Water extraction: Nil ETP -N/A ECS - One stack attached to saw mill. D.G.Set: Nil Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	1. Stack monitoring report: (a) Stack monitoring report of the stack attached to saw mill dated 01-08-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	30-08-2017 Remarks/ATR on 14-09-2017 -Consent to Operate may be granted.	20-09-2017 Consent to Operate granted. Subsequently, inspection be conducted.
66	THE GRANDEUR (A UNIT OF READY MINT PVT. LTD.)	A-15, WAZIRPUR INDUSTRIAL AREA,	23-08-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party	Orange Establish	Non-SPI		ECS: N/A ETP: Physiochemical of 10 KLD D.G.Set: Nil Source of water supply: 10 KLD from other source of water. Date of commencement of production: 01.12.2017.		01-09-2017 Unit has not submitted hardcopy of Consent application form Remarks/ATR on 13-09-2017 ECS: N/A ETP: Physiochemical of 10 KLD D.G.Set: Nil Source of water supply: 10 KLD from other source of water.	20-09-2017 Consent to Establish granted.

21-Sep-17

					into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
70	DUNKIN DONUTS RESTAURANT (A UNIT OF JUBILANT FOOD WORKS LTD)	SHOP NO. 6, BLOCK N, GROUND FLOOR AND MEZZANINE FLOOR, CONNAUGHT PLACE	24-08-2017		RESTAURANT (86 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water Consumption:500 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		30-08-2017 Remarks/ATR on 14-09-2017 Consent to Establish may be granted.	20-09-2017 Consent to Establish granted.
71	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	SHOP - A, GROUND FLOOR, MUNICIPAL NO 26A, AND 27A-UA, JAWAHAR NAGAR, NEAR MALKA GANJ CHAUK, KAMLA NAGAR	24-08-2017		RESTAURANT (29SEATING) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		01-09-2017	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
72	KUMBHAT METAL INDUSTRIES	B-25/2, JHILMIL INDUSTRIAL AREA,DELHI-110095	25-08-2017		COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-08-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 80 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 100 L/D whose source is outside .	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
73	JINDER AUTO PVT. LTD.	D-1 PHASE-1 MANGOLPURI INDL. AREA	26-08-2017		Washing with service Center. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-03-2012 Authorisation Status Approved Authorisation Issue Date 05-06-2012 Authorisation Expiry Date 26-03-2017	ECS: N/A ETP: Physiochemical D.G.Set: Nil Source of water supply: 2 KLD from Ground water	Effluent analysis report issued by DPCC Lab dated 23.08.2017 is submitted and parameters are within limits.	31-08-2017 Earlier, Authorization issued under HWM Rules expired on 26.03.2017. Now, unit has not submitted application for authorization under HWM Rules.	20-09-2017 Inspection be conducted.

74	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD)	N-7, CONNAUHT PLACE NEW DELHI	29-08-2017		RESTAURANT (86 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 500 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		01-09-2017 Remarks/ATR on 14-09-2017 Consent to Establish may be granted.	20-09-2017 Consent to Establish granted.
75	GENERAL FORGINGS	P-5, GALI NO.10, ANAND PARBAT INDUSTRIAL AREA	29-08-2017		STEEL FORGING OF AUTOMOBILE PARTS (EXCEPT PNEUMATIC HAMMER AND MORE THAN 4 T HAMMER Forging of Ferrous and Non-Ferrous Metal (Except Pneumatic Hammer and More than 4 T Hammer)	Orange Renewal	Non-SPI		water consumption:50 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Stack monitoring report : (a) Stack monitoring report dated 16-08-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	01-09-2017 Remarks/ATR on 14-09-2017 Consent to Operate (Renewal) may be granted.	20-09-2017 Ask the unit to submit ambient noise monitoring report of hammer section. Also inspection be conducted.
76	ADWAY PRINT CONCEPT PVT. LTD.	A-23, JHILMIL INDUSTRIAL AREA	29-08-2017		Paper Printing without trade effluent Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-08-2017 Authorisation Status Pending	1. ETP- No 2. ECS- No 3. DG Set - One, of capacity 63 KVA installed. 4. Domestic effluent discharge- 800 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 1000 L/D whose source is Tanker .	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
77	AMAN MOTORS	BLOCK-A, SHED NO-17, JHILMIL INDUSTRIAL AREA	29-08-2017		AUTOMOBILE WORKSHOP FOR WASHING AND REPAIRING. Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		1. ETP- No 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 800 L/D which is disposed through sewer. 5. Trade effluent discharge- 900 L/D which is disposed public sewer through sewer. 6. Water consumption- 1200 L/D whose source is Tanker .	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted.
78	ARVIND SPORTS	A-26, PHASE-II, MANGOLPURI INDUSTRIAL AREA	29-08-2017		Manufacturing of Microcellular Sheet Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.35 KLD from DJB. Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	05-09-2017 If approve consent may be grant.	20-09-2017 Consent to Establish granted.
79	PRINTWAYS	PLOT NO. 182, PATPARGANJ INDUSTRIAL AREA	30-08-2017		OFFSET PRINTING AND BOOK BINDING (WITHOUT TRADE EFFLUENT) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		1. ETP-No 2. ECS-No 3. DG Set-No 4. Trade effluent-Nil 5- Domestic effluent- 50L/D abd its modes of disposal of sewer 6. Water consumption- Domestic for human use is 100L/D	N/A	14-09-2017 Recommendation for inspection	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted.
80	MAGIC AUTO PVT. LTD.	MAGIC AUTO PVT. LTD.	30-08-2017		Repairing Servicing with washing activity of car	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical		01-09-2017 	20-09-2017 Inspection be conducted.

					Automobile Servicing and Repair Station with Washing Activity				(2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
81	BSES RAJDHANI POWER LTD.	GRID STATION, PHASE-I, OKHLA INDUSTRIAL AREA	30-08-2017		SERVICING AND REPAIRING OF BSES DISTRIBUTIONS TRANSFORMERS. Transformer Assembly / Repairing	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)D.G.Set: N/A (3) Date of Commencement-1.02.2018 (Proposed) Status of Ground Water extraction : Nil Total water consumption-500 Lt/day (source-DJB) Status of Inspection : Nill SCN u/s 31(A)/33(A)/5 of EPA details :Nill Closure directions u/s 31(A)/33(A)/5 of EPA details : Nill		13-09-2017	20-09-2017 Consent to Establish granted.
82	HOTEL BOMNAY ORIENT (PROP. SISA HOTELS PVT. LTD)	941-943 AND 945-949, GALI SHYAM LAL, JAMA MASJID, DELHI	30-08-2017		Hotel Without Restaurant. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		No. of Rooms - 79 Kitchen - No Laundry -No Boiler/HWG - Water consumption - 6000 L/day Discharge - 5000 L/day ETP/OGT- N/A ECS - Yes DG set - 1 x 45 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Establishment date- 01/04/2003	Effluent Analysis Report- N/A Emission Monitoring Report- N/A Noise Monitoring reports issued by DPCC on 26.04.2017.	13-09-2017	20-09-2017 Inspection be conduted.
83	SHREEM RESTAURANTS AND BEVERAGES PVT. LTD.	M-43, 44, 92, 133, OUTER CIRCLE, CONNAUGHT PLACE	31-08-2017		RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption:12720 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction : Nil -As per approval an inspection was carried out representatives of DPCC on 22.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of restaurant cum bar with 150 seating capacity. 2. Oil & grease cum settling tank with ETP (filtration based technology with sand and gravel) and same was found operational. 3. One D.G set of 200 KVA found installed at ground level with acoustic enclosure and inadequate stack height. 4. Kitchen channelization provided with adequate stack height. 5. Unit is not found using plastic		04-09-2017 -Unit has submitted hard copy of CTE application. Remarks/ATR on 14-09-2017 -Consent to Establish may be granted.	20-09-2017 Consent to Establish granted with the condition that unit shall provide adequate stack height with the D.G. Set.

									cup/glass. 6. Solid waste found in managed condition. 7. Installed ETP is based on filtration system/technology (sand and gravel) without any bacteriological and physiological treatment. 8. Representative of unit informed they have applied for CTE on 09.08.2017, during inspection payment receipt shown but CTE application could not be observed in online record of DPCC.			
84	SAPNA FOODS	C-7/3, LAWRENCE ROAD INDUSTRIAL AREA	31-08-2017		Manufacturing of Confectionery Itmes (Candy and Toffees) Confectionery without Trade Effluent and having electric oven with boiler Confectionery without Trade Effluent and having electric oven with oil fired furnace	Orange Operate	Non-SPI		ECS: N/A ETP: N/A D.G.Set: 1 of capacity 125 KVA with Acoustic enclosure Source of water supply: 0.5 KLD from DJB	Air (Emissions) : Test reports of stack attached to boiler and stack attached to hood of furnace are within norms (issued by DPCC on 01.08.2017) Water (Effluents) : N/A Noise : Noise monitoring report within norms (issued by DPCC on 02.08.2017)	13-09-2017 CTO may be granted.	20-09-2017 Consent to Establish and Consent to Operate granted.
85	NAVDEEP PAPER PRODUCT	PLOT NO-146,FIE PATPARGANJ INDUSTRIAL AREA	31-08-2017		MFG. OF PAPER PRODUCTS (PACKING BOX, PAPER PLATE, CAKE BASE ETC.) AND PRINTING ON PACKAGING SHEETS Printing with Trade Effluent Discharge Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 09-05-2016 Authorisation Status Pending HWM Application No. 2 Application Date 01-09-2017 Authorisation Status Pending	1. ETP-Yes 2. ECS-No 3. DG Set-No 4. Trade effluent Discharge-50L/D and its mode of disposal of drain. 5. Water Consumption-60L/D for domestic consumption and 50L/D for industrial purpose and its source is from outside supply by purchase of water 6. Domestic Effluent Discharge-30L/D and its mode of disposal is drain	N/A	14-09-2017 Recommended for inspection	20-09-2017 Inspection be conducted.
86	PALOMINO-A UNIT OF A V K HOSPITALITY	11, GROUND FLOOR, FIRST FLOOR, JAGRITI ENCLAVE, DELHI	31-08-2017		eating house Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent Into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		1. ETP- No Oil and Grease trap - Yes, of design capacity 1000 L/D. 2. ECS- No 3. DG Set - No. 4. Domestic effluent discharge- 800 L/D which is disposed through sewer. 5. Trade effluent discharge- 900 L/D which is disposed public sewer through sewer. 6. Water consumption- 1200 L/D whose source is Tanker .	N/A	14-09-2017 Recommended to grant the Consent.	20-09-2017 Inspection be conducted.
87	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI	01-09-2017		small take away food Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less one Tonne/Day - not connected to / Discharging Effluent into Public / Municipal /	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes (17x14x20 inch) (2)D.G.Set: N/A Status of Ground Water extraction : yes water consumption-20 liter/ day Trade Effluent: 10 liters/day Domestic Effluent: 10 liters/day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/details :NO Month and year of commencement of production- 01.09.2017	.	13-09-2017 Unit has applied for CTE on 01.09.2017 for the activity of small take away food. In the Unit submit its reply on 11.09.2017 along with hard copy of CTE and photograph and dimension of OGT (17x14x20 inch). Unit has also a valid MCD license . It is recommended CTE be granted with condition that unit will apply for Consent to Operate within 30 Days.	20-09-2017 Consent to Establish granted.

					DJB Sewer and having Kitchen and / or Laundry without Boiler							
88	ALMASS INDUSTRIES	PLOT NO.324, FUNCTIONAL INDUSTRIAL ESTATE, PATPARGANJ, NEW DELHI	01-09-2017		ASSEMBLING OF MACHINE WITH SPRAY PAINTING WORKS Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Establish	Non-SPI		1. ETP-No 2. ECS-No 3. DG Set-No 4. Domestic Effluent-100L/D and its modes of disposal(Sewer or Drain) 5. Trade Effluent-Nil 6. Water Consumption-200L/D and its source outside	N/A	14-09-2017 Recommendation for inspection.	20-09-2017 Consent to Establish granted.
89	LOCAL (A UNIT OF DELHI CAFE AND BAR PVT. LTD.)	SHOWROOM NO 11, GROUND AND MEZZANINE FLOOR, ATMA RAM MANSION SCINDIA HOUSE, CONNAUGHT PLACE	01-09-2017		RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 14000 litres/day Status of Pollution Control System (1)ETP - Other ETP Name : ETP (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		13-09-2017 -Unit has submitted hard copy of CTE application. Remarks/ATR on 14-09-2017 -Consent to Establish may be granted.	20-09-2017 Consent to Establish granted.
90	NAVDEEP PAPER PRODUCT	PLOT NO-146,FIE PATPARGANJ INDUSTRIAL AREA	01-09-2017		MFG. OF PAPER PRODUCTS (PACKING BOX, PAPER PLATE, CAKE BASE ETC.) AND PRINTING ON PACKAGING SHEETS Printing with Trade Effluent Discharge Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-05-2016 Authorisation Status Pending HWM Application No. 2 Application Date 01-09-2017 Authorisation Status Pending	1. ETP-Yes 2. ECS-No 3. DG Set-No 4. Trade effluent Discharge-50L/D and its mode of disposal of drain. 5. Water Consumption-60L/D for domestic consumption and 50L/D for industrial purpose and its source is from outside supply by purchase of water 6. Domestic Effluent Discharge-30L/D and its mode of disposal is drain	N/A	14-09-2017 Recommended for inspection.	20-09-2017 Inspection be conducted.
91	RANA MOTORS (P) LTD.	C-47, PH-II, OKHLA INDUSTRIAL AREA	01-09-2017		SERVICING REPAIRING AND MAINTENANCE OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 25-08-2006 Authorisation Status Pending HWM Application No. 2 Application Date 28-04-2010 Authorisation Status Approved Authorisation Issue Date 07-11-2012	Status of Pollution Control System (1)ETP - Yes (a) Effluent analysis report dated 25-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nill Total water consumption : 13 Kilo Litres/day Trade effluent discharge : 12 Kilo Litres/day Domestic effluent discharge : 0.8 Kilo Litres/day	Effluent analysis report dated 25-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 23-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 .	20-09-2017 Inspection be conducted.

								Authorisation Expiry Date 27-04-2015	Status of Inspection : Nill			
								HWM Application No. 3 Application Date 06-05-2015 Authorisation Status Pending	SCN u/s 31(A)/33(A)/5 of EPA details : Nill Closure directions u/s 31(A)/33(A)/5 of EPA details : Nill			
92	ALMASS INDUSTRIES	PLOT NO.324, FUNCTIONAL INDUSTRIAL ESTATE, PATPARGANJ, NEW DELHI	03-09-2017		ASSEMBLING OF MACHINE WITH SPRAY PAINTING WORKS Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI		1. ETP-No 2. ECS-No 3. DG Set-No 4. Domestic Effluent-100L/D and its modes of disposal(Sewer or Drain) 5. Trade Effluent-Nil 6. Water Consumption-200L/D and its source outside	N/A	14-09-2017 Recommendation for inspection.	20-09-2017 Inspection be conducted.
93	CHOPRASONS	PLOT NO B-73, GTK ROAD INDUSTRIAL AREA	04-09-2017		CAR SERVICE CENTRE (REPAIR AND SERVICING OF LIGHT VEHICLES) Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-07-2009 Authorisation Status Pending HWM Application No. 2 Application Date 18-07-2012 Authorisation Status Approved Authorisation Issue Date 04-09-2012 Authorisation Expiry Date 17-07-2017 HWM Application No. 3 Application Date 04-09-2017 Authorisation Status Pending	Status of Pollution Control System Hard copy not submitted.		13-09-2017	20-09-2017 Inspection be conducted.
94	SURYA INDUSTRIES	C-39/1, WAZIRPUR INDUSTRIAL AREA	04-09-2017		BUFFING OF S.S. UTENSILS. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Operate	Non-SPI		ECS: (cyclone) Stack attached to exhaust of buffing unit ETP: N/A D.G.Set: Nil Source of water: 0.05 KLD from other source	Air (Emissions) : Test reports within norms (issued by DPCC on 22.08.2017) Water (Effluents) : N/A Noise : N/A	13-09-2017 Uploaded undertaking was not signed by the unit owner. Also hard copy not submitted. CTE expired on 11.06.2014 under Orange category. Fee Balance: Rs. 2800 Remarks/ATR on 20-09-2017 Uploaded undertaking was not signed by the unit owner. Also hard copy is submitted with signature. CTE expired on 11.06.2014 under Orange category. Fee Balance: Rs. 2800 Recommendation: Letter may be issued to submit the balance fee.	20-09-2017 Ask the unit to submit balance consent fee. If unit submits the sme and found in order. Consent to Operate granted.
95	JUGAL TARA MAFG. CO. PVT. LTD.		05-09-2017		MANUFACTURING OF PRESSURE COOKER		Non-SPI	1	1. ETP- No 2. ECS- No	N/A	14-09-2017 Recommended for Inspection.	20-09-2017

		2/359, GALI NO. 3, FRIENDS COLONY INDUSTRIAL AREA			RUBBER PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal		HWM Application No. Application Date 22-07-2004 Authorisation Status Approved Authorisation Issue Date 01-10-2004 Authorisation Expiry Date 30-09-2006 HWM Application No. 2 Application Date 13-10-2006 Authorisation Status Pending	3. DG Set - No. 4. Domestic effluent discharge- 150 L/D which is disposed through sewer. 5. Trade effluent discharge- Nil. 6. Water consumption- 500 L/D whose source is outside .			Inspection be conducted.
96	BHAGWATI METAL CO.	KH. NO-25, NEAR POLE NO.-205/52, PREM NAGAR CHOWK, NEW MANDOLI IND. AREA	05-09-2017		PULVERIZER OF ALUMINIUM DROSS AND CASTING Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Ventury Wet Scrubber) 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- No proof. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : Hard coke.	Emission monitoring report was submitted on 01.08.2017 by DPCC and all the parameters are within the prescribed limit.	14-09-2017 Ask the unit to submit hard copy of the online application. Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. The unit was sealed in the sealing drive for the PGC order compliance as the name of the unit was listed in 103 list. The unit was de-sealed and the unit has applied for consent after that.	20-09-2017 Hardcopy of consent applicatin submitted. Ask the unit to submit certificate, in original, from Industries Department/ SDM regarding location of the unit within the boundary of the notified redevelopment area clearly mentioning the name and address of the unit in the said certificate. Also unit shall provide OLMS and display board and inspection be conducted.
97	PAUL MANUFACTURING COMPANY	C-278, PH-II, MAYAPURI INDUSTRIAL AREA	05-09-2017		Manufacturing of Baby Nipples and Feeding Bottlies. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity) Plastic Processed Goods	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: One D.G Set of 100 KVA installed Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	13-09-2017 .	20-09-2017 Inspection be conducted.
98	PRESTIGE BUILDWELL PVT. LTD.	PLOT NO. 2, COMMUNITY CENTRE, ROAD NO. 44, PITAMPURA,	06-09-2017		COMMERCIAL COMPLEX Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP: Bio-logical (capacity-50 KLD) (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set : 2 (capacity 500 KVA) (b) Stack monitoring report (for	-Noise : Noise monitoring reports are within norms (Issued by DPCC on 25.04.2017). -Water Effluent : Test Report within norms (Issued by DPCC Lab on 27.04.2017).	14-09-2017 .	20-09-2017 Inspection be conducted.

									more than 1000 KVA) dated N/A issued by submitted and parameters within limit / not satisfactory.- N/A Status of Ground Water extraction :N/A Water Consumption:60.4 KLD (Fresh Water : 25.92 KLD and Recycled Water : 34.48 KLD) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A			
99	LIFTECH INDIA PVT. LTD.	B-69/2 WAZIRPUR INDUSTRIAL AREA	06-09-2017		SERVICE STATION Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI		Unit has not submitted hard copy of CTO application.		13-09-2017 Remarks/ATR on 14-09-2017 ETP: Capacity of 5 KLD (Physiochemical type) ECS: N/A D.G.Set: Nil Source of water: 2.5 KLD from DJB Status of Test Report Air (Emissions) : N/A Water (Effluents) : Test reports within norms (issued by DPCC on 14.08.2017) Noise : N/A	20-09-2017 Inspection be conducted.
100	VANSH ENTERPRISES	M/S VANSH ENTERPRISES, F-1725 DSIIDC NARELA INDUSTRIAL AREA	06-09-2017		manufacturing of granules without washing Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017 .	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
101	WAI WAI CITY (A UNIT OF CG SPECIALITY RESTAURANTS PVT. LTD)	GROUND FLOOR 29, G.F. MIDDLE PORTION, KHASRA NO. 624/278 HAUZ KHAS VILLAGE DELHI 110016	07-09-2017		Restaurants with 18 covers Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes (mentioned in Application Form) (2) ETP- Yes (mentioned in Application Form) (3)D.G.Set: N/A Status of Ground Water extraction : Nil water consumption-Not provided Trade Effluent: Not provided Domestic Effluent: Not provided Status of Inspection :yes on 27.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33 (A)/details :21.07.2017 Month and year of commencement of production- 19.09.2016		13-09-2017 An inspection was carried out on 27.3.2017 and following were the brief observations: 1.Unit found Operational & engaged in the activity of Eating House with seating capacity of 18 seats. 2.No Oil & Grease Trap cum Settling Tank installed in kitchen for waste water treatment. 3 Channelization system installed in Kitchen with inadequate stack height (Appx. 4 meter from Ground level) 4. Proper segregation of waste observed. 5.Unit is Operating without Consent from DPCC. 6. Unit has MCD License with validity up to 31.03.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 07.09.2017 for the activity of Restaurants with 18 covers. Unit has not informed about quantum of water Consumption and its source. No undertaking has been submitted and hard copy of application has not been received and also not submit Environmental Compensation Security of Rs. 2, 00,000 (Rupees Two lakh only) along with undertaking. Unit installed OGT but size/ dimension and photograph of OGT is not provided. It is recommended that the unit may be asked to submit proper information and required document along with Consent application	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents.
102	VIBA PRESS PVT TD.	C-66/3,OKHLA INDUSTRIAL AREA,PHASE-II, NEW DELHI	07-09-2017		OFFSET PRINTING INCLUDING WASHING OF PLATES AND INK ROLLERS Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-02-2007 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 30-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 250	Effluent analysis report dated 30-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 .	20-09-2017 Inspection be conducted.

								HWM Application No. 2 Application Date 12-09-2017 Authorisation Status Pending KVA. Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 2850 Litres/ Day (Source - MCD) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 28.02.2017. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
103	SHREE KRISHNA ANALYTICAL SERVICES	A-5/4, MAYAPURI INDUSTRIAL AREA, PHASE-II	08-09-2017		Testing of Medicines In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI		water consumption: 1000 litres/day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		13-09-2017 .

								Authorisation Status Authorisation Issue Date 18-10-2012 Authorisation Expiry Date 13-08-2017				
105	DEV POLY PLAST PVT. LTD	5/14, KIRTI NAGAR INDUSTRIAL AREA	08-09-2017		PLASTIC GRANULES (WITHOUT WASHING) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		water consumption:150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		13-09-2017	20-09-2017 Consent to Establish granted. Subsequently, inspection be conducted. Earlier consent to establish dated 01.09.2017 be made infructuous since unit has again applied for consent to establish under orange category.
106	CAPITAL CARS PVT LTD.	PLOT NO-1,PATPARGANJ INDUSTRIAL AREA	08-09-2017		AUTOMOBILE WORKSHOP CUM SERVICE STATION WITH WASHING ACTIVITY AND PAINT BOOTH. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 11-09-2012 Authorisation Status Approved Authorisation Issue Date 08-11-2012 Authorisation Expiry Date 10-09-2017	1. ETP- Yes 2. ECS- No 3. DG Set- one of capacity 200 KVA installed. 4. Trade Effluent-6000L/D and its modes of disposal sewer or drain 5. Domestic Effluent-500L/D and its modes of disposal sewer or drain 6. Water Consumption-6500L/D and its source outside	N/A	14-09-2017 Ask the unit to submit the hard copy of the application.	20-09-2017 Take action as decided in file.
107	RABBIT HOLE (A UNIT OF ROYALTY HOTELS PVT LTD)	THIRD FLOOR, FORTH FLOOR 30 HAUZ KHAS VILLAGE	08-09-2017		RESTAURANT 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes (mentioned in Application Form) (2) ETP-(Physiochemical) Yes (mentioned in Application Form) (3)D.G.Set: N/A Status of Ground Water extraction : No water consumption-4 Kilo liter/ day Trade Effluent: 3 Kilo liter/ day Domestic Effluent:0.5 Kilo liter/ day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/details :NO Month and year of commencement of production- 09.06.2017		13-09-2017 Unit has applied for CTE on 08.09.2017 for the activity of RESTAURANT 48 SEATS. In the CTE application filed the unit has informed about installation of OGT or ETP/OGT, however in the project report the unit has informed about installation of ETP but no detail of ETP have been provided. It is recommended CTE be garnted if the unit submit hard copy of CTE along with all requisite document and a valid MCD liceance along with details of ETP/OGT.	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents including proof of conformity of the unit and details of pollution control devices.
108	SAPPHIRE FOODS PRIVATE LIMITED	03 KFC DELHI KAMALA NAGAR PLOT NO38UA BUNGLOW ROAD KAMALA NAGAR NEW DELHI	09-09-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.

					Into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
109	SAPPHIRE FOODS (KFC RESTAURANT)	FIRST FLOOR AND SECOND FLOOR, J23/A1, CENTRAL MARKET, LAJPAT NAGAR	09-09-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Proposed (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A) details : Nil Closure directions u/s 31(A)/33(A) details : Nil		13-09-2017 Unit has not submitted hardcopy of application for Consent to Establish along with required documents.	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted. Also inspection be conducted.
110	CAFE HISH (A UNIT OF ALTERNATIVE VENTURE PVT. LTD.)	A-1 & T6 B, FIRST FLOOR, HAUZ KHAS VILLAGE	09-09-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- yes (Dimension /size not provided) (3)D.G.Set: N/A Status of Ground Water extraction : Nil water consumption-3000 liters per day Trade Effluent:1000 liters per day Domestic Effluent:400 liters per day Status of Inspection :yes on 28.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33 (A)/details :21.07.2017 Month and year of commencement of production- 21.10.2013 Existing		13-09-2017 An inspection was carried out on 28.3.2017 and following were the brief observations: 1. Unit found Operational without CTE & CTO from DPCC. 2. Unit has not installed ETP or Oil & Grease Trap cum Settling Tank for treatment of wastewater. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 09.09.2017 for the activity of EATING HOUSE. Unit installed OGT but size/ dimension and photograph of OGT is not provide. Unit submit its reply on 12.09.2017 with CTE application and also submit Environmental Compensation Security of Rs. 2, 00,000 (Rupees Two lakh only) along with undertaking. It is recommended that CTE may be granted if the unit submit detail size/dimensions and photograph of OGT cum settling tank (if they are of appropriate size/ dimension).	20-09-2017 Consent to Establish granted if the unit submit detail size/dimensions and photograph of OGT cum settling tank (if they are of appropriate size/ dimension).
111	TATVA HOSPITALITY (REHAB CAFE)	30, SECOND FLOOR, REAR PORTION, HAUZ KHAS VILLAGE	10-09-2017		RESTAURANT 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Physiochemical,Oil and Grease Trap(Common ETP) (2) Oil and Grease Trap- Yes (3)D.G.Set: N/A Status of Ground Water extraction : Nil water consumption-4 kilo liters per day Trade Effluent:3 kilo liters per day Domestic Effluent:0.5 kilo liters per day Status of Inspection :yes on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33 (A)/details :21.07.2017 Month and year of commencement of production- 01.01.2017 Existing		14-09-2017 An inspection was carried out on 23.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 45 seats. 2.As informed unit is discharging waste water / effluent into Common ETP of 40 KLD capacity for all 16 restaurants in the building. 3. Channelization system provided in kitchen . 4. Unit having connection to the common D.G. Sets of capacity 750 KVA & 380 KVA installed in the basement of Building with acoustic enclosure and with adequate stack height. 5. Unit did not provide copy of MCD License, Delhi Police License, etc. 6.Separate bins provided for wet & dry waste. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 10.09.2017 for the activity of RESTAURANT 48 SEATS Unit installed OGT but Size and Photograph of OGT not provided and also mentioned in project report that they are connected with common ETP of building. It is recommended that unit provide size/ dimension and photograph of OGT and adequacy Report of ETP along with Hard Copy of CTE application within 30 days	20-09-2017 Consent to Establish granted. Take action regarding closure directions as per office order dated 02.08.2017
112	HANSA AGENCIES PVT. LTD.	B-124, PHASE-I, OKHLA INDUSTRIAL AREA	11-09-2017		Mfg. of Readymade Garments with Washing. Readymade Garment (with Washing)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 24-07-2009 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated 25-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit / beyond prescribed limit. The unit has 2 D.G. Set(s) of 125 KVA and 82.5 KVA. Noise		13-09-2017 Unit has not submitted hardcopy of application for Renewal of Consent to Operate along with required documents/ Test Reports.	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Operate (Renewal) be granted.

									(2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 82.5 KVA. Noise monitoring report dated 23-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 1100 Liters/Day (Source - MCD) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	monitoring report dated 23-08-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes		
113	PAUL MANUFACTURING COMPANY	C-278, PH-II, MAYAPURI INDUSTRIAL AREA	11-09-2017		Manufacturing of Baby Nipples and Feeding Bottles. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity) Plastic Processed Goods	Green Establish	Non-SPI		Status of Ground Water extraction :Nil Status of Pollution Control System 1)ETP -N/A (2)ECS - N/A (3)D.G.Set : N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	13-09-2017	20-09-2017 Inspection be conducted.
114	UNITY AUTOMOBILE PRIVATE LIMITED	PLOT NO. 56, BLOCK - C, WAZIRPUR INDL. AREA	11-09-2017		Automobile Service Station with washing and paint booth Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		ECS: N/A ETP: Physiochemical of 3 KLD D.G.Set: 1 of capacity 62.5 KVA with Acoustic enclosure. Source of water supply: 3.8 KLD from DJB.	N/A	13-09-2017 Date of commencement of production: 14.11.2017 (proposed) Hardcopy of Proof of possession not submitted.	20-09-2017 Consent to Establish granted.
115	SPIRIT GLOBAL CONSTRUCTIONS PVT. LTD.	RAJOURI GARDEN, ADJACENT TO RAJOURI GARDEN METRO RAILWAY STATION	11-09-2017		Multi Level Parking with Commercial Development. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		water consumption: 60000 Liters/Day Status of Pollution Control System (1)ETP ---- Other ETP Name : STP OF 100KLD CAPACITY HAS BEEN INSTALLED (2)ECS - N/A (3)D.G.Set Noise Report : 3 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 05-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	13-09-2017 Remarks/ATR on 14-09-2017 -Consent to Operate may be granted.	20-09-2017 Inspection be conducted.
116	INDIAN REALTORS PVT. LTD.	PLOT NO. 33, COMMUNITY CENTRE, PREET VIHAR	12-09-2017		Service Apartment with Commercial Complex	Orange Establish	Non-SPI		1. ETP- No 2. Settling tank - Yes, design capacity of 3000L/D	N/A	14-09-2017 Ask the unit to submit the hard copy of the application.	20-09-2017 Ask the unit to submit hardcopy of

					Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm				3. ECS- No. 4. DG Set - one of capacity 250 KVA installed. 5. Domestic effluent discharge- 2000 L/D . 6. Trade effluent discharge-Nil. 7. Water consumption- 4500 L/D whose source others .			consent application along with requisite documents. Also inspection be conducted.
117	LIBRA AUTOMOTIVES PVT. LTD	B-41, PHASE-I, MAYAPURI INDUSTRIAL AREA	12-09-2017		REPAIRING DENTING PAINTING AND SERVICING OF CAR ACTIVITY. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-09- 2017 Authorisation Status Pending	water consumption:6000 litres/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set (s) of 140 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Stack monitoring report: (a) Stack monitoring report dated 20-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	14-09-2017 .	20-09-2017 Inspection be conducted.
118	EMBLEM HOTEL (A UNIT OF NC HOSPITALITY PVT. LTD.)	E-5, KALINDI COLONY, NEW FRIENDS COLONY	13-09-2017		GUEST HOUSE. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - OGT (2)ECS - N/A Stack monitoring report of boiler dated 03-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 19.01.2017 and following observations were made: -Unit found in operation and engaged in the activity of Guest House with In-house Kitchen. -Oil & Grease Trap cum Settling Tank installed but not properly cleaned. -Channelization system provided in the kitchen with adequate stack height. -Unit having 1 LPG Boiler with inadequate stack height. -Unit having 1 D.G. Set of capacity 100 KVA with acoustic enclosure with adequate stack height. SCN u/s 31(A)/33(A) details : issued on 16.02.2017 Unit has failed to submit the reply w.r.t to SCN dated 16.02.2017 however they have submitted application for CTE & CTO.	Stack monitoring report dated 03-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	13-09-2017 Unit has failed to submit the reply w.r.t to SCN dated 16.02.2017 however they have submitted application for CTE & CTO. As decided in common file of New Friends Colony, inspection be conducted.	20-09-2017 Take action as decided in file.

									Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
119	SAPPHIRE FOOD INDIA PVT LTD (KFC)	A-12 INNER CIRCLE CONNAUGHT PLACE	13-09-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ----- N/A (a) AR dated issued by submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		13-09-2017	20-09-2017 Consent to Establish granted. Earlier consent to esablish dated 04.03.2017 be made infructuous since unit has again applied for consent to establish afresh.
120	OH BOY LOUNGE(A UNIT OF SUDEV HOSPILITY PVT LTD)	2527 2ND FLOOR HUDSON LINEKINGSWAY CAMP	13-09-2017		Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
121	THE VEGAS CAFE(A UNIT OF GURUJI ENTERPRISES)	2527 HUDSON LANEGROUND FLOOR KINGSWAY CAMP HRB NAGAR	13-09-2017		Restaurant cum bar Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		13-09-2017	20-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.