



DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/6th Meeting /2017/ 4442-46 Dated: 13/10/17

Subject: Minutes of the 6th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 22.09.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 6th Meeting of the aforementioned Committee, held on 22.09.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC.


(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 6th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 22.09.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 22.09.2017 are enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the Period 17.09.2017 to 21.09.2017

Decisions were taken online in these cases and list of 19 no. of units including decisions taken in these cases are at Annexure - I.

Agenda Item No 2: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.01.2017 to 05.08.2017 (in reverse chronology) excluding cases of Hotels/Guest Houses/Restaurants of Paharganj and Karol Bagh areas as the matter is subjudice.


Decisions were taken online in these cases and list of 154 no. of units including decisions taken in these cases are at Annexure - II.

During the meeting it was observed that several cases were not reflecting in the agenda due to error in the DPCC software. The deficiencies observed in the DPCC website was apprised to M/s Srijan Webmatics Pvt. Ltd and ask them to rectify the problem. In the meanwhile, Chairman of the Committee directed to continue the meeting for the remaining cases. After some time, the deficiencies of the DPCC website was rectified.

Due to paucity of time, all the cases of the agenda no.2 could not be completed and it was decided to take up all the remaining cases in the next meeting.

In case of M/s Rampur Kitchen (Mughal Darbar), Shop No 47-50, 1st Floor, The India Mall, Community Centre, New Friends Colony, New Delhi-110025, online decision taken and mentioned at S. No. 14 of Annexure - II ("Ask the unit to submit an amount as mentioned in the security bond submitted earlier. Also ask the unit to submit fresh Environmental Compensation Security Bond and an Undertaking as per office order dated 02.08.2017"), was reviewed with following directions:-

"Ask the unit to submit an amount of Rs. 1,00,000/- (Rupees One Lakh only) as a demand draft in favour of Delhi Pollution Control Committee as mentioned in the security bond submitted by the unit on 29.07.2015 since unit was found violating, the directions passed by DPCC in its letter dated 21.08.2015, during the inspection on 16.11.2016. Also ask the unit to submit fresh Environmental Compensation Security Bond of Rs. 4,00,000/- (Rupees Four Lakh only) and an Undertaking as per office order dated 02.08.2017."



Following cases were taken up by the Committee with the permission of Chairman of the Committee.

Table Agenda Item No. 1: Case of M/s Woodapple Residency, 3, Hargobind Enclave, New Delhi (Consent to Establish dated 22.04.2016 and Consent to Operate dated 27.12.2016)

Decisions were taken online in these cases and list of 02 no. of units including decisions taken in these cases are at Annexure - III.

Table Agenda Item No. 2 : Case of M/s Dyna International Beauty Products, B-46/4, Wazirpur Industrial Area, Delhi-110052 (Consent to Operate dated 20.08.2017 for the activity of Perfumes and Cosmetics).

The case of the unit was considered by the Committee on 20.09.2017 but mistakenly complete decision could not be taken and instead of it following decision was taken:

"All earlier applications be made infructuous. Application of Authorization under HW Rules be kept in abeyance. Directions for closure be made infructuous in view of office order dated 02.08.2017".

In view of above, the case was taken up today meeting and it was decided to grant Consent to Operate. All earlier applications be made infructuous. Application of Authorization under HW Rules be kept in abeyance. Directions for closure be made infructuous in view of office order dated 02.08.2017.

Table Agenda Item No. 3 : Case of M/s Hotel Picasso Prive (A unit of Darshan Hospitality), A-12, Naraina Vihar, New Delhi (Consent to Operate dated 03.06.2017 for the activity of Guest House).

Consent to Operate granted.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (Annexure-I, II & III). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.

If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.




(S.M. Ali)
Member Secretary, DPCC




(Dr. Chandra Prakash)
SEE, CMC-II



(M. Arif)
SEE, CMC-III




(B.L. Chawla)
SEE, CMC-I




(P.S. Rankaj)
Incharge / EE, CMC-I




(Satender Kumar)
SEE, CMC-V



(Shyam Sunder)
EE, CMC-I



(M.S. Rawat)
EE, CMC-V



(Sanjay Vatts)
EE, CMC-II



(Ramesh Chandra)
EE, CMC-II



(Amit Chaudhary)
EE, CMC-III



(Sunil Kumar)
EE, CMC-IV



(Surender Singh)
EE, CMC-V



(K. Kumar)
EE, CMC-IV



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 6th meeting on 22.09.2017 w.r.t. Agenda Item No 1 - 19 Fresh Cases of Consent to Establish and Consent to Operate / Renewal of the period 14.09.2017 to 21.09.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	WOK IN THE CLOUDS (A UNIT OF GALORE HOSPITALITY LLP)	3, CLUB ROAD, GROUND, FIRST AND SECOND FLOOR, PUNJABI BAGH	14-09-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 7000 litre/day Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	21-09-2017 -Consent to Estbalish may be granted. Remarks/ATR on 21-09-2017 Consent to establish may be granted.	22-09-2017 Consent to Establish granted.
2	SAPPHIRE FOOD INDIA PVT LTD (KFC)	A-12 INNER CIRCLE CONNAUGHT PLACE	14-09-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		water consumption: 2000 litre/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -closure direction was issued to the unit on 13.02.2017 due to non-compliance of DPCC directions. -unit has approached to honorable High Court on 07.03.2017 and as per direction of the Honorable Court an inspection of the unit was carried out on 08.03.2017. -In response to inspection unit has submitted a reply on 09.03.2017 along with requisite documents and photographs. -Again matter was heard by Honorable Court on 10.03.2017 & passed an order to close down the unit. -Unit has submitted a request on 21.03.2017 wherein it has been informed that all discrepancies have been rectified and also he had requested to revoke the closure direction. -Again as per approval, an inspection was carried out by DPCC Officials on 22.03.2017. During inspection unit found non operational and facts submitted by the unit found ok. -Accordingly, temporary revocation for 21 days issued to the unit on 22.03.2017 so that unit may apply CTO application. -Again an inspection was carried out by the representatives of DPCC on 22.08.2017. During inspection following	1. Effluent Analysis Report: Effluent analysis report dated 13.06.2017 issued by DPCC submitted. Effluent Analysis Report within Limit- Yes.	22-09-2017 -Unit has submitted a reply on 21.09.2017 along with Environmental Compensation Security and an undertaking as per the office order F.No. DPCC/CMC-I/Revocation/2017/1323-1333 dated 02.08.2017. -As the unit complied with the conditions of the office order dated 02.08.2017 Closure direction may be revoked and consent to operate may be granted.	22-09-2017 Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.

									observations were made: 1. Unit found commercially operational in spite of honorable Court Order dated 10.03.2017. 2. ETP found installed and same found operational. kitchen channelization provided with adequate stack height. 4.One D.G set of 125 KVA found installed at basement with acoustic enclosure and adequate stack height. -As the discrepancies were observed during inspection a closure direction was issued to the unit on 11.09.2017. -Unit has submitted application of CTE and CTO application on 13.09.2017 & 14.09.2017 respectively.			
3	M/S T.R. SAWHNEY MOTORS PVT.LTD.	EAST GOKULPUR, MAIN WAZIRABAD ROAD,DELHI	14-09-2017		Service Station (Washing, Repairing, Denting and painting of Cars) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI		1. ETP- Yes. 2. ECS- Stack attached to paint booth. 3. DG Set- 3no.s, of capacity 62.5, 82.5 and 125 KVA respectively. 4. Trade Effluent-1800 L/D and its mode of disposal into drain. 5. Domestic Effluent-500L/D and its mode of disposal into drain. 6. Water Consumption- 2800 L/D and its source outside. CTE was issued to the unit with the condition that CTE is hereby granted to the Consentee that Consentee shall submit valid licences from EDMC within 3 months. The unit did not submit the desired EDMC license accordingly SCN u/s 31(A) of Air Act and u/s 33 (A) Water Act was issued on 28.02.2017. The unit failed to reply the show cause notice therefore, Closure Direction was issued to the unit on 24.08.2017. Representation from the unit has been received on 13.09.2017 requesting of revocation of Closure Direction stating that they will submit the request for Consent and also enclosed a copy of valid EDMC License for local commercial category for the activity of automobile workshop for servicing and repair of automobile 15 hp. The unit has not applied for authorization under Hazardous Waste Management Rules, 2016.	Noise Monitoring Report was submitted by DPCC on 13.09.2017 and all the parameter are within the prescribed limit as per the report. Analysis Report of water effluent was submitted by DPCC on 18.07.2017 and all the parameter are within the prescribed limit as per the report. Emission Monitoring Report was submitted by DPCC on 14.09.2017 and all the parameter are within the prescribed limit as per the report.	20-09-2017 Inspection be conducted and also ask the unit to apply under authorization under Hazardous Waste Management Rules, 2016.	22-09-2017 Inspection be conducted.
4	VICTOR COMPONENTS SYSTEMS PVT. LTD.	B-86, PH-I, OKHLA INDUSTRIAL AREA	15-09-2017		MFG. OF ASSEMBLING OF ELECTRONICS AND ELECTRICALS COMPONENTS Electrical and Electronic Goods involving use of varnish	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-09-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction :Nill Total Water Consumption : 200Litres/day Status of Inspection :Nill SCN u/s 31(A)/33(A)/5 of EPA details :Nill	Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	22-09-2017 Hard copy yet to be received.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

								Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil				
5	LUTYENS MOTORRAD (A UNIT OF NITROSURGE BRANDS PVT. LTD.)	F-2/10, OKHLA INDUSTRIAL AREA, PHASE-I	15-09-2017		SERVICING OF MOTOR BIKES Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)D.G.Set: N/A Status of Ground Water extraction :Nil Domestic Purpose: 90Liters/day Washing purpose: 500Litres/day Grand Total of Waste (effluent): 590Litres/Day Datev of Commencement of Production: 16.10.2017 Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	22-09-2017 Hard copy yet to be received.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
6	KAMAL PHARMACY (AYURVEDIC) PVT. LTD.	14, NAJAFGARH ROAD INDUSTRIAL AREA	15-09-2017		MFG. OF HARBEL MEDICINES Pharmaceuticals formulation only (Dry Process)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 03-11-2006 Authorisation Status Pending HWM Application No. 2 Application Date 23-10-2009 Authorisation Status Pending HWM Application No. 3 Application Date 02-06-2010 Authorisation Status Pending HWM Application No. 4 Application Date 18-10-2012 Authorisation Status Approved Authorisation Issue Date 28-03-2013 Authorisation Expiry Date 17-10-2017	water consumption: 500 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 82.5 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1.Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 04-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	22-09-2017 -Consent to Operate (Renewal) may be granted.	22-09-2017 Inspection be conducted.
7	HARPREET MOTORS PVT. LTD.	68, SSI, G T KARNAL ROAD	15-09-2017		REPAIRING AND SERVICING OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 18-09-2012 Authorisation Status Approved	Hard copy not submitted	.	20-09-2017 .	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also inspection be conducted.

								Authorisation 06-11- Issue Date 2012 Authorisation 17-09- Expiry Date 2017 HWM Application No. 2 Application Date 15-09- 2017 Authorisation Status Pending				
8	VILLAGE BALCONY (A UNIT OF VILLAGE PEOPLE RESTAURANTS LLP)	26, 1ST FLOOR, HAUZ KHAS VILLAGE	16-09-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1) Oil and Grease Trap- Yes (3500 liter/day) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -3000 Liters per day Trade Effluent- 1000 litersv per day Domestic Effluent-400 l/day Status of Inspection :yes on 22.03.2017 SCN u/s 31(A)/33(A)/ details- yes 10.04.2017 Closure directions u/s 31(A)/33(A)/ details :21.07.2017 Month and year of commencement of production- 09.10.2015	.	22-09-2017 An inspection was carried out on 22.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 48 seats. 2. As informed, unit has connection of Common Effluent Treatment Plant installed at the roof of building however same found not in operation. 3. Channelization system provided in Kitchen with inadequate stack height. 4.As informed, unit has connection of common D.G. set of capacity 125 KVA installed at roof of building No. 26 and have Acoustic Enclosure and adequate stack height. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. The unit did not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit Applied for Consent to Establish on 16.09.2017 for the activity of EATING HOUSE of capacity of 48. Unit installed OGT but size/ dimension and photograph of OGT is not provide.Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
9	HOTEL SMART PALACE	A-132,ROAD NO. 5 MAHIPALPUR NH-8	16-09-2017		hotel/guest house Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 60000 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	21-09-2017 -Consent to Estbalish may be granted. Remarks/ATR on 21-09-2017 may be asked to unit submit hard copy of application along with requisite documents.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
10	SAPPHIRE FOODS INDIA PVT. LTD. (KFC)	SHOP NO. 5&6, ATMA RAM MANSION, SCINDHIA HOUSE, CONNAUGHT PLACE	19-09-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption:2000 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	20-09-2017 -Unit has submitted hard copy of CTE application. -CTE may be granted. Remarks/ATR on 21-09-2017 Consent to Establish may be granted	22-09-2017 Consent to Establish granted.
11	METAL CLOSURES	A-16,G T KARNAL ROAD	19-09-2017		PRINTING OF LAMINATE AND SELF ADHESIVE MATERIAL	Orange Establish	Non-SPI		Hard copy not submitted.	.	21-09-2017 .	22-09-2017 Ask the unit to submit hardcopy of

	AND CONTAINERS	INDUSTRIAL AREA			Printing without Trade Effluent Discharge							consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
12	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI	19-09-2017		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1) Oil and Grease Trap- Yes (210 liter) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil Month and Year of Commencement of production-01.09.2017	.	22-09-2017 Unit applied for CTE on 19.09.2017 for the activity of Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
13	YUMMY KITCHEN TEA AND SNACKS	34A, GROUND FLOOR, HAUZ KHAS VILLAGE	19-09-2017		Bakery, Snacks and Confectionery Items (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		1) Oil and Grease Trap- Yes (150 liter/day) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -50 Liters per day Trade Effluent- 30 litersv per day Domestic Effluent-N/A Status of Inspection :Nil SCN u/s 31(A)/33(A)/ details- Nil Closure directions u/s 31(A)/33(A)/ details :Nil Month and year of commencement of production- 10.10.2017	.	22-09-2017 Unit applied for CTE on 19.09.2017 for the activity ofBakery, Snacks and Confectionery Items (Take Away). Unit installed OGT but Size and Photograph of OGT not provided . Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
14	PRITIKA OFFSET PRINTERS	A-21/27 , NARAINA INDUSTRIAL AREA PH-2	20-09-2017		OFFSET PRINTING (WITHOUT TRADE EFFLUENT). Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-01- 2009 Authorisation Status Pending HWM Application No. 2 Application Date 25-10- 2011 Authorisation Status Approved Authorisation Issue Date 03-09- 2012 Authorisation Expiry Date 24-10- 2016	water consumption: 200 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	21-09-2017 consent to Operate (Renewal) may be granted. Remarks/ATR on 21-09-2017 Consent to Operate Renewal may be granted	22-09-2017 Inspection be conducted.

								HWM Application No. 3 Application Date 20-09-2017 Authorisation Status Pending				
15	JHANJI EXPORTS PVT. LTD.	C-32, OKHLA INDUSTRIAL AREA, PHASE-I	20-09-2017		MANUFACTURING OF LEATHER GARMENTS WITH POLISHING. Manufacturing of Leather Garments with Polishing / Colouring (without dyeing/trade Effluent Discharge) Use of Furnace (excluding Cupola / Arc/Induction Furnace)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 28-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Nill Total Water consumption : 200Litres/day Status of Inspection : Nill SCN u/s 31(A)/33(A)/5 of EPA details : Nill Closure directions u/s 31(A)/33(A)/5 of EPA details : Nill	.	22-09-2017 Hard copy yet to be received.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
16	SHIV GANGA AUTOMOBILES	L-15, UDYOG NAGAR INDUSTRIAL AREA	20-09-2017		REPAIRING AND SERVICING OF AUTOMOBILES (TWO WHEELERS). Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		water consumption:800 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	21-09-2017 Consent to Establish may be granted. Remarks/ATR on 21-09-2017 Consent to Operate Establish may be granted	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
17	CAESARIO FOODS	12 HAUS KHAS VILLAGE NEW DELHI	20-09-2017		Eating House Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to /	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap- Yes (210 litre) (2)D.G.Set: ...N/A Status of Ground Water extraction :N/A Water consumption -70 Liters per day Trade Effluent-50 litersv per day Domestic Effluent-N/a Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :Nil Closure directions u/s 31(A)/33(A)/5 of EPA details :Nil	.	22-09-2017 Unit applied for CTO on 20.09.2017 for the activity ofm Eating House. Unit installed OGT but Size and Photograph of OGT not provided .Unit has not submitted Valid MCD license. It is Recommended a letter be written seeking details of OGT and submission of valid MCD license.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.

					Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Month and year of Comensment -of production- 01.09.2017			
18	PRATEEK POLY PRINT	PLOT NO-97, POCKET-F, SECTOR-1, DSIIDC, BAWANA INDUSTRIAL AREA	21-09-2017		ROTO GRAVURE PRINTING WITHOUT TRADE EFFLUENT DISCHARGE. Roto and Flexo Printing without trade effluent discharge Plastic Processed Goods	Orange Establish	Non-SPI		Hard copy not submitted.		21-09-2017	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
19	GALAXY AUTOMOBILES PVT. LTD.	F-84, OKHLA IND. AREA, PHASE-1, NEW DELHI	21-09-2017		Repairing, servicing, denting and painting of cars Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -- N/A (2)D.G.Set: 1 DG set(320KVA) Month and Year of Commencement of Production:01.04.2018 Status of Ground Water extraction :Nill Total water consumbion : 11000 Liters/Day Quantity of waste (effluent) generated (litres/day): 800Liters/Day Grand Total of waste (effluent) generated: 8800Liters/Day (domestic/washing) Status of Inspection :Nill SCN u/s 31(A)/33(A)/5 of EPA details :Nill Closure directions u/s 31(A)/33(A)/5 of EPA details :Nill		22-09-2017 hard copy yet to be received.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 6th meeting on 22.09.2017 w.r.t. Agenda Item No 2 - 154 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.01.2017 to 05.08.2017 (in reverse chronology) (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	THE HEADQUARTER (A UNIT OF CKS MOTELS & RESORTS PVT LTD)	C-8,VISHAL ENCLAVE, RAJOURI GARDEN	15-02-2017		Restaurant 48 Seats Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : -As per the order of Honourable NGT an inspections of the units listed in petition filed by Hardeep Singh was inspected on 21.11.2016, during inspection following discrepancies were observed. 1. Unit found operational and engaged in the activity of Restaurant cum bar with 85 seats cover. 2. No ETP/Oil & grease found installed in the premises. 3. One D.G Set of 62.5 KVA installed with acoustic enclosure & inadequate stack height. Oil and Grease trap installed. 4. Inadequate stack height of kitchen channellisation. 5. One D.J found. -SCN u/s 31(A) of the Air Act & u/s 33(A) of the Water Act was issued to the unit on 29.11.2016. -As per approval a Closure direction u/s 31(A) of the Air Act & u/s 33(A) of the Water Act was issued to the unit on 25.01.2017. -Unit has submitted a reply on 17.02.2017 & informed that they have applied CTE and installed oil & grease trap and requested to revoke the direction temporarily. -Temporary revocation for 30 days was issued to the unit on 20.02.2017.	(1) Effluent analysis report: Effluent analysis report dated 20-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report : The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-07-2017	22-09-2017 Consent to Establish granted.
2	THE HEADQUARTER (A UNIT OF CKS MOTELS & RESORTS PVT LTD)	C-8,VISHAL ENCLAVE, RAJOURI GARDEN	17-03-2017		Restaurant 48 Seats Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction : -As per the order of Honourable NGT an inspections of the units	(1) Effluent analysis report: Effluent analysis report dated 20-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report : The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 23-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-07-2017 Remarks/ATR on 08-08-2017	22-09-2017 Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.

					having Kitchen and / or Laundry without Boiler				listed in petition filed by Hardeep Singh was inspected on 21.11.2016, during inspection following discrepancies were observed. 1. Unit found operational and engaged in the activity of Restaurant cum bar with 85 seats cover. 2. No ETP/Oil & grease found installed in the premises. 3. One D.G Set of 62.5 KVA installed with acoustic enclosure & inadequate stack height. Oil and Grease trap installed. 4. Inadequate stack height of kitchen channelisation. 5. One D.J found. -SCN u/s 31(A) of the Air Act & u/s 33(A) of the Water Act was issued to the unit on 29.11.2016. -As per approval a Closure direction u/s 31(A) of the Air Act & u/s 33(A) of the Water Act was issued to the unit on 25.01.2017. -Unit has submitted a reply on 17.02.2017 & informed that they have applied CTE and installed oil & grease trap and requested to revoke the direction temporarily. -Temporary revocation for 30 days was issued to the unit on 20.02.2017.		
3	I.G. PRINTERS PVT. LTD	104, DSIDC COMPLEX, PHASE-I, OKHLA INDUSTRIAL AREA	31-03-2017		PRINTING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 15-01- 2004 Authorisation Status Approved Authorisation Issue Date 09-11- 2004 Authorisation Expiry Date 08-11- 2006 HWM Application No. 2 Application Date 05-10- 2006 Authorisation Status Pending HWM Application No. 3 Application Date 16-12- 2008 Authorisation Status Pending HWM Application No. 4 Application Date 31-03- 2017	Status of Pollution Control System 1) ETP---- Nil 2) ECS - (Proposed) 3)D.G.Set: Nil 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.3 KLD (Source - Outside) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 0.2 KLD 6)Date of Commencement - 20.01.2009 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	19-05-2017 Remarks/ATR on 22-09-2017 Earlier obtained Consent for the activity of Printing with trade effluent discharge. Now they have submitted CTO (R) for the activity of printing without trade effluent discharge. Remarks/ATR on 09-08-2017 Fresh application for Consent to Establish for change of activity not received so far. Remarks/ATR on 05-07-2017 Unit has submitted application for authorization under HWM Rules, 2016 on 31.03.2017. However they have not submitted fresh application for Consent to Establish for change of activity. Remarks/ATR on 19-05-2017 Unit has obtained Consent to Establish for the activity of Printing with Trade Effluent Discharge but now they have submitted application for Consent to Operate for the activity of Printing without Trade Effluent Discharge . However they have not submitted fresh application for change of activity and also not applied for Authorization under HWM rule 2016.	22-09-2017 Inspection be conducted.

								Authorisation Status Pending				
4	SHRI BANKEY BIHARI BRIJWASI RASGULLA WALA	D-128, KAMLA NAGAR	31-03-2017		Sweet Shop and Catering. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-91.97 sq mt Date of Establishment/ Commencement- 01.01.1957 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- Outside (Bill submitted) Inspection status- No MCD license issued on 27.07.2016 & valid upto 31.03.2017. Police license valid upto 31.03.2017. Unit has CTO(Renewal) expired on 07.11.2013.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017	22-09-2017 Consent to Operate(Renewal) granted.
5	BHATIA MISHTHAN BHANDAR	89-A, KAMLA NAGAR	31-03-2017		SWEET SHOP Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 40 sq mt Date of Establishment/ Commencement- 01.01.1953 Status of Ground Water Extraction-No 1.Water consumption- 100 L/day Source- DJB (Bill submitted) Cat II Inspection status- No MCD license issued on 13.04.2016 & valid upto 31.03.2017. Police license valid upto 31.03.2017. Unit has CTO expired on 16.12.2006.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017	22-09-2017 Consent to Operate (Renewal) granted.
6	BARBEQUE-NATION (A UNIT OF BARBEQUE NATION HOSPITALITY LIMITED)	SHOP NO. 4 & 5, EROS CINEMA BUILDING, JANGPURA EXTENSION,	31-03-2017		Restaurant Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Water consumption: 3000 Liters/Day (source - DJB)	Effluent analysis report dated 23-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	10-08-2017 Consent to Establish order was granted and issued on 16.05.2017. It was mentioned in Consent order that the Consent is granted with condition that unit shall submit photographs and details of effluent treatment plant in view of the office order dated 04.11.2016 within 30 days but unit has not submitted the same so far.	22-09-2017 Ask the unit to submit photographs and details of effluent treatment plant in view of the office order dated 04.11.2016. If unit submits the same and found in order, consent to operate be granted.

					Kitchen and / or Laundry without Boiler				Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
7	LAMA KITCHEN (A UNIT OF HKV HOSPITALITY)	50A, 50 SF & 50D FF, HAUZ KHAS VILLAGE	31-03-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) (a)Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit.	N/A	09-08-2017 Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Remarks/ATR on 21-09-2017 Inspection of the unit carried out on 31.03.2017 Unit found under commencement. Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension) and fresh MCD License.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
8	RECYCLE (A UNIT OF VINTERO HOSPITALITY PVT. LTD.)	50A & 50 (THIRD AND FOURTH FLOOR) HAUZ KHAS VILLAGE	31-03-2017		EATING HOUSE Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap -Capacity -3500 litres/day (Dimensions not given) (2)ECS - N/A (3)D.G.Set:62.5 KVA (proposed) (a)Noise monitoring report of DG Set-N/A Status of Ground Water extraction :Nil Water consumption :3000 litres/day Trade effluent-1000 litres/day Status of Inspection :Inspection of the unit carried out on 31.03.2017 Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit.	N/A	09-08-2017 Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats. Month and year of Commencement is 21.07.2016. Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Remarks/ATR on 21-09-2017 Unit applied for Consent to Establish on 31.03.2017 for the activity of Eating House with a seating capacity of 48 seats. Month and year of Commencement is 21.07.2016. Inspection of the unit carried out on 31.03.2017 during inspection following were observed- Unit found under commencement during inspection & applied for Consent to Establish on 31.03.2017. Letter issued to the unit on 10.04.2017 to obtain Consent to Operate prior to commissioning of operation of the unit. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension).Fresh MCD License not submitted.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
9	PRAKASH BROTHERS	A-11 DSIDC ENGG. COMPLEX, PHASE-1 MAGOLPURI INDUSTRIAL AREA	07-04-2017		MFG. OF PVC AND RUBBER PRODUCTS. Manufacturing of PVC Granules and Other Injection Moulded Items (without Reprocessing Activity) Rubber moulded goods excluding	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 100 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No	N/A	19-05-2017 Application form is not signed by the applicant. Recommendations: SCN for refusal of Consent may be issued. Remarks/ATR on 01-09-2017 .	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.

					production of tyres and tubes (without reclamation and devulcanisation of rubber)				Closure directions u/s 31(A)/33 (A)/5 of EPA details: No			
10	SHANTI ENTERPRISES	A-124, PHASE-II, MANGOLPURI INDUSTRIAL AREA	11-04-2017		MANUFACTURING OF MICROCELLULAR SHEETS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details: No	N/A	19-05-2017 Consent to Establish may be granted. Remarks/ATR on 31-08-2017 .	22-09-2017 Consent to Establish granted.
11	MANS ENTERTAINMENTS	A-19, VISHAL ENCLAVE, RAJOURI GARDEN	12-04-2017		RESTAURANT CUM BAR. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		water consumption: 30000 Liters/Day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		21-07-2017 .	22-09-2017 Consent to Establish granted.
12	SHREE ADINATH WORKS	A-124, (3RD FLOOR) WAZIRPUR INDUSTRIAL AREA	13-04-2017		MANUFACTURING OF S.S. UTENSILS WITH BUFFING AND POLISHING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		ETP -N/A ECS - Cyclone D.G.Set:N/A Status of Ground Water extraction :0.05 KLD from outside source. Earlier, Consent to operate (renewal) was granted to the unit which is valid upto 26-03-2017 for the activity of MANUFACTURING OF S.S. UTENSILS WITH BUFFING AND POLISHING. Unit has 1 ECS of Cyclone type with stack height of 18 m (above ground level) and 2.5 m (above roof level) using natural gas as fuel.	Emission monitoring report issued by DPCC lab dated 19.03.2017 is submitted parameters are within limits	23-05-2017 Remarks/ATR on 31-08-2017 .	22-09-2017 Consent to Operate(Renewal) granted.
13	MARDAN INDUSTRIAL CORPORATION	A-104/4, OKHLA INDUSTRIAL AREA, PHASE-II	14-04-2017		Auto Rubber Parts Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI		Status of Pollution Control System 1)ETP - Nil 2)ECS - Nil 3)D.G.Set: Nil KVA 4)Status of Ground Water extraction : Nil 5)Water Consumption - 2 KLD (Source - DJB) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 1 KLD 6)Date of Commencement - 14.10.1996 (Existing) 7)Status of Inspection : Nil		10-08-2017 .	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.

									SCN u/s 31(A)/33(A)/5 of EPA details : Nil			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
14	RAMPUR KITCHEN (MUGHAL DARBAR)	SHOP NO 47-50, 1ST FLOOR, THE INDIA MALL, 1, COMMUNITY CENTRE, NEW FRIENDS COLONY	15-04-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP- Yes 2)ECS - N/A 3)D.G.Set: Nil 4)Status of Ground Water extraction : Nil 5)Water Consumption - 3 KLD (Source - DJB) Trade Effluent Discharge - 2.2 KLD Domestic Effluent Discharge - 0.3 KLD 6)Date of Commencement - 31.12.2012 (Existing) 7)Status of Inspection : Inspection of the unit was carried out by officials of DPCC on 16.11.2016 and following observation were made: -unit found operational and engaged in the activity of Restaurant. -Unit has installed ETP but the same was not found in operation. -channelization system provided in the kitchen with adequate stack height. -Unit having common DG set connection provided by the the mall. -As informed, water is provided by the mall. (through common bore well of India mall) SCN u/s 31(A)/33(A) details : issued on 08.08.2013 Closure directions u/s 31(A)/33 (A) details : 05.01.2015 and reinforcement of Direction on 12.01.2017	Unit has submitted Effluent test report of ETP dated 06.04.2017 from DPCC laboratory.Number of parameters analysed are within the prescribed limit.	09-08-2017 Reinforcement of Direction U/s 33(A) of Water Act & U/s 31(A) of Air Act was issued to the unit on 12/01/2017, as unit has not submitted the application for Consent to Operate w.r.t temporary Revocation of direction dated 27/08/2015 and also based upon the findings during inspection of the Unit on 16/11/2016. Unit has submitted letters/representations on 20/01/2017, 25/01/2017 and 03/02/2017 along with photographs of ETP, copy of MCD (Health) License, Security Bond of Rs 5,00,000 Lakhs to the effect that unit shall comply with the pollution control norms and undertaking giving details of electric connection with reading, not use DG Set & borewell for any commercial use and also stopped the activities in their premises in compliance of Reinforcement of Closure Direction dated 12/01/2017. The unit has also informed that they have installed Effluent Treatment Plant & same is in operational condition and requested to revoke the Reinforcement of Direction dated 12/01/2017 so that they can conduct the waste water test report and submit the application for Consent to Operate within 30 days. As decided, the above said Reinforcement of Direction dated 12/01/2017 were temporarily Revoked on 10/12/2017 for 30 days to submit application for CTO with requisite document/test report with condition that no commercial operation shall be carried out by the unit during the said period of temporary revocation of Direction. Unit has submitted representation on 27/03/2017 & 29.03.2017 and informed that they have applied for Water analysis report (copy of receipt enclosed) & requested to grant 30 days time to apply for CTO. Unit has submitted representation on 17/04/2017 along with hard copy of Consent to Operate application & test report and informed that they submitted online application for Consent to Operate and requested to revocation of Direction . However Unit has not submitted copy of valid Delhi police license. A decision may please taken w.r.t office order dated 02.08.2017.	22-09-2017 Ask the unit to submit an amount as mentioned in the security bond submitted earlier. Also ask the unit to submit fresh Environmental Compensation Security Bond and an Undertaking as per office order dated 02.08.2017.
15	NANDO S (A UNIT OF JANPATH RESTAURANTS PVT. LTD.)	F-29, 30-A, GROUND FLOOR & MEZZANINE FLOOR, MALHOTRA BUILDING, CONNAUGHT PLACE,	19-04-2017		restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated 08-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report		22-09-2017 .	22-09-2017 Consent to Establish granted.

									dated 01-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :			
16	NANDO S (A UNIT OF JANPATH RESTAURANTS PVT. LTD.)	GROUND FLOOR 25, UPPER GROUND FLOOR, NWA CLUB ROAD, PUNJABI BAGH,	19-04-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil -A complaint was received in this office on 14.09.2016 from Mr. Iabal, 913,78, Jamia Nagar, Delhi regarding illegal operations of restaurants/ hotels/bars operating in Connaught place, new delhi. -An inspection was carried out by DPCC representatives on 10.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2.1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and inadequate stack height 3. .ETP plant was installed but non operational 4. Hood and suction system provided in the kitchen with adequate stack height of chimmney. 5. ETP plant log book not maintained. - A show cause notice u/s 21/22 of Air Act and u/s 25/26 of Water Act issued to the unit 09.12.2016. -Unit has submitted a reply on 21.12.2016 and requesting to grant time for week for submission of consent application. -A modified direction was issued to the unit on 02.02.2017. -Again as per approval an inspection was carried out by	Effluent analysis report: (a) Effluent analysis report dated 16-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	20-07-2017 -Consent to establish may be granted. Remarks/ATR on 08-08-2017	22-09-2017 Consent to Establish granted.

									DPCC representatives on 10.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 98 seating capacity. 2. 1 No of D. G. set of 1X200 KVA installed with acoustic enclosure and adequate stack height. 3. ETP plant installed & same found in operational condition. 4. Hood and suction system provided in the kitchen with adequate stack height of chimney. 5. ETP plant log book maintained. -Unit has submitted a reply on 22.05.2017 and informed that they have submitted application of consent to establish and in process to apply CTO application.		
17	J.K.S EXPORTS	PLOT NO C-5, STREET NO-1 , ANAND PARBAT INDUSTRIAL AREA	20-04-2017		Mfg. of Auto Parts Sheet Metal and Rubber Parts Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		09-08-2017 <

									grant 60 days time to apply CTE/CTO application in DPCC.		-A modified direction was issued to the unit on 02.02.2017. -unit submitted its reply on 24.04.2017 and stated that they have applied CTE and in process to apply CTO application in DPCC & requesting to grant some time for the same. -Again An inspection was carried out by the representatives of DPCC on 02.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2. No D. G. set was found installed within the premises. 3. Oil and Grease trap installed but no separate settling tank was observed. 4. Hood and suction system provided in the kitchen without adequate stack height of chimney. 5. Applied for Consent application. Status of Test Report 1) Effluent analysis report: Effluent analysis report dated 05-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/ATR on 20-07-2017 -A modified direction was issued to the unit on 02.02.2017. -unit submitted its reply on 24.04.2017 and stated that they have applied CTE and in process to apply CTO application in DPCC & requesting to grant some time for the same. -Again An inspection was carried out by the representatives of DPCC on 02.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2. No D. G. set was found installed within the premises. 3. Oil and Grease trap installed but no separate settling tank was observed. 4. Hood and suction system provided in the kitchen without adequate stack height of chimney. 5. Applied for Consent application.	
19	NITISH POLISHERS	A-83, GROUP WAZIRPUR INDUSTRIAL AREA	20-04-2017		Shearing, Pressing for Utensils, Buffing And Engg. Works Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Orange Renewal	Non-SPI		ETP : N/A ECS : Cyclone D.G.Set : Nil Source of Water supply : 0.05 KLD from DJB Earlier, Consent to operate was granted to the unit for the activity of SHEARING, PRESSING FOR UTENISILS BUFFING AND ENGG. WORKS under orange category which expired on 19.11.2012	Stack monitoring report dated 29-03-2017 issued by DPCC lab is submitted and parameters are within limits.	23-05-2017 . Remarks/ATR on 31-08-2017 .	22-09-2017 Consent to Operate(Renewal) granted.
20	SUPREET RETREADS	76 DSIDC SHED SCHEME-I OKHLA INDUSTRIAL AREA	24-04-2017		Retreading of tyre (job work) Process Involving Buffing Tyre Retreading (without Boiler)	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP/OGT----- N/A 2)ECS - Yes 3)D.G.Set: 50 KVA (As per undertaking Stack Height 3m above Roof Level but 0.2m as per DPCC lab report) 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.1 KLD (Source - Outside) Trade Effluent Discharge - N/A Domestic Effluent Discharge - 0.08 KLD 6)Date of Commencement - 18.03.2016 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	i) Unit has submitted Noise Monitoring Report and the same is meeting the permissible limit as per G.S.R.371 (E) dated 17.05.2002 and amended till date. ii) Unit has submitted Stack Monitoring report of ECS.	19-05-2017 .	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate be granted.

								Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil				
21	RANG DE BASANTI URBAN DHABA (A UNIT OF ZING RESTAURANTS PVT. LTD.)	1-A, FIRST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI-110016	24-04-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Seating capacity - 48 seats Status of Pollution Control System (1)ETP - Oil and Grease Trap(Dimension not Provided) (2)ECS - N/A (3)D.G.Set: .N/A Status of Ground Water extraction :N/A Water consumption:2.5 KL per day. Trade effluent_1.5 KLD Status of Inspection :yes 23.03.2017 SCN u/s 31(A)/33(A)/details : YES on 10.04.2017 as the unit was operating without Consent under Air and Water ACT Month of year of commencement of Production: Existing 19.01.2016		23-05-2017 An inspection of the unit was carried out on 24.03.2017 and SCN u/s 31 (A) And 33 (A) was issued to the unit on 10.04.2017 as the unit was found operating without consent. Unit applied for CTE on 23.04.2017 for the activity of Restaurant with seating capacity of 48 persons seats. It is recommended that CTE may be granted with the condition that it will apply for CTO within 30 days. Remarks/ATR on 21-09-2017 Details of Oil & Grease Trap provided.Recommended for grant of Consent to Establish. Remarks/ATR on 13-09-2017 Inspection yet to be conducted Remarks/ATR on 21-07-2017 Inspection of the unit was carried out on 24.03.2017 wherein it was found that the unit was operating without Consent to Establish & Consent to Operate but no Oil and Grease Trap Cum settling Tank observed during inspection. SCN u/s 31(A)/33(A) was issued to the unit on 10.04.2017 w.r.t. the deficiencies observed. The unit applied for Consent to Establish on 23.04.2017 & for Consent to Operate on 14.07.2017 for the activity of Restaurant with a seating capacity of 48 seats. No Details of Size of Oil and Grease Trap Cum settling Tank has been given. It is recommended that CTE may be granted after the unit provide the Size/ Dimensions of Oil and Grease Trap Cum settling Tank and an inspection of the unit may be carried out before deciding CTO.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
22	DWARKA (A UNIT OF CHANDHOK SYNDICATE)	3-F, KAMLA NAGAR	26-04-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Hardcopy not submitted.		11-08-2017 Ask the unit to submit hardcopy of consent application along with requisite documents.	
23	BONNE BOUCHE (A UNIT OF KINGPIN ENTERPRISES)	SHOP NO. 16, FIRST AND SECOND FLOOR, DEFENCE COLONY MARKET	27-04-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil and Grease Trap cum settling tank installed (photographs and size not submitted) (a) Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set - 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 2500 Liters/Day (Source - DJB)	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	22-05-2017 As decided on file, inspection to be carried out to verify the rectification measures taken by the unit before taking further necessary action.	22-09-2017 Expedite inspection.

									Status of Inspection : Inspection was carried out by Representatives of DPCC on 28.12.2016 and following are the brief of observations made during inspection. -Unit found operational and engaged in the activity of restaurant cum bar with 48 seats cover. -Unit has not installed oil and grease trap cum settling tank. -Channelization system provided in the kitchen with adequate stack height. -One DG set having capacity of 62.5KVA with acoustic enclosure with inadequate stack height. -Not applied for Consent to Establish and Consent to Operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 01.03.2017 along with copy of MCD licence, application for Consent to Establish with its required documents and informed that they have order for installation of Oil & Grease Trap cum Settling tank, increased the stack height of D.G set and applied for Effluent Analysis Report of Oil & Grease Trap & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		
24	JYOTI APPARELS	D-42,OKHLA INDUSTRIAL AREA ,PHASE-1	27-04-2017		READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP/OGT---- N/A 2)ECS - N/A 3)D.G.Set: Nil 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.3 KLD (Source - Outside) Trade Effluent Discharge - N/A Domestic Effluent Discharge - 0.2 KLD 6)Date of Commencement - 01.02.1998 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	08-08-2017 Unit has submitted application for Consent to Establish under orange category for the activity of READYMADE GARMENTS WITHOUT WASHING with Electric Boiler.	22-09-2017 Consent to Establish granted.
25	GUDIYA ENTERPRISES.	C-69/1,PHASE-II,OKHLA INDUSTRIAL AREA	27-04-2017		FINISHING AND PACKING OF READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Nil 2)ECS - N/A 3)D.G.Set: 100 KVAwith acoustic enclosure & Stack Height 3m above roof level	08-08-2017 Unit has submitted application for Consent to Establish under orange category for the activity of FINISHING AND PACKING OF READYMADE GARMENTS WITHOUT WASHING with Electric Boiler.	22-09-2017 Consent to Establish granted.

					boiler (without Washing/Dyeing)				4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.3 KLD (Source - DJB) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 0.2 KLD 6)Date of Commencement - 01.08.1995 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
26	JAIN INDUSTRIES	PLOT NO 4/67, STREET NO. 4U, ANAND PARBAT INDUSTRIAL AREA	27-04-2017		MANUFACTURING OIL SEALS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		09-08-2017	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
27	THE GRAND KITCHEN	2/6, EAST PATEL NAGAR, OPP. PILLAR NO-167	28-04-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water Consumption: 1000 litre/day Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :Nil -An inspection was carried out by representatives of DPCC on 07.02.2017. During inspection following observations were made: 1.During inspection, unit found operational and engaged in the activity of hotel having 38 room with kitchen & without lawndry. 2. No D.G Set found installed within premises. 3. Proper hood & suction system provided for kitchen channelization with adequate stack height. 4. Water supply from Delhi Jal Board, no borewell observed during inspection. 5. Oil & grease trap found installed & same was in defunct condition, no proper treatment carried out. 6. Not applied for consent to establish & consent to operate in DPCC.	1) Effluent analysis report: (a) Effluent analysis report dated 24-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-07-2017 -Consent to Operate may be granted.	22-09-2017 Consent to Operate granted.

									7. No any documents like MCD License, Delhi Police License, Electricity bills, water bills shown during inspection. -SCN u/s 31(A) of the Air Act & u/s 33(A) of the Water Act was issued to the unit 01.03.2017. -Modified Directions u/s 31(A)/33 (A) was issued in the name of M/s Hotel Regent Grand,2/6, East Patel Nagar 13.04.2017		
28	GUJARAT BHAWAN	GUJARAT BHAWAN AT 25-B, AKBAR ROAD, NEW DELHI	01-05-2017		It is a Guest house for Government of Gujarat officers/ Officials having builtup area less than 20,000 Sqm. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Establish	Non-SPI		water consumption: 151000 Liters/Day Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil		12-09-2017 -Unit has submitted hard copy of CTE application. 22-09-2017 Consent to Establish granted.
29	PAINTWELL INDUSTRIES	9, DSIDC SHEDS, SCHEME-I, OKHLA INDUSTRIAL AREA, PHASE-II	01-05-2017		POWDER COATING WITHOUT PHOSPHATING. Powder Coating without phosphating	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 13-07-2005 Authorisation Status Pending HWM Application No. 2 Application Date 10-09-2009 Authorisation Status Pending HWM Application No. 3 Application Date 10-09-2009 Authorisation Status Pending HWM Application No. 4 Application Date 16-07-2010 Authorisation Status Approved Authorisation Issue Date 30-09-2010 Authorisation Expiry Date 15-07-2015	Status of Pollution Control System 1) ETP---- Nil 2) ECS - (Proposed) 3)D.G.Set: (Proposed) 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.3 KLD (Source - Outside) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 0.3 KLD 6)Date of Commencement - 01.12.2012 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	19-05-2017 . Remarks/ATR on 19-05-2017 Unit has obtained Consent to Operate (Renewal) for the activity of Powder Coating Including Phosphating now they have submitted application for Consent to Establish for the activity of Powder Coating without Phosphating.	22-09-2017 Consent to Establish granted.
30	SUPER RUBBER PRODUCTS	PLOT NO 8, GALI NO 3 ,ANAND PARBAT INDUSTRIAL AREA	03-05-2017		Mfg. of Rubber Parts Rubber moulded goods excluding production of tyres	Green Renewal	Non-SPI		Water Consumption: 20 litre/day Source of Water: Public Hydent Status of Ground Water Extraction: N/A		09-08-2017 . 22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in

					and tubes (without reclamation and devulcanisation of rubber)				Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33(A)/5 of EPA details : no			order, consent to operate(renewal) be granted.
31	MAHA GAURI STEEL	A-14, GROUP WAZIRPUR INDUSTRIAL AREA	06-05-2017		MFG. OF STAINLESS STEEL KITCHEN UTENSILS (WITH BUFFING). Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: (Dust collector and cyclone) Stack attached to exhaust of buffing section ETP: N/A D.G.Set: Nil Source of water: 0.06 KLD from other DJB	Air (Emissions) : Test reports within norms (issued by DPCC on 01.05.2017) Water (Effluents) : N/A Noise : N/A	01-09-2017 Earlier, the Consent to Operate was issued to the unit under orange category for Mfg. of stainless steels kitchen utensils(with buffing) which expired on 30/01/2014. In application form, details of cyclone type ECS is not given but emission monitoring report is submitted and uploaded. CTO expired on 30.01.2014 under Orange category. Fee Balance: Rs.2800 Recommendation: Letter may be issued to submit the balance fee.	22-09-2017 Ask the unit to deposit balance consent fee. If unit submits the same and found in order, Consent to Operate(Renewal) be granted.
32	EAST INN GUEST HOUSE	E-364, NIRMAN VIHAR, OPP. V3S MALL, VIKAS MARG, NEAR METRO PILLAR NO. 64	06-05-2017		GUEST HOUSE Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Green Establish	Non-SPI		1. ETP- No 2. ECS- No 3. D.G. Set- 32 KVA 4. Water Consumption - 200 L/day 5. Domestic Water Source - 400 L/ day. - Police License Delhi which is valid up to 31.03.2017 - Municipal Corporation of Delhi provided which is valid upto 31.03.2017.	N/A	12-07-2017 Recommended for inspection.	22-09-2017 Inspection be conducted.
33	DINESH INDUSTRIES	B-55, (1ST FLOOR) WAZIRPUR INDUSTRIAL AREA	09-05-2017		Manufacturing of Stainless steel Utensils (with Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.05 KLD from DJB However, Test report of cyclone (stack attached to the exhaust of buffing section) issued by DPCC lab dated 01.05.2017 is attached along with the hard copy of consent application.	Air (Emissions) : Test reports within norms (issued by DPCC on 01.05.2017)	11-08-2017 Remarks/ATR on 01-09-2017	22-09-2017 Consent to Operate(Renewal) granted.
34	DHEERAJ INDUSTRIES	D-3,SECTOR-3,DSIIDC,BAWANA INDUSTRIAL AREA	15-05-2017		SORTING OF WHEAT,RICE AND PULSES. Food and Fruit Processing Industry - Confectioneries	Orange Establish	Non-SPI		Hardcopy not submitted.		11-08-2017	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
35	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO 230, FIE, PATPARGANJ INDUSTRIAL AREA	16-05-2017		GRINDING WORK. Supari (Betelnut) and Pan Masala Grinding	Green Operate	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: 250 KVA 4. Water Consumption : 100 L/day 5. Domestic Trade Effluent : 50 L/day - As per the Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Inspection of the Unit was Conducted on 19.10.2016 and it was found that the unit has not applied for Consent to Operate. And whereas, Letter for	- Noise Monitoring Report submitted by DPCC on 21.03.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report submitted by DPCC on 06.04.2017 and all the parameters are within the prescribed limit.	18-07-2017 Recommended for inspection.	22-09-2017 Inspection be conducted.

									Submission of Application for Consent to Operate was issued to the Unit on 03.02.2017. And whereas, the reply of letter received on 21.02.2017 and requesting to grant 20 days time so that unit may obtain necessary Monitoring reports from DPCC lab and apply for Consent to Operate.			
36	TRIMURTI FRAGRANCES PVT. LTD.	PLOT NO 227, FIE, PATPARGANJ INDUSTRIAL AREA	16-05-2017		GRINDING WORK. Supari (Betelnut) and Pan Masala Grinding	Green Operate	Non-SPI		1. ETP - No 2. ECS - No 3. D.G.Set: 320 KVA 4. Water Consumption : 100 L/day 5. Domestic Trade Effluent : 50 L/day - As per the Decision taken by the consent committee headed by MS, DPCC in category II(b) cases Inspection of the Unit was Conducted on 19.10.2016 and it was found that the unit has not applied for Consent to Operate. And whereas, Letter for Submission of Application for Consent to Operate was issued to the Unit on 03.02.2017. And whereas, the reply of letter received on 21.02.2017 and requesting to grant 20 days time so that unit may obtain necessary Monitoring reports from DPCC lab and apply for Consent to Operate.	- Noise Monitoring Report was submitted by DPCC on 21.03.2017 and all the parameters are within the prescribed limit. - Emission Monitoring Report was submitted by DPCC on 06.04.2017 and all the parameters are within the prescribed limit.	18-07-2017 Recommended for inspection.	22-09-2017 Inspection be conducted.
37	SONU RUBBER	4-55, GALI NO. 4, ANAND PARBAT INDUSTRIAL AREA	18-05-2017		Rubber Moulded Products Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		09-08-2017 .	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
38	MONICA GARMENTS	T-15, OKHLA INDUSTRIAL AREA PHASE-II	18-05-2017		READY MADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction : Nil Water Consumption: 250 Liters/Day (Source - DIB) Date of Commencement: 01.05.1999 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil		08-08-2017 Unit has submitted application for Consent to Establish under green category for the activity of ReadyMade Garments without Washing with Electric Boiler.	22-09-2017 Consent to Establish granted.

									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
39	RELIANCE INDUSTRIES LIMITED	RELIANCE INDUSTRIES LIMITED (DELHI AFS), THIMAYYA MARG, TERMINAL 1, IGI AIRPORT, NEW DELHI - 110037	19-05-2017		The unit shall receive Aviation Turbine Fuel(ATF) through trucks and store the same in tank. ATF shall then be dispatched through re-fuellers to the airport for fuelling the aircrafts. No manufacturing is involved at this unit Petroleum Products/ Crude Oil Storage and Transfer Excluding Cross-Country Pipeline	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :	The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	07-06-2017 Unit has apply for CTO on 19.05.2017 but has not submitted hard copy of consent application and also has not applied for authorization for HWM Rules. In the undertaking submitted with application unit has intimated trade effluent discharge as nill however with the project report submitted the unit has informed that water with oil content less than 10 ppm is allowed in DIAL drain. It is recommended that the unit may be asked to submit hard copy of application, application for HWM rules and also informed the quantum of trade effluent discharge. Remarks/ATR on 21-09-2017 Unit has applied for CTO on 19.05.2017 and has submitted hard copy of consent application and also has applied for authorization for HWM Rules. Inspection of the unit was carried out on 01.09.2017. Following were the observations: 1. The unit was found non-operational at the time of inspection. 2. It was conveyed that the operation of the unit is likely to be commenced soon. 3. Oil & Grease Trap found constructed. It is recommended that Consent to Operate may be granted to the unit. Application of Hazardous Waste management may be kept in abeyance due to letter of CPCB. Remarks/ATR on 13-09-2017 Unit has applied for CTO on 19.05.2017 and has submitted hard copy of consent application and also has applied for authorization for HWM Rules. Inspection of the unit was carried out on 01.09.2017. Following were the observations: 1. The unit was found non-operational at the time of inspection. 2. It was conveyed that the operation of the unit is likely to be commenced soon. 3. Oil & Grease Trap found constructed. It is recommended that Consent to Operate may be granted to the unit. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Unit has submitted hard copy of Consent to Operate application with requisite documents. Inspection is yet to be conducted.	22-09-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
40	TARUN WIRE AND WIRE PRODUCTS	SHED NO. 19, DSIIDC COMPLEX, WAZIRPUR IND. AREA, DELHI	22-05-2017		M.S. Wire Drawing (Without Pickling/Galvanizing) and Manufacturing of steel wire products including bright bars and shaped wires and wire baskets Manufacturing of Ferrous and Non-Ferrous Metal Products (without using any Heating Equipment) with Buffing Wire Drawing (without Pickling/ Galvanizing)	Green Establish	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.04 KLD from other source	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	01-09-2017 If approve consent may be grant.	22-09-2017 Consent to Establish granted. Earlier consent to establish dated 07.06.2016 be made infrutuous since unit has again applied for consent to establish afresh.
41	CAFE COFFEE DAY	1-2-3 AND 3A GROUND FLOOR, MOOL CHAND METRO STATION, LAJPAT NAGAR-IV	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: 45KVA Date of Commencement : 27.08.2013	.	09-08-2017 .	22-09-2017 Consent to Establish granted.

					Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Ground Water extraction : N/A Status of Inspection : Nill SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details : N/A			
42	ZORBA ENTERTAINMENT PRIVATE LIMITED	KHASRA NO. - 166, 167, 168 & 169, VILLAGE SULTANPUR	23-05-2017		Farm House (Party lawn) Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)STP - Bio-logical 15 kLd (ADEQUACY Report not provided) (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (b) Stack analysis report dated - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 50 KVA and 125 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 50 KVA and 125 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : nill Water Consumption- 8 KL per day Trade Effluent -5 KL per day Domestic Effluent-2.4 KL per day Status of Inspection :yes on 09.02.2017 by NGT Sub committee Team.	D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 50 KVA and 125 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 50 KVA and 125 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-08-2017 Unit applied for Consent to Establish on 23.05.2017 for the activity of Farm House (Party lawn). Month and Year of Commencement of production is 26.06.2012. Unit submit Noise monitoring Report and its under permissible limits but not submit Effluent Analysis Report .It may be Recommended CTE Should not be granted because STP is of inadequate capacity. A letter may issued to unit to increase the capacity of STP to meet the requirements.	22-09-2017 A letter be issued to unit to increase the capacity of STP to meet the requirements.
43	SITARAM PLASTIC	NJ-232,SECTOR-3,BAWANA INDUSTRIAL AREA,DELHI-39	24-05-2017		MANUFACTURING OF PLASTIC DANA WITH REPROCESSING OF PLASTIC WASTE WITH WASHING Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Hard copy not submitted.		07-06-2017 . Remarks/ATR on 09-08-2017 Inspection status- Yes(28.07.2017) and its findings are as follows: 1. Unit found operational and engaged in the activity of Mfg. of Plastic dana with reprocessing of Plastic waste with washing. 2. ETP found installed and functional. 3. Channelization provide over extruder and mixture. Unit has submitted Form-II for registration under plastic rules, 2016. Remarks/ATR on 08-06-2017 Status of Pollution Control system Devices- 1. ETP- Yes 2. ECS- Yes(Stack attached to exhaust hood over extruder & mixture) 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement-24.02.2017 Status of Ground Water Extraction-No 1.Water consumption- 4000 L/day Source- Outside(Bill not submitted) Inspection status- No Unit has submitted Form-II for registration under plastic rules, 2016. Effluent Analysis Report issued by DPCC Lab on 01.05.2017. Parameters are within prescribed limits.	22-09-2017 Consent to Operate granted with the condition that unit shall comply with Plastic Rules and submit certificate of registration from Industries Department.

										Emission Monitoring Report issued by DPCC Lab on 11.04.2017. Parameters are within prescribed limits.		
									Noise Monitoring report-N/A			
44	SAI PRINTO PACK PVT. LTD.	A-102/4 OKHLA INDUSTRIAL AREA, PHASE-II	25-05-2017		OFFSET PRINTING WITH WASHING. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 02-05-2005 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 25-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water consumption: 900 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 15-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Inspection be conducted.	22-09-2017
45	MONICA GARMENTS	T-15, OKHLA INDUSTRIAL AREA PHASE-II	25-05-2017		READY MADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 125 KVA Noise monitoring report dated 28.03.2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 250 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		08-08-2017 Unit has submitted application for Consent to Operate under green category for the activity of ReadyMade Garments without Washing with Electric Boiler.	22-09-2017 Consent to Establish and Consent to Operate granted.
46	PETAL CHILDREN WEAR	D-19/2, PHASE- II, OKHLA INDUSTRIAL AREA	25-05-2017		READYMADE GARMENTS WITHOUT WASHING AND WITH ELECTRIC BOILER. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: 45 KVA Date of commencement: 01.04.1997 Status of Ground Water		08-08-2017 Unit has submitted application for Consent to Establish under green category for the activity of ReadyMade Garments without Washing with Electric Boiler.	22-09-2017 Consent to Establish granted.

									extraction : Nil Water Consumption: 200 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 5 of EPA details : Nil Closure directions u/s 5 of EPA details : Nil			
47	PETAL CHILDREN WEAR	D-19/2, PHASE- II, OKHLA INDUSTRIAL AREA	29-05-2017		READYMADE GARMENTS WITHOUT WASHING AND WITH ELECTRIC BOILER. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Operate	Non-SPI		status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: 45 KVA Noise monitoring report dated 28.03.2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : NIL Consumption of water: 300 ltr/day Domestic Source of Water : DJB (Bill enclosed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33 (A)/5 of EPA details : NIL	Noise monitoring report dated 28.03.2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	08-08-2017 Unit has submitted application for Consent to Operate under green category for the activity of ReadyMade Garments without Washing with Electric Boiler.	22-09-2017 Consent to Establish and Consent to Operate granted.
48	NEW GREEN GARDEN (A UNIT OF VIJAY FOOD CATERS)	369, 370/2, NH-8, VILLAGE- RANGPURI, NEAR SHIV NURTI	30-05-2017		LAWN FOR MARRIAGE PARTY. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		06-06-2017 -Consent to Establish may be granted. Remarks/ATR on 10-08-2017 -An inspection of the unit was carried out by DPCC Officials 21.01.2017. During inspection various discrepancies were observed. -A SCN u/s 31 (A) and 33 (A) was issued to the unit on 06.02.2017. -Unit has not submitted any reply w.r.t Show Cause Notice. -Closure Direction u/s 31 (A) and 33 (A) was issued to the unit on 30.03.2017. -An inspection of the unit was carried out by DPCC Officials o 25.07.2017. During inspection of these units following observations were made: i.During inspection unit found non-operational. ii.After closure direction issued on 30.03.2017 no function/booking was taken by the unit. iii.Unit has applied Consent to Establish (CTE) in the name of M/s New Green Garden (A unit of Vijay food caters) on 29.05.2017. iv.Effective closure/compliance w.r.t closure direction issued to the unit not observed, no action taken by the concerned authorities. v.No Rain water harvesting system was exists within the premises	22-09-2017 Consent to Establish granted.
49	ORCHID GRAND HOSPITALITY PVT. LTD.	A-BLOCK, KARKARDOOMA METRO COMPLEX, DELHI	01-06-2017		RESTAURANT AND BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes,2no.s of capacity 125 KVA each. 4. Water Consumption - 14810 liters/day and source is Metro Complex. 5. Quantity of Domestic Effluent Generated - 5400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent	Noise Monitoring Report was submitted by the DPCC on 01.06.2017 and all the parameters are within the prescribed Limit as per the report.	06-06-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Inspection of the unit was conducted on 11.09.2017 and following were the observations: 1. During the inspection no party was going on. The banquet hall was found operative. 2. By pass arrangement provided in the collection cum equalization tank found plugged and not shield or removed.	22-09-2017 Ask the unit to rectify the deficiencies observed during the inspection on 11.09.2017. Reinspection be conducted after rectification of deficiencies.

					Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Generated - 14200 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2017 8. Police Licence of Delhi - provided which is valid upto 31.03.2014.		3. ETP was found in operative condition and treatment was going on. Flocs in the flocculator/ mixing settling tank were seen. 4. Kitchen emission found channelized and dispersed through suction and common duct arrangement. Hoods were provided over gas burner and tandoor. 5. Log book of ETP operation found maintain and however name and address of teh unitw as not displayed. 6. Two bins system for solid waste collection were found installed near kitchen area.	
50	JYOTI APPARELS	D-42,OKHLA INDUSTRIAL AREA ,PHASE-1	01-06-2017		READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set : 125KVA The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 028-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water consumption: 300 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 028-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	08-08-2017 Unit has submitted application for Consent to Operate under green category for the activity of READYMADE GARMENTS WITHOUT WASHING with Electric Boiler.	22-09-2017 Consent to Establish and Consent to Operate granted.
51	GUDIYA ENTERPRISES.	C-69/1,PHASE-II,OKHLA INDUSTRIAL AREA	01-06-2017		FINISHING AND PACKING OF READYMADE GARMENTS WITHOUT WASHING. Readymade Garment with Electric/ Gas fired boiler (without Washing/Dyeing)	Green Operate	Non-SPI		Status of Pollution Control System 1)ETP - Nil 2)ECS - N/A 3)D.G.Set: 100 KVAwith acoustic enclosure & Stack Height 3m above roof level Noise monitoring Report of D.G. Set of 100 KVA issued by DPCC Laboratory on 28.03.2017. Number of parameters tested within limit - Yes. 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.3 KLD (Source - DJB) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 0.2 KLD 6)Date of Commencement - 01.08.1995 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil	Noise monitoring Report of D.G. Set of 100 KVA issued by DPCC Laboratory on 28.03.2017. Number of parameters tested within limit - Yes.	08-08-2017 Unit has submitted application for Consent to Operate under green category for the activity of FINISHING AND PACKING OF READYMADE GARMENTS WITHOUT WASHING with Electric Boiler.	22-09-2017 Consent to Operate granted.

									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
52	SANJHA CHULLA (NAND KISHORE)	A-31, KAILASH COLONY MARKET	03-06-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (b) Effluent analysis report dated 27-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : Nil Water Consumption : 4500 Liters/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	Effluent analysis report dated 27-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes . Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit / beyond prescribed limit.	22-09-2017	22-09-2017 Consent to Operate(Renewal) granted.
53	BHAGWATI AUTO ENTERPRISES	50/12B, GALI NO. 1, ANAND PARBAT INDUSTRIAL AREA	06-06-2017		Rubber Mixing Works Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to Operate (renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
54	TAMASHA (UNIT OF CURZONS HOSPITALITY LLP)	28A, ANAND HOUSE GF/FF, KG MARG	06-06-2017		RESTAURANT CUM BAR WITH 98 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water consumption: 5500 litres/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 140 KVA Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 04-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set of 140 KVA. Noise monitoring report dated 21-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	30-08-2017 -Unit has submitted hard copy of CTE application.	22-09-2017 Consent to Establish granted.
55	SAPPHIRE FOODS PVT. LTD. (KFC)	GROUND FLOOR AND FIRST FLOOR OF PLOT NO. 230, SERVICE CENTRE, SECTOR 9, DWARKA	07-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such	Orange Establish	Non-SPI		Status of pollution control system. (1)ETP (yes)	N/A	13-09-2017 Inspection of the unit was carried out on 07.06.2017. Following were the observations: 1.Unit found operating with activity of Restaurant cum bar with 84 seats.	22-09-2017 Reply along with hard copy of consent application, details of ETP, ECS and undertaking submitted.

					establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: No (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limi. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction :Nil Water Consumption:4 KL/day (Source: Delhi Jal Board) Trade Effluent Discharge:1.5 KL/day Status of Inspection :07.09.2016 SCN u/s 31(A)/33(A) details :23.09.2016 Closure directions u/s 31(A)/33 (A) details :06.02.2017		2.Unit has installed ETP but same found non-operational. 3.Channelization provided but same found with inadequate stack height. 4.Source of water is outside tanker but bill not provided. Unit was operating without Consent from DPCC. Based on the deficiencies observed, SCN u/s 31(A)/33(A) issued to the unit on 23.09.2016. Unit submitted its representation on 13.10.2016 but failed to apply for Consent to Establish and Consent to Operate. In view of the above Closure directions u/s 31(A)/33(A) were issued to the unit on 06.02.2017. Unit has applied for Consent to Operate on 07.06.2017 but Hard copy of the application has not been submitted. Environmental Compensation Security & Undertaking also has not been submitted by the unit. It is recommended that CTE may be granted if the unit submits (i) Hard Copy of Consent application along with the documents. (ii) Details of ETP (iii) Request for Revocation & Environmental Compensation Security/Undertaking. Remarks/ATR on 22-09-2017 Inspection of the unit was carried out on 07.06.2017. Following were the observations: 1.Unit found operating with activity of Restaurant cum bar with 84 seats. 2.Unit has installed ETP but same found non-operational. 3.Channelization provided but same found with inadequate stack height. 4.Source of water is outside tanker but bill not provided. Unit was operating without Consent from DPCC. Based on the deficiencies observed, SCN u/s 31(A)/33(A) issued to the unit on 23.09.2016. Unit submitted its representation on 13.10.2016 but failed to apply for Consent to Establish and Consent to Operate. In view of the above Closure directions u/s 31(A)/33(A) were issued to the unit on 06.02.2017. Unit has applied for Consent to Establish on 07.06.2017. along with hard copy of documents and request for revocation and security bond of Rs. 1,00,000. Environmental Compensation Security /Undertaking not submitted as per office order dated 02.08.2017.	Consent to Establish and Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.
56	SHIVA INDUSTRIES (PROP. RAJINDER KUMAR)	1/488-504/A-10, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	09-06-2017		FABRICATION OF FERROUS AND NON FERROUS METAL (ENGINEERING WORKS) WITH POWDER COATING WITHOUT PHOSPHATING Light Engineering work Powder Coating without phosphating	Green Establish	Non-SPI		1. ETP -No 2. ECS - No 3. D.G.Set: Nil 4. Water Consumption : 150 L/day 5. Domestic Trade Effluent :100 L/day - Show cause notice for refusal of consent was issued to the unit on 25.02.2017.	N/A	12-07-2017 Ask the unit to submit certificate, in original, from Industries Department, Govt. of Delhi regarding location of the unit is within the boundary of the notified Redevelopment Area.	22-09-2017 Implement the decision dated 09.08.2017
57	SHOW STOPPER (A UNIT OF KSV HOSPITALITY INC)	GROUND FLOOR, FIRST FLOOR, J-2/6 B.K. DUTT MARKET RAJOURI GARDEN	13-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Water consumption: 6000 litre/day Status of Ground Water extraction : nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 82.5 KVA Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no	1) Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2) Noise monitoring report: The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 07-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 --consent to operate may be granted. Remarks/ATR on 13-09-2017 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	22-09-2017 Consent to Establish and Consent to Operate granted.

									Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		Status of Test Report Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 07-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Unit had also applied for CTO with all requisite document alongwith hard copy. Consent to Establish & Consent to operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 14-08-2017 Unit has submitted hard copy with all requisite decrements. Consent to Establish & consent to operate may be granted.	
58	CAFE COFFEE DAY	E-12, DDA MARKET, MASJID MOTH, GREATER KAILASH-2	14-06-2017		COFFEE SHOP. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)OGT - Yes (2)ECS - N/A (3)D.G.Set: 1 Nos (45 KVA) Status of Ground Water extraction :Nil Water consumption - 1100 ltr/day (Source -DJB) (Bill enclosed) Date of commissioning of the unit : 12.05.2011 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		09-08-2017 Unit has not submitted Police License. Remarks/ATR on 22-09-2017 Hard copy yet to be received.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
59	MAFIOSO (A UNIT OF RKC ENTERTAINMENT & HOSPITALITY)	28, SECOND FLOOR, HAUZ KHAS VILLAGE	15-06-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and grease Trap (a) Effluent analysis report dated-N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A Status of Ground Water extraction :Nil Water counsumption- 2 KL per day (DJB) Domestic Effluent- 0.1 KI Per day (Sewer) Trade Effluent- 1.5 KI Per day Status of Inspection : 29.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :10.04.2017 Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A Year of Comminsement: 25.08.2015		09-08-2017 :An inspection is carried out on 29.03.2017 and following were observed: 1.Unit found in Operation & engaged in the activity of Eating House with seating capacity of 48 seats. 2.As informed, unit is connected to the Common ETP(Capacity 10 KL) installed in the Building No. 26 however same found non operational. 3 Channelization system installed in the kitchen with adequate stack height. 4.Separate bins provided for dry and wet waste . 5.As informed, unit has connection to Common DG Set of 62.5 KVA with acoustic enclosure however without stack. And SCN U/s 31(A) &u/s 33(A) were issued on 10.04.2017.There after unit has applied for consent to Establish on 15.06.2017 for the activity of Restaurant. As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension).	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
60	ITC HOTEL MAURYA SHERATON & TOWERS	DIPLOMATIC ENCLAVE	16-06-2017		Five Star Deluxe Hotel Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB	Red Renewal	Non-SPI	HWM Application No. 1 Application Date 06-09-2004 Authorisation Status Approved	Status of Pollution Control System (1)STP ---- STP - Bio-logical (a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	(a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) Stack monitoring report dated 31-05-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	13-09-2017 	22-09-2017 Renewal of consent to operate granted.

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

					Trade Effluent Discharge			Application Date 15-07-2017 Authorisation Status Pending	4. Water Consumption - 100 liters/day 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6. Municipal Corporation of Delhi - provided 7. Police Licence of Delhi - Not provide		Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 As per the committee decision,the unit had applied for authorization under HW rules on 20.07.2017.Inspection yet to be conducted.	
64	PARKASH RUMAL FACTORY	A-55 GROUP WAZIRPUR INDUSTRIAL AREA	22-06-2017		Manufacturing of Hooks, S.S Utensils with Buffing, Circle Cutting etc. Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: Cyclone (stack attached to exhaust hood of buffing section) ETP: N/A D.G.Set: Nil Source of water supply: 0.05 KLD from other source of water	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 30.05.2017) Water (Effluents) : N/A Noise :N/A	06-09-2017 Documents are not uploaded correctly. However, hard copy is submitted. CTO expired on 13.10.2014 under Orange category. Fee Balance: Rs. 2400	22-09-2017 Ask the unit to deposit balance consent fee. If unit submits the same and found in order, consent to operate(renewal) be granted.
65	AKASH PRESS	PLOT NO. 19/3, BOLCK-B, PHASE-II, OKHLA INDUSTRIAL AREA	22-06-2017		OFFSET PRINTING PRESS Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 300 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		06-07-2017 Hard copy of Consent application form along with required documents is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection of the unit was carried out by representatives of DPCC on 13.09.2017 and following observation were made : - Unit found Operational and engaged in the activity of offset printing without trade effluent discharge. - Records of Hazardous Waste Maintained in form-3. - Unit is complying with the provision of Hazardous Waste Management Rules,2016. - Installation of DG (40 KVA & 25 KVA) under process in acoustically treated room at roof top. - Unit has Submitted fee for testing of DG set on dated 06.09.2017.	22-09-2017 Ask the unit to submit noise monitoring report of D.G. Set. If unit submits the same and report is found within limit. Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
66	PARAS PRINTERS	347, FIE, PATPARGANJ INDUSTRIAL ESTATE	22-06-2017		Printing, Book Binding, Embossing and photogram (Without Plate Washing) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-06-2017 Authorisation Status Pending	1. ETP -No 2. ECS - No 3. D.G Set - Yes,of capacity 20 KVA installed . 4. Water Consumption - 100 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 50 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil - Consent to Establish was issued to the unit on 03.03.2015. -The unit has applied for Consent to Operate and HWM application on 22.06.2017 .	-Noise Monitoring Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommendation for inspection. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 Inspection yet to be conducted.	22-09-2017 Expedite inspection.
67	FANCY PRINT ART	93 VILLAGE PEERAGARHI NEAR RAM LELA GROUND	22-06-2017		OFF SET PRINTING Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-06-2017 Authorisation Status Pending	water consumption:200 litre/day Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		06-07-2017 -Inspection may be conducted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Inspection yet to be conducted.	22-09-2017 Expedite inspection.
68	SAPPHIRE FOODS PVT. LTD. (KFC)	GROUND FLOOR AND FIRST FLOOR OF PLOT NO. 230,	23-06-2017		Restaurant Restaurants /Eating	Orange Operate	Non-SPI		Status of Pollution Control System	Effluent Analysis report dated 13.06.2017 issued by DPCC	13-09-2017 Inspection of the unit was carried out on 07.06.2017. Following were the observations:	22-09-2017 Reply along with hard copy of

		SERVICE CENTRE, SECTOR 9, DWARKA			houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				1)ETP (yes) (3)D.G.Set: No (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limi. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction :Nil Water Consumption:4 KL/day (Source: Delhi Jal Board) Trade Effluent Discharge:1.5 KL/day Status of Inspection :07.09.2016 SCN u/s 31(A)/33(A) details :23.09.2016 Closure directions u/s 31(A)/33 (A) details :06.02.2017	submitted. Results are within the prescribed standards.	1.Unit found operating with activity of Restaurant cum bar with 84 seats. 2.Unit has installed ETP but same found non-operational. 3.Channelization provided but same found with inadequate stack height. 4.Source of water is outside tanker but bill not provided. Unit was operating without Consent from DPCC. Based on the deficiencies observed, SCN u/s 31(A)/33(A) issued to the unit on 23.09.2016. Unit submitted its representation on 13.10.2016 but failed to apply for Consent to Establish and Consent to Operate. In view of the above Closure directions u/s 31(A)/33(A) were issued to the unit on 06.02.2017. Unit has applied for Consent to Operate on 23.06.2017 but Hard copy of the application has not been submitted. Environmental Compensation Security & Undertaking also has not been submitted by the unit. It is recommended that CTO may be granted if the unit submits (i) Hard Copy of Consent application along with the documents. (ii) Details of ETP (iii) Request for Revocation & Environmental Compensation Security/Undertaking. Remarks/ATR on 22-09-2017 Inspection of the unit was carried out on 07.06.2017. Following were the observations: 1.Unit found operating with activity of Restaurant cum bar with 84 seats. 2.Unit has installed ETP but same found non-operational. 3.Channelization provided but same found with inadequate stack height. 4.Source of water is outside tanker but bill not provided. Unit was operating without Consent from DPCC. Based on the deficiencies observed, SCN u/s 31(A)/33(A) issued to the unit on 23.09.2016. Unit submitted its representation on 13.10.2016 but failed to apply for Consent to Establish and Consent to Operate. In view of the above Closure directions u/s 31(A)/33(A) were issued to the unit on 06.02.2017. Unit has applied for Consent to Operate on 23.06.2017 but Hard copy of the application has not been submitted. It is recommended that CTO may be granted if the unit submits (i) Hard Copy of Consent application along with the documents. (ii) Details of ETP (iii) Environmental Compensation Security/Undertaking as per office order dated 02.08.2017	consent application, details of ETP, ECS and undertaking submitted. Consent to Establish and Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.
69	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS)	SHOP NO. G1, G2, AND G3, ALLIED CHAMBER, B-BLOCK, COMMUNITY CENTRE JANAKPURI	24-06-2017		Restaurant (Seating 48 Seats) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Water consumption:500 litre/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 45 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to establish may be granted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Brief of the cases Water consumption:500 litre/day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 45 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	22-09-2017 Consent to Establish granted.

											Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation	
70	TREND (A UNIT OF ORANGE KITCHEN LLP)	GROUND FLOOR CG-02 & CG-03, ANSAL PLAZA HUDCO PLACE KHEL GAON MARG	24-06-2017		RESTAURANT 98 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP- Yes (10000 liter) (2) Oil and grease trap- yes(2000) (a) Effluent analysis report dated - N/A (2)ECS - N/A (3)D.G.Set: ...N/A..... Status of Ground Water extraction :Nil Water Consumption: 4 KL/d Trade effluent discharge:3 KL/day Domestic: 0.5 kl per day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/a Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A		-consent to establish may be granted. 13-09-2017 Unit has applied for CTE on 24-06-2017 for the activity of restaurant of setting capacity of 98 seats. Unit has installed ETP and Oil and Grease trap. As per application Year and Month of Commencement is 21.06.2017 and ETP & OGT has been provided. Unit having a valid MCD license . It is recommended that CTE may be granted with condition that unit will apply for CTO within 30 days.	22-09-2017 Consent to Establish granted.
71	THE POST OFFICE CAFE (A UNIT OF SMILE HOSPITALITY)	J-2/5, GROUND FLOOR RAJOURI GARDEN,	25-06-2017		Restaurant 47 seats Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water consumption: DJB Water consumption:1500 litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	(1)Effluent analysis report: (a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report (1)Effluent analysis report: (a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation	06-07-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Source of water consumption: DJB Water consumption:1500 litre/day Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 62.5 KVA Status of Ground Water extraction :no Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report (1)Effluent analysis report: (a) Effluent analysis report dated 06-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation	22-09-2017 Consent to Operate granted.
72	JAYCON INFRASTRUCTURE LTD	SECURITY POLICE LINE BAPUDHAM CHANAKYAPURI	26-06-2017		Ready Mix Concrete Ready Mix Concrete Plants (without trade effluent discharge)	Green Establish	Non-SPI				-Consent to Operate may be granted. 11-07-2017 inspection may be approved. Remarks/ATR on 21-09-2017 Remarks/ATR on 20-09-2017 An inspection was carried out by DPcc, officials on 07.03.2017 and during inspection no discrepancies were observed. SCN issued u/s 31 (A) of the Air Act, 1981, was issued on 30.03.2017 Direction issued on 31 (A) on 26.05.2017 Unit has applied for CTE in the name of M/s Jaycon Infrastructure Ltd on 26.06.2017.	22-09-2017 Inspection be conducted. Also seek compliance report.

73	SWASTIK ENTERPRISES	B-23, LAWRENCE ROAD INDUSTRIAL AREA	26-06-2017		MFG. AND PRINTING OF PLASTIC BAGS. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-08-2011 Authorisation Status Pending HWM Application No. 2 Application Date 21-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil Status of Ground Water extraction : Nil Source of water supply : 400 KLD from outside source Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details : No	N/A	07-07-2017 Hard copy is not submitted by the unit. Only first page of undertaking is uploaded. The unit has not applied for Authorization under Hazardous Waste Management rule, however unit has applied for authorization under HWM on 08-08-2011. Recommendations: The unit may be asked to submit the hard copy and apply for authorization under HWM rule. Remarks/ATR on 20-09-2017 Unit has submitted hard copy of consent application. Activity mentioned in undertaking submitted is Printing without trade effluent discharge. Remarks/ATR on 31-08-2017 .	22-09-2017 Inspection be conducted.
74	HIMGIRI AUTOMOBILES PVT. LTD	A-19, NEW JHILMIL INDUSTRIAL AREA	28-06-2017		Service Station (Washing and Repairing of Bikes) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-03-2012 Authorisation Status Rejected Authorisation Refused Date 23-08-2012 HWM Application No. 2 Application Date 01-10-2012 Authorisation Status Revoked Authorisation Issue Date 20-03-2015 Authorisation Expiry Date 30-09-2017 Authorisation Revoked Date 19-05-2017 HWM Application No. 3 Application Date 29-06-2017 Authorisation Status Pending	1. ETP - Yes, having design capacity 1000 Liters/Day. 2. ECS - No. 3. D.G Set - 62.5 KVA. 4. Source of Water Supply - 8000 Liters/Day (Corporation and outsource supply). 5.Domestic effluent discharged -2400 Liters/Day which is disposed through Sewer. 6. Industrial effluent discharged -5000 Liters/Day which is disposed through Sewer.	N/A	06-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 30-08-2017 Inspection of the unit was conducted by the officials of DPCC on 21.08.2017 and following were observed : 1. During Inspection no washing activity of two wheelers was going on. The condition of the washing area reveals that the unit have not undertaken the washing activity after desealing of the premises. Bypass arrangement found removed. Unit has submitted its reply on 16.08.2017 giving the maintenance record of hazardous waste.	22-09-2017 Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017. Application for Authorization under HW Rules be kept in abeyance. Subsequently, inspection be conducted.
75	MIRCHI WOK	SHOP NO G-7, GROUND FLOOR, PLOT NO-1, MANISH LOCATION PLAZA, DWARKA,	28-06-2017		DHABA -TAKE AWAY Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual	Orange Operate	Non-SPI		Status of Pollution Control System (1)Oil and grease Trap (75 litres/day) (a) Effluent analysis report dated-N/A (2)ECS - N/A (3)D.G.Set Noise Report : N/A Status of Ground Water extraction :Nil Water counsumption- 100 litres per day (Source:Local area water supplier) Domestic Effluent- 5 litres Per day	.	09-08-2017 Unit has applied for consent to Operate on 28.06.2017 for the activity of Dhabha (Take Away) .As per application OGT has been provided but size/dimensions of OGT not provided . It is recommended that CTO may be granted after the unit submit details of OGT cum settling tank (if they are of appropriate size/ dimension).	22-09-2017 Consent to Operate be granted after the unit submit details of OGT cum settling tank (if they are of appropriate size/ dimension).

https://www.dpcc.delhigovt.nic.in/dpcc_remote/admin/cmc/cmcReportResultChecklistMeetingPrint.php

									Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		Closure directions u/s 31(A)/33(A)/5 of EPA details :no Status of Test Report 1. Effluent analysis report: (a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 02-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation -Consent to Operate may be granted.	
79	PICCADILY HOTEL	DISTRICT CENTRE JANAKPURI	01-07-2017		FIVE STAR HOTEL. Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap,ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Sets of 1500 KVA and 1500 KVA 1. During inspection unit found operational and engaged in the activity of 5 star hotel with restaurant, bar & banquet. 2. STP of 200 KLD was installed & same was in operational conditions, with zero discharge. Treated water reused in gardening, flushing, fountains & cooling tower. 3. 2 no. of D.G set having 1500 KVA capacity installed at ground level with acoustic enclosure & adequate stack height. 4. Three kitchen of banquet, restaurant & Hotel were observed with proper channelization & adequate stack height. 5. 4 nos. of rainwater harvesting pits were observed with working conditions. 6. Solid waste & other domestic wastes handed over to HRA E-Waste Pvt. Ltd for further processing. 7. Consent to Operate (Renewal) valid up to 01.05.2017.	(1) Effluent analysis report: (a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 02-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1500 KVA and 1500 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 Consent to operate (renewal) may be granted. Remarks/ATR on 19-09-2017 Brief of the cases Status of Pollution Control System (1)ETP ---- STP (200 KLD) (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Sets of 1500 KVA and 1500 KVA An inspection was carried out by DPCC officials on 19.09.2017 and following observations were made: 1. During inspection unit found operational and engaged in the activity of 5 star hotel with restaurant, bar & banquet. 2. 2 no. of D.G set having 1500 KVA capacity installed at ground level with acoustic enclosure & having 5m stack height from roof level. 3. Kitchen channelisation provided with hood and suction having 5m stack height from roof level. 4. STP of 200 KLD was installed & same was found in defunct condition. a. No flow meter at inlet and outlet found installed. b.No aeration was observed. c. Neither wet nor dry sludge was observed. d. Filter press found non-operational. e. Log book of STP not found maintained. 5. Two boilers found installed in working condition. Status of Test Report (1) Effluent analysis report: (a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 02-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1500 KVA and 1500 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks: A Show Cause Notice for Refusal of Consent and Closure may be issue. Recommendation / Action Taken Details (EE/AEE) on 14-09-2017 Status of Pollution Control System (1)ETP ---- Oil and Grease Trap,ETP - Bio-logical (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Sets of 1500 KVA and 1500 KVA 1. During inspection unit found operational and engaged in the activity of 5 star hotel with restaurant, bar & banquet. 2. STP of 200 KLD was installed & same was in operational conditions, with zero discharge. Treated water reused in gardening, flushing, fountains & cooling tower. 3. 2 no. of D.G set having 1500 KVA capacity installed at ground level with acoustic enclosure & adequate stack height. 4. Three kitchen of banquet, restaurant & Hotel were observed with proper channelization & adequate stack height. 5. 4 nos. of rainwater harvesting pits were observed with working	22-09-2017 The case pertains to II(a) category Committee. Take action as decided in CMC meeting dated 19.09.2019.

											conditions. 6. Solid waste & other domestic wastes handed over to HRA E-Waste Pvt. Ltd for further processing. 7. Consent to Operate (Renewal) valid up to 01.05.2017. Status of Test Report (1) Effluent analysis report: (a) Effluent analysis report dated 31-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (a) Stack monitoring report dated 02-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 1500 KVA and 1500 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	
80	CHITRAKUT BHOJNALAYA	SHOP NO.-30,AD MARKET,SHALIMAR BAGH	01-07-2017		EATING HOUSE 20 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Unit has not submitted its hard copy of the application and its enclosures.Earlier the unit was inspected on 17.05.2017 and as approved Show Cause Notice u/s 33(A) of water Act and 31(A) of Air Act was issued on 19.06.2017. The unit has submitted its reply on 30.06.2017 and informed that Consent to Establish with condonation fee, installing OGT and will apply soon. The unit has not uploaded any documents regarding commencement of production and Capital investment on the project.		06-07-2017 . Remarks/ATR on 20-09-2017 Unit has submitted its reply in response of modified directions and letter dated 18.08.2017 along with a copy of CA Certificate and MCD license and Police License. Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 A letter was issued on 18.08.2017 to the unit regarding submission of hard copy of consent application along with requisite documents including documentary proof regarding date of commissioning of the unit and capital investment etc. Also, Modified directions u/s 33 (A) of Water Act and 31(A) of Air Act was issued vide office letter dated 18.08.2017 w.r.t. show cause notice issued on 19.06.2017 seeking consent to operate application along with required documents within 30 days. Reply still awaited.	22-09-2017 Ask the unit to modify Oil & Grease Trap for the capacity of 4m3 and submit compliance reprot. If unit submit the same and found satisfactory, consent to operate granted.
81	ADISH RESTAURANT	AB-2 SAFDARJUNG ENCLAVE	03-07-2017		RESTAURANT (44 SEAT). Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 63 KVA -An inspection of the unit was conducted on 11.05.2015 and following were observation made. a. Unit found in operation and engaged in the activity of restaurant having seating capacity of 44. b. No ETP found installed for treatment of effluent from kitchen. c. Ducting/ Channelization provided in the kitchen however, height of ducting found inadequate. d. One D.G. Set found installed with capacity 65 KVA as informed, however, the same could not be inspected as key for upper roof not available. e. The nit is having MDC license valid upto 31.03.2016. The unit has applied for renewal of Police License as informed. f. The unit is having connection of Delhi Jal Board. No Borewell in the unit.	Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -consent to operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 19-09-2017 Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 1 D.G. Set(s) of 63 KVA -An inspection of the unit was conducted on 11.05.2015 and following were observation made. a. Unit found in operation and engaged in the activity of restaurant having seating capacity of 44. b. No ETP found installed for treatment of effluent from kitchen. c. Ducting/ Channelization provided in the kitchen however, height of ducting found inadequate. d. One D.G. Set found installed with capacity 65 KVA as informed, however, the same could not be inspected as key for upper roof not available. e. The nit is having MDC license valid upto 31.03.2016. The unit has applied for renewal of Police License as informed. f. The unit is having connection of Delhi Jal Board. No Borewell in the unit. (5) SCN u/s 31(A)/33(A)/5 of EPA details :06.07.2015 -unit submitted its reply on 15.07.2015 and requested to grant a time period of two months to submit consent application. Status of Test Report Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 27-04-2017 issued by DPCC submitted. Noise monitoring report within	22-09-2017 Consent to Operate granted.

25-Sep-17

									SCN u/s 31(A)//5 of EPA details : S.C.N issued on 17.05.2017 Unit has Submitted representation on 01.01.2017 with respect to S.C.N dated 17.05.2017 and informed that - Unit is engaged in the activity of Mfg. of Advertising Boards with fabrication, painting and printing. - As per your recommendation they have provided channelisation system containing hood and suction arrangement to channelise the emissions generated during painting process. - They have provided isolated storage room with pucca floor for storage of hazardous waste generated in leak proof containers having specified label and date as per hazardous waste management rules Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
84	VELFIX INDUSTRIES	C-153, NARAINA INDUSTRIAL AREA PHASE - I	04-07-2017		MFG. OF ADHESIVE. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 26-07-2004 Authorisation Status Approved Authorisation Issue Date 21-10-2004 Authorisation Expiry Date 20-10-2006 HWM Application No. 2 Application Date 08-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 11-06-2012 Authorisation Status Approved Authorisation Issue Date 26-09-2012 Authorisation Expiry Date 10-06-2017	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No		06-07-2017 -Consent to Operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 - An inspection of the unit was carried out by DPCC officials on 20-09-2017 and during inspection following observation were made: - Unit found operational and engaged in the activity of mfg. of adhesive. - Unit is non water as well as non air polluting therefore no ETP and ECS found installed. - Source of water is corporation only for domestic purpose, no ground water borewell was observed. - No DG set found installed within the premises. - HWM guidelines being followed. - Applied for CTO (R) on 04.07.2017 - CTO (R) may be granted.	22-09-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
85	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOOD WORKS)	SHOP NO. G1, G2, AND G3, ALLIED CHAMBER, B-BLOCK, COMMUNITY CENTRE JANAKPURI	04-07-2017		Restaurant (Seating 48 Seats) Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into	Orange Operate	Non-SPI		Status of Pollution Control System Water consumption: 500 litre/day Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 19-09-2017 Status of Pollution Control System Water consumption: 500 litre/day Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No	22-09-2017 Consent to Establish and Consent to Operate be granted.

					Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler						Closure directions u/s 31(A)/33(A)/5 of EPA details :No Status of Test Report Effluent analysis report: (a) Effluent analysis report dated 08-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 05-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation -Consent to Operate may be granted.	
86	KAVERI WASH	H-1351 DSIIDC INDUSTRIAL AREA NARELA	04-07-2017		Washing of Readymade garments (With oil fired boiler) Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-07-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- Yes 3. D.G. set- N/A Plot Area-350 sq mt Date of commencement- 25.04.2016 Status of Ground Water Extraction-No 1. Water consumption- 9800 L/day. a) Source of water- DSIIDC (copy of bill submitted) Applied under HWM rules. Closure Directions dated 09.09.2016 already reinforced on 22.06.2017. Unit has again applied for consent. Unit submitted reply on 03.07.2017 requested for revocation of reinforcement direction for closure notice. ETP installed applied for CTO and authorization.	Effluent analysis report issued by DPCC lab on 12.01.2017.Parameters are within prescribed limits Emission monitoring report issued by DPCC lab on 14.02.2017.Parameters are within prescribed limits Noise monitoring report - N/A	06-07-2017 . Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Inspection was conducted earlier on 05.05.2017 and findings are as follows- 1. Unit found in operation and engaged in the activity of washing of jeans. 2. ETP found installed and functional. 3. One diesel boiler found exists. 4. HWM rules are not complied with. 5. One borewell connection found exists. 6. One old boiler found dismantle at backside. On the basis of inspection, case was taken up by competent authority and decided to reinforce closure directions dated 09.09.2016. Reinforcement of closure directions dated 09.09.2016 issued on 22.06.2017. Compliance report from concerned authorities is yet to be received. Unit applied afresh CTO on 04.07.2017. As per decision dated 06.07.17, inspection of unit was conducted on 27.07.2017. During inspection unit was found sealed by SDM. Unit has requested for revocation of closure directions. Letter issued to unit to submit an amount of Rs. 5 Lakh in lieu of earlier submitted security bond and also to submit Environmental Compensation Security bond and undertaking in view of office order dated 02.08.2017. Unit has submitted Environmental Compensation Security bond of Rs. 2 Lacs and undertaking. However, not submitted the amount of Rs. 5 Lakh in view of earlier violations. File was submitted and decided not to revoked the closure directions as unit was non compliant.	22-09-2017 Take decision as decided in file. Also applications for consent to establish, consent to operate ana authorization under HW Rules be refused.
87	ROUTE O 4 RESTAURANT (A UNIT OF M/S TRINITY HOTELS AND RESORSTS PVT. LTD.	K-2, MIDDLE CIRCLE, CONNAUGHT PLACE	04-07-2017		RESTAURANT AND BAR Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP- No. Trade effluent 2.KLD generated and discharge into sewer/drain. (2)ECS - Cyclone (Proposed) (3)D.G.Set: 100KVA installed Status of Pollution Control System (4) Status of Ground Water extraction :nil -An inspection of the unit was carried out 14.10.2016 and during inspection various deficiencies were observed. -Unit submitted its reply on 29.12.2016 and informed that ETP is operational and they maintained the copy of ETP log book (copy enclosed), acoustic enclosure and adequate stack height has been provided to the D.G set -Again an inspection of the unit was carried out 21.04.2017 and during inspection following observations were made: 1.Unit found operational and engaged in the activity of restaurant cum bar with 180 seating capacity. 2.Channelization provided in the	Effluent analysis: (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 -Consent to operate (renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 19-09-2017 Brief of the cases Status of Pollution Control System (1)ETP- No. Trade effluent 2.KLD generated and discharge into sewer/drain. (2)ECS - Cyclone (Proposed) (3)D.G.Set: 100KVA installed Status of Pollution Control System (4) Status of Ground Water extraction :nil -An inspection of the unit was carried out 14.10.2016 and during inspection various deficiencies were observed. -Unit submitted its reply on 29.12.2016 and informed that ETP is operational and they maintained the copy of ETP log book (copy enclosed), acoustic enclosure and adequate stack height has been provided to the D.G set -Again an inspection of the unit was carried out 21.04.2017 and during inspection following observations were made: 1.Unit found operational and engaged in the activity of restaurant cum bar with 180 seating capacity. 2.Channelization provided in the kitchen with adequate stack height of chimney. 3.D.G Set found installed having capacity of 100 KVA with acoustic enclosure & adequate stack height of chimney. 4.Unit is having valid CTO, valid up to 10.06.2017. 5.Effluent Treatment Plant found installed & same found in operational condition. 6.ETP log book found maintained. Status of Test Report	22-09-2017 Consent to operate (renewal) be granted.

									kitchen with adequate stack height of chimney. 3.D.G Set found installed having capacity of 100 KVA with acoustic enclosure & adequate stack height of chimney. 4.Unit is having valid CTO, valid up to 10.06.2017. 5.Effluent Treatment Plant found installed & same found in operational condition. 6.ETP log book found maintained.		Effluent analysis: (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G. Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 06-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Remarks/Recommendation -Consent to operate (renewal) may be granted.	
88	EROS METRO MALL	PLOT NO.8, SECTOR-14, DWARKA CITY CENTRE	05-07-2017		Commercial Complex. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Renewal	Non-SPI		Status of Pollution Control System (1)STP - Yes (55 KLD) (a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 600 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 82.5 KVA and 600 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction :Nil Water consumption- 160 KL per day (Municipal Supply) Domestic Effluent- 43 KI Per day Trade Effluent- Nil Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	(a) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 82.5 KVA and 600 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes The unit has 2 D.G. Set(s) of 82.5 KVA and 600 KVA. Noise monitoring report dated 07-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-08-2017 Unit has applied for Renewal Of consent to Operate on 05.07.2017 for the activity of Commercial Complex. Unit submitted Effluent analysis Report and Noise Monitoring Report and same found under permissible limit.Its is recommended CTO (Renewal) is granted.	22-09-2017 Consent to Operate(Renewal) granted and Consent to Establish dated 02.05.2008 be made infructuous.
89	BRAHM ART COTTAGE	PLOT NO 342, FIE PATPARGANJ INDL. AREA	05-07-2017		OFFSET PRINTING PRESS W/O TRADE EFFLUENT. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 15-03-2012 Authorisation Status Approved Authorisation Issue Date 23-05-2012 Authorisation Expiry Date 14-03-2017	1. ETP- No 2. ECS- No 3. D.G. Set- Nil 4. Trade Effluent Discharge- Nil 5. Domestic Trade Effluent-80 L/day, disposed into public sewer. 6. Water Consumption- 100 L/day.	N/A	06-07-2017 Recommended for grant of Consent. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 The unit has submitted the hard copy of application and also applied under HW rules.Inspection to be conducted.	22-09-2017 Inspection be conducted.
90	SWARUP MOTORS PVT. LTD.	186-187, FIE, PATPARGANJ INDUSTRIAL AREA	05-07-2017		AUTOMOBILE SERVICE AND REPAIRS (TWO WHEELERS). Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006	1. ETP- No 2. ECS- No 3. D.G. Set- 63 KVA 4. Trade Effluent Discharge- 2700 L/day, disposed into public sewer. 5. Domestic Trade Effluent-450 L/day, disposed into public sewer. 6. Water Consumption- 2700 L/day.	- Noise Monitoring Report was submitted by DPCC on 26.05.2017 and all the parameters are within the prescribed limit as per the report. - Analysis Report of Water effluent was submitted by DPCC on 24.05.2017 and all the parameters are within the prescribed limit as per the report.	06-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 As per the committee decision,the unit had submitted the hard copy of Consent and authorization application on 17.07.2017.Inspection yet to be conducted.	22-09-2017 Expedite inspection.

								HWM Application No. 2 Application Date 07-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 13-04-2011 Authorisation Status Approved Authorisation Issue Date 10-09-2012 Authorisation Expiry Date 12-04-2016 HWM Application No. 4 Application Date 05-07-2017 Authorisation Status Pending				
91	GIRIRAJ STEEL & CO.	A-102/6, WAZIRPUR INDUSTRIAL AREA	05-07-2017		Circles Cutting and Mfg. of S.S Utensils with Buffing Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		ETP: N/A ECS: Proposed D.G.Set:nil Source of water:0.03 KLD from outside Date of commencement of production:14.08.2017 Earlier,Revocation / withdrawal of deemed consent and Directions for closure were issued vide office letter dated 11.06.2015 in the name of M/s Shiva Steel, A-102/6, Wazirpur Industrial Area, Delhi-110052 engaged in the activity of Pickling and Cold Re-Rolling of S.S.Sheets. Earlier, landlord of the premises submitted security bond of Rs.1,00,000 (rupees 1 lakh) and an undertaking for storing the hazardous waste generated by M/s Shiva steel, non carrying of S.S. Pickling activity in future, and intent to rent out the premises to M/s Giriraj Steel & Co vide letter dated 13.04.2017 and requested to revoke the directions of closure and direct the officials for de-sealing and restoration of electricity. Earlier,Unit has submitted CTE application under Green category for the activity of Manufacturing of Stainless Steel utensils (without buffing activity) on 10.04.2017. Unit vide its letter dated 10.07.2017 informed that unit is planning to add buffing activity and submitted fresh CTE application for the activity of Manufacturing of Stainless Steel utensils (with buffing activity)on 05.07.2017.		11-08-2017 . Remarks/ATR on 01-09-2017 File is under process administratively.	22-09-2017 Take action as decided in file.

92	GRAPHIC PRINTERS	7/12-A, STREET NO. 7, ANAND PARBAT INDUSTRIAL AREA	06-07-2017		Printing without Trade Effluent Discharge Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2017 Authorisation Status Pending	water consumption: 100 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 19-09-2017 Inspection yet to be conducted.	22-09-2017 Expedite inspection.
93	FRONTIER BISCUITS FACTORY PVT. LTD.	C-35/10, LAWRENCE ROAD INDUSTRIAL AREA	06-07-2017		MANUFACTURING OF BISCUITS. Food and Fruit Processing Industry Bakery Biscuit Production	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (2)ECS - N/A (3)D.G.Set Noise Report : Nil (4)Status of Ground Water extraction : Nil (5) Source of Water: 650 L per day, Source-DJB (6) Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details : No	Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Stack monitoring report dated 14-06-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	21-07-2017 Hard copy not submitted. However, uploaded documents are proper. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted hard copy of consent application.	22-09-2017 Consent to Operate(Renewal) granted. Subsequently, inspection be conducted.
94	MILLION DOLLAR (A UNIT OF PARAM HOSPITALITY)	G-51,GF, KRISHNA APRA BUISNESS SQUARE,NETAJI SUBHASH PLACE,PITAMPURA	06-07-2017		EATING HOUSE 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ECS: N/A ETP: OGT of capacity 6 KLD D.G.Set: Nil Source of water supply: 3.5 KLD from other source of water. hard copy of Consent application is not submitted by the unit. Dimensions of OGT not uploaded. Uploaded proof of possession is incomplete. MCD license is not uploaded by the unit. Proof of Date of Commencement of Production not uploaded. Effluent Analysis is not uploaded by the unit.		20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted hard copy of consent application.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
95	ESS KAY ENTERPRISES	H-8, DSIIDC INDUSTRIAL COMPLEX, NANGLOI	06-07-2017		MANUFACTURING OF PRINTING LAMINATION, SLITTING AND POUCHING. Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 21-07-2017 Authorisation Status Pending	Water consumption: 150 litre/day Status of Pollution Control System 1)ETP - N/A 2)ECS - N/A 3)D.G.Set Noise Report : N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		20-07-2017 -Consent to establish may be granted after submission of the hard copy along with all requisite documents of the consent application. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted hard copy of Consent Application on 22.08.2017. Unit has submitted its representation on 04.09.2017 and informed that they are engaged in activity of Manufacturing of Printing Lamination, Slitting and Pouching. They also informed that they are not engaged in manufacturing of plastic pouch and requesting to grant consents.	22-09-2017 Consent to Establish granted.
96	CHINA GARDEN RESTAURANT (A UNIT OF FOUR SEASONS CUISINE INDIA PVT.LTD.)	SHOP NO- G,4,5 & 6, MARINA ARCADE CONNAUGHT PLACE	06-07-2017		Restaurant seating 49 Restaurants /Eating houses/ Dhabas and other such establishments	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A	1. Effluent analysis report: (a) Effluent analysis report dated 05-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	30-08-2017 -Unit has submitted hard copy of Consent to Operate application. Remarks/ATR on 21-09-2017 Status of Pollution Control System	22-09-2017 Consent to Establish and Consent to Operate granted.

					(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set: N/A Status of Ground Water extraction :nil SCN u/s 31(A)/33(A) : issued on 09.12.2016 Modified directions u/s 31(A)/33 (A) issued on 02.02.2017 Status of Inspection :Inspection was conducted on 22.08.2017 by DPCC officials and following were observation made:- - During inspecton unit found operational & engaged in the activity of restaurant with 49 seating capacity. -Oil & Grease cum settling tank found installed & same was found operational. -one d.g. Set of 62.5 KVA fond sintlled at ground lvel with acoustics enclosure & 2.5 stack height above roof level. -kitchen channelization with hood & sunction system prvided with -unit not found using plastic cup/glass.		(1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil SCN u/s 31(A)/33(A) : issued on 09.12.2016 Modified directions u/s 31(A)/33(A) issued on 02.02.2017 Status of Inspection :Inspection was conducted on 22.08.2017 by DPCC officials and following were observation made:- - During inspection unit found operational & engaged in the activity of restaurant with 49 seating capacity. -Oil & Grease cum settling tank found installed & same was found operational. -one d.g. Set of 62.5 KVA fond sintlled at ground lvel with acoustics enclosure & 2.5 stack height above roof level. -kitchen channelization with hood & sunction system prvided with -unit not found using plastic cup/glass. Status of Test Report 1. Effluent analysis report: (a) Effluent analysis report dated 05-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/Recommendation -Unit has submitted hard copy of Consent to Operate application. Consent to Establish and Consent to Operate may be granted.	
97	HOME (AT THE RATE) F37 (A UNIT OF RAM RESORTS & INDUSTRIES (P) LTD.	F-37, EAST OF KAILASH	07-07-2017		Guest House. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)Oil & Grease Trap - Installed (2)ECS - N/A (3)D.G.Set : 62.5 KVA The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 06-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit . Status of Ground Water extraction : NIL Water Consumption : 7500 ltr/day (Source - DJB) (Bill enclosed) Status of Inspection : NIL SCN u/s 31(A)/33(A)/5 of EPA details : NIL Closure directions u/s 31(A)/33 (A)/5 of EPA details : NIL	Noise monitoring report dated 06-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes. Number of parameters analyzed which are within limit. 20-07-2017 Unit has not informed regarding size/details of Oil & Grease trap cum settling tank. Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Inspection yet to be conducted.	22-09-2017 Expedite inspection.	
98	BHARAT ADHESIVES	36-A, PH-II, MAYAPURI INDUSTRIAL AREA	07-07-2017		Manufacturing Industrial Adhesives. Manufacturing of Synthetic Adhesive without Heating	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 27-09-2004 Authorisation Status Pending HWM Application No. 2 Application Date 27-09-2012	Source of water: DJB (Category-II) water consumption: 250 litre/day Status of Ground Water extraction :150 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set(s) of 30 KVA Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA	Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 30 KVA. Noise monitoring report dated 23-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes 20-07-2017 . Remarks/ATR on 21-09-2017 - Consent to Operate (Renewal) may be granted. Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 An inspection was conducted on 25.07.2017 and following were observation made- - During inspection unit found operational & engaged in the activity of mfg of industrial adhesive & Thinner. - one D.G. zdet of 30 Kva found installed with acoustic enclosure & adequate stack height. -unit is not water & not air polluting therefore no ET/ECS found installed. -One borewell was observed which was valutary declared in DJB dated 25.04.2017 -HWM Guidines being followed.	22-09-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	

								Authorisation Approved Status Authorisation 17-12- Issue Date 2012 Authorisation 26-09- Expiry Date 2017 HWM Application No. 3 Application 15-07- Date 2017 Authorisation Status Pending	details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No			
99	PRABHU DAYAL TRILOK CHAND	C-36/4, LAWRENCE ROAD INDUSTRIAL AREA	08-07-2017		DAL MILLING Dal Mills	Green Renewal	Non-SPI		Status of Pollution Control System (1)ETP - No (2)ECS - Yes (Stack attached with Bag House/Filter) (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 500 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A): No Closure directions u/s 31(A)/33 (A)/5 of EPA details: No	Emission monitoring report- Yes within limit- Yes	10-08-2017 Consent to Operate (Renewal) may be granted.	22-09-2017 Consent to Operate(Renewal) granted.
100	SPECTRUM PRINTING PRESS PVT. LTD.	23, COMPUTER COMPLEX, DSIDC SCHEME-I, PHASE-II, OKHLA INDUSTRIAL AREA	11-07-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application 27-01- Date 2009 Authorisation Status Pending HWM Application No. 2 Application 11-07- Date 2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set : 62.5 Kva The unit has 1 D.G. Set(s) of 62.5 KVA. Status of Ground Water extraction : Nill Water consumption : 100 lit/day (source : DJB) Status of Inspection : N/A SCN u/s 31(A)/33(A)/5 of EPA details : N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details : N/A	Noise monitoring report dated 15-05- 2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.number of parameters analyzed which are within limit.	20-07-2017 Earlier, unit has applied Consent to Operate (Renewal) for the activity of Offset Printing with Washing on 27.01.2009. Now, they have submitted application for Consent to Operate (Renewal) for the activity of printing without any trade effluent discharge but they have not applied for Consent to Establish for the change of activity. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	22-09-2017 Expedite inspection.
101	JAGAN NATH & CO.	PLOT NO. A-28/C II, GALI NO. 4 (R), ANAND PARBAT INDUSTRIAL AREA	11-07-2017		JOB WORK OF RUBBER MIXING (RUBBER MOULDED GOODS). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no	.	20-09-2017 -consent to operate (renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
102	HOTEL FREESIA (A UNIT OF M/S FREESIA HOTELS PVT LTD)	E-19, DEFENCE COLONY	11-07-2017		HOTEL WITH KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - Installed (2)ECS - N/A (3)D.G.Set : 180 KVA	.	20-07-2017 Now, unit has submitted application for Consent to Operate online on 11.07.2017 however hard copy of Consent application along with required document is yet to be received. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	22-09-2017 Expedite inspection.

					Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				The unit has 1 D.G. Set(s) of 180 KVA. Noise monitoring report dated 23-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Water consumption: 9000 ltr/day (Domestic-5000 ltr/day & Kitchen Washing- 4000 ltr/day) (Source : Others) Status of Ground Water extraction : NIL Status of Inspection : Inspection of the unit was carried out by officials of DPCC on 28.12.2016 and following observation were made: -Unit found in operation and engaged in the activity of Hotel with Kitchen with capacity of 30 rooms. -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization system not provided in the kitchen. -Unit having 1 boiler (oil fired), however stack height found inadequate. -Unit having 1 D.G set with capacity of 180 KVA with acoustic enclosure with inadequate stack height. SCN u/s 31(A)/33(A)/5 of EPA details : issued on 17.01.2017 Unit has submitted reply on 02.02.2017 and informed that ETP is being operated regularly & properly, Logbook of ETP is being maintained, they are in process of installing Channelization system in kitchen, ordered for increase in stack height of D.G set & Boiler and requested for grant of 45 days to carry out the same Closure directions u/s 31(A)/33 (A)/5 of EPA details : NIL			
103	P.K. TECHNO PROJECT PVT. LTD.	D-43, GTK ROAD, S.M.A INDUSTRIAL AREA	12-07-2017		ENGINEERING GOODS VIZ. RUBBER PARTS AND RAIL TRACK PARTS Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Stack attached to thermal Fluid Heater 3. D.G. set- 160 KVA Plot Area- 400 sq mt Date of commencement-01-01-1989 Status of Ground Water Extraction-No 1. Water consumption-700 L/day. a) Source of water-DJB (copy of water bill submitted) Status of Inspection-No	Effluent analysis report -N/A Emission monitoring report issued by DPCC, Lab on 03.07.2017. Parameters are within the prescribed limit. Noise monitoring report - issued by DPCC, Lab on 22 .05.2017. Parameters are within the prescribed limit.	20-07-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit monitoring report for VOC parameter or certificate from Industries Department regarding SSI unit and also check stack height for channelization system as per prescribed standard issued on 23.08.2017. Inspection is yet to be conducted.	22-09-2017 Issue show cause notice for refusal of consent. Also inspection be conducted.
104	DANG ENGINEERING WORKS	29/29, GALI NO.6, NEW ROHTAK ROAD, ANAND PARBAT INDUSTRIAL AREA	12-07-2017		Mfg. of Rubber Auto Parts. Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA		20-09-2017 -Consent to Operate (renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.

									details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no			
105	PRABATH INDUSTRIES	PLOT NO A-43, GALI NO 7, ANAND PARBAT INDUSTRIAL AREA	12-07-2017		Mfg. of Rubber Parts Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to Operate (renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
106	BUSHAN INDUSTRIES	C R-4, CEMENTED ROAD, ANAND PARBAT INDUSTRIAL AREA	13-07-2017		MFG. OF OIL SEAL AND OIL RING. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to Operate (Renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
107	ASHOKA CABLE WORKS (INDIA)	A-59, PHASE-II MAYAPURI INDUSTRIAL AREA	13-07-2017		RUBBER/ PVC INSULATED WIRE CABLE (WITHOUT PROCESSING OF PLASTIC WASTE). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber) with Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Stack attached to boiler. (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	ed 10-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes 1. Stack monitoring report: (a) Stack monitoring report of the Stack attached to boiler dat	20-07-2017 -Unit has not submitted hard copy of consent application. Remarks/ATR on 21-09-2017 Consent to Operate (Renewal) may be granted. Remarks/ATR on 19-09-2017 -Unit has submitted hard copies of the Consent to Operate (Renewal) application. -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of rubber/PVC insulated wire cable (without processing of plastic waste). 2. No D.G Set found installed within the premises. 3. Unit is non water polluting therefore no ETP installed. 4. One boiler found installed in working condition. 5. Emission Control System provided with adequate stack height. Unit has submitted a letter on 08.09.2017 with SSI certificate. Recommendation / Action Taken Details (EE/AEE) on 14-09-2017 Unit has submitted a letter n 08.09.2017 with SSI certificate.	22-09-2017 Consent to Operate (Renewal) granted.
108	RANG DE BASANTI URBAN DHABA (A UNIT OF ZING RESTAURANTS PVT. LTD.)	1-A, FIRST FLOOR, HAUZ KHAS VILLAGE, NEW DELHI-110016	14-07-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1) Oil & Grease Trap: capacity: 1560 litres/day (b) Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :NIL Water Consumption:2.5 KL/d (Source:DJB) Trade effluent discharge:1.5 KL/day	Effluent analysis report dated 29-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 09-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-07-2017 Inspection of the unit was carried out on 24.03.2017 wherein it was found that the unit was operating without Consent to Establish & Consent to Operate but no Oil and Grease Trap Cum settling Tank observed during inspection. SCN u/s 31(A)/33(A) was issued to the unit on 10.04.2017 w.r.t. the deficiencies observed. The unit applied for Consent to Establish on 23.04.2017 & for Consent to Operate on 14.07.2017 for the activity of Restaurant with a seating capacity of 48 seats. No Details of Size of Oil and Grease Trap Cum settling Tank has been given. It is recommended that CTE may be granted after the unit provide the Size/ Dimensions of Oil and Grease Trap Cum settling Tank and an inspection of the unit may be carried out before deciding CTO. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit submitted details of Oil & Grease Trap.Inspection yet to be conducted.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.

									Status of Inspection :Inspection carried out on 24.03.2017			
									SCN u/s 31(A)/33(A) details :Issued on 10.04.2017			
109	HUJO INDUSTRIES	PLOT NO.52, GALI NO. 30 (OPP. GALI NO.6), ANAND PARBAT INDUSTRIAL AREA	14-07-2017		MANUFACTURING OF RUBBER PARTS (RUBBER MOULDED GOODS). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 Consent to Operate (Renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
110	SHREEYANS INDUSTRIES	C-58, WAZIRPUR INDUSTRIAL AREA	15-07-2017		HOT RE-ROLLING OF S.S. SHEETS Stainless Steel Rerolling (Hot) (with capacity less than 25 MT/ day)	Green Operate	Non-SPI		ECS: Stack attached to hood over furnace ETP: N/A D.G.Set: Nil Source of water: 0.04 KLD from other source of water	Air (Emissions) : Test reports within norms (issued by DPCC on 05.06.2017) Water (Effluents) : N/A Noise : N/A	08-09-2017 CTE expired on 01.12.2010 under Orange category. Fee Balance: Rs. 10400 Recommendation: Letter may be issued to submit the balance fee.	22-09-2017 Ask the unit to submit name and address of the unit where pickling activity is being carried out for the raw material being used for annealing process. Also ask the unit to deposit balance consent fee.
111	MAHATTA TOWERS PVT LTD	STAR CITY, 01A, MAYUR PLACE, MAYUR VIHAR PH-1 EXTN.	19-07-2017		COMMERCIAL COMPLEX. Shopping Malls, Housing / Commercial/ Office Complexes having built up area less than 20,000 sqm	Orange Operate	Non-SPI		1. ETP- yes, of design capacity 2100 L/D 2. ECS- No 3. DG Set- 4, of capacity 390,910,910,990 KVA 4. Domestic effluent discharge-180L/D which is disposed through sewer. 5. Trade effluent discharge-20000L/D which is disposed through sewer. 6. Source of water supply- Borewell. 7. Water consumption-20180 L/D .	Noise Monitoring Report has been submitted by DPCC on 31-05-2015 and all the parameters are within the prescribed limit as per the report. Analysis Report of water effluent ihas been submitted by DPCC on 03-05-2017 and all the parameters are within the prescribed limit as per the report.	21-07-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be conducted.	22-09-2017 Expedite inspection.
112	VAPOUR BAR EXCHANGE (UNIT OF RINGLETS TRADEX PVT LTD)	11 HOUSE KHAS VILLAGE NEW DELHI	20-07-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP- Yes (Adequacy report not provided) (2)D.G.Set: No Status of Ground Water extraction :Nil Water consumption: 4.5KL per Dy Trade Effluent: 3 Kl per Day Domestic Effluent: 0.8kl Per day Status of Inspection :Inspection of the unit was carried out on 23.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :Issued on 10.04.2017 Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A	N/A	21-07-2017 Inspection of the unit was carried out on 23.03.2017 wherein it was found that : 1.Unit found in Operation & engaged in the activity of Restaurant with seating capacity of 120 seats. 2.Unit has installed ETP & same found in Operation. 3 Channelization system provided in Kitchen with adequate stack height. 4..Separate bins provided for dry and wet waste . 4.As informed, unit is having connection to the D.G Set of 380 KVA Capacity of M/s Out of The Box . SCN u/s 31(A) of Air Act & u/s 33(A) of Water Act issued to the unit on 10.04.2017 to apply for CTE & CTO. Unit has applied for Consent to Establish on 20.07.2017 for the activity of restaurant with a seating capacity of 48 seats (Hard copy of Consent application not revived). It is recommended that an inspection may be carried out to check the factual position. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Hard Copy of Consent to Establish application along with requisite documents submitted on 22.08.2017.It is recommended that Consent to Establish may be granted.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
113	PINE PHARMA PVT. LTD.	D-91/2, PHASE-I, OKHLA INDUSTRIAL AREA	20-07-2017		MFG. OF DRUGS AND MEDICINES (HAEMODIALYSIS FLUID LIQUID AND POWDER) Medicines /	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 20-07-2017	Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Number of	Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit has submitted application for Authorization under HWM Rules. 2016 on 20-07-2017 with next 5 years fee however they have not submitted condonation fee for the same and also not submitted hardcopy of Consent application along with required documents/ test reports so far.	22-09-2017 Expedite inspection.

					Pharmaceutical Formulation- without Boiler			Authorisation Status	Pending	parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water consumption: 700 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A) of EPA details : Nil Closure directions u/s 31(A)/33 (A) of EPA details : Nil		Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	
114	RAM SARUP RAM NIWAS	B-66, LAWRENCE ROAD INDUSTRIAL AREA	20-07-2017		DALL MILL. Dal Mills	Green Renewal	Non-SPI			Status of Pollution Control System (1)ETP - No (2)ECS - Yes (bag filters/Bag house) (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A): No Closure directions u/s 31(A)/33 (A)/5 of EPA details: No	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 11.07.2017) Water (Effluents) : N/A Noise :N/A	05-09-2017 Consent to Operate (Renewal) may be granted.	22-09-2017 Consent to Operate(Renewal) granted.
115	ESS KAY ENTERPRISES	E-14, DSIDC INDUSTRIAL COMPLEX, ROHTAK ROAD, NANGLOI	21-07-2017		PRINTING OF POUCHES Printing without Trade Effluent Discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 25-04-2008 Pending	Water consumption: 150 litre/day . Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 3. No D.G Set found installed within the premises. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017		08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted its representation on 04.09.2017 and informed that they are engaged in activity of Manufacturing of Printing Lamination, Slitting and Pouching. They also informed that they are not engaged in activity of Manufacturing of Plastic Pouch and requested to grant consents.	22-09-2017 Reinspection be conducted.
116	ESS KAY ENTERPRISES	H-8, DSIIDC INDUSTRIAL COMPLEX, NANGLOI	21-07-2017		MANUFACTURING OF PRINTING LAMINATION, SLITTING AND POUCHING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. Application Date Authorisation Status	1 21-07-2017 Pending	water consumption:150 litre/day . Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A		08-08-2017 -Unit has submitted hard copies of the CTO application. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted its reply on 04.09.2017 and informed that they are engaged in activity of Manufacturing of Printing Lamination, Slitting and Pouching. They also informed that they are not engaged in manufacturing of plastic pouch and requesting to grant consents.	22-09-2017 Consent to Establish granted. Reinspection be conducted.

					Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)				Status of Ground Water extraction :Nil -An inspection was carried out by representatives of DPCC on 04.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of mfg. of printing lamination stitching & pouching. 2. No D.G Set found installed within the premises. 3. Unit is non water as well as air polluting therefore no ETP/ECS found installed. 4. No borewell was observed during inspection, source of water supply is outside for drinking purpose only. 5. HWM guidelines being followed. 6. Applied for CTO & HWM authorization on 21.07.2017			
117	S P ENTERPRISES	631 RZ BLOCK,ANAND PARVAT IND AREA	22-07-2017		Mfg. of Rubber oil seals Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to operate (renewal) may be granted. 22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.	
118	ALI BABA CAVES (UNIT OF ABC ENTERTAINMENT)	30,HAUZ KHAS VILLAGE	22-07-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP /OGT (proposed) (2)D.G.Set: .Nil (a)Noise monitoring report of - N/A (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - Status of Ground Water extraction :Nil Water Consumption:3500 litres/day(Source: Municipal Authority) Trade Effluent Discharge:2500 litres/day Status of Inspection :Carried out on 24.03.2017 SCN u/s 31(A)/33(A)/5 of EPA details :issued on 10.04.2017 Closure directions u/s 31(A)/33 (A)/5 of EPA details :21.07.2017	N/A	09-08-2017 An inspection was carried out on 24.3.2017 and following were the brief observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 47 seats. 2.As informed unit is discharging the waste water into Common ETP of Building. 3 Channelization system provided in Kitchen with adequate stack height. 4.Separate bin provided for dry and wet waste. And there after SCN u/s 33(A) of Water and u/s 31(A) of Air was issued on 10.04.2017. And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Unit applied for Consent to Establish on 22.07.2017 for the activity of restaurant with seating capacity of 30 seats. It is recommended tha CTE may be granted if the unit provides information about the capcity of ETP/OGT. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 A letter is to be issued as decided in the CMC Meeting.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
119	HOTEL REGENT GRAND	2/6, EAST PATEL NAGAR, OPP. METRO PILLAR NO-167	22-07-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to /	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 D.G. Set(s) of 82.5 KVA and 200 KVA	1. Noise monitoring report: (a) The unit has 2 D.G. Set(s) of 82.5 KVA and 200 KVA. Noise monitoring report dated 02-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) The unit has 2 D.G. Set(s) of 82.5 KVA and 200 KVA. Noise monitoring report dated 02-05-2017 issued by	09-08-2017 Remarks/ATR on 21-09-2017 - Consent to Operate may be granted. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 -As decided in the CMC meeting held on 09.08.2017 an inspection was carried out by representatives of DPCC on 31.08.2017. During inspection	22-09-2017 Consent to Operate granted.

					Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler				Status of Ground Water extraction : nil -A complaint was received on 29.09.2016 regarding illegal operation of high polluting restaurants, guest houses operating in areas of Rajouri Garden, Hari Nagar, South Patel Nagar and East Patel Nagar. -An inspection was carried out by representatives of DPCC on 12.01.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel with kitchen and without laundry. 2.No D.G Set found installed within the premises. 3.Proper hood and suction system provided for kitchen channelization with adequate stack height. 4. Water supply from Delhi Jal Board, no borewell was observed during inspection. 5. Oil & grease trap found installed and same was in defunct condition, no proper treatment was carried out. 6. No any documents like MCD License, Delhi Police License, Electricity bills, water bills shown during inspection. -A Show Cause Notice u/s 31(A) of Air Act & u/s 33(A) of Water Act was issued to the unit on 01.03.2017. -A Modified Directions u/s 31(A) of Air Act & u/s 33(A) of Water Act for 30 days issued to the unit on 13.04.2017.	DPCC submitted. Noise monitoring report within Limit - Yes 2. Stack monitoring report: (a) Stack monitoring report dated 13-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	following observations were made: 1. Unit found operational and engaged in the activity of guest house having 38 rooms without kitchen & with boilers. 2. Two D.G Set of 82.5 & 200 KVA found installed & with acoustic enclosure having 5 meter stack height above roof level as observed. 3. One boilers found installed in working condition having 5 meter stack height from roof level. 4. No kitchen was observed for guest house. 5. Applied for CTO on 22.07.2017.	
120	COMPU DATA SERVICE	SHED NO. 42, DSIDC COMPLEX, SCHEME-I, PH-II, OKHLA INDUSTRIAL AREA	22-07-2017		Offset Printing, Lamination, Designing and Binding (without Plate Making) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-11-2009 Authorisation Status Pending HWM Application No. 2 Application Date 15-11-2010 Authorisation Status Approved Authorisation Issue Date 03-12-2012 Authorisation Expiry Date 14-11-2015	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 30 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 63 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	08-08-2017 Unit has not submitted application for Authorization under HWM, Rules after expiry of earlier Authorization on 14-11-2015. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	22-09-2017 Expedite inspection.
121	SAS PHARMACEUTICALS (INDIA)	C-55/1 OKHLA INDUSTRIAL AREA PHASE II NEW DELHI 110020	23-07-2017		Ayurvedic/herbal Medicines manufacturing and processing Medicines / Pharmaceutical Formulation- without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- Not mentioned (2)ECS - N/A (3)D.G.Set: ...N/A...	.	09-08-2017 Unit has submitted application for Consent to Establish online on 23-07-2017 but not submitted hardcopy of Consent application along with required documents so far. As per the online application, unit has not disclosed/ mentioned details of Water Consumption as well as other required information.	22-09-2017 Expedite inspection.

					Tea/Coffee, Coffee Processing				Status of Ground Water extraction : Not mentioned Date of Commencement: 01.07.2017 Water Consumption: Not mentioned Status of Inspection : Nil SCN u/s 31(A)/33(A)of EPA details : Nil Closure directions u/s 31(A)/33 (A) of EPA details : Nil		Remarks/ATR on 21-09-2017 Inspection yet to be carried out. Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Unit submitted hardcopy of Consent application along with required documents on 28.08.2017.	
122	RICH GRAPHICS & PRINTERS	D-142-143, PHASE-I, OKHLA INDUSTRIAL AREA	24-07-2017		PRINTING PRESS (JOB WORK) WITHOUT READE EFFLUENT. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 24-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 200 liters/Day (Source - DJB) Date of Commencement: 1/5/2010 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 26-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	22-09-2017 Expedite inspection.
123	LAXMI TRADING COMPANY	B-18 (GROUP), TOP FLOOR , WAZIRPUR INDL. AREA	24-07-2017		STAINLESS STEEL UTENSILS(WITH BUFFING) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: Cyclone (stack attached to exhaust of buffing section). ETP: N/A D.G.Set: Nil Source of water: 0.2KLD from DJB	Air (Emissions) : Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	07-09-2017 If approve consent may be grant.	22-09-2017 Consent to Operate(Renewal) granted.
124	PIONEER CREATIVE BLUES	P-41 AND 48, SECTOR-5, DSIDC, BAWANA INDUSTRIAL AREA	24-07-2017		WASHING OF READYMADE GARMENTS WITH SPRAY AND OIL FIRED BOILER Spray Painting, Paint Baking, Paint Stripping Readymade Garment (with Washing) with Boiler	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP-Yes 2. ECS- Attached to boiler 3. D.G. set- No Plot Area-400 sq mt Date of Establishment/ Commencement- 07.03.2016 Status of Ground Water Extraction-No 1.Water consumption- 15000 L/day Source- Outside (Bill not submitted) Inspection status- No Unit has submitted Form 1 for authorization under HWM Rules(photographs of display board and containers are enclosed)	Effluent analysis report - issued by DPCC Lab on 19.10.2016. Meeting the norms. Emission monitoring report -issued by DPCC Lab on 06.12.2016. Meeting the norms. Noise monitoring report - N/A	09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit Environmental Compensation Security and an undertaking as per the office order dated 02.08.2017 issued on 05.09.2017 . Reply awaited	22-09-2017 Case deferred.
125	NEW CHAUDHARY PLASTIC	PLOT NO 98, PKT J, SECTOR 5, DSIIDC INDL AREA BAWANA	25-07-2017		Recycling of Plastic Waste with washing activity	Orange Operate	Non-SPI	HWM Application No. 1	Status of Pollution Control system Devices- 1. ETP-Yes	Effluent analysis report - issued by DPCC Lab on 29.06.2017. Meeting the norms.	09-08-2017 .	22-09-2017 Consent to Operate granted with

					Reprocessing of Waste Plastic / PVC (with Washing Activity)			Application Date 25-07-2017 Authorisation Status Pending	2. ECS- Attached to exhaust hood over extruder machine 3. D.G. set- No Plot Area-100 sq mt Date of Establishment/ Commencement- 01.08.2017 Status of Ground Water Extraction-No 1.Water consumption- 5300 L/day Source- Outside (Bill submitted) Inspection status- No Unit has submitted Form 1 for authorization under HWM Rules(photographs of display board and containers are enclosed)	Emission monitoring report -issued by DPCC Lab on 24.07.2017. Meeting the norms. Noise monitoring report - N/A	Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection conducted on 14.09.2017 and findings are- 1. Unit found operational and engaged in the activity of mfg. of PVC dana using scrap of biomedical waste. 2. ETP found installed and in working condition. 3. Channelization provided over extruder and mixture. 4. HWM rules are complied with.	the condition that unit shall comply with Plastic Rules and submit certificate of registration from Industries Department. Application for authorization under HW Rules be made infructuous since the activity is not covered under HW Rules.
126	HARKRISHAN AUTO INDUSTRIES	PLOT NO. 51/1A, GALI NO 13, ANAND PARBAT INDUSTRIAL AREA	25-07-2017		Mfg. of Rubber oil seal/mixing of rubber. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Renewal	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to Operate (Renewal) may be granted.	22-09-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
127	S S FOOTWARES	H-10 UDHYOG NAGAR, DELHI	25-07-2017		manufacturing of footwears of pvc and other articles Manufacturing of Footwear Uppers using Adhesive PVC Footwear (Using Fresh Raw Material)	Green Establish	Non-SPI		Status of Ground Water extraction : nil Status of Pollution Control System: 1. ETP - N/A 2. ECS - N/A 3. D.G set- N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		20-09-2017 -Consent to Establish may be granted.	22-09-2017 Consent to Establish granted.
128	SANDOZ RESTAURANT	23/90,GROUND FLOOR CORNER SHOP RAI HOUSE ,CONNAUGHT PLACE	26-07-2017		Restaurant cum bar Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	Effluent analysis report : (a) Effluent analysis report dated 13-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	09-08-2017 -unit has not submitted hard copy of the CTO application. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted hard copy of the consent application along with requisite documents. Consent to Operate may be granted.	22-09-2017 Consent to Operate granted.
129	S.D.M. ELECTRIC PRODUCTS (PVT.) LTD.	B-88/3, PH-I, MAYAPURI INDUSTRIAL AREA	27-07-2017		Mfg. of Poly Bags tube, Paper bags and flexo printing. Roto and Flexo Printing without trade effluent discharge Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 31-08-2004 Authorisation Status Approved Authorisation Issue Date 27-03-2006 Authorisation Expiry Date 26-03-2008	water consumption: 200 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA		09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Inspection yet to be conducted	22-09-2017 Expedite inspection.

								HWM Application No. 2 Application Date 30-05-2012 Authorisation Status Approved Authorisation Issue Date 11-07-2012 Authorisation Expiry Date 29-05-2017 HWM Application No. 3 Application Date 27-07-2017 Authorisation Status Pending	details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
130	MAURYA PRINTERS PVT. LTD.	A-109, FIRST FLOOR, OKHLA INDUSTRIAL AREA, PHASE-II	28-07-2017		OFFSET PRINTING INCLUDING PLATE MAKING, LAMINATION, MFG. OF CORRUGATED BOXES. Printing with Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-07-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A Effluent analysis report dated 12-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	ffluent analysis report dated 12-05-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes The unit has 2 D.G. Set(s) of 125 KVA and 250 KVA. Noise monitoring report dated 08-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Inspection of the unit was carried out by representatives of DPCC on 13.09.2017 and following observation were made : - Unit found Operational and engaged in the activity of offset printing including plate making , lamination , mfg. of corrugated boxes with trade effluent discharge. - Unit has installed, ETP which consists of collection tank settling , chemical dosing tank , sludge drying bed and same found operational. - Sludge observed in sludge drying bed. -Log Book of ETP Maintained. Record of Hazardous waste maintained in form-3. - Unit is complying with the provision of Hazardous Waste Management Rules,2016. - Unit having 1 DG set if 160 KVA and having acoustic enclosure with 2m (approx) stack height above roof level.	08-08-2017 Unit submitted application for Authorization under HWM Rules on 28-07-2017 but not submitted condolation fee for the same. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection of the unit was carried out by representatives of DPCC on 13.09.2017 and following observation were made : - Unit found Operational and engaged in the activity of offset printing including plate making , lamination , mfg. of corrugated boxes with trade effluent discharge. - Unit has installed, ETP which consists of collection tank settling , chemical dosing tank , sludge drying bed and same found operational. - Sludge observed in sludge drying bed. -Log Book of ETP Maintained. Record of Hazardous waste maintained in form-3. - Unit is complying with the provision of Hazardous Waste Management Rules,2016. - Unit having 1 DG set if 160 KVA and having acoustic enclosure with 2m (approx) stack height above roof level.	22-09-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
131	PARADISE BANQUET (A UNIT OF KHATRI FINANCE &LEASING)	138/9,KISHAN GARH,VASANT KUNJ	28-07-2017		Banquet Halls/ Party Lawns Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - not	Orange Establish	Non-SPI		Water consumption: 4000 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no	.	08-08-2017 . Remarks/ATR on 21-09-2017 Consent to Establish may be granted. Remarks/ATR on 20-09-2017 -Unit has submitted hard copy of the Consent to Establish application. Recommendation / Action Taken Details (EE/AEE) on 11-08-2017 -Unit has submitted hard copy of the Consent to Establish application.	22-09-2017 Consent to Establish granted.

					connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				Closure directions u/s 31(A)/33 (A)/5 of EPA details :no			
132	HOT SPOT TEA & SNACKS CORNER	33, SHOP NO-2, HAUZ KHAS VILLAGE	29-07-2017		Eating House (Take Away) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Yes (Dimension Not Provided) (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A.... Status of Ground Water extraction :N/A Water Consumption :100 Liter per Day Trade Effluent :100 Liter per day Domestic Effluent:Nil Status of Inspection :N/A SCN u/s 31(A)/33(A /5 of EPA details :n/A Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A		09-08-2017 Unit Applied for Consent to Operate 29.07.2017 for the activity of Eating House (Take Away). As per application OGT has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit detail of OGT cum settling tank (if they are of appropriate size/ dimension). Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Inspection Yet to be Conducted.	22-09-2017 Expedite inspection. Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
133	BALDEO METALS PVT LTD	M-15, NEW MANDOLI INDUSTRIAL AREA, SABOLI, SHAHDARA,	31-07-2017		Wire Drawing (without Pickling/ Galvanizing) Copper Wire Drawing without Super Enamelling, pickling (Dry Process Wire Drawing (without Pickling/ Galvanizing)	Orange Operate	Non-SPI		1. ETP - Yes 2. ECS - Yes 3. D.G.Set: Yes 4. Water Consumption : NIL 5. Domestic Trade Effluent : NIL	N/A	17-08-2017 Ask the unit to submit proof in original from Department of Industries that the unit falls under the location of the notified redevelopment area. Remarks/ATR on 13-09-2017 The unit has submitted hard copy of the online application on 07.08.2017	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents with conformity proof. Also inspection be conducted.
134	MILLION DOLLAR (A UNIT OF PARAM HOSPITALITY)	G-51,GF, KRISHNA APRA BUISNESS SQUARE,NETAJI SUBHASH PLACE,PITAMPURA	31-07-2017		EATING HOUSE 48 SEATS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Unit has not submitted hard copy of consent application.		08-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit has submitted hard copy of consent application. ECS: N/A ETP: OGT of capacity 6 KLD D.G.Set: Nil Source of water supply: 3 KLD from other source of water. Deficiencies observed: CA certificate submitted by the unit is not as per column.5 of consent application. OGT capacity as per dimensions is 0.54 KL Authorization letter not submitted.	22-09-2017 Issue show cause notice for refusal of consent.
135	SHRI GANESH PLASTIC	E-54, SECTOR-5,BAWANA INDUSTRIAL AREA	31-07-2017		Manufacturing of Dana (With Reprocessing with washing) Reprocessing of Waste Plastic / PVC (with Washing Activity)	Orange Operate	Non-SPI		Hardcopy not submitted.		09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit hard copy of the consent application along with requisite documents was issued on 30.08.17. No hard copies submitted till date. Inspection is yet to be conducted.	22-09-2017 Expedite inspection.
136	PARDEEP KUMAR JAIN	A-3, GROUP WAZIRPUR INDUSTRIAL AREA	01-08-2017		CIRCLE CUTTING , BUFFING OF STAINLESS STEEL UTENSILS AND THEIR PACKING.	Green Renewal	Non-SPI		ECS: Cyclone (stack attached to exhaust of buffing section). ETP: N/A D.G.Set: Nil Source of water: 0.05KLD from other source of water	Air (Emissions) : Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	07-09-2017 CETP receipt and electricity bill is in the name of another unit. Recommendation: A letter may be issued to submit the CETP certificate in the name of unit, in original or certified by CETP society and submit balance fee. If	22-09-2017 A letter be issued to submit the CETP certificate in the name of unit, in original or certified by CETP society and submit balance fee. If

					Manufacturing of Stainless Steel Utensils (with Buffing Activity)							unit submits the same and found in order, consent to operate(renewal) granted.
137	A. K. JAIN	A-110, WAZIRPUR INDUSTRIAL AREA	01-08-2017		CIRCLE CUTTING, BUFFING AND PRESSING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Renewal	Non-SPI		ECS: (cyclone)Stack attached to Buffing section ETP: N/A D.G.Set: Nil Source of water: 0.05 KLD from other source	Air (Emissions) : Test reports within norms (issued by DPCC on 13.07.2017) Water (Effluents) : N/A Noise : N/A	07-09-2017 CTO expired on 29.09.2012 under Orange category. Fee Balance: Rs. 4000 Recommendation: A letter may be issued to submit the balance fee.	22-09-2017 Ask the unit to deposit balance consent fee. If unit submits the same and found in order, consent to operate(renewal) be granted.
138	M/S POISON (A UNIT OF FINO HOSPITALITY)	PLOT NO.30,3RD FLOOR,HAUZ KHAS VILLAGE,	01-08-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP- ETP/OIL and (Grease Trap Purposed) (2)ECS - N/A (3)D.G.Set:2 No. (380 KVA & 750 KVA) (Status of Ground Water extraction :Nil Water Consumption:4000 litres/day(Source:DJB) Trade Effluent Discharge:3200 litres/day Status of Inspection :carried out on 24.03.2017 SCN u/s 31(A)/33(A) of EPA details :10.04.2017 Closure directions u/s 31(A)/33 (A) of EPA details :21.07.2017	N/A	09-08-2017 Inspection of the unit was carried out on 24.03.207 and following were the observations: 1.Unit found in Operation & engaged in the activity of Restaurant & Bar with seating capacity of 44 seats. 2.As informed unit is having connection to Common ETP installed in the Building and waste water is discharged after passing through the Oil & Grease Trap installed at the bottom of sink. 3 Channelization system provided in Kitchen with adequate stack height. 4.Separate bins provided for dry and wet waste. 5.Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. 6. Unit has not applied for Consent to Establish and Consent to Operate to DPCC. And SCN u/s 31(A)/33(A) of EPA was issued on 10.04.2017.And unit not submit any reply and therefore Directions u/s 31 (A) of the Air Act, 1981 and u/s 33(A) of the Water Act was issued on 21.07.2017. Now ,Unit has applied for Consent to Establish on 01.08.2017 for the capacity of restaurant with a seating capacity of 44 seats.Hard copy of document shave not been submitted yet.As per the application OGT/ETP has been provided but size/dimensions and Photograph of OGT not provided . It is recommended that CTE may be granted after the unit submit hard copy &detail of OGT cum settling tank (if they are of appropriate size/ dimension). Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 A letter is to be issued as decided in the CMC Meeting.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
139	SAHAJ INTERNATIONAL	T-2/145, MANGOLPURI INDUSTRIAL AREA, PHASE-I	01-08-2017		Mfg. of Microcellular Sheet. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -N/A Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details: N/A	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 05.06.2017) Water (Effluents) : N/A Noise :N/A	29-08-2017 CETP certificate is not in name of unit. CTE expired on 26.01.2017 under Orange category. Fee Balance: Rs. 1000 Recommendation: Letter may be issued to submit the balance fee and CETP certificate in the name of unit, in original or certified by CETP society.	22-09-2017 Ask the unit to submit balance consent fee and copy of CETP receipt. Also Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate be granted.
140	SAI INDUSTRIES	T-2/171, MANGOLPURI INDUSTRIAL AREA, PHASE-I	01-08-2017		Mfg. of Microcellular Sheet. Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-Others Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details: N/A	Test reports Air (Emissions) : Test reports within norms (issued by DPCC on 05.06.2017) Water (Effluents) : N/A Noise :N/A	29-08-2017 CETP certificate is not in name of unit. CTE expired on 26.01.2017 under Orange category. Fee Balance: Rs. 1000 Recommendation:. Letter may be issued to submit the balance fee and CETP certificate in the name of unit, in original or certified by CETP society.	22-09-2017 Ask the unit to submit balance consent fee and copy of CETP receipt. Also Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate be granted.
141	CLARK HEIGHTS	1/1, WEST PATEL NAGAR	02-08-2017		GUEST HOUSE (34 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public /	Orange Operate	Non-SPI		Water consumption: 1200 Liters/Day Status of Pollution Control System (1)ETP - Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1	Effluent analysis report: (a) Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report: (a) Stack monitoring report dated 19-07-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125	08-08-2017 -Unit is having MCD license. Remarks/ATR on 21-09-2017 A Show Cause Notice for Refusal of consent and closure may be issue. Remarks/ATR on 20-09-2017 An inspection was carried out by DPCC officials on 31.08.2017 and following observations were made: 1. During inspection unit found operational and engaged in activity of Guest House with 34 rooms.	22-09-2017 A Show Cause Notice for Refusal of consent and show cause notice for closure of the unit be issued.

					Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler				Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	KVA. Noise monitoring report dated 03-07-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	2. Oil & Grease trap found installed & same was found operational. 3. One DG set of 125KVA found installed with acoustic enclosure and 0.2 stack height above roof level (inadequate). 4. Kitchen channelization provided with inadequate stack height. 5. Solid waste found in manged condition. 6. Unit not found using plastic cup/glass. 6. solid waste found in managed condition. 7 Settling tank not found installed. As by mistake the ATR dated 19.09.2017 is wrongly. Recommendation / Action Taken Details (EE/AEE) on 19-09-2017 An inspection was carried out by DPCC officials on 31.08.2017 and following observations were made: 1. During inspection unit found operational and engaged in activity of Guest House with 34 rooms. 2. Oil & Grease trap found installed & same was found operational. 3. One DG set of 125KVA found installed with acoustic enclosure and 3m stack height above roof level. 4. Solid waste found in manged condition.	
142	SAGAR RATNA RESTAURANTS PVT. LTD.	PLOT NO.32, POCKET C-9, SECTOR-7, ROHINI	02-08-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP: N/A ECS: N/A D.G.Set: 62.5 KVA Date of commencement of production:04.05.2015 Source of water: 2 KLD from DJB Following deficiencies were observed: Each paper of the submitted hard copy is not signed. Proof of possession submitted by unit is expired. Status of Ground Water extraction :Nil Status of Inspection: Inspection of the unit was carried on 28.06.2017 SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	Air (Emissions) : N/A Water (Effluents) : N/A Noise : N/A	21-09-2017 Inspection of the unit was carried out by DPCC representatives on 28.06.2017 and following were observed: -Unit is operational and engaged in the activity of Restaurant (Seating capacity- 87). -Unit is not having MCD License. -Unit exists at basement and 1st floor. On first floor, Seating is provided in front and back portion of the premises is used as kitchen area. -Unit has provided Channelization in the kitchen area. -Unit has installed two Oil & Grease trap having capacity as (3ftX2ftX1ft) and (4ftX2ftX3ft). Unit has installed ETP at the top floor. Log book of ETP is maintained. -No separate bins for biodegradable and non-biodegradable waste are provided. ETP found non functional during inspection.Photographs of the same are enclosed with Inspection report.	22-09-2017 Issue show cause notice for refusal of consent and show cause notice u/s 33(A) of Water Act.
143	NUMBER ONE BAR (A UNIT OF HIGH HUT FASHION)	N-1 N BLOCK MARKET SECOND AND THIRD FLOOR GREATER KAILASH PART 1	02-08-2017		Restaurant Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - yes Physio chemical (4000 liters/day) (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Water Consumption: 3000 Liter/Day (Source - DJB) Domestic Effluent :500 liters/day Trade Effluent: 2500 liters/day Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	.	09-08-2017 Unit has applied for CTE on 02.08.2017 for the activity of Restaurant Having seating capacity of 48.Month and year of commencement of production is 08.04.2017. As per application ETP has been provided but adequacy report not provided . Hard copy of Consent application has not been recived. It is recommended that CTE may be granted after the unit submits hard copy along with all requisite documents. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Hard Copy of documents with requisite documents received .Inspection yet to be conducted.	22-09-2017 Expedite insepction.
144	DOMINOS PIZZA RESTAURANT (A UNIT OF JUBILANT FOODWORKS LTD.)	PLOT NO. 27-28, CENTRAL MARKET, WEST PUNJABI BAGH	03-08-2017		RESTAURANT (48 SEATING) Restaurants /Eating houses/ Dhabas and other such establishments	Orange Establish	Non-SPI		water consumption: 500 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A	1.Effluent analysis report: (a) Effluent analysis report dated 29-08-2017 issued by DPCC submitted. Effluent Test Report within Limit - No . 2.Noise monitoring report:	20-09-2017 Remarks/ATR on 21-09-2017 Consent to Establish may be granted.	22-09-2017 Consent to Establish granted.

					(having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	(a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 19-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
145	LEVELS (A UNIT OF ELTERNITY ENTERTAINMENT & HOSPITALITY PVT. LTD.)	30, 3RD & 4TH FLOOR HAUZ KHAS VILLAGE, NEW DELHI	03-08-2017		Eating House Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -Common ETP of 40 KLD (2)ECS - N/A (3)D.G.Set: Common D.G set of capacity of 750&380 KVA Status of Ground Water extraction :Nil Status of Inspection : yes on 31.03.2017 SCN u/s 31(A)/33 (A)/details :10.04.2017 Closure directions u/s 31(A)/33 (A)/5 of EPA details : yes on 21.07.2017		09-08-2017 An inspection is carried out on 31.03.2017 and following are the brief of observations: 1.Unit found Operational & engaged in the activity of Restaurant with seating capacity of 48 seats. 2.As informed unit is having connection to Common ETP (Capacity 40 KL) installed in the Building . 3.Channelization system provided in Kitchen with adequate stack height. 4.Separate bins provided for dry and wet waste. 5.Unit is having connection to common D.G. Sets of 750 KVA & 380 KVA capacities installed in the Building and have acoustic enclosure and adequate stack height. And unit is operated without CTE & CTO. And Show Cause Notice u/s 31(A) of Air Act and u/s 33(A) of Water Act was issued to the unit on 10.04.2017. And unit failed to reply for aforesaid sCN issued to the unit and therefore direction of closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 21.07.2017. Thereafter Unit applied for CTE on 3.08.2017 for the activity of Eating House of capacity 48 seats. Unit has submitted request for revocation of direction along with undertaking security bond of Rs 200000. Unit has not submitted hard copy of CTE yet. It is recommended that CTE may be granted after the unit submits hard copy along with all Requisite documents and with the condition that unit apply for CTO within 30 days . As per the Policy of revocation, revocation orders may be issued. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 A letter is to be issued as decided in the CMC Meeting.	22-09-2017 Case deferred in view of ongoing case in Honourable NGT and Honourable High Court regarding restaurants operating in Hauz Khas area.
146	BELL PEPPERZ (A UNIT OF KAYS BANQUET AND RESTAURANTS)	A-4, COMMUNITY CENTR, PHASE-2, ASHOK VIHAR	03-08-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ETP: (physio chemical type) (capacity-5 KLD) ECS: N/A D.G.Set: 125 KVA with Acoustic Enclosure Source of water supply: 5.1 KLD from DJB	Effluent analysis report issued by DPCC Lab dated 28.06.2017 is submitted and parameters are within limits. Noise monitoring report issued by DPCC Lab dated 18-07-2017 is submitted and parameters are within limits.	31-08-2017 	22-09-2017 Expedite inspection.
147	S.P.A. PRINTERS PVT. LTD	B-17/3, OKHLA INDUSTRIAL AREA PH-II	03-08-2017		Offset Printing with Trade Effluent Discharge Printing with Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 22-09-2004 Authorisation Expiry Date 21-09-2006 HWM Application No. 2 Application Date 15-09-2006 Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 2 The unit has 1 D.G. Set(s) of 125 KVA. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. The unit has 1 D.G. Set(s) of 125 KVA. Number of parameters analyzed which are within limit - Yes The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 10-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	14-09-2017 As approved on para 14 at N/5, Inspection of the unit was carried out representatives of DPCC on 13.09.2017 and following observation were made: -Unit found operational and engaged in the activity of the offset printing with trade effluent discharge. -Unit has installed ETP which consists of collection tank, dosing tank, settling tank, sludge drying bed etc and same found operational. -Sludge observed in sludge drying bed, logbook of ETP maintained (copy enclosed). -Unit having 1 DG set (125 KVA) with acoustic enclosure and having stack height of 2.5m above roof level. -Unit is complying with the provisions of Hazardous waste management rules, 2016.	22-09-2017 Consent to Establish granted.

[illegible]

									made & its now fully operational, provided display boards in prescribed format, placed the hazardous containers in isolated room marked with specific label, maintaining proper record of hazardous waste and initiated the process of applying for CTO and Authorization under HWM Rules.			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details :Nil			
148	LOVELY WASH CARE COMPANY	J-132, SECTOR-4, BAWANA INDUSTRIAL AREA	03-08-2017		READYMADE JEANS WASHING. Readymade Garment (with Washing) with Boiler Spray Painting, Paint Baking, Paint Stripping	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 03-08-2017 Authorisation Status Pending	Hardcopy not submitted.		09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit hard copy of the consent application along with requisite documents was issued on 30.08.17. No hard copies submitted till date. Inspection is yet to be conducted.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. Also expedite inspection.
149	SHIVA ENTERPRISES	B-98, PHASE-I, OKHLA INDUSTRIAL AREA	04-08-2017		COPPER WIRE DRAWING WITHOUT SUPER ENAMELLING. Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 04-08-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 100 Liters/Day (Source - Others) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil-	The unit has 1 D.G. Set(s) of 140 KVA. Noise monitoring report dated 20-07-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	13-09-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit hard copy of the consent application along with requisite documents was issued on 30.08.17. No hard copies submitted till date. Inspection is yet to be conducted.	22-09-2017 Expedite inspection.
150	V.R. INDUSTRIES	G-12, DSIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	04-08-2017		ALUMINIUM PRODUCTS WITH TEFLON COATING WITHOUT CASTING Spray Painting, Paint Baking, Paint Stripping Household/kitchen appliances (assembly)	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 22-08-2017 Authorisation Status Pending	Hard copy not submitted.		09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit hard copy of the consent application along with requisite documents was issued on 23.08.2017. No hard copies submitted till date. Inspection is yet to be conducted.	22-09-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
151	V.R. INDUSTRIES	G-12, DSIDC, PHASE-III, BADLI INDUSTRIAL ESTATE	04-08-2017		ALUMINIUM PRODUCTS WITH TEFLON COATING WITHOUT CASTING Spray Painting, Paint Baking, Paint Stripping Household/kitchen appliances (assembly)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 22-08-2017 Authorisation Status Pending	Hardcopy not submitted.		09-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Letter to submit hard copy of the consent application along with requisite documents was issued on 23.08.2017. No hard copies submitted till date. Inspection is yet to be conducted.	22-09-2017 Expedite inspection.
152			05-08-2017				Non-SPI					22-09-2017

	THREE R SURYA AUTO PARTS	PLOT NO.7/8, GALI NO.7, ANAND PARBAT INDUSTRIAL AREA			Mfg. of Auto Parts Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Operate			Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set- N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		13-09-2017 . Remarks/ATR on 14-09-2017 Consent to Operate may be granted.	Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate be granted.
153	THE METROPOLITAN HOTEL NIKKO (SUNAIR HOTEL)	302, BANGLA SAHIB ROAD	05-08-2017		HOTEL Hotel (3 Star and Above) - connected to / Discharging Effluent into Public/ Municipal/ DJB Sewer having Kitchen and / or Laundry with boiler	Red Renewal	Non-SPI		Water Consumption: 35000 Liters/Day Source of Water Supply: NDMC Status of Ground Water Extraction: 190000 Liters/Day Status of Pollution Control systems: 1. ETP: STP(225000 Liters/Day) 2. ECS: Stack attached to boiler 3. D.G set: 2 D.G sets of 1000KVA An inspection was carried out by DPCC officials on 28.08.2017 and following observations were made: 1. During inspection unit found operational & engaged in activity of Hotel having 178 rooms, 2 banquets & 3 restaurant. 2. STP found installed and same was found operational. 3. Two DG sets of 1000KVA found installed at basement with acoustic enclosure/room having common stack, having stack height 9m above from roof level. 4. Solid waste found in managed condition. 5. Organic waste converter found installed & same was found operational. 6. One boiler found installed & same was found operational. 7. Rain Water Harvesting pits found in working condition. 8. STP treated water being used in horticulture, gardening etc. 9. Applied for CTO(R) on 05.08.2017. SCN u/s 31(A)/33(A)/5 of EPA details : nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : nil	1. Effluent Analysis Report: (a) Effluent analysis report dated 29.03.2017 issued by DPCC. Effluent analysis report found within limit: Yes. 2. Noise Monitoring Report: (a) Unit has 2 D.G sets of 1000 KVA. Noise monitoring report dated 23.06.2017 issued by DPCC. Noise monitoring report found within limit: Yes.	13-09-2017 Unit has submitted Consent to Operate (Renewal) application hard copy. Remarks/ATR on 22-09-2017 .	22-09-2017 File be put up administratively.
154	SINGH SAHIB (A UNIT OF CHEF BOBBY FOODS PVT. LTD.)	PREMISES NO. T 1 TO T 4, 3RD FLOOR, MANISH LINK ROAD, PLAZA, PLOT NO. 10, SEC 5, DWARKA, DELHI	05-08-2017		RESTAURANT AND BARS Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- not connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and /	Orange Establish	Non-SPI		Status of Pollution Control System (1)Oil and Grease Trap- Purposed (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Trade Effluent- 1500 L/Day Domestic Effluent- 400 L/Day Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details :Nil	.	13-09-2017 Unit applied for CTE on 05.08.2017 for the activity of RESTAURANT AND BARS of capacity of 48 seats. In the CTE application filed the unit has not informed about installation of OGT,however in the project report the unit has informed about they arev in process to installation of OGT. And also unit not submit Valid MCD liceance . It is recommended that Consent to Establish be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license.	22-09-2017 Consent to Establish be granted if the unit submits detail and photographs of OGT cum settling tank (if they are of appropriate size/ dimension) and also submit valid MCD license.

[illegible]



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 6th meeting on 22.09.2017 w.r.t. Table Agenda Item No 1 - 02 Pending Cases of Consent to Establish and Consent to Operate (Annexure III).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	WOODAPPLE RESIDENCY	3, HARGOBIND ENCLAVE	22-04-2016	DPCC/EC/2/1/2016/14417	GUEST HOUSE (21 ROOMS) WITH KITCHEN. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Establish	Non-SPI		(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 160 KVA Proposed (4) Water Consumption: 2500 L/ Day Source: DJB (5) Ground Water: Nil	N/A	14-10-2016 RECOMMENDED FOR INSPECTION and a letter may be written to obtain authenticated proof of land use with respect to MPD-2021. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 The inspection of the unit was conducted on 21.09.2017 and following were the observations: 1. The guest house was found operative. 20 rooms were found occupied. oil and Grease trap with 3 chamber, 3rd chamber of O&G use as a collection tank also. The O&G trap was found installed in back lane outside the premises. By pass arrangement as seen in the previous inspection was found closed. No by pass arrangement found exist. 2. At roof top reaction cum settling tank, 2 SBDs, clear water tank followed by MMF, ACF were found installed. ETP based on batch treatment was found in operative condition. Semi dry sludge was seen in SDBs which was indicating that ETP is operative. No flow meter was found. 3. Kitchen dispersion system was found installed. Over LPG fired burner and tandoors hood followed by duct suction and stack arrangement (common) was found installed and operative. 4. In the basement banquet hall cum conference hall was found constructed and operative with about seating capacity of 125 seats and about 11 round tables. No function was going on. 5. Log book of ETP operation was found maintained.	22-09-2017 Consent to Establish granted.

					Kitchen and / or Laundry with Boiler							
2	WOODAPPLE RESIDENCY	3, HARGOBIND ENCLAVE	27-12-2016	DPCC/EC/2/1/2016/16673	GUEST HOUSE (21 ROOMS) WITH KITCHEN. Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		1)ETP ---- Yes Physico-Chemical Capacity 1.5 KLD (2)ECS - No information regarding exhaust fan at ventilator found installed near tandoor and not connected to the channelization system. (3)D.G.Set: 160 KVA (4) Water Consumption: 2500 L/ Day Source: DJB (5) Ground Water: Nil MCD license for Guest house with 21 rooms and 42 lodgers valid upto 31.03.2017 submitted. Delhi Police license valid upto 31.03.2017 submitted. Status of Inspection : The inspection of the unit was conducted on 22.10.2016 and the following were observed: 1. The guest house was found operative. Thick scum (semi dry) found deposited. Oil and grease trap found installed at back lane, the 3rd chamber of oil and grease trap was being used as collection tank . Other ETP units of physio-chemical treatment plant has been found installed at roof top, which consists of reaction cum settling tank, clean water tank , multimedia filtration and ACF besides of SDBs with filter media . No flow meter installed. 2. ETP was found not in operation as entire trade effluent was found being discharged without treatment through bypass arrangement. 3. A banquet hall construction i.e. finishing work in the basement was going on which was found expanding to other adjoining premises no-4. 4. Kitchen system provided with channelization but a separate exhaust fan at ventilator found installed near tandoor and not connected to the channelization system. 5. Logbook found not maintained. SCN details : SHOW CAUSE NOTICE for refusal of consent and SCN under section 31(A) of the Air Act ,1981 and under section 33 (A) of Water Act , 1974 has been issued to the unit on 19.12.2016 and no reply has been received till date.	Effluent Analysis report dated 21.11.2016 from DPCC lab submitted. pH 7.4 Total Suspended Solids (TSS) (mg/l) 62 Bio-chemical oxygen demand [3days at 27oC](mg/l) 36 Oil and Grease(mg/l) 2.4 Noise Monitoring Report dated 24.11.2016 from DPCC lab submitted. Parameters are within limits.	02-01-2017 Recommended for inspection. Remarks/ATR on 22-09-2017 The inspection of the unit was conducted on 21.09.2017 and following were the observations: 1. The guest house was found operative. 20 rooms were found occupied. oil and Grease trap with 3 chamber, 3rd chamber of O&G use as a collection tank also. The O&G trap was found installed in back lane outside the premises. By pass arrangement as seen in the previous inspection was found closed. No by pass arrangement found exist. 2. At roof top reaction cum settling tank, 2 SBDs, clear water tank followed by MMF, ACF were found installed. ETP based on batch treatment was found in operative condition. Semi dry sludge was seen in SDBs which was indicating that ETP is operative. No flow meter was found. 3. Kitchen dispersion system was found installed. Over LPG fired burner and tandoors hood followed by duct suction and stack arrangement (common) was found installed and operative. 4. In the basement banquet hall cum conference hall was found constructed and operative with about seating capacity of 125 seats and about 11 round tables. No function was going on. 5. Log book of ETP operation was found maintained.	22-09-2017 Consent to Operate granted.