

DELHI POLLUTION CONTROL COMMITTEE
5th FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-06
(visit us at : <http://dpcc.delhigovt.nic.in>)

F. No. DPCC/Committee II(b) Category/7th Meeting /2017/ 4447-57 Dated: 17/10/17

Subject: Minutes of the 7th Meeting of the Committee for II(b) Category Cases constituted vide Office Order Dated 31.05.2017 & headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization/Registration under the relevant Rules, held on 03.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Please find enclosed herewith the Minutes of the 7th Meeting of the aforementioned Committee, held on 03.10.2017 in the conference room of Department of Environment, 6th Floor, 'C' Wing, Delhi Secretariat, New Delhi-110002.

Concerned Cells are required to take necessary action as per the decisions taken by the Committee.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

1. Member Secretary, DPCC.
2. SEEs (CMC I/II/III/IV/V).
3. Environmental Engineers (CMC I/II/III/IV/V).

Copy for information to:

1. PS to Chairman, DPCC, for kind information of Chairman, DPCC please.
2. In-Charge, Enquiry Counter & IT Cell, for placing the aforementioned minutes of the meeting of the Committee on the website of DPCC and to take necessary action as per the decisions taken in the said meeting.

(Satender Kumar)
Sr. Env. Engineer (CDC)
Consent Management Cell- V

Minutes of the 7th Meeting of the Committee for II(b) Category Cases (activities / process other than those falling under clause II(a) as per Office Order Dated 31.05.2017) headed by Member Secretary DPCC, for deciding the Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016, **held on 03.10.2017 in the conference room of Chairman, DPCC at Delhi Secretariat, New Delhi-110002.**

As per Office Order Dated 31.05.2017, Consent under the Air & Water Acts and Authorization under the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 / Registration under the Plastic Waste Management Rules, 2016 of the cases falling under Category II(b) [activities / process other than those falling under clause II(a) of the said order] are to be decided by the Committee headed by Member Secretary, DPCC and consisting of all SEEs & EEs of the concerned Cell.

Attendance Sheets for meeting on 03.10.2017 are enclosed as Annexure "A".

Following are the Minutes of the Meetings:-

Agenda Item No 1: Pending cases of Consent to Establish and Consent to Operate / Renewal of the Period 01.01.2017 to 06.06.2017 (in reverse chronology).

Decisions were taken online in these cases and list of 178 no. of units including decisions taken in these cases are at Annexure - I. Due to paucity of time, all the cases of this agenda could not be taken up and Committee decided to take up the remaining cases in the next CMC meeting.

Following cases were taken up by the Committee with the permission of Chairman of the Committee.

Table Agenda Item No. 1: 04 cases were taken up by the Committee with the permission of Chairman of the Committee.


Decisions were taken online in these cases and list of 04 no. of units including decisions taken in these cases are at Annexure - II.

Table Agenda Item No. 2: Case of M/s Delhi District Cricket Association (Willingdon Pavilion), Ferozashah Kotla Grounds, New Delhi.

Inspection be conducted.

In view of ongoing case in Hon'ble NGT and Hon'ble High Court regarding restaurants operating in Hauz Khas area, it has been decided that the decision taken in respect of restaurants of Hauz Khas in the meeting held on 20.09.2017 be kept in abeyance.

Further, it has been informed to the Committee that as per new categorization, some of the activities have been shifted from Orange category to Green category wherein effluent / emission standards are required but during the preparing of consent order it has been observed that the effluent / emission standards are not reflected in the consent order. In view of this, Incharge, IT Cell is directed to take necessary action in this regard immediately.

The bottom of the page features several handwritten signatures and initials in black ink. From left to right, there is a signature that appears to be 'Sharma', a large signature that looks like 'Sachin', a signature that looks like 'ASL', a signature that looks like 'Smt. M', and a signature that looks like 'Smt. M'. There are also some other smaller initials and marks scattered around.


Since decisions were taken online in individual cases by the Committee and tabular list is generated through software including decisions taken in each case, there is no need of signature of the members of the Committee on the lists mentioned above (**Annexure-I & II**). The concerned Cell may take necessary action w.r.t. decisions taken without waiting for the minutes of the meeting.


If there is any case left out of the aforementioned period, the same shall be put up administratively for further necessary action.

The meeting ended with a vote of thanks to the Chair.



(S.M. Ali)
Member Secretary, DPCC


(M. Ali)
SEE, CMC-III



(B.L. Chawla)
SEE, CMC-I



(R.S. Pankaj)
Incharge / EE, CMC-I


(Satender Kumar)
SEE, CMC- V


(Shyam Sunder)
EE, CMC- I



(M.S. Rawat)
EE, CMC-V


(Sanjay Vatts)
EE, CMC-II


(Ramesh Chandra)
EE, CMC-II


(Amit Chaudhary)
EE, CMC-III


(Sunil Kumar)
EE, CMC-IV


(Surender Singh)
EE, CMC-V


(K. Kumar)
EE, CMC-IV



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 7th meeting on 03.10.2017 w.r.t. Agenda Item No 1 - 178 Pending Cases of Consent to Establish and Consent to Operate / Renewal of the period 01.01.2017 to 06.06.2017 (Annexure I).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	RAMESHWAR FOODS	A-94/4, WAZIRPUR INDUSTRIAL AREA	01-03-2017	DPCC/EC/2/1/2017/17154	Restaurant- Mfg. of Sweets and Snacks Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 1 KLD from DJB. MCD License only for Manufacturing of sweets and namkeen which is valid upto 31.03.2015. Original Certificate from Chartered Accountant not submitted. Proof of CETP membership is not submitted. Earlier, Sampling of the unit was conducted by the DPCC Lab on 01.09.2016 and as per Effluent Monitoring Report, parameters are not meeting the prescribed standards. Show Cause Notice u/s 33(A) of Water Act and u/s 31(A) of Air Act was issued to the unit vide office letter dated 17.11.2016. Reminder Show Cause Notice was again issued to the unit vide office letter 11.01.2017. Directions for Closure u/s 33 (A) of Water Act and u/s 31(A) of Air Act was issued to the unit vide office letter dated 28.02.2017. Unit has submitted its representation for Revocation of closure vide its letter dated 13.06.2017 along with undertaking and security bond of Rupees 1 lakh (1,00,000). However letter head and undertaking submitted in the name of Haldiram Bhujawala.		20-07-2017 Remarks/ATR on 31-08-2017	03-10-2017 Consent to Operate(Renewal) be refused as per office order dated 02.08.2017. Seek compliance from concerned agencies.
2	BIKANERVALA FOODS PVT LTD	A 27 LAWTRACE ROAD INDUSTRIAL AREA	01-03-2017	DPCC/EC/2/1/2017/17156	MFG. OF SWEETS BAKERY PRODUCTS AND VEGETABLE FOODS. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Other ETP Name : ETP (a) Effluent analysis report dated 17-02-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 250 KVA. Noise monitoring report dated 20-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	The unit has submitted effluent analysis report issued by DPCC on 17-02-2017. The unit has submitted noise monitoring report of D.G. sets issued by DPCC on 20-02-2017.	06-04-2017 Schematic diagram of ETP is not provided. Photographs of ETP are not installed. The CETP (Keshavpuram Industrial Area) certificate, and DJB water bill submitted by the unit, both are in the same name of Sarla Ice & Cold Storage Pvt. Ltd. Remarks/ATR on 31-08-2017 Recommendation / Action Taken Details (EE/AEE) on 06-07-2017 An inspection was carried out on 28.06.2017 and following were observed: - Unit was not engaged in the manufacturing activity at the time of inspection and premises used as warehouse (storage of packed food items i.e. sweets, biscuits and raw material). -Ground floor of the premises is used as a warehouse and basement area used for storage of raw material. -ETP was found operational and installed at the backside area of the unit. -Unit has one D.G. set of 250 KVA, provided with acoustic enclosure and	03-10-2017 Consent to Operate granted.

					more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler					(b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory.		stack height is approximately 3.5m above roof level. -First floor of the unit is used as a office.	
3	BONNE BOUCHE (A UNIT OF KINGPIN ENTERPRISES)	SHOP NO. 16, FIRST AND SECOND FLOOR, DEFENCE COLONY MARKET	02-03-2017	DPCC/EC/2/1/2017/17166	Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI			Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (a) Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. (2)ECS - N/A (3)D.G.Set - 62.5 KVA (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Status of Ground Water extraction : Nil Water Consumption: 2500 Liters/Day (Source - DJB) Status of Inspection : Inspection was carried out by Representatives of DPCC on 28.12.2016 and following are the brief of observations made during inspection. -Unit found operational and engaged in the activity of restaurant cum bar with 48 seats cover. -Unit has not installed oil and graese trap cum settling tank. -Channelization system provided in the kitchen with adequate stack height. -One DG set having capacity of 62.5KVA with acoustic enclosure with inadequate stack height. -Not applied for Consent to Establish and Consent to Operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017. Unit submitted its reply on 01.03.2017 along with copy of MCD licence, application for Consent to Establish with its required documents and informed that they have order for installation of Oil & Grease Trap cum Settling tank, increased the stack height of D.G set and applied for Effluent Analysis Report of Oil & Grease Trap & Noise monitoring Report of D.G. set from DPCC. Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes. Effluent analysis report dated 27-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes.	02-05-2017 As decided in common file of Defence Colony Market, inspection of the unit to be carried out to verify the rectification measures. Unit has applied only for Consent to establish. Unit has submitted copy of SDMC Licence issued on 13.09.2013 for the activity of Eating House(with seating capacity of 48 person) as conformity of the unit. Unit has mentioned the date of establishment on 01.08.2016 & Gross Capital investment (In rupees of unit without depreciation) is Rs 16,48,000 and accordingly submitted Consent Fee.	03-10-2017 Expedite inspection.
4	LUBRIVOL (INDIA)	SH NO.7, DSIDC, JHILMIL INDUSTRIAL AREA	03-03-2017		Heat Treatment of Ferrous Components. Hardening by Oil Quenching without	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 22-09-2006	1. ETP - No. 2. ECS - No. 3. D.G Set - 140 KVA. 4. Water Consumption - 120 Liters/Day through corporation. 5.Quantity of Domestic Effluent	Noise monitoring Report was submitted by DPCC on 21.02.2017 and all the parameter are within the prescribed limit as submitted by report	13-04-2017 Recommended for inspection. Remarks/ATR on 30-08-2017 Inspection of your unit was conducted on 05.12.2016 by the officials of	03-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.	

					use of any salt / chemical and without trade effluent discharge and with annealing in electrically heated furnace			Authorisation Status Approved Authorisation Issue Date 24-09-2004 Authorisation Expiry Date 23-09-2006 HWM Application No. 2 Application Date 21-03-2016 Authorisation Status Pending	Generated - 50 Liters/Day which is disposed through sewer.		DPCC following were observed: 1. The unit was found in operation. Case hardening gas carburizing process being used for heat treatment and S.S pit type furnaces being used for this purpose. Outershell of pit furnaces is of Mild Steel. 2.Oil quenching and water bath was being used for removal of Oil & grease. 3. No ETP was found installed as informed, they add water as make up but no discharge. 4. The unit has reported that they do liquid carburizing and the heat treatment liquid is methanol based but other additive not reported. 5. 05 H.P Cooling fan for Oil Cooling system produces lots noise to the surrounding. 6. In Liquid carburizing the CO is derived from molten salt composted mainly of sodium-cyanide & Barium Chloride. 7. The rags (Oil soaked) reportedly disposed in MCD dustbin. 8. No storage and record of previous Hazardous Waste Shown. 1. Closure Direction was issued to the unit on 03.01.2017. Reply was submitted on 12.01.2017 stating that they do gas carburizing fluid which is methanol based and also informed that there is no trade effluent discharge from their unit and informed about rectification of deficiencies. 2. Temporary revocation of closure direction was issued to the unit on 01.02.2017. All the compliance were submitted by the unit on 06.03.2017 including filing of fresh Consent to Operate, report from NABL accredited lab (FICCI) confirming that fluids does not contain NaCl and BaCl2. FICCI analyzed MT solvent for carburizing fluid and as per the result CN, Cl were absent and Na, Ba were not detected but CH3OH and C6H5CH3 solvent were detected. 3. Unit was sealed by SDM on 25.04.2017. 4. Unit was inspected on 26.04.2017 for sampling of carburizing fluid. A Reply was again submitted by the unit on 26.05.2017 and following are the submission : 1. They do gas carburizing using liquid as carburizing fluid and do not use NaCN and BaCl2 in the process. 2. Again sampling of Carburizing fluid was done and report from Shriram Institute For Industrial Research was submitted in DPCC on 05.05.2017 which reveals that NaCN and BaCl2 is not detectable. So The unit has requested for desealing of the unit and grant Consent to Operate and authorization.	
5	COSY GRAND	13 ARADHANA ENCLAVE SECTOR 13 R K PURAM	03-03-2017	DPCC/EC/2/1/2017/17180	GUEST HOUSE AND HOTELS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel and banquet. 2. ETP Installed in the premises found functional. 3. Log book of the ETP maintained. 4. Stack height of the kitchen found adequate.		09-08-2017 . Remarks/ATR on 20-09-2017 Brief of the cases Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel and banquet. 2. ETP installed in the premises found functional. 3. Log book of the ETP maintained. 4. Stack height of the kitchen found adequate. Status of Test Report . Remarks/Recommendation -Unit has submitted hard copy of the CTO application.	03-10-2017 Consent to Establish granted.
6	NINE 75 RESTAURANT	D-49, FIRST FLOOR, KAMLA NAGAR	03-03-2017	DPCC/EC/2/1/2017/17180	Restaurant Restaurants /Eating houses/ Dhabas and other such	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- No Plot Area-194 sq mt	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	11-08-2017 . Remarks/ATR on 13-09-2017 Further, unit has submitted Environment Compensation security and	03-10-2017 Consent to Establish granted.

					establishments (having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Date of Establishment/ Commencement- 28.03.2015 Status of Ground Water Extraction-No 1.Water consumption- 900 L/day Source- Outside (Bill not submitted) Inspection status- Yes (02.09.2016) MCD License valid upto 31.03.2017 Complaint was received against this unit including other two restaurants. Inspection was conducted by officials of Enforcement team on 02.09.2016 and following deficiencies observed are as follows: 1. No ETP or oil grease tank was found installed . 2. No proper ducting/ channelization was provided in the kitchen. 3. Borewell exists but permission could not be shown during the inspection. 4. MCD license could not be shown during inspection. SCN u/s 33(A) of Water Act and u/s 31(A) of air Act was issued to the unit on 27.09.2016. Directions for closure was issued on 07.11.2016 asc unit failed to submit any reply. Unit submitted representations on 06.03.2017 & 20.03.2017 wherein unit submitted security bond of Rs. One Lakh along with the undertaking and requesting for revocation of closure directions. Unit have applied for CTE vide ID No. 17180 dated 03.03.2017		undertaking and as per decision on file Directions for de sealing have been issued on 30.08.17.	
7	BONNE CARE PVT LTD	48, S.S.I INDUSTRIAL AREA	08-03-2017	DPCC/EC/2/1/2017/17206	MFG. OF FEEDING BABY BOTTLES AND PLASTIC CAPS. Plastic Processed Goods Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI		The unit has applied for Consent to Operate under Orange Category and submitted consent fee for five years applicable under orange category (as per previous categorisation). As per new categorisation approved in 63rd DPCC Board meeting dated 27.02.2017, now activity falls under Green Category.		26-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of consent to Operate for period of five years.	03-10-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
8	BANSAL PLASTICS	PLOT NO J-252, POCKET-P, SECTOR-3, UDYOG VIHAR, BAWANA INDUSTRIAL AREA	08-03-2017	DPCC/EC/2/1/2017/17207	Manufacturing of Plastic Dana Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- attached to extruder 3. D.G. set- N/A Plot Area-150 sq mt Date of Establishment/ Commencement- 23.12.2010 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- Outside (Bill not submitted) Inspection status- Yes (05.07.2017) and findings are as: 1. Unit found operational and engaged in the activity of mfg. of Plastic dana from Plastic scrap. 2. Proper channelization with	Effluent Analysis Report-N/A Emission Monitoring Report submitted on 07.03.2017 issued by DPCC. Parameters are within prescribed limits. Noise Monitoring report-N/A	21-07-2017 .	03-10-2017 Consent to Establish and Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.

									section an hood arrangement provided over extruder.			
9	GOEL POLYMER	B-2561,NARELA INDUSTRIAL AREA,DELHI-40	08-03-2017	DPCC/EC/2/1/2017/17208	Manufacturing of Dana Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Operate	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- Yes, stack attached to exhaust hood of extruder and mixture 3. D.G. set- N/A Plot Area- 350 sq mt Date of commencement- 12.2005 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill not submitted) Status of Inspection-Yes (10.05.2016) and its findings are as follows: 1. Unit found operating & engaged in the activity of Mfg of Plastic Dana from Plastic scrap without having valid consent from DPCC. Also not applied for registration under plastic rules. 2. No ECS installed. No channelization provided over extruder and thus causing air pollution. 3. One Borewell connection exists without permission from DIB/CGWA. SCN for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 5 of the Environment (Protection) Act, 1986 issued. Directions for closure u/s 31(A) of the Air (Prevention & Control of Pollution) Act, 1981 and u/s 5 of the Environment (Protection) Act, 1986 issued on 19.12.2016. the addressee has submitted representation on 24.01.2017, 25.01.2017 along with Security Bond of Rs.2, 00,000/- (Rs. Two Lacs Only) and undertaking to abide by the all pollution control norms as applicable and requested to revoke the said closure directions dated 19.12.2016. Temporary Revocation of closure Directions for 30 days also issued. Inspection conducted on 05.07.2017 and findings are- 1. Unit found operational and engaged in the activity of Mfg. of dana (reprocessing without washing). 2. Proper channelization provided over extruder.	Effluent analysis report -N/A. Emission monitoring report -issued by DPCC, lab on 21.02.2017. Meeting the norms. Noise monitoring report - N/A	07-07-2017 Remarks/ATR on 20-07-2017	03-10-2017 Consent to Establish and Consent to Operate granted. Directions for closure be made infructuous as per office order dated 02.08.2017.
10	RAVAYAT (A UNIT OF SV LIFE LLP)	H-7, GROUND FLOOR, TROPICAL BUILDING, CONNAUGHT CIRCUS	09-03-2017		RESTAURANT HAVING SEATING CAPACITY 17 SEATS Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other	Orange Establish	Non-SPI		water consumption:800 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil -An inspection was carried out on 13.10.2016, during inspection following		08-08-2017	03-10-2017 Consent to Establish granted.

					such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				observations were made: 1. During inspection unit found operational & engaged in the activity of restaurant having seating capacity of 16 seats. 2. No D.G Set installed. 3. Oil & grease trap not installed in the kitchen. 4. NDMC license not shown during inspection. -A Show Cause Notice u/s 31 (A) & 33 (A) was issued to the unit on 09.12.2016. -A closure direction u/s 31 (A) & 33 (A) was issued to the unit on 13.02.2017, as the unit has not submitted any reply w.r.t Show Cause Notice. -Unit has submitted a reply on 10.03.2017 and informed that at this address instead of M/s Shaan-e-awadh, H-7, ground floor, tropical building, connaught place M/s Ravayat (A Unit of SV LIFE LLP) is operating and also submitted an application for Consent to Establish on 09.03.2017 along with security bond of Rs. 2 lakhs & an undertakibng as per office order dated 18.06.2015. also requested to revoke the closure direction. -A per decision a temporary revocation was issued to the unit on 14.03.2017 for submission of Consent to Operate in DPCC.			
11	ARJUN PLASTIC	PLOT NO-255 POCKET-I SECTOR-3 DSIIDC BAWANA INDUSTRIAL AREA	09-03-2017	DPCC/EC/2/1/2017/17220	MANUFACTURING OF PLASTIC PRODUCT WITH SCREEN PRINTING Plastic Processed Goods Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-03-2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-200 sq mt Date of Establishment/ Commencement- 24.02.2017 Status of Ground Water Extraction-No 1.Water consumption- 200 L/day Source- DSIIDC (Bill submitted) Inspection status- No Unit has applied for CTO on 09.03.2017 & submitted form I under authorization vide id no. 17221 on 09.03.2017. (Photographs of display board and container are submitted)	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017	03-10-2017 Inspection be conducted.
12	O2 PATHLABS PRIVATE LIMITED	Z-51, PHASE-II, OKHLA INDUSTRIAL AREA	10-03-2017		PATHOLOGICAL TESTING LABORATORY In House Testing Laboratory with Trading Activity	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Yes Physiochemical size 5KLD 2)ECS - N/A 3)D.G.Set: Nil 4)Status of Ground Water extraction : Nil 5)Water Consumption - 6 KLD (Source - DJB) Trade Effluent Discharge - 5 KLD Domestic Effluent Discharge - 1 KLD 6)Date of Commencement - 10.04.2017 (Proposed)		10-08-2017	03-10-2017 Consent to Establish granted.

									7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
13	GOYAL METAL SHEET PROCESS	PLOT NO. 106, PH - II, BADLI, INDL. AREA, DELHI	10-03-2017		LD/PP SHEET COMPOUND WITHOUT MANUFACTURING OF PLASTIC BAGS Manufacturing of Reprocessed PVC Granules and Other Injection Moulded Items (using Scrap as Raw Material without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.		09-08-2017	03-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
14	CAFE PUBLIC CONNECTION (A UNIT OF PARATUS HOSPITALITY PVT. LTD.)	F-39-40, INNER CIRCLE, CONNAUGHT PLACE	10-03-2017		RESTAURANT CUM BAR. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	Effluent analysis report: (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	08-08-2017	03-10-2017 Consent to Establish granted.
15	KAMAL RUBPLAST INDUSTRIES PVT. LTD	308/1, SHAHZADA BAGH INDUSTRIAL AREA	10-03-2017	DPCC/EC/2/1/2017/17229	MFG.OF RUBBER AUTO PARTS AND RUBBER GOODS Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Orange Renewal	Non-SPI				29-09-2017	03-10-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
16	FAIZAN METALS	M-13, KHASARA NO.29, NEW MANDOLI INDUSTRIAL AREA, VISHNU GALI, DELHI-110093	10-03-2017	DPCC/EC/2/1/2017/17230	MELTING OF COPPER SCRAP WITH PIT FURNACE. Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Cyclone and Scrubber) 3. D.G Set- 30 KVA 4. OLMS- No information of user Id and password provided. 5. Proof prior to 2007- Rent Agreement dated 28.11.2006 6. Documents in original for boundary in original by Industry Department- No 7. Display Board- No 8. Fuel Used : HSD.	1. Emission Monitoring Report submitted by DPCC on 08.02.2017 and parameters are within the limit in the report submitted. 2. Noise Monitoring report submitted by DPCC on 09.02.2017 and parameters are within the limit in the report submitted.	05-04-2017 Recommended for Inspection. Remarks /ATR on 22-09-2017 No reply from the unit has been received till date. inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 25-07-2017 As per the decision by the consent committee on 6/4/2017 a letter was issued to the unit on 4/6/2017 to the unit asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, OLMS, display board etc. No reply has been received till date. Inspection yet to be conducted.	03-10-2017 Expedite inspection.
17	FUJI (A UNIT OF K HOUSE RESTAURANTS PVT. LTD.	M-41/2, SPEED BIRD HOUSE, MIDDLE CIRCLE, CONNAUGHT PLACE	10-03-2017	DPCC/EC/2/1/2017/17232	Restaurant Services. Restaurants	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - N/A	1.Effluent analysis report: (a) Effluent analysis report dated 20-02-2017 issued by DPCC submitted. Effluent Test Report	21-07-2017	03-10-2017 Consent to Operate granted.

					/Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				(2)ECS - N/A (3)D.G.Set Noise Report : 1 Status of Ground Water extraction :nil -A complaint was received in this office on 14.09.2016 from Mr. Tabal, 913,78, Jamia Nagar, Delhi regarding illegal operations of restaurants/ hotels/bars operating in Connaught place, new delhi. -An inspection was carried out by DPCC representatives on 21.10.2016. During inspection following observations were made: 1.During inspection unit found operational and engaged in the activity of restaurant having seating capacity of 94 seats. 2.ETP installed and but same found in non operational condition. i.e. influent from restaurant directly discharged into sewer. 3.One DG sets of 62.5 KVA was installed with improper acoustic enclosure and inadequate stack height. 4.Hood and suction system provided in the kitchen with adequate stack height of chimney. - A show cause notice u/s 21/22 of Air Act and u/s 25/26 of Water Act issued to the unit 09.12.2016. -Unit has submitted a reply on 23.12.2016 and requesting to grant time for week for submission of consent application. -Modified Directions u/s 31 (A)/33(A) was issued issued to the unit on 02.02.2017.	within Limit - Yes 2.Noise monitoring report (b) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 22-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes		
18	ELROY AUTOMOBILES PVT.LTD.	KH-544/1 MUNDKA INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17254	REPAIRING AND SERVICING OF RENAULTS VEHICLES WITH WASHING AND PAINT BOOTH. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI		Source of Water:Ground Water Consumption:15450 Liters/Day Status of Ground Water extraction :15450 Liters/Day Status of Pollution Control System (1)ETP -installed (2)ECS -installed (3)D.G.Set: N/A -As directed an inspection was carried out by DPCC, Official on 05.04.2017. During inspection following observations were made: 1. During inspection unit found under renovation, no industrial activity such as repairing, washing and servicing of vehicles not observed. 2. ETP found installed & same was under maintenance. 3.D.G Set of 62.50 KVA found under renovation. 4.Hazardous waste room	Effluent analysis report: (a) Effluent analysis report dated 08-03-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Stack monitoring report : (a) Stack monitoring report dated 10-03-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	05-04-2017 -Consent to operate may be granted. Remarks/ATR on 22-09-2017 as per the decision dated 06.04.2017 a letter regarding submission of requisite documents was issued to the unit on 21.07.2017 Remarks/ATR on 21-07-2017 -Unit has submitted a reply on 01.05.2017 along with hardcopy of CTO application and all requisite documents. Remarks/ATR on 21-07-2017 -As per the decision taken in the meeting on 06.04.2017, a letter yet to be issued. Recommendation / Action Taken Details (EE/AEE) on 06-04- 2017 Ask the unit to submit certificate. in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate and also unit be asked to intimate the date of completion of the renovation work and not to start operation without taking prior permission from DPCC.	03-10-2017 Issue reminder with a copy to Industries Department requesting to claify whether the address is located within the boundary of redevelopment area or not.

									observed under renovation. 5. CTO applied on 14.03.2017.				
19	AMBUJ AUTOMOBILE	501, FIE, PATPARGANJ INDUSTRIAL AREA	14-03-2017	DPCC/EC/2/1/2017/17258	SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-02-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- Yes oil and grease trap- yes DMF and ACF- Yes. (2)ECS - No (3)D.G.Set: No Status of Ground Water extraction :Nil Source of water : Others.	No Test Report Submitted.	05-04-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 As per the decision taken by the committee on 06.04.2017,an inspection was being carried out on 03.06.2017 and following were the observations: 1. The unit was found in operation. ETP consists of O&G, collection tank, chemical reaction cum settling tank, pH correction tank followed by filters(DMF and ACF) and Sludge drying Bed found installed. 2. ETP was found in operation, flocs were found in the reaction cum settling tank indicating the operation of ETP. In collection tank two chambered O&G was found installed. 3. HW was found stored in a isolated room in which waste oil as well as oil soaked cotton rags and ETP sludge from SDB was found stored in a separate drum having labeling. 4. The unit is two wheeler service station in which Yamaha brand motorcycles and scooters servicing being taken place. A letter for taking rectification measures w.r.t. deficiencies observed during inspection was issued to the unit on 21.06.2017. No reply from the unit has been received till date.	03-10-2017 Issue show cause notice for refusal of consent.	
20	COSY GRAND	13 ARADHANA ENCLAVE SECTOR 13 R K PURAM	14-03-2017	DPCC/EC/2/1/2017/17266	GUEST HOUSE AND HOTELS Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel and banquet. 2. ETP installed in the premises found functional. 3. Log book of the ETP maintained. 4. Stack height of the kitchen found adequate.		09-08-2017 -Unit has submitted hard copy of the CTO application. Remarks/ATR on 20-09-2017 Brief of the cases Status of Pollution Control System (1)ETP - ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel and banquet. 2. ETP installed in the premises found functional. 3. Log book of the ETP maintained. 4. Stack height of the kitchen found adequate. Status of Test Report Remarks/Recommendation -Unit has submitted hard copy of the CTO application.	03-10-2017 Consent to Establish and Consent to Operate granted.	
21	PODDAR POLYMER	69, PHASE II, BADLI INDUSTRIAL ESTATE	15-03-2017		TYRE RETREADING Tyre Retreading (without Boiler)	Orange Operate	Non-SPI					29-09-2017 .	03-10-2017 Inspection be conducted.
22	SAMRAT OFFSET PVT. LTD.	B-88, OKHLA INDUSTRIAL AREA, PH-II	16-03-2017		PRINTING Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 08-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 					

								Application Date27-09-2006 Authorisation StatusPending HWM Application No.3 Application Date22-05-2009 Authorisation StatusPending HWM Application No.4 Application Date21-03-2012 Authorisation StatusApproved Authorisation Issue Date30-05-2012 Authorisation Expiry Date20-03-2017 HWM Application No.5 Application Date18-03-2017 Authorisation StatusPending	Status of Ground Water extraction : Nil Water Consumption: 3000 Liters/Day (Source - DJB) Status of Inspection : Nil SCN u/s 33(A)/5 of EPA details : Nil Closure directions u/s 33(A)/5 of EPA details : Nil			
23	PIND BALLUCHI (A UNIT OF EVAM HOSPITALITY PVT LTD)	GROUND FLOOR 114-117 TO 122 P P TOWER NETA JI SUBHASH PLACE, PITAM PURA,	17-03-2017		RESTAURANT 95 SEATS. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		(1)ETP:(Physiochemical type) of capacity 5 KLD along with Oil and Grease Trap of capacity 2 KLD (2)ECS:N/A (3)D.G.Set:Nil (4)Source of Water Supply:4 KLD from outside source. (5)Date of commencement of production:01.04.2010 Also trade effluent and domestic effluent as per column 15 is 3.2 KLD and 0.8 KLD respectively. However as per undertaking trade effluent and domestic effluent is 3 KLD and 0.5 KLD.	Effluent analysis report dated 08-03-2017 issued by DPCC submitted. Effluent Test Report is within Limit.	06-07-2017 Remarks/ATR on 31-08-2017	03-10-2017 Inspection be conducted.
24	WELSPUN ENTERPRISES LIMITED	DELHI MEERUT PHASE 1 PROJECT GAZIPUR	18-03-2017		Develoement of Delhi-Meerut Expressway package 1 (NHA1 project) Ready Mix Concrete Plants (without trade effluent discharge)	Orange Establish	Non-SPI		1. ETP - No 2. ECS- No 3. D.G. Set - No 4. Domestic Waste efflent - 100 L/day - The inspection of the unit was conducted on 20.10.2016. - Show Cause Notice under Air Act and Water Act was issued on 02.12.2016. No reply from the unit was received. - Direction of Closure was issued to the unit and	N/A	05-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 1.Show Cause Notice u/s 31(A) Air Act and u/s 33 (A) Water Act was issued on 08.12.2016. 2.Direction of closure u/s u/s 31(A) Air Act and u/s 33 (A) Water Act was issued on 23.02.2017. 3. Revocation of direction was issued to the unit on 24.03.2017. 4. The unit submitted its reply on 23.05.2017 that they are not able to upload documents related to consent to operate.	03-10-2017 Inspection be conducted.

									revocation of the closure direction was issued to the unit on 24.03.2017. - Reply of the closure direction was issued on 20.03.2017. - The unit has applied for CTE under orange category on 18.03.2017.		Recommended for inspection.	
25	HARDEV PRINTERS	A-49/1, PH-I, MAYAPURI INDUSTRIAL AREA	20-03-2017		Printing of books by offset printing Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved Authorisation Issue Date 06-08-2004 Authorisation Expiry Date 05-08-2006 HWM Application No. 2 Application Date 28-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 14-03-2011 Authorisation Status Approved Authorisation Issue Date 07-10-2011 Authorisation Expiry Date 13-03-2016	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		20-07-2017 -consent to establish may be granted.	03-10-2017 Consent to Establish granted.
26	EMBLEM HOTEL (A UNIT OF NC HOSPITALITY PVT. LTD.)	E-5, KALINDI COLONY, NEW FRIENDS COLONY	20-03-2017		GUEST HOUSE. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)OGT ---- (Proposed) (2)ECS - N/A (3)D.G.Set: 100 KVA (Status of Ground Water extraction : Nil Water Consumption - 1.73 KLD (Source - DJB) Trade Effluent Discharge - 1.30 KLD Domestic Effluent Discharge - 043 KLD Date of Commencement - 01.07.2009 (Existing) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil		10-08-2017 As decided in common file of New Defense colony, Fresh inspection of the unit is to be carried out.	03-10-2017 Consent to Establish granted.

									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
27	STANDARD APPLIANCES & INDUSTRIES	SHED NO-49, DSIDC INDUSTRIAL COMPLEX, WAZIRPUR INDUSTRIAL AREA	20-03-2017		Paper Printing, Tool Repair and Sheet Cutting Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 06-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 28-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 12-05-2010 Authorisation Status Pending HWM Application No. 4 Application Date 20-03-2017 Authorisation Status Pending	(1)ETP: N/A (2)ECS: N/A (3)D.G.Set: Nil (4)Source of Water Supply: 0.2 KLD from DJB		06-07-2017 Remarks/ATR on 31-08-2017	03-10-2017 Inspection be conducted.
28	BALA PLASTIC INDUSTRIES	A-87/4, WAZIRPUR INDUSTRIAL AREA	20-03-2017		Manufacturing of Polythene Cover, Rolls and Plastic Packaging Material. Using fresh raw material with printing. Polythene, Plastic and PVC Goods through Extrusion Moulding (without use of Scrap) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 17-09-2015 Authorisation Status Pending	ETP : N/A ECS :N/A D.G.Set:N/A Source of water supply :0.14 KLD from DJB		06-07-2017 Remarks/ATR on 31-08-2017 Inspection of the unit was carried by DPCC officials on 22.08.2017 and following were observed: -Unit found operation and engaged in the activity of manufacturing of polythene cover, rolls and plastic with flexo printing. -Unit is not complying with HWM Rules,2016. Remarks/ATR on 08-08-2017 As per column no.5 of consent application form, Capital investment by the unit is 32,01,809. and no information is provided in the undertaking. However, according to CA certificate capital investment by the unit is 21,86,919.	03-10-2017 Issue show cause notice for refusal of consent and show cause notice for refusal / cancellation of authorization. Also issue show cause notice u/s 5 of EP Act.
29	KOUTSA ENTERPRISES	F-24, KH. NO 17/5, MILAN GARDEN, MANDOLI, SHAHDARA	20-03-2017		Copper Wire Drawing with Super Enamelling (Dry Process) Copper Wire Drawing with Super Enamelling (Dry Process)	Orange Operate	Non-SPI		Status of Pollution Control System 1. ETP- N/A 2. ECS- Yes (Wet Scrubber) 3. D.G Set- No. 5. Proof prior to 2007- No 6. Documents in original for	1. Emission monitoring Report submitted by DPCC on 07.03.2017 and parameter is within the prescribed limit.	05-04-2017 Recommended for Inspection. Remarks/ATR on 22-09-2017 No reply from the unit received till date. Recommendation / Action Taken Details (EE/AEE) on 31-07-2017 As per the committee decision on 25/05/2017 a letter dated 4/7/2017 was issued to the unit asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of	03-10-2017 Expedite inspection.

									boundary in original by industry Department- No		the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc. Inspection yet to be conducted.	
									7. Display Board- No			
									8. Fuel Used : HSD.			
30	IMAGINATIVE COLOURS PRIVATE LIMITED	C-205, NARAINA INDUSTRIAL AREA, PHASE-1, NEW DELHI	21-03-2017		OFFSET PRINTING Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		20-07-2017 -Consent to Establish may be granted.	03-10-2017 Consent to Establish granted.
31	TOP TYRE SOLES	BC-241, PH-II, MANGOLPURI INDUSTRIAL AREA	22-03-2017		RE TREADING OF OLD TYRE. Tyre Retreading (without Boiler)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A Status of Ground Water extraction : Nil Source of Water: 50 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	31-08-2017 Unit has uploaded undertaking in word format which is not signed by the unit owner and also address is in correct. Also uploaded CETP certificate is not correct, however, hard copy is correct. Recommendation: Consent may be refused.	03-10-2017 Issue show cause notice for refusal of consent.
32	RAMA TRADERS	PLOT NO. 154, SEC - 3, PKT - H, DSIIDC, BAWANA, INDL. AREA, DELHI - 110039	22-03-2017		OFFSET PRINTING Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Hardcopy not submitted.		11-08-2017 .	03-10-2017 Ask the unit to submit hardcopy of consent application along with requisite documents. If unit submits the same and found satisfactory, Consent to Establish be granted.
33	RELIABLE AUTO WORKS	A-95/6 WAZIRPUR INDUSTIRAL AREA	23-03-2017		Automobiles Servicing and Repair Station with Washing Activity without burner (Paint Booth) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI		(1)ETP:ETP (Physiochemical type) of capacity 2 KLD/day (2)ECS: N/A (3)D.G.Set:Nil (4)Source of Water Supply:0.6 KLD from DJb. Earlier, directions for closure u/s 33(A) of Water Act and 31(A) of Air Act was issued to the unit on 11.01.2017. Unit has submitted its reply in response of directions for closure along with undertaking and security bond of Rupees 2,00,000/-. Temporary revocation was issued to the unit for 30 days on 08.02.2017. Now Unit has submitted its CTO application on 23.03.2017. However hard copies of the application have not received so far. Also one Enclosure as PAN Card is properly attached and rest of the enclosures are wrong. Further, in column no 22 unit has chosen wrong category for the type of hazardous waste generated. Unit has not applied for Authorization under HWM		06-04-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 Show Cause Notice for refusal of consent was issued to the unit vide office letter dated 10.08.2017. Further,unit has submitted a copy of Consent application with Enclosures vide letter dated 22.08.2017. However, unit has not Clarify about the difference in Gross Capital Investment in CTO and CTE application and choosing wrong category for the type of hazardous waste generated. Unit has not applied for authorization under HWM Rules.	03-10-2017 Issue show casue notice for refusal of consent since unit has not submitted proper reply in response to DPCC letter dated 10.08.2017. Also issue show cause notice u/s 5 of EP Act.

									Rules. In the application unit has mentioned Gross capital investment as Rs. 3,50,000 however, previously in CTE it was Rs. 3,75,000. CA certificate not found enclosed.			
34	LAKOZY MOTORS PVT. LTD.	B 26 OKHLA INDUSTRIEL AREA,PHASE -2	23-03-2017		REPAIRING AND SERVICING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - (Proposed) 2)ECS - Nil 3)D.G.Set: Nil. 4)Status of Ground Water extraction : Nil 5)Water Consumption - 5.84 KLD (Source - DJB) Trade Effluent Discharge - 5.5 KLD Domestic Effluent Discharge - 0.34 KLD 6)Date of Commencement - 01.04.2017 (Proposed) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		09-08-2017	03-10-2017 Consent to Establish granted.
35	PRINCE INDUSTRIES (INDIA)	M-17, STREET NO.6, ANAND PARBAT INDUSTRIAL AREA	23-03-2017		MFG. OF RUBBER PARTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a) AR dated issued by submitted. (b) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A - issued by - N/A - submitted and parameters within limit / not satisfactory. Status of Ground Water extraction : Status of Inspection : SCN u/s 31(A)/33(A)/5 of EPA details : Closure directions u/s 31(A)/33 (A)/5 of EPA details :		22-09-2017	03-10-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.
36	NEW SOUTH INDIAN CAFE	A-5, SHIVSHAKTI MARKET MADANGIR	23-03-2017		RESTAURANT.		Non-SPI		Status of Pollution Control System	N/A	13-09-2017 Unit has applied for Renewal of Consent to Operate on 23.03.2017 for	03-10-2017

					Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal			Oil and Grease Trap: Capacity:800 litres/day (3)D.G.Set: No Status of Ground Water extraction :Nil Source of Water: Municipal Authority Total Water Consumption:650 litres/day Trade Effluent Discharge: 400 litres/day Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A		the activity of Restaurant . The unit has not informed about the dimension/details of Oil & Grease Trap cum Settling Tank. It is recommended that CTO(R) may be granted after the unit submits the desired details.	Consent to Operate (Renewal) granted after submission of dimension/details of Oil & Grease Trap cum Settling Tank and found in order.
37	UNIQUE COLOR CARTON	A-28/2, PHASE-1, MAYAPURI INDUSTRIAL AREA	23-03-2017		OFFSET PRINTING WITHOUT TRADE EFFLUENT DISCHARGE Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 13-07-2004 Authorisation Status Approved Authorisation Issue Date 06-08-2004 Authorisation Expiry Date 05-08-2006 HWM Application No. 2 Application Date 01-08-2006 Authorisation Status Pending HWM Application No. 3 Application Date 06-07-2010 Authorisation Status Pending HWM Application No. 4 Application Date 23-03-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		21-07-2017 Remarks/ATR on 09-08-2017 -An inspection was carried out by representatives of DPCC on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing. 2. Unit is non water and non air polluting therefore no ETP/ECS found installed. 3. Source of water supply is corporation for drinking purpose only. 4. HWM guidelines being followed. 5. Applied for CTO and authorization on 23.03.2017.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
38	TAP HOUSE CAFE (A UNIT OF R. J. TAPHOUSE PVT. LTD.)	K-43, 1ST FLOOR, CONNAUGHT PLACE,	24-03-2017		RESTAURANT Restaurants /Eating houses/ Dhabas and other	Orange Establish	Non-SPI		water consumption: 3500 litre/day Status of Ground Water extraction :no	1) Effluent analysis report: Effluent analysis report dated 05-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-07-2017 Remarks/ATR on 20-09-2017	03-10-2017 Consent to Establish granted.

					such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A -A complaint was received in this office on 14.09.2016 from Mr. Iabal, 913,78, Jamia Nagar, Delhi regarding illegal operations of restaurants/ hotels/bars operating in Connaught place, new delhi. -An inspection was carried out by the representatives of DPCC on 14.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar. 2. No D. G. set was found installed within unit 3. Oil and Grease trap installed. 4. Hood and suction system provided in the kitchen with inadequate stack height of chimney. 5. Not applied for Consent application. -A Show Cause Notice u/s 31 (A) & u/s 33 (A) was issued to the unit on 09.12.2016. -unit submitted its reply on 23.12.2016 and stated that they have increased the stack height of chimney & also requesting to grant 60 days time to apply CTE/CTO application in DPCC. -A modified direction was issued to the unit on 02.02.2017. -unit submitted its reply on 24.04.2017 and stated that they have applied CTE and in process to apply CTO application in DPCC & requesting to grant some time for the same. -Again An inspection was carried out by the representatives of DPCC on 02.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2. No D. G. set was found installed within the premises. 3. Oil and Grease trap installed but no separate settling tank was observed. 4. Hood and suction system provided in the kitchen without adequate stack height of chimney. 5. Applied for Consent application.	water consumption: 3500 litre/day Status of Ground Water extraction :no Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A -A complaint was received in this office on 14.09.2016 from Mr. Iabal, 913,78, Jamia Nagar, Delhi regarding illegal operations of restaurants/ hotels/bars operating in Connaught place, new delhi. -An inspection was carried out by the representatives of DPCC on 14.10.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar. 2. No D. G. set was found installed within unit 3. Oil and Grease trap installed. 4. Hood and suction system provided in the kitchen with inadequate stack height of chimney. 5. Not applied for Consent application. -A Show Cause Notice u/s 31 (A) & u/s 33 (A) was issued to the unit on 09.12.2016. -unit submitted its reply on 23.12.2016 and stated that they have increased the stack height of chimney & also requesting to grant 60 days time to apply CTE/CTO application in DPCC. -A modified direction was issued to the unit on 02.02.2017. -unit submitted its reply on 24.04.2017 and stated that they have applied CTE and in process to apply CTO application in DPCC & requesting to grant some time for the same. -Again An inspection was carried out by the representatives of DPCC on 02.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of Restaurant cum bar with 48 seating capacity. 2. No D. G. set was found installed within the premises. 3. Oil and Grease trap installed but no separate settling tank was observed. 4. Hood and suction system provided in the kitchen without adequate stack height of chimney. 5. Applied for Consent application. Status of Test Report 1) Effluent analysis report: Effluent analysis report dated 05-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Remarks/ATR on 09-08-2017 .		
39	SANDEEP PLASTIC	B-10, WAZIRPUR INDUSTRIAL AREA	24-03-2017		Manufacturing of Plastic Granules From Scrap (Without Washing)	Orange Renewal	Non-SPI		ETP :N/A ECS :N/A D.G.Set:Nil Source of Water Supply:0.05 KLD from outside source		06-07-2017 . Remarks/ATR on 31-08-2017 .	03-10-2017 Inspection be conducted. Also ask the unit to apply for registration under Plastic Rules, 2016.
					Reprocessing of Waste Plastic /							

					PVC (without Washing Activity)	Orange Establish	Non-SPI		(1)ETP - N/A (2)ECS - N/A (3)D.G.Set: Nil (4) Source of water supply: :0.15 KLD from outside source. Rent agreement enclosed with the application is neither on stamp paper nor attested by notary. Unit has submitted CTE and CTO on 31.03.2017 and submitted the hard copies of both of these applications, however, one more application of CTE has been filed on 24.03.2017 which needs to be made infructuous. No valid proof regarding year of establishment is enclosed as property was purchased in 2011. Therefore, submitted consent fee in CTE and CTO is based on the establishment of unit on 01.03.2017.		06-04-2017 Remarks/ATR on 31-08-2017 Remarks/ATR on 08-08-2017 No reply has been received from the unit in response of letter vide this office letter dated 06.07.2017. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Letter was issued to the unit seeking clarification from the unit on 06.07.2017.	03-10-2017 Issue show cause notice for refusal of consent.	
40	SHUBHAM ENTERPRISES	B-18 (BACKSIDE) GROUP, WAZIRPUR INDUSTRIAL AREA	24-03-2017		Mfg. of Plastic Cabinets By Injection Moulding Machine Manufacturing of Reprocessed PVC Granules & Other Injection Moulded Items (using Scrap As Raw Material with Washing Activity)	Orange Establish	Non-SPI						
41	RAMAN RETI ENTERPRISES	B-2294,NARELA INDUSTRIAL AREA,DELHI-40	24-03-2017		Flexo Printing (Without Trade Effluent Discharge) Roto and Flexo Printing without trade effluent discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 25-03-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 200 sq mt Date of commencement- 03.04.2006 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill submitted) Applied under HWM rules. Inspection conducted on 05.07.2017 and findings are- 1. Unit found in opeartion and engaged in the activity of Flexo printing without trade effluent. 2. HWM rules are complied with.	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	07-07-2017 Remarks/ATR on 20-07-2017 	03-10-2017 Consent to Establish granted.	
42	NEW LINE BUILD CAP PVT. LTD.	S-99, PH-I, BADLI INDUSTRIAL ESTATE	25-03-2017		Manufacturing of Tyre retreading Material Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI					29-09-2017 	03-10-2017 Inspection be conducted.
43	RAMAN RETI ENTERPRISES	B-2294,NARELA INDUSTRIAL AREA,DELHI-40	25-03-2017		Flexo Printing (Without Trade Effluent Discharge) Roto and Flexo Printing without trade effluent discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 25-03-2017 Authorisation Status Pending	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 200 sq mt Date of commencement- 03.04.2006 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill submitted) Applied under HWM rules. Inspection conducted on 05.07.2017 and findings are- 1. Unit found in opeartion and engaged in the activity of Flexo printing without trade effluent. 2. HWM rules are complied with.	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	07-07-2017 Remarks/ATR on 20-07-2017 	03-10-2017 Consent to Establish and Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.	
44			25-03-2017				Non-SPI						03-10-2017

	SHIV SHAKTI OFFSET	A-21/27, NARAINA INDUSTRIAL AREA PHASE - II			OFFSET PRINTING LAMINATION AND BINDING WITHOUT TRADE GENERATING TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Establish		HWM Application No. 1 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil HWM Application No. 2 Application Date 12-07-2004 Authorisation Status Pending Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no HWM Application No. 3 Application Date 25-03-2017 Authorisation Status Pending		21-07-2017 -Consent to Establish may be granted. Remarks/ATR on 20-09-2017 -An inspection was carried out by DPCC representatives on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing press, on duplex board.. 2. No ETP installed in the unit as the unit is non-water polluting. 3. No D.G set installed in the unit. 4. HWM guidelines are being complied. Remarks/ATR on 09-08-2017 -An inspection was carried out by DPCC representatives on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing press, on duplex board.. 2. No ETP installed in the unit as the unit is non-water polluting. 3. No D.G set installed in the unit. 4. HWM guidelines are being complied.	Consent to Establish granted.
45	SHIV SHAKTI OFFSET	A-21/27, NARAINA INDUSTRIAL AREA PHASE - II	25-03-2017		OFFSET PRINTING LAMINATION AND BINDING WITHOUT TRADE GENERATING TRADE EFFLUENT Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set:N/A Status of Ground Water extraction :nil HWM Application No. 2 Application Date 12-07-2004 Authorisation Status Pending Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no HWM Application No. 3 Application Date 25-03-2017 Authorisation Status Pending		21-07-2017 . Remarks/ATR on 20-09-2017 -An inspection was carried out by DPCC representatives on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing press, on duplex board.. 2. No ETP installed in the unit as the unit is non-water polluting. 3. No D.G set installed in the unit. 4. HWM guidelines are being complied. Remarks/ATR on 09-08-2017 -An inspection was carried out by DPCC representatives on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing press, on duplex board.. 2. No ETP installed in the unit as the unit is non-water polluting. 3. No D.G set installed in the unit. 4. HWM guidelines are being complied.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
46	FINE INDUSTRIES	M-17, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA	27-03-2017		AUTO PARTS (OIL SEALS). Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Renewal	Non-SPI	water consumption: 100 litre/day Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :NIL		21-09-2017 -Consent to Operate (Renewal) may be granted.	03-10-2017 Ask the unit to submit report for VOC emission or SSI Registration. If unit submits the same and found in order, consent to operate(renewal) be granted.

									Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
47	JUNEJA EATING HOUSE	74, MEHAR CHAND MARKET, LODHI COLONY	27-03-2017		EATING SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no		08-08-2017 -Unit is having MCD & Delhi Police license.	03-10-2017 Consent to Operate(Renewal) granted.
48	SAROVAR PORTICO (EARLIER LIVING ROOM A UNIT OF BLISSPOINT DEVELOPERS AND INFRASTRUCTURE PVT LTD)	A9 NARAINA VIHAR	28-03-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Source of water: DJB (Bill provided) water consumption:1350 Liters/Day Status of Ground Water extraction :nil Status of Pollution Control System (1)ETP -Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. -An inspection was carried out by DPCC representatives on 12.01.2017. during inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of hotel having 39 rooms (with kitchen & without laundry). 2. Kitchen channelization provided with suction system having adequate stack height of chimney, kitchen is not used for commercial purpose. 3. Two nos. of D.G. set 1x160 KVA & 1x200 KVA installed at roof level with acoustic enclosure and adequate stack height. 4. Water supply from DJB, no borewell observed during inspection. 5. Oil & Grease Trap found installed in the unit. 6. MCD license, Delhi Police license, Electricity bills, water bill not shown during inspection.	(1) Effluent analysis report: (b) Effluent analysis report dated 16-06-2017 issued by DPCC submitted. Effluent Test Report within Limit - No . (2)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 2 D.G. Set(s) of 160 KVA and 200 KVA. Noise monitoring report dated 12-06-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	21-07-2017 Remarks/ATR on 09-08-2017	03-10-2017 Consent to Establish granted.

									7. Not applied for Consent to Establish & Consent to Operate yet. -A Show Cause u/s 31 (A) and u/s 33 (A) was issued on 17.03.2017. -Again an inspection was carried out by representatives of DPCC on 12.07.2017. During inspection following observations were made: 1.During inspection, unit found operational & engaged in the activity of guest house (62 beds with 31 rooms). 2. Unit is not having any kitchen, for commercial activity. 3. Two nos. of D.G. set 1x160 KVA & 1x200 KVA installed with acoustic enclosure and adequate stack height. 4. Unit is not using any plastic disposable glasses/plates. 5. Unit has already applied for consent to establish and operate.			
49	CLASSIC TYRE RETREADS	A-14, WAZIRPUR INDUSTRIAL AREA	28-03-2017		Retreading of Old Tyers without boiler Tyre Retreading (with Boiler)	Orange Renewal	Non-SPI		ETP -N/A ECS - N/A D.G.Set: N/A Source of water supply: 0.01 KLD from outside source Earlier,Consent to Operate granted to the unit on 22.05.2014 was revoked on 09.07.2015.In its reply dated 21.07.2015 along with undertaking and photographs of disconnected bore well and informed that unit will not use bore well without permission and will take water supply from MCD tanker or other contractors.		06-07-2017	03-10-2017 Inspection may be conducted.
50	FORTUNE PRINT SERVICES	F-25, PHASE-I, OKHLA INDL. AREA	28-03-2017		OFFSET PRINTING PRESS WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-03-2017 Authorisation Status Pending	Status of Pollution Control System 1)ETP - Nil 2)ECS - N/A 3)D.G.Set: Nil 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.2 KLD (Source - DJB) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 0.18 KLD 6)Date of Commencement - 10.08.2012 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		10-08-2017 Unit has applied for Consent to Operate and Authorization under HWM Rules on 28-03-2017 and 28-03-2017 respectively.	03-10-2017 Inspection be conducted.
51	MANWHAR FOOD & BEVERAGES PVT. LTD.	PLOT NO. 5, SHAKTI NAGAR CHOWK, ROOP NAGAR	28-03-2017		Restaurant Restaurants /Eating houses/ Dhabas and other	Orange Operate	Non-SPI		Status of Pollution Control system Devices- 1. OGT- Yes 2. ECS- N/A 3. D.G. set- N/A	Effluent Analysis Report issued by DPCC on 27.03.2017 Emission Monitoring Report -N/A	21-07-2017 Remarks/ATR on 09-08-2017	03-10-2017 Consent to Establish and Consent to Operate granted.

					such establishments (having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Plot Area-80 sq mt Date of Establishment/ Commencement- 30.06.2015 Status of Ground Water Extraction-Yes 1.Water consumption- 1000 L/day Source-DJB (Bill submitted) Cat II Inspection status-Yes (21.11.2016) and findings are as follows: 1.Unit found in operation and engaged in the activity of restaurant without having a consent from DPCC. 2. no ETP/ OGT found installed and waste water is being directly discharged into drain without any treatment. 3. No ECS found installed 4. One DG of 20 KVA found installed adequate stack height. 5. MCD and Police license valid upto 31.03.2018. SCN was issued on 23.11.2016. Again inspection was conducted on 01.02.2017 and it was found that unit is not following the norms. Therefore closure direction was issued to the unit on 16.02.2017. Unit has submitted security bond and undertaking and applied for CTE. Temporary revocation for 15 days was issued to the unit on 07.03.2017.	Noise Monitoring report-N/A	Inspection was again conducted on 07.08.2017 and its findings are as follows: 1. Unit found operational and engaged in the activity of Restaurant with capacity of 48 seats. 2. Oil and Grease Trap found installed and functional. 3. Channellization provided over kitchen section. 4. MCD/ Police license valid upto 31.03.2018.	
52	SURYA OFFSET PRINTERS	B-97/3, NARAINA INDUSTRIAL AREA PHASE - I	28-03-2017		PRINTING PRESS. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 12-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 02-07-2010 Authorisation Status Pending HWM Application No. 4	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		21-07-2017 Remarks/ATR on 09-08-2017 -An inspection was carried out by DPCC representatives on 08.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing. 2. No ETP installed as the unit is non-water polluting. 3. No D.G set installed in the unit. 4. HWM guidelines are being followed.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

								Application Date 28-03-2017 Authorisation Status Pending				
53	SUN GRAPHICS	X-36, OKHLA INDUSTRIAL AREA, PHASE-II	29-03-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: 125 KVA Status of Ground Water extraction : Nil Water Consumption - 100 KLD (Source - Other) Date of commissioning of unit : 20.02.2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		09-08-2017	03-10-2017 Consent to Establish granted.
54	BURGERKING (A UNIT OF BURGER KING INDIA PVT. LTD.)	PLOT NO-18, SECTOR-10, DWARKA	29-03-2017		Restaurant eating house Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -Yes (7 KLD (a) Effluent analysis report dated 31-01-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 06-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (b) Stack monitoring report (for more than 1000 KVA) dated issued by submitted and parameters within limit / not satisfactory. Status of Ground Water extraction :Nil water Consumption: 7.84 KI/D Trade Effluent: 6.02 KL/D Domestic Effluent: 0.70 KL/D Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	1. Effluent analysis report dated 31-01-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 06-03-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	09-08-2017 Unit applied for CTE and CTO on 06.12.2016 and 29.03.2017 respectively for the activity of Restaurant with seating capacity of 112 seats. Unit submitted Effluent analysis and Noise monitoring Report which is under permissible limit. It is recommended that CTE may be granted and inspection may be conducted to check the present condition before granting CTO.	03-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
55	PANCHSHEEL CHEMICAL INDS	M-27/3, PHASE I, BADLI INDUSTRIAL ESTATE	29-03-2017		Printing and Lamination on Polyester Film (Without Plastic) (Without Trade Effluent) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004	Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 680 sq mt Date of commencement- 01.01.1994 Status of Ground Water Extraction-No 1. Water consumption- 50 L/day.	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	07-07-2017	03-10-2017 Inspection be conducted.

								Authorisation Expiry Date	03-08-2006	a) Source of water-outside (copy of bill not submitted)			
								HWM Application No.	2				
								Application Date	27-07-2004				
								Authorisation Status	Pending				
								HWM Application No.	3				
								Application Date	09-08-2006				
								Authorisation Status	Pending				
								HWM Application No.	4				
								Application Date	21-02-2011				
								Authorisation Status	Approved				
								Authorisation Issue Date	04-06-2012				
								Authorisation Expiry Date	20-02-2016				
56	YOUWE & CARS	D 12 OKHLA INDUSTRIAL AREA PHASE 1	29-03-2017		Repairing,Washing with Denting Painting. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Establish	Non-SPI			Status of Pollution Control System (1)ETP ---- Yes (Proposed) (2)ECS - N/A (3)D.G.Set: 125 KVA (4)Status of Ground Water extraction : Nil (5)Water Consumption: 3 KLD (Source - Outside) Trade Effluent Discharge - 2.0 KLD Domestic Effluent Discharge - 2.0 KLD (6)Date of commencement: 02.05. 2017 (Proposed) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil		19-05-2017	03-10-2017 Consent to Establish granted.
57	SHIVAM COMPU DATA FORMS PVT. LTD	487/1/2B AND C, BLOCK NO. 8 SHAHDARA INDUSTRIAL AREA DILSHAD GARDEN (NORTH OF GT ROAD)	29-03-2017		Printing without trade effluent discharge Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No.	1	1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4.Water Consumption - 200 Liters/Day . 5. Source of water supply- Corporation or Ground water.	N/A	06-04-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Expedite Inspection.	03-10-2017 Expedite inspection.

								Authorisation Status	6. Disposal of treated effluent -100 Liters/Day , which is discharged through sewer.			
58	JAI MAHAVEER ENTERPRISES	B-2319,NARELA INDUSTRIAL AREA,DELHI-40	29-03-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 200 sq mt Date of commencement- 06.01.2017 Status of Ground Water Extraction-No 1. Water consumption- 500 L/day. a) Source of water-outside (copy of bill not submitted)	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	07-07-2017 Remarks/ATR on 20-07-2017 .	03-10-2017 Consent to Establish granted.
59	SHREE SAI LABELS	K-29, SECTOR-01, BAWANA INDUSTRIAL AREA	30-03-2017		is Labels/ Stickers (With Printing) (without trade effluent discharge) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control system/Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area- 150 sq mt Date of commencement- 01.04.2017 Status of Ground Water Extraction-No 1. Water consumption- 50 L/day. a) Source of water-DSIIDC (copy of bill submitted)	Effluent analysis report - N.A Emission monitoring report -N.A Noise monitoring report - N.A	21-07-2017 .	03-10-2017 Consent to Establish granted.
60	PIND BALLUCHI (A UNIT OF IKO HOSPITALITY PVT.LTD)	4 B /15,TILAK NAGAR,NEW DELHI-110018	30-03-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP -N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 13-07-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	20-07-2017 -Consent to Establish may be granted. Remarks/ATR on 08-08-2017 -Unit has submitted hard copy of the Consent to Establish application.	03-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
61	LIFTECH INDIA PVT. LTD.	B-69/2 WAZIRPUR INDUSTRIAL AREA	30-03-2017		SERVICE STATION Automobile Servicing and Repair Station with Washing Activity	Orange Establish	Non-SPI		(1)Unit has applied CTE for the activity of Automobile Servicing and Repair Station with Washing. However No ETP is proposed, also source of water and discharge of wastewater is mentioned as N/A. (2)Most of the details in application form is not filled properly. (3)Only four enclosures are attached i.e PAN Card in the name of company, CA certificate, first page of the rent agreement and Layout plan of the premises. (4)Unit has not submitted undertaking and Project report. Also hard copies of the documents have not received till date.	.	06-04-2017 . Remarks/ATR on 31-08-2017 . Remarks/ATR on 08-08-2017 Unit has submitted reply vide letter dated 28.07.2017 and submitted hard copy of detailed project report Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 A letter was issued to the unit for submitting hard copy of consent application on 06.07.2017.	03-10-2017 Consent to Establish granted.
62	REGENT PRINTERS & PACKERS	69/6A, NAJAFGARH ROAD INDUSTRIAL AREA	30-03-2017		MANUFACTURING JOB WORK OF OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 09-07-2004 Authorisation Status Approved	water consumption: 30 litre/day . Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	.	20-07-2017 -Consent to Establish may be granted.	03-10-2017 Consent to Establish granted.

								Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 18-09-2006 Authorisation Status Pending HWM Application No. 3 Application Date 03-04-2017 Authorisation Status Pending	(3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no			
63	KOHLI METAL WORKS	C-4, WAZIRPUR INDUSTRIAL AREA	30-03-2017		STEEL FURNITURE (WITHOUT BUFFING AND POWDER COATING). Spray Painting, Paint Baking, Paint Stripping	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 01-12-2010 Authorisation Status Approved Authorisation Issue Date 15-01-2013 Authorisation Expiry Date 30-11-2015 HWM Application No. 2 Application Date 30-03-2017 Authorisation Status Pending	(1)ETP :N/A (2)ECS :N/A (3)D.G.Set:NIL (4)Souce of water supply :0.3 KLD from DJB		06-07-2017 Remarks/ATR on 31-08-2017	03-10-2017 Inspection be conducted.
64	SWAMI GUTTA FACTORY	PLOT NO. 20, GALI NO. 7, JAWAHAR NAGAR REDEVELOPMENT AREA	30-03-2017		Paper Manufacturing Using Waste Paper Paper Manufacturing Using Waste Paper	Orange Operate	SPI		1. ETP- Yes, Physio-chemical treatment 2. ECS- Cyclone, fuel stack attached to Boiler. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Delhi Municipal Corporation Licence which is renewed till 31.03.2000. 6. Documents in original for boundary in original by industry Department- No 7. Display Board- Yes 8. Fuel used - Hard Coke.	Emission Monitoring Report submitted by DPCC on 27.03.2017 and all the parameters are within the prescribed Limits. Analysis Report of water effluent submitted by DPCC on 23.03.2017 and all the parameters are within the prescribed Limits.	25-04-2017 Recommended to issue a letter to the unit asking to submit the letter from industrial Department stating that their unit is within the boundary of redevelopment area Remarks/ATR on 31-07-2017 Inspection was conducted on 22/2/2017 and accordingly SCN was issued dated 3/4/2017. A reply was submitted on 17/04/2017 in which the unit has stated that they have already applied for consent to operate in DPCC along with the requisite documents , fee and test reports. A letter dated 19/5/2017 was issued to the unit and which stated that consent to operate has been considered in DPCC, and it was decided to ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate. In response a letter dated 1/6/2017 was received in which the unit has produced the required certificate from the industry department along with the map clearly showing its location. Therefore they have requested DPCC to give them consent to operate.	03-10-2017 Consent to Operate granted.

65	KANHA PRINT PACK PVT LTD	N-31,SEC-1,DSIDC INDL. AREA, BAWANA,DELHI	30-03-2017		OFFSET PRINTING MATERIAL Printing without Trade Effluent Discharge	Orange Establish	Non-SPI	HWM Application No. 1 Application Date 15-04- 2017 Authorisation Status Pending	Status of Pollution Control system Devices- 1. ETP- N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mt Date of Establishment/ Commencement-01.05.2017 Status of Ground Water Extraction-Yes 1.Water consumption- 350 L/day Source-DSIIDC (Bill submitted) Inspection status-Yes (22.05.2017) and findings are as follows: 1.Unit found operational and engaged in the activity of offset printing material. 2. HWM Rules are not complied with. 3. One borewell found exists without having permission from CGWA/DJB. Unit has applied for CTE on 30.03.2017 & authorization on 15.04.2017 (Photographs od display board and containers are submitted) In a meeting dated 23.05.2017 it was decided to issue SCN of refusal of consent and authorization and SCN u/s 5 of EPA.	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	21-07-2017 .	03-10-2017 Consent to Establish granted. Also inspection be conducted.
66	REGENT PRINTERS & PACKERS	69/6A, NAJAFGARH ROAD INDUSTRIAL AREA	30-03-2017		MANUFACTURING JOB WORK OF OFFSET PRINTING. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 09-07- 2004 Authorisation Status Approved Authorisation Issue Date 30-07- 2004 Authorisation Expiry Date 29-07- 2006 HWM Application No. 2 Application Date 18-09- 2006 Authorisation Status Pending HWM Application No. 3 Application Date 03-04- 2017 Authorisation Status Pending	water consumption: 30 litre/day . Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no		20-07-2017 .	03-10-2017 Inspection be conducted.
67	BURGERKING (A UNIT OF BURGER KING INDIA PVT LTD.)	J-25A & B FIRST FLOOR, LAJPAT NAGAR II NEW DELHI-110048	31-03-2017		Restauran Eating House Restaurants /Eating houses/ Dhabas and other such establishments (having seating	Orange Operate	Non-SPI		Status of Pollution Control System 1)ETP - Yes with design capacity 5 KLD 2)ECS - Yes 3)D.G.Set: 125 KVA (Stack	i) Unit has submitted Water Effluent Analysis Report and the same is meeting the permissible limit. ii) Unit has submitted Noise Monitoring Report and the same is meeting the permissible limit as per G.S.R.371 (E) dated 17.05.2002 and amended till date.	22-05-2017 .	03-10-2017 Consent to Establish and Consent to Operate granted.

					capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler				Height 3m above Roof Level) 4)Status of Ground Water extraction : Nil 5)Water Consumption - 3.36 KLD (Source - DJB) Trade Effluent Discharge - 2.3 KLD Domestic Effluent Discharge - 0.5 KLD 6)Date of Commencement - 27.10.2016 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
68	EK TU HI NIRANKAR METALS	A-15A, THIRD FLOOR, MAYAPURI, PHASE II,	03-04-2017		we dont manufacturing in this activity. Electrical and Electronic Goods involving use of varnish	Orange Establish	Non-SPI		Water Consumption: N/A Source of Water: N/A Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details: no Closure directions u/s 31(A)/33 (A)/5 of EPA details : no		23-05-2017 Consent to Establish may be granted. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 .	03-10-2017 Expedite inspection.
69	BIRLA HI-TECH MACHINES	92, DSIDC SCHEME I, OKHLA INDUSTRIAL AREA PH-II	03-04-2017		MANUFACTURING OF DIFFERENT TYPE OF PAPER CONVERTER MACHINES. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 03-04-2017 Authorisation Status Pending	(1)ETP - Nil (2)ECS - N/A (3)D.G.Set: - Nil KVA Status of Ground Water extraction : Nil Water Consumption: 0.3 KLD (Source - Municipal) Trade Effluent Discharge - Nil Domestic Effluent Discharge - 0.2KLD Status of Inspection :Nil Show cause notice u/s 33(A) of Water Act & u/s 31(A) of Air Acts issued to Unit on 28.02.2017		23-05-2017 Inspection to carried out to check the compliance of HWM Rule,2016. Recommendation / Action Taken Details (EE/AEE) on 10-08-2017 As decided, an inspection of the unit was carried out by Representatives of DPCC on 02.08.2017 and following observations were made:- -Unit found in operation and engaged in the activity of mfg. of Different Type of Paper Converter Machines -unit has applied for CTO(R) on 03.04.2017. -Unit is complying with the provisions of HWM Rules, 2016. -Logbook of Hazardous Waste is being maintained.	03-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.
70	ASCO MOTORS	492 , INDUSTRIAL AREA, PATPARGANJ (F.I.E.)	04-04-2017		SHOW ROOM AND SERVICE STATION OF BIKES. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 09-03-2012 Authorisation Status Approved Authorisation Issue Date 08-06-2012 Authorisation Expiry Date 08-03-2017	Status of Pollution Control System 1. ETP: Yes ACF and DMF: Yes oil and grease trap: yes. 2. ECS: No. 3. D.G Set: No.	No Test Report Submitted.	06-04-2017 Inspection be conducted in view of hazardous Waste. Remarks/ATR on 21-07-2017 Expedite inspection Recommendation / Action Taken Details (EE/AEE) on 27-06-2017 Inspection yet to be Conducted.	03-10-2017 Expedite inspection.

								HWM Application No. 2 Application Date 04-04-2017 Authorisation Status Pending				
71	JINDAL AGRO INTERNATIONAL	PLOT D-1633,NARELA	04-04-2017		Dal Mills Dal Mills	Orange Establish	Non-SPI		.	.	29-09-2017	03-10-2017 Consent to Establish granted.
72	SHIVA TRADING CO.	PLOT NO 53,POCKET-I SECTOR-3,DSIDC BAWANA INDSUTRIAL AREA	05-04-2017		MANUFACTURING OF RUBBER PARTS / PRODUCTS. Rubber moulded goods excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Orange Operate	Non-SPI		The unit has applied for Consent to Operate under Orange Category and submitted consent fee for five years applicable under orange category (as per previous categorization). As per new categorization approved in 63rd DPCC Board meeting dated 27.02.2017, now activity falls under Green Category.		28-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of consent to Operate for period of five years.	03-10-2017 Ask the unit to submit report for VOC emission or SSI Registration. Also inspection be conducted.
73	ROHIT SIGNADS PVT. LTD.	PLOT NO 487/1,BLOCK NO-08 , SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD) DILSHAD GARDEN,	05-04-2017		APRINTING AND MANUFACTURING OF ADVERTISING MATERIALS Photograph Printing (Including Signboard Painting) without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-04-2017 Authorisation Status Pending	1. ETP- No. 2. ECS- No. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Consent which was granted on 19.06.2006. 6. Documents in original for boundary in original by industry Department- No 7. Display Board- Yes	N/A	25-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Inspection yet to be Conducted	03-10-2017 Expedite inspection.
74	MAHAJAN PACKERS	PLOT NO. B-48, LAWRENCE ROAD, INDUSTRIAL AREA	06-04-2017		PACKAGING AND PRINTING (SMALL BOXES) Printing without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 300 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33 (A)/5 of EPA details: No	N/A	23-05-2017 Hard copy is not submitted by the unit. Recommendations: Ask the unit to submit the hard copy. Remarks/ATR on 31-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 Hard copy not submitted so far. Letter to submit hard copy of documents is issued on 29.05.2017. No reply received so far.	03-10-2017 Issue show cause notice for refusal of consent. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
75	BAGNO STILES	H-25, UDYOG NAGAR INDL. AREA, NEAR PEERAGARHI	06-04-2017		PRINTING / DECORTING ON TILES. Decorative Goods (Painting/ Polishing) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 06-04-2017 Authorisation Status Pending	Source of water: DJB Water Consumption: 300 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No		23-05-2017 -Consent to Operate may be granted. Remarks/ATR on 13-09-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of printing on decorting tiles, without trade effluent discharge. 2. One D.G Set of 62.5 KVA found installed without acoustic enclosure & inadequate stack height. 3.Diesel fluid oven found installed with improper stack. 4. No borewell was observed during inspection. 5. Unit is non-water polluting therefore no ETP found installed. 6. HWM guidelines being not followed. - The ATR/Remarks filled on 29-08-2017 has been mistakenly copy paste. Remarks/ATR on 29-08-2017 An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made:	03-10-2017 Issue show cause notice for refusal of consent and refusal / cancellation of authorization. Also issue show cause notice u/s 31(A) of Air Act and u/s 5 of EP Act.

											1. Unit found operational and engaged in the activity of printing on decoring tiles, without trade effluent discharge. 2. One D.G Set of 62.5 KVA found installed without acoustic enclosure & adequate stack height (3 meters above roof level). 3. No borewell was observed during inspection. 5. Unit is non-water polluting therefore no ETP found installed. 6. HWM guidelines being followed. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of printing on decoring tiles, without trade effluent discharge. 2. One D.G Set of 62.5 KVA found installed without acoustic enclosure & inadequate stack height. 3.Diesel fluid oven found installed with improper stack. 4. No borewell was observed during inspection. 5. Unit is non-water polluting therefore no ETP found installed. 6. HWM guidelines being not followed.	
76	RAM KRISHNA PRESS	A-26, NARAINA INDUSTRIAL AREA PHASE - II	07-04-2017		Offset Printing without washing Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 13-07-2004 Authorisation Status Approved Authorisation Issue Date 05-08-2004 Authorisation Expiry Date 04-08-2006 HWM Application No. 2 Application Date 23-10-2006 Authorisation Status Pending HWM Application No. 3 Application Date 07-04-2017 Authorisation Status Pending	Water Consumption: 200 litre/day Source of Water: Tanker Status of Ground Water Extraction: N/A Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		23-05-2017 Consent to operate(Renewal) may be granted. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -An inspection was carried out by DPCC representatives on 07.07.2016. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset printing without washing. 2. Unit is non-water as well as air polluting therefore, no ETP & ECS found installed. 3. No D.G Set found installed within the premises. 4. HWM guidlines being not followed.	03-10-2017 Issue show cause notice for refusa/cancellation of authorizationa and show cause notice u/s 5 of EP Act.
77	K. D. B UDYOG	A-110, PHASE II, MANGOLPURI INDUSTRIAL AREA	07-04-2017		ROTO GRAVURE PRINTING ON PLASTIC / POLYTHENE TUBES (PRINTED PACKAGING MATERIALS). Plastic Processed Goods Roto and Flexo Printing without trade effluent discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-07-2004 Authorisation Status Approved Authorisation Issue Date 04-08-2004 Authorisation Expiry Date 03-08-2006 HWM Application No. 2	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 200 L per day, Source- DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	N/A	22-05-2017 Consent may be granted. Remarks/ATR on 29-09-2017 Unit has again submitted its reply on 20.09.2017 along with the stack monitoring report and mentioned that they have increase the height of stack attached to Thermic Fluid Heater which is 2.5 meter above from the roof level of building now. Remarks/ATR on 31-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 Unit was inspected on 30.06.2017 and SCN u/s 5 and 31(A) of Air act was issued on 28.06.2017 for the deficiencies observed during inspection. Unit has submitted its reply on 13.07.2017 along with the photograph and logbook w.r.t. HWM rules. Unit has requested for some time to increase gthe stack height with thermic fluid heater.	03-10-2017 Reinspection be conducted.

								Application Date 10-08-2006 Authorisation Status Pending				
								HWM Application No. 3 Application Date 09-04-2009 Authorisation Status Pending				
								HWM Application No. 4 Application Date 09-04-2012 Authorisation Status Pending				
								HWM Application No. 5 Application Date 07-04-2017 Authorisation Status Pending				
78	SHREE BALA JI INTERNATIONAL	K-65, UDYOG NAGAR INDL. AREA	07-04-2017		Job Work of Offset Printing (without trade effluent discharge) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-04-2017 Authorisation Status Pending	Source of water: NDMC Connection Water consumption:350 Status of Ground Water: nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	.	23-05-2017 -Consent to Operate may be granted. Remarks/ATR on 19-09-2017 An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of job work of offset printing without trade effluent discharge. 2. Unit is non-water polluting as well as air polluting therefore no ETP & no ECS found installed. 3. No of D. G. set found installed within the premises. 4. HWM guidelines being followed. 5. No ground water borewell observed. 6. Applied for consent to Operate and Authorisation under HWM rule. Remark: CTO and Authorisation may be granted. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of job work of offset printing without trade effluent discharge. 2. Unit is non-water polluting as well as air polluting therefore no ETP & no ECS found installed. 3. No of D. G. set found installed within the premises. 4. HWM guidelines being followed. 5. No ground water borewell observed. 6. Applied for consent to Operate.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
79	OM PRINTERS	324, FIE, PATPARGANJ INDUSTRIAL AREA	09-04-2017		printing w/o trade effluents Printing without	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - No. 4. Source of Water Supply - 130	N/A	19-04-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 01-09-	03-10-2017 Reinspection be conducted.

					Trade Effluent Discharge				liters/day through other sources.		2017 As per the above decision, following Show Cause Notices were issued to the unit on 24.07.2017: 1. SCN under 31(A) of the air act and 33(A) of the water act. 2. SCN u/s 5 of the environment act. -The unit has submitted its reply on 16.08.2017 in which it stating that they have installed 2 drums for treating the effluents i.e one for HW and one for water waste, and boiler for treating the water. Their machines do not release any harmful/toxic trade effluents.	
80	SRI BHAGWATI OFFSET PRINTERS	ZB-29/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD), SHAHDARA	10-04-2017		OFFSET PRINTING (WITHOUT TRADE EFFLUENT DISCHARGE) Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 24-07-2007 Authorisation Status Pending HWM Application No. 2 Application Date 10-04-2017 Authorisation Status Pending	1. ETP- No. 2. ECS- No. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Acknowledgement Letter issued on 12.03.2007 by DPCC. 6. Documents in original for boundary in original by industry Department- No 7. Display Board- Yes	N/A	25-04-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
81	MANOJ PLASTICS	A-99/1, PHASE-II, OKHLA INDUSTRIAL AREA	12-04-2017		PVC FILM PRINTING PRESS Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Water Consumption: 500 Litres/Day (Source - DJB) Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		23-05-2017 Unit has applied for Consent to Operate under Air & Water Acts and Authorization under HWM Rules, 2016 on 12.04.2017 for the activity of PVC Film Printing Press without trade effluent discharge. Inspection to be carried out in compliance of HWM. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Inspection yet to be carried out.	03-10-2017 Expedite inspection.
82	DR. WELLMANS HOMOEOPATHIC LABORATORY (INDIA) PVT. LTD.	C-151, PHASE-II, MAYAPURI INDUSTRIAL AREA	12-04-2017		Homeopathic medicines (liquid Orals.) Pharmaceuticals formulation only (Dry Process)	Orange Operate	Non-SPI		Source of water: DJB, Category-II (copy of bill provided) Water Consumption: 3000 litre/day Status of Ground Water extraction : Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection : no SCN u/s 31(A)/33(A)/5 of EPA details : no Closure directions u/s 31(A)/33(A)/5 of EPA details : no		23-05-2017 -Consent to Operate may be granted. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -An inspection was carried out by DPCC representatives on 07.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of homeopathic (liquids, orals). 2. No D. G. set found installed within the premises. 3. unit is non-water polluting therefore no ETP, no ECS found installed. 4. HWM guidelines being not followed.	03-10-2017 Issue show cause notice for refusal/cancellation of authorization and show cause notice u/s 5 of EP Act.
83	MAXIMUS PACKERS	49, DSIDC PHASE-I, OKHLA INDUSTRIAL AREA	13-04-2017		PRINTING PRESS WITHOUT ANY TRADE EFFLUENT DISCHARGE.	Orange Renewal	Non-SPI	HWM Application No. 1	Status of Pollution Control System (1)ETP ---- N/A	The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 10-11-2016 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	23-05-2017 Unit has applied for Renewal of Consent under Air & Water Acts on 13.04.2017 and Authorization under HWM Rules, 2016 on 13.04.2017. As per previous consent order expired on 19.09.2013, the activity was Printing with Trade Effluent Discharge while as per the recent Consent	03-10-2017 Consent to Operate (Renewal) granted. Application for

					Printing without Trade Effluent Discharge			Application Date 15-01-2004 Authorisation Status Approved Authorisation Issue Date 13-10-2004 Authorisation Expiry Date 12-10-2006	(2)ECS - N/A (3)D.G.Set Noise Report : 1 The unit has 1 D.G. Set(s) of 100 KVA. Noise monitoring report dated 10-11-2016 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil		to Operate (Renewal) application, the activity is Printing without Trade Effluent Discharge. Therefore, unit may be requested to reply for Consent to Establish for the change of activity. As decided SCN was to unit on 17.05.2017. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 File yet to be put up administratively. Unit has submitted representation w.r.t SCN dated 17/05/17 on 28/06/17 along with photographs of display board and Hazardous waste container and informed that hazardous waste stored in leak proof container marked with sefic label kept in an isolated place , record of hazardous waste maintained in form 3 and they are in process submitting fresh application for CTE for the activity of Offset Printing without trade Effluent Discharge.	Authorization under HW Rules be kept in abeyance.
								HWM Application No. 2 Application Date 02-09-2006 Authorisation Status Pending	Water Consumption: 200 Litres/Day (Source - DJB) Status of Inspection : Inspection of the unit was carried by Representatives of DPCC on 27.04.2017 and following observations were made during inspection-			
								HWM Application No. 3 Application Date 08-07-2008 Authorisation Status Pending	-Unit found in operation and engaged in the activity of offset printing without trade effluent discharge. -Unit having one D.G. Set of 100 KVA capacity with acoustic enclosure and adequate stack height. -Unit has removed/discontinued the plate making section/activity. -As informed plate making is outsource. Bill provided during inspection. No plate making activity observed. (Copy of Bill enclosed)			
								HWM Application No. 4 Application Date 13-04-2017 Authorisation Status Pending	-ETP lying at the second floor of the premises in dismental condition. As informed its for sale. -Unit is not complying with the provision of HWM Rules, 2016. SCN u/s 5 of EPA and refusal of consent & authorization details : Issued on 17.05.2017			
								Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil				
84	S.G. MANUFACTURING CO. DELHI (P) LTD.	B-5, JHILMIL INDUSTRIAL AREA	13-04-2017		MANUFACTURING OF COPPER WIRE RODS WITH HOT-RE-ROLLING Copper / Aluminium Re-Rolling Industry (Foil and Strips Etc.) with Capacity less than 25MT/Day	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 23-04-2009 Authorisation Status Pending	1. ETP - No. 2. ECS - Scrubber attached to furance. 3. D.G Set - No 4. Source of Water Supply - 500 liters/day through DJB 5. Quantity of Domestic Effluent Generated - 50 Liters/Day which is disposed through Sewer	Emission Monitoring Report submitted by DPCC on 11.04.2017 and the Parameters are within the prescribed limit as per the report.	19-04-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 24-07-2017 As per the decision by Cell Incharge, Inspection of the unit was conducted by the officials of DPCC on 20/7/2017 and following were observed 1. The unit was found in operation engaged in the activity of re-rolling of copper ingots to make copper wire rods . 2. Oil fired furnace (Re heating) furnace was being used to make copper ingots red hot suitable for re rolling. 3. LDO / HSD mixture oil was reportedly being used as fuel in the said furnace. 4. 2 burners of capacity 25L /hour each being used in the furnace. Hood at the opening of the furnace outlet was found provided and connected to the scrubbing system. 5. A duct for channelization of the flue gases generated during the red hot process (re heating process) also connected to the wet scrubbing system(tower type) followed by stack. 6. ID fan being used for suction. wet scrubber was found operative.	03-10-2017 Consent to Operate (Renewal) granted.
85	WOW MOMO FOODS PVT LTD	B 263 OKHLA INDUSTRIAL AREA PHASE 1	17-04-2017		Meat Processing Restaurants/Eating Houses / Dhabas and other such establishments	Orange Establish	Non-SPI		Another Consent application shows in online with same activity, name of unit and same address. However, only one hard copy received. and also payment of transaction verified		23-05-2017 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2017	03-10-2017 Consent to Establish dated 26.04.2017 granted. Earlier Consent to Establish application

					(with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				from account cell of DPCC shows that consent fee paid by unit in same number of NEFT / RTGS.		As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 12.06.2017 and following observations were made: -Unit found in operation and engaged in the activity of Making of Momos. -Unit has installed an ETP but same found filled up with garbage and not in operation. No Oil & Grease Trap installed. No collection tank installed before the ETP. Wastewater generated from Kitchen is being directly pass in ETP without any separate collection tank. -Chemical dosing tank found empty and rusted & condition of the same & ETP, Shows that its not being used regularly. -There is no sludge drying bed installed with ETP. -No flow meter installed at inlet & outlet of ETP. -Logbook of ETP not maintained. -Channelization system provided with 3 gas burners, however stack height is inadequate (below the roof level) but no channelization system provided with 4 urja stove and 1 tandoor. In view of above and as decided, Show Cause Notice u/s 33(A) of Water and 31(A) of Air Acts issued to unit on 03.07.2017. Unit has submitted representation w.r.t SCN dated 03.07.2017 and requested to grant some time to rectify the deficiencies.	dated 17.04.2017 be made infructuous.
86	JAI BHAGWAN GOEL DAL MILLS (UNIT-II)	C-62, SECTOR-4, DSIIDC BAWANA INDUSTRIAL AREA	17-04-2017		DAL MILL. Dal Mills	Orange Establish	Non-SPI		.	.	29-09-2017 .	03-10-2017 Consent to Establish granted.
87	AJAY DAL MILLS	PLOT NO. 2, SEC - 2, PKT - A, DSIIDC, BAWANA, INDL. AREA	17-04-2017		Dal Mills Dal Mills	Orange Establish	Non-SPI		.	.	29-09-2017 .	03-10-2017 Consent to Establish granted.
88	JPS RESIDENCY	6, HARGOVIND ENCLAVE, KARKARDOOMA	18-04-2017		Guest House with 15 Rooms with Kitchen Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		1. ETP - No. Oil and Grease Trap - Yes, design capacity of 1800 Liters/Day 2. ECS - No. 3. D.G Set - 125 KVA. 4. Source of water -1400 Liters/Day (Municipal Authority). 5. Domestic Effluent discharge - 1200 Liters/day(800 Liters/Day for domestic and 400 liters/day) for washing, which is disposed through sewer. 6. Municipal Corporation of Delhi - Not provided 7. Police Licence of Delhi - Not provided.	N/A	25-04-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Consent to establish is prepared in draft mode	03-10-2017 Implement the decision dated 23.05.2017.
89	INDIAN PRINTING WORKS	C-52, PHASE-II, OKHLA INDUSTRIAL AREA	19-04-2017		PRINTING PAPER AND BOARDS. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006 HWM Application No. 2 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 30-07-2004 Authorisation Expiry Date 29-07-2006	Status of Pollution Control System 1)OGT - Nil 2)ECS - N/A 3)D.G.Set: Nil KVA 4)Status of Ground Water extraction : Nil 5)Water Consumption - 0.1 KLD (Source - DJB) Trade Effluent Discharge - Nil Domestic Effluent Discharge - 0.06 KLD 6)Date of Commencement - 01.01.1980 (Existing) Unit has applied for Consent to Establish on 19.02.2008. 7)Status of Inspection :Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33 (A)/5 of EPA details :Nil	.	23-05-2017 Inspection to to carried out to check compliance of HWM Rule, 2016 Recommendation / Action Taken Details (EE/AEE) on 03-10-2017 As decided, an inspection of the unit was carried out by representatives of DPCC on 29.09.2017 and following observations were made:- -Unit found in operational and engaged in the activity of Offset Printing without Trade Effluent Discharge. -Unit having 1 D.G. set of 62.5 KVA capacity with acoustic enclosure but without stack height (Nil mtr from acoustic level). -Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016 i.e Hazardous Waste not stored in leak proof containers, containers not marked with specific label and not stored in isolated area, record of hazardous waste not maintained in form-3.	03-10-2017 Issue show cause for refusal/cancellation of authorization and show cause notice u/s 5 of EP Act.

								HWM Application No. 3 Application Date 08-07-2004 Authorisation Status Pending				
								HWM Application No. 4 Application Date 29-06-2010 Authorisation Status Pending				
								HWM Application No. 5 Application Date 19-04-2017 Authorisation Status Pending				
90	ARUN PACKERS AND PRINTERS	C-36 LAWRENCE ROAD INDUSTRIAL AREA	19-04-2017		Mfg. Offset Printing and Packaging. Printing with Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 17-05-2006 Authorisation Status Pending HWM Application No. 2 Application Date 13-04-2012 Authorisation Status Approved Authorisation Issue Date 05-06-2012 Authorisation Expiry Date 12-04-2017 HWM Application No. 3 Application Date 19-04-2017 Authorisation Status Pending	1)ETP ---- Details not provided. (a) AR dated 11.04.2017 issued by DPCC submitted. (b) Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 45 KVA. Noise monitoring report dated 12-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Status of Ground Water extraction : N/A Source of Water: 350 L per day, Source- DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: N/A	Effluent analysis report dated 10-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit. Noise monitoring report of D.G. Set of 45 KV dated 12-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	22-05-2017 Unit has not submitted the hard copy of application form and also CETP certificate in hardcopy is not submitted. Effluent analysis report dated 10-04-2017 issued by DPCC submitted, however, no details of ETP provided. Recommendation: inspection may be carried out. Remarks/ATR on 31-08-2017 . Remarks/ATR on 08-08-2017 Reply submitted on 20.07.2017 alongwith the photographs regarding the rectification of the deficiencies observed during the inspection. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 Inspection of unit was carried out on 16.06.2017 and the SCN u/s 5 and u/s 31(A) of air act and 33(a) of water act were issued on 06.07.2017 for the deficiencies observed during inspection.. Reply awaited.	03-10-2017 Reinspection be conducted.
91	VISHWASH AUTO MOBILES INDIA	PLOT NO.-84, POCKET-G, SECTOR-1, DSIDC INDUSTRIAL COMPLEX, BAWANA INDUSTRIAL AREA	20-04-2017		MANUFACTURING OF AUTO PARTS WITH ELECTROPLATING. Process Involving Buffing	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 21-07-2008 Pending	.	.	29-09-2017 .	03-10-2017 Inspection be conducted.

								Authorisation Status				
								HWM Application No. 2 Application Date 30-04-2012 Authorisation Status Approved Authorisation Issue Date 02-07-2012 Authorisation Expiry Date 29-04-2017				
								HWM Application No. 3 Application Date 20-04-2017 Authorisation Status Pending				
92	RAHUL METAL INDUSTRIES	KHASRA NO.- 24, PLOT NO. F-4, NEW MANDOLI REDEVELOPMENT AREA	20-04-2017		Aluminium casting Aluminium Casting (except cupola furnace only), Rolling (with capacity less than 25 MT/day) and Annealing	Orange Operate	Non-SPI		1. ETP- N/A 2. ECS- Yes (Scrubber attached to furnace) 3. D.G Set- No 4. D.G Set Test Report- No 5. OLMS- Not installed. 6. Proof prior to 2007- Electricity bill in the name of Sh. Raj Mohan Sharma and Energisation date is 08.11.2004, CA no- 101541571. 7. Documents in original for boundary in original by industry Department- No 8. Display Board- No 9. Fuel Used : HSD.	Emission monitoring report submitted dated 03.04.2017 1. Particulate Matter (mg/ Nm3)- 64 against 150 2. Fugitive emission observed from furnace.	26-04-2017 Inspection be conducted. Also ask the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc. Remarks/ATR on 22-09-2017 No reply from the unit has been received till date. Recommendation / Action Taken Details (EE/AEE) on 31-07-2017 As per the committee decision on 23/05/2017 a letter dated 14/7/2017 was issued to the unit asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc. Inspection yet to be conducted.	03-10-2017 Expedite inspection.
93	DK BIKE SPARES & SERVICES LLP	61 NAJAFGARH ROAD (MOTI NAGAR DLF INDUSTRIAL AREA)	21-04-2017		Reparing and Servicing of motor bikes with greecing and washing. Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-04-2017 Authorisation Status Pending	Source of water: NDMC Connection (copy of bill provided) Water Consumption: 3000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A -Inspection was carried out by representatives of DPCC on 22.05.2017. During inspection following observations were made: 1.During inspection unit found operational & engaged in the activity of repairing & servicing	1. Effluent analysis report: (a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	23-05-2017 . Remarks/ATR on 21-09-2017 Unit has submitted its representation on 24.07.2017 in reference of Show Cause notice for refusal of consent (F.NO-DPCC/CMC-IV/2017-16968) and informed that they have completed all conditions: 1. Effluent treatment plant installed (photo attached). 2. Log book of ETP maintained (photo attached). 3. HWM Guidelines being followed (photo attached). Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Issue show cause notice for refusal of consent and cancellation of authorization under HW Rules. Also issue show cause notice u/s 33 (A) of Water Act and u/s 5 of EP Act was issued to the unit on 08.06.2017.	03-10-2017 Reinspection be conducted.

									of motor bikes with grease & washing. 2. ETP found installed and same was found in defunct condition. 3. ETP log book not maintained. 4. No. D.G Set found installed within the premises. 5. HWM guidelines being not followed. 6. Applied for CTO on 03.04.2017			
94	MANMACHINE WORKS PVT LTD	GOLDEN PARK, RAMPURA, ROHTAK ROAD, DELHI	24-04-2017		filling station cum service station Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 24-04-2017 Authorisation Status Pending	(1)ETP: (Physiochemical) capacity-3 KLD along with Oil Grease Trap of capacity 3 KLD (2)ECS:N/A (3)D.G.Set: 1(40KVA) (4)Source of Water supply: 2.5 KLD from outside source Earlier, CTE was granted to the unit for the activity of filling cum service station under orange category which expired on 28.11.2016.	Noise monitoring report from dpcc lab is submitted and parameters are within limits.However, in the report stack height of about 0.2 meter above acoustic enclosure is mentioned but in application column no.20 it is mentioned as 2 meter above acoustic enclosure.	23-05-2017 . Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 Inspection of the unit is yet to be conducted. Unit has submitted its reply on 24.08.2017 in response of letter issued on 10.08.2017 along with photograph of D.G.Set and informed that unit has provided adequate stack height with D.G.Set.	03-10-2017 Expedite inspection.
95	MURLI PRODUCTS	PLOT NO 1579, BLOCK-D, DSIDC NARELA INDUSTRIAL AREA	25-04-2017		DALL MILL Dal Mills	Orange Renewal	Non-SPI		.	.	29-09-2017 .	03-10-2017 Consent to Operate(Renewal) granted.
96	KOS MINAR RESTURANT	KHASRA NO.18/16/2 SAMALKHA TEHSIL MEHRAULI	25-04-2017		Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler Hotel/ Guest Houses having less than 20 rooms (double bed) or 40 rooms (single bed) (excluding 3 Star and above) - not connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)STP -In process of establishment. (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :N/A Water Consumption: 3000 L/Day Proposed Date of Commissioning of Activity: 13.09.2010 Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33 (A)/5 of EPA details :N/A	.	23-05-2017 Unit applied For CTE on 25.04.2017 for the activity of Restaurant & Guest House with 10 Rooms (Double Bed). The unit as per the application submitted had commissioned its activity on 13.09.2010 but has not submitted the Consent to Establish fees accordingly. It is recommended that CTE may be granted only after receipt of complete fees with the condition that it will apply for CTO within 30 days. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Letter issued to the unit on 17.07.2017 for submission of additional fees. Fees not received yet.	03-10-2017 Issue reminder.
97	WOW MOMO FOODS PVT LTD	B 263 OKHLA INDUSTRIAL AREA PHASE 1	26-04-2017		meat processing Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Yes with design capacity 7 KLD 2)ECS - Yes 3)D.G.Set: 5 KVA (Stack Height not mentioned) 4)Status of Ground Water extraction : Nil 5)Water Consumption - 3 KLD (Source - DJB) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 2.7 KLD 6)Date of Commencement - 29.09.2015 (Existing)	.	22-05-2017 . Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 As decided, an inspection of the unit was carried out by Officials/ Representatives of DPCC on 12.06.2017 and following observations were made: -Unit found in operation and engaged in the activity of Making of Momos. -Unit has installed an ETP but same found filled up with garbage and not in operation. No Oil & Grease Trap installed. No collection tank installed before the ETP. Wastewater generated from Kitchen is being directly pass in ETP without any separate collection tank. -Chemical dosing tank found empty and rusted & condition of the same & ETP, Shows that its not being used regularly. -There is no sludge drying bed installed with ETP. -No flow meter installed at inlet & outlet of ETP. -Logbook of ETP not maintained. -Channelization system provided with 3 gas burners, however stack height is inadequate (below the roof level) but no channelization system	03-10-2017 Consent to Establish dated 26.04.2017 granted. Earlier Consent to Establish application dated 17.04.2017 be made infructuous.

					/ Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil		provided with 4 urja stove and 1 tandoor. In view of above and as decided, Show Cause Notice u/s 33(A) of Water and 31(A) of Air Acts issued to unit on 03.07.2017. Unit has submitted representation w.r.t SCN dated 03.07.2017 and requested to grant some time to rectify the deficiencies.	
98	JAGDAMBA IMPEX	ZB-42/487, SHAHDARA INDUSTRIAL AREA (NORTH OF GT ROAD)	26-04-2017		MAUFACTURING OF FANCY ITEMS OF PVC AND PP SHEET / ROLLS WITH PRINTING AND LAMINATION. Decorative Goods (Painting/ Polishing) Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-04-2005 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 27-04-2017 Authorisation Status Pending	1. ETP- No. 2. ECS- Channelization with exhaust system provided. 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007- Consent which was granted on 15.06.2006. 6. Documents in original for boundary in original by industry Department- No 7. Display Board- No	N/A	01-05-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
99	ACE INDIA	A-76, PH-II MANGOLPURI INDL. AREA	27-04-2017		LIGHT ENGG. WORKS FOR MFG ELECTRICAL APPLIANCES WITH BUFFING. Electrical and Electronic Goods involving use of varnish Process Involving Buffing	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - Cyclone (a) AR dated issued by submitted. (b) Stack analysis report dated - N/A - issued by - N/A - submitted. (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 350 L per day, Source-DJB Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA details : No Closure directions u/s 31(A)/33(A)/5 of EPA details: u/s 31(A) dated 18.10.2016	N/A	23-05-2017 Directions for closure u/s 31 (A) of the Air (Prevention & Control of Pollution) Act, 1981 and refusal of CTO application vide ID No DPCC/EC/2/1/2014/6860 were issued to the unit on 18.10.2016. The directions were temporarily revoked on 17.11.2016 as unit has submitted that no buffing activity has been existing now and applied again for CTO under green category vide ID No. DPCC/EC/2/1/2016/16369. Now unit has adding activity of buffing and applied for CTE under orange category. Capital investment mentioned in application form not match with undertaking. In application form, Capital investment mentioned is Rs 9,75,678. However, in undertaking it is Rs 21,75,650. Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 Unit did not allow to inspect the premise when DPCC representatives visited on 14.08.2017.	03-10-2017 Issue notice for inspection.
100	SINTEX SERVICE STATION	883, RITHALA INDUSTRIAL AREA, DELHI	28-04-2017		WASHING AND REPAIRING OF CARS. Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 05-06-2014 Authorisation Status Pending	Status of Pollution Control System (1)ETP - Yes (AR report dated 30.05.2014 from DTU) (2)ECS - Adequate stack Height provided with paint booth. (3)D.G.Set: -Nil. Status of Ground Water extraction : Nil Source of Water: 800 L per day, Source-Others Status of Inspection : 15.09.2016 SCN u/s 31(A)/33(A): Yes, dated 18.10.2016 Closure directions u/s 31(A)/33(A)/5 of EPA details: No	The unit has submitted ETP effluent analysis report dated 17-01-2017 and Paint booth stack monitoring report dated 06-04-2017	23-05-2017 The unit has submitted its reply on 07-11-2016 w.r.t SCN issued on 18.10.2016 u/s 33(A) of Water Act SCN for refusal of Consent and submitted that ETP is in operational condition and functional well within prescribed limit. No regular washing is going on workshop so that no water is being treated regularly. Paint booth for denting and painting have been installed. Proper drums for storage of hazardous waste are provided. Photographs of hazardous waste drums, paint booth and water meter for ETP are enclosed. The unit has also submitted that they have applied in Industry department for issuing Certificate regarding the unit located within the boundary of the notified redevelopment area with name and address, as soon as Industry department will issue they will submit in DPCC. No certificate from Industry department has been submitted by the unit so far. The old CTO application dated 15-01-2016 vide I.D. DPCC/EC/2/1/2014/8085 is pending. Remarks/ATR on 31-08-2017	03-10-2017 Expedite inspection.

					pickling (Dry Process				boundary by industry Department- No 7. Display Board- No.		As per the committee decision on 23/05/2017 a letter dated 13/7/2017 was issued to the unit asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc. Inspection yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 25-05-2017 - Inspection yet to be conducted.	
105	ALANKARAM	BII/37, MOHAN COOPERATIVE INDUSTRIAL AREA, BEHIND BADARPUR METRO STATION	04-05-2017		Manufacturing of all type furniture, interior and architechural goods. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 12-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (a) Effluent analysis report dated - N/A - issued by - N/A - submitted. (2)ECS - N/A (3)D.G.Set: ...N/A... (a)Noise monitoring report of - N/A - KVA dated - N/A - issued by - N/A - submitted and noise levels are within limit / beyond limit. (b) Stack monitoring report (for more than 1000 KVA) dated - N/A Status of Ground Water extraction :N/A Water Consumption: 350Liters/ Day Trade Effluent:350Liters/ Day Status of Inspection :N/A SCN u/s 31(A)/33(A)/5 of EPA details :N/A Closure directions u/s 31(A)/33(A)/5 of EPA details :N/A	23-05-2017 Unit has applied for CTO on 04.05.2017 for the activity of all type furniture, Interior and architectural Goods. Unit has also submitted application seeking Authorization under HWM Rules. It is recommended that an inspection may be carried out before deciding CTO application. Remarks/ATR on 13-09-2017 Inspection yet to be conducted Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.	
106	AMALFI(A UNIT OF GOVIND HOSPITALITY)	M-82,M BLOCK MARKET GK-II,	05-05-2017		Restaurant cum bar Having seating capacity of 48 Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Nil 2)ECS - N/A 3)D.G.Set: Nil KVA 4)Status of Ground Water extraction : Nil 5)Water Consumption - 2.5 KLD (Source - Corporation) Trade Effluent Discharge - 2.5 KLD Domestic Effluent Discharge - Nil KLD 6)Date of Commencement - 10.03.2013 (Existing) 7)Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil	22-05-2017 As per Consent application Unit existing since 10.03.2013. Now they have applied for Consent to Establish under Orange category for the activity of restaurant and paid Consent fee rupees 1046.16 only, however they have not submitted condonation fees with effect from 10.03.2013. Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 Unit has submitted reply w.r.t mail dated 23.05.2017 on 14.08.2017 and stated that they have submitted fees according to system if more required then let them then they submit the balance fees and move further.	03-10-2017 Implement the decision dated 23.05.2017.	
107	SHESHAN POLYMERS	B-2536,NARELA INDUSTRIAL AREA,DELHI-40	06-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP-N/A 2. ECS- N/A 3. D.G. set- N/A Plot Area-250 sq mt	Effluent Analysis Report-N/A Emission Monitoring Report -N/A Noise Monitoring report-N/A	23-05-2017 - Recommendation / Action Taken Details (EE/AEE) on 21-07-2017	03-10-2017 Expedite inspection.

					Waste Plastic / PVC (without Washing Activity)				Date of Establishment/ Commencement- 05.10.2015 Status of Ground Water Extraction-No 1.Water consumption- 500 L/day Source- Outside/ PNC (Bill not submitted) 1. During inspection M/s ACE Globe found closed & another unit namely Jai Durga Plastic found operating without consent/registration from DPCC engaged in the activity of Plastic Reprocessing with trades effluent discharge without ETP & ECS. Direction for Closure u/s 31(A) of Air Act, u/s 33(A) of Water Act & u/s 5 of EPA issued to Jai Durga Plastic on 23.12.2016. Earlier CTE (expired on 24.06.2004) was granted to M/s Deepak Industries for Mfg of Plastic Dana. Thereafter CTE of M/s ACB Globe was also refused at the same premises. Earlier, M/s Shesham Polymers submitted CTE application on 25.01.2017 (16901) under Green Category .		Inspection Is yet to be conducted. letter for compliance of closure directions in the name of M/s Jai Durga Plastic issued to concerned authorities on 22.06.2017. Refusal of consent issued to Sheshan polymers on 22.06.2017. Inspection is yet to be conducted.	
108	JB ART STUDIO	A-30/1, PHASE-1, NARAINA INDUSTRIAL AREA	08-05-2017		GATE, GRILLS, FURNITURES AND WINDOWS. Polishing, Painting, Varnishing etc on goods, furniture etc.	Orange Operate	Non-SPI		Source of water: outside Water Consumption: 250 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A An inspection was carreied out by DPCC, Officials on 20.05.2017. During inspection following observations were made: 1.During inspection unit found operational and engaged in activity of Mfg. of Gate, Grills, Furniture and Windows. 2.Unit has applied CTO on 08.05.2017 in DPCC. 3.D.G set not found exists in the premises. 4.Process involves fabrication work.		23-05-2017 -Consent to Operate may be granted. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -A letter was issued to the unit on 08.06.2017 regarding submission of authorization under HW Rules.	03-10-2017 Issue show cause notice for refusal of consent and show cause notice u/s 5 of EP Act.
109	ARVS EQUIPMENTS PRIVATE LIMITED	A-98 SECTOR-1, DSIIDC BAWANA INDUSTRIAL AREA	08-05-2017		MANUFACTURING OF STAINLESS AND MILD STEEL FURNITURE AND EQUIPMENTS FOR HOSPITAL (WITH BUFFING) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI				29-09-2017 .	03-10-2017 Consent to Establish granted.
110	BYWAYS INDIA PVT LTD	A-10/3, PHASE -I, MAYAPURI INDUSTRIAL AREA	09-05-2017		Mfg. of Labels and Paper Stickers. Printing without Trade Effluent Discharge	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 30-03-2012 Authorisation Status Approved	Source of water:outside. Water Consumption: 500 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System		23-05-2017 -Consent to Operate (Renewal) may be granted. Remarks/ATR on 09-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-	03-10-2017 Inspection conducted and unit is complying with HW Rules. Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

								Authorisation Issue Date 12-06-2012 Authorisation Expiry Date 29-03-2017 HWM Application No. 2 Application Date 09-05-2017 Authorisation Status Pending	(1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		2017 -Inspection yet to be conducted.	
111	MAGIC AUTO PVT. LTD.	449-450 , PATAPRGANJ INDUSTRIAL AREA	10-05-2017		Service,Repairing, Washing with Denting Painting Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 10-05-2017 Authorisation Status Pending	1. ETP - Yes of capacity 10000 Liter/Day 2. ECS - Fuel Stack attached to the Paint booth. 3. D.G Set - No. 4. Water Consumption - 10000 liters/day. 5. Quantity of Domestic Effluent Generated - 2400 Liters/Day which is disposed through Public Sewer. 6 Quantity of Trade Effluent Generated - 7000 Liters/Day which is disposed through Public Sewer. 7. fuel used- HSD.	N/A	22-05-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 As per the committee decision, following show cause notice were issued i.e u/s 33(A) of Water Act,u/s 31(A) of Air Act,Refusal of consent and rule 6 of Hazardous waste dated 09.06.2017. Then the unit has submitted its reply dated 22.06.2017 in which it has stated: 1. The resulting waste water generated is being treated in an effluent treatment plant.They had analysis ETP outlet water from DPCC laboratory and enclosed the same for your kind information and record. 2. They have stored HW in plastic container in seprate room.Photographs for the same are enclosed for your kind information and record. 3. They have increased stack height of DG Set and of paint booth as per the norms(3.0 meters from roof of the building).	03-10-2017 Inspection be conducted.
112	ASHISH CABLES PRIVATE LIMITED	PLOT NO-488/B/2, DAMODAR PARK, G. T. ROAD, SHAHDARA	10-05-2017		COPPER WIRE DRAWING WITHOUT PICKLING WITHOUT ENAMELLING Copper Wire Drawing without Super Enamelling, pickling (Dry Process	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 28-06-2017 Authorisation Status Pending	1. ETP- No. 2. ECS- 3. D.G Set- No 4. OLMS- Not installed. 5. Proof prior to 2007-Yes(Consent Order which is issued on 28.02.2016. 6. Documents in original for boundary by industry Department- No 7. Display Board- No.	N/A	22-05-2017 Recommended for inspection. Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Inspection yet to be conducted. Letter was issued to the unit on 19-07-2017 Asking the unit to submit certificate, in original, from Industries Department, Govt. of NCT of Delhi regarding location of the unit within the boundary of the notified redevelopment areas clearly mentioning the name & address of the unit in the said certificate, display board etc.	03-10-2017 Expedite insepction.
113	SINGLA AUTOMOBILES	C-3/9, PHASE-II, MAYAPURI INDUSTRIAL AREA	12-05-2017		Servicing and Repairing centre of Motor Cycles. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 10-05-2012 Authorisation Status Approved Authorisation Issue Date 18-07-2012 Authorisation Expiry Date 09-05-2017 HWM Application No. 2 Application Date 12-05-2017 Authorisation Status Pending	Source of water: Water Consumption: 6000 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: 1 D.G. Set of 25 KVA installed Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	1. Effluent analysis report: a) Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report (a) The unit has 1 D.G. Set of 25 KVA. Noise monitoring report dated 04-05-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	23-05-2017 -Consent to Operate (Renewal) may be granted. Remarks/ATR on 13-09-2017 -An inspection was carried out by DPCC representatives on 25.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of repairing, servicing & washing of 2 wheeler automobiles. 2. 1 No of D. G. set of 25 KVA installed with acoustic enclosure and adequate stack height 3. ETP plant was installed in the unit & is in proper working condition. 4. HWM guidlins are being followed. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -An inspection was carried out by DPCC representatives on 25.05.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of repairing, servicing & washing of 2 wheeler automobiles. 2. 1 No of D. G. set of 25 KVA installed with acoustic enclosure and adequate stack height	03-10-2017 Consent to Operate (Renewal) granted. Application for Authorization under HW Rules be kept in abeyance.

										3. ETP plant was installed in the unit & is in proper working condition. 4. HWM guidlines are being followed.		
114	GRAND AUTO CAPITAL	C-42 WAZIRPUR INDUSTRIAL AREA	16-05-2017		AutoMobile Servicing and Repair Station With Washing with Burner Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 16-05-2017 Authorisation Status Pending HWM Application No. 2 Application Date 23-08-2017 Authorisation Status Pending	ETP: Physiochemical (capacity of 3 KLD) along with Oil and grease trap (capacity of 3 KLD) ECS: N/A D.G.Set: 1 (62.5 KVA) Source of water supply: 3.5 KLD from DJB. Discrepancies observed in application form: -Unit has not submitted hardcopy of CA certificate.However, the same has been uploaded online. -Unit has not submitted hardcopy of Effluent analysis report of ETP. -As per column no.20 of Consent application form submitted by the unit, D.G. set is N/A. However, the unit has submitted noise monitoring report dated 11.05.2017 for D.G. set (capacity 62.5 KVA)	Effluent analysis report issued by DPCC Lab dated 16.05.2017 is submitted and parameters are within limits. Stack monitoring report issued by DPCC Lab dated 15.05.2017 is submitted and parameters are within limits. Noise monitoring report issued by DPCC Lab dated 11-05-2017 is submitted and parameters are within Limit.	07-06-2017 . Remarks/ATR on 31-08-2017 As approved in CTE file, directions for closure was issue to the unit vide office letter dated 07.06.2017. Unit has submitted its representation on 24.08.2017 along with an undertaking and Environmental Compensation Security of rupees 2,00,000 (Rs 2 lakhs) and requested to revoke the directions for closure. Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 The unit has submitted hard copy of CA certificate and test reports vide its letter submitted on 27.06.2017. Inspection is yet to be carried on.	03-10-2017 Implement decision dated 20.09.2017.
115	PRIYA PANCHWATI RESTAURANT	C-11/8, YAMUNA VIHAR	17-05-2017		Restaurant (North Indian Food) Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes, of capacity 20 KVA each. 4. Water Consumption - 800 liters/day and source is Metro DJB. 5. Quantity of Domestic Effluent Generated - 200 Liters/Day . 6 Quantity of Trade Effluent Generated - 600 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2011 8. Police Licence of Delhi - not provided	N/A	06-06-2017 Recommended for Inspection. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
116	GAURAV POLYPACK	C-625,NARELA INDUSTRIAL AREA ,DELHI-110040	17-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.	.	08-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Letter to ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days was issued on 18.07.2017. Reply is yet to be received.	03-10-2017 Issue show cause notice for refusal of consent. If unit submits the same and found satisfactory, Consent to Establish granted.
117	CENTRUM MOTORCYCLES LLP	PLOT NO A 42/2 NARAINA INUSTRIAL AREA PHASE I	18-05-2017		Automobile Service Station Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 26-04-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : Filtration and Absorption (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 16-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	(a) The unit has 1 D.G. Set(s) of 40 KVA. Noise monitoring report dated 16-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 . Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -As per decision an inspection was carried out by DPCC representatives on 18.07.2017, during inspection following observations were made: 1. Unit found operational and engaged in the activity of servicing, repairing & washing of royal enfield motorcycles. 2. ETP found installed & same found in operational condition. 3. Log book of ETP found maintained. 4. HWM guidelines are being followed. 5.One D.G Set of capacity 40 KVA found installed with acoustic enclosure & adequate stack height.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.

									Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33 (A)/5 of EPA details :no			
118	WELCOME MOTORS	DISTT. CENTRE, SAKET	18-05-2017		FILLING STATION CUM SERVICE STATION OF CARS. Automobile Fuel Outlet (with Automobile Servicing, Washing, Repairing and Painting)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 18-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical,Oil and Grease Trap,Other ETP Name : ACF and DMF (a) Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 24-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction : water consumption: 2.5 KLD Source of water: outside water supply Trade effluent: 2000 liters per day Domestic Effluent: 400 liters per day Status of Inspection :Nill SCN u/s 31(A)/33(A)/5 of EPA details :Nill Closure directions u/s 31(A)/33 (A)/5 of EPA details :Nill	The unit has 1 D.G. Set(s) of 25 KVA. Noise monitoring report dated 24-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Effluent analysis report dated 20-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	07-06-2017 Unit has applied for CTO and also authorization under HW rules on 18.05.2017. It is recommended that inspection of the unit may be carried out. Recommendation / Action Taken Details (EE/AEE) on 13-09-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
119	R.K ENTERPRISES	C-436,NARELA INDUSTRIAL AREA,DELHI-110040	18-05-2017		Manufacturing of Dana (With Reprocessing without washing) Reprocessing of Waste Plastic / PVC (without Washing Activity)	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Inspection is yet to be conducted.	03-10-2017 Expedite inspection.
120	HOTEL FLORENCE	2719, BANK STREET KAROL BAGH,	18-05-2017		GUEST HOUSE WITH 24 ROOMS AND 63 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 24 Kitchen - Yes Laundry - Boiler/HWG- Yes Water consumption - 1000 L/day Discharge - 850 L/day ETP/OGT -Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2017	03-10-2017 Case deferred and to be taken up in a separate meeting.

					Kitchen and / or Laundry with Boiler						Police License - Valid upto 31/03/2017 Commencement date- 20/01/2006 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	
121	INDIAN SPICE XPRESS	SHOP NO- G-19, PLOT NO. 8, MANGLAM PARADISE MALL, SEC-3, ROHINI	19-05-2017		RESTAURANT Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP: N/A ECS: N/A Oil and grease trap: 1 (capacity of 0.57 KLD) D.G.Set: Nil Source of water supply: 0.5 KLD from outside source Date of commencement of production: 27.09.2016 Earlier show cause notice u/s 33 (A) of Water Act 1974 and u/s 31(A) of Air Act,1981 was issued to the unit on 08.11.2016. Direction for Closure u/s 33(A) of Water Act 1974 and u/s 31 (A) of Air Act,1981 was issued to the unit dated 19.04.2017.		06-06-2017 Remarks/ATR on 29-09-2017 A letter was issued on 22.05.2017 to DJB, Tata Power and SDM for compliance of directions for closure issued on 19.04.2017. No compliance received so far. Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 No reply has been received from the unit. Also, unit has not submitted Consent To Operate application so far.	03-10-2017 Issue reminder.
122	PALM DOR	8595/1, DB GUPTA ROAD, PAHARGANJ	20-05-2017		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control system Devices- 1. ETP -N/A 2. ECS- N/A 3. D.G. set- 1 x 125 KVA Plot Area- 233.27 sq mt Date of Establishment/ Commencement-27.07.2010. Status of Ground Water Extraction-No 1.Water consumption- 2000 L/day Source- DJB (Bill submitted) Cat-II Inspection status- No MCD license issued on 18.09.2014 valid upto 31.03.2015 and Delhi Police license valid upto 31.03.2017. No. of Rooms- 29 No. of Beds- 39 SCN for closure issued on 10.04.2017 being operating without consent. Modified direction issued on 30.05.2017.	Effluent Analysis Report -N/A Emission Monitoring Report -N/A Noise Monitoring reports -N/A	06-06-2017 Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 29 Kitchen - Yes Laundry - Boiler/HWG - Water consumption - 2000 L/day Discharge - 1740 L/day ETP/OGT - Yes ECS - No DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date - 27/07/2010 Unit is having kitchen facility. Effluent Analysis Report issued by DPCC on 29.06.2017. Emission Monitoring Report- No Noise Monitoring reports issued by DPCC on 06.06.2017. Fees incomplete.	03-10-2017 Case deferred and to be taken up in a separate meeting.
123	IGAKU NEEDLES PRIVATE LIMITED	C-109, OKHLA INDUSTRIAL AREA, PHASE-1, NEW DELHI	20-05-2017		Mfg. of Disposable Needles with Trade Effluent Surgical and Medical Products Involving Prophylactics and Latex	Orange Establish	Non-SPI		Status of Pollution Control System 1)ETP - Yes 2)ECS - Nil 3)D.G.Set: 125 KVA with acoustic enclosure &stack height 14m above roof level.		06-06-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection of the unit was carried out by representatives of DPCC on 29.04.2017 and following observation were made : -Unit found operational and engaged in the activity of Mfg. of medical needles with trade effluent discharge.	03-10-2017 Case be referred to Committee constituted for categorization of the activities and decision to be expedited within 30 days.

									4)Status of Ground Water extraction : Nil 5)Water Consumption - 8 KLD (Source - Tanker) Trade Effluent Discharge - Nil KLD Domestic Effluent Discharge - 8 KLD 6)Date of Commencement - 20.11.2014 (Existing) 7)Status of Inspection : an inspection of the Addressee unit was carried out by the Officials/ Representatives of DPCC on 27.04.2017 and following were observed : -Unit found in operation and engaged in the activity of Mfg. of Needles with Electro Polishing. -Unit having 1 D.G. set of capacity 125 KVA with acoustic enclosure and with adequate stack height. -Unit has installed an ETP but same found not in operation. It is lying on ground floor in dismantled condition. Effluent generated from the process is being discharged into sewer without any treatment. -No wet/dry sludge observed. -Unit is not complying with the provisions of Hazardous Waste Management Rules, 2016. -Logbook of ETP and Sludge record not maintained. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 16.05.2017 Unit submitted its representation w.r.t to Show Cause Notice Dated 16.05.2017 on 25.05.2017 along with Consent to Establish form under orange category and required documents & informed that they have applied for noise monitoring report of the D.G set, that ETP is now operational, applied for effluent analysis report of ETP, logbook of ETP is being maintained and provided two display boards with proper information. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	-Unit having installed ETP and same found operational. -Some Sludge observed in sludge drying bed. -Logbook of ETP Maintained, -Unit having 1 DG set acoustic enclosuser and having adequate stack height. -Record of Hazardous Maintained in Form-3. -Unit is Complying with the provision of Hazardous Waste Management Rules,2016. -No channelization system provided over electro polishing section. unit has submitted undertaking with incomplete information along with Consent application.	
124	GEM COLOUR SOLUTIONS	D-1, DSIDC, PACKAGING COMPLEX, KIRTI NAGAR INDUSTRIAL AREA	20-05-2017		Colour Matching Centre for Offset inks and water based inks Ink and Printing Ink (Excluding Flexographic Ink) without Trade Effluent Discharge	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil	06-06-2017 Consent to Establish may be granted. Remarks/ATR on 09-08-2017 -As per decision an inspection was carried out by representatives of DPCC on 25.07.2017. During inspection following observations were made: 1. Unit found under establishment (finishing work) the proposed activity of the unit is colour n matching centre for offset and water based ink. 2. No commercial production/activity was observed. Commercial activity/production will be start after applied/getting CTO from DPCC as informed by the owner of the unit.	03-10-2017 Consent to Establish granted.

									Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No		4. Unit is non-water and non-air polluting therefore no ETP/ ECS found installed. 5. proper proposed hazardous waste storage room/container was observed in reference to HWM guidelines. 6. Source of water supply (domestic purpose only) is DJB. no ground water borewell was observed. Applied CTE on 20.05.2017. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -Inspection yet to be conducted.	
125	V. K. INDUSTRIES	PLOT NO 53, (PRIVATE NO A-9) RAMA ROAD, NAJAFGARH ROAD INDUSTRIAL AREA	21-05-2017		OFFSET TIN PRINTING ON JOB WORK(WITHOUT PLATE MAKING) AND WITH DIESEL FIRED OVEN Sheet Metal Printing with Oil fired Oven or Furnace	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 21-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (a) Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a) Stack monitoring report dated 20-04-2017 issued by DPCC submitted. Stack Test Report within Limit - Yes	06-06-2017 . Remarks/ATR on 08-08-2017 . Remarks/ATR on 21-07-2017 -An inspection was carried out by DPCC representatives on 29.06.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of offset tin printing on job work (without plate making) and with diesel fired oven. 2. No D.G Set found installed in the premises. 3. Unit is non water polluting no effluent treatment plant found installed. 4. One diesel fired oven found installed with adequate stack height, the fuel for oven is HSD. trade effluent discharge. 5. hazardous waste container kept in uncovered area. no specific hazardous waste storage room was observed. 6. date of storage on hazardous waste container not mentioned. 7. daily record of hazardous waste not mentioned. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Inspection yet to be conducted.	03-10-2017 Issue show cause notice for refusal / cancellation of authorization and show cause notice u/s 5 of EP Act.
126	HOTEL GOLDEN GRAND	W-1/10MAIN PATEL ROAD, WEST PATEL NAGAR	22-05-2017		Hotel Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Sets of 200 KVA Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 24-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 25-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Establish may be granted. Remarks/ATR on 09-08-2017 -Again an inspection was carried out by representatives of DPCC on 05.08.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel. 2. ETP installed and same found operational. 3. Log book of ETP maintained properly. 5. Kitchen channelization provided with adequate stack height. 6. everything found ok and complied environmental norms. 7. Pollution control system found in proper working condition. Remarks/ATR on 08-08-2017 -An inspection was carried out by representatives of DPCC on 12.01.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of hotel having 33 rooms (double bedded). 2. ETP installed and same found operational. 3. One D.G Set of 200 KVA found installed with acoustic enclosure and adequate stack height. 4. Channelization provided in the kitchen with adequate stack height of chimney. 5. Unit has not applied for consent application in DPCC. -A show cause notice u/s 31 (A) & 33 (A) was issued to the unit on 01.03.2017. -A modified direction u/s 31 (A) & 33 (A) was issued to the unit on 13.04.2017. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Inspection yet to be conducted.	03-10-2017 Consent to Establish granted.
127	R.K. ENTERPRISES	PLOT NO A/26B, GALI NO 4, ANAND PARBAT INDUSTRIAL AREA	22-05-2017		OFFSET PRINTING WITHOUT EFFLUENT DISCHARGE. Printing without	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 12-07-2004 Approved	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A	.	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Inspection yet to be conducted.	03-10-2017 Expedite inspection.

					Trade Effluent Discharge				Authorisation Status	(3)D.G.Set: ...N/A...		
									Authorisation Issue Date	12-08-2004		
									Authorisation Expiry Date	11-08-2006	Status of Ground Water extraction :Nil	
											Status of Inspection :No	
									HWM Application No.	2	SCN u/s 31(A)/33(A)/5 of EPA details :No	
									Application Date	12-07-2006	Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	
									Authorisation Status	Pending		
									HWM Application No.	3		
									Application Date	08-08-2008		
									Authorisation Status	Pending		
									HWM Application No.	4		
									Application Date	12-08-2010		
									Authorisation Status	Pending		
									HWM Application No.	5		
									Application Date	11-08-2015		
									Authorisation Status	Pending		
									HWM Application No.	6		
									Application Date	08-09-2016		
									Authorisation Status	Pending		
									HWM Application No.	7		
									Application Date	19-09-2017		
									Authorisation Status	Pending		
128	RAJA RAM CHAUHAN	PLOT NO-116 POCKET-F SECTOR-1 DSIDC	22-05-2017		MANUFACTURING OF RUBBER AUTO PARTS AND	Green Establish	Non-SPI				28-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding	03-10-2017 Consent to Establish granted.

					MACHINERY PARTS Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)						processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category for one year.	
129	JUNGLE JAMBOREC (A UNIT OF FUTOMIC DINERS LLP)	P-17/90, 1ST, IIND AND IIIRD FLOOR, OUTER CIRCLE, CONNAUGHT PLACE	23-05-2017		RESTAURANT CUM BAR. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (a)Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	(a)Effluent analysis report dated 11-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 Consent to operate may be granted. Remarks/ATR on 08-08-2017 Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -As per decision an inspection was carried out by DPCC representative ON 19.07.2017, during inspection following observations were made: 1.During inspection unit found operational & engaged in the activity of restaurant cum bar. 2.Proper bin system with proper segregation was provided. 2.Unit is connected to NDMC dhalaq/ door to door pick up facility therefore no separate storage facility required as informed by the representative. 3.No plastic glasses were observed in use/storage. 4.ETP found installed & same found operational. 5.One D.G Set found installed with acoustic enclosure & adequate stack height. 6.Kitchen channelization provided with adequate stack height. 7.Solid waste found in proper managed condition.	03-10-2017 Consent to Operate granted.
130	CAFE COFFEE DAY	SHOP NO-14A, COMMUNITY CENTRE BASANT LOK VASANT VIHAR	23-05-2017		COFFEE SHOP. Restaurants/Eating Houses / Dhabas and other such establishments (having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction : Nil Status of Inspection : No SCN u/s 31(A)/33(A)/5 of EPA Act: No Closure directions u/s 31(A)/33(A)/5 of EPA details : No		06-06-2017 Consent to Establish may be granted. Remarks/ATR on 31-07-2017 -Four units namely M/s Tewari Brothers, Shop No. 73, Municipal Market, Connaught Circus, New delhi, M/s Kake da hotel, Shop No. 67, Outer Circle, Municipal Market, Connaught Place, New Delhi, M/s The Chai Story, H-35/19, Connaught Place, New Delhi and M/s Sagar Food Palace, H-35, Connaught Place, New Delhi-110001 were inspected in the matter of Kudrat Sandhu Vs GNCTD case w.r.t Municipal Solid Waste. It is wrongly pasted in M/s Cafe Coffee Day, Shop No.-14 A, Community Centre Basant Lok Vasant Vihar, New Delhi during complying of data & inspection of this unit (M/s Cafe Coffee Day, Shop No.-14 A, Community Centre Basant Lok Vasant Vihar, New Delhi) was not conducted. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -As per the decision taken in the CMC Meeting held on 06.06.2017 an inspection was carried out by DPCC, representative on 19.07.2017. during inspection following observations were made: 1. Unit found operational and engaged in the activity of Coffee house. 2. No bins system as well as segregation provided. 3. Unit is connected to MCD door to door pick facility therefore no storage facility required as informed by the representative. 4. plastic glasses/cups were observed in use. 5.Oil & grease trap found installed. 6.One D.G Set of 63 KVA found installed with acoustic enclosure & adequate sack height. 7. A small induction based kitchen observed therefore no channelisation provided/required. 8. MSW found in unmanaged condition.	03-10-2017 Consent to Establish granted.
131	SEMICONDUCTOR APPLICATIONS	B-67, DSIDC JHILMIL INDUSTRIAL AREA	23-05-2017		Offset Printing Lamination and Binding.	Orange Operate	Non-SPI	HWM Application No. 1	1. ETP - No. 2. ECS - No. 3. D.G Set - No.	N/A	06-06-2017 Recommended for Inspection.	03-10-2017

					Printing without Trade Effluent Discharge			Application Date 23-05-2017 Authorisation Status Pending	4. Water Consumption - 300 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 5400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/day which is disposed through Nil.		Recommendation / Action Taken Details (EE/AEE) on 24-07-2017 As per the committee decision, inspection of the unit was conducted by the officials of DPCC on 19/7/2017 and the following observations were found 1. The unit was found operative . 2. In basement four colours offset printing machines were found installed and was in operative condition. 3. At ground floor dye punching machine (2 numbers) beside paper cutting and lamination on cardboard /paper being carried out besides packing and dispatched. 4. First and second floor found locked. 5. HW i.e colour soaked, oil & grease soaked cotton rags were found stored in plastic containers covered with lid and labelled were found installed in the basement along with the wall. 6. Sponge being used for cleaning of roller as well as etc. and also during the changing of colour as well as job. 7. The water quantity reportedly is about 10-15L and after work of sponge cleaning is thrown into public sewer.	Issue show cause notice for refusal of consent.
132	KRITI	B-279, OKHLA INDUSTRIAL AREA PHASE-I	24-05-2017		PRINTING WITHOUT ANY TRADE EFFLUENT DISCHARGE. Printing without Trade Effluent Discharge	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 14-12-2004 Authorisation Status Approved Authorisation Issue Date 23-06-2006 Authorisation Expiry Date 22-06-2008 HWM Application No. 2 Application Date 27-11-2007 Authorisation Status Pending HWM Application No. 3 Application Date 24-05-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 2 (a) The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 200 Liters/Day (Source -DJB) Status of Inspection : Nil Date of commencement of production: 01.06.2010 SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 28.02.2017. Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil	The unit has 2 D.G. Set(s) of 125 KVA and 62.5 KVA. Noise monitoring report dated 11-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	06-06-2017 As decided in common file, Show Cause Notice u/s 33(A) of Water Act and u/s 31(A) of Air Act was issued to units on 28.02.2017 which have not applied for Consent after expiry of earlier Consent or expiry of period for which submitted Consent fee. Unit has applied for Consent to Operate and Authorization under HWM Rules,2016 on 17.05.2017. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection of the unit was carried out by representative of DPCC on 29.08.2017 and following observation were made: -Unit found operational and engaged in the activity of printing without trade effluent discharge. -Unit is having 2 DG set (62.5 & 125 KVA) with acoustic enclosure and having adequate stack height. - Unit is complying with the provision of Hazardous waste management rule , 2016 - Record of Hazardous waste maintained in form-3 - unit is having ETP at roof top but in dis mental condition.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
133	BALWAN SERVICE STATION	P.S.P. INSTITUTIONAL AREA, SECTOR-16, ROHINI	24-05-2017		SERVICING OF CARS. Automobile Servicing and Repair Station with Washing Activity	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 14-03-2012 Authorisation Status Approved Authorisation Issue Date 30-05-2012 Authorisation Expiry Date 13-03-2017 HWM Application No. 2 Application Date 24-05-2017	ETP: Nil ECS: N/A D.G.Set: 1 (40 KVA) Source of water supply: 0.6 KLD from outside source. Discrepancies observed in application form: -Water consumption as per column No.13 of consent application form is 0.6 KLD for domestic purpose.However, as per column no.14 of consent application form quantity of trade effluent discharge is 0.4 KLD. -As per column no.16 of Consent application form ETP is N/A for the unit, Whereas according to undertaking submitted by the unit adequate ETP has been installed by the unit.	.	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 Inspection of the unit is yet to be conducted. Unit has submitted its reply on 21.08.2017 in response of letter issued on 10.08.2017 and clarified the following: 1) water consumption for domestic purpose is 0.5 KLD and for industrial purpose is 5 KLD of the unit 2) domestic discharge and trade effluent discharge is 0.25 KLD and 4.5 KLD respectively. 3) unit is having ETP and trade effluent analysis report of ETP issued by DPCC Lab was submitted by the unit along with hard copy of consent application. Unit further requested to grant CTO (renewal)	03-10-2017 Expedite inspection.

								Authorisation Pending Status				
134	MOSAIC HOUSEWARE PVT. LTD.	E-53, SECTOR-4, DSIIDC INDUSTRIAL AREA ,	24-05-2017		MANUFACTURING OF DOMESTIC APPLIANCES WITH BUFFING Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		.		29-09-2017	03-10-2017 Consent to Establish granted.
135	AGGARWAL METALS	B-68/2, WAZIRPUR INDUSTRIAL AREA	26-05-2017		Mfg. of Home Appliances with Buffing Process Involving Buffing	Green Establish	Non-SPI		ECS: N/A ETP: N/A D.G.Set: Nil Source of water supply: 0.05 KLD from other source of water.	.	25-07-2017 Remarks/ATR on 01-09-2017	03-10-2017 Consent to Establish granted.
136	PANCHSHEEL METAL INDUSTRIES	29/17, GALI NO 6, ANAND PARBAT INDUSTRIAL AREA	27-05-2017		SMALL FOUNDRY (NON FERROUS METAL CASTING BY PIT FURNACE) Casting of Ferrous/ Non Ferrous Metal (except cupola furnace Only)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 19-01-2004 Authorisation Status Approved Authorisation Issue Date 15-07-2004 Authorisation Expiry Date 14-07-2006 HWM Application No. 2 Application Date 06-10-2006 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	.	06-06-2017 Remarks/ATR on 21-07-2017 Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
137	RAJU INDUSTRIES	PLOT NO 142, POCKET-H SECTOR-1, DSIDC INDUSTRIAL COMPLEX BAWANA INDUSTRIAL AREA	27-05-2017		Mfg. of Auto Rubber Parts without Tyre and Tube Rubber Auto Parts Excluding Production of Tyres And Tubes (without Reclamation And Devulcanisation of Rubber)	Green Establish	Non-SPI		.		28-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category for one year.	03-10-2017 Consent to Establish granted.
138	PUNJABI ZAIKA	3539-A, RAJA PARK, SHAKUR BASTI	28-05-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)-connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 60 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	(a) Effluent analysis report dated 04-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes (b) The unit has 1 D.G. Set(s) of 60 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes.	06-06-2017 Unit has already issued consent to Establish for 48 seats. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 - A letter yet to be issued.	03-10-2017 Implement the decision dated 06.06.2017

									Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No			
139	LA MANSION (A UNIT OF SAHYOG HOSPITALITY)	C-92, WAZIRPUR INDUSTRIAL AREA	29-05-2017		BANQUET. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		ETP : Physio chemical (capacity 5 KLD) along with Oil and Grease Trap (capacity 2 KLD) ECS : N/A D.G.Set Noise Report : 2 (each of capacity 250 KVA) Source of water supply: 4 KLD from DJB Date of commencement of production : 22.03.2017 Unit has not submitted hardcopy of the Consent application form.	Effluent analysis report issued by DPCC lab dated 22-03-2017 is submitted and parameters are within limits. Noise monitoring report of D.G.Set (2 in number and each of capacity 250 KVA) issued by DPCC Lab dated 29-03-2017 is submitted and parameters are within limits.	06-06-2017 . Remarks/ATR on 31-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 08-08-2017 Unit has submitted hard copy of consent application form along with requisite documents on 12.06.2017.	03-10-2017 Consent to Operate granted.
140	SAKSHAM PROMOTERS (I) PVT. LTD	B-2, LAWRENCE ROAD INDUSTRIAL AREA	30-05-2017		BANQUET HALL Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Renewal	Non-SPI		Status of Pollution Control System (1)ETP ---- Yes (2)ECS - N/A (3)D.G.Set Noise Report : Nil (4)Status of Ground Water extraction : Nil (5)Source of Water: 3500 L per day, Source-DJB (6)Status of Inspection : No (7)SCN u/s 31(A)/33(A)/5 of EPA details : No (8)Closure directions u/s 31(A)/33(A)/5 of EPA details: No	Effluent analysis report dated 26-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes number of parameters analyzed which are within limit / beyond prescribed limit.	06-06-2017 Uploaded undertaking is not signed. Also hard copies of documents along with application form not submitted. Earlier unit was having 4 DG sets, however, in this application no DG set has been shown. Recommendation: Inspection may be conducted. Remarks/ATR on 29-09-2017 Unit has concealed the facts regarding D.G.Sets.During inspection of the unit 7 D.G.Sets were found. However 4 D.G.Sets are mentioned in consent application submitted by the unit. Remarks/ATR on 31-08-2017 . Remarks/ATR on 09-08-2017 Inspection of the unit was carried out on 08.08.2017 and the following were observed: - The unit was found non-operational at the time of inspection. - There are total 3 halls. First and second hall of the unit have capacity of 400 persons and third hall has capacity of 200 persons. - There are two kitchens at groundsecond floor and channelization is provided in both kitchens .Also construction is going on. - ETP is found non-operational. - The unit has 7 D.G. sets with acoustic enclosure. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 Hard copy submitted on 13.06.2017.	03-10-2017 Issue show cause notice for refusal of consent.
141	KONCEPT AUTOMOBILES PVT. LTD.	B-24, OKHLA INDUSTRIAL AREA, PHASE-I	30-05-2017		AUTOMOBILES WORKSHOP CUM SERVICE STATION INCLUDING DENTING, PAINTING AND WASHING. Automobile	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP - Yes (2)ECS - N/A (3)D.G.Set: 100 KVA	.	07-06-2017 Hardcopy of Consent application form along with required documents not received. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be carried out.	03-10-2017 Expedite inspection.

					Servicing and Repair Station with Washing Activity with burner				Status of Ground Water extraction : Nil Water Consumption: 5 KLD (Source - Others) Date of Commencement: 20-03-2017 Status of Inspection : Nil SCN u/s 31(A)/33(A)/5 of EPA details : Nil Closure directions u/s 31(A)/33(A)/5 of EPA details : Nil			
142	BETA INDUSTRIAL PRODUCTS	PLOT NO. B-34/4, G.T. KARNAL ROAD INDUSTRIAL AREA	30-05-2017		MANUFACTURING OF AUTO PARTS Rubber goods Industry excluding production of tyres and tubes (without reclamation and devulcanisation of rubber)	Green Establish	Non-SPI		.	.	28-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category for one year.	03-10-2017 Consent to Establish granted.
143	NAAZ UDYOG	PLOT NO. 1, GF, POCKET-I, SECTOR-3, BAWANA INDUSTRIAL AREA	30-05-2017		SILICON PASTING ON DOMESTIC APPLIANCES (with Buffing) Manufacturing of Stainless Steel Utensils (with Buffing Activity)	Green Establish	Non-SPI		.	.	29-09-2017 .	03-10-2017 Consent to Establish granted. Subsequently, inspection be conducted.
144	RAMA ENGG. WORKS	J-25 GALI NO. -7, ANAND PARBAT INDUSTRIAL AREA	30-05-2017		GRAVURE PRINTING (DRY PROCESS). Gravure Printing (Dry process) (without Trade Effluent Discharge)	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 07-07-2004 Authorisation Status Approved Authorisation Issue Date 03-08-2004 Authorisation Expiry Date 02-08-2006 HWM Application No. 2 Application Date 14-07-2006 Authorisation Status Pending HWM Application No. 3 Application Date 10-10-2008 Authorisation Status Pending HWM Application No. 4 Application Date 27-06-2011	Status of Pollution Control System (1)ETP - N/A (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	.	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 -Inspection yet to be conducted.	03-10-2017 Expedite inspection.

								Authorisation Status Pending				
								HWM Application No. 5 Application Date 02-06-2016 Authorisation Status Pending				
								HWM Application No. 6 Application Date 30-05-2017 Authorisation Status Pending				
145	DESI VIBES (A UNIT OF KHYATI & TIARA HOSPITALITY PVT. LTD.)	SHOP NO. 7, DEFENCE COLONY MARKET	31-05-2017		Restaurant Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		S Status of Pollution Control System (1)ETP - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Status of Ground Water extraction : Nil Water Consumption: 5.5 KLD (Source - DJB) Status of Inspection : An inspection of the unit was carried out by representatives of DPCC on 27.12.2016 and following were observed: -Unit found in operation & Engaged in the activity of Restaurant with seating capacity of 98 seats. - -Unit has installed an ETP but same found not in operation. -Log book of ETP not maintained. -Channelization provided in the kitchen with inadequate stack height. -One D.G set of 82.5KVA with acoustic Enclosure with inadequate stack height. -Not applied for consent to establish and consent to operate. SCN u/s 31(A)/33(A)/5 of EPA details : Issued on 17.01.2017	The unit has 1 D.G. Set(s) of 82.5 KVA. Noise monitoring report dated 03-04-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes Effluent analysis report dated 17-03-2017 issued by DPCC submitted. Number of parameters analyzed which are within limit - Yes	06-06-2017 Hardcopy of Consent application form along with required documents not received. Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Unit submitted the hard copy of application for Consent to Operate along with required documents on 20.06.2017. Inspection yet to be carried out.	03-10-2017 Expedite inspection.

									Unit submitted its reply on 01.02.2017 and 02.03.2017 along with photographs of stack height of D.G. set, stack height of chimney with Kitchen channelization & Oil & Grease Trap cum Settling Tank, copy of Application for consent to Establish, fee slip of Effluent Analysis report, fee slip of Noise monitoring report of D.G. set and informed that they have applied for Effluent Analysis report of Oil & grease Trap cum Settling Tank and requested for grant of 20 days time to apply for Consent to Operate.			
									Closure directions u/s 31(A)/33 (A)/5 of EPA details : Nil			
146	SOPHISTICATED INDUSTRIAL MATERIALS ANALYTIC LABS PVT LTD	A-3/7,PHASE-II MAYAPURI INDUSTRIAL AREA	31-05-2017		Testing of materials In House Testing Laboratory with Trading Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 29-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 125 KVA Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33 (A)/5 of EPA details :No	Effluent analysis report: (a) Effluent analysis report dated 01-05-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 125 KVA. Noise monitoring report dated 20-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Operate may be granted. Remarks/ATR on 20-09-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of laboratory. 2. ETP installed in the unit & found to be operational & properly working. 3. 1 D.G Set of 125 KVA installed with acoustic enclosure & adequate stack height. 4. HWM guidelines being complied. 5. Log book of ETP & HWM are shown during inspection. Remarks/ATR on 08-08-2017 . Remarks/ATR on 21-07-2017 -An inspection was carried out by DPCC representatives on 20.07.2017. During inspection following observations were made: 1. Unit found operational and engaged in the activity of laboratory. 2. ETP installed in the unit & found to be operational & properly working. 3. 1 D.G Set of 125 KVA installed with acoustic enclosure & adequate stack height. 4. HWM guidelines being complied. 5. Log book of ETP & HWM are shown during inspection. Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Unit has submitted hard copy of Consent to Operate application with requisite documents and also applied for authorisation under HWM rules.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
147	POOJA ENTERPRISES	I-2145,NARELA INDUSTRIAL AREA,DELHI-40	31-05-2017		Jeans Washing Readymade Garment (with Washing)	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Letter to ask the unit to submit hard copy of Consent to Establish application with requisite documents within 15 days was issued on 18.07.2017. Reply is yet to be received.	03-10-2017 Issue show cause notice for refusal of consent. If unit submits the requisite documents and the same is found satisfactory, Consent to Establish be issued.
148	HOTEL THE PEARL (A ROYAL RESIDENCY)	PLOT NO: 7 A/43, WEA, KAROL BAGH,	31-05-2017		GUEST HOUSE WITH 18 ROOM 18 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 18 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1200 L/day Discharge - 1000 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017	03-10-2017 Case deferred and to be taken up in a separate meeting.

					Laundry with Boiler						Commencement date- 28/02/2011 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	
149	PANICKERS GUEST HOUSE	5/22, WEA, NEAR AJMAL KHAN ROAD, KAROL BAGH	31-05-2017		GUEST HOUSE (22 ROOM 60 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.	.	07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 22 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1700 L/day Discharge - 1400 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 23/10/2002 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.
150	BALJEET LODGE	A2/13 SAFDARJUNG ENCLACE	01-06-2017		GUEST HOUSE (21 ROOMS). Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP -working (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 62.5 KVA. -An inspection was carried out by representatives of DPCC on 15.03.2017. During inspection following observations were made: 1. During inspection, unit found operational and engaged in the activity of Lodge (21 rooms). 2. No Effluent Treatment Plant (ETP) was installed in the unit. 3. One D.G. set of 62.5KVA installed with acoustic enclosure and adequate stack height. 4. Water supply of the unit is from DJB. 5. Unit has applied for Consent to Establish vide ID No. 17019 on 10.02.2017. -A Show Cause Notice for closure u/s 33 (A) & 31 (A) was issued on 03.04.2017.	1.Effluent analysis report (a) Effluent analysis report dated 21-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2.Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 28-02-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 -Consent to Establish & Consent to Operate may be granted. Remarks/ATR on 08-08-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 -Unit has submitted hard copy of Consent to Operate application with requisite documents as per RESDH policy. -Consent to Operate may be granted.	03-10-2017 Consent to Operate granted.
151	ORCHID GRAND HOSPITALITY PVT. LTD.	A-BLOCK, KARKARDOOMA METRO COMPLEX, DELHI	01-06-2017		RESTAURANT AND BANQUET HALL. Restaurants/Eating Houses / Dhabas and other such establishments	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No. 3. D.G Set - Yes,2no.s of capacity 125 KVA each. 4. Water Consumption - 14810 liters/day and source is Metro Complex.	Noise Monitoring Report was submitted by the DPCC on 01.06.2017 and all the parameters are within the prescribed Limit as per the report.	06-06-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 03-10-2017 A letter asking the unit to rectify the deficiencies observed during the	03-10-2017 Consent to Operate granted with the condition that unit shall increase the stack height of D.G. Set and kitchen emissions and submit compliance report.

					(having Seating Capacity less than 36) / Banquet Halls/ Party Lawns (with Floor area less than 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of less than one Tonne/Day - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler				5. Quantity of Domestic Effluent Generated - 5400 Liters/Day which is disposed through Sewer. 6 Quantity of Trade Effluent Generated - 14200 Liters/day which is disposed through Sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2017 8. Police Licence of Delhi - provided which is valid upto 31.03.2014.		Inspection on 11.09.2017 was issued to the unit 26.09.2017 Inspection of the unit was conducted by the officials of DPCC on 26.09.2017 and the following were observed: 1. The Banquet hall was found in operative condition. However no party was going on. 2. ETP was found in operative condition. During Inspection Floccs formation in the flocculator cum mixing settling tank were seen indicating operation of ETP. 3. By-pass arrangement was found closed. The By-pass extended pipe with plug was found removed. Elbow has been provided to carry the trade effluent to the Oil and Grease trap. 4. Log book of ETP operation was found maintained. 5. Two bin system for wet as well as dry garbage found installed below the staircase near collection cum equalization tan. 6. Emission from both the kitchen were found channelized through hood and common duct arrangement. Suction is being given through common Id Fan. 7. Stack with the kitchen emission have not been provided. It has been informed by the person contacted due to objection from DMRC they could not increase the stack.	
152	HOTEL BLESSINGS	5202-06, PART OF 5198, BASANT ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (31 ROOMS) WITH STAFF KITCHEN. Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Operate	Non-SPI		Hard copy not submitted.		07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 31 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1200 L/day Discharge - 1100 L/day ETP/OGT -Yes ECS - attached to boiler DG set - 1 x 75 KVA MCD License - Valid upto 31/03/2017 Police License - Valid upto 31/03/2017 Commencement date- 01/09/2008 Unit is having kitchen facility. Effluent Analysis Report issued by DPCC on 30.03.2017. Emission Monitoring Report issued by DPCC on 06.04.2017. Noise Monitoring reports issued by DPCC on 31.03.2017. Fees incomplete.	03-10-2017 Case deferred and to be taken up in a separate meeting.
153	HOTEL CHAND PALACE	54, ARANKASHAN ROAD, PAHARGANJ	01-06-2017		GUEST HOUSE (39 ROOMS WITH 89 BEDS) W/O KITCHEN AND LAUNDARY Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 39 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 3000 L/day Discharge - 2500 L/day ETP/OGT - No ECS - attached to boiler DG set - 1 x 40 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Date of commencement - 26/07/2008 Unit is having kitchen facility. Effluent Analysis Report- No	03-10-2017 Case deferred and to be taken up in a separate meeting.

									-Unit has submitted a reply on 13.04.2017 and requesting to grant 30 days time for submission of CTE& CTO application in DPCC.			
157	IRIS PARK LEISURES PRIVATE LIMITED	THIRD FLOOR A-1 24 F.F. S.F. T.F. SAFDARGANJ ENCLAVE	02-06-2017		GUEST HOUSE Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set: ...N/A... Status of Ground Water extraction :Nil -In orders of PGC in case of Ms. Aruna Bhowmick and Sh. R.N. Bhagi regarding problems related to choking of sewage system. -As per the approval by Worthy MS,DPCC, an inspection was carried out by representatives of DPCC ON 15.03.2017. During inspection following observations were mad: 1. Unit found operational and engaged in the activity of hotel with 47 rooms with kitchen, 2. No ETP/STP installed in the unit. 3. D.G Set (2nos) of 160 KVA each are installed with proper acoustic enclosure and adequate stack height. 4. On kitchen found in the unit with proper channelisation and adequate stack height of chimney. 5. No oil & grease trap installed in the kitchen. -As per the discrepancies observed during inspection a Show Cause Notice for closure u/s 31 (A) & 33 (A) was issued to the unit on 03.04.2017. -Unit has submitted a reply w.r.t SCN and informed that requesting to grant 30 days time for submission of CTE & CTO application		06-06-2017 -Unit has not submitted hard copy of the CTE application till date so we may not revive consent fee with respect to 1000 rupees. Remarks/ATR on 09-08-2017 - As per the decision, a letter regarding submission of hard copy of Consent to Establish application with requisite documents as per RESDH policy is yet to be issued. Recommendation / Action Taken Details (EE/AEE) on 21-07-2017 - As per the decision, a letter regarding submission of hard copy of Consent to Establish application with requisite documents as per RESDH policy is yet to be issued.	03-10-2017 Hardcopy of consent application along with requisite documents submitted. Consent to Establish granted.
158	G.D. FOODS MFG. (INDIA) PVT. LTD.	32 , S.S.I INDUSTRIAL AREA	02-06-2017		Manufacturing of Foods Products Pickles, Chutney & Murabba	Orange Renewal	Non-SPI		Hard copy not submitted.		07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-07-2017 Unit submitted hardcopy on 08.04.2017. Status of Pollution Control system/Devices- 1. ETP- Yes 2. ECS- N/A 3. D.G. set- N/A Plot Area- 1212 sq mt Date of commencement- april, 2001 Status of Ground Water Extraction-Yes (82.5 KVA) 1. Water consumption- 1.5 KL/day. a) Source of water-outside (copy of bill not submitted) Effluent analysis report - issued by DPCC, Lab on 30.03.2017. Parameters are within prescribed limit. Emission monitoring report -N.A Noise monitoring report - issued by DPCC, Lab on 24.07.2017. Parameters are within prescribed limit.	03-10-2017 Inspection be conducted.
159	SHASHANK MITTAL	340/38,GALI NO 1B FRIENDS COLONY INDUSTRIAL AREA	02-06-2017		MANUFACTURING OF COPPER WIRE DRAWING	Orange Establish	Non-SPI	HWM Application No. 1	1. ETP - No . 2. ECS - No . 3. D.G Set - No. .	N/A	06-06-2017 Recommended for inspection.	03-10-2017 Expedite inspection.

					Copper Wire Drawing without Super Enamelling, pickling (Dry Process)			Application Date 08-06-2012 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 07-06-2017	4. Water Consumption - 170 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/Day which is disposed through Nil.		Recommendation / Action Taken Details (EE/AEE) on 19-07-2017 Inspection yet to be conducted.	
160	SHASHANK MITTAL	340/38,GALI NO 1B FRIENDS COLONY INDUSTRIAL AREA	02-06-2017		MANUFACTURING OF COPPER WIRE DRAWING Copper Wire Drawing without Super Enamelling, pickling (Dry Process)	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 08-06-2012 Authorisation Status Approved Authorisation Issue Date 28-08-2012 Authorisation Expiry Date 07-06-2017	1. ETP - No . 2. ECS - No . 3. D.G Set - No. . 4. Water Consumption - 170 liters/day and source is Purchase water. 5. Quantity of Domestic Effluent Generated - 100 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - Nil Liters/Day which is disposed through Nil.	N/A	06-06-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 31-08-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
161	LALS HAVELI	8892-95/2,MULTANI DHANDA,PAHARGANJ,NEW DELHI	02-06-2017		Guest House 17 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 17 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 6500 L/day Discharge - 5800 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 64 KVA MCD License - Valid upto 31/03/2016 Police License - Valid upto 31/03/2011 Date of commencement - 11/11/1992 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.

162	ATLANTA CONTINENTAL	7970/71,A,K ROAD,PAHARGANJ,DELHI	02-06-2017		Guest House 29 Rooms Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 29 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 8500 L/day Discharge - 7800 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 64 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 12/11/2010 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.
163	SHREE RAM FOOD PRODUCTS	M-4/1, BADLI INDUSTRIAL AREA, PHASE-I	03-06-2017		Manufacturing of Bread and Bakery Products Food and Fruit Processing Industry -Bakery (Bread & Biscuit) / Blanco Cakes	Green Establish	Non-SPI		.		28-09-2017 May please peruse the documents/file. In view of the Office Order No. F.No. DPCC/Consent/ 2017/569-580 dated 31.05.2017 regarding processing of the consent cases, case is recommended for grant of Consent to Establish under Green Category for one year.	03-10-2017 Consent to Establish granted.
164	HOTEL PICASSO PRIVE (A UNIT OF DARSHAN HOSPITALITY)	A-14, NARAINA VIHAR	03-06-2017		Guest House Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Status of Pollution Control System (1)ETP ---- Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 160 KVA. Noise monitoring report dated 28-12-2016 issued by DPCC submitted. Noise monitoring report within Limit - Yes		22-09-2017 .	03-10-2017 Consent to Operate granted.
165	HOTEL SUKANT PALACE	PLOT NO: 1142/10, ABDUL REHMAN ROAD, NAIWALA, KAROL BAGH,	03-06-2017		GUEST HOUSE WITH 20 ROOM 38 BED Hotel/ Guest Houses having more than 50 rooms (double bed) or 100 rooms	Orange Establish	Non-SPI		Hardcopy not submitted.		06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 20 Kitchen - Yes Laundry -	03-10-2017 Case deferred and to be taken up in a separate meeting.

					(single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler						Boiler/HWG - No Water consumption - 1300 L/day Discharge - 1100 L/day ETP/OGT - Yes ECS - No DG set - No MCD License - Valid upto 31/03/2016 Police License - Valid upto 31/03/2017 Commencement date- 03/01/2009 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	
166	KARAT-87	PLOT NO: 16/21, WEA, PADAM SINGH ROAD, KAROL BAGH	04-06-2017		GUEST HOUSE HAVING (20 ROOM 20 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 20 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1500 L/day Discharge - 1250 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 16/11/2010 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.
167	ROCKWELL PLAZA	PLOT NO: 5/14, WEA, KAROL BAGH,	04-06-2017		GUEST HOUSE (22 ROOM) 42 BED Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.	.	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 22 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 2500 L/day Discharge - 1950 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 125 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 02/11/2010 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.
168			04-06-2017				Non-SPI		Hardcopy not submitted.	.		03-10-2017

	HOTEL SRIRI NANAK CONTINENTAL	2222, HARDHYAN SINGH ROAD, KAROL BAGH,			GUEST HOUSE HAVING 26 ROOM (45 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish					06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 27 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 2200 L/day Discharge - 1800 L/day ETP/OGT - Yes ECS - attached to boiler DG set - No MCD License - Valid upto 31/03/2013 Police License - Valid upto 31/03/2017 Commencement date- 07/10/2002 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	Case deferred and to be taken up in a separate meeting.
169	WAHI GUEST HOUSE	6/82, PADAM SINGH ROAD WEA, KAROL BAGH	04-06-2017		GUEST HOUSE (19 ROOM 30 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hardcopy not submitted.		06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 19 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 100 L/day Discharge - 800 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 15 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2018 Commencement date- 21/05/2001 Unit is having kitchen facility. Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	03-10-2017 Case deferred and to be taken up in a separate meeting.
170	NATHU SWEETS PVT. LTD.	PLOT NO 247, PATPARGANJ INDUSTRIAL AREA	05-06-2017		Manufacturing of Sweets and Allied Products. Restaurants/Eating Houses / Dhabas and other such establishments (with minimum seating capacity of 101) / Banquet Halls/ Party Lawns (with minimum Floor area 100 m2) and /Sweet Shops/ Halwais and Other such Establishments (with Annual Average Production of one Tonne/Day or more) - connected	Orange Operate	Non-SPI		1. ETP - Yes, of design capacity 5000 Liters/day. 2. ECS - No 3. D.G Set - Yes,of capacity 20 KVA installed . 4. Water Consumption - 2500 liters/day and source is DJB. 5. Quantity of Domestic Effluent Generated - 200 Liters/Day which is disposed through sewer. 6 Quantity of Trade Effluent Generated - 2000 Liters/Day which is disposed through sewer. 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2018. 8. Police Licence of Delhi - Not provided	Analysis water effluent Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.Noise Monitoring Report was submitted by DPCC on 17.04.2017 and all the parameters are within the prescribed limit as per the report.	06-06-2017 Recommended to grant the Consent. Recommendation / Action Taken Details (EE/AEE) on 01-09-2017 The hard copy of the Consent was recieved on 25.05.2017 and no compliance of segregation of the waste was given by the unit.Inspection yet to be conducted.	03-10-2017 Expedite inspection.

					to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler							
171	BELL PEPPERZ (A UNIT OF KAYS BANQUET AND RESTAURANTS)	A-4, COMMUNITY CENTR, PHASE-2, ASHOK VIHAR	05-06-2017		RESTAURANT. Restaurants /Eating houses/ Dhabas and other such establishments (having seating capacity from 36 to 100 seats)- connected to / Discharging Effluent into Public/Municipal/ DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		ETP: Nil ECS: N/A D.G.Set:125 KVA Source of Water Supply: 0.5 KLD from outside source. Date of commencement of production: 25.09.2012. Unit has not submitted its hardcopy of the Consent Application Form. Earlier,Show Cause Notice u/s 33(A) of Water Act,1974 and u/s 31(A) of Air Act,1981 was issued to the unit on 17.05.2017. Unit has submitted its point wise reply in response of Show Cause Notice on 24.05.2017 and informed the following: -That raw water pump requires repairing and sent to mechanic for repairing. Moreover, unit is in process of modification of ETP and installation of Oil & grease trap and work will be completed within 15 days. -That sludge could not be found as ETP is undergoing a modification. - That seating capacity of the unit is 70 and enclosed Delhi Police License mentioning same number of seating capacity. - That unit is not using wood as fuel in the oven but it is used for bringing taste in the products and unit would not use wood anywhere in future. Discrepancies in Application Form: -Water consumption is 0.5 KLD as per column No.13 of application form whereas according to undertaking submitted by the unit, water consumption is 5 KLD. - Trade effluent generated by the unit is 0.4 KLD as per cloumn No.15(ii) of application form whereas according to undertaking submitted by the unit, trade effluent generated is 4 KLD.		06-06-2017 . Remarks/ATR on 31-08-2017 Inspection is yet to be conducted. Recommendation / Action Taken Details (EE/AEE) on 08-08-2017 Unit has submitted hard copy of consent application vide letter dated 13.06.2017.	03-10-2017 Expedite inspection.
172	JAGAT INN	6/87, PADAM SINGH ROAD, WEA, KAROL BAGH	05-06-2017		GUEST HOUSE WITH (18 ROOM 18 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry with Boiler	Orange Establish	Non-SPI		Hard copy not submitted.		07-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 09-08-2017 No. of Rooms - 18 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 900 L/day Discharge - 750 L/day ETP/OGT - Yes ECS - attached to boiler DG set - 1 x 15 KVA MCD License - Valid upto 31/03/2018 Police License - Valid upto 31/03/2017 Commencement date- 16/12/2003 Unit is having kitchen facility.	03-10-2017 Case deferred and to be taken up in a separate meeting.

					/ Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler				8. Police Licence of Delhi - provided.			
176	SURYA INN	35-38, BANARASI DAS BUILDING, MAIN ROAD GANDHI NAGAR	05-06-2017		Guest House 24 Rooms Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		1. ETP - No. 2. ECS - No 3. D.G Set - No. 4. Water Consumption - 2000 liters/day and source is tanker. 5. Quantity of Domestic Effluent Generated - 1800 Liters/Day whose disposal is not provided. 6 Quantity of Trade Effluent Generated - Nil Liters/Day 7. Municipal Corporation of Delhi - provided which was valid upto 31.03.2016 8. Police Licence of Delhi - provided	N/A	06-06-2017 Recommended for inspection Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 Inspection yet to be conducted.	03-10-2017 Expedite inspection.
177	BAJAJ MACHINE TOOLS	C-184, NARAINA INDUSTRIAL AREA PHASE - I	06-06-2017		MFG. OF DIFFERENT TYPES OF ENGINEERING MACHINE, LATHE MACHINE, POWER PRESS. Spray Painting, Paint Baking, Paint Stripping	Orange Renewal	Non-SPI	HWM Application No. 1 Application Date 20-09-2011 Authorisation Status Approved Authorisation Issue Date 31-08-2012 Authorisation Expiry Date 19-09-2016 HWM Application No. 2 Application Date 06-06-2017 Authorisation Status Pending	Status of Pollution Control System (1)ETP ---- N/A (2)ECS - N/A (3)D.G.Set Noise Report : 1 (a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes Status of Ground Water extraction :Nil Status of Inspection :No SCN u/s 31(A)/33(A)/5 of EPA details :No Closure directions u/s 31(A)/33(A)/5 of EPA details :No	(a) The unit has 1 D.G. Set(s) of 62.5 KVA. Noise monitoring report dated 13-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-06-2017 . Recommendation / Action Taken Details (EE/AEE) on 20-09-2017 An inspection was conducted on 07.07.2017 and following were observation made- - During inspection unit found operational. -unit is not water as well as non air polluting therefore no ETP & CES found installed. -one D.G. Set of 62.5 KVA found installed with acoustic enclosure & 3 M stack height above roof level. 4 Source of water is outside no bore-well was observed. 5. HWM Guideline being not followed.	03-10-2017 Issue show cause notice for refusal / cancellationof authorization and show cause notice u/s 5 of EP Act.
178	HOTEL KOCHAR INTERNATIONAL	PLOT NO. 2, BLOCK. 18-B, NEW MARKET, KAROL BAGH,	06-06-2017		GUST HOUSE (20 ROOM 46 BED) Hotel/ Guest Houses having upto 50 rooms (double bed) or 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and having Kitchen and / or Laundry without Boiler	Orange Establish	Non-SPI		No. of Rooms - 20 Kitchen - Yes Laundry - Boiler/HWG - Yes Water consumption - 1600 L/day Discharge - 1200 L/day ETP/OGT- Yes ECS - No DG set - 1 x 62.5 KVA MCD License - Valid upto 31/03/2014 Police License - Valid upto 31/03/2017 Commencement date- 06/08/2003 Unit is having kitchen facility.	Effluent Analysis Report- No Emission Monitoring Report- No Noise Monitoring reports- No	09-08-2017 .	03-10-2017 Case deferred and to be taken up in a separate meeting.



CONSENT MANAGEMENT

Decisions taken by the Committee for II (b) category cases headed by Member Secretary DPCC and constituted vide office order dated 31.05.2017 in its 7th meeting on 03.10.2017 w.r.t. Table Agenda Item No 1 - 04 Cases (Annexure II).

S. No.	Industry Name	Address	Date of Application	Application No	Activities / Product	Consent Application [CTE / CTO / CTO(R)]	Category (SPI/Non SPI)	Authorization Status (Granted/Applied - Fresh/Renewal)	Brief of Case	Status of Test Report(s)	Remarks (Whether unit fulfills all conditions for grant of Consent / Authorisation)	Decison
1	HOTEL GOLDEN GRAND	W-1/10MAIN PATEL ROAD, WEST PATEL NAGAR	08-06-2017		Hotel Hotel/ Guest Houses having 20 to 50 rooms (double bed) or 40 to 100 rooms (single bed) (excluding 3 Star and above) - connected to / Discharging Effluent into Public / Municipal / DJB Sewer and not having Kitchen and / or Laundry without Boiler	Orange Operate	Non-SPI		Source of water: DJB, Category-II water consumption: 5500 litre/day Status of Ground Water extraction :Nil Status of Pollution Control System (1)ETP - ETP - Physiochemical,Oil and Grease Trap (2)ECS - N/A (3)D.G.Set Noise Report : 1 D.G. Set of 200 KVA -An inspection was carried out by he representatives of DPCC on 20.01.2017, during inspection following observations were made: 1.Unit found operational and engaged in the activity of Hotel having 33 rooms (double bedded). 2.Effluent Treatment Plant installed and same found operational. 3.One D.G. set of 200 KVA installed with acoustic enclosure and adequate stack height 4. Channelisation provided in the kitchen with adequate stack height of chimney. 5.Not applied for Consent to Operate and Consent to Operate yet. -A show cause notice was issued to the unit on 01.03.2017. -A modified direction was issued to the unit on 13.04.2017.	Effluent analysis report: (a) Effluent analysis report dated 24-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes Noise monitoring report: (a) The unit has 1 D.G. Set(s) of 200 KVA. Noise monitoring report dated 25-04-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	06-07-2017 Recommendation / Action Taken Details (EE/AEE) on 21-09-2017 - Consent to Establish and Consent to Operate may be granted.	03-10-2017 Consent to Operate granted.
2	PRINCE AUTOMOBILES	A-5, DSIDC INDUSTRIAL AREA, ROHTAK ROAD, NANGLOI	17-06-2017		SALES AND SERVICE CENTRE OF TWO WHEELERS (with washing) Automobile Servicing and Repair Station with Washing Activity	Orange Operate	Non-SPI	HWM Application No. 1 Application Date 17-06-2017 Authorisation Status Pending	water consumption: 2500 Liters/Day Status of Pollution Control System (1)ETP ---- ETP - Physiochemical (2)ECS - N/A (3)D.G.Set: N/A Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	1. Effluent analysis report: (a) Effluent analysis report dated 19-04-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes	06-07-2017 -Consent to Operate may be granted. Remarks/ATR on 03-10-2017 -Consent to Operate may be granted Recommendation / Action Taken Details (EE/AEE) on 22-09-2017 An inspection was conducted on 01.09.2017 and following observation were made- - During inspection unit was found operational and engaged in the activity of sales and servicing of two wheeler (with washing). - ETP found installed and same was working condition. - Unit has no D.G. Set. - HWM guideline follow.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.
3	SPIRIT GLOBAL CONSTRUCTIONS PVT. LTD.	RAJOURI GARDEN, ADJACENT TO RAJOURI GARDEN METRO RAILWAY STATION	11-09-2017		Multi Level Parking with Commercial Development. Shopping Malls, Housing / Commercial/ Office Complexes having	Orange Operate	Non-SPI		water consumption: 60000 Liters/Day Status of Pollution Control System (1)ETP ---- Other ETP Name : STP OF 100KLD CAPACITY HAS BEEN INSTALLED (2)ECS - N/A	1. Effluent analysis report: (a) Effluent analysis report dated 05-09-2017 issued by DPCC submitted. Effluent Test Report within Limit - Yes 2. Noise monitoring report: (a) The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017	13-09-2017 Recommendation / Action Taken Details (EE/AEE) on 03-10-2017 -As per decision an inspection was carried out by DPCC Officials on 26.09.2017. During inspection following observations were made: 1. During inspection unit found ready for operational and the activity of the unit is multilevel parking with commercial development, the project	03-10-2017 Consent to Operate granted.

					built up area less than 20,000 sqm				(3)D.G.Set Noise Report : 3 Status of Ground Water extraction :nil Status of Inspection :no SCN u/s 31(A)/33(A)/5 of EPA details :no Closure directions u/s 31(A)/33(A)/5 of EPA details :no	issued by DPCC submitted. Noise monitoring report within Limit - Yes (b)The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes (c) The unit has 3 D.G. Set(s) of 250 KVA,500 KVA and 500 KVA. Noise monitoring report dated 08-09-2017 issued by DPCC submitted. Noise monitoring report within Limit - Yes	constructed with a collaboration with DMRC & Spirit Global Constructions Pvt. Ltd. 2. Unit have plot area 6797.29 sq. meter having three basement and ground & 4 floors. 3. Three no. of DG Sets 500, 500 & 250 KVA found installed at ground level with acoustic enclosure and 20 meter stack height. 4. STP of 100 KLD found installed & same was found in operational condition. 5. Two no. of rain water harvesting pits found in working condition. 6. Proper file management at fire hydrant found installed. 7. Green area found at the front side of mall. 8. STP treated water being reused in horticulture & flushing. 9 Unit has applied CTO on 11.09.2017. 10. Construction work has been completed and building/complex is ready for operation. 11. Unit has been submitted Stack monitoring reports of DG sets, noise monitoring reports and effluent analysis report and report shows that all parameter are within prescribed standards.	
4	M/S T.R. SAWHNEY MOTORS PVT.LTD.	EAST GOKULPUR, MAIN WAZIRABAD ROAD,DELHI	14-09-2017		Service Station (Washing, Repairing,, Denting and painting of Cars) Automobile Servicing and Repair Station with Washing Activity with burner	Orange Operate	Non-SPI		1. ETP- Yes. 2. ECS- Stack attached to paint booth. 3. DG Set- 3no.s, of capacity 62.5, 82.5 and 125 KVA respectively. 4. Trade Effluent-1800 L/D and its mode of disposal into drain. 5. Domestic Effluent-500L/D and its mode of disposal into drain. 6. Water Consumption- 2800 L/D and its source outside. CTE was issued to the unit with the condition that CTE is hereby granted to the Consentee that Consentee shall submit valid licences from EDMC within 3 months. The unit did not submit the desired EDMC license accordingly SCN u/s 31(A) of Air Act and u/s 33 (A) Water Act was issued on 28.02.2017. The unit failed to reply the show cause notice therefore, Closure Direction was issued to the unit on 24.08.2017 . Representation from the unit has been received on 13.09.2017 requesting of revocation of Closure Direction stating that they will submit the request for Consent and also enclosed a copy of valid EDMC License for local commercial category for the activity of automobile workshop for servicing and repair of automobile 15 hp. The unit has not applied for authorization under Hazardous Waste Management Rules, 2016.	Noise Monitoring Report was submitted by DPCC on 13.09.2017 and all the parameter are within the prescribed limit as per the report. Analysis Report of water effluent was submitted by DPCC on 18.07.2017 and all the parameter are within the prescribed limit as per the report. Emission Monitoring Report was submitted by DPCC on 14.09.2017 and all the parameter are within the prescribed limit as per the report.	-Consent to Operate may be granted. 20-09-2017 Inspection be conducted and also ask the unit to apply under authorization under Hazardous Waste Management Rules, 2016. Recommendation / Action Taken Details (EE/AEE) on 03-10-2017 Inspection of the unit was conducted by the officials of DPCC on 26.09.2017 and the following were observed : 1. The unit was found operating in 3 premises, one premises is used as showroom, middle one is used for true value showroom and in third premises which is about reportedly 220 sq-m in area is being used for servicing of cars, all the premises are interconnected to each other. 2. The service station found operative and servicing of vehicles was going on and dry washing of the vehicles was going on. It was seen and as informed that at present wet washing is not going on. 3. The reason for wet washing of vehicles discontinuation is due to maruti company policy (as reported by Sh. Rajiv Sawhney,CEO). 4. HW was found stored in drums and as informed entire HW generated being handed over to M/s Bharat Oil for disposal. 5. ETP consist of Reaction cum settling tank, non conventional filter media tank, clear water tank and reportedly treated water is being used for wet wash as and when required. Sedimentation tank cum collection tank was also found installed from where trade effluent is pumped to reaction cum settling tank. 6. 3 D.G set of capacity of 62.5 KVA, 125 KVA, 82.5 KVA in which 125 KVA of D.G set was found in operative condition and remaining two was in defunct condition. 7. The process Emission from paint booth shop found channelized and dispersed above roof level.	03-10-2017 Consent to Operate granted. Application for Authorization under HW Rules be kept in abeyance.